rl. Papers.



UNIVERSITY OF LONDON
LIBRARY

REPORTS

FROM

COMMISSIONERS, INSPECTORS,

AND OTHERS:

FORTY-SEVEN VOLUMES.

—(10.—Part I.)—

BIRTHS, DEATHS, AND MARRIAGES (ENGLAND).

Session 1.—5 *February* 1895——6 *July* 1895.
Session 2.—12 *August* 1895 - —5 *September* 1895.

VOL. XXIII.—Part I.

BIBL. LONDIN. UNIV.

1895.

REPORTS

FROM

COMMISSIONERS, INSPECTORS,

AND OTHERS:

1895.

FORTY-SEVEN VOLUMES:—CONTENTS OF THE

TENTH VOLUME.—PART I.

N.B.—*THE* Figures *at the* beginning of the line, *correspond with the* N° *at the foot of each* Report; *and the* Figures *at the* end of the line, *refer to the* MS. Paging *of the Volumes arranged for The House of Commons.*

BIRTHS, DEATHS, AND MARRIAGES (ENGLAND):

[C. 7769.] Supplement to the Fifty-fifth Annual Report of the Registrar General of Births, Deaths and Marriages in England. Part I. p. 1

SUPPLEMENT

TO THE

FIFTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

PART I.

Presented to both Houses of Parliament by Command of Her Majesty.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

And to be purchased, either directly or through any Bookseller, from
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C., and
32, ABINGDON STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & Co., 12, HANOVER STREET, EDINBURGH, and
90, WEST NILE STREET, GLASGOW; or
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON STREET, DUBLIN.

1895.

[C.—7769.]

CONTENTS.

REPORT.

	PAGE
Preliminary Remarks	iii
Changes in the Death-rate of England and Wales	vi
New English Life Table	ix
Changes in Classification of Diseases	xx
Faulty Certification of Causes of Death	xxii
Balance of Gain and Loss in the Mortality from Specified Causes	xxiii
Mortality from Zymotic Diseases	xxiv
Mortality from Constitutional Diseases	xxviii
Mortality from Diseases of the Nervous System	xxxi
Mortality from Diseases of the Circulatory System	xxxii
Mortality from Diseases of the Respiratory System	xxxii
Mortality from Diseases of the Digestive System	xxxiv
Mortality from Diseases of the Urinary System	xxxv
Mortality from Violence	xxxvi
Local Variations of the Death-rates in 1881–90	xxxvi
Correction of Crude Death-rates	xxxvi
Density of Population in relation to Mortality	xlvi
Mortality in "Urban" and in "Rural" England	xlviii
Local Distribution of Mortality from Zymotic Diseases	xlviii
Local Distribution of Cancer Mortality	lii
Local Distribution of Mortality from Phthisis	lvii

TABLES.

List and Explanation of Preliminary Tables	lxi
Preliminary Tables	lxii

PAGE

Mean Population, Marriages, Births, and Deaths, with Annual Rates per 1,000, during the Ten Years 1881–90, in England and Wales, and in Registration Counties and Districts . 3

Changes in the Areas of Registration Counties, Districts, and Sub-Districts during the Ten Years 1881–90 . . . 729

Alphabetical Index of Registration Districts 739

Alphabetical Index of Certain Towns 743

General Alphabetical Index 744

LETTER

TO

The Registrar-General on the Mortality in England and Wales during the Period of Ten Years 1881–90, by John Tatham, Esq., M.A., M.D.

General Register Office,
Somerset House, London,
1st February 1896.

Sir,

I have the honour to submit for your consideration the following remarks on the Vital Statistics of England and Wales in the decennial period last completed: these remarks, together with the appropriate tables, form Part I. of the Supplementary Report for the years 1881–90.

In the course of his preparations for taking the census of 1891, Dr. Ogle projected a scheme for ascertaining, by appeal to a basis of fact larger and more trustworthy than any previously available, the effect of certain definite occupations on the health and longevity of persons engaged therein. Complete records of the deaths of males over fifteen years of age, occurring in England and Wales during the three years 1890–2, were thought to be not more than sufficient for this investigation; accordingly these deaths, numbering more than half a million, have been extracted from the registers, and by means of the population figures obtained at the last census, the rates of mortality from several different causes have been worked out for a large number of occupations.

With the help of a temporarily increased staff the work has proceeded uninterruptedly ever since the census year, and the whole of the tabular matter in connection therewith is now in a forward condition. Nevertheless, much still remains to be done before this valuable mass of information can assume a form in which the true relations of the facts shall be demonstrable. It has, therefore, been thought inadvisable to delay the publication of the greater part of this Supplement, for the sole purpose of including under the same cover the section relating to occupational mortality. The latter important section will therefore shortly be issued as Part II. of the Supplementary Report for 1881–90.

For the unique and valuable fund of information respecting deaths and their causes which throughout the last half-century has been accumulating in the General Register Office, the State is manifestly indebted to the generous co-operation of the medical profession; failing which, the organization of a system of vital statistics which should be worthy of the English nation would have been impossible. It is therefore clearly incumbent on the officer who is responsible for the classification and analysis of the national mortality records to take care that every detail shall be utilized which may serve to increase our knowledge of the intimate nature of preventable diseases, and may thus tend to diminish their prevalence, as well as to mitigate their baneful effects on human health and life.

Influenced by the above-mentioned considerations, I have striven to develop to the utmost the practical value of these volumes as a work of reference for students of Preventive Medicine; for I feel assured that to have succeeded in this endeavour would constitute the highest tribute I could offer to the memory of Dr. William Farr, whose life-long labours in behalf of that science which must ever be identified with his name, still continue to influence beneficially the health conditions of his fellow men. I trust that I may venture to entertain the hope that these

volumes may be regarded as a not unworthy contribution to the series of supplementary reports of which the first and second were written by Dr. Farr himself, and the third was from the pen of my eminent predecessor, Dr. William Ogle.

It is desirable to explain that the elaborate series of decennial tables in the present volume are by no means mere summaries of facts already published in the successive annual reports of the Registrar-General; those reports contain certain details for each year as to causes of death in each of the 632 Registration Districts of England and Wales, but they give no information respecting the combination of cause with sex or with age. The decennial tables herewith submitted have been prepared from hitherto unpublished manuscripts in the custody of this office; and in order to obtain a comparative statement of the mortality in each district amongst males and females at certain age-groups and from specified causes, it has been necessary to extract from the original tabling sheets of each of the registration districts, the facts required to compile the tables on pages 97–728.

With the object of presenting to readers of this volume as much useful material as could be brought within reasonable limits, I have carefully revised some of the tables appended hereto, and have considerably added on the present occasion to the amount of routine information which has appeared in previous decennial supplements.*

Throughout the period that has elapsed since the passing of the first Public Health Act, there has been observed in relation to sanitary progress a steadily growing public interest, the development of which has doubtless been encouraged by the knowledge that in the reports emanating from the General Register Office may be found statistics by which the local variations of healthiness in every part of England and Wales can be measured, as can also the beneficial effect of works undertaken from time to time for the improvement of the health of the community.

Ever since the commencement of civil registration in 1837, records have been kept in this office of the numbers of births, marriages, and deaths taking place in each successive year throughout England and Wales. Particulars have also been tabulated with ever increasing care since 1847,† in regard to causes of death and age at death, in the case of every such occurrence in any registration district of this country. In issuing a work

* Information given in the tables of the present volume, in addition to, or in modification of that contained in the tables of the Supplement for 1871–80.

In each of the district tables (pages 97–728).

(*a*) Four vertical columns showing the deaths and crude death-rates at all ages of *males and females separately*, from each of the specified death-causes, in addition to the columns for persons.

(*b*) Six lines showing populations, deaths, and death-rates at 12 groups of ages among males and females separately, together with the lines for persons, as before.

(*c*) Death-rates in standard population in each district.

(*d*) Decennial increase or decrease (per cent.) of population in each district.

For each of the 45 registration counties (pages 6–95).

Two tables are now given, one for males, the other for females, showing—(1) Mean population, (2) deaths, (3) death-rates at the several age-groups and "in standard population" for males and females separately. The corresponding rates for *Persons* are shown in another table (page xxxix). The *facts of Death* at the several ages and from specified causes relating to *Persons* can be obtained by adding the figures for males and females given in these Tables.

In Table 2 (Children under 5 Years), pages lxxxii–xcvi. The figures for the last four columns of Table 2, as it appeared in the previous Supplement are now given in the county and district tables (pages 6–728). They are therefore omitted from Table 2 in this volume, and the available space in that table has been utilized by the insertion of the death-rates under five years from diphtheria, fever, tubercular diseases, and respiratory diseases. All the principal zymotic diseases of children are now included in this table.

† From 1837 to 1842 the deaths were abstracted by age and by cause, separately. From 1843 to 1846 by age only, and from 1847 onwards by age and cause in combination.

like the present, which shows in detail the vital statistics of each of the 632 registration districts, during a period of ten years, it is impossible not to feel regret that the elaborate series of tables therein contained cannot, except in a few instances, be utilised for definite administrative purposes, because of the overlapping and confusion of areas which still very frequently persist.

In 1888 the Commissioners who had been appointed under the Act of the previous year* made a valuable series of recommendations for the simplification of areas, such, for example, as parishes, boroughs, sanitary districts, unions, and counties. In cases involving so many and such complex interests improvement must necessarily be slow; but it is a fact that the adjustments effected by the County Councils under the provisions of the Local Government Acts of 1888 and 1894, on the basis of the commissioners' recommendations, have already resulted in the simplification of a considerable number of territorial boundaries, and, not rarely, in closely assimilating the limits of administrative and registration areas. Many urban sanitary districts, for example, which before 1888 had extended into two, three, or even four separate registration districts, have under these Acts, been made to lie wholly within one registration district, and in a few instances an urban sanitary district has been made co-extensive with a registration district or sub-district. Obviously, therefore, in every case where an administrative area such as an urban sanitary district is made to correspond exactly with a registration district, the decennial tables of the present and previous supplements referring to such area, will furnish a valuable test of the success of local effort for the improvement of the Public Health. The urban sanitary districts of Leicester, Portsmouth, Norwich, Devonport, Plymouth, and Barrow-in-Furness are already coterminous with the corresponding registration districts. This process of adjustment is still going on in various parts of the kingdom under the sanction of the Local Government Board, and it is greatly to be hoped that the many remaining anomalies of the kind here alluded to may ere long be rectified. At present, however, the fact remains that there are still in England and Wales eleven urban sanitary districts, including three county boroughs, which extend not only into more than one registration district, but even into more than one registration county.†

---

* *i.e.*, the Local Government (Boundaries) Act, 1887, 50 & 51 Vict. c. 61.

† The following are a few instances out of many in which the operations of the county councils under the Local Government Acts of 1888 and 1894 have tended to the simplification of areas.

Yorkshire, West Riding.

Before the passing of the Local Government Acts, 1888 and 1894, the registration county of Yorkshire, West Riding, included the whole of the administrative county of that name, together with the county boroughs of Bradford, Halifax, Huddersfield, Leeds, and Sheffield, but with the exception of 11 entire parishes and part of another parish situate in Nottinghamshire, 19 entire parishes and part of one other parish situate in Lancashire, and 4 entire parishes and parts of two other parishes situate in Yorkshire, East Riding; it also contained 5 entire parishes belonging to Derbyshire, part of one parish belonging to Lancashire, 10 entire parishes belonging to Lincolnshire, 2 entire parishes and part of one other parish belonging to Nottinghamshire, 8 entire parishes belonging to Yorkshire, East Riding, and 24 entire parishes and 4 parts of parishes belonging to Yorkshire, North Riding. Before 1888, therefore, the differences between the registration and administrative counties of York, West Riding, amounted to 83 parishes and 10 parts of parishes.

The effect of the alterations under these Acts has been to reduce this difference from 83 parishes and 10 parts of parishes to 74 parishes only, and to reduce the difference in population from 48,070 to 38,410.

Dorsetshire.

Before the passing of the Acts registration Dorsetshire contained the whole administrative county of Dorset with the exception of 10 parishes situate in Wilts, Devon, and Somerset; it also contained 8 other parishes situate in the county of Somerset. Registration Dorset therefore differed from administrative Dorset by 18 parishes. The effect of the alterations under the Acts has been to reduce the difference between the registra-

Changes in the Death-rate of England and Wales.

In the decennial period, 1871–80, there had occurred a mortality equal to 21·27 annual deaths, from all causes, in each thousand of the population. In the succeeding ten years, namely, the period to which the present volume relates, the mean annual proportion fell to 19·08 in a thousand. This decline in the mortality at all ages was shared by both sexes in almost equal proportions; the rate among males having fallen by 10·6 per cent. and that among females by 10·0 per cent. The figures show a decreased mortality among *females* at every one of the age-periods into which the span of life has been divided for the purposes of the Registrar-General's Reports, and among *males*, a decrease at all but the age-period 65–75 years. The experience of 1881–90, although agreeing with that of the preceding decennium in showing a greater reduction of mortality at the earlier ages, nevertheless differs from it in other important respects. For example, Dr. Ogle, commenting, in the last Decennial Supplement, on the varying incidence of mortality at the several ages, showed that, whilst the rates had fallen at the earlier periods of life, they had risen at the later periods. As has been already stated, this was by no means the case in the decennium under present notice, where a decrease was observed in both sexes at every age-period save one. Again, as compared with the mortality in the preceding decennium, the rate among females in 1871–80 was found to have decreased more rapidly than among males; this inequality has now been redressed, for in 1881–90 the male rate decreased actually faster than the female. Perhaps, however, the most significant difference between the two sets of figures lies in the fact that whereas in 1871–80 there had been a considerable rise in the male mortality after the age of 45, and in the female mortality after 55, recent figures show that this blemish has been almost completely removed, the only rise of mortality in the whole course of life during 1881–90 having been the trivial one of less than one per cent. at the age-group 65–75, among males (*see* Table A.)

In the recent decennium the mortality among infants under one year of age, which is generally accepted as the most sensitive test of the health of a given population, has shown a decline. The rate of mortality among infants of both sexes under the age of twelve months, was equal to 142 per 1000 births registered, as compared with 149 per 1000 in the preceding decennium. In 1881–90 the infantile rate among males was equal to 155 per 1000 births, and among females, to 128 per 1000; the rates in 1871–80 having been 163 and 134 respectively.

---

tion and the administrative county from 18 parishes to 3; and to reduce the difference in population from 9738 to 3359.

Surrey.

Before the passing of the Local Government Acts, 1888 and 1894, registration Surrey included the whole of the administrative county of Surrey, together with the county borough of Croydon, but with the exception of the parishes of Lingfield situate in Sussex, and Thorpe and Egham situate in Berkshire. It also contained the parishes of Penge belonging to the county of London, Aldershot and Dockenfield belonging to the county of Hants, and Hampton, Hampton Wick, and Teddington belonging to the county of Middlesex, therefore differing from administrative Surrey by 9 parishes. The effect of the alterations under the Acts has been to reduce the difference between the registration and administrative county from 9 parishes to 7, and to reduce the difference in population from 78,421 to 77,613.

Westmorland.

Before the passing of the Acts of 1888 and 1894, the registration county of Westmorland differed from the administrative county only in this, that the former area included the Lancashire civil parish of Dalton whereas the latter area did not include it. Under these Acts the parish of Dalton was transferred from Lancashire to administrative Westmorland, so that the Administrative county of Westmorland now exactly corresponds with the registration county of the same name.

TABLE A.—ENGLAND AND WALES.—**Annual Rate of Mortality** among **Persons, Males, and Females,** in successive Decennia.

PERSONS.

Ages.	1841–50.	1851–60.	1861–70.	1871–80.	1881–90.	Increase or Decrease per cent. in 1881–90 compared with preceding Decennium.
All Ages	22·28	22·17	22·42	21·27	19·08	−10·3
0—	66·03	67·60	68·30	63·12	56·82	−10·0
5—	9·03	8·46	7·95	6·43	5·29	−17·7
10—	5·27	4·97	4·47	3·70	3·02	−18·4
15—	7·46	7·04	6·39	5·33	4·35	−18·4
20—	9·28	8·67	8·19	7·04	5·61	−20·3
25—	10·25	9·76	9·79	8·93	7·53	−15·7
35—	12·85	12·31	12·72	12·62	11·42	− 9·5
45—	17·03	16·54	17·30	17·72	17·06	− 3·7
55—	29·86	28·86	30·28	31·49	31·33	− 0·5
65—	63·59	61·74	62·45	64·85	64·65	− 0·3
75 & upds.	162·81	159·78	158·79	161·59	153·67	− 4·9

MALES.

Ages.	1841–50.	1851–60.	1861–70.	1871–80.	1881–90.	Increase or Decrease per cent. in 1881–90 compared with preceding Decennium.
All Ages	23·11	23·05	23·61	22·61	20·22	−10·6
0—	71·20	72·43	73·16	68·14	61·69	− 9·5
5—	9·16	8·51	8·15	6·67	5·34	−19·9
10—	5·12	4·88	4·46	3·69	2·94	−20·3
15—	7·05	6·69	6·16	5·23	4·30	−17·8
20—	9·50	8·83	8·45	7·32	5·71	−22·0
25—	9·94	9·57	9·90	9·30	7·73	−16·9
35—	12·85	12·48	13·46	13·74	12·35	−10·1
45—	18·22	17·96	19·16	20·05	19·28	− 3·8
55—	31·81	30·85	33·00	34·76	34·66	− 0·3
65—	67·51	65·33	66·69	69·57	70·17	+ 0·9
75 & upds.	168·56	165·40	164·64	169·08	162·18	− 4·1

FEMALES.

Ages.	1841–50	1851–60.	1861–70.	1871–80.	1881–90.	Increase or Decrease per cent. in 1881–90 compared with preceding Decennium.
All Ages	21·58	21·32	21·28	20·00	18·01	−10·0
0—	61·09	62·74	63·43	58·10	51·99	−10·5
5—	8·89	8·42	7·76	6·20	5·25	−15·3
10—	5·42	5·06	4·48	3·70	3·09	−16·5
15—	7·88	7·38	6·62	5·43	4·40	−19·0
20—	9·08	8·53	7·96	6·78	5·51	−18·7
25—	10·55	9·92	9·68	8·58	7·34	−14·5
35—	12·91	12·15	12·03	11·58	10·55	− 8·9
45—	16·04	15·20	15·55	15·59	15·04	− 3·5
55—	28·44	27·01	27·77	28·54	28·40	− 0·5
65—	60·97	58·66	58·80	60·82	60·08	− 1·2
75 & upds.	157·89	155·45	154·28	155·83	147·32	− 5·5

There is no doubt that a considerable proportion of the diminution in the death-rate since the year 1870 is the direct result of what is implied by the term "improved sanitation"; but that the whole of the difference between the rates of the two most recent decennia cannot thus be accounted for will be obvious on reflection. The published returns show that the birth-rate of England and Wales has been steadily decreasing in recent years. In the year 1878 the rate was 35·6 per 1000 of the population, but since that date the fall has been steady, and the rate at the end of the last decennium did not exceed 30·2. It is evident that this change in the rate of birth, continued as it has been for so many years, must have seriously affected the age constitution of the population, and, as the death-rates at the different ages vary enormously, the aggregate rate of mortality must have been modified accordingly. Table B. shows the mean age-distribution of the population of England and Wales in each of the last three intercensal periods. On comparing the columns referring to the decennial periods ending respectively with 1880 and 1890 it will be seen that the numbers both of males and of females living between the ages of 10 and 45 years, were relatively greater in 1881–90 than in the preceding decennium. Sanitary conditions remaining unchanged, the effect of this variation in the age-constitution of the population will be to *reduce the mortality at all ages;* and that this has actually been the case may readily be shown.

The crude death-rate at all ages in the decennium 1871–80 was equal to 21·27 per 1000 living; but if the number of persons living in the several age-groups during that decennium had been in the same proportion as in 1881–90, the death-rate in the earlier decennium would have been, not 21·27 per 1000, but 20·84. It is this latter figure, therefore, and not the former, that should be used for the purpose of showing the actual decrease in the death-rate since 1880.*

TABLE B.—ENGLAND AND WALES.—**Males** and **Females** at **Eleven Groups of Ages** in a **Million Persons Living** at all Ages, **1861–70, 1871–80,** and **1881–90.**

AGE-PERIODS.	PERSONS.			MALES.			FEMALES.		
	1861–70.	1871–80.	1881–90.	1861–70.	1871–80.	1881–90.	1861–70.	1871–80.	1881–90.
All Ages	1,000,000	1,000,000	1,000,000	487,048	486,762	485,527	512,952	513,238	514,473
0–	134,930	135,400	128,679	67,589	67,660	64,122	67,341	67,740	64,557
5–	118,064	120,237	119,006	58,997	59,963	59,333	59,067	60,274	59,673
10–	105,880	107,810	109,571	53,313	53,875	54,806	52,567	53,435	54,765
15–	96,147	97,103	100,007	47,749	48,329	49,720	48,398	48,774	50,287
20–	89,631	88,997	90,486	42,361	42,399	42,922	47,270	46,598	47,564
25–	147,190	146,529	148,630	69,792	70,063	71,131	77,398	76,466	77,499
35–	115,240	113,211	114,039	55,454	54,405	55,095	59,786	58,806	58,944
45–	87,313	85,674	84,950	42,270	40,997	40,472	45,043	44,677	44,478
55–	58,700	59,050	58,044	28,171	27,998	27,151	30,529	31,052	30,893
65–	33,267	33,226	33,510	15,410	15,305	15,184	17,857	17,921	18,326
75 & upds.	13,638	13,263	13,078	5,942	5,768	5,591	7,696	7,495	7,487

* For observations on the "Crude death-rate" and the means appropriate for its correction, *see* pages xxxvi–xxxviii.

New English Life Table.

A Life Table based on the mortality in the ten years, 1871–80, was published in the last Decennial Report. The changes of the death-rate during the decennium 1881–90, which have already been noted, suggest that since 1880 a further increase in the average lifetime of the population has taken place. The new Life Tables on pages x–xix show that this has actually been the case. In Tables C., D., and E. the figures of the new Life Table are given in detail. In Tables F. and G. the number surviving at each age out of a million of each sex born, and also the expectation of life at each age, are placed in comparison with the corresponding figures based on the mortality of 1838–54, and of 1871–80. It will be useful to indicate briefly the main features of the three Life Tables.

Males.—By the Table of 1838–54, a million males born are reduced to half a million during the 45th year of age; by the Table of 1871–80 this amount of reduction is not reached until the 48th year, and by the new Table it is further postponed until the 52nd year. At the end of the first year of age the number of survivors by the new Table occupies an intermediate position between the numbers by the two previous Tables; at every other age until 79 the new Table shows a larger number of survivors than is shown by either of the older Tables; from age 84 onwards the survivors are fewer by the new Table than by either of the others. This change is probably due, in part at least, to more accurate statement of age in recent than in earlier years.*

The average life-time of males, or the expectation of life at birth, which had been 39·91 years by the first of the three Life Tables, and 41·35 years by the second, is further increased by the new Life Table to 43·66 years; that is to say, a male exposed throughout life to the rate of mortality obtaining in England and Wales in 1881–90, would on an average live 2·31 years longer than he would have lived had he been subject to the rates prevalent in 1871–80, and 3·75 years longer than he would have lived had he been subject to the rates prevalent in 1838–54. In the last Decennial Report it was shown that the expectations of life among males by the Life Table therein published were higher than those by the earlier Table for ages below 19, equal thereto at age 19, and lower at all subsequent ages. The new Life Table shows improved expectations of life, compared with those in the earlier Tables, up to 26 years of age; from age 27 until age 44 the expectations are lower than those in the first Table, but higher than those in the 1871–80 Table; for ages 45 and upwards the expectations of life are lower by the new Table than by either of the others.

According to the first Life Table, the 495,770 survivors at age 45, out of a million males born, will live about 11,284,000 years of life, or an average of 22·76 years each; according to the second Life Table the 522,374 survivors at the same age will live about 11,529,000 years of life, or an average of 22·07 years each; and according to the new Life Table the 564,437 survivors at the same age will live 12,451,000 years of life, or an average of 22·06 years each. The successive additions to the working time of life may be shown in a striking form by considering the years lived between the ages 20 and 60. A short calculation shows that

* As an example, it is evident that the inclusion within the age-group 65–75 of a number of persons under 65 years of age, would reduce the calculated mortality of the age-group; and the rate would be still further reduced if a number of persons whose ages had nearly reached the upper limit of the group were returned in the next age-group, 75–85. There is little doubt that a tendency does exist to overstate the ages of old people, both in the census returns and in the death register; but there is reason to believe that such overstatement is less frequent now than formerly.

TABLE C.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881–90.—Males.**

Age x	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
0	81,996	509,180	457,817	22,231,338	43·66
1	24,478	427,184	414,945	21,773,521	50·97
2	9,596	402,706	397,908	21,358,576	53·04
3	6,048	393,110	390,086	20,960,668	53·32
4	4,416	387,062	384,854	20,570,582	53·15
5	3,185	382,646	381,054	20,185,728	52·75
6	2,278	379,461	378,322	19,804,674	52·19
7	1,629	377,183	376,368	19,426,352	51·50
8	1,185	375,554	374,962	19,049,984	50·73
9	897	374,369	373,920	18,675,022	49·88
10	730	373,472	373,107	18,301,102	49·00
11	661	372,742	372,412	17,927,995	48·10
12	674	372,081	371,744	17,555,583	47·18
13	754	371,407	371,030	17,183,839	46·27
14	889	370,653	370,208	16,812,809	45·36
15	1,062	369,764	369,233	16,442,601	44·47
16	1,247	368,702	368,079	16,073,368	43·59
17	1,418	367,455	366,746	15,705,289	42·74
18	1.557	366,037	365,258	15,338,543	41·90
19	1,661	364,480	363,650	14,973,285	41·08
20	1,741	362,819	361,948	14,609,635	40·27
21	1,811	361,078	360,173	14,247,687	39·46
22	1,890	359,267	358,322	13,887,514	38·66
23	1,991	357,377	356,381	13,529,192	37·86
24	2,113	355,386	354,330	13,172,811	37·07
25	2,248	353,273	352,149	12,818,481	36·28
26	2,388	351,025	349,833	12,466,332	35·51
27	2,507	348,638	347,389	12,116,499	34·75
28	2,623	346,135	344,823	11,769,110	34·00
29	2,729	343,512	342,148	11,424,287	33·26
30	2,826	340,783	339,370	11,082 139	32·52
31	2,921	337,957	336,496	10,742,769	31·79
32	3,015	335,036	333,529	10,406,273	31·06
33	3,113	332,021	330,464	10,072,744	30·34
34	3,214	328,908	327,301	9,742,280	29·62
35	3,318	325,694	324,035	9,414.979	28·91
36	3,423	322,376	320,665	9,090,944	28·20
37	3,533	318,953	317,186	8,770,279	27·50
38	3,644	315,420	313,598	8,453,093	26·80
39	3,761	311,776	309,896	8,139,495	26·11
40	3,880	308,015	306,075	7,829,599	25·42
41	4,001	304,135	302,134	7,523,524	24·74
42	4,122	300,134	298,073	7,221,390	24·06
43	4,244	296,012	293,890	6,923,317	23·39
44	4,368	291,768	289,584	6,629,427	22·72
45	4,493	287,400	285,154	6,339,843	22·06
46	4,624	282,907	280,595	6,054.689	21·40
47	4,760	278,283	275,903	5,774,094	20·75
48	4,903	273,523	271,071	5,498,191	20·10
49	5,049	268,620	266,096	5,227,120	19·46

TABLE C.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881–90.—Males**—*continued.*

Age x	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
50	5,214	263,571	260,964	4,961,024	18·82
51	5,383	258,357	255,665	4,700,060	18·19
52	5,558	252,974	250,195	4,444,395	17·57
53	5,742	247,416	244,545	4,194,200	16·95
54	5,933	241,674	238,708	3,949,655	16·34
55	6,134	235,741	232,674	3,710,947	15·74
56	6,344	229,607	226,435	3,478,273	15·15
57	6,565	223,263	219,980	3,251,838	14·57
58	6,799	216,698	213,299	3,031,858	13·99
59	7,042	209,899	206,378	2,818,559	13·43
60	7,286	202,857	199,214	2,612,181	12·88
61	7,525	195,571	191,808	2,412,967	12·34
62	7,750	188,046	184,171	2,221,159	11·81
63	7,955	180,296	176,319	2,036,988	11·30
64	8,139	172,341	168,271	1,860,669	10·80
65	8,303	164,202	160,051	1,692,398	10·31
66	8,446	155,899	151,676	1,532,347	9·83
67	8,566	147,453	143,170	1,380,671	9·36
68	8,659	138,887	134,557	1,237,501	8·91
69	8,721	130,228	125,868	1,102,944	8·47
70	8,749	121,507	117,132	977,076	8·04
71	8,737	112,758	108,390	859,944	7·63
72	8,679	104,021	99,681	751,554	7·23
73	8,572	95,342	91,056	651,873	6·84
74	8,412	86,770	82,564	560,817	6·46
75	8,194	78,358	74,261	478,253	6·10
76	7,918	70,164	66,205	403,992	5·76
77	7,580	62,246	58,456	337,787	5·43
78	7,185	54,666	51,074	279,331	5·11
79	6,735	47,481	44,113	228,257	4·81
80	6,234	40,746	37,629	184,144	4·52
81	5,695	34,512	31,665	146,515	4·25
82	5,125	28,817	26,254	114,850	3·99
83	4,537	23,692	21,424	88,596	3·74
84	3,948	19,155	17,181	67,172	3·51
85	3,369	15,207	13,522	49,991	3·29
86	2,816	11,838	10,430	36,469	3·08
87	2,302	9,022	7,871	26,039	2·89
88	1,837	6,720	5,801	18,168	2·70
89	1,428	4,883	4,169	12,367	2·53
90	1,079	3,455	2,916	8,198	2·37
91	791	2,376	1,980	5,282	2·22
92	562	1,585	1,304	3,302	2·08
93	385	1,023	830	1,998	1·95
94	255	638	510	1,168	1·83
95	162	383	302	658	1·72
96	99	221	171	356	1·61
97	58	122	93	185	1·51
98	32	64	48	91	1·42
99	17	32	24	43	1·33
100	8	15	11	19	1·24
101	4	7	5	8	1·13
102	2	3	2	3	0·98
103	1	1	1	1	0·69

Note.—The figures at the higher ages in the l_x, P_x, and Q_x Columns were calculated to one or more places of decimals. For convenience the nearest whole numbers only are printed, but the Expectations of Life are derived from the more exact values.

TABLE D.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881-90.—Females.**

Age. x	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
0	64,359	490,820	451,096	23,155,981	47·18
1	22,481	426,461	415,220	22,704,885	53·24
2	9,291	403,980	399,335	22,289,665	55·18
3	5,973	394,689	391,702	21,890,330	55·46
4	4,284	388,716	386,574	21,498,628	55·31
5	3,022	384,432	382,921	21,112,054	54·92
6	2,105	381,410	380,358	20,729,133	54·35
7	1,462	379,305	378,574	20,348,775	53·65
8	1,034	377,843	377,326	19,970,201	52·85
9	767	376,809	376,425	19,592,875	52·00
10	627	376,042	375,729	19,216,450	51·10
11	586	375,415	375,122	18,840,721	50·19
12	628	374,829	374,515	18,465,599	49·26
13	737	374,201	373,832	18,091,084	48·35
14	901	373,464	373,014	17,717,252	47·44
15	1,098	372,563	372,014	17,344,238	46·55
16	1,303	371,465	370,813	16,972,224	45·69
17	1,485	370,162	369,420	16,601,411	44·85
18	1,627	368,677	367,863	16,231,991	44·03
19	1,723	367,050	366,189	15,864,128	43·22
20	1,787	365,328	364,435	15,497,939	42·42
21	1,838	363,541	362,623	15,133,504	41·63
22	1,897	361,703	360,754	14,770,882	40·84
23	1,979	359,806	358,817	14,410,128	40·05
24	2,086	357,827	356,784	14,051,311	39·27
25	2,208	355,741	354,637	13,694,527	38·50
26	2,327	353,533	352,369	13,339,890	37·73
27	2,438	351,206	349,987	12,987,521	36·98
28	2,540	348,768	347,498	12,637,534	36·23
29	2,630	346,228	344,913	12,290,036	35·50
30	2,712	343,598	342,242	11,945,123	34·76
31	2,788	340,886	339,492	11,602,881	34·04
32	2,856	338,098	336,670	11,263,389	33·31
33	2,922	335,242	333,781	10,926,719	32·59
34	2,984	332,320	330,828	10,592,938	31·88
35	3,043	329,336	327,815	10,262,110	31·16
36	3,098	326,293	324,744	9,934,295	30·45
37	3,152	323,195	321,619	9,609,551	29·73
38	3,201	320,043	318,442	9,287,932	29·02
39	3,251	316,842	315,217	8,969,490	28·31
40	3,302	313,591	311,940	8,654,273	27·60
41	3,356	310,289	308,611	8,342,333	26·89
42	3,413	306,933	305,224	8,033,722	26·17
43	3,468	303,515	301,771	7,728,498	25·46
44	3,568	300,027	298,243	7,426,727	24·75
45	3,660	296,459	294,629	7,128,484	24·05
46	3,763	292,799	290,917	6,833,855	23·34
47	3,882	289,036	287,095	6,542,938	22·64
48	4,016	285,154	283,146	6,255,843	21·94
49	4,169	281,138	279,054	5,972,697	21·24

TABLE D.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881-90.—Females**—*continued.*

Age. x	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
50	4,834	276,969	274,802	5,693,643	20·56
51	4,512	272,635	270,379	5,418,841	19·88
52	4,697	268,123	265,774	5,148,462	19·20
53	4,890	263,426	260,981	4,882,688	18·54
54	5,089	258,536	255,992	4,621,707	17·88
55	5,297	253,447	250,798	4,365,715	17·23
56	5,516	248,150	245,392	4,114,917	16·58
57	5,749	242,634	239,760	3,869,525	15·95
58	5,994	236,885	233,888	3,629,765	15·32
59	6,251	230,891	227,765	3,395,877	14·71
60	6,520	224,640	221,380	3,168,112	14·10
61	6,797	218,120	214,722	2,946,732	13·51
62	7,082	211,323	207,782	2,732,010	12·93
63	7,370	204,241	200,556	2,524,228	12·36
64	7,659	196,871	193,041	2,323,672	11·80
65	7,944	189,212	185,240	2,130,631	11·26
66	8,224	181,268	177,156	1,945,391	10·73
67	8,489	173,044	168,800	1,768,235	10·22
68	8,736	164,555	160,187	1,599,435	9·72
69	8,956	155,819	151,341	1,439,248	9·24
70	9,143	146,863	142,291	1,287,907	8·77
71	9,288	137,720	133,076	1,145,616	8·32
72	9,384	128,432	123,740	1,012,540	7·88
73	9,422	119,048	114,337	888,800	7·47
74	9,396	109,626	104,928	774,463	7·06
75	9,301	100,230	95,580	669,535	6·68
76	9,129	90,929	86,364	573,955	6·31
77	8,880	81,800	77,360	487,591	5·96
78	8,553	72,920	68,644	410,231	5·63
79	8,150	64,367	60,292	341,587	5·31
80	7,678	56,217	52,378	281,295	5·00
81	7,142	48,539	44,968	228,917	4·72
82	6,556	41,397	38,119	183,949	4·44
83	5,932	34,841	31,875	145,830	4·19
84	5,284	28,909	26,267	113,955	3·94
85	4,631	23,625	21,310	87,688	3·71
86	3,987	18,994	17,000	66,379	3·49
87	3,369	15,007	13,323	49,378	3·29
88	2,790	11,638	10,243	36,056	3·10
89	2,262	8,848	7,717	25,813	2·92
90	1,793	6,586	5,689	18,096	2·75
91	1,387	4,793	4,099	12,406	2·59
92	1,047	3,406	2,883	8,307	2·44
93	768	2,359	1,975	5,424	2·30
94	548	1,591	1,317	3,449	2·17
95	380	1,043	853	2,132	2·05
96	255	663	536	1,280	1·93
97	165	408	326	744	1·82
98	103	243	191	419	1·72
99	62	140	108	227	1·63
100	36	77	59	119	1·54
101	20	41	31	60	1·45
102	11	21	16	29	1·37
103	5	10	7	13	1·28
104	3	5	3	6	1·17
105	1	2	2	2	1·01
106	1	1	1	1	·70

Note.—The figures at the higher ages in the l_x, P_x, and Q_x Columns were calculated to one or more places of decimals. For convenience, the nearest whole numbers only are printed, but the Expectations of Life are derived from the more exact values.

TABLE E.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881-90.—Males and Females.**

Age. x	Chance of Living One Year from each Age. p_x		Of 1,000,000 Males born, the Number Surviving at each Age. l_x	Of 1,000,000 Females born, the Number Surviving at each Age. l_x	Of 1,000,000 of both Sexes (509,180 Males and 490,820 Females) born	
					The Number Surviving at each Age. l_x	Population, or Years of Life lived, in and above each Year. Q_x
	Males.	Females.				
0	·83896	·86887	1,000,000	1,000,000	1,000,000	45,287,319
1	·94270	·94729	838,964	868,874	853,645	44,478,406
2	·97617	·97760	790,891	823,072	806,686	43,618,241
3	·98161	·98187	772,046	804,142	787,799	42,859,268
4	·98359	·98395	760,167	791,973	775,778	42,069,210
5	·98168	·98214	751,494	783,244	767,078	41,267,782
6	·98090	·98148	745,230	777,087	760,871	40,573,807
7	·98068	·98105	740,766	772,798	756,488	39,775,127
8	·98084	·98127	737,566	769,819	753,397	39,029,185
9	·98161	·98196	735,238	767,714	751,178	38,267,897
10	·98265	·98333	733,477	766,161	749,514	37,517,552
11	·98323	·98344	732,044	764,874	748,157	36,768,716
12	·98319	·98333	730,745	763,679	746,910	36,021,182
13	·98297	·98303	729,423	762,400	745,608	35,274,923
14	·98260	·98250	727,941	760,897	744,117	34,530,061
15	·98213	·98205	726,194	759,062	742,327	33,786,839
16	·98162	·98149	724,109	756,826	740,167	33,045,592
17	·98114	·98100	721,960	754,171	737,617	32,306,700
18	·98075	·98059	719,876	751,145	734,744	31,570,534
19	·98044	·98031	717,818	747,881	731,590	30,837,413
20	·98020	·98011	715,755	744,321	728,147	30,107,574
21	·98008	·98004	713,599	740,681	724,619	29,381,191
22	·98004	·98006	711,579	736,987	720,970	28,658,396
23	·98003	·98010	709,867	733,072	717,183	27,939,320
24	·98006	·98017	708,358	729,039	713,213	27,224,172
25	·98014	·98029	706,899	724,788	709,044	26,513,008
26	·98021	·98042	705,392	720,290	704,658	25,804,252
27	·98028	·98056	703,714	715,549	699,948	25,099,520
28	·98042	·98072	702,188	710,581	694,903	24,399,944
29	·98066	·98090	700,708	705,408	689,540	23,705,329
30	·98101	·98111	699,279	700,049	683,881	23,015,262
31	·98136	·98130	697,858	694,523	677,943	22,331,455
32	·98166	·98150	696,432	688,844	671,754	21,653,562
33	·98195	·98168	695,070	683,024	665,343	20,981,855
34	·98223	·98192	693,657	677,071	658,728	20,316,218
35	·98251	·98226	692,245	670,992	652,930	19,657,080
36	·98278	·98270	690,780	664,792	646,959	19,004,259
37	·98305	·98322	689,405	658,479	640,848	18,357,300
38	·98345	·98390	688,167	652,068	634,653	17,716,452
39	·98394	·98464	687,099	645,585	628,418	17,081,799
40	·98449	·98547	686,293	639,042	622,166	16,453,381
41	·98515	·98638	685,754	632,465	615,924	15,831,215
42	·98587	·98736	685,499	625,877	609,717	15,215,291
43	·98666	·98837	685,550	619,304	603,572	14,605,574
44	·98746	·98941	685,914	612,771	597,516	14,002,002
45	·98827	·99046	686,597	606,303	591,574	13,404,486
46	·98907	·99150	687,612	599,927	585,772	12,812,912
47	·98986	·99253	688,974	593,671	580,134	12,227,140
48	·99064	·99354	690,702	587,564	574,685	11,647,006
49	·99140	·99453	692,814	581,636	569,450	11,072,321

TABLE E.—**Life Table for England and Wales,** based on the Mortality in the Ten Years, **1881–90.—Males and Females**—*continued.*

Age. x	Chance of Living One Year from each Age. p_x		Of 1,000,000 Males born, the Number Surviving at each Age. l_x	Of 1,000,000 Females born, the Number Surviving at each Age. l_x	Of 1,000,000 of both Sexes (509,180 Males and 490,820 Females) born	
	Males.	Females.			The Number Surviving at each Age. l_x	Population, or Years of Life lived, in and above each Year. Q_x
50	·98022	·98435	517,639	564,299	540,540	10,654,667
51	·97917	·98345	507,398	555,468	530,992	10,118,901
52	·97803	·98248	496,827	546.276	521,097	9,592,857
53	·97679	·98144	485,911	536,706	510,842	9,076,888
54	·97545	·98032	474,634	526,743	500,210	8,571,362
55	·97398	·97910	462,981	516,375	489,188	8,076,662
56	·97237	·97777	450,934	505,583	477,757	7,593,190
57	·97060	·97631	438,476	494,343	465,897	7,121,363
58	·96862	·97470	425,583	482,631	453,583	6,661,623
59	·96645	·97293	412,230	470,419	440,790	6,214,436
60	·96408	·97098	398,400	457,682	427,497	5,780,293
61	·96152	·96884	384,090	444,399	413,691	5,359,699
62	·95879	·96649	369,311	430,550	399,369	4,953,169
63	·95588	·96392	354,091	416,122	384,537	4,561,216
64	·95277	·96110	338,468	401,107	369,212	4,184,341
65	·94943	·95801	322,482	385,503	353,414	3,823,029
66	·94583	·95463	306,176	369,316	337,167	3,477,738
67	·94191	·95094	289,589	352,562	320,497	3,148,906
68	·93765	·94691	272,766	335,266	303,442	2,836,936
69	·93303	·94252	255,761	317,468	286,047	2,542,192
70	·92800	·93775	238,632	299,220	268,370	2,264,983
71	·92252	·93256	221,450	280,592	250,478	2,005,560
72	·91656	·92694	204,292	261,669	232,453	1,764,094
73	·91009	·92085	187,246	242,550	214,390	1,540,673
74	·90306	·91429	170,411	223,353	196,396	1,335,280
75	·89542	·90721	153,890	204,208	178,588	1,147,788
76	·88716	·89960	137,797	185,260	161,093	977,947
77	·87822	·89144	122,248	166,661	144,046	825,378
78	·86857	·88271	107,360	148,568	127,586	689,562
79	·85817	·87338	93,249	131,142	111,848	569,844
80	·84699	·86343	80,023	114,536	96,963	465,439
81	·83500	·85285	67,779	98,894	83,051	375,432
82	·82217	·84163	56,595	84,342	70,214	298,799
83	·80848	·82975	46,531	70,985	58,533	234,426
84	·79391	·81720	37,619	58,900	48,064	181,127
85	·77845	·80398	29,866	48,133	38,832	137,679
86	·76209	·79009	23,249	38,698	30,832	102,848
87	·74482	·77551	17,718	30,575	24,029	75,417
88	·72666	·76026	13,197	23,711	18,358	54,224
89	·70762	·74435	9,590	18,027	13,731	38,180
90	·68772	·72778	6,786	13,418	10,041	26,294
91	·66699	·71057	4,667	9,765	7,169	17,688
92	·64546	·69274	3,113	6,939	4,991	11,609
93	·62319	·67432	2,009	4,807	3,382	7,422
94	·60024	·65533	1,252	3,241	2,229	4,617
95	·57666	·63581	752	2,124	1,426	2,790
96	·55253	·61580	433	1,351	884	1,636
97	·52794	·59534	239	832	530	929
98	·50297	·57448	126	495	307	510
99	·47773	·55326	64	284	172	270
100	·45230	·53175	30	157	92	138
101	·42681	·51001	14	84	48	68
102	·40137	·48808	6	43	24	32
103	·37608	·46605	2	21	11	14
104	—	·44397	1	10	5	6
105	—	·42192	—	4	2	2
106	—	·39997	—	2	1	
107	—	—	—	1	—	—

TABLE F.—**Comparison** of **Three English Life Tables,** based respectively upon the Mortality in **1838–54,** in **1871–80,** and in **1881–90.**—**Males.**

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). $\mathring{e}_x$			Age. x
	1838–54.	1871–80.	1881–90.	1838–54.	1871–80.	1881–90.	
0	1,000,000	1,000,000	1,000,000	39·91	41·35	43·66	0
1	836,405	841,417	858,964	46·65	48·05	50·97	1
2	782,626	790,201	790,891	48·83	50·14	53·04	2
3	754,849	763,737	772,046	49·61	50·86	53·32	3
4	736,845	746,587	760,167	49·81	51·01	53·15	4
5	723,716	734,068	751,494	49·71	50·87	52·75	5
6	713,881	726,815	745,239	49·39	50·38	52·19	6
7	706,156	721,103	740,766	48·93	49·77	51·50	7
8	699,688	716,309	737,566	48·37	49·10	50·73	8
9	694,346	712,337	735,238	47·74	48·37	49·88	9
10	689,857	708,990	733,477	47·05	47·60	49·00	10
11	685,982	706,146	732,044	46·31	46·79	48·10	11
12	682,512	703,595	730,745	45·54	45·96	47·18	12
13	679,256	701,200	729,423	44·76	45·11	46·27	13
14	676,057	698,840	727,941	43·97	44·26	45·36	14
15	672,776	696,419	726,194	43·18	43·41	44·47	15
16	669,296	693,695	724,109	42·40	42·58	43·59	16
17	665,529	690,746	721,660	41·64	41·76	42·74	17
18	661,402	687,507	718,876	40·90	40·96	41·90	18
19	656,868	683,941	715,818	40·17	40·17	41·06	19
20	651,903	680,033	712,555	39·48	39·40	40·27	20
21	646,502	675,769	709,136	38·80	38·64	39·46	21
22	641,028	671,344	705,579	38·13	37·89	38·66	22
23	635,486	666,754	701,867	37·46	37·15	37·86	23
24	629,882	661,997	697,958	36·79	36·41	37·07	24
25	624,221	657,077	693,809	36·12	35·68	36·28	25
26	618,503	651,998	689,392	35·44	34·96	35·51	26
27	612,731	646,757	684,714	34·77	34·24	34·75	27
28	606,906	641,353	679,788	34·10	33·52	34·00	28
29	601,026	635,778	674,637	33·43	32·81	33·26	29
30	595,089	630,038	669,279	32·76	32·10	32·52	30
31	589,094	624,124	663,728	32·09	31·40	31·79	31
32	583,036	618,056	657,992	31·42	30·71	31·06	32
33	576,912	611,827	652,070	30·74	30·01	30·34	33
34	570,716	605,430	645,957	30·07	29·33	29·63	34
35	564,441	598,860	639,645	29·40	28·64	28·91	35
36	558,083	592,107	633,129	28·73	27·96	28·20	36
37	551,634	585,167	626,405	28·06	27·29	27·50	37
38	545,084	578,019	619,467	27·39	26·62	26·80	38
39	538,428	570,656	612,309	26·72	25·96	26·11	39
40	531,657	563,077	604,923	26·06	25·30	25·42	40
41	524,761	555,254	597,304	25·39	24·65	24·74	41
42	517,734	547,288	589,446	24·73	24·00	24·06	42
43	510,567	539,161	581,350	24·07	23·35	23·39	43
44	503,247	530,858	573,014	23·41	22·71	22·73	44
45	495,770	522,374	564,437	22·76	22·07	22·06	45
46	488,126	513,702	555,612	22·11	21·44	21·40	46
47	480,306	504,836	546,533	21·46	20·80	20·75	47
48	472,306	495,761	537,184	20·82	20·18	20·10	48
49	464,114	486,479	527,554	20·17	19·55	19·46	49

TABLE F.—**Comparison of Three English Life Tables, based respectively upon the Mortality in 1838–54, in 1871–80, and in 1881–90.—Males**—*cont.*

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1838–54.	1871–80.	1881–90.	1838–54.	1871–80.	1881–90.	
50	455,727	476,980	517,639	19·54	18·93	18·82	50
51	447,139	467,254	507,398	18·90	18·31	18·19	51
52	438,099	457,022	496,827	18·28	17·71	17·57	52
53	428,801	446,510	485,911	17·67	17·12	16·95	53
54	419,256	435,729	474,634	17·06	16·53	16·34	54
55	409,460	424,677	462,981	16·45	15·95	15·74	55
56	399,408	413,351	450,934	15·86	15·37	15·15	56
57	389,088	401,740	438,476	15·26	14·80	14·57	57
58	378,481	389,827	425,583	14·68	14·24	13·99	58
59	367,570	377,591	412,230	14·10	13·68	13·43	59
60	356,330	365,011	398,400	13·53	13·14	12·88	60
61	344,744	352,071	384,090	12·96	12·60	12·34	61
62	332,789	338,820	369,311	12·41	12·07	11·81	62
63	320,451	325,256	354,091	11·87	11·56	11·30	63
64	307,720	311,368	338,468	11·34	11·05	10·80	64
65	294,588	297,156	322,482	10·82	10·55	10·31	65
66	281,064	282,638	306,176	10·32	10·07	9·83	66
67	267,160	267,829	289,589	9·83	9·60	9·36	67
68	252,901	252,763	272,766	9·36	9·14	8·91	68
69	238,328	237,487	255,761	8·90	8·70	8·47	69
70	223,490	222,056	238,632	8·45	8·27	8·04	70
71	208,453	206,539	221,450	8·03	7·85	7·63	71
72	193,297	190,971	204,292	7·62	7·45	7·23	72
73	178,114	175,449	187,246	7·22	7·07	6·84	73
74	163,003	160,074	170,411	6·85	6·70	6·46	74
75	148,076	144,960	153,890	6·49	6·34	6·10	75
76	133,453	130,227	137,797	6·15	6·00	5·76	76
77	119,251	115,986	122,248	5·82	5·68	5·43	77
78	105,592	102,359	107,360	5·51	5·37	5·11	78
79	92,587	89,449	93,249	5·21	5·07	4·81	79
80	80,343	77,354	80,023	4·93	4·79	4·52	80
81	68,946	66,153	67,779	4·66	4·51	4·25	81
82	58,471	55,842	56,595	4·41	4·26	3·99	82
83	48,970	46,489	46,531	4·17	4·01	3·74	83
84	40,471	38,132	37,619	3·95	3·78	3·51	84
85	32,979	30,785	29,866	3·73	3·56	3·29	85
86	26,476	24,436	23,249	3·53	3·36	3·08	86
87	20,926	19,054	17,718	3·34	3·17	2·89	87
88	16,268	14,576	13,197	3·16	2·99	2·70	88
89	12,428	10,926	9,590	3·00	2·82	2·53	89
90	9,321	8,015	6,786	2·84	2·66	2·37	90
91	6,859	5,748	4,667	2·69	2·51	2·22	91
92	4,946	4,025	3,113	2·55	2·37	2·08	92
93	3,492	2,749	2,009	2·41	2·24	1·95	93
94	2,411	1,828	1,252	2·29	2·12	1·83	94
95	1,628	1,183	752	2·17	2·01	1·72	95
96	1,071	742	433	2·06	1·90	1·61	96
97	688	452	239	1·95	1·81	1·51	97
98	430	266	126	1·85	1·72	1·42	98
99	262	151	64	1·76	1·65	1·33	99
100	154	82	30	1·68	1·61	1·24	100

TABLE G.—**Comparison of Three English Life Tables, based respectively upon the Mortality in 1838-54, in 1871-80, and in 1881-90.—Females.**

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1838-54.	1871-80.	1881-90.	1838-54.	1871-80.	1881-90.	
0	1,000,000	1,000,000	1,000,000	41·85	44·62	47·18	0
1	865,288	871,266	868,874	47·31	50·14	53·24	1
2	811,711	820,480	823,072	49·40	52·22	55·18	2
3	782,990	793,359	804,142	50·20	52·99	55·46	3
4	764,060	775,427	791,978	50·43	53·20	55·31	4
5	750,550	762,622	783,244	50·33	53·08	54·92	5
6	740,584	755,713	777,087	50·00	52·56	54·35	6
7	732,771	750,276	772,798	49·53	51·94	53·65	7
8	726,116	745,631	769,319	48·98	51·26	52·85	8
9	720,537	741,727	767,714	48·35	50·53	52·00	9
10	715,769	738,382	766,151	47·67	49·76	51·10	10
11	711,581	735,405	764,874	46·95	48·96	50·19	11
12	707,770	732,697	763,679	46·20	48·13	49·26	12
13	704,155	730,122	762,400	45·44	47·30	48·35	13
14	700,581	727,571	760,897	44·66	46·47	47·44	14
15	696,917	724,956	759,062	43·90	45·63	46·55	15
16	693,050	722,084	756,826	43·14	44·81	45·69	16
17	688,894	718,993	754,171	42·40	44·00	44·85	17
18	684,378	715,622	751,145	41·67	43·21	44·03	18
19	679,463	711,946	747,831	40·97	42·43	43·22	19
20	674,119	707,949	744,321	40·29	41·66	42·43	20
21	668,345	703,616	740,681	39·63	40·92	41·63	21
22	662,474	699,141	736,937	38·98	40·18	40·84	22
23	656,509	694,521	733,072	38·33	39·44	40·05	23
24	650,463	689,759	729,089	37·68	38·71	39·27	24
25	644,342	684,858	724,788	37·04	37·98	38·50	25
26	638,148	679,822	720,290	36·39	37·26	37·73	26
27	631,891	674,661	715,549	35·75	36·54	36·98	27
28	625,575	669,372	710,581	35·10	35·83	36·23	28
29	619,201	663,959	705,408	34·46	35·11	35·50	29
30	612,774	658,418	700,049	33·81	34·41	34·76	30
31	606,296	652,747	694,523	33·17	33·70	34·04	31
32	599,769	646,957	688,844	32·53	33·00	33·31	32
33	593,196	641,045	683,024	31·88	32·30	32·59	33
34	586,575	635,003	677,071	31·23	31·60	31·88	34
35	579,908	628,842	670,992	30·59	30·90	31·16	35
36	573,192	622,554	664,792	29·94	30·21	30·45	36
37	566,431	616,144	658,479	29·29	29·52	29·73	37
38	559,619	609,599	652,058	28·64	28·83	29·02	38
39	552,758	602,924	645,535	27·99	28·15	28·31	39
40	545,844	596,113	638,912	27·34	27·46	27·60	40
41	538,876	589,167	632,185	26·69	26·78	26·89	41
42	531,849	582,104	625,347	26·03	26·10	26·17	42
43	524,765	574,919	618,384	25·38	25·42	25·46	43
44	517,617	567,612	611,277	24·72	24·74	24·75	44
45	510,403	560,174	604,007	24·06	24·06	24·05	45
46	503,122	552,602	596,550	23·40	23·38	23·34	46
47	495,768	544,892	588,833	22·74	22·71	22·64	47
48	488,339	537,043	580,975	22·08	22·03	21·94	48
49	480,833	529,048	572,797	21·43	21·36	21·24	49

TABLE G.—**Comparison of Three English Life Tables,** based respectively upon the Mortality in **1838–54,** in **1871–80,** and in **1881–90.**—**Females**—*cont.*

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1838–54.	1871–80.	1881–90.	1838–54.	1871–80.	1881–90.	
50	473,245	520,901	564,299	20·75	20·68	20·56	50
51	465,572	512,607	555,468	20·09	20·01	19·88	51
52	457,814	504,188	546,276	19·42	19·34	19·20	52
53	449,966	495,645	536,706	18·75	18·66	18·54	53
54	442,027	486,973	526,743	18·08	17·98	17·88	54
55	433,331	477,440	516,375	17·43	17·33	17·23	55
56	424,239	467,443	505,583	16·79	16·69	16·58	56
57	414,761	456,992	494,343	16·17	16·06	15·95	57
58	404,895	446,079	482,631	15·55	15·45	15·32	58
59	394,636	434,695	470,419	14·94	14·84	14·71	59
60	383,974	422,835	457,682	14·34	14·24	14·10	60
61	372,895	410,477	444,399	13·75	13·65	13·51	61
62	361,387	397,644	430,550	13·17	13·08	12·93	62
63	349,436	384,319	416,122	12·60	12·51	12·36	63
64	337,031	370,495	401,107	12·05	11·96	11·80	64
65	324,165	356,165	385,503	11·51	11·42	11·26	65
66	310,833	341,326	369,316	10·98	10·90	10·73	66
67	297,048	325,988	352,562	10·47	10·39	10·22	67
68	282,819	310,170	335,266	9·97	9·89	9·72	68
69	268,177	293,899	317,468	9·48	9·41	9·24	69
70	253,161	277,225	299,220	9·02	8·95	8·77	70
71	237,822	260,207	280,592	8·57	8·50	8·32	71
72	222,230	242,934	261,669	8·13	8·07	7·88	72
73	206,464	225,497	242,550	7·71	7·65	7·47	73
74	190,620	208,003	223,353	7·31	7·25	7·06	74
75	174,800	190,566	204,208	6·93	6·87	6·68	75
76	159,126	173,316	185,260	6·56	6·51	6·31	76
77	143,722	156,392	166,661	6·21	6·16	5·96	77
78	128,711	139,927	148,568	5·88	5·82	5·63	78
79	114,229	124,065	131,142	5·56	5·50	5·31	79
80	100,394	108,935	114,536	5·26	5·20	5·00	80
81	87,323	94,662	98,894	4·98	4·90	4·72	81
82	75,119	81,305	84,342	4·71	4·63	4·44	82
83	63,862	68,966	70,985	4·45	4·37	4·19	83
84	53,615	57,723	58,900	4·21	4·12	3·94	84
85	44,419	47,631	48,133	3·98	3·88	3·71	85
86	36,284	38,710	38,698	3·76	3·66	3·49	86
87	29,202	30,958	30,575	3·56	3·46	3·29	87
88	23,135	24,338	23,711	3·36	3·26	3·10	88
89	18,027	18,788	18,027	3·18	3·08	2·92	89
90	13,802	14,225	13,418	3·01	2·90	2·75	90
91	10,376	10,553	9,765	2·85	2·74	2·59	91
92	7,650	7,658	6,939	2·70	2·58	2·44	92
93	5,526	5,429	4,807	2·55	2·44	2·30	93
94	3,908	3,756	3,241	2·42	2·30	2·17	94
95	2,704	2,533	2,124	2·29	2·17	2·05	95
96	1,827	1,661	1,351	2·17	2·11	1·93	96
97	1,204	1,057	832	2·06	2·03	1·82	97
98	774	653	495	1·96	1·83	1·72	98
99	483	389	284	1·86	1·73	1·63	99
100	295	225	157	1·76	1·62	1·54	100

the average numbers of years lived between these limits of age by each male born are 20·92, 22·00, and 23·56, respectively, according to the three Life Tables.

Females.—By the two earlier Tables a million female children born were reduced to half a million in the 47th and 53rd years of age respectively; by the New Table this amount of reduction is not reached until the 57th year. As in the case of males, the number of infants surviving at the end of the first year of life by the new Table is intermediate between the numbers similarly surviving by the earlier Tables. At all other ages until 85 inclusive the numbers surviving are greater by the new Table than by either of the others; but as is also the case among males, the numbers of survivors at extreme ages diminish more rapidly by the new Table than by either of the older ones. The expectation of life at birth, which had been 41·85 years and 44·62 years respectively in the earlier Tables, is further increased by the new Table to 47·18 years. The expectations at the several ages up to 44 years are greater by the new Table than by either of the others. At age 44 and again at age 45 the expectations of life by the three Tables are practically equal, being 24·72, 24·74, and 24·75 respectively at age 44, and 24·06, 24·06, and 24·05 at age 45. At all ages beyond 45 the expectations of life are less by the new Table than by either of the previous Tables. The average numbers of years lived between the ages 20 and 60 by each female born are 21·65, 23·48, and 25·12 by the three Life Tables respectively.

*Changes of Classification.**

In the year 1881 the classification of death-causes which had been used in the General Register Office up to the end of 1880 was modified and brought into conformity with the revised nomenclature prepared by the Royal College of Physicians about that period.†

Consequently, the whole of the Tables referring to the decennium 1881–90 have been compiled according to the new method, and the death-rates of the two preceding decennia, which are given in Table 5, have been as nearly as possible harmonized with the same classification.‡

Particulars of the nature of the corrections made will be found under the appropriate headings in Table H.

In comparing critically the rates of earlier decennia with those of 1881–90, it is important to remember that slight residual differences in the two sets of figures still exist in the Tables, for which no correction can be applied. The more important of these differences are here referred to:—

(1.) Up to the end of 1880 the deaths ascribed to Rötheln were referred in the official Tables to Measles; the former disease is now classified under the new heading "Rubella," or Epidemic Rose Rash. (2.) The deaths from enteric fever were formerly augmented by the inclusion of the deaths referred by certificate to infantile remittent fever, and also of the deaths under 5 years of age referred to remittent fever. The deaths from these causes are now separated from enteric fever, and included under the heading "Remittent Fever." (3.) The deaths from "brain fever" used to be classed with those from simple continued fever; they are now otherwise dealt with, after special inquiry. (4.) Fibroid tumour was formerly

* For further information on this point see Appendix to Tables 17 to 22 in the Registrar General's 57th Annual Report, pages lxxiv–lxxix.

† See the Registrar-General's 44th Annual Report, pages xvii–xx.

‡ This will explain why it is that some of the rates for 1861–70 and 1871–80, given in Table 5 of this volume, do not exactly agree with those published in the Decennial supplement for 1871–80, pages cxii–cxvi.

TABLE H.—**Changes of Classification adopted in 1881 which affect the DISEASES given in the DECENNIAL SUPPLEMENT.**

Name of Disease.	Heading from which removed.*	Heading to which removed.*
Addison's Disease	Dis. of Urinary System	Other Causes (Dis. of Lymphatic System).
Adenitis	Scrofula	Other Causes (Dis. of Lymphatic System).
Atelectasis	Dis. of Respiratory System	Other Causes (Developmental Diseases).
Brain Fever	Simple Continued Fever	Dis. of Nervous System.
Cancrum Oris	Other Causes (Diathetic Diseases).	Dis. of Digestive System.
Cerebro-Spinal Fever	Typhus	Other Causes (Miasmatic Diseases).
Chickenpox	Small-pox (until 1875 inclusive)	Other Causes (Miasmatic Diseases).
Chlorosis	Dis. of Generative System	Other Causes (Constitutional Diseases).
Croup	Other Causes (Miasmatic Diseases).	Dis. of Respiratory System.
Diabetes Mellitus	Dis. of Urinary System	Other Causes (Constitutional Diseases).
Epistaxis	Dis. of Respiratory System	Other Causes (Diseases of Organs of Special Sense).
Disease of Eye	Dis. of Nervous System	Other Causes (Diseases of Organs of Special Sense).
Fibroid Tumour	Cancer	Other Causes (Ill-defined and not specified causes; if localized, classed to organ affected).
Senile Gangrene	Other Causes (Diathetic Diseases).	Dis. of Circulatory System.
Hæmorrhage	Dis. of Circulatory System	Other Causes (Ill-defined and not specified causes).
Hydrocephalus (chronic)	Hydrocephalus	Dis. of Nervous System.
Hydropericardium	Other Causes (Diathetic Diseases).	Dis. of Circulatory System.
Laryngismus Stridulus	Dis. of Respiratory System	Dis. of Nervous System.
Lumbar Abscess	Scrofula	Other Causes (Diseases of Organs of Locomotion).
Lupus	Cancer	Other Causes (Diseases of Integumentary System).
Lymphadenoma	Scrofula	Other Causes (Diseases of Lymphatic System).
Noma Pudendi	Other Causes (Diathetic Diseases).	Dis. of Generative System.
Otitis, Otorrhœa	Dis. of Nervous System	Other Causes (Diseases of Organs of Special Sense).
Polypus	Cancer	Other Causes (Ill-defined and not specified causes; if localised, classed to organ affected).
Psoas Abscess	Scrofula	Other Causes (Diseases of Organs of Locomotion).
Quinsy	Other Causes (Miasmatic Diseases).	Dis. of Digestive System.
Relapsing Fever	Simple Continued Fever	Other Causes (Miasmatic Diseases).
Remittent Fever (Under 5 Years of Age).	Enteric Fever	Other Causes (Malarial Diseases).
Rötheln	Measles	Other Causes (Miasmatic Diseases).
Sea Sickness	Dis. of Nervous System	Dis. of Digestive System.
Spleen, Dis. of	Diseases of Digestive System	Other Causes (Diseases of Lymphatic System).
Tabes Dorsalis	Diseases of Generative System	Dis. of Nervous System.
Teething	Other Causes (Congenital Malformations and Developmental Diseases of Children).	Dis. of Digestive System.

Note.—Italics in the first column of the above Table indicate that correction for the change of classification respecting that disease could not be made for years prior to 1881; in all other instances complete correction has been applied.

* When a disease has been removed from or to the line "Other Causes" in the Tables of the Supplement, the class of Diseases in the Annual Report list which is affected by the change is indicated in brackets.

included amongst cancerous affections; this is no longer the practice. (5.) Deaths from chronic hydrocephalus were formerly referred to "Tubercular Meningitis"; but under the new method of classification they are placed among diseases of the nervous system. (6.) Under the old method deaths ascribed to "Hæmorrhage," without further particulars, were classed to diseases of the circulatory system. Such cases are now made the subject of special inquiry, and whenever the actual cause of the hæmorrhage cannot be ascertained they are relegated to a separate heading "Hæmorrhage" in the group of indefinite causes.

Faulty Certification of Causes of Death.

At the commencement of the decennial period to which these remarks relate, my predecessor, Dr. Ogle, set himself to devise a remedy for the unsatisfactory manner in which a large proportion of the death-causes were certified by medical men; the cause of death being in many cases stated so vaguely that it was impossible to say to what definite heading the deaths ought to be referred. Accordingly, in the year 1881, a system of confidential inquiry was commenced between the General Register Office and the certifying medical practitioners throughout England and Wales. As a result of this system which has been continued ever since, a large number of ambiguously worded certificates have been so far improved as to render them serviceable for purposes of vital statistics. The exigencies of office work have permitted the carrying out of this laborious process only to a limited extent. More than twenty-two thousand letters were written from this Office in the course of the decennium 1881–90, and the results hitherto obtained have been so satisfactory as to encourage the hope that in future it may be possible to deal similarly with a much larger proportion of these faulty certificates, unless indeed, the practice of special inquiry now in force tends to render such inquiry less necessary as time goes on,—a consummation devoutly to be wished.

Of the letters addressed to medical practitioners, about four thousand related to deaths of which the certified cause was "Peritonitis," occurring in women of child-bearing age. More than one thousand of these deaths were eventually transferred to what is known as puerperal fever. Again, of more than three thousand deaths returned as from pyæmia, blood-poisoning, &c. about seven hundred were ascertained to have been due to puerperal causes. Of 272 deaths certified as from "Hæmorrhage" simply in the six years 1885–90, 69 were shown to have been connected with childbirth; and of 244 deaths ascribed in the certificates to metritis, nearly half were found to have been connected with the puerperal state. From the preventive, as well as from the statistical standpoint, it cannot be otherwise than important that a large number of deaths, the causes of which had been so inadequately returned that the certificates are without scientific value, should have been proved by the definite statement of practitioners in attendance to have been directly connected with childbirth.

Of the deaths in the last six years of the decennium, referred to "Dropsy" without specification of the disease producing it, not fewer than 3066 were made the subject of inquiry, and of these 51 were found to have been due to scarlet fever, 1662 to heart disease, 641 to disease of the kidneys, and 333 to other stated causes; whilst with respect to the remaining 379 deaths the cause of the dropsy could not be ascertained.

From the year 1887 to the end of the decennium inquiries were made concerning 2946 deaths which had been referred to "Tumour" without specification as to its nature. Of these deaths, 1426 came eventually to be classed with cancer, 92 with venereal disease, 36 with tuberculosis, 103 with uterine disease, and 952 with other definite causes; whilst, with respect to the 337 remaining deaths, the exact nature of the tumour was unknown. Letters of inquiry were issued respecting 412 deaths which had

been certified as from "Typhoid Pneumonia," leaving uncertain the exact nature of the disease. Of these 412 deaths, 181 were eventually found to have been due to enteric fever, 212 to pneumonia, and the remainder to other definite causes.

The important character of the work achieved by this system of inquiry will be appreciated when the fact is realized that several thousand deaths have by its aid been rescued from amongst the ill-defined group of ailments, and added to definite and serviceable headings in the statistical records of this Office. Since the year 1885, 1942 deaths have been added to diseases of the heart and circulatory system, 1548 to malignant diseases, 1458 to puerperal fever and other disorders of parturition, 818 to diseases of the urinary system, 458 to tubercular diseases, 248 to venereal diseases, 271 to uterine diseases, and 260 to enteric fever.

Balance of Gain and Loss in the Mortality from specified Causes.

From Table 5 it may be gathered that in the decennium under present consideration there was, as compared with the preceding ten years, a life saving equal in the aggregate to 2192 lives annually in each million of the English population. The following Table, which is a summary of the more extended Table above referred to, indicates the headings under which this life-saving has been accomplished.

TABLE I.—**Annual Deaths** PER **Million** PERSONS LIVING.

	1871-80.	1881-90.	Annual Decrease in 1881-90.	Annual Increase in 1881-90.
Small-pox	234	45	189	—
Measles	378	440	—	62
Scarlet Fever	716	334	382	—
Diphtheria	121	163	—	42
Whooping-cough	512	450	62	—
Typhus	57	14	43	—
Enteric Fever	322	196	126	—
Continued Fever	103	25	78	—
Diarrhœal Diseases	935	674	261	—
Cancer	468	589	—	121
Phthisis	2,116	1,724	392	—
Other Tubercular Diseases	747	696	51	—
Diabetes	38	57	—	19
Diseases of the Nervous System	2,789	2,592	197	—
„ „ Circulatory System	1,339	1,576	—	237
„ „ Respiratory System	3,899	3,729	170	—
„ „ Digestive System	1,165	1,104	61	—
„ „ Urinary System	350	435	—	85
Puerperal Fever, Childbirth	167	153	14	—
Violence	733	648	85	—
All other and unstated Causes	4,083	3,436	647	—
ALL CAUSES	21,272	19,080	2,758	566
Balance of Decrease and Increase	—	—	2,192	—

Zymotic Diseases.—Taking together the first eight causes of death in this Table, namely, those which are known as the "Common Infectious Diseases," we find that their average mortality in 1881–90 for the most part fell considerably, as compared with the corresponding mortality in 1871–80, the only exceptions being measles and diphtheria, both of which diseases showed an increase.

According to Table 5, it appears that the deaths directly ascribed to small-pox in the recent decennium were in the proportion of 45 per million persons living at all ages. The mortality from small-pox, which, in 1871–80 had shown an increase equal to 74 per million upon the mean rate of the preceding decennium, exhibited a striking decrease in the decennium ending with 1890, the fall being equal to 189 per million living, or 81 per cent. of the small-pox mortality in 1871–80. The decrease was common to all ages and to both sexes, although in varying degrees. Among children aged under five years the decline was equal to 84 per cent., and from 5–10 years, to 88 per cent. At all other ages the decline, though less considerable, was yet strongly marked.

With reference to the condition as to vaccination of the victims to small-pox, unfortunately the medical certificates furnish but meagre information.* Of the 12,280 persons whose deaths were returned as due to that disease in England and Wales during the decennium under notice, 2145 were stated to have been vaccinated, and 3370 to have been unvaccinated, whilst with respect to the remaining 6765, or more than half, no information was obtainable.

The average annual mortality from measles has not fluctuated greatly in the course of the last thirty years. In the decennium last ended the rate among persons without distinction of sex or of age was 440 per million living, the same rate as that which had obtained in 1861–70 also; the rate in the intermediate decennium having been 378. As measles is mainly fatal to young children, it will be advisable, for purposes of comparison, to examine the mortality at the earlier ages. In 1881–90 the death-rate among children under five years old was 3131 per million living at that age, against 2568 in 1871–80, and 2998 in the preceding decennium.† According to these figures, therefore, it would appear that the mortality from measles among children was greater in the recent decennium than it had been in the previous ten years: and the table at foot shows that the increase of mortality extended to each of the years in the first quinquennium of life; it also shows that the disease is constantly more fatal in the second than in the first year of age.‡ In each of these decennia the male rate at all ages was considerably higher than the female, but at ages above five years the reverse was the case almost uniformly.

In the course of the last three decennia the annual mortality from scarlet fever has fallen steadily and very considerably; the mean death-rates in the decennia ending respectively with 1870, 1880, and 1890, having been

---

* This does not apply to the deaths occurring in small-pox hospitals, from which the necessary particulars are much more frequently obtainable.

† *Measles.*—Death-rate per million living at each year of age under five:—

Decennia.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861-70	2,737	6,243	3,236	1,730	[illegible]	2,998
1871-80	2,767	5,411	[illegible]	1,389	778	2,568
1881-90	3,365	6,673	[illegible]	1,684	1,091	3,131

‡ For local distribution of measles mortality, *see* pages xlviii–xlix.

972, 716, and 334 per million of the population at all ages. It is difficult to ascertain whether this rapid decline in the registered mortality depends upon a diminished prevalence of scarlet fever, or whether the disease has assumed a milder form in recent years; the returns, however, of the London Fever Hospital and of the hospitals of the Metropolitan Asylums Board would seem to support the latter view. In each of the decennia dealt with in Table 5 the mortality from scarlet fever was higher among males than among females, both at all ages and also in the case of children under ten years old, but, among persons aged from ten years to forty-five, the female rate in each decennium appears to have been almost uniformly the highest. The death-rates from this disease among children at the earlier ages are given in a table at foot.* From this table it appears that scarlet fever, like diphtheria and unlike whooping-cough, is less fatal to infants under one year of age than to those in their second, third, fourth, or fifth years; and this is so whether the facts for the earlier or for the later decennia are considered.†

The annual rate of mortality from diphtheria, which in the two preceding decennia had fallen from 185 per million to 121, again rose to 163 per million in the decennium ending with 1890. Table 5 shows that it is during the periods of childhood and early youth that the mortality from diphtheria is especially formidable; it is relatively low at ages from fifteen to twenty years, and tends to become still lower as life advances. It is interesting to note that at all ages up to forty-five years, and especially between five and fifteen years, the mortality is uniformly higher among females than among males, whilst at ages from forty-five to seventy-five years the reverse holds good. The increase of diphtheria mortality in recent years has occurred during the earlier ages exclusively. Reference to Table 5 shows that in the last two decennia diphtheria mortality has increased among children under five years of age, from 472 per million living to 690, and among children from five to ten years of age from 291 per million to 424. The 1881–90 rate from five to ten years of age was even higher than the very high rate in 1861–70. The death-rates for each year of age under five are given in a table at foot.‡ The figures in this table show that diphtheria agrees with scarlet fever in being less fatal to infants in their first year of life than in any other year of the first five. They also indicate that the first year of age is the only period of those given in the table at which diphtheria mortality has decreased during the last decennium.§

* *Scarlet Fever.*—Death-rate per million living at each year of age under five:—

Decennia.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
1861–70	2,026	5,172	5,907	5,687	4,667	4,624
1871–80	1,414	3,965	4,535	4,286	3,469	3,489
1881–90	671	1,886	2,112	2,048	1,706	1,669

† For local distribution of scarlet fever mortality, *see* page xlix.

‡ *Diphtheria.*—Death-rate per million living at each year of age under five:—

Decennia.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
1861–70	581	909	803	832	736	767
1871–80	287	489	483	580	547	472
1881–90	282	685	773	896	848	690

§ For local distribution of diphtheria mortality, *see* page xlix.

The confusion which, in the last Decennial Supplement, Dr. Ogle had to deplore in regard to the medical certification of diphtheria, unfortunately still persists, although perhaps to a somewhat less extent. Instances are still probably numerous in which the diphtheritic nature of certain cases of sore throat is omitted from the certificates, but there is reason to believe that the instances are now comparatively rare in which laryngismus stridulus is confounded with diphtheritic croup. It is the practice in this Office to class under the head of Diphtheria all deaths which are referred to "membranous croup;" deaths returned as from croup simply, being referred to the heading "Croup," among diseases of the respiratory system.*

The mortality caused directly by whooping-cough, which in the two previous decennia had been equal to 527 and 512 per million respectively, fell to 450 in the decennium under present notice. In each of the three decennia the mortality from whooping-cough was heavier among females than among males. As in the case of measles, and for a similar reason, the relative mortality from this disease at different periods may best be ascertained by examination of the rates amongst children at the earlier ages; particulars of the death-rates at each year of age under five are therefore appended.† From the table at foot it will be seen that throughout the last three decennia, with a single exception, whooping-cough mortality showed a decline in every year of age under five. In each period the mortality was highest in the first year, and decreased rapidly in each subsequent year.‡

The mortality from "fever," without distinction as to the forms of disease included under that term, was equal to 235 per million living. It was less than half of the mortality in the ten-year period ending with 1880, and hardly more than one-fourth of that in the preceding decennium 1861–70. In table 5 the mean rates of mortality are given for each of the eleven ætal periods, and in the table at foot, the corresponding facts are given for each of the first five years of life.§ Since the year 1868 the three chief forms of disease in this unsatisfactory group, have been separately classified in the returns of the General Register Office. Accordingly, Table 5 shows the mean rates for typhus, for enteric fever, and for simple or ill-defined continued fever, respectively, in each of the last two decennia. It would appear from these figures as though the mortality from both typhus and simple continued fever had fallen in recent years

* For further remarks on this point, *see* page xxxii.

† *Whooping-cough.*—Death-rate per million living at each year of age under five :—

Decennia.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861-70	7,255	6,072	2,702	1,122	748	3,766
1871-80	7,394	6,040	2,457	1,283	663	3,652
1881-90	7,085	5,490	2,308	1,186	641	3,370

‡ For local distribution of mortality from whooping-cough, *see* page xlix.

§ "*Fever.*"—Death-rates per million living at each year of age under five :—

Decennia.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861-70	820	1,340	1,469	1,387	1,289	1,248
1871-80	401	679	756	784	691	636
1881-90	96	167	211	235	249	190

even more rapidly than that from enteric fever. There is no doubt that typhus is gradually becoming extinct in England, but it is at least probable that many of the deaths formerly ascribed to "Continued Fever" were really cases either of typhus or of enteric fever, so that the diminution of mortality from simple continued fever is, in part, only apparent. If this is the case, then the proportional decrease in enteric fever mortality must be actually greater than it appears to be from the Tables, the true rate in 1871–80 having been higher than 322 per million.

On reference to Table 5 it will seen that the decrease in "Fever" mortality has been by far the greatest among children under 5 years, and among persons above 55 years of age, whilst it has been proportionally least among persons aged between 15 and 35 years.

Enteric fever mortality appears, according to the subjoined table, to have shown a remarkably steady decline since 1875; the uncorrected rate at all ages having fallen from 374 in the quinquennial period 1871–75, to 179 in the five years ending with 1890.

TABLE J.—ENGLAND AND WALES.—DEATH-RATES from ENTERIC FEVER per MILLION living at all AGES.

Quinquennia.	Persons.	Males.	Females.
1871–75	374	375	373
1876–80	277	281	273
1881–85	216	230	203
1885–90	179	195	164

At ages under 20 years, females suffered more heavily than males during 1871–80, and also (though the excess was less marked) during 1881–90.* At ages above 20, males suffered rather more severely than females in 1871–80, and very much more so in 1881–90. In other words, the improvement in the male rates has not been commensurate with the improvement in the female rates, and this is especially noticeable among adults. May not differences of occupation or of habit have been operative here?†

The annual mortality from diarrhœal diseases, which had previously fallen from an average rate of 1076 per million in 1861–70 to a rate of 935 in 1871–80, fell further and much more decidedly in the ten-year period under present review, when the mean rate did not exceed 674 per million. As will be seen on reference to Table 5, and also to the note at foot, it is at the extremes of life, and especially in early infancy, that diarrhœal diseases are most fatal. According to the data for each of the last three decennia, it appears that these complaints are most fatal during the first year of life, the rates in each of the four subsequent years being very much lower. Not only is this the case, but the rate under one year has decreased far more slowly than has the rate in any other year under five.‡ Table 5 would seem to indicate that the decrease has recently been

* *See* table 5, page cx.

† For local distribution of enteric fever mortality, *see* page l.

‡ *Diarrhœal Diseases* (including cholera).—Death-rates per million living at each year of age under five:—

Decennia.	YEARS OF AGE.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	19,645	6,097	1,309	525	333	5,985
1871–80	19,817	5,650	998	344	192	5,728
1881–90	16,044	3,768	601	232	145	4,346

greater among very old people than among young children; it is doubtful, however, whether this is actually the case, or whether on the contrary the question is not mainly one of improved diagnosis. Speaking generally diarrhœal diseases are more fatal to males than to females. The deaths included in these tables under the head of "Diarrhœal Diseases" are those which have been returned by the registrars under one or other of the following designations—diarrhœa, dysentery, intestinal or gastro-intestinal catarrh, cholera, or choleraic diarrhœa. Although the mortality from diarrhœal complaints is known to be powerfully affected by meteorological conditions, nevertheless there is reason to believe that very much of the decrease in recent years has resulted directly from improvements in sanitary administration, especially in those parts of England and Wales which had formerly been notorious for filth abominations, and likewise for excessive fatality from diarrhœal complaints. It is only fair, however, to recognise, as also contributory to this fall in mortality, the fact already alluded to, that medical practitioners are now more careful than they formerly were in certifying causes of death, and that consequently many deaths which would in earlier days have been referred to diarrhœa, without mention of its cause, are now attributed, with greater precision, to the actual diseases of which diarrhœa is often a symptom merely.*

The total deaths in 1881–90 assigned to puerperal fever and other accidents of childbirth numbered 42,092, and were equal to a rate of 297 per million females living, the rates in the decennia ending with 1870 and 1880 having been 321 and 325 respectively. If, however, the mortality from these causes is expressed in relation to births (which is the only correct method) instead of to females living, it is found to differ but little from that of the two preceding decennia, the rates having been 4·69, 4·75, and 4·73 per 1000 births, respectively. There was, however, an actual decrease of mortality in the last decennium, calculated in the ordinary way, for in consequence of the system of inquiry referred to at page xxii, nearly three thousand deaths, which in the first instance, had been indefinitely certified, were added to the total deaths from puerperal fever and childbirth during that period.† In this connection it is important to remember that with respect to a large number of deaths taking place during the period of childbirth, no intimation of the fact of recent delivery appears in the medical certificate.

Constitutional Diseases.—This class of diseases, as constituted to-day, is in the aggregate but imperfectly comparable with what had been known as the constitutional class prior to 1881. Several of the diseases formerly included in that group have been excluded from our present constitutional class, which, on the other hand, now includes diseases that were originally distributed otherwise. In the present volume, as the several diseases affected by these changes have come under review, particulars have where possible been given of the nature of the transfers effected. As explained at page xx, this has not always been practicable, but we may assume that, where the incidence of the individual diseases included in this class, and not that of the entire class of constitutional diseases, is under consideration, the figures for successive decennia may in most cases be compared without serious risk of error.

The deaths referred to cancer or malignant disease, which in the two decennia immediately preceding had corresponded to annual rates of 384 and 468 respectively in each million persons living, further rose in the decennium last ended to 589. Throughout the entire period the increase has been steadily progressive from year to year. If, therefore, the correctness of the above figures be accepted without further question, it will

* For remarks on local incidence of diarrhœa mortality, *see* pages l, lii.

† Puerperal fever mortality, with reference to its local incidence, is further dealt with at page lii.

appear that, in the course of the last twenty years the mortality from malignant disease has increased by 53 per cent. It is only right, however, to mention that within the last six years of the recent decennium the sum of the deaths ultimately referred to cancer has been augmented by not fewer than 1548, in conseqence of the system of inquiry already referred to. These deaths have increased the rate of cancer mortality in the recent decennium by 6 per million. Moreover, the experience of the last ten years lends support to a contention advanced in the last decennial supplement, namely, that, apart from the additions just adverted to, the increase is not wholly real, but may be accounted for, to some extent, on the assumption that the true nature of obscure cases of malignant disease has been recognised with ever increasing certainty in recent years, and that, as a consequence, the statement of death causes by medical men has been made with greater precision than had formerly been the case. The experience of 1881–90 again confirms that of the earlier decennium in showing that the increase of cancer mortality is greater among males than among females. Thus, Dr. Ogle, writing in 1885 on the increase of mortality from malignant disease in 1871–80, remarked that the rate among males had increased within twenty years by 62 per cent. whilst the rate among females had increased by 43 per cent. only. The figures now available show that if the recent decennium is contrasted with 1861–70 the increase of mortality has been as great as 78 per cent. among males, the increase among females having been 42 per cent.

In the recent decennium the mortality from cancer among persons of both sexes was low up to the age of 25 years, and was not high until after the 35th year of life. Among males from 25 to 35 years old the mortality has increased since 1871–80 by 13 per cent., which is the lowest rate of increase observed at any period of life. Among females at the same age the rate shows, exceptionally, a decrease of one per million living. This is the solitary instance in which even the slightest abatement is apparent in the ravages of cancer; and even this exception will be found to conform to the rule, if the rates of the recent decennium be compared with those of 1861–70 instead of with those of 1871–80. The excess in the recent decennium, as compared with its predecessor, increases rapidly and progressively as age advances, reaching 44 per cent. for males between 55 and 75 years of age, and 30 per cent. for females over 75.*

The aggregate mortality from tubercular diseases as a group has decreased continuously throughout the last three decennia, the rates having fallen from 3240 per million in 1861–70 to 2420 in 1881–90; but, in spite of this decline, the aggregate death-toll from diseases of the tubercular group is still so heavy as to demand constant and watchful attention. On reference to Table 5 it will be seen that pulmonary consumption, the principal disease in this group, is mainly fatal during adolescence and maturity, whilst tabes mesenterica, acute hydrocephalus, and the remaining forms of tuberculosis are fatal chiefly to young children. In fact, the mortality from tubercular diseases, as a group, is found to be very serious throughout the entire span of life, from infancy to old age.

Tubercular phthisis, the most destructive member of the group, caused a mortality, in the recent decennium, equal to 1724 per million; these figures indicate a life saving on the rate of 1871–80 equal to 392 per million living, the life saving in 1871–80 as compared with the previous decennium having been 359 per million. In the course of the last twenty years the crude mortality from phthisis has decreased by 30 per cent. Among males the rate of decrease has been equal to 25 per cent., and among females to 35 per cent. In Table K. the rates of mortality are given among persons, and also among males and females separately, in each

* For remarks on local incidence of mortality from malignant disease, *see* pages lii–lvii.

TABLE K.—PHTHISIS.—ENGLAND AND WALES.—**1851-90.** ANNUAL DEATH-RATES among PERSONS, MALES, and FEMALES in each million living.

Year.	Persons.	Males.	Females.	Female Rate to Male Rate taken as 1000.
1851	2,734	2,649	2,816	
1852	2,773	2,673	2,869	
1853	2,984	2,880	3,083	
1854	2,755	2,657	2,849	
1855	2,777	2,671	2,879	1,076
1856	2,564	2,465	2,658	
1857	2,602	2,482	2,717	
1858	2,591	2,473	2,703	
1859	2,547	2,450	2,640	
1860	2,557	2,457	2,652	
1861	2,581	2,488	2,670	
1862	2,502	2,440	2,561	
1863	2,476	2,430	2,520	
1864	2,538	2,520	2,545	
1865	2,541	2,525	2,557	1,006
1866	2,602	2,608	2,597	
1867	2,539	2,549	2,530	
1868	2,336	2,353	2,321	
1869	2,352	2,393	2,313	
1870	2,410	2,467	2,357	
1871	2,342	2,404	2,284	
1872	2,271	2,345	2,201	
1873	2,194	2,290	2,103	
1874	2,081	2,199	1,970	
1875	2,202	2,296	2,113	918
1876	2,119	2,223	2,020	
1877	2,079	2,176	1,987	
1878	2,111	2,211	2,017	
1879	2,021	2,140	1,908	
1880	1,869	1,939	1,804	
1881	1,825	1,920	1,735	
1882	1,850	1,947	1,758	
1883	1,880	1,967	1,797	
1884	1,827	1,927	1,733	
1885	1,770	1,875	1,670	871
1886	1,739	1,874	1,612	
1887	1,615	1,728	1,508	
1888	1,568	1,717	1,428	
1889	1,573	1,719	1,435	
1890	1,682	1,868	1,506	

of the forty years 1851–90. The following results are worthy of notice, as bearing upon the question of sex incidence in phthisis. From the year 1851 to 1865 the phthisis rate was greater among females than among males, although the difference gradually diminished as time went on. Ever since the year 1866, however, the mortality has been uniformly in excess, not among females as formerly, but among males; and in the last two decennia the excess of the male rate over the female rate was greater than had been the excess of the female over the male rate in the first decennium included in the table. From information obtained since 1890 it has been ascertained that a similar change in the sex incidence of phthisis mortality is still going on. As had been the case in the preceding decennium, so was it also in the ten years under present review, the mortality from phthisis showed a decline at each of the eleven age-groups in both sexes, with the single exception that in 1881–90 the rate among males over 75 years was higher by 14 per cent. than in the preceding ten years.*

The term "Other Tubercular Diseases" includes the diseases known as tabes mesenterica, tubercular peritonitis, tubercular meningitis, and general tuberculosis or scrofula. It has before been stated that the diseases of the present group mainly affect infants and young children. Table 2 shows that among children under five years old the deaths from tubercular diseases were relatively more numerous than those referred to any other heading in the table, with the exception of respiratory diseases; tubercular diseases contributed nearly 8 per cent. to the mortality from all causes. The aggregate death-rate from these forms of disease has shown a slight decline in the course of the last three decennia, but the rate in 1881–90 appears, according to the tables, somewhat lower than, in strict accuracy, it ought to be; for, ever since the year 1881 the deaths referred to chronic hydrocephalus have been removed from the tubercular class to which they had previously belonged, and, in deference to the revised classification of the Royal College of Physicians, have been placed in the class of nervous diseases. This discrepancy, however, has not very seriously affected the calculated mortality from "Other Tubercular Diseases." As in the case of phthisis, the mortality from other tubercular diseases is considerably higher among males than among females.

According to the returns, the mortality from diabetes mellitus in recent years appears to have grown much heavier than formerly. It might appear, at first sight, as though this disease were of merely trivial importance, since the rate at all ages in 1881–90, although considerably higher than in either of the two previous decennia, nevertheless amounted to not more than 57 per million of the population. When, however, the mortality is considered in relation to age, the serious character of diabetes becomes apparent. This disease is seldom fatal within the first twenty-five years of life; but, throughout the periods of maturity and decline, the mortality, especially among males, becomes very high. Thus, in the decennium under review, the death-rates amongst males at the age periods 45–55, 55–65, 65-75, and 75 and upwards, were equal to 134, 282, 397, and 314 per million living; and, although amongst females the mortality was much lower, it is nevertheless obvious not only that the mortality has already become considerable, but that it is increasing as years go on.

Diseases of the Nervous System.—The registered mortality from diseases of the nervous system in the aggregate was lower in 1881–90 than it had been in the preceding decennium, the rate having fallen from 2789 per million to 2592—a gain, under this head, of 197 lives per million. The reduction of mortality was relatively greatest in both sexes at ages under 5, and from 25 to 35 years; whilst, in the case of females from 5–15 years, and above 55 years old, and in that of males above 65 years of age, the mortality

* For further remarks on phthisical mortality and its local incidence, *see* page lvii.

showed an increase on the rates of the previous decennium. The reduction within the last 10 years among children is perhaps mainly due to the transference to other and more definite causes, of deaths which in earlier times would have been ascribed to convulsions. For, on reference to the detailed tables in successive annual reports, it is found that the mortality from nervous diseases, excluding convulsions, has actually increased. On the other hand the fact previously adverted to should be remembered in this connection, namely, that in the new classification chronic hydrocephalus is included among nervous diseases: this has been the case only since the year 1880.*

Diseases of the Circulatory System.—The mortality attributed to diseases of the organs of circulation, both among males and females, has steadily and rapidly increased throughout the last forty years. As compared with the rates in 1871–80 the mortality among males increased, in the recent decennium, at all age-groups except those from 5–10 and 20–45 years. At ages under five years the increase amounted to 43 per cent. and at ages above 75 years, to 41 per cent. Among females the increase affected every age-group, but, as in the case of males, that increase was greatest among young children and old people. There is no doubt that, as was stated in the last decennial supplement, some of the excessive increase at the more advanced ages is due to the fact that many of the deaths which in former years would have been referred to decay of nature are now returned as due to some specified disease. It should, however, be mentioned, that in all cases where the deaths of very old people are ascribed in the certificates to senile decay accompanied by *failure*, as distinguished from *definite disease* of the heart, it has long been the practice here to refer such deaths to "Old Age," and not to Diseases of the Circulatory System.

Diseases of the Respiratory System.—As compared with that of 1871–80, the mortality in the recent decennium from diseases of the respiratory system has decreased somewhat, but as compared with that of 1861–70, it has slightly increased. The aggregate mortality in 1881–90 was considerably affected by the enormous rise in the death-rate from respiratory diseases which occurred in the year 1890 as a concomitant of the sudden outburst of influenza. In the classification used in this volume the disease indefinitely termed "Croup,"† without specification as to its nature, has been imported into this group from that of zymotic diseases, whilst the disease known as "Laryngismus Stridulus" has been transferred from this group to that of diseases of the nervous system. Epistaxis also has been eliminated, and placed among diseases of the "Organs of Special Sense."

On reference to Table 5 it will be noticed that the principal fatality from respiratory diseases takes place at the extremes of life; but that the mortality under 5 years, although excessively high, is less than that at ages over 65 years. At every age-group, except that from 10–15 years, the mortality from these diseases is considerably heavier among males than

* See pages xxi, xxii.

† *Croup.*—Death-rates per million living at each year of age under five :—

Decennia.	Years of Age.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861-70	1,128	2,299	1,932	1,586	1,053	1,593
1871-80	703	1,430	1,233	1,101	801	1,047
1881-90	535	1,212	1,044	889	786	967

among females, and this is so whether the rates of earlier or of more recent decennia are compared.

Relatively to population the total deaths directly attributed to bronchitis were fewer in 1881–90 than they had been in the previous decennium, the mortality being equal to a rate of 2138 per million, as against 2285 in 1871–80. Nevertheless, the 1881–90 rates were higher by 21 per cent. than those of 1861–70. The changes in mortality from bronchitis will be more readily appreciated by contrast with concurrent changes in the mortality from other diseases of the respiratory organs. At ages under 5 years the death-rate from bronchitis was considerably higher than it had been in the previous decennium.* On the other hand, the corresponding rate from pneumonia showed a very noteworthy decrease.† At all ages after the fifth year, both among males and females, there was a reduction in bronchitis mortality, whilst, on the contrary, the mortality from pneumonia, in both sexes, showed an increase at every age-group after the fifth year; the difference becoming more strongly accentuated after middle age.

The mortality from pleurisy, as contrasted with that from either bronchitis or pneumonia, is at present inconsiderable, except at the later ages of life; but it seems to be increasing steadily as one decennium succeeds another—and this is true with respect to males and females alike. The portion of Table 5 relating to pleurisy agrees with that relating to pneumonia in showing a mortality which is considerably heavier after than before middle life; but no excessive mortality from pleurisy, at all approaching that from either bronchitis or pneumonia, appears to beset early childhood.

Both laryngitis‡ and the morbid condition loosely designated "croup" have this in common, that they cause a considerable mortality in childhood, the last-named condition being returned as the cause of death at that

* *Bronchitis.*—Death-rates per million living at each year of age under five:—

Decennia.	Years of Age.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	12,426	6,346	2,157	1,026	565	4,741
1871–80	19,289	9,665	2,839	1,236	660	7,024
1881–90	21,436	10,322	2,804	1,195	642	7,497

† *Pneumonia.*—Death-rates per million living at each year of age under five:—

Decennia.	Years of Age.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	12,658	7,779	2,889	1,421	818	5,345
1871–80	9,193	6,028	2,225	1,152	704	3,982
1881–90	7,892	5,922	2,224	1,201	782	3,668

‡ *Laryngitis.*—Death-rates per million living at each year of age under five: —

Decennia.	Years of Age.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	232	290	230	202	158	223
1871–80	206	239	176	163	140	185
1881–90	275	313	246	244	203	256

period only. It will scarcely be denied, even by those who advocate the retention in scientific nomenclature of the term croup, that a large proportion of the deaths so returned have probably a diphtheritic origin. At any rate, the fact deserves mention that recently, in proportion as medical diagnosis has become more exact, the mortality from so-called croup has steadily fallen, whilst the mortality definitely ascribed to diphtheria has steadily risen. The accompanying figures, which represent annual rates of mortality in England and Wales, per million living at all ages, show this clearly :—

——	Croup.	Diphtheria.	Croup and Diphtheria.
1871–80 - -	168	121	289
1881–90 - -	144	163	307

There is little doubt that the last column in this table furnishes a truer measure than does the preceding column, of the actual increase of diphtheria in the recent decennium.

Diseases of the Digestive System.—According to Table 5, diseases of the digestive system in the aggregate give rise to a mortality which is slowly but steadily decreasing, the rates having been lower in 1881–90 than in either of the two decennia immediately preceding. In consequence of the adoption in 1881 of the new classification previously referred to, several important additions have been made to the list of diseases in this group. For example, the deaths from sore throat and quinsy, which had originally been classed among zymotic diseases, have since 1880 been included in the digestive group. The deaths from teething also have since that date, been transferred to this group, from that of developmental diseases. In respect of these diseases alone, the digestive group contained, in 1881–90, 52,309 additional deaths, which, under the former method of classification, would have gone to increase the mortality of other disease groups. Correction has been made for this difference in the rates for 1861–80. This class of diseases has likewise been increased by the addition of a large number of deaths which in earlier years would have been indefinitely assigned to diarrhœa, but which are now more correctly certified as due to enteritis or gastro-enteritis. Among diseases of the digestive system are included the large group of liver diseases which are ætiologically important from their frequent relation to intemperance. It is desirable therefore to examine somewhat further the group of liver diseases. This has been done in the following table :—

Table L.—Mean Death-rates per Million living at all Ages.

——	Males.			Females.		
	1861-70.	1871-80.	1881-90.	1861-70.	1871-80.	1881-90.
All Diseases of Liver - -	435	441	350	396	407	336
Cirrhosis - - - -	43	110	140	26	74	102
Ascites - - - - -	26	17	9	40	27	15
Other Liver Diseases - -	366	314	210	330	306	219

It thus appears, firstly, that in the recent decennium there has been a decided fall in the mortality from liver diseases in the aggregate ; and, secondly, that liability to these diseases is by no means restricted to one sex, females being almost as frequently as males the victims. That

cirrhosis of the liver should appear in the tables more frequently now than in earlier years, by no means proves that this particular form of liver disease has become relatively more prevalent in later years. It is probably due to the fact often before referred to in this volume, that generally speaking the cause of death is now more accurately stated in the medical certificates than it used to be. Included under the heading "Other Liver Diseases" in the above table the principal specific forms of disease are jaundice, icterus neonatorum, hepatitis, gallstone, and congestion of liver; most of the remainder being described as "liver disease," simply.

Diseases of the Urinary System.—The registered mortality from diseases of the urinary system has shown a rapid and progressive increase in the course of the last thirty years, and this is the case whether the periods compared are decennial, quinquennial, or annual. In 1861–70 the deaths from diseases of this class corresponded to a rate of 266 per million persons living, in the succeeding decennium the rate was 350, and in the decennium under present review it was as high as 435 per million. Therefore, within the period covered by these three decennia, the rate of mortality from diseases of the urinary system has increased by 64 per cent. As has already been mentioned, the group of urinary diseases does not now, as it formerly did, include diabetes, which in the new classification is placed among diseases of the constitutional class. Addison's disease also has been transferred from this class to the group of lymphatic diseases.

Under the heading "Diseases of the Urinary System" are now included several ailments of varying ætiological significance. Prominent among these is the group of kidney diseases which unfortunately cannot, except in certain instances, be distinguished from "Other Diseases of the Urinary System," *e.g.*, those of the bladder, prostate gland, &c. If, however, the deaths definitely ascribed to acute nephritis and to chronic nephritis (Bright's disease) be taken to represent approximately the group of kidney diseases, the following Table will illustrate the age and sex incidence of the mortality thereby caused in the last thirty years.

TABLE M.—**Annual Mortality** returned under the Headings NEPHRITIS and BRIGHT'S DISEASE per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
1861-70	Persons	112	56	40	29	37	59	97	160	220	314	392	330
1871-80	Persons	199	105	70	44	60	86	149	264	399	608	777	728
1881-90	Persons	281	157	78	50	70	105	172	338	557	934	1379	1384
1861-70	Males	136	66	51	33	42	64	113	195	285	397	501	441
1871-80	Males	234	125	86	46	61	88	167	312	506	766	982	942
1881-90	Males	319	171	91	52	73	107	182	377	671	1138	1698	1760
1861-70	Females	90	46	30	24	32	54	83	128	160	238	299	244
1871-80	Females	164	90	55	42	58	83	133	220	302	466	601	563
1881-90	Females	246	143	64	48	66	103	162	302	453	755	1114	1103

Comparing the figures of the last decennium with those of the first, we find that at each of the eleven age-periods, in both sexes, the mortality from these diseases has increased rapidly. The rate of increase, however, has been uniformly greater among females than among males. At the more advanced periods (over 65 years) the female rates in 1881–90 were to those of 1861–70 in the proportion of about four to one.

Deaths by Violence.—The deaths thus classified in the tables include those returned by the registrars as caused by accident, homicide, and suicide. Happily the deaths from homicide are relatively so few that they do not materially alter the aggregate mortality from violence. In the course of the last thirty years the deaths caused by violence have steadily decreased proportionally to population; but, inasmuch as deaths by suicide have unfortunately increased, it follows that the other violent deaths, namely, those due to accident, have relatively decreased during the same period. As in previous decennia, so also in 1881–90, violent deaths were most frequent among males, the mortality increasing gradually from the tenth year of age to the end of life.

Local Variations of the Death-Rate in 1881–90.

It is familiar knowledge that the death-rate varies not only in the same place at different times, but also in different places at the same time. Of the 27½ millions of persons constituting the mean population of England and Wales in 1881–90, about 11½ millions resided within the combined area of the 78 principal towns; an area which approximately represents the more distinctly urban portion of England: the remaining 16 millions inhabited those mainly rural portions of England which lie outside the boundaries of the principal towns.

During the ten-year period ending with 1890 the uncorrected or "crude" death-rate of the urban portion of England differed very materially from that of the rural portion, and when these rates are approximately corrected for age and sex constitution of the respective populations the difference is increased: this will be seen by the following table:

—	England and Wales.	Urban England.	Rural England.
Crude Death-Rate - - - -	19·08	21·08	17·63
Corrected Death-Rate * - - -	19·08	22·32	16·05

From these figures it is readily seen that if the crude mortality of the rural districts of England in 1881–90 be taken as 100, then the crude mortality of the urban districts will be represented by 120. If, however the mortalities, as here approximately corrected, be compared, the ratio will stand as 132 to 100.*

The "*Crude Death-rate*," by which is meant the rate of mortality calculated from population and registered deaths, without reference to sex or age, is useful as a rough measure of the sanitary condition of a given place, from time to time, provided that no serious disturbance has taken place in the age-constitution of its population; but, in comparing with one another the death-rates of different places, the use of crude death-rates is likely to lead to error unless adequate caution is observed.

For example, a crude death-rate which would be extremely low among the inmates of an infirmary for the aged would be abnormally high among the boys of a training ship. It is, of course, improbable that comparison would often be made between communities so differently constituted as

* The method of correction hereafter described (pp. xxxvii–xxxviii) is inapplicable to "urban" and "rural" England, as the death-rates at the various ages are not known. The following method has therefore been used:—The English death-rates at 11 age-groups have been applied to the aggregate populations at the same ages in "urban" and "rural" England; the resulting death-rates are called "Standard death-rates." The quotients of the rate for the whole country by these standard rates are the "factors for correction for age and sex distribution." The crude death-rates multiplied by these factors give the corrected death-rates.

these, but a recent illustration taken from the English counties will show that the liability to error referred to is a real one.

At the Census of 1891 the populations of Norfolk and Lancashire were found to be distributed, respectively, as follows, over three groups of ages.

	Per 1000 Population.	
	In Norfolk.	In Lancashire.
Under 15 years of Age - -	353	352
15 and under 45 years - - -	410	479
45 and upwards - - -	237	169

If from every 1000 of the population of Norfolk 68 persons over 45 years of age were removed and their places filled by an equal number of persons between 15 and 45 years of age, the age-distribution of Norfolk, grouped as above, would become practically identical with that of Lancashire. And, since the death-rate at ages between 15 and 45 is considerably less than that at ages over 45, this change of age-distribution would of itself, and irrespective of sanitary condition, reduce the crude death-rate of Norfolk. The extent of the reduction may be roughly indicated by assuming a death-rate of 9 per 1000 among persons at ages between 15 and 45, and a death-rate of 40 per 1000 among persons at ages over 45 years, these being approximately the average rates in the two age-groups. It may readily be shown that the substitution of 68 younger persons for the 68 older persons would lower the crude death-rate of the county by 2·1 per 1000 living. This shows conclusively that no fair comparison is possible between the crude death-rates of Norfolk and Lancashire. In areas smaller than counties, for example in the crowded towns of Lancashire on the one hand, and in some of the rural parts of Norfolk on the other, the differences of age-distribution are still greater. It is therefore futile to compare the crude death-rates of different districts unless their populations are known to be alike with respect to age and sex constitution. If, however, it can be ascertained what the mortality in district A. would have been had the population in the various age-groups been subject to the death-rates incidental to those age-groups in district B., the mortalities of the two districts will have been reduced to a *common basis*, and will therefore be comparable with each other. Still better will it be to reduce the mortalities of the several districts to a *uniform standard basis* ; and for this purpose the age-distribution of the entire country suggests itself. Taking, then, the mean population of England and Wales in 1881–90 as a standard,* the following question has to be answered for each distric :

* The populations in the several age-groups in the Tables on pp. 4, 5, constitute the standard population adopted for the purposes of the present volume. For convenience in calculating the corrected death-rate, the standard population has been reduced to an average million of persons, grouped thus :—

Age.	Males.	Females.
0	64,122	64,557
5	59,333	59,673
10	54,806	54,765
15	49,720	50,287
20	42,922	47,564
25	71,131	77,499
35	55,095	58,944
45	40,472	44,478
55	27,151	30,893
65	15,184	18,326
75 & upds.	5,591	7,487
All Ages	485,527	514,473

What would have been the general death-rate in England and Wales had each age-group of the population been subject to the same mortality as that which prevailed in district A., district B., &c.

The necessary calculation has been made for every registration county and district in England and Wales, and the results are shown as "Death-rates in Standard Population" in the Tables on pp. 6–728.

The case of Norwich may be taken as an illustration. Among the 64,122 males under five years old (which is the proportion living, at this age, in each million of the standard population), the mortality has been calculated at the rate of 70·58 per thousand, *i.e.*, the Norwich death-rate at ages under five years. Similarly, the mortality among the 59,333 males aged from five to ten years in the standard population has been calculated at the Norwich death-rate of 3·82 per 1000; and so on for persons of both sexes at all the remaining age-groups. The sum of the deaths at the several ages thus calculated represents a death-rate of 18·81 per 1000 living at all ages. Sanitary conditions remaining unchanged, it is evident that if the population of Norwich had been constituted like that of England and Wales in regard to age and sex, the Norwich rate would have been that above mentioned, namely, 18·81 per 1000. This is the "*Death-rate in Standard Population*" as calculated for Norwich, and it is lower by 1·02 per 1000 than the recorded or "crude" death-rate. On taking separately the deaths calculated by the foregoing method for the male and female constituents of the standard population, the corrected death-rates appear as 20·20 for males and 17·51 for females, as against crude rates of 21·30 and 18·57 respectively.

The importance of this correction will be made evident by the following table which shows the "Death-rates in Standard Population" for several districts whose "Crude Death-rates" differed but slightly from the Norwich rate:

District.		Crude Death-rate.	Death-rate in Standard Population.
Number.	Name.		
56	Bridge	19·86	16·60
172	Biggleswade	19·88	17·85
37	Godstone	19·78	18·03
125	Uxbridge	19·88	18·55
225	Norwich	19·83	18·81
589	Bridgend	19·82	19·70
475	Chorley	19·82	20·22
497	Bradford	19·90	20·96
495	Huddersfield	19·86	21·50
502	Dewsbury	19·82	21·88

Judged by their crude death-rates alone, these ten districts would appear to be about equally healthy; but when their mortality is adjusted for differences of age and sex constitution of population, the rates are found to range between such extremes as 16·60 per 1000 for Bridge, and 21·88 for Dewsbury.

In the Tables on pages 6–95, both the crude and the corrected rates of mortality are given for males and females separately in every Registration County of England and Wales; and in Table N are given the rates for persons without distinction of sex. In the following table the two orders of rates, *for persons only*, are shown in parallel columns, the counties being arranged in the ascending order of their corrected death-rates. In column 3 of this table has been inserted the "comparative mortality figure," which represents the mortality of each county after

correction for age and sex constitution of population, compared with the mortality of England and Wales taken as 1000.

TABLE N.—MEAN ANNUAL DEATH-RATES per 1000 PERSONS LIVING in REGISTRATION COUNTIES during the Ten Years 1881–90, showing (1) Crude Rates, (2) Rates in Standard Population, and (3) Comparative Mortality figures.

Counties in Order of Standard Death-rate.	Crude Death-rate.	Rate in Standard Population.	Comparative Mortality Figure.	Counties in Order of Standard Death-rate.	Crude Death-rate.	Rate in Standard Population.	Comparative Mortality Figure.
Columns - -	1.	2.	3.	Columns - -	1.	2.	3.
England and Wales	19·08	19·08	1000	Essex - - -	16·82	16·32	855
Huntingdonshire -	16·41	13·94	730	Devonshire - -	18·30	16·56	868
Rutlandshire - -	16·25	14·20	744	Middlesex - -	16·13	16·62	871
Dorsetshire - -	16·18	14·24	746	Worcestershire -	16·99	16·66	873
Westmorland -	15·52	14·32	750	Gloucestershire -	17·82	16·89	885
Sussex - - -	15·66	14·94	783	North Wales - -	18·68	17·06	894
Wiltshire - -	16·92	14·95	783	Cornwall - -	18·98	17·18	900
Herefordshire - -	17·32	15·01	787	North Riding - -	18·15	17·67	926
Berkshire - -	16·17	15·02	787	Derbyshire - -	17·74	17·88	937
Oxfordshire - -	16·81	15·15	794	Leicestershire -	18·42	17·92	939
Buckinghamshire -	16·78	15·26	800	Cumberland - -	18·38	17·95	941
Suffolk - - -	17·61	15·29	801	South Wales - -	19·13	19·04	998
Cambridgeshire- -	17·29	15·40	807	Nottinghamshire -	19·44	19·13	1003
Hertfordshire - -	16·89	15·41	808	East Riding - -	19·48	19·14	1003
Somersetshire -	17·34	15·50	812	Warwickshire - -	19·01	19·25	1009
Shropshire - -	17·42	15·51	813	Cheshire - - -	18·85	19·43	1018
Surrey - - -	15·29	15·58	817	Monmouthshire -	19·70	19·53	1024
Norfolk - - -	18·03	15·58	817	Staffordshire - -	19·65	19·99	1048
Kent - - -	16·57	15·94	835	Northumberland -	19·78	20·19	1058
Lincolnshire -	17·51	15·94	835	Durham - -	19·83	20·57	1078
Hampshire - -	16·70	16·00	838	West Riding - -	20·03	21·23	1113
Northamptonshire -	17·08	16·21	850	London - - -	20·31	21·42	1123
Bedfordshire - -	17·31	16·30	854	Lancashire - -	22·40	24·19	1268

On comparing this table with a similar one published by Dr. Ogle in his Decennial Supplement for 1871–80, a striking similarity will be noticed between the two tables, notwithstanding that the rates of mortality in the more recent decennium are everywhere lower than in the earlier. It is well known that correction for age and sex differences of population has the effect of increasing the death-rate of populous places, and of diminishing the rate of rural districts; the reason for this may be gathered from p. xxxvii. In the present instance we find that correction has increased the death-rate of eight of the principal mining or manufacturing counties, and has reduced, in some cases very considerably, the rates of those counties which are distinctively rural in character.

Hitherto, only the inherent defect of the crude death-rate has been dealt with, namely, the fact that it is largely affected by the age and sex composition of the population, independently of sanitary condition. But there are, in addition, other difficulties connected with the data on which death-rates are based, and these difficulties affect not merely the crude

death-rates, but the rates in the various age-groups also, and consequently the rates in standard population which are derived therefrom. The difficulties as to the deaths themselves will first be considered, and subsequently those connected with estimates of population.

The existence within a district of a hospital receiving patients from outside places causes the mortality of the district which contains the hospital to be overstated, and that of the districts from which those patients are drawn to be correspondingly understated. London City affords a typical illustration of this. The deaths registered within this district in the course of the last decennium, numbered 13,733; but 6,604, or nearly half of these occurred in St. Bartholomew's Hospital. On the other hand, 2,502 deaths occurred in workhouse establishments belonging to London City, but situated outside its limits; consequently none of these deaths were entered in the City registers. Unfortunately, up to the year 1885, no means existed of determining how many of the persons who died in St. Bartholomew's Hospital had been brought there from districts outside London City. Since the year 1885, however, this defect has been remedied, and a valuable series of tables has been published in the successive Annual Summaries, showing the mortality *belonging to* each sanitary area in Registration London, after complete distribution of the deaths occurring in public institutions.

A Summary of these tables for the six years 1885–90 is given in Table O. That table shows the deaths registered in the several areas, and also the deaths actually belonging to those areas, after distribution, as before mentioned. It will be seen that the effect of distribution is to lower the mortality of Whitechapel in these six years by 28 per cent., and that of the City of London by 29 per cent., but to raise the mortality of St. Giles by 24 per cent. In regard to zymotic mortality, the due assignment of deaths to the districts in which the deceased had lived lowers the mortality of Hampstead by 42 per cent., and that of the City of London by 47 per cent., whilst it raises that of St. Giles by 25 per cent.

Except in the instances specified in the subjoined list,* each sanitary area is co-extensive with the registration district of the same name. A comparison of the *corrected* with the *registered* mortality will therefore give a rough indication of the probable adjustments needed in the Tables of London Registration Districts on pages 97–126.

With the exception of those districts which contain large workhouses or lunatic asylums, there are but few registration areas outside London, the mortality of which is seriously disturbed by that occurring in Public Institutions. The footnotes to Table I show how much of the registered

*

Sanitary Areas.	Equivalent Registration Districts.
Hammersmith Fulham	Fulham.
St. George, Hanover Square Westminster	St. George, Hanover Square.
St. James, Westminster St. Martin-in-the-Fields Strand	Westminster. Strand.
Holborn Clerkenwell St. Luke	Holborn.
Limehouse	Stepney.
St. Saviour, Southwark St. George, Southwark Newington	St. Saviour, Southwark.
St. Olave, Southwark Bermondsey Rotherhithe	St. Olave, Southwark.
[illegible]	Wandsworth.
[illegible]	Lewisham.
[illegible] Plumstead	Woolwich.

TABLE O.—MORTALITY in the METROPOLITAN SANITARY AREAS before and after DISTRIBUTION of DEATHS in INSTITUTIONS, 1885–90.

SANITARY AREAS.	All Causes.			Principal Zymotic Diseases.		
	Deaths.		Effect of Distribution.	Deaths.		Effect of Distribution.
	As Registered.	After Distribution.		As Registered.	After Distribution.	
Registration London	491,006	483,485	− 7,521	68,355	67,901	− 454
WEST.						
Paddington	12,505	11,246	− 1,259	1,487	1,423	− 64
Kensington	18,511	16,698	− 1,813	1,938	2,149	+ 211
Hammersmith Fulham	18,777	18,989	+ 212	3,606	3,230	− 376
Chelsea	12,585	11,905	− 680	1 535	1,590	+ 55
St. George's, Hanover Square	10,870	8,424	− 2,446	920	874	− 46
St. Margaret and St. John, Westminster	6,743	7,398	+ 655	859	921	+ 62
St. James, Westminster	2,740	3,065	+ 325	274	303	+ 29
NORTH.						
St. Marylebone	16,142	18,016	+ 1,874	1,794	1,941	+ 147
Hampstead	5,000	4,551	− 449	849	492	− 357
St. Pancras	29,773	28,508	− 1,265	3,461	3,675	+ 214
Islington	33,269	33,303	+ 34	4,896	5,009	+ 113
Hackney	23,270	22,095	− 1,175	4,345	3,236	− 1,109
CENTRAL.						
St. Giles	4,860	6,033	+ 1,173	510	640	+ 130
St. Martin-in-the-Fields	2,425	1,937	− 488	206	195	− 11
Strand	4,097	3,983	− 114	435	387	− 48
Holborn	5,046	5,132	+ 86	612	552	− 60
Clerkenwell	6,966	9,067	+ 2,101	1,161	1,375	+ 214
St. Luke	5,263	6,939	+ 1,676	801	991	+ 190
City of London	7,954	5,668	− 2,286	707	373	− 334
EAST.						
Shoreditch	18,097	17,029	− 1,068	2,651	2,757	+ 106
Bethnal Green	17,014	17,672	+ 658	2,550	2,892	+ 342
Whitechapel	13,450	9,714	− 3,736	1,435	1,307	− 128
St. George in the East	7,083	8,323	+ 1,240	1,100	1,319	+ 219
Limehouse	8,085	9,001	+ 916	1,532	1,540	+ 8
Mile End Old Town	12,550	13,381	+ 831	2,055	2,274	+ 219
Poplar	21,512	20,253	− 1,259	2,791	2,984	+ 193
SOUTH.						
St. Saviour	3,569	4,271	+ 702	486	587	+ 101
St. George the Martyr, Southwark	7,648	9,171	+ 1,523	1,274	1,325	+ 51
Newington	13,610	14,600	+ 990	1,827	2,056	+ 229
St. Olave	4,570	1,656	− 2,914	422	223	− 199
Bermondsey	9,679	11,437	+ 1,758	1,523	1,741	+ 218
Rotherhithe	5,291	4,954	− 337	685	754	+ 69
Lambeth	32,291	31,414	− 877	4,447	4,333	− 114
Battersea Wandsworth	26,206	27,552	+ 1,346	3,877	4,187	+ 310
Camberwell	24,919	24,460	− 459	3,379	3,715	+ 336
Greenwich	18,584	17,943	− 641	3,341	2,512	− 829
Lewisham (excluding Penge)	5,701	5,715	+ 14	658	697	+ 39
Woolwich	3,934	4,808	+ 874	421	463	+ 42
Plumstead	7,544	7,174	− 370	859	879	+ 20
Metropolitan Institutions situate outside Registration London	2,873	—	− 2,873	646	—	− 646

mortality of the several districts occurred in those institutions situated therein which receive a considerable proportion of their inmates from elsewhere. It must not, however, be overlooked that in nearly every case part of the institution mortality belongs to the district itself which contains that institution. One of the corrections necessary for the calculation of true death-rates is the due apportionment of institution deaths to the places from which the deceased originally came: and this is often difficult to effect, because the one condition essential to accuracy is, that with respect to every deceased inmate of a public institution a record of previous residence shall be forthcoming, and experience shows that such records, even when obtainable, are frequently untrustworthy.

The difficulty of correction is even greater in the case of another class of persons, of which domestic servants may be regarded as typical. At the census enumeration domestic servants are included in the population of the district in which they are employed, but of these persons a considerable proportion return to their homes in case of illness, and their deaths are recorded against the districts wherein those homes are situated; as therefore no records are made of the places in which the deceased had been employed, a just distribution of their deaths is impracticable. The consequence is that the districts, mainly towns, in which a relatively large proportion of domestic servants are employed, are made to appear healthier than they really are, whilst the reverse effect is produced on the country districts which furnish the supply of domestic servants to the towns.

The difficulties connected with estimates of population are of another kind altogether. The method hitherto used in the Registrar-General's reports is the best that is generally available. This method depends on the assumption of a constant ratio of increase or of decrease, such ratio being determined by the results of two successive census enumerations. For periods subsequent to the two censuses, the method is necessarily somewhat speculative, but, for inter-censal years, it probably gives results fairly approximate to the truth. Thus, if the population of a district at the beginning of April 1881 had been P, and at the beginning of April 1891 had become rP, the errors of assuming $r^{\frac{1}{10}}$P, $r^{\frac{5}{10}}$P, $r^{\frac{9}{10}}$P, . . . $r^{\frac{37}{10}}$P, as the populations at the middle of the respective years 1881, 1882, 1883, ... 1890, probably lie within narrow limits. The mean of these quantities, which may be shown to be equal to $\frac{r^{\frac{1}{10}}}{r^{\frac{1}{10}}-1} \times \frac{r\mathrm{P}-\mathrm{P}}{10}$ is very nearly the true mean population in the ten calendar years 1881–90. The true mean, on the assumption of a constant rate of increase, is

$$r^{\frac{1}{10}} \times \text{Hyp. log. } r$$

The use of either of these formulæ would, however, have entailed a greater expenditure of time than was available for the calculation of mean populations. For the purpose of the tables on pp. 3–728, the mean populations have been obtained by the rough method used in previous Decennial Supplements, that is to say, by taking the arithmetical means of the populations in 1881 and 1891. Clearly it is of importance to ascertain the extent of the error introduced by the use of these convenient but scarcely accurate figures.

On the assumption of a constant ratio either of increase or of decrease, the arithmetical mean of the numbers at the beginning and end of any period is in every case *greater* than the true mean. Further, the inter-censal period is later by about three months, both in its beginning and in its ending, than the ten year period to which the deaths relate; and therefore the mean population in the inter-censal period is *greater* or *less* than the mean in the ten calendar years, according as the population is an *increasing*

or a *decreasing* one. Thus, by using the arithmetical means of the census populations instead of the true mean populations in the ten calendar years two distinct errors are introduced. But, whereas in districts with *increasing* populations, both errors tend to overstate the population, and therefore to understate the death-rates, the errors act in opposite directions in the case of *decreasing* populations. In the former case the resultant error is the sum, in the latter case it is the difference, of the two component errors.

The arithmetical mean of the two census populations is $\frac{r\mathrm{P} + \mathrm{P}}{2}$, and the true mean population in the ten calendar years is $\frac{r\mathrm{P} - \mathrm{P}}{r^{\frac{1}{10}} \times \text{Hyp. log. } r}$. In order to obtain correct populations and rates the populations shown in the Tables must be divided, and the rates multiplied by $\frac{r\mathrm{P} + \mathrm{P}}{2} \times \frac{r^{\frac{1}{10}} \times \text{Hyp. log. } r}{r\mathrm{P} - \mathrm{P}} = \frac{r^{\frac{1}{10}}(r+1) \text{ Hyp. log. } r}{2(r-1)}$, where r is the ratio which the population in 1891 bears to that in 1881. In order to facilitate the correction of the rates of mortality whenever special accuracy is desired, the decennial increase or decrease per cent. of population in each district has been calculated, and is shown in the heading of the table relating to that district. A table has, moreover, been prepared (*see* Table P.) by which the factors for correction, according to the formula, corresponding to all rates of decrease up to 20 per cent., and all rates of increase up to 50 per cent., that is to say, for all values of r from ·8 to 1·5, can at once be ascertained. A foot-note to the table provides for all the cases in which the proportional increase or decrease of population in the last inter-censal period was beyond the limits of the table.

The table is used in the same way as a table of logarithms. For example, by reference to page 569 it will be seen that the population of Burnley district increased by 39·67 per cent. between the Censuses of 1881 and 1891; that is to say, the population in 1891 was to that in 1881 as 139·67 is to 100, or as 1·3967 is to 1; therefore $r = 1{\cdot}3967$. To obtain the factor for correction coresponding to this value, the figures 1·39 are found in the column in Table P headed r; opposite to these figures, in the columns headed ·006 and ·007 respectively, the numbers 7710 and 7768 are given; prefixing to each of these numbers the figures 1·01 (which apply to the whole line) the factor for correction is 1·017710 when $r = 1{\cdot}396$ and 1·017768 when $r = 1{\cdot}397$. Thus an increase of ·001 in the value of r in this part of the table corresponds to an increase of ·000058 in the factor for correction; taking $\frac{7}{10}$ of this, or ·000041, as the increase in the factor corresponding to an increase of ·0007 in the value of r, the factor for correction when $r = 1{\cdot}3967$ is 1·017710 + ·000041 = 1·017751.

Given any district the population of which increased by 39·67 per cent. in the last inter-censal period, and the death-rates of which have been calculated on the arithmetical mean between the two census enumerations; the whole of such rates should be multiplied by the factor 1·017751. Thus the crude death-rate of Burnley, which appears on p. 569 as 21·40 becomes 21·78, and the rate in standard million which appears as 23·65 becomes 24·07 on further correction for the error in the mean population.

Turning to p. 712, the population of Forden district decreased by 10·74 per cent. in the last inter-censal period; that is to say, the population in 1891 was to that in 1881 as 89·26 (= 100 − 10·74) is to 100; therefore, in this case $r = {\cdot}8926$. Table P shows ·998232 and ·998239 as the factors for correction when $r = {\cdot}892$ and ·893 respectively. The difference is ·000007 and the proportional part of this for the final "6" in the value of r is ·000004; thus the factor for correction when $r = {\cdot}8926$ is ·998236. When corrected by this factor the crude death-rate of Forden

TABLE P.—FACTORS for correcting DEATH-RATES calculated on ARITHMETICAL MEANS of CENSUS POPULATIONS.

r.	·000.	·001.	·002.	·003.	·004.	·005.	·006.	·007.	·008.	·009	r.
·80	0·998560	8545	8531	8516	8502	8489	8475	8462	8449	8436	·80
·81	8424	8412	8400	8388	8377	8366	8355	8345	8334	8324	·81
·82	8315	8305	8296	8287	8278	8269	8261	8253	8245	8238	·82
·83	8231	8224	8217	8210	8204	8198	8192	8187	8181	8176	·83
·84	8172	8167	8163	8159	8155	8151	8148	8145	8142	8139	·84
·85	0·998136	8134	8132	8130	8129	8128	8126	8126	8125	8124	·85
·86	8124	8124	8125	8125	8126	8127	8128	8129	8131	8133	·86
·87	8135	8137	8139	8142	8145	8148	8151	8154	8158	8162	·87
·88	8166	8171	8175	8180	8185	8190	8195	8201	8207	8213	·88
·89	8219	8225	8232	8239	8246	8253	8260	8268	8276	8284	·89
·90	0·998292	8300	8309	8318	8327	8336	8345	8355	8364	8374	·90
·91	8384	8395	8405	8416	8427	8438	8449	8460	8472	8484	·91
·92	8496	8508	8520	8533	8545	8558	8571	8585	8598	8612	·92
·93	8625	8639	8654	8668	8682	8697	8712	8727	8742	8757	·93
·94	8773	8789	8804	8820	8837	8853	8870	8886	8903	8920	·94
·95	0·998937	8955	8972	8990	9008	9026	9044	9063	9081	9100	·95
·96	9119	9138	9157	9176	9196	9215	9235	9255	9275	9296	·96
·97	9316	9337	9357	9378	9399	9421	9442	9463	9485	9507	·97
·98	9529	9551	9573	9596	9618	9641	9664	9687	9710	9734	·98
·99	0·999757	9781	9805	9829	9853	9877	9901	9926	9950	9975	·99
1·00	1·000000	0025	0050	0076	0101	0127	0152	0178	0204	0231	1·00
1·01	0257	0283	0310	0337	0364	0391	0418	0445	0473	0500	1·01
1·02	0528	0556	0584	0612	0640	0668	0697	0725	0754	0783	1·02
1·03	0812	0841	0871	0900	0929	0959	0989	1019	1049	1079	1·03
1·04	1109	1140	1170	1201	1232	1263	1294	1325	1356	1388	1·04
1·05	1·001419	1451	1483	1514	1546	1579	1611	1643	1676	1708	1·05
1·06	1741	1774	1807	1840	1873	1907	1940	1974	2007	2041	1·06
1·07	2075	2109	2143	2177	2212	2246	2281	2316	2350	2385	1·07
1·08	2420	2456	2491	2526	2562	2597	2633	2669	2705	2741	1·08
1·09	2777	2813	2850	2886	2923	2959	2996	3033	3070	3107	1·09
1·10	1·003144	3182	3219	3257	3294	3332	3370	3408	3446	3484	1·10
1·11	3522	3561	3599	3638	3676	3715	3754	3793	3832	3871	1·11
1·12	3910	3950	3989	4029	4068	4108	4148	4188	4228	4268	1·12
1·13	4308	4349	4389	4430	4470	4511	4552	4593	4634	4675	1·13
1·14	4716	4757	4799	4840	4882	4923	4965	5007	5049	5091	1·14
1·15	1·005133	5175	5218	5260	5303	5345	5388	5431	5473	5516	1·15
1·16	5559	5602	5646	5689	5732	5776	5819	5863	5907	5950	1·16
1·17	5994	6038	6082	6126	6171	6215	6259	6304	6348	6393	1·17
1·18	6438	6483	6528	6573	6618	6663	6708	6753	6799	6844	1·18
1·19	6890	6935	6981	7027	7073	7119	7165	7211	7257	7303	1·19
1·20	1·007350	7396	7443	7489	7536	7583	7629	7676	7723	7770	1·20
1·21	7818	7865	7912	7959	8007	8054	8102	8150	8197	8245	1·21
1·22	8293	8341	8389	8437	8485	8534	8582	8630	8679	8727	1·22
1·23	8776	8825	8873	8922	8971	9020	9069	9118	9168	9217	1·23
1·24	9266	9315	9365	9415	9464	9514	9564	9613	9663	9713	1·24

TABLE P.—*continued.*—FACTORS for correcting DEATH-RATES calculated on ARITHMETICAL MEANS of CENSUS POPULATIONS.

r.	·000.	·001	·002.	·003.	·004.	·005.	·006	·007.	·008.	·009.	*r.*
1·25	1·009763	9813	9864	9914	9964	$\overline{0015}$	$\overline{0065}$	$\overline{0115}$	$\overline{0166}$	$\overline{0217}$	1·25
1·26	1·010267	0318	0369	0420	0471	0522	0573	0624	0675	0727	1·26
1·27	0778	0829	0881	0932	0984	1036	1088	1139	1191	1243	1·27
1·28	1295	1347	1399	1452	1504	1556	1608	1661	1713	1766	1·28
1·29	1818	1871	1924	1977	2030	2082	2135	2189	2242	2295	1·29
1·30	1·012348	2401	2455	2508	2561	2615	2669	2722	2776	2830	1·30
1·31	2884	2937	2991	3045	3099	3153	3208	3262	3316	3370	1·31
1·32	3425	3479	3534	3588	3643	3697	3752	3807	3862	3916	1·32
1·33	3971	4026	4081	4137	4192	4247	4302	4357	4413	4468	1·33
1·34	4524	4579	4635	4690	4746	4802	4858	4913	4969	5025	1·34
1·35	1·015081	5137	5193	5249	5306	5362	5418	5475	5531	5587	1·35
1·36	5644	5700	5757	5814	5870	5927	5984	6041	6098	6155	1·36
1·37	6212	6269	6326	6383	6440	6497	6555	6612	6669	6727	1·37
1·38	6784	6842	6899	6957	7015	7072	7130	7188	7246	7304	1·38
1·39	7362	7420	7478	7536	7594	7652	7710	7768	7827	7885	1·39
1·40	1·017944	8002	8060	8119	8177	8236	8295	8353	8412	8471	1·40
1·41	8530	8589	8648	8707	8766	8825	8884	8943	9002	9062	1·41
1·42	9121	9180	9239	9299	9358	9418	9477	9537	9596	9656	1·42
1·43	1·019716	9776	9835	9895	9955	$\overline{0015}$	$\overline{0075}$	$\overline{0135}$	$\overline{0195}$	$\overline{0255}$	1·43
1·44	1·020315	0375	0435	0495	0556	0616	0676	0737	0797	0858	1·44
1·45	1·020918	0979	1039	1100	1160	1221	1282	1343	1403	1464	1·45
1·46	1525	1586	1647	1708	1769	1830	1891	1952	2013	2075	1·46
1·47	2136	2197	2259	2320	2381	2443	2504	2566	2627	2689	1·47
1·48	2751	2812	2874	2936	2997	3059	3121	3183	3245	3307	1·48
1·49	1·023369	3431	3493	3555	3617	3679	3741	3803	3866	3928	1·49

Note.—For explanation and method of using the table, *see* pages xlii–xliii.

In the following Districts *r* falls out of range of the Table; the Factors for correction are given below.

District.		*r.*	Factor for Correction.	District.		*r.*	Factor for Correction.
No.	Name.			No.	Name.		
540	Reeth	·6820	1·002538	586	Cardiff	1·6371	1·032816
568	Alston	·7323	1·000255	2	Fulham	1·6447	1·033320
14	London, City	·7455	0·999810	190	Orsett	1·6572	1·034151
453	Liverpool	·7469	0·999766	129	Edmonton	1·7393	1·039686
7	Hampstead	1·5052	1·024315	127	Hendon	1·7691	1·041725
587	Pontypridd	1·5703	1·028450	186	West Ham	1·8170	1·045030
403	Blaby	1·6206	1·031727	93	Christchurch	1·8407	1·046677

becomes 17·27 instead of 17·30, and the rate in standard million becomes 14·79 instead of 14·82. The amount of correction is much less in this case than in that of any district which *increased* by 10·74 per cent. in the decennium, because, as already pointed out, the error is the *difference* between two separate errors, whereas in the case of an increasing population the error is the *sum* of the separate errors. In a population which decreased by 26·036 per cent. the two errors would exactly balance each other; therefore, the arithmetical mean of the two census populations would be the true mean population in the ten calendar years.

Density of Population in relation to Mortality.

Dr. Farr was convinced, as the result of careful and prolonged investigation, that within certain limits a definite relation subsisted between density of population and mortality; and he devised a mathematical formula by which the relation between density and mortality in the districts of England and Wales during the decennium 1861–70 was approximately shown. Examination of the figures for the period 1881–90 shows that, although density and mortality generally increase or decrease together, the relation between them is now too complex to admit of being expressed by a formula similar to that alluded to above. Comparison with the figures in previous decennia is, however, eminently useful, and exhibits in a striking form the improvement in the health of the population in recent years This will he seen if Table Q. of the present volume be examined in conjunction with Table I, p. xx, in the Decennial Supplement for 1871–80.

In the earlier period there were 101 districts, with an aggregate population slightly exceeding two millions, that had mean annual death-rates below 17 per 1000; in 1881–90 there were not fewer than 284 districts, with a population of nearly seven millions, that showed death-rates below 17 per 1000. In 1871–80 there were 50 districts which contained nearly two and a half millions of inhabitants with an average density of 458 persons to a square mile; the rate of mortality in these districts averaged 20·76 per annum. In 1881–90, the mean death-rate of 83 districts, with over four millions of inhabitants, and a density of 457 persons per square mile, was 18·52 per 1000. Whilst, therefore, the mean density has increased, the rate of mortality has decreased enormously during the last decennium.

In making these comparisons only the *crude* death-rates were available; but two columns which have been added to Table Q. show clearly that these rates afford but a rough indication of health conditions. For example, in 80 districts whose crude rates were between 15 and 16 per 1000, the rates corrected for age and sex distribution ranged from 12·20 to 16·97; and in 20 districts whose crude rates were between 21 and 22 per 1000, the corrected rates ranged from 16·28 to 24·07. It thus appears that at least one district with a crude death-rate over 21 per 1000 is actually healthier than another district whose crude death-rate is under 16 per 1000. In order to obtain a truer basis of comparison Table R. has been constructed. The districts are there grouped according to their death-rates in standard population (further corrected to eliminate the error of using the arithmetical mean of the census populations as the mean population*); and columns have been added showing for each group the mean density, the range of crude death-rates, and the mean crude and corrected death-rates. It will be seen that in the districts whose corrected rates were between 13 and 14 per 1000 the crude rates ranged from 13·22 to 17·79, whilst in the districts whose corrected rates were between 23 and 24 per 1000, the crude rates ranged from 20·90 to 23·39. Reference to the last two columns of the table shows that, as a general rule, crude

* *See* pages xlii–xlv.

TABLE Q.—DENSITY AND MORTALITY. The Groups of Districts arranged in Order of their "Crude" Death-rates.

Crude Death-rates.	No. of Districts.	Area.	Population.	Deaths.	Density (Persons to a Square Mile).	Mean Crude Death-rate.	Range of Corrected Rates.	
							Lowest.	Highest.
12–13	1	62,284	23,832	3,059	245	12·84	12·24	12·24
13–14	12	532,559	437,745	59,213	526	13·53	12·59	16·05
14–15	30	1,476,723	783,172	114,805	339	14·66	12·11	16·04
15–16	80	4,438,660	1,881,086	291,606	271	15·50	12·20	16·97
16–17	161	11,126,635	3,856,965	637,422	222	16·53	12·56	19·01
17–18	125	8,986,436	3,790,074	663,015	270	17·69	13·42	20·11
18–19	85	5,778,821	4,129,606	764,737	457	18·52	15·01	21·13
19–20	51	2,542,450	3,498,811	680,969	881	19·46	15·71	21·88
20–21	32	1,372,317	2,890,822	592,218	1,348	20·49	16·33	23·33
21–22	20	494,214	1,954,361	418,975	2,531	21·44	16·28	24·07
22–23	16	354,274	2,125,464	475,188	3,840	22·36	20·77	25·40
23–24	6	31,419	789,901	184,691	16,090	23·38	23·97	25·35
24–25	5	36,381	529,544	129,309	9,316	24·42	24·41	27·03
25–30	5	81,191	495,734	132,411	3,908	26·71	26·53	32·47
30–34	3	3,521	301,365	97,153	54,778	32·24	34·14	35·99
	632	37,317,885	27,488,482	5,244,771	471	19·08	12·24	35·99

TABLE R.—DENSITY AND MORTALITY. The Groups of Districts arranged in Order of their Death-rates in Standard Population.

Corrected Death-rates.	No. of Districts.	Area.	Population.	Deaths.	Density (Persons to a Square Mile).	Range of Crude Rates.		Mean Crude Death-rate.	Mean Corrected Death-rate.
						Lowest.	Highest.		
12–13	33	1,754,620	379,547	55,977	138	12·84	16·62	14·75	12·70
13–14	89	5,780,431	1,346,786	211,885	149	13·22	17·79	15·73	13·45
14–15	141	9,868,667	2,380,170	469,333	187	13·05	17·83	16·30	14·48
15–16	85	6,285,403	2,103,777	350,533	214	13·97	19·42	16·66	15·41
16–17	69	4,773,404	2,288,928	387,346	307	13·71	21·04	16·92	16·47
17–18	45	3,062,940	2,083,093	366,350	435	16·23	20·32	17·52	17·35
18–19	40	2,144,505	2,217,053	409,319	662	17·16	21·98	18·46	18·55
19–20	28	1,205,504	2,412,662	448,492	1,231	16·62	20·71	18·59	19·39
20–21	29	876,315	2,468,103	482,095	1,803	17·99	22·03	19·53	20·43
21–22	23	678,797	2,584,803	520,256	2,437	18·45	21·77	20·13	21·47
22–23	9	252,110	1,299,363	271,537	3,299	20·21	21·54	20·90	22·50
23–24	19	304,865	2,538,283	557,346	5,329	20·90	23·39	21·96	23·41
24–25	8	178,583	1,196,372	272,197	4,295	21·40	24·88	22·71	24·51
25–30	9	136,469	1,220,216	298,641	5,722	22·78	26·94	24·47	26·22
30–36	5	15,272	467,328	143,464	19,584	27·82	33·13	30·70	33·00
	632	37,317,885	27,488,482	5,244,771	471	12·84	33·13	19·08	19·08

death-rates overstate the mortality of healthy districts, and understate that of unhealthy districts; for while the mean crude rates of the various groups increase from 14·75 to 30·70, the corrected rates begin at 12·70 for the healthiest group, and rise to 33·00 for the unhealthiest.

The value of corrected death-rates is incidentally confirmed by the columns in Tables Q. and R. showing density of population. The irregularities which are conspicuous in Table Q. are nearly removed when the districts are re-arranged in the order of their corrected death-rates as in Table R.

The following table shows that during the ten years ending with 1890 the urban portion of England differed very materially from the rural portion, not only with respect to the mortality from all causes as shown at page xxxvi, but also with respect to the mortality from certain of the more important diseases. The crude death-rate from all causes, at all ages, in the 28 chief towns of England averaged 21·51 per 1000 living and in the 50 smaller towns 19·73 per 1000.* In rural England the average rate did not exceed 17·63 per 1000. Not only the death-rate at all ages, but infantile mortality also, or the ratio of deaths under one year to registered births varied extremely, the rate being as high as 160 per 1000 births in the 78 towns of urban England, whilst it was only 128 in the rural districts. In the several counties of England and Wales infantile mortality varied considerably. The rates were only 96 per 1000 in Dorsetshire and 100 in Westmorland, whilst they were as high as 164 in Leicestershire and 166 in Lancashire. In all the counties the mortality among male greatly exceeded that among female infants.

TABLE S.—BIRTH- and DEATH- RATES* per MILLION LIVING in ENGLAND and WALES in URBAN ENGLAND and in RURAL ENGLAND respectively.

—	Births.	Deaths from All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Deaths under one year to 1000 Births.
England and Wales .	32,342	19,060	45	440	334	163	450	235	659	143
28 Towns - - -	33,997	21,505	88	626	403	190	612	262	890	162
50 Towns - - -	33,652	19,733	27	496	387	100	419	266	727	153
Urban England (78 Towns). - -	33,914	21,078	74	595	399	168	586	263	851	160
Rural England - -	31,204	17,634	24	329	286	159	366	216	520	122

As has already been stated the mortality from measles in England and Wales was equal to 440 per million living *at all ages*. In urban England as represented by the 78 principal towns, it was 595 per million, and in rural England it was 329. The mortality was very much higher in the 28 chief towns than in the 50 smaller towns. In the several counties (Table 4) the decennial measles-rate varied extremely, being as low as 133 per million in Westmorland, whilst in other counties it ranged upwards to 520 in Monmouthshire, 634 in London, and 709 in Lancashire. In the ten year period 1871–80, the last three counties had also shown the highest mortality from measles; but in Table 4 of the supplement relating to that period Monmouthshire instead of London was the second

* Except where otherwise specified "crude" death-rates are given in these remarks on local mortality.

highest in the list. If, instead of the mortality at all ages, the rates among children under five be compared, it will be found that in 1881–90 the three counties above-mentioned stand in the same order, as highest in the list, and that in addition Cheshire and Staffordshire are included as counties with rates of mortality from measles above the average for England and Wales (Table 2).

The mortality due to scarlet fever in England and Wales was equal to 334 per million persons living at all ages. In urban England the rate averaged 399 per million, and in rural England 286. The mortality in the 28 chief towns was somewhat higher than that in the 50 smaller towns. The mean county rates showed as usual extreme variation, the rate being only 99 per million in Suffolk and 102 in Hampshire, whilst it amounted to 533 in the West Riding of Yorkshire, and 550 in South Wales. In 1871–80 Durham had shown the highest scarlet fever mortality, namely, 1376 per million; Northumberland having stood second with a rate of 1145, and Lancashire third with a rate of 1126. Scarlet fever mortality in the recent decennium is shown by Table 4 to have been considerably below the mean in the above-mentioned counties of Hampshire and Suffolk; this was also the case in most of the southern counties and in Westmorland. Table 2 further shows that the mortality under 5 years of age, like that at all ages, was highest in the West Riding and in South Wales.

The mortality from diphtheria which throughout England and Wales was in the mean proportion of 163 per million living at all ages, was equal to 168 in urban England, and to 159 in the rural districts. It is noteworthy that the rate was considerably lower in the 50 smaller towns than in the rural districts, and very much lower than in the 28 chief towns. The mortality from diphtheria was below the mean in Rutlandshire, where the rate was 71 per million, in Staffordshire 79, in Durham 82, in Oxfordshire and Cumberland 85, in the East Riding of Yorkshire 88, and in Gloucestershire 89 per million. In eighteen counties the rates were above the average for England and Wales, reaching 260 in London, 273 in Essex, and 284 in Middlesex. If, instead of the all age mortality, the mortality under 5 years be taken into account, it will be found that as many as 32 counties, including the whole of those in the South-Western, West Midland, North Midland, Yorkshire, and Northern Divisions, experienced rates below the average for England and Wales; the counties with rates above the average being mainly those of Essex, Middlesex, Hertfordshire, London, and the five counties of the South-Eastern Registration Division (Table 2).

The mortality from whooping-cough, which in England and Wales corresponded to a rate of 450 per million living, was equal in urban England to a rate of 566 per million, and, in the rural districts, to a rate of 366. The lowest county rates were 193 per million in Westmorland, 230 in Dorsetshire, and 231 in Herefordshire, and the highest rates were 520 in Lancashire, 537 in Essex, and 690 in London. Table 2 shows that the mortality, under 5 years of age, from whooping-cough was highest in the counties of London, Middlesex, Essex, Cornwall, Warwickshire, Lancashire, and Monmouthshire.

Unfortunately the returns in the possession of this office do not allow of the calculation of separate death-rates from the three chief forms of continued fever for "urban" and "rural" England. The mean rate of mortality in 1881–90 from "fever" (including typhus, enteric, and ill-defined fevers) averaged 235 per million throughout England and Wales; in urban England the rate was 263 per million, and in rural England 216.

Although typhus is now disappearing from the English bills of mortality, it nevertheless still appears to linger in certain manufacturing areas of the North-Western and Northern Registration Divisions. In the course of the recent decennium, 3,919 deaths from typhus were registered

in England and Wales; but of these 2,083, or more than half, occurred in ten registration districts containing not more than one eighteenth part of the total English population, and situated in the counties of Cheshire, Lancashire, Durham, and Northumberland. On reference to the successive Annual Reports it appears to have been mainly in the first half of the decennium that the high mortality occurred, the figures for the second half showing a very decided reduction. In the ten-year period 1881–90, the mean rate of typhus mortality within the area of these ten districts was 139 per million, the rate in the remainder of the country being only 7 per million. Among these areas typhus was most fatal in the registration district of Liverpool, where the rate was equal to 466 per million, Toxteth Park coming next with a rate of 242. The remaining districts stand in the order following: Sunderland 110 per million, West Derby 81, Gateshead and Prestwich 75, Birkenhead and Hartlepool 68, Easington 62, and Newcastle-on-Tyne 60. No death from typhus occurred in Westmorland during the recent decennium, and there were 23 other counties in England and Wales in which the rate did not reach 5 in a million of the population.

On investigating the incidence of fatal enteric fever, both as regards locality and as regards sex, remarkable changes are apparent in the course of the last twenty years (Table T.). The highest rates from enteric fever in 1881–90 were in the North Riding of Yorkshire, South Wales, Lancashire, Nottinghamshire, and Durham. On the other hand Herefordshire experienced a death-rate considerably below that of any other English county. The mortality showed a decrease on the rates prevailing in 1871–80, in every one of the registration counties of England and Wales: in no case was the decrease less than 20 per cent., and in 15 cases it was 50 per cent. or more. Although, in every case, the decrease was shared by both sexes, it was shared in unequal proportions. Thus, in 37 counties the female rates decreased by a greater proportion than the male rates; in one county the decrease was the same for both sexes, whilst in seven counties only, the male rates decreased by a greater proportion than the female rates.* The differences in the sex incidence of mortality were so great that, whereas in the decennium 1871–80 there had been 25 counties in which the female rates were higher than the male, in the recent decennium the number of counties thus affected had fallen to 11† (Table 4). It is worthy of record that the whole of the counties containing the chief industrial centres have recently exhibited higher enteric fever rates among males than among females.

The mortality attributed to "simple and ill-defined forms of continued fever" varied considerably in the several counties during 1881–90, but the differences in the rates were not so great as in the case of typhus. The average rate in England and Wales was 25 per million of the population, and in twelve counties the rate was above the mean. The highest rate was in Huntingdonshire, and was equal to 79 per million, whilst it did not exceed 4 per million in Rutlandshire.‡

The mortality from diarrhœal diseases, excluding cholera, in England and Wales was, as shown in Table S., equal to 659 per million living. In urban England, the rate was 851 per million, and in rural England 520. As in the case of enteric fever the county rates from diarrhœal diseases

---

* These were Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Shropshire, Rutlandshire, and Cumberland.

† The eleven counties in which the female rates exceeded the male rates in 1881–90 had an aggregate population of 2,526,000; they were Hertfordshire, Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Dorsetshire, Cornwall, Somersetshire, Shropshire, Rutlandshire, and Westmorland.

It is worthy of note that six of these eleven counties are among the seven counties whose male rates decreased by a greater proportion than their female rates.

‡ For further remarks on Continued fever, see pages xxvi, xxvii, ante.

TABLE T.—ENTERIC FEVER.—MEAN ANNUAL DEATH-RATES per Million Persons living 1871–80 and 1881-90.

COUNTIES.	Crude Death-rates.		
	1871–80.	1881–90.	Mortality in 1881–90 to that in 1871–80, taken as 100.
England and Wales	322	196	61
London	241	187	78
Surrey	218	107	49
Kent	251	158	63
Sussex	193	133	69
Hampshire	302	208	69
Berkshire	224	118	53
Middlesex	241	163	68
Hertfordshire	238	112	47
Buckinghamshire	236	148	63
Oxfordshire	256	114	45
Northamptonshire	326	181	56
Huntingdonshire	261	126	48
Bedfordshire	222	95	43
Cambridgeshire	245	146	60
Essex	238	177	74
Suffolk	215	120	56
Norfolk	252	191	76
Wiltshire	236	101	43
Dorsetshire	190	99	52
Devonshire	312	175	56
Cornwall	338	165	49
Somersetshire	257	106	41
Gloucestershire	261	136	52
Herefordshire	194	60	31
Shropshire	247	148	60
Staffordshire	363	203	56
Worcestershire	258	203	79
Warwickshire	296	138	47
Leicestershire	342	194	57
Rutlandshire	306	80	26
Lincolnshire	272	186	68
Nottinghamshire	430	268	62
Derbyshire	338	180	53
Cheshire	288	210	73
Lancashire	391	265	68
West Riding	452	222	49
East Riding	399	245	61
North Riding	444	260	59
Durham	559	273	49
Northumberland	365	230	63
Cumberland	293	135	46
Westmorland	301	152	50
Monmouthshire	334	209	63
South Wales	451	264	59
North Wales	239	153	64

showed extreme variations. In the mainly rural counties of Wiltshire, Dorsetshire, Rutlandshire, Westmorland, and North Wales the diarrhœal rate in no case exceeded 264 per million, whilst, in those counties of which the populations are for the most part urban in character, the rates were enormously greater. Thus, for example, the rate of Staffordshire was 838, that of Nottinghamshire 859, that of the East Riding of Yorkshire 875, that of Warwickshire 943, that of Lancashire 976, and that of Leicestershire 1,098, per million. According to Table 4 of the previous decennial supplement, the six counties last mentioned, together with Northumberland, Durham, and the East and West Ridings of Yorkshire, had been the counties showing the highest diarrhœa rates in 1871–80 also.

The local variations in the mortality incidental to the puerperal state are remarkable. When the ratio of deaths from puerperal fever and other accidents of childbirth to births registered is calculated for each county, as has been done in the subjoined table, it is seen that in 1881–90 the proportion varied from 3·31 deaths of mothers per thousand births in the county of Huntingdon, to as many as 6·74 per thousand in North Wales. If a line be drawn across the map of England and Wales from the Humber to the Severn, it will be found that the 17 registration counties to the north-west of this line include all the 14 counties in which the death-rate from puerperal fever and childbirth in 1881–90 exceeded the average rate for England and Wales, whilst in every one of the 28 counties to the south-east of this line the rate was below the average.

TABLE U.—DEATHS from PUERPERAL FEVER and other Accidents of CHILDBIRTH per 1000 Births, 1881–90.

England and Wales	4·78		
North Wales	6·74	Oxfordshire	4·51
South Wales	6·06	Surrey	4·44
Shropshire	5·52	Buckinghamshire	4·34
Lancashire	5·49	Warwickshire	4·34
Cheshire	5·47	Lincolnshire	4·31
Monmouthshire	5·30	Cambridgeshire	4·29
West Riding	5·28	Dorsetshire	4·29
Northumberland	5·27	Devonshire	4·27
Durham	5·11	Hampshire	4·23
North Riding	5·05	Somersetshire	4·23
Derbyshire	5·05	Leicestershire	4·22
Nottinghamshire	4·94	Sussex	4·17
Herefordshire	4·77	Berkshire	4·17
Worcestershire	4·75	Hertfordshire	4·16
Cumberland	4·70	East Riding	4·09
Northamptonshire	4·67	Middlesex	4·06
Cornwall	4·66	Kent	4·02
Gloucestershire	4·66	Bedfordshire	3·97
Westmorland	4·66	London	3·94
Staffordshire	4·65	Suffolk	3·71
Norfolk	4·61	Essex	3·70
Wiltshire	4·55	Rutlandshire	3·53
		Huntingdonshire	3·31

The mortality due to cancer or malignant disease in England and Wales during 1881–90 was equal to a mean annual rate of 589 per million living, without distinction of sex or age; but it varied widely in different parts of the country.* Table V. shows the crude cancer death-rate in each registration county of England and Wales, for persons as well as for males and for females separately, in each of the last three decennia; and also the mortality

* For further remarks on cancer mortality in earlier decennia, *see* pages xxviii, xxix.

of the several counties in 1881–90 as compared with that in 1861–70, the rate in the earlier decennium being taken as 100. The mean cancer death-rates of persons at all ages in 1881–90 ranged from 440 per million in Durham, 475 in Staffordshire, 477 in Lancashire, 482 in Derbyshire and in Monmouthshire, and 501 in South Wales, to 716 in Norfolk, 727 in Sussex, 736 in North Wales, 740 in Devonshire, 789 in Cambridgeshire, and 916 in Huntingdonshire. Moreover, it is noticeable that the counties which showed respectively either the highest or the lowest cancer rates in 1881–90 had also been among the counties with the highest or the lowest cancer rates in the two previous decennia. An examination of the uncorrected cancer rates in the separate registration districts within and around the counties of Huntingdonshire and Cambridgeshire, shows a fairly well defined area in which cancer would appear to be exceptionally prevalent. This area consists of the districts of Stamford, Bourn, Spalding, and Holbeach in Lincolnshire, Oundle and Peterborough in Northamptonshire, and the entire counties of Huntingdonshire and Cambridgeshire, with the exception of the registration districts of Caxton, Linton, and Newmarket. In 1881–90, this area had a mean population of over 300,000 persons, and its crude cancer rate in that decennium was equal to 859 per million persons living, or 46 per cent. above the general English rate. In the immediately preceding decennium the excess had been 44 per cent.

It is evident, however, that the mortality in a given place from cancer is largely dependent on the proportion of persons under and over middle age in the population; since the mortality from this disease is mainly confined to persons over 35 years of age. On this ground alone it might have been expected that the order of counties in the list would have varied considerably, according as the deaths of persons at all ages or of persons above 35 years of age were dealt with. Contrary to this expectation, however, Table X. shows that the counties with respectively the lowest or the highest crude death-rates at all ages are also among the counties with the lowest or the highest crude rates at ages over 35 years. But, although the same counties show the highest or the lowest cancer rates, as the case may be, whether the mortality at all ages, or that at ages over 35 years, is taken into account, the comparative mortality of the different counties is considerably altered by the second method of computation; for example, the cancer rate in Huntingdonshire to that in Durham, at all ages, is as 208 to 100; but, at ages over 35 years, it is only as 164 to 100.

If, however, account is taken of the varying age and sex distribution of persons over 35 years of age in the several counties—in other words, if the cancer mortality among that portion of a standard million of population which is over 35 years of age is considered, important changes become manifest, not only in the comparative mortality of different counties, but in their relative position as areas with high, medium, or low rates of cancer mortality (*see* Table X., page lvi). By this table, London is shown to have the highest rate of all, and Huntingdonshire, Cambridgeshire, Sussex, and North Wales, are still among the counties with the highest cancer rates; but the rates of Devonshire and Norfolk are below the mean rate for the whole country. At the other end of the list, Monmouthshire and Derbyshire are the only counties that after correction retain their places among the six with lowest cancer rates, the places of Staffordshire, Lancashire, Durham, and South Wales being filled by Dorsetshire, Buckinghamshire, Wiltshire, and Cornwall.

After this correction for age and sex differences of population, the cancer mortality of Huntingdonshire is to that of Durham as 127 only to 100, while the crude rate at all ages is as 208 to 100. On the other hand, although the crude rates for London and Cornwall are nearly equal, their difference being about 2 per cent. of either of them, the corrected rate for London is to that for Cornwall as 138 to 100.

TABLE V.—CANCER.—MEAN UNCORRECTED ANNUAL DEATH-RATES * in REGISTRATION COUNTIES per Million living at All Ages.

COUNTIES.	PERSONS.				MALES.				FEMALES.			
	1861-70.	1871-80.	1881-90.	Ratio †	1861-70.	1871-80.	1881-90.	Ratio †	1861-70.	1871-80.	1881-90.	Ratio †
England and Wales	387	473	589	152	244	315	430	176	533	632	739	141
London	497	554	683	140	285	352	504	177	664	732	843	127
Surrey	418	479	603	144	231	307	429	186	597	637	759	127
Kent	388	482	616	159	235	313	439	187	543	647	788	145
Sussex	459	573	727	158	311	396	543	174	596	735	890	150
Hampshire	394	513	632	160	265	339	472	178	523	684	784	150
Berkshire	446	538	656	147	268	346	486	181	620	732	823	133
Middlesex	434	465	547	126	208	291	395	144	585	633	692	118
Hertfordshire	406	464	663	165	264	263	511	194	543	657	817	150
Buckinghamshire	393	453	582	147	266	324	425	160	522	587	734	141
Oxfordshire	422	506	670	159	288	332	494	172	552	669	835	151
Northamptonshire	399	532	648	162	286	337	530	185	513	676	766	150
Huntingdonshire	647	778	916	142	504	658	796	158	784	894	1,032	132
Bedfordshire	380	543	655	172	259	429	482	186	488	646	909	186
Cambridgeshire	486	642	789	163	364	501	644	182	611	778	930	152
Essex	421	478	543	129	261	322	391	150	583	635	694	119
Suffolk	456	542	693	152	272	367	500	184	634	709	876	138
Norfolk	453	601	716	158	270	388	507	188	623	800	911	146
Wiltshire	428	520	617	144	271	339	442	163	579	690	796	136
Dorsetshire	431	509	629	146	300	374	467	156	556	639	785	141
Devonshire	467	598	740	158	318	431	538	169	603	756	922	153
Cornwall	379	513	667	176	269	403	530	197	477	611	787	165
Somersetshire	439	538	669	152	287	372	489	170	575	687	828	144
Gloucestershire	446	513	667	150	265	341	459	173	606	665	849	140
Herefordshire	356	561	708	199	163	369	529	325	551	744	881	160
Shropshire	425	518	704	166	291	353	542	186	558	672	865	155
Staffordshire	298	391	475	159	190	258	349	184	409	526	602	147
Worcestershire	366	450	553	151	223	286	407	183	499	601	687	138
Warwickshire	372	484	617	166	223	310	467	209	514	650	759	148
Leicestershire	372	493	563	151	257	334	426	166	482	643	691	143
Rutlandshire	394	509	687	179	275	457	651	329	493	741	743	151
Lincolnshire	388	535	662	171	275	383	497	181	500	687	825	165
Nottinghamshire	391	479	568	145	228	304	393	172	545	648	754	135
Derbyshire	295	372	482	163	184	243	320	174	406	501	643	158
Cheshire	350	441	547	156	235	312	407	181	467	561	678	145
Lancashire	306	379	477	156	184	241	335	182	419	508	609	145
West Riding	325	398	517	159	190	246	351	185	456	544	675	148
East Riding	487	483	594	136	261	290	416	159	606	671	767	127
North Riding	433	472	597	138	306	298	454	148	560	619	742	133
Durham	290	329	440	152	175	220	310	177	411	452	575	140
Northumberland	368	438	557	151	252	294	422	167	464	581	691	149
Cumberland	398	493	616	155	303	374	489	161	490	611	741	151
Westmorland	311	471	637	205	238	359	535	225	386	583	739	191
Monmouthshire	331	411	482	146	220	309	355	161	450	520	616	137
South Wales	296	398	501	169	230	314	400	174	362	481	603	167
North Wales	352	503	736	209	274	419	606	221	436	588	861	201

* The rates in this table have not been corrected for age constitution of the population.
† That is, ratio of mortality in 1881-90 to that in 1861-70, the latter taken as 100.

In Table W. the corrected mortality from cancer at ages over 35 years is shown for each registration county. In Table X. both the crude and the corrected rates are shown for the two sexes together, and for each sex separately, the counties being arranged in the order of their corrected rates for "Persons."

TABLE W.—CANCER, 1881–90.—MEAN ANNUAL DEATH-RATES above 35 Years of Age, in REGISTRATION COUNTIES, corrected for Sex and Age Distribution of their several Populations.

Registration County.	Annual Death-rates in that Part of a Standard Million above 35 Years of Age.	Registration County.	Annual Death-rates in that Part of a Standard Million above 35 Years of Age.
England and Wales	1,844	Gloucestershire	1,825
		Herefordshire	1,726
London	2,250	Shropshire	1,792
		Staffordshire	1,663
Surrey	1,891	Worcestershire	1,653
Kent	1,815	Warwickshire	1,976
Sussex	1,999		
Hampshire	1,788	Leicestershire	1,736
Berkshire	1,818	Rutlandshire	1,663
		Lincolnshire	1,795
Middlesex	1,881	Nottinghamshire	1,808
Hertfordshire	1,772	Derbyshire	1,597
Buckinghamshire	1,578		
Oxfordshire	1,779	Cheshire	1,779
Northamptonshire	1,881	Lancashire	1,706
Huntingdonshire	2,157		
Bedfordshire	1,785	West Riding	1,765
Cambridgeshire	2,012	East Riding	1,831
		North Riding	1,884
Essex	1,732		
Suffolk	1,749	Durham	1,696
Norfolk	1,775	Northumberland	1,897
		Cumberland	1,914
Wiltshire	1,604	Westmorland	1,746
Dorsetshire	1,578		
Devonshire	1,835	Monmouthshire	1,574
Cornwall	1,630	South Wales	1,647
Somersetshire	1,732	North Wales	1,914

It will be noted that next to London, the high "corrected" rate in which is largely due to the presence of hospitals in which cancer is specially treated, Huntingdonshire and Cambridgeshire show the greatest liability to that disease. But whereas the crude rates at all ages represent Huntingdonshire and Cambridgeshire as subject to a cancer mortality in excess of the general English rate by 56 per cent. and by 34 per cent. respectively, the rates over 35 years, corrected for age and sex differences of population, show an excess of only 17 per cent. for Huntingdonshire, and of 9 per cent. for Cambridgeshire.

Referring to the group of registration districts in and around these two counties, which as already stated showed an excess of cancer mortality amounting to 44 per cent. in 1871–80, and to 46 per cent. in 1881–90, it is found that by due correction for age and sex differences of population, the excess above the average rate for England is reduced, in both cases, to 14 per cent. This reduction does not, however, affect both sexes alike, and reference to Table X. shows that, as compared with the rates for the whole country, the corrected cancer death-rate of males is subject to much

TABLE X.—CANCER, 1881-90.—CRUDE and CORRECTED DEATH-RATES PER MILLION LIVING aged 35 and upwards. The Counties arranged in descending order of Corrected Rates.

REGISTRATION COUNTY.	PERSONS.		MALES.		FEMALES.		Male to Female Mortality, the latter taken as 100.	
	Crude.	Corrected.	Crude.	Corrected.	Crude.	Corrected.	Crude.	Corrected.
England and Wales - -	1,844	1,844	1,379	1,379	2,261	2,261	61	61
London - - - -	2,132	2,250	1,619	1,784	2,562	2,667	63	67
Huntingdonshire - -	2,529	2,157	2,320	1,916	2,718	2,373	85	81
Cambridgeshire - -	2,271	2,012	1,941	1,666	2,506	2,323	76	72
Sussex - - - -	2,144	1,999	1,648	1,491	2,549	2,454	65	61
Warwickshire - - -	1,953	1,976	1,512	1,533	2,351	2,373	64	65
Cumberland - - -	1,950	1,914	1,567	1,533	2,309	2,254	68	68
North Wales - - -	2,112	1,914	1,789	1,596	2,408	2,198	74	73
Northumberland - -	1,820	1,897	1,407	1,484	2,234	2,267	63	65
Surrey - - - -	1,891	1,891	1,395	1,401	2,307	2,329	60	60
North Riding - - -	1,908	1,884	1,436	1,380	2,289	2,336	60	59
Northamptonshire - -	1,983	1,881	1,693	1,526	2,288	2,198	73	69
Middlesex - - -	1,809	1,881	1,307	1,408	2,228	2,304	59	61
Devonshire - - -	2,069	1,835	1,606	1,366	2,497	2,254	64	61
East Riding - - -	1,830	1,831	1,300	1,282	2,343	2,323	55	55
Gloucestershire - - -	1,974	1,825	1,395	1,282	2,441	2,311	57	55
Berkshire - - -	1,943	1,818	1,486	1,338	2,359	2,248	63	60
Kent - - - -	1,894	1,815	1,375	1,282	2,370	2,292	58	56
Nottinghamshire - -	1,814	1,808	1,236	1,206	2,359	2,348	52	51
Lincolnshire - - -	1,956	1,795	1,501	1,303	2,391	2,236	63	58
Shropshire - - -	1,991	1,792	1,587	1,359	2,372	2,180	67	62
Hampshire - - -	1,889	1,788	1,458	1,338	2,269	2,192	64	61
Bedfordshire - - -	1,939	1,785	1,486	1,303	2,310	2,217	64	59
Oxfordshire - - -	1,966	1,779	1,490	1,296	2,388	2,211	62	59
Cheshire - - - -	1,740	1,779	1,320	1,338	2,120	2,173	62	62
Norfolk - - - -	2,009	1,775	1,464	1,220	2,483	2,273	59	54
Hertfordshire - - -	1,939	1,772	1,556	1,366	2,274	2,136	68	64
West Riding - - -	1,666	1,765	1,141	1,227	2,151	2,248	53	55
Suffolk - - - -	2,009	1,749	1,501	1,206	2,464	2,236	61	54
Westmorland - - -	1,902	1,746	1,581	1,373	2,215	2,080	71	66
Leicestershire - - -	1,780	1,736	1,359	1,289	2,166	2,136	63	60
Essex - - - -	1,744	1,732	1,275	1,234	2,191	2,180	58	57
Somersetshire - - -	1,943	1,732	1,482	1,296	2,313	2,123	64	61
Herefordshire - - -	1,932	1,726	1,443	1,220	2,391	2,180	60	56
Lancashire - - -	1,562	1,706	1,123	1,276	1,951	2,002	58	64
Durham - - - -	1,543	1,696	1,087	1,227	2,026	2,117	54	58
Staffordshire - - -	1,605	1,663	1,192	1,234	2,009	2,048	59	60
Rutlandshire - - -	1,929	1,663	1,764	1,429	2,082	1,874	85	76
Worcestershire - - -	1,713	1,653	1,276	1,213	2,096	2,048	61	59
South Wales - - -	1,651	1,647	1,348	1,352	1,942	1,911	69	71
Cornwall - - - -	1,900	1,630	1,654	1,380	2,083	1,855	79	74
Wiltshire - - - -	1,799	1,604	1,343	1,122	2,215	2,036	61	55
Derbyshire - - -	1,567	1,597	1,040	1,038	2,080	2,098	50	49
Buckinghamshire - -	1,714	1,578	1,285	1,129	2,105	1,980	61	57
Dorsetshire - - -	1,784	1,578	1,356	1,143	2,163	1,967	63	58
Monmouthshire - - -	1,557	1,574	1,170	1,157	1,961	1,948	60	59

greater local variation than is that of females. The extreme range of mortality in counties is for males from 75 to 139 per cent., and for females from 82 to 118 per cent. of the respective English rates. These local variations are shown in another way in the last column of Table X., from which it appears that the corrected mortality of males aged 35 and upwards, compared with that of females of the same age, ranged from 49 per cent. in Derbyshire, 51 in Nottinghamshire, and 54 in Norfolk and in Suffolk, to 71 per cent. in South Wales, 72 in Cambridgeshire, 73 in North Wales, 74 in Cornwall, 76 in Rutlandshire, and 81 in Huntingdonshire, the proportion for the whole country being 61 per cent. There appears to be no direct connexion between the general prevalence of cancer and the proportion of male to female mortality from that disease in any county, but it is obvious that the apparent local differences in cancer mortality are due very largely to differences in the age and sex constitution of the populations.

In the decennium 1881–90 the mortality from phthisis, which was equal to a rate of 1,724 per million living in England and Wales as a whole, showed considerable variation in the counties taken separately. In Table Y. the uncorrected or crude phthisis rates for persons, and for males and females separately, are shown for the several counties in each of the last three decennia. The mortality of each county in 1881–90 is also compared with that in 1861–70, the rate in the earlier decennium being taken as 100. In order, however, to obtain a fair basis of comparison between the various county rates, it is necessary to make allowance for the widely differing composition of the several populations in regard to age and sex.

Unfortunately there is no period of life that enjoys complete immunity from the ravages of phthisis; but, although the mortality from that disease varies considerably at different ages, the variations are not sufficiently extreme to warrant the selection of a group of ages as almost exclusively liable to the disease. In this respect phthisis differs widely from cancer. Following the principle already adopted in this supplement with respect to the general death-rates, the phthisis rates for the several counties have been reduced to a uniform basis of population, namely, that of a standard million (*see* p. xxxvii) and in Table Z. these corrected county rates are shown for persons as well as for males and females. The counties are arranged in the descending order of their corrected death-rates for "persons"; it will, therefore, be seen that the mean annual rates from phthisis in the last decennium have varied from 2,112 in North Wales and 2,095 in Northumberland to 1,217 in Worcestershire. The table shows that the 11 counties at the head of the list, representing an aggregate population of more than 14 millions, had rates above the average rate for England and Wales; and that the remaining 34 counties, representing a total population of about 13 millions, had rates below the average.

Of the 11 counties whose corrected rates for persons were in excess of the English rate, only 7 showed excess in the rates for both sexes. In London, although the male rate was largely in excess, the female rate fell below the average of the whole country; whilst in Cambridgeshire, Suffolk, and Durham, although the male rates were below the average, the female rates were in excess. In 10 other counties the rate for one or other of the sexes was above the average, although the rate for the two sexes together fell below it.

The table further shows that in 24 counties, containing more than three-fourths of the entire population of England and Wales, the male death-rates were in excess of the female rates; whilst in the remaining 21 counties, containing less than one-fourth of the population, the female rates were in excess of the male rates. The exact relation between the figures for males and those for females is shown in the last column of the table. In London, Hampshire, Sussex, Warwickshire, Surrey, Middlesex, and Worcestershire,

TABLE Y.—PHTHISIS.—MEAN UNCORRECTED DEATH-RATES* in REGISTRATION COUNTIES per Million Living at all Ages.

COUNTIES.	PERSONS.				MALES.				FEMALES.			
	1861-70.	1871-80.	1881-90.	Ratio.†	1861-70.	1871-80.	1881-90.	Ratio.†	1861-70.	1871-80.	1881-90.	Ratio.†
England and Wales	2,475	2,116	1,724	70	2,467	2,209	1,847	75	2,483	2,028	1,609	65
London	2,842	2,511	2,078	73	3,350	3,002	2,547	76	2,397	2,076	1,659	69
Surrey	2,114	1,908	1,574	74	2,410	2,250	1,822	76	1,850	1,595	1,352	74
Kent	2,092	1,823	1,511	72	2,082	1,880	1,554	75	2,102	1,777	1,479	70
Sussex	2,515	2,052	1,662	66	2,509	2,177	1,855	74	2,520	1,938	1,486	59
Hampshire	2,426	2,199	1,849	76	2,474	2,424	2,088	84	2,378	1,989	1,625	68
Berkshire	2,370	1,924	1,473	62	2,357	1,952	1,596	68	2,382	1,913	1,353	57
Middlesex	2,141	1,780	1,376	64	2,232	1,973	1,556	70	2,058	1,606	1,216	59
Hertfordshire	1,920	1,746	1,434	75	1,898	1,822	1,546	81	1,941	1,673	1,327	68
Buckinghamshire	2,063	1,689	1,295	63	1,876	1,552	1,252	67	2,244	1,820	1,337	60
Oxfordshire	2,370	1,876	1,388	61	2,141	1,832	1,459	68	2,596	1,920	1,324	55
Northamptonshire	2,442	1,857	1,473	66	1,863	1,750	1,443	77	2,448	1,963	1,384	57
Huntingdonshire	2,418	1,932	1,536	64	2,302	1,726	1,468	64	2,531	2,150	1,602	63
Bedfordshire	2,368	2,118	1,567	64	2,089	1,896	1,388	69	2,650	2,347	1,742	60
Cambridgeshire	2,408	1,985	1,666	69	2,331	1,959	1,674	72	2,486	2,011	1,659	67
Essex	2,164	1,833	1,431	66	2,093	1,875	1,479	71	2,235	1,790	1,383	62
Suffolk	2,441	2,023	1,707	70	2,154	1,884	1,663	77	2,716	2,157	1,748	64
Norfolk	2,395	1,938	1,495	62	2,206	1,859	1,462	66	2,569	2,011	1,527	59
Wiltshire	2,038	1,741	1,451	71	1,923	1,699	1,429	74	2,149	1,783	1,471	68
Dorsetshire	2,022	1,715	1,342	66	1,797	1,620	1,352	75	2,236	1,806	1,430	64
Devonshire	2,317	2,066	1,708	74	2,293	2,097	1,767	77	2,339	2,035	1,663	71
Cornwall	2,491	2,198	1,766	71	2,623	2,365	1,877	72	2,372	2,050	1,662	70
Somersetshire	1,901	1,652	1,352	71	1,879	1,669	1,428	76	1,922	1,611	1,284	67
Gloucestershire	2,116	1,813	1,480	70	2,174	1,912	1,542	71	2,065	1,724	1,426	69
Herefordshire	1,806	1,521	1,249	69	1,746	1,508	1,266	69	1,866	1,544	1,241	69
Shropshire	2,169	1,641	1,340	62	2,022	1,643	1,368	68	2,316	1,640	1,371	59
Staffordshire	2,013	1,600	1,346	66	1,915	1,610	1,412	73	2,142	1,589	1,279	60
Worcestershire	1,704	1,481	1,196	70	1,628	1,551	1,358	83	1,774	1,416	1,067	60
Warwickshire	2,240	1,963	1,604	72	2,389	2,213	1,889	79	2,107	1,706	1,335	63
Leicestershire	2,183	1,769	1,292	59	1,993	1,750	1,372	72	2,450	1,787	1,217	50
Rutlandshire	1,899	1,418	1,272	67	1,943	1,561	1,491	74	2,183	1,393	1,132	52
Lincolnshire	1,959	1,488	1,467	75	1,888	1,516	1,526	79	2,226	1,850	1,506	72
Nottinghamshire	2,482	1,961	1,605	65	2,090	1,858	1,604	77	2,853	2,078	1,607	56
Derbyshire	2,494	1,996	1,406	56	2,062	1,776	1,365	66	2,925	2,229	1,446	49
Cheshire	2,444	2,008	1,606	66	2,282	1,954	1,667	73	2,596	2,057	1,549	60
Lancashire	2,923	2,467	1,954	67	2,904	2,600	2,101	72	2,940	2,343	1,816	62
West Riding	2,649	2,259	1,859	70	2,540	2,321	1,985	78	2,755	2,199	1,724	63
East Riding	2,329	1,907	1,653	71	2,196	1,940	1,685	77	2,458	1,863	1,622	66
North Riding	1,963	1,621	1,467	75	1,737	1,520	1,379	79	2,189	1,709	1,557	71
Durham	2,052	1,925	1,699	83	1,830	1,826	1,592	87	2,287	2,079	1,811	79
Northumberland	2,495	2,275	2,088	84	2,458	2,324	2,124	86	2,532	2,224	2,051	81
Cumberland	2,761	2,397	1,621	59	2,530	2,081	1,591	63	2,985	2,712	1,651	55
Westmorland	2,451	2,030	1,404	57	2,288	1,857	1,354	59	2,618	2,206	1,451	55
Monmouthshire	2,085	1,790	1,411	68	1,914	1,708	1,286	67	2,267	1,877	1,543	68
South Wales	2,981	2,543	2,008	67	2,869	2,545	1,966	68	2,993	2,576	2,050	69
North Wales	3,277	2,574	2,077	63	3,121	2,437	2,012	64	3,431	2,713	2,140	62

* The rates in this table have not been corrected for age constitution of population.
† That is, the ratio of mortality in 1881-90 to that in 1861-70, the latter taken as 100.

TABLE Z.—PHTHISIS, 1881–90. MEAN ANNUAL DEATH-RATES from PHTHISIS in REGISTRATION COUNTIES, corrected for Age and Sex Distribution of their several Populations.

REGISTRATION COUNTIES.	ANNUAL DEATHS IN A STANDARD MILLION.			Mortality of Males to that of Females, taken as 100.
	Persons.	Males.	Females.	
England and Wales	1,724	1,847	1,609	115
North Wales	2,112	2,014	2,204	91
Northumberland	2,095	2,115	2,076	102
South Wales	2,003	1,872	2,126	88
London	2,001	2,447	1,580	155
Lancashire	1,923	2,074	1,780	117
Hampshire	1,845	2,084	1,619	129
West Riding	1,834	1,967	1,709	115
Suffolk	1,803	1,765	1,839	96
Cornwall	1,788	1,895	1,687	112
Durham	1,744	1,611	1,870	86
Cambridgeshire	1,736	1,730	1,742	99
Devonshire	1,718	1,782	1,658	107
Sussex	1,666	1,882	1,462	129
East Riding	1,656	1,672	1,641	102
Cumberland	1,656	1,613	1,697	95
Huntingdonshire	1,646	1,539	1,747	88
Nottinghamshire	1,623	1,619	1,627	100
Warwickshire	1,619	1,907	1,347	142
Cheshire	1,599	1,666	1,536	108
Surrey	1,560	1,815	1,320	138
Norfolk	1,553	1,514	1,590	95
Bedfordshire	1,549	1,462	1,631	90
Kent	1,528	1,567	1,491	105
Lincolnshire	1,527	1,355	1,689	80
Wiltshire	1,519	1,481	1,555	95
Gloucestershire	1,510	1,592	1,433	111
Hertfordshire	1,502	1,631	1,380	118
North Riding	1,502	1,392	1,606	87
Berkshire	1,494	1,615	1,380	117
Essex	1,479	1,518	1,442	105
Northamptonshire	1,453	1,473	1,434	103
Monmouthshire	1,451	1,279	1,613	79
Derbyshire	1,432	1,374	1,487	92
Oxfordshire	1,430	1,506	1,359	111
Shropshire	1,425	1,403	1,446	97
Dorsetshire	1,424	1,374	1,471	93
Westmorland	1,418	1,353	1,479	91
Somersetshire	1,411	1,512	1,316	115
Middlesex	1,394	1,594	1,205	132
Staffordshire	1,394	1,454	1,337	109
Rutlandshire	1,362	1,260	1,458	86
Buckinghamshire	1,355	1,316	1,392	95
Leicestershire	1,315	1,396	1,238	113
Herefordshire	1,304	1,240	1,365	91
Worcestershire	1,217	1,368	1,075	127

the mortality of males exceeded that of females by proportions varying from 27 to 55 per cent. On the other hand, in South Wales, Durham, Huntingdonshire, Lincolnshire, North Riding of Yorkshire, Monmouthshire, and Rutlandshire, the male rate was from 12 to 21 per cent. below the female rate.

The phthisis mortality of London is vitiated by inclusion therein of the deaths of strangers which occur in institutions situated in London, as well as by the omission of deaths of Londoners occurring in Metropolitan Institutions outside Registration London. In dealing, however, with London mortality, adjustments are now made for these disturbances; and in future years the metropolitan death-rates from phthisis corrected as above-mentioned will be regularly published.

I am indebted to my immediate predecessor, Dr. William Ogle, for much helpful advice in connexion both with this report and with the ordinary administration of my department, at a time when recent succession to office rendered such services especially welcome. Mr. Noel A. Humphreys has assisted me in the course of this work with many useful suggestions, which derive additional value from the fact of his long personal association with the late Dr. Farr in the statistical work of this department. To Mr. A. C. Waters my thanks are due for his able assistance in connexion with the present report, and especially in regard to the preparation of the New English Life Table. Mr. J. Hampden Shoveller, also, has rendered me continuous and willing help in the compilation of the mass of tabular matter which forms a large portion of this volume, as well as in the calculation of the many thousands of rates which will be found interspersed throughout its pages.

I have the honour to be,
Sir,
Your obedient servant,

Sir Brydges P. Henniker, Bart.,
Registrar General.

JOHN TATHAM.

LIST OF PRELIMINARY TABLES,

With Explanatory Notes.

PAGE

Table 1. — Density of Population and Mortality in the Five Decennial Periods from 1841–50 to 1881–90 in Registration Divisions, Counties, and Districts. Sexes not distinguished lxii

Note.—The populations used in constructing this Table are the arithmetical means of the census populations at the beginning and end of each decennium. These mean populations multiplied by ten are approximately equivalent to the *Years of Life exposed to risk*: they form, with the registered deaths in each decennium, the data from which the death-rates have been calculated.

Wherever the area of a registration district has been changed in the course of a decennium, the population has been corrected accordingly. A list of changes in the constitution of Registration Districts during 1881–90 will be found on pages 729–738.

In all cases where such changes have involved the amalgamation or the subdivision of districts during 1881–90 the rates in the four preceding decennia have been adjusted, as far as practicable, in order that the rates in all the five decennia may be fairly comparable. The rates per 1000 persons living in the three decennia 1841–50, 1851–60, and 1861–70 were given in the Supplement to the Registrar-General's 35th Annual Report, and are here re-printed, in whole numbers. For the two later decennia, however, it has been thought advisable to add a decimal place to the rates for the sake of greater accuracy. The registered mortality in many districts is unduly raised by the presence therein of public institutions, workhouses, lunatic asylums, hospitals, &c. Inasmuch as the deaths occurring in public institutions were not separately abstracted before 1869, no means were available previous to that year for correcting the district rates for this disturbing element. All the rates of mortality in Table 1 are uncorrected, but particulars are given in the foot-notes which allow of the application of a partial correction to the rates for 1881–90. It should be remembered, however, that in most cases the deaths in an institution necessarily include an uncertain proportion which belongs to the district in which the institution stands. Death-rates thus adjusted must therefore be regarded as only approximately correct.

Table 2.—Annual Rates of Mortality from All Causes and from Several Causes, per Million Children living under Five Years of Age. Sexes not distinguished . . . lxxxii

Note.—This table replaces Table 2 of the last Decennial Supplement. It relates, however, exclusively to children under five years of age. The death-rates at all ages, from phthisis and from respiratory diseases are omitted from this table, because they are given in other Tables.

Table 3.—Annual Rates of Mortality from All Causes per 1000 living at All Ages, and at Twelve Groups of Ages, in Registration Counties. Persons, Males, and Females . . xcvii

Table 4.—Annual Rates of Mortality from Several Causes per Million Persons living at All Ages, in Registration Counties. Sexes not distinguished c

Table 5.—Annual Rates of Mortality from Several Causes per Million living, at All Ages and at Eleven Groups of Ages, in each of the last Three Decennia. Persons, Males, and Females cviii

Table 6.—Annual Marriage-Rates, Birth-Rates, and Death-Rates from All Causes and from Several Causes, per 1000 Persons living, in Registration Counties, 1881–90. Sexes not distinguished cxv

TABLE 1.—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

No.	REGISTRATION DIVISIONS AND COUNTIES.	ACRES TO A PERSON. 1841 to 1850	1851 to 1860	1861 to 1870	1871 to 1880	1881 to 1890	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841 to 1850	1851 to 1860	1861 to 1870	1871 to 1880	1881 to 1890
	ENGLAND -	2·21	1·96	1·74	1·53	1·36	22	22	22	21·3	19·1
	DIVISIONS.										
I.	LONDON - - -	0·04	0·03	0·02	0·02	0·02	25	24	24	22·4	20·3
II.	SOUTH EASTERN - -	2·62	2·34	1·99	1·72	1·49	20	20	19	17·6	16·1
III.	SOUTH MIDLAND - -	2·69	2·53	2·34	2·13	1·88	21	20	20	18·7	16·8
IV.	EASTERN - - -	2·98	2·85	2·72	2·45	2·14	20	21	20	18·8	17·4
V.	SOUTH WESTERN - -	2·82	2·74	2·68	2·67	2·67	20	20	20	19·3	17·8
VI.	WEST MIDLAND - -	1·91	1·69	1·50	1·38	1·29	23	23	23	20·9	18·6
VII.	NORTH MIDLAND - -	3·04	2·83	2·62	2·32	2·03	21	21	21	20·3	18·3
VIII.	NORTH WESTERN - -	0·88	0·74	0·63	0·52	0·44	27	26	26	24·5	21·9
IX.	YORK - - -	2·17	1·92	1·68	1·40	1·22	23	23	24	23·4	19·8
X.	NORTHERN - - -	3·89	3·29	2·77	2·36	2·02	23	23	23	23·3	19·4
XI.	WELSH - - -	4·63	4·18	3·79	3·40	3·05	20	21	21	21·1	19·1
	I.—LONDON.										
1	**LONDON** - - - - -	0·04	0·03	0·02	0·02	0·02	25	24	24	22·4	20·3
	II.—SOUTH EASTERN.										
2	**SURREY** - - - - -	2·44	2·00	1·47	1·10	0·83	18	18	18	16·8	15·3
3	**KENT** - - - - -	2·18	1·97	1·67	1·45	1·28	21	20	20	17·8	16·6
4	**SUSSEX** - - - - -	2·96	2·69	2·41	2·07	1·81	18	19	19	17·1	15·7
5	**HAMPSHIRE** - - -	2·81	2·47	2·11	1·90	1·69	20	20	19	18·3	16·7
6	**BERKSHIRE** - - -	2·90	2·79	2·61	2·43	2·23	20	20	20	18·0	16·2
	III.—SOUTH MIDLAND.										
7	**MIDDLESEX** - - - -	1·21	1·04	0·79	0·55	0·37	19	20	20	18·0	16·1
8	**HERTFORDSHIRE** - -	2·55	2·44	2·30	2·23	2·12	20	19	19	18·4	16·9
9	**BUCKINGHAMSHIRE** -	2·86	2·77	2·67	2·64	2·56	21	21	20	18·6	16·8
10	**OXFORDSHIRE** - - -	2·87	2·81	2·73	2·73	2·65	21	21	20	19·0	16·8
11	**NORTHAMPTONSHIRE** -	3·06	2·84	2·64	2·41	2·19	23	21	21	19·6	17·1
12	**HUNTINGDONSHIRE** -	3·54	3·44	3·49	3·68	4·01	23	20	20	18·5	16·4
13	**BEDFORDSHIRE** - -	2·52	2·26	2·09	2·01	1·94	22	21	21	19·4	17·3
14	**CAMBRIDGESHIRE** -	3·16	3·07	3·07	3·00	2·92	23	21	20	18·8	17·3
	IV.—EASTERN.										
15	**ESSEX** - - - - -	2·96	2·73	2·38	1·82	1·38	20	20	19	17·9	16·3
16	**SUFFOLK** - - - -	2·86	2·77	2·73	2·64	2·64	20	20	20	18·3	17·6
17	**NORFOLK** - - - -	3·10	3·02	3·05	3·01	2·87	21	21	21	19·3	18·0

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

No.	REGISTRATION COUNTIES.	ACRES TO A PERSON.					ANNUAL MORTALITY. DEATHS TO 1000 LIVING.				
		1841 to 1850	1851 to 1860	1861 to 1870	1871 to 1880	1881 to 1890	1841 to 1850	1851 to 1860	1861 to 1870	1871 to 1880	1881 to 1890
	V.—SOUTH WESTERN.										
18	**WILTSHIRE**	3·22	3·26	3·23	3·22	3·22	21	21	19	18·6	16·9
19	**DORSETSHIRE**	3·57	3·43	3·29	3·27	3·30	20	19	19	17·5	16·2
20	**DEVONSHIRE**	3·08	2·81	2·75	2·71	2·65	20	20	20	19·7	18·3
21	**CORNWALL**	2·52	2·48	2·45	2·57	2·75	19	20	21	20·3	19·0
22	**SOMERSETSHIRE**	2·23	2·34	2·25	2·19	2·12	20	20	20	19·1	17·3
	VI.—WEST MIDLAND.										
23	**GLOUCESTERSHIRE**	1·76	1·66	1·54	1·38	1·33	22	21	21	19·8	17·8
24	**HEREFORDSHIRE**	4·35	4·13	3·94	4·35	4·63	21	20	20	18·4	17·3
25	**SHROPSHIRE**	3·72	3·63	3·50	3·50	3·66	21	20	20	18·8	17·4
26	**STAFFORDSHIRE**	1·30	1·08	0·91	0·81	0·73	24	25	23	22·4	19·7
27	**WORCESTERSHIRE**	1·77	1·57	1·38	1·21	1·10	21	20	20	18·9	17·0
28	**WARWICKSHIRE**	1·38	1 17	1·02	0·90	0·81	23	23	23	21·9	19·0
	VII.—NORTH MIDLAND.										
29	**LEICESTERSHIRE**	2·34	2·23	2·06	1·78	1·56	22	22	22	21·6	18·4
30	**RUTLANDSHIRE**	4·54	4·51	4·58	4·63	4·88	19	18	19	18·5	16·3
31	**LINCOLNSHIRE**	4·60	4·32	4·16	3·89	3·57	20	19	19	18·6	17·5
32	**NOTTINGHAMSHIRE**	2·12	1·94	1·77	1·52	1·31	21	22	22	21·2	19·4
33	**DERBYSHIRE**	2·23	2·01	1·82	1·57	1·36	21	22	22	20·5	17·7
	VIII.—NORTH WESTERN.										
34	**CHESHIRE**	1·75	1·53	1·35	1·11	0·97	23	22	22	21·0	18·9
35	**LANCASHIRE**	0·70	0·58	0·49	0·41	0·35	28	26	27	25·2	22·4
	IX.—YORK.										
36	**WEST RIDING**	1·34	1·19	1·05	0·88	0·76	23	24	25	23·2	20·0
37	**EAST RIDING** (WITH YORK)	3·07	2·73	2·40	2·08	1·82	24	22	23	21·4	19·5
38	**NORTH RIDING**	6·49	6·09	5·54	4·42	3·64	19	19	20	19·7	18·2
	X.—NORTHERN.										
39	**DURHAM**	2·04	1·58	1·22	0·94	0·81	22	23	23	23·8	19·8
40	**NORTHUMBERLAND**	4·53	3·99	3·54	3·14	2·74	22	22	23	22·7	19·8
41	**CUMBERLAND**	5·19	4·84	4·56	4·12	3·75	21	21	22	21·5	18·4
42	**WESTMORLAND**	8·75	8·43	7·98	7·77	7·71	19	18	18	17·7	15·5
	XI.—WELSH.										
43	**MONMOUTHSHIRE**	2·64	2·31	2·08	1·88	1·55	23	23	22	21·9	19·7
44	**SOUTH WALES**	4·96	4·31	3·81	3·25	2·80	20	22	21	21·1	19·1
45	**NORTH WALES**	4·99	4·81	4·60	4·43	4·42	20	20	21	20·6	18·7

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

I.—LONDON.

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON.					ANNUAL MORTALITY. DEATHS TO 1000 LIVING.					
		1841 50	1851 60	1861 70	1871 80	1881 90	1841 50	1851 60	1861 70	1871 80	1881 90	
12	PADDINGTON	·035	·021	·014	·012	·011	17	19	20	19·0	18·0	(*a*)
15	KENSINGTON	·062	·038	·023	·015	·013	20	21	21	19·0	18·5	(*b*)
2	FULHAM	·152	·114	·075	·044	·026	20	21	23	20·4	19·1	(*c*)
3	CHELSEA	·018	·014	·013	·011	·009	26	25	25	23·2	22·5	(*d*)
4	ST. GEORGE HANOVER SQUARE	·015	·013	·012	·013	·014	24	23	24	23·2	21·1	(*e*)
5	ST. JAMES WESTMINSTER	·004	·004	·004	·004	·005	20	21	23	20·9	18·5	(*f*)
6	MARYLEBONE	·010	·009	·009	·010	·010	24	24	25	23·7	19·1	(*g*)
7	HAMPSTEAD	·204	·145	·087	·058	·039	17	16	15	20·0	18·7	(*h*)
8	PANCRAS	·018	·015	·013	·012	·011	24	23	24	23·0	21·4	(*i*)
9	ISLINGTON	·041	·025	·017	·013	·010	19	21	24	20·1	18·5	(*j*)
10	HACKNEY	·078	·055	·038	·025	·019	19	20	21	20·8	18·6	(*k*)
11	ST. GILES	·005	·005	·005	·005	·006	25	27	27	23·4	21·0	(*l*)
12	STRAND	·008	·008	·009	·011	·013	25	26	29	28·6	28·3	(*m*)
13	HOLBORN	·005	·005	·005	·005	·006	24	23	26	23·6	20·1	(*m*)
14	LONDON CITY	·005	·006	·007	·010	·015	26	26	28	27·1	30·6	(*n*)
15	SHOREDITCH	·007	·005	·005	·005	·005	27	24	26	24·1	24·1	(*o*)
16	BETHNAL GREEN	·009	·008	·007	·006	·006	24	23	26	23·9	22·7	(*p*)
17	WHITECHAPEL	·005	·005	·005	·005	·005	31	30	34	33·0	31·0	(*q*)
18	ST. GEORGE-IN-THE-EAST	·005	·005	·005	·005	·006	28	27	29	26·0	25·9	(*r*)
19	STEPNEY	·009	·010	·008	·008	·008	24	26	25	22·1	23·1	(*s*)
20	MILE END OLD TOWN	·013	·011	·008	·007	·006	23	23	23	22·2	20·3	(*t*)
21	POPLAR	·060	·037	·024	·017	·014	24	25	27	25·9	22·5	(*u*)

(*a*) Of this mortality, 2,868 deaths, giving a death-rate of 2·5 per 1000 living, occurred in St. Mary's Hospital.

(*b*) Of this mortality, 5,981 deaths, giving a death-rate of 3·1 per 1000 living, occurred in the Marylebone Workhouse and part of the Consumption Hospital.

(*c*) Of this mortality, 1,207 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Metropolitan Asylum Western District Hospital and the West London Hospital.

(*d*) Of this mortality, 2,588 deaths, giving a death-rate of 2·8 per 1000 living, occurred in the Victoria Hospital, the Chelsea Hospital, the Cancer Hospital, and part of the Consumption Hospital.

(*e*) Of this mortality, 6,113 deaths, giving a death-rate of 4·3 per 1000 living, occurred in St. George's Hospital and the Westminster Hospital.

(*f*) Of this mortality, 203 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the French Hospital.

(*g*) Of this mortality, 4,767 deaths, giving a death-rate of 2·5 per 1000 living, occurred in the Middlesex Hospital, the Samaritan Free Hospital, and Queen Charlotte's Lying-in Hospital; but in addition to the mortality shown in the Table, 3,874 deaths, giving a death-rate of 2·6, occurred in Marylebone Workhouse, situated in Kensington District.

(*h*) Of this mortality, 843 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Metropolitan Asylum North Western District Hospital and the North London Consumption Hospital.

(*i*) Of this mortality, 6,447 deaths, giving a death-rate of 2·7 per 1000 living, occurred in the Central London Sick Asylum (Workhouse), University College Hospital, and the Royal Free Hospital.

(*j*) Of this mortality, 3,826 deaths, giving a death-rate of 1·9 per 1000 living, occurred in the Workhouse Infirmary for Holborn Union, the City of London Workhouse, the Small-pox Hospital, the London Fever Hospital, and the Great Northern Central Hospital.

(*k*) Of this mortality, 4,487 deaths, giving a death-rate of 2·2 per 1000 living, occurred in the City of London Workhouse, the Metropolitan Asylum Eastern District Hospital, the Metropolitan Free Hospital, and the Germans Hospital.

(*l*) Of this mortality, 3,493 deaths, giving a death-rate of 11·4 per 1000 living, occurred in the Charing Cross Hospital and King's College Hospital; but in addition to the mortality shown in the Table 1,007 deaths, giving a death-rate of 3·3, occurred in the Strand Union Workhouse situated in Edmonton District.

(*m*) Of this mortality, 2,253 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the London Homœopathic Hospital, the Hospital for Sick Children, the National Hospital for Paralysis, the Royal Hospital for Diseases of the Chest and St. Luke's Lunatic Hospital; and in addition to the mortality shown in the Table 7,741 deaths, giving a death-rate of 3·0, occurred in the Holborn Union Infirmary situated in Islington District and the Holborn Union Workhouses in Shoreditch District and Hackney District.

(*n*) Of this mortality 1,004 deaths, giving a death-rate of 14·7 per 1000 living, occurred in St. Bartholomew's Hospital; and in addition to the mortality shown in the Table, 2,502 deaths, giving a death-rate of 3·6, occurred in the City of London Workhouses situated in Islington District and in Hackney District, the City of London Workhouse Infirmary in Mile End Old Town District, and the City of London Lunatic Asylum in Bethnal Green District.

(*o*) Of this mortality, 4,063 deaths, giving a death-rate of 3·2 per 1000 living, occurred in the Holborn Union Workhouse, the North Eastern Children's Hospital, and the Hoxton House Lunatic Asylum.

(*p*) Of this mortality, 1,401 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the City of London Hospital for Diseases of the Chest and the Bethnal House Lunatic Hospital.

(*q*) Of this mortality, 5,164 deaths, giving a death-rate of 11·2 per 1000 living, occurred in the London Hospital and the Metropolitan Free Hospital.

(*r*) Of this mortality, 2,196 deaths, giving a death-rate of 3·8 per 1000 living, occurred in the East London Children's Hospital; and in addition to the mortality shown in the Table 2,09 deaths, giving a death-rate of 3·4, occurred in the Stepney Union Workhouse, the Poplar and Stepney Sick Asylum (Workhouse Infirmary), and the Mile End Old Town Workhouse situated in Bethnal Green District, and in the Whitechapel District 1,7 deaths, giving a death-rate of 3·7, in St. George's District 1,0 deaths, and in Shoreditch District 1,0 deaths, giving a death-rate of 3·0 per 1000 living, occurred in part of the City of London Workhouse Infirmary.

(*s*) Of this mortality, 7,084 deaths, giving a death-rate of 4·4 per 1000 living, occurred in part of the City of London Workhouse Infirmary, the Stepney Union Workhouse, the Poplar and Stepney Sick Asylum (Workhouse Infirmary), and the Grove Hall Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

I.—LONDON—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841–50	1851–60	1861–70	1871–80	1881–90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841–50	1851–60	1861–70	1871–80	1881–90
22	ST. SAVIOUR SOUTHWARK	·008	·007	·006	·006	·006	27	26	25	23·9	21·5 (*a*)
23	ST. OLAVE	·020	·016	·013	·012	·011	34	32	28	27·0	24·4 (*b*)
24	LAMBETH	·031	·027	·021	·017	·015	24	22	22	23·2	20·5 (*c*)
25	WANDSWORTH	·258	·183	·118	·068	·044	21	20	19	18·1	16·2 (*d*)
26	CAMBERWELL	·092	·069	·049	·030	·021	23	22	21	19·1	18·7(*e*)
27	GREENWICH	·060	·047	·035	·030	·023	28	25	26	21·4	21·0(*f*)
28	LEWISHAM	·595	·342	·217	·183	·134	17	17	16	14·9	13·5
29	WOOLWICH	—	—	—	·084	·069	—	—	21	20·2	16·8(*g*)

II.—SOUTH EASTERN COUNTIES.

1.—SURREY.

30	EPSOM	2·27	1·99	1·59	1·18	0·96	18	16	17	16·5	17·9 (*h*)
31	CHERTSEY	2·80	2·50	2·02	1·68	1·41	18	18	17	15·9	13·5
32	GUILDFORD	2·72	2·41	2·12	1·73	1·43	19	19	20	19·4	16·6 (*i*)
33	FARNHAM	3·79	2·19	1·38	1·03	0·91	18	16	17	16·3	15·0
34	HAMBLEDON	4·58	4·40	4·17	3·89	3·51	16	17	17	15·1	13·7
35	DORKING	3·58	3·36	3·02	2·72	2·49	17	17	17	15·3	14·1
36	REIGATE	3·58	2·98	2·16	1·78	1·49	16	17	17	15·4	13·2
37	GODSTONE	4·94	4·74	3·79	2·81	2·40	17	17	16	25·8	19·8 (*j*)
38	CROYDON	1·10	0·84	0·50	0·32	0·24	20	19	19	16·3	15·0 (*k*)
39	KINGSTON	0·89	0·71	0·54	0·38	0·27	18	18	18	15·7	14·3
40	RICHMOND	0·29	0·25	0·22	0·17	0·13	20	20	19	17·3	16·7

2.—KENT.

41	BROMLEY	2·37	2·10	1·54	0·99	0·69	17	16	16	14 6	13·1
42	DARTFORD	2·02	1·78	1·40	1·09	0·86	19	18	19	17·1	18·0 (*l*)
43	GRAVESEND	0·08	0·07	0·06	0·06	0·05	25	23	22	19·3	18·3
44	STROOD	2·40	2·10	1·84	1·53	1·18	22	20	20	18 2	17·3
45	HOO	7·04	6·96	6·62	6·07	5·53	24	25	23	18·0	16·4
46	MEDWAY	0·36	0 31	0·22	0·20	0·18	25	23	22	18·9	17·6(*m*)
47	MALLING	2·53	2·31	2·12	1·92	1·74	21	19	20	17·6	16·3
48	SEVENOAKS	3·05	3·06	2·91	2·62	2·35	18	18	18	15·7	14·6
49	TUNBRIDGE	1·76	1·47	1·18	0·97	0·85	20	20	18	17·1	15·2
50	MAIDSTONE	1·11	1·02	0·96	0·89	0·83	23	23	23	22·4	20·2 (*n*)

(*a*) Of this mortality, 1,044 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the Evelina Hospital and the Bethlehem Lunatic Hospital; but, in addition to the mortality shown in the Table, 1,434 deaths, giving a death-rate 0·7, occurred in St. Saviour's Union Workhouse, situated in Camberwell District.

(*b*) Of this mortality, 4,916 deaths, giving a death-rate of 3·6 per 1000 living, occurred in Guy's Hospital.

(*c*) Of this mortality, 5,972 deaths, giving a death-rate of 2·3 per 1000 living, occurred in the Metropolitan Asylum So th-Western District Hospital, and in St. Thomas's Hospital.

(*d*) Of this mortality, 930 deaths, giving a death-rate of 0·4 per 1000 living, occurred in the County Lunatic Asylum (Middlesex and Surrey).

(*e*) Of this mortality, 2,355 deaths, giving a death-rate of 1·1 per 1000 living, occurred in St. Saviour's Union Workhouse Infirmary, Camberwell House Lunatic Asylum, and Peckham House Lunatic Asylum.

(*f*) Of this mortality, 3,331 deaths, giving a death-rate of 2·2 per 1000 living, occurred in the Metropolitan Asylum South-Eastern District Hospital and Ship "Atlas," and the Seamen's Hospital.

(*g*) Of this mortality, 351 deaths, giving a death-rate of 0·1 per 1000 living, occurred in the Herbert Hospital.

(*h*) Of this mortality, 2,416 deaths, giving a death-rate of 5·3 per 1000 living, occurred in the London County Lunatic Asylum, Banstead.

(*i*) Of this mortality, 1,532 deaths, giving a death-rate of 3·2 per 1000 living, occurred in the Invalid Convict Prison, the Royal Surrey County Hospital, and the Surrey County Lunatic Asylum.

(*j*) Of this mortality, 1,549 deaths, giving a death-rate of 8·5 per 1000 living, occurred in the Metropolitan Asylum for Imbeciles.

(*k*) Of this mortality, 929 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the Holborn Union Workhouse, Mitcham, nd the London County Lunatic Asylum, Cane Hill.

(*l*) Of this mortality, 2,040 deaths, giving a death-rate of 3·3 per 1000 living, occurred in the Metropolitan Asylum Hospital Ships and Camp, the Metropolitan Asylum for Imbeciles, and in the City of London Lunatic Asylum.

(*m*) Of this mortality, 752 deaths, giving a death-rate of 1·1 per 1000 living, occurred in St. Bartholomew's Hospital, Fort Pitt Hospital, St. William's Hospital, and the Royal Naval Hospital.

(*n*) Of this mortality, 1,646 deaths, giving a death-rate of 3·5 per 1000 living, occurred in the West Kent General Hospital and the County Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

II.—SOUTH EASTERN COUNTIES—*continued*.

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON.					ANNUAL MORTALITY. DEATHS TO 1000 LIVING.				
		1841–50	1851–60	1861–70	1871–80	1881–90	1841–50	1851–60	1861–70	1871–80	1881–90
	2.—KENT—*cont.*										
51	HOLLINGBOURN	4·14	4·17	4·17	4·10	4·21	20	19	19	17·9	15·8
52	CRANBROOK	3·07	3·04	3·02	2·98	3·01	19	17	17	15·5	15·5
53	TENTERDEN	4·21	4·22	4·34	4·44	4·63	20	19	17	16·8	15·7
54	WEST ASHFORD	3·40	2·95	2·67	2·43	2·29	18	20	19	16·7	15·3
55	EAST ASHFORD	4·04	4·50	4·31	4·11	3·97	17	18	17	15·1	14·7
56	BRIDGE	3·74	3·68	3·69	3·60	3·35	18	18	18	19·6	19·3(*a*)
57	CANTERBURY	0·21	0·20	0·19	0·19	0·18	24	23	24	22·7	21·7(*b*)
58	BLEAN	2·27	2·09	1·87	1·56	1·48	17	18	20	17·3	15·9
59	FAVERSHAM	2·85	2·61	2·12	1·89	1·76	19	20	19	17·4	16·1
60	MILTON	2·71	2·38	1·88	1·50	1·32	21	21	20	17·8	16·7
61	SHEPPEY	1·85	1·41	1·21	1·22	1·22	24	19	19	15·5	15·0
62	THANET	0·94	0·93	0·80	0·56	0·48	19	21	20	19·0	17·5(*c*)
63	EASTRY	2·07	1·99	1·90	1·68	1·62	19	19	19	17·3	16·3
64	DOVER	1·13	1·00	0·87	0·81	0·75	21	20	20	17·9	16·3
65	ELHAM	2·58	1·89	1·52	1·35	1·15	19	18	17	16·7	15·1
66	ROMNEY MARSH	8·44	8·05	7·61	7·24	7·08	19	21	18	16·8	15·2
	3.—SUSSEX.										
67	RYE	3·26	3·24	3·24	3·17	3·23	18	20	19	18·0	15·8
68	HASTINGS	0·78	0·59	0·45	0·33	0·24	18	18	20	17·5	15·7
69	BATTLE	4·11	4·01	4·06	3·82	3·40	16	17	17	15·3	14·1
70	EASTBOURNE	4·67	3·99	2·88	1·68	1·06	15	17	17	14·2	14·0
71	HAILSHAM	4·23	4·19	4·23	4·17	4·01	17	17	17	16·4	15·3
72	TICEHURST	3·48	3·43	3·31	3·09	3·05	19	19	17	16·4	14·7
73	UCKFIELD	4·36	4·25	4·06	3·83	3·59	17	19	17	15·7	13·9
74	EAST GRINSTEAD	4·75	4·49	4·05	3·53	3·20	17	17	16	15·4	13·7
75	CUCKFIELD	3·96	3·77	3·31	2·87	2·61	16	18	16	14·3	12·8
76	LEWES	3·37	3·23	2·99	2·72	2·57	19	19	20	18·8	17·3(*d*)
77	BRIGHTON	0·03	0·02	0·02	0·02	0·02	21	22	22	20·5	18·7(*e*)
78	STEYNING	2·84	2·17	1·62	1·19	0·83	16	16	16	14·4	14·5
79	HORSHAM	4·16	3·89	3·56	3·39	3·05	18	18	18	15·8	14·5
80	PETWORTH	4·07	4·13	4·13	4·03	4·81	17	19	19	17·0	15·8
81	THAKEHAM	4·68	4·75	4·77	4·86	4·98	18	18	16	15·8	14·1
82	EAST PRESTON	2·34	2·25	1·96	1·45	1·19	17	18	18	15·9	14·7
83	WESTHAMPNETT	5·03	4·98	4·94	3·67	3·43	19	18	17	16·2	15·3
84	CHICHESTER	1·59	1·44	1·43	0·23	0·23	21	21	19	21·3	18·5(*f*)
85	MIDHURST	4·88	5·02	5·13	4·93	4·73	17	18	18	15·7	14·9
86	WESTBOURNE	4·83	4·73	4·64	4·38	4·42	18	17	19	15·5	14·8
	4.—HAMPSHIRE.										
87	HAVANT	2·05	1·97	1·85	1·70	1·54	18	19	19	17·6	16·4
88	PORTSEA ISLAND	0·08	0·06	0·05	0·04	0·03	25	23	21	19·9	18·8(*g*)
89	ALVERSTOKE	0·25	0·19	0·17	0·17	0·16	29	26	23	23·9	20·9(*h*)
90	FAREHAM	2·64	2·62	2·38	2·24	2·10	19	21	23	21·3	20·0(*i*)
91	ISLE OF WIGHT	2·15	1·89	1·54	1·33	1·23	17	17	17	17·0	15·9(*k*)
92	LYMINGTON	3·57	3·48	3·26	3·19	3·01	17	18	17	15·4	14·7
93	CHRISTCHURCH	4·51	3·89	2·39	1·40	0·76	16	18	17	16·8	15·4(*l*)
94	RINGWOOD	6·07	6·04	6·50	6·42	6·33	17	18	17	15·8	14·5
95	FORDINGBRIDGE	5·19	5·32	5·48	5·46	5·80	20	20	19	16·4	15·8
96	NEW FOREST	5·18	5·13	5·14	5·19	5·09	17	17	17	16·5	14·7

(*a*) Of this mortality, 672 deaths, giving a death-rate of 5·3 per 1000 living, occurred in the East Kent County Lunatic Asylum.

(*b*) Of this mortality, [illegible] deaths, giving a death-rate of [illegible] per 1000 living, occurred in the Kent and Canterbury Hospital, the Metropolitan Infirmary, Chateau Bellevue, the Royal Sea Bathing Infirmary, and two Convalescent Homes.

(*c*) Of this mortality, [illegible] deaths, giving a death-rate of [illegible] per 1000 living, occurred in the Lunatic Asylum.

(*d*) Of this mortality, [illegible] deaths, giving a death-rate of [illegible] per 1000 living, occurred in the Union Hospital.

(*e*) Of this mortality, [illegible] deaths, giving a death-rate of [illegible] per 1000 living, occurred in the General Infirmary and Convalescent Home.

(*f*) Of this mortality, 195 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the General Infirmary and Convalescent Home.

(*g*) Of this mortality, 769 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the Royal Portsmouth Convalescent Hospital, the Gosport Hospital, the Garrison Station Hospital, the R.M.A. Infirmary, and the Women and Children's Hospital, R.M.A.

(*h*) Of this mortality, 850 deaths, giving a death-rate of 3·6 per 1000 living, occurred in the Naval Hospital, Haslar, and the Military Hospital, Gosport Station.

(*i*) Of this mortality, 940 deaths, giving a death-rate of 5·2 per 1000 living, occurred in the County Lunatic Asylum.

(*k*) Of this mortality, [illegible] deaths, giving a death-rate of [illegible] per 1000 living, occurred in the Royal Infirmary, the Newport Consumption Hospital, and St. Catherine's Home for Consumption.

(*l*) Of this mortality, 236 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the National Sanatorium, the Herbert Convalescent Home, and the Firs Bank Convalescent Home.

TABLE 1. (*continuea*).—**Density** of POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

II.—SOUTH-EASTERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	4.—HAMPSHIRE—*cont.*										
97	SOUTHAMPTON	0·04	0·03	0·03	0·03	0·02	23	24	23	21·4	19·1(*a*)
98	SOUTH STONEHAM	1·85	1·28	0·92	0·72	0·58	18	17	19	17·7	15·0(*b*)
99	ROMSEY	2·58	2·61	2·89	2·93	2·95	21	19	20	16·0	15·4
100	STOCKBRIDGE	6·22	6·14	6·23	6·61	6·70	20	19	18	16·8	15·6
101	WINCHESTER	3·23	3·01	2·79	2·63	2·45	21	20	19	17·6	16·4(*c*)
102	DROXFORD	4·60	4·52	4·36	4·26	4·31	18	18	17	15·5	15·6
103	CATHERINGTON	5·42	5·27	4·99	4·77	4·58	17	19	16	14·8	15·0
104	PETERSFIELD	5·25	5·12	4·89	4·61	4·26	18	19	17	16·2	15·5
105	ALRESFORD	5·48	5·45	5·90	5·99	6·26	17	16	17	15·9	15·0
106	ALTON	4·57	4·43	4·24	4·09	4·07	19	18	19	16·7	14·9
107	HARTLEY WINTNEY	3·83	3·70	3·79	2·75	2·51	18	19	18	15·0	13·2
108	BASINGSTOKE	4·33	4·23	4·16	4·06	3·85	20	19	19	16·6	15·2
109	WHITCHURCH	5·31	5·30	5·30	5·67	5·65	19	22	19	17·7	17·2
110	ANDOVER	4·88	4·86	4·89	4·85	4·75	19	18	18	16·9	16·3
111	KINGSCLERE	5·39	5·37	5·47	5·32	5·30	19	19	20	16·9	14·8
	5.—BERKSHIRE.										
112	NEWBURY	2·11	2·10	2·11	2·13	2·08	21	21	20	18·5	17·0
113	HUNGERFORD	4·88	4·88	5·01	5·23	5·54	20	20	19	17·7	16·8
114	FARINGDON	4·10	4·09	4·10	4·50	4·77	20	21	21	18·2	17·2
115	ABINGDON	2·84	2·70	2·66	2·62	2·80	23	23	22	20·5	16·3
116	WANTAGE	4·42	4·36	4·37	4·45	4·56	19	20	19	18·0	16·5
117	WALLINGFORD	2·91	2·90	2·85	2·93	2·92	20	20	18	20·1	18·8(*d*)
118	BRADFIELD	3·89	3·87	3·93	3·89	3·62	19	19	18	15·8	15·0
119	READING	0·23	0·20	0·16	0·13	0·10	24	22	22	19·3	15·9(*e*)
120	WOKINGHAM	3·19	3·00	2·75	2·40	2·37	17	18	18	16·5	16·5
121	COOKHAM	2·59	2·39	2·11	1·88	1·60	19	18	18	16·4	14·9
122	EASTHAMPSTEAD	4·10	3·65	2·79	2·32	2·05	16	16	16	14·1	14·2(*f*)
123	WINDSOR	1·16	1·10	0·95	0·77	0·67	20	20	20	17·8	15·9(*g*)

III.—SOUTH MIDLAND COUNTIES.

	6.—MIDDLESEX.										
124	STAINES	1·83	1·66	1·35	1·11	0·96	19	19	18	16·9	15·4
125	UXBRIDGE	1·35	1·22	1·10	1·01	0·93	23	22	25	22·9	19·9(*h*)
126	BRENTFORD	0·52	0·44	0·34	0·24	0·18	21	22	20	17·5	16·1
127	HENDON	2·11	1·88	1·19	0·73	0·44	17	18	18	16·7	15·2
128	BARNET	1·81	1·52	1·15	0·87	0·64	18	25	24	21·8	17·7(*i*)
129	EDMONTON	1·06	0·89	0·66	0·42	0·25	19	18	19	16·9	15·7(*j*)
	7.—HERTFORDSHIRE.										
130	WARE	2·24	2·17	2·10	2·01	1·89	19	18	18	16·2	16·2
131	BISHOP STORTFORD	2·70	2·65	2·57	2·51	2·51	21	18	19	16·8	16·3
132	ROYSTON	3·46	3·46	3·47	3·53	3·80	21	19	18	16·8	15·9
133	HITCHIN	2·76	2·58	2·44	2·42	2·42	21	19	20	18·5	17·1

(*a*) Of this mortality, 545 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Royal South Hants Infirmary.
(*b*) Of this mortality, 422 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the Royal Victoria Hospital, and the Military Lunatic Hospital.
(*c*) Of this mortality, 309 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Royal County Hospital.
(*d*) Of this mortality, 438 deaths, giving a death-rate of 3·0 per 1000 living, occurred in the County Lunatic Asylum.
(*e*) Of this mortality, 706 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Royal Berks Hospital.
(*f*) Of this mortality, 179 deaths, giving a death-rate of 1·4 per 1000 living, occurred in the Criminal Lunatic Asylum.
(*g*) Of this mortality, 379 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the Royal Infirmary and Dispensary, the Cottage Convalescent Home, St. Andrews Convalescent Hospital, and the Holloway Sanatorium.
(*h*) Of this mortality, 1,208 deaths, giving a death-rate of 4·2 per 1000 living, occurred in the London County Lunatic Asylum Hanwell.
(*i*) Of this mortality, 2,003 deaths, giving a death-rate of 5·0 per 1000 living, occurred in the London County Lunatic Asylum Colney Hatch.
(*j*) O this mortality, 1,096 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the Strand Union Workhouse and the Metropolitan Asylum Northern District Hospital.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	7.—HERTFORDSHIRE—*cont.*										
134	HERTFORD	2·35	2·26	2·20	2·15	2·08	20	17	19	16·7	16·2(*a*)
135	HATFIELD	3·57	3·49	3·46	3·45	3·32	19	18	18	17·3	15·0
136	ST. ALBANS	1·98	1·87	1·73	1·87	1·65	20	19	19	18·2	16·2
137	WATFORD	1·98	1·87	1·54	1·26	1·05	20	20	19	23·1	19·4(*b*)
138	HEMEL HEMPSTEAD	2·07	1·88	1·78	1·75	1·73	20	21	20	19·2	17·3(*c*)
139	BERKHAMPSTEAD	2·04	1·91	1·80	1·73	1·66	22	21	20	18·3	16·8
	8. BUCKINGHAMSHIRE.										
140	AMERSHAM	2·71	2·70	2·71	2·58	2·45	22	23	21	19·1	15·8
141	ETON	1·99	1·90	1·80	1·62	1·50	18	18	18	16·2	14·9
142	WYCOMBE	2·83	2·37	2·22	2·11	1·96	21	21	20	18·8	16·7
143	AYLESBURY	3·25	3·14	3·04	2·99	2·94	21	22	22	20·2	18·9 (*d*)
144	WINSLOW	3·77	3·59	3·64	4·06	4·41	21	22	20	18·0	17·0
145	NEWPORT PAGNELL	2·98	2·86	2·77	2·97	2·98	23	21	20	19·2	16·9
146	BUCKINGHAM	3·66	3·72	3·85	4·15	4·50	25	22	20	18·7	18·4
	9.—OXFORDSHIRE.										
147	HENLEY	—	3·42	3·32	3·14	2·87	—	19	16	17·0	15·0
148	THAME	3·52	3·55	3·63	3·87	4·09	22	21	19	18·6	16·5
149	HEADINGTON	0·82	1·56	1·30	1·17	0·92	33	22	21	21·1	19·2(*e*)
150	OXFORD		0·15	0·14	0·07	0·07		22	22	18·7	15·9(*f*)
151	BICESTER	4·17	4·12	4·12	4·41	4·67	21	21	20	17·9	16·2
152	WOODSTOCK	3·44	3·34	3·31	3·50	3·63	21	20	20	18·7	16·8
153	WITNEY	3·02	3·00	3·02	3·51	3·65	23	20	20	19·5	17·4
154	CHIPPING NORTON	4·55	4·40	4·24	4·04	4·02	19	19	19	19·0	15·1
155	BANBURY	2·58	2·51	2·45	2·54	2·63	23	23	20	19·3	17·3
	10.—NORTHAMPTONSHIRE.										
156	BRACKLEY	4·33	4·32	4·36	4·61	4·69	22	21	20	18·6	17·0
157	TOWCESTER	3·33	3·27	3·25	3·30	3·46	22	23	20	18·8	17·3
158	POTTERSPURY	2·19	2·01	1·92	1·88	1·91	23	20	19	16·9	16·2
159	HARDINGSTONE	3·64	3·40	3·15	3·07	3·12	21	20	20	18·8	16·4
160	NORTHAMPTON	0·67	0·56	0·44	0·35	0·28	24	25	25	23·7	19·3(*g*)
161	DAVENTRY	2·92	2·98	3·16	3·33	3·57	20	20	20	19·1	16·6
162	BRIXWORTH	3·27	3·25	3·13	3·41	3·21	22	20	19	18·0	16·6
163	WELLINGBOROUGH		2·43	2·09	1·68	1·38		22	21	19·3	15·9
164	KETTERING	3·04	2·98	2·83	2·42	1·77	20	20	21	19·9	16·0
165	THRAPSTON	4·11	3·80	3·60	3·47	3·48	19	20	20	19·0	16·8
166	OUNDLE	4·56	4·49	4·64	4·86	5·45	21	19	19	18·2	16·1
167	PETERBOROUGH	3·69	3·24	2·86	2·55	2·40	23	20	20	18·7	16·4
	11.—HUNTINGDONSHIRE.										
168	HUNTINGDON	3·92	3·73	3·71	3·80	4·19	22	20	20	18·3	16·6(*h*)
169	ST. IVES	3·17	3·13	3·27	3·54	3·79	23	20	21	18·8	17·2
170	ST. NEOTS	3·54	3·45	3·48	3·68	4·10	21	19	19	18·5	15·4

(*a*) Of this mortality, 174 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Herts General Infirmary.

(*b*) Of this mortality, 1078 deaths, giving a death-rate of 4·8 per 1000 living, occurred in the Metropolitan Asylum for Imbeciles.

(*c*) Of this mortality, 116 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the West Herts Infirmary, and King's College Hospital Convalescent Home.

(*d*) Of this mortality, 160 deaths, giving a death-rate of 2·3 per 1000 living, occurred in the Bucks and General County Infirmary and the County Lunatic Asylum.

(*e*) Of this mortality, 147 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the Oxford Union Workhouse, the Radcliffe Infirmary, the National Hospital for Incurables, and the Oxford and Bucks Counties Lunatic Asylum.

(*f*) In addition to this mortality, 208 deaths, giving a death-rate of 1·4 per 1000 living, occurred in the Oxford Union Workhouse, situated in Headington District.

(*g*) Of this mortality, 1000 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the General Infirmary, St Andrew's Lunatic Hospital, and the County Lunatic Asylum.

(*h*) Of this mortality, 169 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the County Hospital.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—*continued*.

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	12.—BEDFORDSHIRE.										
171	BEDFORD	2·89	2·64	2·44	2·30	2·05	23	20	20	18·5	15·4 (*a*)
172	BIGGLESWADE	2·63	2·38	2·18	2·10	2·15	21	21	22	21·4	19·9 (*b*)
173	AMPTHILL	2·58	2·48	2·41	2·46	2·81	22	21	21	19·0	17·2
174	WOBURN	2·53	2·49	2·55	2·77	3·26	20	22	20	19·7	17·8
175	LEIGHTON BUZZARD	2·10	2·19	2·09	2·13	2·12	21	22	20	19·3	16·4
176	LUTON		1·46	1·26	1·11	0·98		20	21	19·0	18·1
	13.—CAMBRIDGESHIRE.										
177	CAXTON	4·72	4·53	4·41	4·53	5·20	19	19	19	17·2	15·6
178	CHESTERTON	3·28	3·05	2·89	2·69	2·70	21	20	20	18·1	16·5 (*c*)
179	CAMBRIDGE	0·13	0·13	0·12	0·10	0·09	23	20	22	19·7	17·8 (*d*)
180	LINTON	3·53	3·46	3·54	3·66	3·93	20	19	19	16·8	16·2
181	NEWMARKET	3·36	3·28	3·35	3·37	3·46	20	20	20	18·3	17·2
182	ELY	3·72	3·57	3·67	3·77	3·90	23	21	20	19·6	18·0
183	NORTH WITCHFORD	3·86	3·86	3·94	3·85	3·73	27	21	20	18·9	16·6
184	WHITTLESEY	3·45	3·43	3·60	3·73	4·08	25	23	21	20·0	17·9
185	WISBECH	3·89	3·78	3·90	3·95	3·45	25	22	20	19·3	18·3

IV.—EASTERN COUNTIES.

No.											
	14.—ESSEX.										
186	WEST HAM	0·64	0·42	0·24	0·13	0·07	18	20	20	17·8	17·2
187	EPPING	2·97	2·89	2·53	2·29	2·01	18	18	18	16·9	15·3
188	ONGAR	4·01	4·10	4·16	4·26	4·45	17	18	18	17·0	15·4
189	ROMFORD	2·06	1·87	1·64	1·40	1·09	20	20	20	18·7	16·1
190	ORSETT	3·96	3·70	3·32	2·78	1·88	24	21	18	16·6	16·3
191	BILLERICAY	5·37	3·53	3·11	2·76	2·57	21	21	19	20·0	20·7 (*e*)
192	CHELMSFORD	2·67	2·58	2·52	2·57	2·56	20	19	19	17·9	15·8
193	ROCHFORD	—	6·32	5·51	2·81	2·31	—	21	19	16·5	15·6
194	MALDON	4·99	4·79	4·61	3·63	3·79	21	21	19	17·5	16·0
195	TENDRING	3·33	3 28	3·15	2·76	2·38	20	20	19	18·1	16·2
196	COLCHESTER	0·60	0·52	0·45	0·41	0·36	24	22	21	19·9	17·5(*f*)
197	LEXDEN	3·47	3·31	3·14	2·93	3·28	19	19	18	16·6	16·3
198	HALSTEAD	2·10	2·06	2·11	2·21	2·32	20	22	20	18·8	17·3
199	BRAINTREE	2·30	2·23	2·25	2·31	2·39	21	21	21	18·8	17·1
200	DUNMOW	3·60	3·61	3·68	3·90	4·24	21	20	19	17·8	17·2
201	SAFFRON WALDEN	3·17	3·10	3·19	3·38	3·55	21	19	19	18·0	16·8
	15.—SUFFOLK.										
202	RISBRIDGE	3·02	3·02	2·98	3·03	3·13	22	20	20	18·3	17·0
203	SUDBURY	2·57	2·52	2·48	2·57	2·70	20	20	20	18·4	17·0
204	COSFORD	2·90	2 97	3·06	3·20	3·37	21	20	19	18·6	17·7
205	THINGOE	4·45	4·43	4·60	4·85	5·23	18	20	18	16·2	16·1 (*g*)
206	BURY ST. EDMUNDS	0·22	0·22	0·21	0·19	0·18	24	22	23	22·1	19·3(*g h*)
207	MILDENHALL	6·27	6·14	6·51	6·74	7·41	20	20	19	18·9	19·5
208	STOW	2·71	2·63	2·64	2·69	2·83	18	19	19	18·3	16·9
209	HARTISMERE	2·89	2·95	3·15	3·33	3·58	21	20	20	18·4	17·2

(*a*) Of this mortality, 333 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the General Infirmary and Fever Hospital.
(*b*) Of this mortality, 960 deaths, giving a death-rate of 3·5 per 1000 living, occurred in the Beds, Herts, and Hunts Counties' Lunatic Asylum.
(*c*) Of this mortality, 331 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the County Lunatic Asylum.
(*d*) Of this mortality, 750 deaths, giving a death-rate of 2·1 per 1000 living, occurred in the Addenbrooke's Hospital.
(*e*) Of this mortality, 1,103 deaths, giving a death-rate of 5·7 per 1000 living, occurred in the County Lunatic Asylum.
(*f*) Of this mortality, 462 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Essex and Colchester Hospital, the Camp and Lock Hospital, and the Eastern Counties Idiot Asylum.
(*g*) In the Thingoe Union Workhouse situated in Bury St. Edmunds District, 295 deaths occurred. This workhouse, however, receives paupers of both Thingoe Union and Bury St. Edmunds Union. The mean populations of the two Districts are nearly equal, and the whole of the 295 deaths would give a death-rate of 1·8 in either District.
(*h*) Of this mortality, 158 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Suffolk General Hospital.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, IN REGISTRATION DISTRICTS.

IV.—EASTERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON.					ANNUAL MORTALITY. DEATHS TO 1000 LIVING.				
		1841-50	1851-60	1861-70	1871-80	1881-90	1841-50	1851-60	1861-70	1871-80	1881-90
	15.—SUFFOLK—*cont.*										
210	HOXNE	3·35	3·47	3·63	3·91	4·42	21	20	19	18·0	15·9
211	BOSMERE	3·43	3·47	3·63	3·71	3·85	18	19	19	17·9	16·3
212	SAMFORD	4·13	3·98	4·00	4·05	3·86	18	20	19	17·8	16·6
213	IPSWICH	0·29	0·24	0·21	0·18	0·15	23	22	22	22·2	19·2 (*a*)
214	WOODBRIDGE	3·51	3·53	3·64	3·42	3·39	21	20	21	19·7	18·7 (*b*)
215	PLOMESGATE	3·53	3·56	3·62	3·69	3·67	19	20	18	17·2	16·4
216	BLYTHING	3·34	3·37	3·46	3·53	3·68	18	20	19	17·5	16·5
217	WANGFORD	2·52	2·54	2·54	2·46	2·39	19	21	19	18·7	16·7
218	MUTFORD	1·94	1·61	1·28	1·00	0·79	17	20	18	17·4	16·2
	16.—NORFOLK.										
219	YARMOUTH (GREAT)	0·06	0·05	0·05	0·04	0·04	23	25	24	22·9	21·4 (*c*)
220	FLEGG	3·60	3·40	3·23	3·05	2·98	20	20	18	18·5	17·6
221	SMALLBURGH	4·03	4·16	4·33	4·35	3·97	20	21	19	17·0	17·3
222	ERPINGHAM	3·43	3·40	3·56	3·45	3·46	20	21	20	18·2	16·8
223	AYLSHAM	3·40	3·49	3·67	3·77	3·91	21	21	19	18·0	16·6
224	ST. FAITH'S	4·12	4·09	4·35	4·33	4·17	20	18	19	17·5	17·2 (*d*)
225	NORWICH	0·11	0·10	0·10	0·09	0·08	24	25	24	23·3	19·8 (*e*)
226	FOREHOE	2·79	2·87	3·01	3·12	3·23	21	20	20	17·4	16·6
227	HENSTEAD	3·78	3·80	3·94	4·06	3·95	17	19	19	17·4	16·3
228	BLOFIELD	3·99	3·83	3·87	3·85	3·89	20	20	21	22·2	22·0 (*f*)
229	LODDON	4·02	4·05	4·26	4·34	4·48	18	19	18	17·4	16·7
230	DEPWADE	2·80	2·81	2·94	3·04	3·17	20	20	20	17·9	16·7
231	GUILTCROSS	3·61	3·70	3·91	4·09	4·34	21	22	20	18·9	16·2
232	WAYLAND	4·38	4·31	4·51	4·68	4·84	19	20	20	19·4	17·0
233	MITFORD	3·64	3·67	3·79	3·83	3·98	20	20	19	18·4	17·5
234	WALSINGHAM	4·08	4·06	4·24	4·53	4·17	21	20	22	18·6	17·3
235	DOCKING	5·77	5·66	5·80	5·81	5·06	20	21	21	18·8	17·8
236	FREEBRIDGE LYNN	6·05	5·83	5·85	6·11	6·05	18	18	20	18·6	16·1
237	KING'S LYNN	0·30	0·30	0·34	0·33	0·28	23	22	22	20·9	20·4 (*g*)
238	DOWNHAM	4·16	4·06	4·10	4·19	4·39	22	21	20	18·9	17·8
239	SWAFFHAM	5·95	5·79	5·94	6·14	6·51	19	19	19	16·8	17·1
240	THETFORD	6·44	6·24	6·56	6·76	6·90	21	20	21	19·0	17·3

V.—SOUTH WESTERN COUNTIES.

	17. WILTSHIRE.										
241	HIGHWORTH	3·02	2·72	2·23	1·66	1·30	21	21	18	17·7	15·3
242	CRICKLADE	3·65	3·63	3·52	3·69	3·99	20	20	19	17·9	17·8
243	MALMESBURY	3·75	3·90	3·93	4·05	4·32	19	19	18	17·0	17·7
244	CHIPPENHAM	2·80	2·76	2·68	2·71	2·75	19	21	19	17·8	16·7
245	CALNE	3·09	3·17	3·21	3·26	3·43	20	20	18	17·6	16·5
246	MARLBOROUGH	4·32	4·20	4·17	4·18	4·89	20	19	19	16·8	15·9
247	DEVIZES	2·86	2·89	2·96	3·04	3·12	22	21	21	21·1	19·7 (*h*)
248	MELKSHAM	0·94	0·99	1·00	0·97	0·89	23	22	22	20·3	16·9
249	BRADFORD-ON-AVON	1·50	1·70	1·78	1·75	1·80	20	22	19	18·9	17·3
250	WESTBURY	2·39	2·55	2·67	2·80	3·03	22	22	21	19·5	18·4
251	WARMINSTER	3·30	3·41	3·61	3·87	4·35	21	20	18	18·9	16·6
252	PEWSEY	5·30	5·26	5·39	5·80	6·24	20	19	20	19·1	17·8
253	AMESBURY	7·82	7·62	7·76	8·17	8·76	18	20	18	16·8	16·7

(*a*) Of this mortality, 23 deaths, giving a death-rate of 4·7 per 1000 living, occurred in the Ipswich and Borough Hospitals.
(*b*) Of this mortality, [illegible] deaths, giving a death-rate of 3·1 per 1000 living, occurred in the County Lunatic Asylum.
(*c*) Of this mortality, 705 deaths, giving a death-rate of 4·7 per 1000 living, occurred in the Norwich and Norwich Borough Hospitals, the Jenny Lind Infirmary for Children, and the Bethel Lunatic Hospital; and an additional [illegible] deaths, giving a death-rate of 0·2, occurred in the County Lunatic Asylum.
(*d*) Of this mortality, 233 deaths, giving a death-rate of 0·2, occurred in the Norwich City Lunatic Asylum, situated in St. Faith's District.
(*e*) Of this mortality, 705 deaths, giving a death-rate of 6·0 per 1000 living, occurred in the County Lunatic Asylum.
(*f*) Of this mortality, 168 deaths, giving a death-rate of [illegible] per 1000 living, occurred in the Great Yarmouth Hospital.
(*g*) Of this mortality, 667 deaths, giving a death-rate of 3·5 per 1000 living, occurred in the County Lunatic Asylum.
(*h*) Of this mortality, [illegible] deaths, giving a death-rate of [illegible] per 1000 living, occurred in the Wilts and Lunatic Hospitals.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

V.—SOUTH WESTERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON.					ANNUAL MORTALITY. DEATHS TO 1000 LIVING.				
		1841-50	1851-60	1861-70	1871-80	1881-90	1841-50	1851-60	1861-70	1871-80	1881-90
	17.—WILTSHIRE —*cont.*										
254	ALDERBURY	3·68	3·55	3·43	3·20	2·07	22	23	22	19·9	18·2(*a*)
	SALISBURY	0·05	0·05	0·05	0·05		28	24	20	20·8	
255	WILTON	5·25	5·16	5·13	5·28	5·58	21	21	18	17·5	15·7
256	TISBURY	3·99	4·04	4·10	4·22	4·87	20	19	18	16·9	15·7
257	MERE	3·92	4·03	4·07	4·26	4·90	19	21	19	17·9	17·0
	18.—DORSETSHIRE.										
258	SHAFTESBURY	2·79	2·81	2·79	2·83	3·04	20	20	19	17·0	16·1
259	STURMINSTER	3·64	3·62	3·58	3·63	4·01	19	20	18	18·1	16·7
260	BLANDFORD	4·02	3·89	3·89	3·96	4·47	19	17	18	15·8	15·3
261	WIMBORNE	4·88	4·69	4·69	4·73	4·75	19	18	18	15·8	15·4
262	POOLE	1·97	1·84	1·72	1·47	1·14	20	20	21	17·9	15·5
263	WAREHAM	5·67	5·58	5·62	5·64	5·52	18	19	17	16·4	16·2
264	WEYMOUTH	1·83	1·51	1·17	1·10	1·05	19	18	17	16·3	15·1
265	DORCHESTER	4·77	4·63	4·55	4·56	4·71	20	21	19	18·4	17·6(*b*)
266	SHERBORNE	3·16	3·02	2·92	3·00	3·25	20	20	19	18·4	15·8
267	BEAMINSTER	3·66	3·86	4·03	4·37	5·00	21	20	19	19·7	18·6
268	BRIDPORT	1·98	1·97	1·98	2·10	2·29	22	21	21	19·7	17·2
	19.—DEVONSHIRE.										
269	AXMINSTER	3·02	3·08	3·07	3·15	3·31	19	20	19	18·6	16·8
270	HONITON	3·39	3·47	3·59	3·73	3·97	18	19	19	18·8	17·2
271	ST. THOMAS	2·71	2·68	2·66	2·64	2·48	18	19	20	20·1	18·1(*c*)
272	EXETER	0·06	0·05	0·05	0·05	0·05	25	24	25	25·0	21·8(*d*)
273	NEWTON ABBOT	2·43	2·11	1·85	1·64	1·52	19	18	20	17·7	16·6
274	TOTNES	2·89	2·94	2·86	2·71	2·51	19	19	20	18·1	16·6
275	KINGSBRIDGE	3·40	3·58	3·76	3·81	4·00	17	18	19	18·2	17·5
276	PLYMPTON ST. MARY	3·82	3·76	3·49	3·22	2·97	18	19	19	16·8	16·3
277	PLYMOUTH	0·04	0·03	0·02	0·02	0·02	25	24	23	22·6	21·4(*e*)
278	EAST STONEHOUSE	0·02	0·01	0·01	0·01	0·01	29	27	27	28·3	24·9(*f*)
279	STOKE DAMEREL	0·05	0·04	0·04	0·04	0·03	26	23	21	20·4	18·5(*g*)
280	TAVISTOCK	5·88	4·69	4·79	5·27	5·66	19	20	19	17·4	18·6
281	OKEHAMPTON	5·98	6·51	6·70	7·00	8·00	16	18	17	18·1	17·0
282	CREDITON	4·20	4·37	4·63	4·92	5·35	17	18	19	18·3	17·6
283	TIVERTON	4·64	3·29	3·40	3·54	3·76	20	21	20	19·6	17·9
284	SOUTH MOLTON	5·93	6·20	7·48	8·05	8·95	18	18	18	17·7	16·3
285	BARNSTAPLE	3·97	4·02	4·06	3·96	3·64	17	18	18	18·8	17·3
286	TORRINGTON	4·57	4·74	4·91	5·23	5·88	17	17	19	17·8	17·9
287	BIDEFORD	3·75	3·52	3·42	3·34	3·33	17	19	19	18·9	16·8
288	HOLSWORTHY	7·32	7·94	8·55	8·95	9·25	16	18	18	18·2	16·6
	20.—CORNWALL.										
289	STRATTON	6·04	6·55	6·86	7·12	7·58	17	20	19	17·3	17·7
290	CAMELFORD	6·28	6·39	6·40	6·47	7·24	17	19	18	18·9	19·2
291	LAUNCESTON	5·25	5·76	5·91	6·08	6·54	17	19	18	18·4	17·1
292	ST. GERMANS	2·89	2·76	2·49	2·46	2·49	21	21	20	19·0	18·9
293	LISKEARD	3·76	3·41	3·17	3·41	3·90	18	20	19	17·4	17·9
294	BODMIN	4·31	4·43	4·52	4·53	4·74	18	20	20	21·7	20·3(*h*)

(*a*) Of this mortality, 884 deaths, giving a death-rate of 3·2 per 1000 living, occurred in the General Infirmary, and Fisherton House Lunatic Asylum.

(*b*) Of this mortality, 508 deaths, giving a death-rate of 2·1 per 1000 living, occurred in the County Hospital, and the County Lunatic Asylums.

(*c*) Of this mortality, 818 deaths, giving a death-rate of 1·6 per 1000 living, occurred in the Exeter Sanatorium, the Exeter Borough Lunatic Asylum, the County Lunatic Asylum, and the Western Counties Idiot Asylum.

(*d*) Of this mortality, 557 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Devon and Exeter Hospital; but in addition to the mortality shown in the Table, 100 deaths, giving a death-rate of 0·3, occurred in the Exeter Sanatorium and Exeter Borough Lunatic Asylum situated in St. Thomas District.

(*e*) Of this mortality, 454 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the South Devon and East Cornwall Hospital.

(*f*) Of this mortality, 620 deaths, giving a death-rate of 4·1 per 1000 living, occurred in the Royal Naval Hospital.

(*g*) Of this mortality, 448 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the Royal Albert Hospital, and the Military Hospital.

(*h*) Of this mortality, 455 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the East Cornwall Hospital, and the County Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

V.—SOUTH WESTERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.					
		1841-50	1851-60	1861-70	1871-80	1881-90	1841-50	1851-60	1861 70	1871-80	1881-90	
	20.—CORNWALL— *cont.*											
295	St. Columb	4·69	4·61	4·69	4·74	4·95	17	18	19	19·1	17·3	
296	St. Austell	1·81	1·74	1·77	1·90	1·91	19	20	20	21·0	18·4	
297	Truro	2·16	2·16	2·17	2·30	2·56	20	20	22	20·4	18·9	
298	Falmouth	1·28	1·23	1·15	1·00	1·01	21	20	22	19·9	17·5	
299	Helston	2·38	2·46	2·48	2·82	3·20	18	20	21	22·0	20·6	
300	Redruth	0·79	0·73	0·73	0·81	0·85	20	21	23	21·4	20·5	
301	Penzance	1·26	1·20	1·19	1·24	1·32	20	21	22	21·4	19·2	
302	Scilly Islands	1·37	1·41	1·58	1·61	1·91	19	18	20	22·1	21·0	
	21.—SOMERSET-SHIRE.											
303	Williton	5·56	5·49	5·50	5·67	5·74	17	18	18	17·3	16·3	
304	Dulverton	—	12·21	9·69	10·30	11·40	—	16	17	16·0	15·4	
305	Wellington	2·75	2·84	2·93	3·02	3·26	19	18	18	17·6	17·3	
306	Taunton	2·06	1·99	1·98	1·97	2·01	20	20	19	18·2	18·7	(*a*)
307	Bridgwater	2·84	2·73	2·63	2·66	2·64	20	19	19	18·7	16·8	
308	Langport	3·24	3·24	3·32	3·53	3·95	18	19	19	18·0	17·6	
309	Chard	2·29	2·34	2·32	2·33	2·45	19	20	19	19·5	17·4	
310	Yeovil	1·85	1·84	1·83	1·84	1·92	21	21	19	19·6	16·9	
311	Wincanton	3·10	3·09	3·11	3·24	3·50	20	20	19	18·1	17·3	
312	Frome	2·35	2·09	2·13	2·16	2·29	22	22	20	18·7	16·9	
313	Shepton Mallet		2·96	3·04	3·10	3·20		20	19	18·0	17·1	
314	Wells	3·09	3·00	2·93	2·94	2 91	20	21	22	20·3	19·3	(*b*)
315	Axbridge	3·24	3·06	2·81	2·64	2·32	18	17	19	17·4	16·5	(*c*)
316	Clutton	1·87	1·92	1·98	1·99	1·96	19	19	19	18·4	16·9	
317	Bath	0·44	0·44	0·44	0·43	0·42	24	22	22	21·5	18·5	(*d*)
318	Keynsham	1·54	1·54	1·49	1·37	1·21	19	19	20	18·4	16·8	
319	Bedminster	1·53	1·44	1·20	0·94	0·75	20	20	20	20·4	16·8	(*e*)

VI.—WEST MIDLAND COUNTIES.

No.												
	22.—GLOUCESTER-SHIRE.											
320	Bristol	0·01	0·01	0·01	0·01	0·01	29	28	29	27·5	23·1	(*f*)
321	Barton Regis	0·41	0·34	0·28	0·19	0·15	23	20	20	20·0	17·1	(*g*)
322	Chipping Sodbury	3·30	3·34	3·33	3·49	3·68	20	19	20	19·1	17·3	
323	Thornbury	4·00	4·00	3·89	3·27	3·33	18	17	17	17·2	16·7	
324	Dursley	1·69	1·89	2·01	2·03	2·16	21	21	20	20·0	17·7	
325	Westbury-on-Severn	2·55	2·26	2·02	1·78	1·76	19	18	19	19·0	17·0	
326	Newent	3·73	3·62	3·71	3·93	4·37	19	19	19	17·6	16·9	
327	Gloucester	1·09	0·96	0·84	0·73	0·67	24	22	22	20·9	18·7	(*h*)
328	Wheatenhurst	3·07	3·10	3·25	3·11	3·43	20	19	17	17·5	15·9	
329	Stroud	1·15	1·18	1·12	1·06	1·05	21	22	21	19·0	16·4	
330	Tetbury	4·22	4·15	4·19	4·27	4·49	18	18	19	18·8	14·8	
331	Cirencester	4·06	4·04	4·02	4·01	4·15	20	20	18	17·7	16·9	
332	Northleach	6·25	6·18	6·30	6·58	7·46	18	19	18	16·9	15·9	

(*a*) Of this mortality, 356 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Taunton and Somerset Hospital.
(*b*) Of this mortality, 817 deaths, giving a death-rate of 3·6 per 1000 living, occurred in the County Lunatic Asylum.
(*c*) Of this mortality, [illegible] deaths, giving a death-rate of 0·7 per 1000 living, occurred in the West of England Sanatorium, the Weston-super-Mare Hospital, and St. Michael's Home for Consumption.
(*d*) Of this mortality, [illegible] deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Royal United Hospital and the Midford Water Hospital.
(*e*) Of this mortality, [illegible] deaths, giving a death-rate of 0·1 per 1000 living, occurred in part of the Bristol General Hospital.
(*f*) Of this mortality, 3,137 deaths, giving a death-rate of 5·6 per 1000 living, occurred in part of the Bristol General Hospital, the Royal Infirmary, and the Hospital for Sick Children, and in addition to the deaths shown in the Table, [illegible] deaths, giving a death-rate of 0·6 per 1000 living, occurred in the City of Bristol Workhouse situated in Barton Regis District. The inmates of this Workhouse come mainly from Bristol District.
(*g*) Of this mortality, 1,705 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the City of Bristol Workhouse and Bristol Lunatic Asylum.
(*h*) Of this mortality, 1,161 deaths, giving a death-rate of 3·2 per 1000 living, occurred in the General Infirmary and the County Lunatic Asylums.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VI.—WEST MIDLAND COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	22.—GLOUCESTERSHIRE—*cont.*										
333	STOW-ON-THE-WOLD	4·23	4·19	4·26	4·39	4·91	18	18	20	17·2	17·5
334	WINCHCOMB	5·71	5·69	5·63	5·79	6·08	17	18	18	17·0	15·4
335	CHELTENHAM	0·59	0·53	0·50	0·48	0·48	20	19	19	17·9	17·8
336	TEWKESBURY	2·59	2·59	2·69	2·87	3·16	21	21	20	18·9	18·0
	23.—HEREFORDSHIRE.										
337	LEDBURY	3·75	3·48	3·49	3·80	4·03	19	18	17	17·1	16·9
338	ROSS	3·67	3·49	3·38	3·37	3·62	20	20	20	18·0	16·8
339	HEREFORD	4·17	3·90	3·54	3·38	3·44	22	21	21	19·5	18·4(*a*)
340	WEOBLY	5·69	5·52	5·43	5·69	6·38	20	20	18	16·9	17·3
341	BROMYARD	5·32	5·25	5·19	5·36	5·85	20	20	19	17·9	16·4
342	LEOMINSTER	4·48	4·32	4·17	4·29	4·67	22	21	20	18·8	16·4
343	KINGTON	7·08	7·10	6·92	7·30	8·59	19	19	20	17·3	16·4
	24.—SHROPSHIRE.										
344	LUDLOW	4·82	4·79	4·65	4·54	4·73	20	19	20	18·8	16·8
345	CLUN	8·23	8·00	7·75	7·94	8·86	20	18	18	17·9	16·6
346	CHURCH STRETTON	7·55	7·42	7·36	7·74	8·34	19	18	18	17·2	15·3
347	CLEOBURY MORTIMER	6·30	6·45	6·58	6·61	7·07	19	18	18	18·0	14·8
348	BRIDGNORTH	4·44	4·43	4·47	4·56	4·76	21	19	18	17·0	17·4
349	SHIFNAL	4·09	3·92	3·72	3·60	3·75	21	18	19	17·1	16·2
350	MADELEY	1·09	1·01	0·97	1·02	1·13	23	21	22	21·0	18·2
351	ATCHAM	5·48	5·39	5·52	5·80	2·69	18	18	17	17·1	19·3 (*b*)
	SHREWSBURY	0·81	0·74	0·68	0·63		26	25	26	22·1	
352	OSWESTRY	3·36	3·31	3·04	3·04	3·05	19	19	21	18·9	17·7
353	ELLESMERE	4·60	4·76	4·89	5·20	5·38	20	19	19	18·2	16·1
354	WEM	3·86	4·81	4·90	4·89	5·07	20	20	19	16·3	16·5
355	WHITCHURCH		3·45	3·44	3·56	3·51		20	21	19·2	16·0
356	MARKET DRAYTON	4·83	4·78	4·70	4·43	4·48	20	20	18	17·1	15·7
357	WELLINGTON	1·65	1·50	1·37	1·36	1·42	21	22	22	19·8	18·1
358	NEWPORT	3·13	3·06	3·03	3·11	3·26	20	20	18	17·1	17·6
	25.—STAFFORDSHIRE.										
359	STAFFORD	2·42	2·20	2·04	2·00	1·89	22	22	23	23·0	20·1(*c*)
360	STONE	3·59	3·32	2·94	2·59	2·20	23	20	26	20·0	18·2
361	NEWCASTLE-UNDER-LYME	1·33	1·18	0·98	0·84	0·76	26	23	22	21·4	18·5
362	WOLSTANTON	0·37	0·28	0·22	0·19	0·18	26	26	25	24·3	21·0
363	STOKE-UPON-TRENT	0·23	0·19	0·15	0·13	0·11	27	26	26	25·8	23·4 (*d*)
364	LEEK	3·29	3·05	2·66	2·37	2·18	23	24	23	21·2	18·3
365	CHEADLE	3·06	2·82	2·61	2·51	2·35	23	21	21	19·4	17·8
366	UTTOXETER	4·18	4·20	4·32	4·54	4·57	18	20	20	18·1	17·0
367	BURTON-UPON-TRENT	2·99	2·49	1·87	1·37	1·12	20	21	21	19·8	16·9 (*e*)
368	TAMWORTH	3·48	3·17	2·81	2·51	2·23	19	20	20	18·4	15·6
369	LICHFIELD	2·90	2·71	2·44	2·18	1·94	19	20	20	19·5	17·9 (*f*)
370	CANNOCK	4·30	3·99	3·38	2·41	1·80	19	20	18	19·3	16·0
371	WOLVERHAMPTON	0·58	0·47	0·42	0·39	0·37	27	28	24	22·8	20·7 (*g*)
372	WALSALL	0·56	0·42	0·33	0·28	0·24	24	26	24	22·8	19·3
373	WEST BROMWICH	0·32	0·24	0·19	0·17	0·14	23	24	22	21·6	19·2
374	DUDLEY	0·19	0·15	0·14	0·13	0·12	25	26	25	24·2	20·5

(*a*) Of this mortality, 528 deaths, giving a death-rate of 1·2 per 1000 living, occurred in the General Infirmary and the County and City Lunatic Asylum.
(*b*) Of this mortality, 1,158 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the Salop Infirmary, and the Salop and Montgomery Counties Lunatic Asylum.
(*c*) Of this mortality, 1,377 deaths, giving a death-rate of 4·5 per 1000 living, occurred in the Staffordshire General Infirmary and the County Lunatic Asylum, Stafford.
(*d*) Of this mortality, 1,013 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the North Staffordshire Infirmary
(*e*) Of this mortality, 533 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the Derby County Lunatic Asylum.
(*f*) Of this mortality, 661 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the County Lunatic Asylum, Burntwood.
(*g*) Of this mortality, 1,262 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the South Staffordshire Hospital.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VI.—WEST MIDLAND COUNTIES—*continued*.

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON.					ANNUAL MORTALITY. DEATHS TO 1000 LIVING.				
		1841 50	1851 60	1861 70	1871 80	1881 90	1841 50	1851 60	1861 70	1871 80	1881 90
	26.—WORCESTERSHIRE.										
375	STOURBRIDGE	0·31	0·26	0·23	0·21	0·21	24	23	22	21·4	19·7
376	KIDDERMINSTER	1·20	1·18	1·14	0·99	0·91	22	21	21	19·8	18·4
377	TENBURY	5·09	4·99	4·73	4·66	4·93	19	17	18	18·2	17·4
378	MARTLEY	3·99	3·72	3·42	3·29	3·41	19	18	17	16·6	15·4
379	WORCESTER	0·24	0·23	0·21	0·21	0·20	24	25	25	29·1	24·7 (a)
380	UPTON-ON-SEVERN	3·03	2·71	2·39	2·27	2·29	18	20	20	18·5	18·1 (b)
381	EVESHAM	3·29	3·19	3·08	3·03	3·04	20	19	18	17·4	15·0
382	PERSHORE	3·88	3·81	3·73	3·77	4·00	19	17	17	16·8	16·4
383	DROITWICH	3·17	3·02	2·65	2·26	2·40	19	18	19	17·3	20·4
384	BROMSGROVE	2·01	1·86	1·76	1·61	1·55	22	20	21	19·4	17·3
385	KINGS NORTON	1·08	0·73	0·50	0·35	0·26	17	17	17	16·5	14·7 (c)
	27.—WARWICKSHIRE.										
386	BIRMINGHAM	0·02	0·01	0·01	0·01	0·01	26	27	27	25·8	23·6 (d)
387	ASTON	0·53	0·37	0·25	0·18	0·13	21	21	21	20·7	17·5
388	MERIDEN	4·32	4·31	4·36	4·34	4·39	20	18	18	17·9	15·8
389	ATHERSTONE	2·50	2·37	2·32	2·11	1·94	21	20	20	19·4	17·2
390	NUNEATON	1·58	1·54	1·60	1·56	1·39	27	23	23	22·1	17·6
391	FOLESHILL	1·26	1·01	1·04	1·09	1·06	25	25	23	20·1	18·5
392	COVENTRY	0·16	0·14	0·13	0·13	0·10	27	25	21	21·6	18·2 (e)
393	RUGBY	3·67	3·37	3·26	3·09	3·01	19	19	18	17·0	15·1
394	SOLIHULL	3·86	3·66	3·25	2·58	1·90	18	18	16	15·2	13·4 (f)
395	WARWICK	1·68	1·55	1·44	1·31	1·27	20	21	21	19·8	18·4 (g)
396	STRATFORD-ON-AVON	3·86	3·76	3·60	3·50	3·51	20	19	18	17·5	15·2
397	ALCESTER	3·06	3·05	2·99	2·79	2·81	21	21	19	17·6	16·2
398	SHIPSTON-ON-STOUR	3·91	3·90	3·99	4·20	4·52	20	20	18	17·6	16·3
399	SOUTHAM	4·94	4·82	4·82	4·85	5·14	21	19	18	17·5	16·7

VII. NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.										
400	LUTTERWORTH	3·66	3·72	3·97	4·28	4·58	18	19	19	17·9	16·6
401	MARKET HARBOROUGH	4·05	4·02	3·99	3·97	4·09	20	20	19	18·8	16·1
402	BILLESDON	7·34	7·10	6·84	5·75	4·51	18	16	16	18·4	17·2 (h)
403	BLABY	2·45	2·41	2·36	1·87	1·28	20	21	20	18·7	16·7 (i)
404	HINCKLEY	1·56	1·70	1·73	1·67	1·48	22	23	22	22·1	18·3
405	MARKET BOSWORTH	2·96	2·96	2·92	3·74	3·52	19	19	19	19·2	16·4
406	ASHBY-DE-LA-ZOUCH	2·00	1·85	1·73	1·63	1·55	20	21	20	19·8	16·5
407	LOUGHBOROUGH	1·82	1·84	1·81	1·68	1·56	22	23	23	22·6	18·7

(a) Of this mortality, 555 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Worcester General Infirmary.

(b) [illegible]

(c) Of this mortality, 343 deaths, giving a death rate of 0·3 per 1000 living, occurred in the Birmingham City Lunatic Asylum.

(d) [illegible]

(e) [illegible]

(f) [illegible]

(g) [illegible]

(h) [illegible]

(i) [illegible]

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VII.—NORTH MIDLAND COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	28.—LEICESTERSHIRE—*cont.*										
408	BARROW-UPON-SOAR	2·41	2·40	2·32	1·90	1·65	21	22	21	20·2	18·1
409	LEICESTER	0·07	0·06	0·04	0·03	0·02	27	25	26	24·5	20·4 (*a*)
410	MELTON MOWBRAY	4·92	4·82	4·89	4·85	4·73	17	19	19	19·5	16·9
	29.—RUTLANDSHIRE.										
411	OAKHAM	4·84	4·86	4·95	4·98	5·30	20	19	20	18·9	16·6
412	UPPINGHAM	4·27	4·19	4·25	4·31	4·49	19	18	18	18·1	16·0
	30.—LINCOLNSHIRE.										
413	STAMFORD	2·87	2·78	2·93	2·92	3·14	19	20	19	19·1	17·2 (*b*)
414	BOURN	5·00	4·90	4·52	4·66	4·91	18	19	19	19·4	17·0
415	SPALDING	3·40	3·32	3·82	3·75	3·67	22	20	19	18·9	17·0
416	HOLBEACH	5·94	5·72	5·68	5·56	4·46	21	21	19	18·8	16·9
417	BOSTON	3·43	3·29	3·31	3·27	2·87	21	19	19	18·6	17·9
418	SLEAFORD	5·52	5·33	5·19	5·11	5·55	19	19	18	17·1	16·6
419	GRANTHAM	3·75	3·54	3·50	3·23	3·16	18	19	19	18·1	17·2
420	LINCOLN	4·07	3·57	3·20	2·72	2·42	21	20	21	21·0	19·5 (*c*)
421	HORNCASTLE	4·70	4·56	4·69	4·97	5·63	19	19	18	17·6	16·0
422	SPILSBY	5·04	4·86	4·83	4·92	4·69	18	19	18	16·9	16·9
423	LOUTH	5·43	5·01	4·91	4·97	4·88	21	20	19	17·8	16·5
424	CAISTOR	5·68	4·85	4·03	3·01	2·31	18	19	19	18·2	17·3
425	GLANFORD BRIGG	5·20	4·83	4·66	4·33	3·75	19	19	20	18·2	17·5
426	GAINSBOROUGH	4·09	4·08	4·08	3·80	3·53	22	20	21	18·7	18·2
	31.—NOTTINGHAMSHIRE.										
427	EAST RETFORD	4·15	4·03	4·01	3·96	3·95	19	19	19	18·4	16·5
428	WORKSOP	4·35	4·06	3·40	2·94	2·69	18	20	20	19·0	17·8
429	MANSFIELD	1·94	1·84	1·68	1·41	1·15	20	21	22	21·7	18·6
430	BASFORD	1·41	1·27	1·11	0·89	0·70	21	23	22	21·2	18·3
431	RADFORD	0·28	0·24	0·21	0·06	0·04	22	25	23	22·9	22·0 (*d*)
	NOTTINGHAM	0·03	0·03	0·02			26	27	24		
432	SOUTHWELL	4·64	4·70	4·97	5·45	5·97	17	19	19	18·6	17·8
433	NEWARK	3·25	3·10	3·16	3·14	3·16	20	20	20	20·1	17·5
434	BINGHAM	4·20	4·27	4·48	4·63	4·82	18	19	19	18·5	17·9
	32.—DERBYSHIRE.										
435	SHARDLOW	2·26	2·31	2·30	1·85	1·46	20	20	19	18·8	16·0
436	DERBY	0·08	0·06	0·06	0·05	0·04	24	24	23	21·3	17·7 (*e*)
437	BELPER	1·43	1·35	1·26	1·21	1·11	21	21	22	20·4	18·5 (*f*)

(*a*) Of this mortality, 1,682 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the General Infirmary and the Leicester and Rutland Counties Lunatic Asylum; but in addition to the mortality shown in the Table, 622 deaths, giving a death-rate of 0·5, occurred in the Leicester Borough Lunatic Asylum, situated in Billesdon District, and in the Leicester Borough Hospital, situated in Blaby District.

(*b*) Of this mortality, 109 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the Stamford and Rutland General Infirmary.

(*c*) Of this mortality, 1,321 deaths, giving a death-rate of 2·0 per 1000 living, occurred in the County Hospital and County Lunatic Asylum.

(*d*) Of this mortality, 435 deaths, giving a death-rate of 0·3 per 1000 living, occurred in the County Lunatic Asylum.

(*e*) Of this mortality, 899 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the Derbyshire General Infirmary; but in addition to the mortality shown in the Table, 790 deaths, giving a death-rate of 0·9, occurred in the Derby Workhouse, the Derby Sanatorium, and the Derby Borough Lunatic Asylum, situated in Belper District.

(*f*) Of this mortality, 790 deaths, giving a death rate of 1·3 per 1000 living, occurred in the Derby Workhouse, Derby Sanatorium, and the Derby Borough Lunatic Asylum.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VII.—NORTH MIDLAND COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	32.—DERBYSHIRE —*cont.*										
438	ASHBORNE	4·35	4·86	5·03	4·78	4·87	20	20	20	19·4	17·0
439	CHESTERFIELD	2·23	1·76	1·36	1·02	0·87	21	22	22	21·3	18·0
440	BAKEWELL	—	3·36	3·38	3·47	3·34	—	20	21	19·6	17·5
441	CHAPEL-EN-LE-FRITH	—	5·30	4·54	4·74	3·87	—	20	21	19·1	17·0
442	HAYFIELD	1·82	1·58	1·51	1·13	1·02	23	23	23	21·5	19·5

VIII.—NORTH WESTERN COUNTIES.

	33.—CHESHIRE.										
443	STOCKPORT	0·35	0·33	0·32	0·26	0·23	25	26	25	24·7	22·1 (*a*)
444	MACCLESFIELD	1·37	1·31	1·36	1·42	1·40	23	25	23	23·3	21·2 (*b*)
445	ALTRINCHAM	2·26	1·98	1·63	1·39	1·21	21	20	19	17·9	15·8
446	RUNCORN	1·79	1·74	1·60	1·46	1·23	22	21	23	20·8	18·6
447	NORTHWICH	2·17	2·03	1·78	1·54	1·33	21	22	22	21·0	17·8
448	CONGLETON	1·78	1·63	1·55	1·51	1·49	22	23	23	20·7	17·9
449	NANTWICH	3·37	2·89	2·35	1·96	1·76	21	20	20	18·6	16·9
450	CHESTER	2·14	1·93	1·71	1·63	1·56	23	22	23	21·0	18·7 (*c*)
451	WIRRAL	2·52	1·64	4·21	1·77	1·35	20	19	18	15·7	13·6
452	BIRKENHEAD			0·33	0·10	0·08			23	20·4	19·2
	34.—LANCASHIRE.										
453	LIVERPOOL	0·01	0·01	0·01	0·01	0·01	36*	33	30	33·6	33·1 (*d*)
454	TOXTETH PARK	0·34	0·23	0·14	0·10	0·03	26	23	26	23·4	23·9 (*e*)
455	WEST DERBY					0·09					21·8
456	PRESCOT	1·14	0·88	0·67	0·53	0·43	23	24	24	22·9	21·7 (*f*)
457	ORMSKIRK	2·47	2·14	1·73	1·27	0·99	20	19	23	20·6	17·8
458	WIGAN	0·66	0·35	0·17	0·38	0·32	28	27	29	26·8	22·3
459	WARRINGTON	0·80	0·75	0·63	0·50	0·40	26	24	26	23·2	20·6 (*g*)
460	LEIGH		0·67	0·61	0·50	0·38		25	25	25·7	20·3
461	BOLTON	0·41	0·36	0·32	0·26	0·22	27	27	26	24·3	20·7
462	BURY	0·40	0·35	0·32	0·28	0·25	25	23	24	23·5	20·6
463	BARTON-UPON-IRWELL	0·27	0·66	0·54	0·39	0·30	25	23	22	21·6	17·4
464	CHORLTON		0·08	0·06	0·05	0·04		24	25	23·6	20·9
465	SALFORD	0·08	0·06	0·05	0·04	0·03	28	26	27	27·7	24·7 (*h*)
466	MANCHESTER	0·06	0·05	0·05	0·01	0·01	33	31	33	32·9	28·9 (*i*)
467	PRESTWICH				0·11	0·08				28·1	27·8 (*k*)
468	ASHTON-UNDER-LYNE	0·35	0·30	0·29	0·27	0·24	26	27	25	25·2	22·4
469	OLDHAM	0·21	0·17	0·14	0·13	0·09	26	25	26	25·1	22·8
470	ROCHDALE	0·52	0·42	0·35	0·30	0·28	24	24	24	23·5	19·6
471	HASLINGDEN	0·38	0·44	0·36	0·30	0·27	23	22	23	22·1	19·4

* In calculating the mortality of Liverpool, for the 10 years 1841–50, the year 1847 (the year of the Irish famine and immigration) has been omitted, including that year the mortality was 39 annually to every 1000 living.

(*a*) Of this mortality, 178 deaths, giving a death-rate of 0·1 per 1000 living, occurred in the Manchester Royal Lunatic Hospital.

(*b*) Of this mortality, 560 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the County Lunatic Asylum.

(*c*) Of this mortality, 645 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the County Lunatic Asylum.

(*d*) Of this mortality, 4,349 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the Northern Hospital, the Royal Infirmary, the Children's Infirmary, and the General Hospital for Consumption.

(*e*) Of this mortality, 1,869 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Royal Southern Hospital and the City Hospital.

(*f*) Of this mortality, 1,051 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the County Lunatic Asylum, Rainhill.

(*g*) Of this mortality, 241 deaths, giving a death-rate of 0·2 per 1000 living, occurred in the Hardman's Lodge Lunatic Asylum, and 1,000 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Children's Hospital, the Royal Hospital, and the Wilton Hospital.

(*h*) Of this mortality, 1,051 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the Ardwick and Ancoats Hospital, and the Lunatic Asylum, and 1,884 deaths, giving a death-rate of 1·4, occurred in the Manchester Workhouse, situated in Prestwich District.

(*i*) Of this mortality, 1,849 deaths, giving a death-rate of 2·2 per 1000 living, occurred in the Manchester Workhouse, the Monsall Hospital, the Clinical Hospital, and the County Lunatic Asylum, Prestwich.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VIII.—NORTH WESTERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	34.—LANCASHIRE —*cont.*										
472	BURNLEY	1·08	0·91	0·78	0·62	0·45	23	24	24	23·4	21·4
473	CLITHEROE	5·25	5·57	5·74	5·35	5·10	19	21	20	20·2	17·4
474	BLACKBURN	0·53	0·41	0·35	0·29	0·24	25	26	26	25·3	23·5
475	CHORLEY	1·36	1·32	1·29	1·20	1·06	22	22	23	22·6	19·8
476	PRESTON	0·78	0·66	0·60	0·55	0·50	25	27	28	28·1	25·3 (*a*)
477	FYLDE	2·75	2·48	2·10	1·65	1·21	18	19	21	21·3	18·4
478	GARSTANG	4·76	4·87	4·97	4·98	4·99	16	18	18	17·9	15·5
479	LANCASTER	4·01	3·97	3·69	1·70	1·35	23	23	22	22·8	21·1 (*b*)
480	LUNESDALE				10·73	10·46				17·9	15·3
481	ULVERSTON	5·30	4·58	3·34	2·34	3·23	18	20	21	23·6	18·0
482	BARROW-IN-FURNESS				3·33					17·9	
					0·27	0·22				18·3	16·6
	35.—WEST RIDING.										
483	SEDBERGH	11·24	11·80	11·23	11·61	12·97	18	19	16	20·2	17·3
484	SETTLE	10·91	11·56	10·99	10·50	10·90	20	20	18	19·2	16·7
485	SKIPTON	5·22	5·22	4·99	4·58	4·19	20	21	21	20·4	18·4
486	PATELEY BRIDGE	8·71	7·87	8·24	8·52	8·99	19	21	21	19·0	17·5
487	RIPON	4·49	4·44	4·62	4·52	4·51	18	20	20	19·3	16·7
488	GREAT OUSEBURN *	3·15	4·37	3·45	5·13	5·05	20	18	21	17·7	16·7
489	KNARESBOROUGH		2·45	2·27	1·98	1·66		21	21	19·7	16·9
490	WETHERBY *		4·36	*	4·24	4·22		18	*	18·5	16·8
491	WHARFEDALE*	2·78	2·60	*	1·65	1·45	20	22	*	20·2	17·2 (*c*)
492	KEIGHLEY	1·12	1·01	0·77	0·65	0·56	21	23	24	22·9	19·3
493	TODMORDEN	1·16	1·18	1·13	1·05	0·98	21	20	22	22·7	18·4
494	SADDLEWORTH	1·06	1·00	0·98	0·89	0·84	22	24	23	22·2	19·6
495	HUDDERSFIELD	0·61	0·56	0·53	0·48	0·44	22	22	24	22·4	19·9
496	HALIFAX	0·49	0·46	0·40	0·35	0·32	22	24	24	22·6	19·3
497	BRADFORD	0·26	0·21	0·18	0·15	0·13	25	26	25	23·9	19·9
498	HUNSLET	0·47	0·40	0·27	0·23	0·19	25	24	26	25·5	21·6
499	HOLBECK				0·12	0·11				26·6	22·1
500	BRAMLEY				0·15	0·12				22·0	19·2
501	LEEDS	0·02	0·02	0·02	0·08	0·07	30	28	30	26·0	22·4 (*d*)
502	DEWSBURY	0·37	0·30	0·23	0·18	0·16	23	25	26	23·5	19·8
503	WAKEFIELD	0·85	0·79	0·69	0·53	0·44	23	24	26	24·1	21·3 (*e*)
504	PONTEFRACT	2·69	2·04	1·69	1·31	1·04	21	22	23	22·9	19·5
505	HEMSWORTH		4·25	4·38	3·62	2·70		16	19	17·1	17·2
506	BARNSLEY	1·90	0·88	0·68	0·51	0·40	23	24	25	23·8	20·4
507	WORTLEY		2·65	2·24	1·92	1·68		21	21	22·0	20·2 (*f*)
508	ECCLESALL BIERLOW	0·51	0·35	0·23	0·23	0·18	22	23	23	21·1	18·8
509	SHEFFIELD	0·11	0·09	0·07	0·06	0·06	27	28	29	27·4	23·8
510	ROTHERHAM	1·64	1·31	1·04	0·80	0·64	20	22	24	21·8	18·7
511	DONCASTER	3·25	2·94	2·68	2·28	1·93	21	22	22	21·4	17·8
512	THORNE	4·61	4·51	4·31	4·28	4·48	21	21	22	19·0	19·3

* For the 10 years 1861-70 the density of population and mortality in the districts of Wetherby, Wharfedale, and Tadcaster cannot be given separately from that of Great Ouseburn, in consequence of numerous and intricate alterations in the constitution of these four districts.

(*a*) Of this mortality, 1,416 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the County Lunatic Asylum, Whittinghham.

(*b*) Of this mortality, 1,617 deaths, giving a death-rate of 3·5 per 1000 living, occurred in the Royal Albert Idiot Asylum and the County Lunatic Asylum, Lancaster Moor.

(*c*) Of this mortality, 119 deaths, giving a death-rate of 0·2 per 1000 living, occurred in the West Riding Lunatic Asylum, Menston.

(*d*) Of this mortality, 2,259 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the General Infirmary.

(*e*) Of this mortality, 1,642 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the West Riding Lunatic Asylum, Wakefield.

(*f*) Of this mortality, 1,583 deaths, giving a death-rate of 2·9 per 1000 living, occurred in the West Riding Lunatic Asylum, Wadsley.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

IX.—YORKSHIRE—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	35.—WEST RIDING —*cont.*										
513	GOOLE	3·12	2·84	2·62	2·36	1·98	22	21	23	21·4	18·2
514	SELBY	3·52	3·54	3·52	3·54	3·65	21	21	21	20·3	17·7
515	TADCASTER*	3·97	3·84	*	3·24	2·92	19	19	*	19·5	18·1
	36.—EAST RIDING (WITH YORK).										
516	YORK	1·84	1·46	1·32	1·17	1·04	24	24	24	21·6	20·2 (a)
517	POCKLINGTON	7·02	6·74	6·77	7·04	7·37	19	19	18	17·7	16·9
518	HOWDEN	5·28	5·15	5·18	5·51	5·74	19	23	23	18·8	18·2
519	BEVERLEY	4·02	3·82	3·78	3·56	3·35	20	19	20	19·4	18·9 (b)
520	SCULCOATES	0·95	0·80	0·64	0·46	0·33	25	22	23	21·7	19·0
521	HULL	0·02	0·02	0·02	0·01	0·01	31	25	26	24·5	22·5 (c)
522	PATRINGTON	6·87	6·51	6·61	6·96	7·26	18	20	19	19·1	15·9
523	SKIRLAUGH	7·33	7·08	6·94	6·89	7·04	20	19	19	16·7	17·7
524	DRIFFIELD	6·34	5·94	5·78	5·66	5·73	19	20	21	19·5	17·0
525	BRIDLINGTON	4·97	4·74	4·47	4·14	3·95	21	20	20	19·5	16·7
	37.—NORTH RIDING.										
526	SCARBOROUGH	3·84	3·20	2·63	2·21	1·97	21	21	22	19·5	18·1
527	MALTON	5·18	4·98	5·01	5·05	5·19	20	19	20	18·7	16·7
528	EASINGWOLD	6·04	6·25	6·45	6·65	7·07	17	18	18	16·7	15·7
529	THIRSK	5·05	4·98	5·30	5·19	5·18	19	18	20	18·8	16·8
530	HELMSLEY	10·61	9·66	9·66	9·83	10·27	19	19	19	18·1	17·2
531	PICKERING		9·65	8·51	8·46	9·11		19	20	21·1	17·9
532	WHITBY	3·94	3·64	3·33	3·15	3·34	21	20	23	19·6	18·5
533	GUISBROUGH	8·52	5·64	2·95	2·00 / 2·25	2·01	16	20	22	21·8 / 20·5	16·3
534	MIDDLESBROUGH	—	—	—	0·28	0·21	—	—	—	19·9	20·7 (d)
535	STOKESLEY	6·97	7·68	7·18	6·82	6·89	18	20	19	18·2	16·3
536	NORTHALLERTON	9·46	5·55	5·63	5·70	5·79	18	19	19	18·7	16·3
537	BEDALE	4·96	5·17	5·97	6·61	6·69	18	18	19	19·4	16·6
538	LEYBURN	8·49	8·42	8·91	9·43	10·06	18	17	18	18·7	16·0
539	AYSGARTH	14·23	14·36	14·57	14·79	15·86	19	20	20	20·0	18·0
540	REETH	10·97	11·44	12·88	14·77	18·78	20	20	21	20·2	18·6
541	RICHMOND	5·94	5·94	6·00	6·00	6·22	18	19	18	17·9	16·4

X.—NORTHERN COUNTIES.

No.											
	38.—DURHAM.										
542	DARLINGTON	2·92	2·64	1·96	1·49	1·35	20	20	21	20·6	16·8
543	STOCKTON	3·75	1·84	1·30	†0·94 / ‡1·30	1·10	21	23	24	22·1	20·1 (e)
544	HARTLEPOOL			0·63	0·48	0·37			22	20·5	18·8
545	AUCKLAND	1·51	1·47	1·08	0·84	0·75	21	23	24	24·5	18·6
546	TEESDALE	8·84	8·56	8·64	8·66	8·55	20	19	19	19·1	16·9
547	WEARDALE	7·95	6·35	5·53	5·36	5·85	20	21	21	20·7	18·1
548	LANCHESTER	2·35	1·77	1·37	1·37 / 0·78	1·09 / 0·66	23	23	24	25·6 / 25·7	17·6 / 19·1
549	DURHAM										
550	EASINGTON	2·05	1·57	1·25	1·02	0·88	20	20	22	24·1	20·1
551	HOUGHTON-LE-SPRING	0·91	0·78	0·68	0·54	0·45	20	21	24	24·1	20·1

* For the 10 years 1861-70 the density of population and mortality in the districts of Wetherby, Wharfedale and Leeds cannot be given separately from that of Great Ouseburn, in consequence of numerous and extensive alterations in the constitution of these four districts.

† 4½ years. ‡ 5 years.

(a) Of this mortality, 1,171 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the County Hospital and the North Riding Lunatic Asylum.

(b) Of this mortality, 266 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the East Riding Lunatic Asylum.

(c) Of this mortality, 1,234 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Hull Infirmary.

Of this mortality, 534 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the North Riding Infirmary.

(d) Of this mortality, 1,073 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the Cleveland Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

X.—NORTHERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1884-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	38.—DURHAM.—*cont.*										
552	CHESTER-LE-STREET	1·68	1·36	1·14	0·91	0·74	20	21	24	23·2	19·7
553	SUNDERLAND	0·19	0·15	0·11	0·09	0·08	24	25	24	24·0	22·2
554	SOUTH SHIELDS	0·48	0·38	0·26	0·18	0·13	26	24	24	24·1	20·3
555	GATESHEAD	0·60	0·48	0·38	0·28	0·22	25	26	25	24·9	20·9
	39.—NORTHUMBERLAND.										
556	NEWCASTLE-UPON-TYNE	0·09	0·07	0·06	0·05	0·04	27	27	28	25·9	22·0 (*a*)
557	TYNEMOUTH	0·66	0·56	0·45	0·37	0·31	24	23	24	22·9	19·6
558	CASTLE WARD	6·42	6·33	5·73	4·99	4·15	18	19	19	20·9	17·2 (*b*)
559	HEXHAM	7·06	6·62	6·40	6·19	6·15	18	19	20	19·6	17·4
560	HALTWHISTLE	14·56	13·78	14·08	12·94	12·31	16	17	17	16·7	17·3
561	BELLINGHAM	35·15	36·14	34·80	37·36	42·69	17	14	19	17·5	16·4
562	MORPETH	5·76	4·53	3·54	2·90	2·48	18	19	23	24·4	19·1 (*c*)
563	ALNWICK	4·96	4·69	4·84	4·81	4·57	19	19	20	19·6	18·2
564	BELFORD	5·91	5·99	6·50	6·79	7·23	17	16	18	15·7	14·4
565	BERWICK	2·36	2·31	2·46	2·50	2·58	21	19	20	19·9	18·6
566	GLENDALE	10·35	10·73	11·64	12·79	14·02	15	15	15	14·7	14·5
567	ROTHBURY	22·80	23·04	23·60	24·35	26·25	15	15	16	15·8	16·9
	40.—CUMBERLAND.										
568	ALSTON	5·74	5·59	6·12	7·18	9·24	20	20	21	19·9	18·7
569	PENRITH	8·69	8·44	8·17	8·01	8·22	18	19	19	18·7	16·4
570	BRAMPTON	8·94	8·81	9·10	9·23	9·62	17	17	19	18·2	17·2
571	LONGTOWN	8·95	8·62	9·42	11·04	11·85	17	17	19	19·6	17·7
572	CARLISLE	1·82	1·64	1·51	1·39	1·28	24	23	24	23·2	20·0 (*d*)
573	WIGTON	5·85	5·87	5·99	5·97	5·81	19	19	20	19·2	16·9
574	COCKERMOUTH	4·59	4·26	3·87	3·29	2·65	21	22	23	21·1	18·7
575	WHITEHAVEN	2·77	2·40	2·07	1·70	1·55	25	23	25	24·3	18·9
576	BOOTLE	15·85	15·36	12·68	8·80	6·74	16	16	18	17·9	15·3
	41.—WESTMORLAND.										
577	EAST WARD	13·46	12·72	11·43	11·76	13·09	17	18	16	18·7	16·3
578	WEST WARD	14·95	14·85	14·94	14·80	15·31	18	18	18	16·3	14·6
579	KENDAL	5·50	5·30	5·07	4·82	4·55	20	19	19	17·6	15·5

XI.—MONMOUTHSHIRE AND WALES.

No.											
	42.—MONMOUTHSHIRE.										
580	CHEPSTOW	4·54	4·39	4·48	3·99	3·59	19	20	19	18·5	17·4
581	MONMOUTH	3·86	3·53	3·29	3·32	3·31	19	19	20	18·5	16·7
582	ABERGAVENNY	} 1·60	1·40	{ 2·84	2·62	2·45	} 25	25	{ 23	23·4	21·3 (*e*)
583	BEDWELTY			{ 0·56	0·52	0·46			{ 24	24·8	24·0
584	PONTYPOOL	1·94	1·76	1·60	1·49	1·37	23	23	22	21·3	18·8
585	NEWPORT	2·88	2·32	1·96	1·68	1·06	24	22	21	21·8	15·3

(*a*) Of this mortality, 1,961 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the General Infirmary; but in addition to the mortality shown in the Table, 285 deaths, giving a death-rate of 0·2, occurred in the Newcastle City Lunatic Asylum, situated in Castle Ward District.

(*b*) Of this mortality, 285 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Newcastle City Lunatic Asylum.

(*c*) Of this mortality, 447 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the County Lunatic Asylum.

(*d*) Of this mortality, 895 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the Cumberland Infirmary, and the Cumberland and Westmorland Lunatic Asylum.

(*e*) Of this mortality, 612 deaths, giving a death-rate of 2·5 per 1000 living, occurred in the Monmouth, Brecon, and Radnor Joint Counties Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTATION DISTRICTS.

XI.—MONMOUTHSHIRE AND WALES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	43.—SOUTH WALES.										
	GLAMORGANSHIRE.										
586	CARDIFF	2·98	1·95	1·21	0·87	0·56	22	26	21	19·8	18·8(*a*)
587	PONTYPRIDD			1·01	1·02	0·62			23	21·2	20·2
588	MERTHYR TYDFIL	1·74	1·23	0·71	0·74	0·70	28	29	25	34·3	22·3
589	BRIDGEND	4·89	4·39	3·77	3·06	2·48	19	20	20	21·0	19·8(*b*)
590	NEATH	4·13	3·10	2·64	*2·42 †2·13	1·98	22	22	22	23·0 19·7	18·4
591	PONTARDAWE	—	—	—	2·93	2·73	—	—	—	19·3	17·2
592	SWANSEA	2·43	1·95	0·74	0·45	0·31	19	20	22	22·4	19·2
593	GOWER			6·77	4·00	3·67			20	17·3	16·5
	CARMARTHENSHIRE.										
594	LLANELLY	3·36	2·85	2·34	1·54	1·26	18	20	21	20·9	16·8
595	LLANDOVERY	10·38	10·36	10·73	11·45	12·20	20	18	19	19·9	18·4
596	LLANDILOFAWR	5·54	5·52	5·69	5·50	5·37	19	19	19	18·7	16·8
597	CARMARTHEN	4·56	4·61	4·77	4·88	4·73	20	21	21	21·5	19·8(*c*)
	PEMBROKESHIRE.										
598	NARBERTH	5·69	5·75	5·97	6·24	6·59	18	19	19	19·4	18·3
599	PEMBROKE	3·00	2·46	2·20	2·15	2·04	18	19	19	19·1	17·7
600	HAVERFORDWEST	4·47	4·45	4·73	4·90	5·12	17	21	21	20·2	18·7
	CARDIGANSHIRE.										
601	CARDIGAN	4·26	4·41	4·73	4·86	5·12	19	19	19	20·0	19·4
602	NEWCASTLE-IN-EMLYN	5·52	5·78	5·98	5·90	6·02	18	18	18	18·8	17·7
603	LAMPETER	7·67	7·62	7·58	7·55	7·59	18	18	17	19·0	16·2
604	ABERAYRON	5·04	4·91	4·88	5·07	5·44	18	20	19	19·3	17·7
605	ABERYSTWITH	5·77	5·39	5·01	5·00	5·62	18	19	20	20·5	18·1
606	TREGARON	11·82	11·55	11·40	11·65	12·87	18	18	16	18·3	17·2
	BRECKNOCKSHIRE.										
607	BUILTH	12·07	12·37	12·43	12·52	15·46	16	18	19	19·2	17·4
608	BRECKNOCK	10·97	11·10	11·24	11·28	11·62	21	21	20	19·3	17·5(*d*)
609	CRICKHOWELL	2·73	2·43	2·53	2·77	2·81	27	25	23	23·0	22·0
610	HAY	8·05	8·24	8·50	8·58	8·97	20	23	20	19·8	18·7
	RADNORSHIRE.										
611	KNIGHTON	10·76	10·18	9·77	‡10·07 § 9·66	11·22	18	16	19	17·8 19·6	16·9
612	RHAYADER	15·61	15·51	15·47	15·56	17·10	16	13	13	17·6	17·2
	44.—NORTH WALES.										
	MONTGOMERYSHIRE.										
613	MACHYNLLETH	9·55	9·52	9·07	9·03	11·03	19	21	23	19·0	18·6
614	NEWTOWN	7·42	7·76	7·83	7·57	7·47	21	21	21	19·6	17·5
615	FORDEN (MONTGOMERY)	4·30	4·74	4·63	4·73	5·19	20	19	20	17·2	17·1
616	LLANFYLLIN	8·65	8·61	8·66	9·01	10·19	19	19	20	19·2	19·3

* 4¼ years. † 5¼ years ‡ 6¼ years. § 3¼ years.

(*a*) Of this mortality, 69 deaths, giving a death-rate of 0·3 per 1000 living, occurred in the Glamorganshire and Monmouthshire Lunatic Asylum.

(*b*) Of this mortality, 765 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the Glamorganshire County Lunatic Asylum.

(*c*) Of this mortality, 437 deaths, giving a death-rate of 1·8 per 1000 living, occurred in the Carmarthen, Cardigan, and Pembroke Joint Counties Lunatic Asylum.

(*d*) Of this mortality, 63 deaths, giving a death-rate of 0·4 per 1000 living, occurred in the County and Borough Infirmary.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

XI.—MONMOUTHSHIRE AND WALES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	1881-90
	44.—NORTH WALES —*cont.*										
	FLINTSHIRE.										
617	HOLYWELL	1·97	1·99	1·93	1·64	1·66	21	21	23	21·4	18·3
	DENBIGHSHIRE.										
618	WREXHAM	2·12	1·79	1·54	1·32	1·17	23	22	24	21·8	19·1
619	RUTHIN	5·55	5·64	5·90	6·69	7·30	19	19	20	19·5	17·8
620	ST. ASAPH	3·85	3·56	3·39	3·46	3·40	19	21	23	22·6	20·7 (*a*)
621	LLANRWST	8·12	7·97	7·79	8·05	8·84	19	19	19	20·4	18·0
	MERIONETHSHIRE.										
622	CORWEN	8·12	7·85	7·61	8·34	7·68	17	18	20	18·9	17·5
623	BALA	8·52	8·91	9·00	8·74	15·37	18	18	18	18·1	17·7
624	DOLGELLY	11·09	11·41	10·84	9·85	10·40	18	18	21	20·3	18·3
625	FESTINIOG	8·77	8·05	6·54	5·17	5·08	18	19	22	20·8	18·3
	CARNARVONSHIRE.										
626	PWLLHELI	4·30	4·37	4·42	4·22	4·12	17	18	18	19·0	18·0
627	CARNARVON	3·31	3·11	2·73	2·35	2·08	20	22	23	21·9	19·9
628	BANGOR	3·26	3·07	2·97	2·89	2·38	21	21	22	21·0	20·1
629	CONWAY	5·12	4·48	4·00	3·38	2·34	19	18	20	20·9	15·4
	ANGLESEY.										
630	ANGLESEY	3·41	3·16	3·36	3·50	4·08	17	19	21	20·6	20·1
631	HOLYHEAD					3·00					18·9

(*a*) Of this mortality, 695 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the Denbighshire Infirmary, the Royal Alexandra Hospital, and the North Wales Counties Lunatic Asylum.

TABLE 2.—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	COUNTIES.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Remaining Diseases.
	ENGLAND -	56,825	80	3,131	1,669	690	3,370	190	4,346	4,499	12,966
	I.—LONDON.										
1	**LONDON** - - - - -	68,164	240	4,743	1,780	1,371	5,342	165	5,444	6,581	16,021
	II.—SOUTH EASTERN.										
2	**SURREY** - - - - -	40,602	40	1,977	556	894	2,876	88	2,798	3,641	9,083
3	**KENT** - - - - - -	43,615	179	1,856	693	905	2,700	133	3,295	3,928	9,690
4	**SUSSEX** - - - - -	39,770	31	1,676	552	797	2,848	84	2,983	3,589	8,712
5	**HAMPSHIRE** - - - -	42,222	10	2,005	505	939	2,508	280	2,783	3,695	9,977
6	**BERKSHIRE** - - - -	38,816	22	1,883	696	754	2,234	103	2,388	3,299	9,011
	III.—SOUTH MIDLAND.										
7	**MIDDLESEX** - - - -	48,885	70	2,643	906	1,210	3,563	165	4,436	4,683	10,576
8	**HERTFORDSHIRE** - -	39,348	—	2,145	753	833	2,737	69	2,718	2,580	9,045
9	**BUCKINGHAMSHIRE** -	41,866	24	2,096	880	603	2,542	117	2,391	3,252	9,828
10	**OXFORDSHIRE** - - -	40,242	4	1,997	981	229	2,140	78	1,915	2,949	9,473
11	**NORTHAMPTONSH.** - -	47,856	10	2,499	1,255	441	2,880	133	3,203	3,853	11,027
12	**HUNTINGDONSHIRE** -	36,715	—	1,193	668	588	2,099	64	2,063	3,117	8,682
13	**BEDFORDSHIRE** - - -	47,775	15	1,901	1,350	890	2,893	66	3,575	3,524	10,355
14	**CAMBRIDGESHIRE** - -	43,793	4	1,546	961	918	3,059	134	2,582	3,730	9,408
	IV.—EASTERN.										
15	**ESSEX** - - - - - -	48,500	415	2,366	1,005	1,080	3,748	158	3,828	4,125	10,865
16	**SUFFOLK** - - - - -	42,339	4	1,452	455	499	3,095	79	2,354	4,052	9,085
17	**NORFOLK** - - - - -	44,602	5	1,463	756	564	2,471	187	3,494	3,535	9,079
	V.—SOUTH WESTERN.										
18	**WILTSHIRE** - - - -	36,288	—	1,478	583	396	1,960	78	1,132	2,924	10,126
19	**DORSETSHIRE** - - -	35,651	4	1,746	488	493	1,815	62	1,308	2,401	9,300
20	**DEVONSHIRE** - - - -	47,778	7	2,681	1,042	548	3,141	185	2,493	3,947	12,103
21	**CORNWALL** - - - -	53,345	3	1,931	851	553	4,186	141	2,457	4,144	11,745
22	**SOMERSETSHIRE** - -	40,208	15	2,174	873	557	2,211	81	1,840	2,633	9,280

TABLE 2. (*continued*).—**Annual Death-rate per Million living**, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	COUNTIES.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	VI.—WEST MIDLAND.										
23	**GLOUCESTERSHIRE** -	47,269	26	2,662	1,552	351	2,808	107	2,659	3,359	11,656
24	**HEREFORDSHIRE** -	36,849	7	1,702	873	418	1,826	44	1,856	2,200	8,405
25	**SHROPSHIRE** - - -	39,999	6	1,919	1,023	578	2,248	142	2,056	2,678	9,590
26	**STAFFORDSHIRE** -	61,615	84	3,331	1,725	295	2,913	199	5,144	4,129	13,681
27	**WORCESTERSHIRE** -	49,170	24	2,604	1,312	344	2,329	200	3,904	3,836	11,010
28	**WARWICKSHIRE** -	58,535	46	3,129	1,491	514	3,576	148	6,370	3,492	13,317
	VII.—NORTH MIDLAND.										
29	**LEICESTERSHIRE** -	59,532	11	2,387	1,921	394	2,666	147	7,281	3,817	11,803
30	**RUTLANDSHIRE** - -	38,783	-	1,417	957	153	2,144	-	1,340	3,407	9,188
31	**LINCOLNSHIRE** - -	46,099	32	1,154	1,362	496	2,445	148	3,472	3,154	9,828
32	**NOTTINGHAMSHIRE**	61,823	41	2,661	2,010	643	3,139	261	5,549	5,303	12,869
33	**DERBYSHIRE** - - -	49,983	16	2,381	1,684	351	2,697	181	3,279	3,658	11,536
	VIII.—NORTH WESTERN.										
34	**CHESHIRE** - - -	54,514	6	3,224	1,471	499	2,887	220	3,784	3,920	11,761
35	**LANCASHIRE** - - -	72,795	37	5,053	2,454	706	3,805	285	6,461	5,364	17,037
	IX.—YORK.										
36	**WEST RIDING** - -	63,109	77	3,045	2,600	446	3,233	230	4,925	4,528	14,814
37	**EAST RIDING** (WITH YK.)	56,419	34	1,918	2,297	312	2,885	284	5,897	4,132	12,025
38	**NORTH RIDING** - -	51,338	9	1,765	1,539	359	2,950	209	3,374	4,306	11,280
	X.—NORTHERN.										
39	**DURHAM** - - - -	62,087	114	2,890	2,135	342	2,756	292	4,963	5,650	13,066
40	**NORTHUMBERLAND**	56,279	65	2,797	1,637	497	2,805	206	4,267	5,275	10,484
41	**CUMBERLAND** - -	48,318	9	3,012	1,112	420	2,876	139	2,745	3,686	11,575
42	**WESTMORLAND** - -	34,653	12	924	487	362	1,511	112	1,174	2,922	8,554
	XI.—WELSH.										
43	**MONMOUTHSHIRE** -	56,998	29	3,404	2,396	746	3,477	224	2,266	3,921	14,221
44	**SOUTH WALES** - -	54,864	9	2,814	2,741	366	3,005	222	2,392	3,254	12,719
45	**NORTH WALES** - -	42,262	4	1,483	1,304	601	2,512	92	1,112	2,640	8,692

TABLE 2. (*continued*).—**Annual Death-rate per Million** living, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	I.—LONDON.										
	1.—LONDON.										
1a	PADDINGTON	62,908	23	4,044	910	2,141	4,696	138	4,935	6,029	14,015
1b	KENSINGTON	62,855	43	4,420	690	1,079	4,993	136	4,796	6,571	15,127
2	FULHAM	67,529	237	4,871	2,426	1,162	5,123	232	7,234	6,731	14,478
3	CHELSEA	73,545	35	5,414	781	1,358	5,644	195	6,683	8,129	[illegible]
4	ST. GEORGE HANOVER SQUARE	71,337	47	4,776	812	2,509	5,619	142	5,383	7,952	16,020
5	WESTMINSTER	72,317	26	5,599	980	826	4,850	155	5,495	7,766	18,266
6	MARYLEBONE	74,820	27	5,146	808	918	5,385	178	6,071	6,920	18,369
7	HAMPSTEAD	48,550	453	2,646	4,295	2,320	3,298	54	2,881	3,861	9,152
8	PANCRAS	66,515	49	4,343	873	1,516	5,456	166	5,424	7,064	15,216
9	ISLINGTON	61,413	135	4,497	1,290	1,107	5,267	186	5,320	6,332	13,333
10	HACKNEY	60,432	1,083	4,041	4,022	1,994	4,443	230	4,500	5,989	11,687
11	ST. GILES	79,731	71	6,088	1,369	967	5,521	260	5,946	7,055	19,986
12	STRAND	109,596	38	6,626	1,828	4,760	6,359	76	7,692	11,881	30,122
13	HOLBORN	81,633	76	5,936	1,598	1,484	6,202	147	7,088	7,876	[illegible]
14	LONDON CITY	90,028	–	3,900	1,560	8,691	5,237	167	4,708	8,858	20,279
15	SHOREDITCH	78,471	205	4,753	2,260	1,170	6,847	131	6,739	7,675	18,414
16	BETHNAL GREEN	75,853	230	5,757	2,772	984	6,281	134	5,115	[illegible]	[illegible]
17	WHITECHAPEL	84,845	64	5,812	1,283	1,994	4,444	180	7,403	6,098	23,237
18	ST. GEORGE-IN-THE-EAST	87,742	108	7,265	2,656	880	5,534	108	9,186	7,284	[illegible]
19	STEPNEY	99,195	102	7,075	3,167	2,312	7,407	281	8,212	9,310	25,058
20	MILE END OLD TOWN	69,045	135	4,802	2,940	715	6,312	101	5,274	5,975	17,561
21	POPLAR	67,737	225	4,640	2 154	850	5,248	234	4,453	7.219	17,412
22	ST. SAVIOUR SOUTHWARK	78,966	195	6,266	1,582	992	6,511	195	5,709	7,829	[illegible]
23	ST. OLAVE SOUTHWARK	72,878	147	5,240	2,005	1,467	5,412	157	5,945	5,910	18,877
24	LAMBETH	67,219	290	4,426	1,810	1,828	5,319	124	5,068	5,907	14,828
25	WANDSWORTH	56,538	50	3,994	998	802	4,770	155	5,106	5,581	12,892
26	CAMBERWELL	59,530	193	4,193	1,214	986	5,218	151	4,614	5,537	14,063
27	GREENWICH	65,618	1,504	4,452	3,322	1,325	4,880	174	4,950	5,528	14,437
28	LEWISHAM	44,906	–	2,428	575	910	3,558	63	3,348	4,018	9,409
29	WOOLWICH	50,819	89	3,172	678	968	3,680	145	3,333	5,041	11,365
	II.—SOUTH EASTERN COUNTIES.										
	2.—SURREY.										
30	EPSOM	36,784	–	1,634	768	649	2,795	39	2,303	4,074	[illegible]
31	CHERTSEY	32,595	26	1,530	607	844	2,347	105	2,083	2,321	7,463
32	GUILDFORD	35,794	18	2,064	374	587	2,580	36	1,779	3,113	[illegible]
33	FARNHAM	47,274	18	1,376	304	2,431	3,110	161	3,986	3,825	10,313
34	HAMBLEDON	28,796	45	719	135	719	2,022	–	1,123	2,246	7,502
35	DORKING	28,303	–	965	407	457	2,236	–	762	1,931	[illegible]
36	REIGATE	33,153	–	1,723	283	566	2,701	51	1,286	1,903	7,639
37	GODSTONE	30,916	96	1,323	490	637	2,156	49	980	3,136	6,810
38	CROYDON	45,494	130	2,810	786	817	3,466	111	3,423	4,122	10,454
39	KINGSTON	41,953	18	1,591	515	837	2,225	110	2,997	4,057	[illegible]
40	RICHMOND	51,163	23	2,960	634	775	4,205	94	4,980	5,202	10,078
	3.—KENT.										
41	BROMLEY	40,175	27	2,218	657	685	3,190	–	3,012	3,026	9,352
42	DARTFORD	42,887	1,840	1,877	716	1,210	1,976	161	3,100	4,186	9,360
43	GRAVESEND	56,138	–	2,769	2,222	1,239	4,941	109	4,845	4,408	13,370
44	STROOD	53,674	66	2,398	1,210	1,144	3,190	88	4,179	4,861	12,802
45	HOO	44,402	–	2,467	190	1,139	1,139	190	3,605	1,896	8,349
46	MEDWAY	52,656	46	1,626	1,706	1,168	2,954	160	3,881	5,965	9,709
47	MALLING	41,327	–	1,045	444	810	2,116	183	2,525	3,892	11,520
48	SEVENOAKS	33,594	28	1,874	308	671	2,154	84	2,070	2,685	8,909
49	TUNBRIDGE	35,877	15	1,456	303	696	2,078	46	2,473	3,853	8,207
50	MAIDSTONE	48,097	87	1,834	329	934	3,305	131	3,772	4,325	10,467
51	HOLLINGBOURN	35,589	56	1,109	408	1,459	2,100	–	1,817	2,275	8,061
52	CRANBROOK	35,255	–	1,622	180	1,081	2,703	60	1,381	2,042	7,387
53	TENTERDEN	32,704	–	453	76	755	2,190	76	1,133	1,888	6,722
54	WEST ASHFORD	35,339	–	975	381	466	2,331	85	3,156	2,939	7,966
55	EAST ASHFORD	31,525	–	1,020	215	762	1,450	215	2,085	2,578	7,248

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	II.—SOUTH-EASTERN COUNTIES—*cont.*										
	3.—KENT—*cont.*										
56	BRIDGE	33,376	–	1,720	191	955	1,975	191	1,911	3,376	8,790
57	CANTERBURY	55,652	–	5,269	153	1,330	2,353	102	3,478	6,189	14,322
58	BLEAN	39,567	–	1,802	961	1,402	2,683	40	2,563	5,246	8,570
59	FAVERSHAM	46,538	28	1,619	642	642	3,238	391	3,266	3,546	10,609
60	MILTON	45,424	28	904	847	367	2,458	226	4,096	3,672	8,729
61	SHEPPEY	42,530	–	1,698	849	340	1,995	42	3,523	3,438	9,720
62	THANET	49,293	16	2,031	357	910	3,477	292	5,199	5,280	10,431
63	EASTRY	36,388	–	1,250	327	446	2,142	298	2,797	3,213	8,361
64	DOVER	44,985	43	3,156	454	151	2,810	86	3,783	2,291	9,598
65	ELHAM	45,543	–	2,061	834	1,968	3,079	46	3,404	3,542	11,438
66	ROMNEY MARSH	30,058	–	936	702	702	2,105	–	2,222	2,807	3,275
	4.—SUSSEX.										
67	RYE	30,603	–	459	131	590	1,704	66	1,376	1,638	6,553
68	HASTINGS	44,302	131	2,755	213	623	3,099	49	3,279	3,869	9,313
69	BATTLE	31,226	–	998	143	333	1,378	143	1,093	3,802	7,272
70	EASTBOURNE	43,402	26	1,302	102	1,338	2,476	179	4,747	4,620	8,933
71	HAILSHAM	33,477	–	376	215	860	1,612	54	752	2,740	7,362
72	TICEHURST	30,407	–	457	412	823	1,372	46	1,509	2,652	6,310
73	UCKFIELD	28,490	–	817	107	462	1,634	71	1,030	2,025	8,277
74	EAST GRINSTEAD	30,112	–	1,323	200	762	1,804	–	1,002	2,406	7,779
75	CUCKFIELD	29,590	–	695	174	591	2,643	70	1,565	2,434	7,024
76	LEWES	35,068	50	1,140	421	496	2,255	–	1,586	5,353	7,361
77	BRIGHTON	61,344	18	3,744	1,248	710	4,700	100	6,339	5,529	13,653
78	STEYNING	42,290	81	1,717	1,215	858	3,482	113	4,487	3,628	7,920
79	HORSHAM	33,278	–	1,387	264	825	2,806	33	1,222	2,806	6,834
80	PETWORTH	26,985	–	342	256	1,025	1,537	–	854	1,537	5,722
81	THAKEHAM	26,173	–	375	844	1,032	1,689	–	657	1,313	7,974
82	EAST PRESTON (WORTHING)	33,402	–	1,055	762	645	3,018	88	2,783	3,047	6,739
83	WESTHAMPNETT	29,854	–	473	276	1,103	1,812	197	1,142	1,812	7,562
84	CHICHESTER	39,205	107	1,611	107	1,074	4,404	430	3,115	3,330	9,023
85	MIDHURST	29,568	–	886	609	831	2,104	–	498	2,769	6,478
86	WESTBOURNE	27,697	–	726	–	1,141	2,697	104	934	1,867	6,017
	5.—HAMPSHIRE.										
87	HAVANT	37,285	–	945	344	2,577	1,546	258	1,890	3,952	9,021
88	PORTSEA ISLAND	57,612	–	3,098	653	1,927	2,804	784	5,663	5,668	13,509
89	ALVERSTOKE	49,473	–	3,263	758	494	2,076	330	4,417	5,372	11,470
90	FAREHAM	36,685	47	973	372	978	2,095	419	2,002	3,259	7,868
91	ISLE OF WIGHT	32,047	–	1,530	331	982	2,101	160	1,199	2,638	8,052
92	LYMINGTON	28,800	–	1,415	123	185	2,400	62	615	1,415	9,662
93	CHRISTCHURCH	39,952	22	1,238	261	847	3,041	65	2,107	4,497	8,907
94	RINGWOOD	28,058	–	719	144	–	2,734	–	576	1,295	9,209
95	FORDINGBRIDGE	35,759	–	1,380	125	251	3,513	125	1,506	3,137	7,654
96	NEW FOREST	28,767	–	1,310	596	–	1,251	60	476	2,918	6,432
97	SOUTHAMPTON	53,595	30	2,888	893	3,275	3,499	119	3,320	4,139	12,714
98	SOUTH STONEHAM	35,586	–	1,600	506	408	2,710	131	2,008	2,628	8,358
99	ROMSEY	32,444	–	2,019	360	216	2,668	216	2,451	1,730	6,417
100	STOCKBRIDGE	30,938	–	751	122	365	2,071	–	1,096	2,314	8,404
101	WINCHESTER	40,919	79	2,666	211	396	2,165	–	2,561	2,851	9,213
102	DROXFORD	31,286	–	1,301	723	795	1,734	–	434	2,601	7,731
103	CATHERINGTON	32,194	–	285	1,140	285	2,564	–	1,425	3,419	7,407
104	PETERSFIELD	32,403	–	858	143	2,074	2,647	–	572	2,289	7,654
105	ALRESFORD	32,403	–	728	121	1,092	1,820	–	607	1,456	8,252
106	ALTON	31,135	–	1,227	869	307	1,431	–	1,585	3,067	7,464
107	HARTLEY WINTNEY	34,740	–	1,093	301	980	1,997	75	1,733	3,127	8,063
108	BASINGSTOKE	33,307	39	895	700	78	1,790	78	1,128	2,646	8,249
109	WHITCHURCH	39,894	–	798	266	665	4,122	133	2,527	1,596	9,441
110	ANDOVER	32,260	–	1,227	307	256	2,505	153	1,074	2,096	7,209
111	KINGSCLERE	33,126	–	1,336	356	712	1,959	178	267	2,048	6,768

TABLE 2. (*continued*).—**Annual Death-rate per Million living**, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	II.—SOUTH-EASTERN COUNTIES—*cont.*										
	6.—BERKSHIRE.										
112	NEWBURY	41,365	—	1,326	780	819	1,703	234	1,910	2,807	[illegible]
113	HUNGERFORD	34,268	—	1,085	497	497	1,044	—	1,221	2,441	[illegible]
114	FARINGDON	38,701	—	1,138	2,244	115	1,381	345	1,036	5,236	[illegible]
115	ABINGDON	38,104	—	1,066	2,034	307	2,417	115	2,379	2,916	[illegible]
116	WANTAGE	35,014	—	1,206	694	185	2,036	46	2,683	2,729	[illegible]
117	WALLINGFORD	33,301	—	1,001	57	229	2,573	—	1,487	2,687	[illegible]
118	BRADFIELD	34,871	—	1,552	517	431	1,681	86	1,940	2,802	[illegible]
119	READING	44,767	—	2,866	570	655	2,178	142	3,545	3,788	[illegible]
120	WOKINGHAM	38,816	130	1,727	259	1,511	2,073	86	2,677	2,807	[illegible]
121	COOKHAM	34,261	43	1,715	343	1,501	2,058	—	1,501	3,859	[illegible]
122	EASTHAMPSTEAD	33,248	—	1,329	322	900	2,251	—	900	2,572	[illegible]
123	WINDSOR	41,337	77	2,245	408	1,403	2,654	77	3,343	3,751	[illegible]
	III.—SOUTH MIDLAND COUNTIES.										
	7.—MIDDLESEX.										
124	STAINES	41,685	32	2,146	442	757	2,998	221	3,597	4,165	[illegible]
125	UXBRIDGE	47,390	—	2,435	581	941	3,016	83	2,988	2,407	[illegible]
126	BRENTFORD	51,405	27	2,542	934	750	3,040	123	4,703	5,289	[illegible]
127	HENDON	53,574	69	3,082	701	1,204	3,704	198	5,147	5,255	[illegible]
128	BARNET	36,367	21	1,625	562	875	3,187	62	2,874	3,104	[illegible]
129	EDMONTON	49,695	118	2,805	1,134	1,588	4,004	198	4,599	4,790	[illegible]
	8.—HERTFORDSHIRE.										
130	WARE	37,662	—	2,129	1,211	459	3,382	—	3,173	1,628	[illegible]
131	BISHOP STORTFORD	34,088	—	1,654	371	891	3,305	149	1,745	2,785	[illegible]
132	ROYSTON	34,477	—	1,367	900	1,034	1,967	33	1,367	2,301	[illegible]
133	HITCHIN	43,424	—	2,417	1,377	703	3,260	84	3,457	2,305	[illegible]
134	HERTFORD	37,757	—	2,354	250	551	2,704	100	2,354	1,803	[illegible]
135	HATFIELD	34,255	—	1,946	166	914	2,396	166	2,076	2,076	[illegible]
136	ST. ALBANS	40,809	—	1,869	643	480	2,819	123	3,339	3,125	[illegible]
137	WATFORD	40,570	—	2,571	689	1,196	2,980	24	1,734	3,586	[illegible]
138	HEMEL HEMPSTEAD	43,370	—	1,814	587	1,044	2,969	53	3,577	3,043	[illegible]
139	BERKHAMPSTEAD	47,867	—	1,224	712	356	3,206	—	5,242	1,985	[illegible]
	9.—BUCKINGHAMSH.										
140	AMERSHAM	38,444	—	2,023	389	467	2,442	117	2,607	2,996	[illegible]
141	ETON	37,307	59	1,308	886	502	2,509	295	2,066	2,745	[illegible]
142	WYCOMBE	40,859	58	2,761	859	246	2,598	88	3,017	3,719	[illegible]
143	AYLESBURY	42,345	—	2,282	1,250	1,344	2,876	31	1,907	2,595	[illegible]
144	WINSLOW	40,132	—	975	1,408	217	998	—	1,733	2,925	[illegible]
145	NEWPORT PAGNELL	41,576	—	1,961	643	1,024	3,080	119	2,288	3,862	[illegible]
146	BUCKINGHAM	39,762	—	2,514	1,102	1,052	2,934	140	2,034	3,206	[illegible]
	10.—OXFORDSHIRE.										
147	HENLEY	37,162	—	1,150	816	668	2,172	37	1,596	2,672	[illegible]
148	THAME	[illegible]	—	967	146	517	1,502	57	747	2,299	[illegible]
149	HEADINGTON	43,943	—	3,004	889	296	3,296	26	2,503	4,721	[illegible]
150	OXFORD	33,240	—	3,540	1,236	192	2,764	192	5,720	3,647	[illegible]
151	BICESTER	39,269	—	1,547	1,254	228	1,449	171	1,083	2,395	[illegible]
152	WOODSTOCK	38,695	—	2,295	1,112	176	1,814	59	1,404	1,931	[illegible]
153	WITNEY	38,647	—	3,154	255	56	2,002	36	907	1,741	[illegible]
154	CHIPPING NORTON	[illegible]	—	1,487	654	84	2,003	42	926	3,116	[illegible]
155	BANBURY	41,697	28	2,549	829	85	2,570	111	1,409	2,625	[illegible]

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	III.—SOUTH MIDLAND COUNTIES—*cont.*										
	11.—NORTHAMPTNSH.										
156	BRACKLEY	36,617	–	2,514	1,087	476	1,834	204	1,155	3,125	8,899
157	TOWCESTER	39,363	–	1,783	1,019	127	1,911	191	1,019	3,567	8,917
158	POTTERSPURY	40,076	–	888	190	951	2,536	190	888	2,790	6,848
159	HARDINGSTONE	41,993	–	2,278	1,423	569	1,851	71	2,633	3,416	9,680
160	NORTHAMPTON	60,775	21	4,271	1,513	228	3,607	114	6,271	4,996	13,279
161	DAVENTRY	36,665	–	887	280	187	1,495	–	1,728	2,989	8,464
162	BRIXWORTH	40,093	–	1,928	1,064	1,330	2,394	66	1,463	2,327	11,702
163	WELLINGBOROUGH	49,315	–	2,285	1,261	347	3,729	73	2,340	5,101	13,016
164	KETTERING	50,825	23	3,463	837	325	2,254	232	2,649	3,370	11,643
165	THRAPSTON	41,302	–	1,250	260	625	3,958	260	1,406	3,229	8,594
166	OUNDLE	32,443	–	622	684	186	2,486	124	1,554	2,118	7,893
167	PETERBOROUGH	44,007	17	1,382	2,397	752	2,590	140	3,920	3,185	9,956
	12.—HUNTINGDONSH.										
168	HUNTINGDON	38,269	–	1,171	586	920	2,175	167	2,760	1,757	9,243
169	ST. IVES	38,434	–	1,855	618	309	2,215	–	1,649	4,482	9,222
170	ST. NEOTS	33,112	–	562	818	460	1,891	–	1,686	3,424	7,460
	13.—BEDFORDSHIRE.										
171	BEDFORD	41,013	–	1,677	638	1,531	3,226	18	2,898	1,878	9,005
172	BIGGLESWADE	44,856	59	2,381	1,264	705	2,998	118	2,058	3,733	9,553
173	AMPTHILL	44,122	50	1,101	1,451	650	2,951	100	1,851	1,501	10,605
174	WOBURN	40,741	–	1,174	1,265	1,355	2,258	–	2,258	3,342	8,853
175	LEIGHTON BUZZARD	43,980	–	2,731	786	124	1,986	83	1,986	5,999	9,847
176	LUTON	61,058	–	1,901	2,366	689	3,000	75	6,857	4,751	12,689
	14.—CAMBRIDGESH.										
177	CAXTON	34,600	–	792	871	713	2,375	79	871	1,979	8,551
178	CHESTERTON	37,647	–	1,444	722	1,711	3,075	107	2,112	3,369	8,583
179	CAMBRIDGE	50,970	–	2,255	873	1,115	3,928	194	4,753	5,480	11,954
180	LINTON	32,362	–	1,547	1,190	476	2,142	119	1,844	3,272	6,127
181	NEWMARKET	42,509	–	1,689	670	456	2,091	80	2,493	3,431	9,006
182	ELY	49,018	40	1,563	721	882	4,409	80	1,202	4,649	8,858
183	NORTH WITCHFORD	44,283	–	1,550	872	533	2,665	145	2,762	4,554	8,624
184	WHITTLESEY	42,694	–	508	2,160	381	2,033	508	2,541	4,574	9,911
185	WISBECH	47,775	–	1,207	1,559	981	3,219	126	2,489	2,112	10,234
	IV.—EASTERN COUNTIES.										
	15.—ESSEX.										
186	WEST HAM	57,738	816	3,327	1,526	1,296	4,511	206	5,003	5,294	12,988
187	EPPING	38,839	34	2,289	438	1,380	3,299	135	2,828	3,266	8,754
188	ONGAR	31,658	–	675	75	450	3,226	150	1,875	2,476	7,352
189	ROMFORD	46,366	227	1,914	844	1,217	3,018	146	4,445	2,482	10,626
190	ORSETT	51,256	94	2,952	691	1,822	3,737	251	4,240	3,612	10,804
191	BILLERICAY	39,371	90	1,618	719	1,663	3,461	225	2,876	1,528	7,596
192	CHELMSFORD	36,718	–	1,430	436	1,018	4,241	24	2,302	2,666	8,410
193	ROCHFORD	41,660	27	844	1,224	299	3,238	190	4,490	2,830	9,306
194	MALDON	34,413	–	921	254	667	2,603	63	1,524	3,270	6,825
195	TENDRING	40,970	22	801	303	715	2,772	108	2,209	3,833	8,142
196	COLCHESTER	49,759	80	1,983	161	482	3,403	214	3,885	4,770	11,897
197	LEXDEN	34,934	–	1,003	322	609	2,866	–	1,791	3,511	8,241
198	HALSTEAD	40,746	–	1,074	409	1,380	2,147	51	2,556	2,403	10,838
199	BRAINTREE	35,997	58	1,220	813	523	2,528	87	1,338	3,603	8,048
200	DUNMOW	32,485	–	754	377	754	3,017	–	1,037	2,405	6,884
201	SAFFRON WALDEN	31,045	–	2,580	437	175	1,705	–	1,006	2,143	7,477

TABLE 2. (*continued*).—**Annual Death-rate per Million living**, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	IV.—EASTERN COUNTIES—*cont.*										
	16.—SUFFOLK.										
202	RISBRIDGE	39,290	–	1,368	470	727	3,078	43	2,351	3,335	[illegible]
203	SUDBURY	40,918	27	2,498	570	244	3,720	81	1,493	4,127	10,128
204	COSFORD	36,594	–	730	730	292	3,260	49	1,509	2,336	[illegible]
205	THINGOE	34,855	–	491	295	147	2,013	–	835	4,467	[illegible]
206	BURY ST. EDMUNDS	40,181	–	2,958	528	370	3,328	53	1,373	3,822	10,512
207	MILDENHALL	43,328	–	1,386	1,386	260	2,513	173	1,646	3,466	9,039
208	STOW	38,842	39	1,158	695	386	3,398	–	1,506	3,745	8,571
209	HARTISMERE	33,769	–	402	503	553	2,312	–	1,156	2,211	6,734
210	HOXNE	33,822	–	510	446	127	2,357	127	1,465	3,185	5,860
211	BOSMERE	35,947	–	662	764	153	3,768	255	1,069	2,963	6,314
212	SAMFORD	34,755	–	840	194	323	2,326	129	2,132	2,972	6,977
213	IPSWICH	56,621	–	2,606	303	1,030	3,712	61	4,864	4,379	12,879
214	WOODBRIDGE	36,066	–	798	417	312	3,263	35	1,527	3,089	6,942
215	PLOMESGATE	35,906	–	669	354	354	2,480	79	964	3,583	7,402
216	BLYTHING	34,313	–	420	150	600	3,329	150	1,680	2,639	7,379
217	WANGFORD	37,770	–	1,182	411	822	2,569	51	2,004	5,139	9,353
218	MUTFORD	46,628	–	1,763	340	469	2,491	97	3,930	5,078	9,170
	17.—NORFOLK.										
219	YARMOUTH	67,618	45	2,289	997	521	2,266	363	9,789	6,730	13,052
220	FLEGG	47,878	–	894	372	298	1,117	74	3,649	3,127	10,424
221	SMALLBURGH	39,828	–	669	525	239	2,483	96	1,671	4,107	8,262
222	ERPINGHAM	34,289	–	728	557	428	2,183	43	942	4,067	6,635
223	AYLSHAM	36,624	–	728	728	318	2,457	–	1,228	3,048	8,053
224	ST. FAITH'S	41,808	–	884	273	544	2,311	–	2,583	2,107	7,750
225	NORWICH	64,041	–	3,175	973	794	3,380	350	7,426	3,235	11,489
226	FOREHOE	36,413	–	1,155	340	611	1,427	68	2,310	2,038	7,677
227	HENSTEAD	37,258	–	298	298	596	1,192	224	3,012	3,577	7,899
228	BLOFIELD	40,481	–	1,100	1,237	619	2,474	206	1,718	2,818	[illegible]
229	LODDON	34,795	–	173	866	289	1,443	58	1,443	3,578	6,463
230	DEPWADE	36,320	–	551	310	482	1,447	69	1,206	2,998	7,994
231	GUILTCROSS	31,892	–	232	463	309	2,317	154	1,622	2,471	6,023
232	WAYLAND	36,149	–	685	381	609	1,903	152	2,055	1,826	6,925
233	MITFORD	42,851	30	601	571	511	2,675	210	1,894	2,585	9,137
234	WALSINGHAM	39,055	–	969	363	646	2,544	202	1,292	2,908	9,410
235	DOCKING	42,441	–	593	395	939	2,026	99	939	2,075	6,818
236	FREEBRIDGE LYNN	37,922	–	455	1,494	390	2,273	195	1,039	1,623	6,364
237	KING'S LYNN	55,459	–	3,393	1,000	652	3,306	43	3,132	3,349	11,891
238	DOWNHAM	44,817	–	1,118	1,333	774	3,011	258	1,849	4,645	8,945
239	SWAFFHAM	36,911	–	188	1,507	753	1,444	188	942	2,639	7,407
240	THETFORD	39,483	–	1,451	680	181	3,762	91	907	3,808	8,205
	V.—SOUTH-WESTERN COUNTIES.										
	18.—WILTSHIRE.										
241	HIGHWORTH	43,709	–	1,954	630	242	1,276	145	1,228	4,523	13,148
242	CRICKLADE	40,721	–	2,623	262	525	1,049	–	1,246	5,311	11,082
243	MALMESBURY	38,889	–	2,423	1,005	650	1,832	118	1,478	1,950	10,047
244	CHIPPENHAM	36,057	–	937	600	525	2,024	75	787	2,586	9,895
245	CALNE	31,961	–	1,863	2,451	1,078	1,863	–	1,176	1,078	8,725
246	MARLBOROUGH	35,373	–	1,411	1,317	470	1,599	94	1,317	1,787	8,090
247	DEVIZES	30,244	–	1,200	372	372	1,945	165	827	2,400	[illegible]
248	MELKSHAM	37,523	–	2,080	226	543	2,080	45	1,537	4,656	10,579
249	BRADFORD-ON-AVON	38,807	–	1,324	74	368	1,691	74	1,324	1,544	10,735
250	WESTBURY	29,908	–	1,150	307	307	1,917	–	537	2,684	6,979
251	WARMINSTER	30,340	–	834	963	257	2,181	64	898	2,502	8,210
252	PEWSEY	35,263	–	724	263	461	2,039	66	1,250	[illegible]	[illegible]
253	AMESBURY	32,904	–	703	234	117	2,459	117	585	1,054	10,070
254	ALDERBURY	35,918	–	1,338	274	365	2,889	–	1,734	1,338	10,240
255	WILTON	30,794	–	810	162	567	2,755	162	567	2,107	8,184
256	TISBURY	29,050	–	1,267	90	–	724	–	543	3,891	7,862
257	MERE	31,786	–	476	2,262	238	1,548	–	833	2,381	9,405

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	V.—SOUTH-WESTERN COUNTIES—*cont.*										
	19.—DORSETSHIRE.										
258	SHAFTESBURY	30,744	–	1,646	592	856	1,843	197	1,185	1,909	8,756
259	STURMINSTER	32,754	–	1,241	1,158	579	1,654	–	910	2,068	7,775
260	BLANDFORD	29,105	–	1,095	386	515	1,674	–	1,417	1,996	7,405
261	WIMBORNE	31,680	–	1,047	501	273	2,139	–	455	2,458	9,285
262	POOLE	39,940	34	1,677	537	503	2,012	34	1,979	2,951	10,597
263	WAREHAM	33,395	–	874	322	460	1,794	184	828	3,496	9,200
264	WEYMOUTH	41,251	–	4,013	413	295	1,416	148	2,921	2,508	10,652
265	DORCHESTER	35,649	–	1,855	236	438	1,720	–	944	2,091	9,949
266	SHERBORNE	31,411	–	1,832	1,018	678	1,221	–	611	1,221	6,581
267	BEAMINSTER	39,658	–	670	–	1,190	2,455	74	893	3,125	10,417
268	BRIDPORT	37,883	–	1,041	636	174	2,256	–	463	1,793	9,312
	20.—DEVONSHIRE.										
269	AXMINSTER	34,957	–	1,242	334	191	2,197	191	1,194	2,388	8,262
270	HONITON	34,975	41	1,806	780	287	2,545	82	698	2,135	7,389
271	ST. THOMAS	38,912	–	2,075	603	402	2,812	117	2,109	2,444	9,841
272	EXETER	65,350	–	4,756	579	327	4,152	403	4,429	3,825	15,375
273	NEWTON ABBOT	41,619	–	1,626	582	273	3,075	83	1,757	3,358	10,981
274	TOTNES	41,047	–	2,316	1,651	407	2,659	129	2,016	2,466	10,487
275	KINGSBRIDGE	36,485	46	1,245	738	369	2,906	92	1,061	2,491	10,240
276	PLYMPTON ST. MARY	41,415	–	1,374	1,202	515	3,056	103	2,404	3,571	10,508
277	PLYMOUTH	71,486	33	4,191	2,417	1,086	4,324	233	5,100	7,894	18,659
278	EAST STONEHOUSE	74,047	–	5,201	1,090	545	2,278	743	5,300	3,863	20,109
279	STOKE DAMEREL	59,234	–	4,874	1,577	748	3,011	157	2,507	5,901	14,500
280	TAVISTOCK	46,955	–	2,010	1,076	761	2,741	30	2,649	3,959	13,124
281	OKEHAMPTON	38,762	–	1,421	4	406	3,247	–	1,725	2,892	11,372
282	CREDITON	34,208	–	1,900	362	407	3,122	45	724	2,353	7,557
283	TIVERTON	42,150	–	2,389	420	350	2,855	204	1,078	1,923	11,011
284	SOUTH MOLTON	33,812	–	1,539	308	616	2,668	–	616	3,489	7,594
285	BARNSTABLE	41,852	–	2,316	1,472	671	3,268	65	2,618	3,571	10,625
286	TORRINGTON	38,185	–	3,351	412	236	2,593	–	1,945	3,389	8,486
287	BIDEFORD	40,191	–	1,991	705	830	3,111	207	1,701	3,277	9,208
288	HOLSWORTHY	42,013	–	1,385	92	831	3,324	277	2,401	3,232	8,680
	21.—CORNWALL.										
289	STRATTON	39,200	–	229	229	1,943	1,943	–	457	3,429	8,914
290	CAMELFORD	46,335	–	1,381	1,151	1,036	6,444	–	1,381	2,417	8,516
291	LAUNCESTON	39,803	–	1,297	415	623	3,062	52	1,609	2,439	11,261
292	ST. GERMANS	46,146	–	3,083	945	945	4,426	298	3,680	2,138	11,785
293	LISKEARD	44,037	–	1,437	520	183	3,486	245	979	4,220	11,774
294	BODMIN	46,417	–	1,106	722	770	3,800	96	1,299	4,137	8,466
295	ST. COLOMB	43,074	–	1,630	1,684	272	2,988	163	1,738	4,345	9,451
296	ST. AUSTELL	50,658	–	1,289	1,236	500	5,050	184	921	4,603	11,336
297	TRURO	51,563	27	1,604	544	625	4,865	190	2,202	3,941	10,492
298	FALMOUTH	55,421	–	3,249	431	900	4,697	157	2,035	4,188	12,642
299	HELSTON	61,847	–	1,690	943	118	3,811	39	2,672	6,365	11,591
300	REDRUTH	66,732	–	2,167	1,450	519	4,978	54	3,742	4,244	14,306
301	PENZANCE	60,439	–	2,725	513	407	3,592	159	4,317	4,423	13,234
302	SCILLY ISLANDS	41,667	–	1,316	–	–	3,509	439	2,632	3,947	5,702
	22.—SOMERSETSHIRE.										
303	WILLITON	31,795	–	699	373	559	1,445	–	839	2,005	9,044
304	DULVERTON	26,400	–	800	–	320	2,560	–	320	1,120	6,400
305	WELLINGTON	34,387	–	3,421	390	1,862	2,079	–	1,213	2,425	8,445
306	TAUNTON	46,506	117	2,793	516	1,877	2,300	117	1,995	2,628	11,030
307	BRIDGWATER	35,150	–	2,339	1,918	187	1,918	47	1,052	2,315	8,326
308	LANGPORT	33,406	–	1,692	491	328	2,293	109	1,419	1,856	7,260
309	CHARD	43,124	–	1,901	1,014	634	2,345	32	1,141	3,644	11,153
310	YEOVIL	39,478	–	2,667	1,290	293	2,198	88	1,290	2,198	9,818
311	WINCANTON	35,015	–	1,093	841	546	1,177	–	1,429	2,648	9,458
312	FROME	36,028	35	1,441	492	281	2,460	176	1,828	1,828	8,858
313	SHEPTON MALLET	34,926	–	1,474	305	763	1,322	203	1,068	1,830	7,982
314	WELLS	37,388	72	1,360	465	608	1,467	–	1,610	2,898	10,590

TABLE 2. (*continued*).—**Annual Death-rate per Million living**, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	V.—SOUTH-WESTERN COUNTIES—*cont.*										
	22.—SOMERSETSHIRE —*cont.*										
315	AXBRIDGE	36,880	–	1,993	856	190	1,815	63	2,153	2,955	9,625
316	CLUTTON	36,784	–	2,148	1,193	567	1,581	30	2,009	1,969	8,020
317	BATH	44,795	–	2,592	578	664	2,092	131	2,587	2,893	12,250
318	KEYNSHAM	42,997	–	2,436	1,225	256	1,893	–	2,579	2,148	11,742
319	BEDMINSTER	47,053	10	2,448	1,939	250	3,127	140	2,428	3,457	11,949
	VI.—WEST MIDLAND COUNTIES.										
	23.—GLOUCESTERSH.										
320	BRISTOL	69,491	31	3,660	2,645	1,061	3,921	92	3,983	4,398	16,823
321	BARTON REGIS	52,527	61	3,251	1,934	228	3,763	101	3,303	4,075	13,563
322	CHIPPING SUDBURY	39,573	–	1,422	1,469	900	2,085	47	1,422	2,417	8,768
323	THORNBURY	35,825	–	957	1,413	182	2,644	–	729	2,142	9,389
324	DURSLEY	31,965	–	1,824	1,014	203	1,959	203	1,892	2,770	10,578
325	WESTBURY-ON-SEVERN	42,415	–	1,944	1,119	236	1,915	118	1,119	4,006	12,135
326	NEWENT	30,031	–	538	768	154	1,690	–	1,075	1,997	8,063
327	GLOUCESTER	44,920	–	2,434	2,940	294	2,233	196	3,234	2,516	9,049
328	WHEATENHURST	27,858	–	1,665	444	444	2,331	–	1,332	1,443	4,994
329	STROUD	39,828	–	1,974	917	140	1,855	–	1,795	2,912	10,431
330	TETBURY	26,902	–	1,359	136	–	1,766	–	951	1,630	6,929
331	CIRENCESTER	36,834	–	1,373	646	535	1,939	162	1,050	2,746	8,158
332	NORTHLEACH	28,673	–	623	623	267	1,870	178	445	1,603	6,946
333	STOW-ON-THE WOLD	36,388	–	2,695	270	–	1,348	270	988	3,414	9,434
334	WINCHCOMB	30,431	–	1,055	176	440	1,583	88	1,055	1,143	8,883
335	CHELTENHAM	49,120	18	3,829	337	308	2,214	127	3,647	3,406	10,216
336	TEWKESBURY	38,528	–	2,907	124	371	1,290	247	2,597	1,979	9,091
	24.—HEREFORDSH.										
337	LEDBURY	34,041	68	836	479	411	2,055	–	2,329	1,438	7,307
338	ROSS	36,045	–	2,111	1,360	463	1,403	103	1,184	2,078	8,084
339	HEREFORD	41,749	–	2,458	927	484	2,035	20	2,781	2,015	9,188
340	WEOBLEY	31,975	–	1,254	1,254	104	1,672	–	1,254	1,358	7,145
341	BROMYARD	33,855	–	840	156	391	1,096	78	1,329	2,033	9,100
342	LEOMINSTER	32,981	–	1,048	393	187	1,680	62	996	2,305	8,296
343	KINGTON	34,031	–	491	701	631	2,514	70	912	2,875	7,433
	25.—SHROPSHIRE.										
344	LUDLOW	37,007	–	1,224	272	1,088	1,905	91	1,270	1,361	10,205
345	CLUN	36,463	–	1,174	305	440	1,606	–	671	1,341	8,718
346	CHURCH STRETTON	27,417	–	317	634	158	1,426	–	792	475	7,765
347	CLEOBURY MORTIMER	31,646	–	1,071	292	589	1,695	–	1,589	1,743	8,917
348	BRIDGNORTH	38,995	–	1,354	169	564	2,878	113	2,479	1,749	8,247
349	SHIFNAL	38,456	–	1,319	1,597	330	1,451	66	1,583	1,979	10,470
350	MADELEY	45,934	–	931	1,758	714	2,658	62	2,329	2,067	13,000
351	ATCHAM	42,449	36	1,504	301	967	2,471	904	3,091	3,012	9,938
352	OSWESTRY	37,866	–	1,160	1,102	174	1,181	174	1,160	3,944	10,118
353	ELLESMERE	30,730	–	320	704	448	1,665	128	1,024	1,601	5,826
354	WEM	31,083	–	917	697	83	2,250	–	667	1,834	9,000
355	WHITCHURCH	36,477	–	1,336	781	292	2,447	292	1,974	1,753	8,470
356	MARKET DRAYTON	37,791	–	1,170	156	78	2,144	116	1,326	3,081	10,010
357	WELLINGTON	51,223	–	1,730	2,884	865	2,884	249	3,461	4,153	11,530
358	NEWPORT	41,050	–	1,048	1,745	161	2,268	–	5,102	2,793	9,776
	26.—STAFFORDSHIRE.										
359	STAFFORD	44,102	26	1,853	592	140	2,349	26	1,827	3,974	7,467
360	STONE	51,088	–	1,868	1,755	234	1,869	156	3,737	3,737	10,648
361	NEWCASTLE-UNDER-LYNE	53,305	78	1,852	686	245	2,297	245	2,297	3,599	9,790
362	WOLSTANTON	71,620	17	1,785	1,392	147	3,130	201	2,785	4,571	13,380
363	STOKE-UPON-TRENT	77,838	6	1,850	2,107	201	2,858	266	7,249	4,437	13,884

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	VI.—WEST MIDLAND COUNTIES—*cont.*										
	26.—STAFFORDSHIRE *—cont.*										
364	LEEK	51,292	–	3,206	1,430	369	2,122	23	3,529	3,921	12,016
365	CHEADLE	44,981	–	1,862	1,831	95	1,926	63	3,283	3,125	9,912
366	UTTOXETER	37,031	–	1,024	1,195	284	1,138	114	1,650	4,608	8,134
367	BURTON-UPON-TRENT	45,361	34	2,053	945	438	2,543	129	3,101	3,608	10,687
368	TAMWORTH	42,930	–	2,998	613	409	1,840	170	2,726	2,044	11,550
369	LICHFIELD	40,962	56	1,975	1,100	317	2,124	93	1,621	3,187	8,908
370	CANNOCK	47,825	35	1,578	1,210	158	1,824	158	2,052	3,192	11,329
371	WOLVERHAMPTON	65,550	106	3,486	1,774	294	3,240	169	6,634	5,168	15,138
372	WALSALL	64,294	172	2,883	2,599	493	2,913	366	6,796	4,302	14,324
373	WEST BROMWICH	65,612	205	2,991	1,643	405	3,391	248	5,535	4,260	14,961
374	DUDLEY	68,951	114	3,562	2,599	171	3,581	213	5,724	3,637	15,332
	27.—WORCESTERSH.										
375	STOURBRIDGE	63,384	69	3,962	2,583	199	3,563	477	4,811	4,906	12,760
376	KIDDERMINSTER	49,770	38	3,034	1,248	499	1,536	307	4,839	2,823	11,406
377	TENBURY	24,178	–	848	106	318	2,333	–	1,803	636	4,242
378	MARTLEY	31,240	–	823	1,338	309	1,595	–	1,132	1,493	9,161
379	WORCESTER	63,979	23	2,412	758	207	2,113	161	7,420	5,720	13,692
380	UPTON-ON-SEVERN	34,747	–	918	393	393	1,923	–	1,748	2,229	9,003
381	EVESHAM	30,839	–	1,668	607	202	1,163	51	2,174	859	7,230
382	PERSHORE	34,222	–	1,364	682	–	2,170	62	1,426	1,674	8,865
383	DROITHICH	38,788	–	1,581	1,021	428	1,185	198	2,305	4,116	9,285
384	BROMSGROVE	48,647	–	3,445	855	439	2,335	116	3,838	5,318	11,561
385	KINGS NORTON	45,805	7	2,256	1,059	460	2,271	80	3,483	3,695	10,602
	28.—WARWICKSHIRE.										
386	BIRMINGHAM	74,690	114	4,289	2,217	693	4,873	176	8,869	4,221	16,525
387	ASTON	59,635	21	3,265	1,138	531	3,984	127	7,593	2,710	14,070
388	MERIDEN	31,896	–	1,790	488	651	1,465	–	1,790	2,360	7,404
389	ATHERSTONE	46,347	46	2,237	2,146	183	1,918	183	2,648	4,932	10,457
393	NUNEATON	52,288	–	2,194	2,988	140	1,214	467	1,774	5,556	12,465
391	FOLESHILL	52,887	–	1,309	2,386	77	1,694	346	2,771	6,487	9,546
392	COVENTRY	53,882	–	2,341	1,813	247	2,687	181	6,527	4,632	10,549
393	RUGBY	36,523	–	1,516	892	327	3,031	149	2,229	1,902	8,113
394	SOLIHULL	32,115	–	1,314	481	545	1,891	32	1,859	2,500	7,404
395	WARWICK	44,190	17	2,497	468	451	2,203	87	2,966	3,954	10,371
396	STRATFORD-ON-AVON	30,267	–	1,026	220	330	1,173	–	1,429	1,576	8,171
397	ALCESTER	40,745	–	2,378	872	555	1,427	–	1,546	3,052	11,455
398	SHIPSTON-ON-STOUR	32,051	–	1,408	563	235	1,361	188	1,595	1,595	8,071
399	SOUTHAM	39,067	–	2,446	459	229	1,911	76	1,911	1,682	10,321
	VII.—NORTH MIDLAND COUNTIES.										
	29.—LEICESTERSH.										
400	LUTTERWORTH	32,120	–	630	1,679	420	1,679	–	840	2,169	7,558
401	MARKET HARBOROUGH	37,170	–	1,065	1,369	254	1,724	203	2,130	2,231	8,874
402	BILLESDON	44,559	–	1,309	1,102	344	2,135	138	5,785	3,306	7,920
403	BLABY	54,200	48	2,033	4,503	460	2,421	218	5,471	3,341	10,869
404	HINCKLEY	54,373	–	2,977	670	261	2,345	335	4,801	3,163	11,686
404	MARKET BOSWORTH	39,034	–	1,149	1,103	230	1,379	46	2,483	1,977	8,598
406	ASHBY-DE-LA-ZOUCH	46,038	20	1,941	1,961	218	2,278	99	1,743	3,249	11,470
407	LOUGHBOROUGH	55,407	26	3,314	822	642	3,288	51	5,831	5,035	11,328
408	BARROW-UPON-SOAR	56,645	–	2,291	2,337	252	2,612	69	6,943	3,323	10,380
409	LEICESTER	78,231	6	3,000	1,863	395	3,238	168	12,669	4,811	14,358
410	MELTON MOWBRAY	44,266	–	1,529	2,064	379	2,141	191	2,829	2,714	9,633
	30.—RUTLANDSHIRE.										
411	OAKHAM	41,719	–	1,898	1,262	237	2,839	–	1,183	3,233	8,991
412	UPPINGHAM	36,012	–	967	670	74	1,488	–	1,488	3,571	9,375

TABLE 2. (*continued*).—**Annual Death-rate per Million** living, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES.

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	VII.—NORTH MIDLAND COUNTIES—*cont.*										
	31.—LINCOLNSHIRE.										
413	STAMFORD	38,132	-	1,541	674	433	3,322	48	2,702	1,781	[illegible]
414	BOURN	[illegible]	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
415	SPALDING	42,298	-	622	695	146	2,305	73	1,829	2,671	9,330
416	HOLBEACH	42,225	-	464	1,011	506	2,149	-	1,222	3,751	8,765
417	BOSTON	44,188	-	1,167	540	367	2,355	65	2,485	2,658	9,637
418	SLEAFORD	41,584	33	1,981	1,249	197	2,197	230	[illegible]	[illegible]	[illegible]
419	GRANTHAM	47,098	-	2,053	920	779	3,374	118	3,775	3,303	9,402
420	LINCOLN	54,347	49	1,903	1,498	405	2,984	98	4,715	4,912	10,241
421	HORNCASTLE	33,713	-	691	285	325	1,749	-	1,220	1,830	8,337
422	SPILSBY	37,966	-	407	469	532	1,440	63	1,283	[illegible]	[illegible]
423	LOUTH	[illegible]	-	384	1,126	[illegible]	1,995	77	[illegible]	[illegible]	[illegible]
424	CAISTOR	54,734	123	1,218	2,372	308	2,649	318	6,203	2,413	12,343
425	GLANFORD BRIGG	44,507	-	741	1,861	1,048	2,006	126	2,982	3,415	9,975
426	GAINSBOROUGH	50,721	24	1,277	2,507	946	2,365	353	4,706	3,027	9,459
	32. NOTTINGHMSH.										
427	EAST RETFORD	37,668	-	674	1,988	168	2,392	135	2,224	[illegible]	[illegible]
428	WORKSOP	[illegible]	46	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
429	MANSFIELD	58,085	27	2,252	2,202	1,655	1,696	136	2,971	4,449	13,388
430	BASFORD	61,001	29	2,775	1,753	677	3,116	268	5,658	4,387	13,204
431	NOTTINGHAM	79,527	70	3,807	2,438	375	4,386	335	[illegible]	[illegible]	[illegible]
432	SOUTHWELL	34,979	-	1,330	838	558	1,588	129	1,245	3,262	6,632
433	NEWARK	44,350	26	1,086	900	477	2,118	212	3,601	4,077	9,478
434	BINGHAM	35,327	56	508	1,975	1,016	2,822	56	1,919	3,217	6,659
	33.—DERBYSHIRE.										
435	SHARDLOW	43,948	-	2,247	1,264	379	2,345	154	2,331	3,679	9,702
436	DERBY	56,468	-	2,982	1,216	216	3,378	225	4,126	3,676	11,450
437	BELPER	45,712	24	1,479	1,145	315	2,672	84	3,507	3,233	10,879
438	ASHBOURNE	36,000	-	1,000	920	640	3,120	160	1,160	2,680	9,480
439	CHESTERFIELD	54,700	44	2,885	2,822	303	2,601	170	3,769	4,147	13,564
440	BAKEWELL	36,877	-	875	1,113	530	1,856	106	954	2,306	9,332
441	CHAPEL-EN-LE-FRITH	41,048	-	1,621	1,395	452	1,922	-	1,508	3,015	9,396
442	HAYFIELD	58,831	-	3,484	1,544	694	2,889	507	4,697	4,697	13,076
	VIII.—NORTH WESTERN COUNTIES.										
	34.—CHESHIRE.										
443	STOCKPORT	71,848	7	4,376	1,378	509	3,449	490	5,617	5,996	[illegible]
444	MACCLESFIELD	[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
445	ALTRINCHAM	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
446	RUNCORN	55,964	-	4,078	2,333	285	2,883	206	5,080	4,173	11,741
447	NORTHWICH	50,934	14	2,969	1,448	304	2,491	29	2,867	3,954	11,658
448	CONGLETON	47,847	-	2,050	1,449	393	2,795	228	1,884	5,031	[illegible]
449	NANTWICH	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
450	CHESTER	45,449	-	3,059	847	445	2,932	212	2,583	2,932	8,721
451	WIRRAL	37,071	-	2,075	968	494	2,544	123	3,186	2,000	[illegible]
452	BIRKENHEAD	60,587	13	3,631	1,606	447	3,452	211	4,467	3,057	[illegible]
	35.—LANCASHIRE.										
453	LIVERPOOL	114,253	29	9,402	2,906	852	5,894	483	9,818	7,138	26,080
454	TOXTETH PARK	79,901	108	5,887	3,049	706	[illegible]	394	[illegible]	[illegible]	[illegible]
455	WEST DERBY	71,922	94	5,043	2,660	808	4,193	232	6,225	5,660	[illegible]
456	PRESCOT	68,700	-	5,805	2,468	900	3,217	356	6,339	4,839	[illegible]
457	ORMSKIRK	48,225	-	2,185	1,061	1,043	1,714	127	2,258	3,273	[illegible]
458	WIGAN	73,385	9	5,728	3,961	249	3,503	313	6,525	4,962	18,291
459	WARRINGTON	63,134	-	6,007	2,439	599	3,793	174	4,957	5,215	[illegible]
460	LEIGH	66,000	-	4,722	3,248	280	2,958	161	6,787	4,959	[illegible]
461	BOLTON	88,274	4	4,601	1,450	371	3,885	239	6,773	3,503	[illegible]
462	BURY	64,627	73	3,955	1,763	436	2,544	363	5,772	3,925	[illegible]

TABLE 2. (*continued*).—**Annual Death-rate per Million Living**, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	VIII.—NORTH WESTERN COUNTIES—*cont.*										
	35.—LANCASHIRE—*cont.*										
463	BARTON-UPON-IRWELL	54,153	–	3,249	1,615	904	2,144	154	4,557	5,086	12,834
464	CHORLTON	70,642	9	5,221	1,605	811	4,259	219	6,376	6,148	15,804
465	SALFORD	85,422	11	5,396	3,477	1,400	4,873	361	9,817	8,245	18,152
466	MANCHESTER	92,840	21	6,783	1,660	728	5,474	246	9,046	6,799	21,036
467	PRESTWICH	74,706	106	5,159	5,288	1,601	3,915	273	6,074	4,830	16,889
468	ASHTON-UNDER-LYNE	71,914	45	3,634	2,318	410	3,289	335	5,731	4,890	17,219
469	OLDHAM	76,346	38	4,944	2,412	726	4,129	278	4,116	5,939	19,457
470	ROCHDALE	58,918	159	2,548	1,441	442	3,359	203	2,975	5,342	16,056
471	HASLINGDEN	62,637	–	4,924	2,770	440	3,651	224	4,884	4,107	15,499
472	BURNLEY	77,129	11	5,274	2,187	492	2,944	344	7,647	4,687	19,641
473	CLITHEROE	44,151	–	3,174	1,427	143	2,282	107	2,354	2,889	10,021
474	BLACKBURN	78,162	28	5,652	3,482	148	3,698	320	6,608	6,188	19,088
475	CHORLEY	58,354	–	2,058	1,536	275	1,985	333	3,202	6,651	15,302
476	PRESTON	86,402	65	5,019	2,351	864	4,155	358	13,357	5,547	18,423
477	FYLDE	53,811	–	2,168	1,294	1,451	2,150	367	3,934	3,566	11,503
478	GARSTANG	35,337	–	1,336	1,002	534	1,403	134	1,737	2,405	10,087
479	LANCASTER	57,026	–	4,146	1,145	52	2,880	104	4,372	4,407	13,688
480	LUNESDALE	35,222	–	333	222	667	1,556	111	889	2,778	9,000
481	ULVERSTONE	44,887	–	3,835	599	583	2,217	146	3,350	2,783	11,861
482	BARROW-IN-FURNESS	55,141	–	5,208	1,119	559	2,864	653	3,277	3,636	12,746
	IX.—YORKSHIRE.										
	36.—WEST RIDING.										
483	SEDBERGH	31,210	–	849	212	–	1,911	–	637	1,486	6,157
484	SETTLE	37,265	57	1,197	570	627	1,254	228	285	4,957	8,091
485	SKIPTON	48,289	–	2,295	1,565	250	1,252	271	2,275	4,090	13,147
486	PATELEY BRIDGE	38,208	–	755	1,321	189	943	–	472	1,887	10,472
487	RIPON	38,209	–	989	885	416	1,718	208	989	2,238	7,652
488	GREAT OUSEBURN	37,345	65	1,373	392	654	2,616	–	2,551	2,943	7,521
489	KNARESBOROUGH	42,416	37	441	1,396	257	1,763	73	1,983	4,811	9,475
490	WETHERBY	35,920	–	805	575	402	1,667	–	1,092	2,816	8,736
491	WHARFEDALE	48,351	–	2,386	1,160	514	2,784	331	1,922	3,662	10,307
492	KEIGHLEY	57,324	–	2,377	3,707	362	1,847	258	2,648	2,893	16,120
493	TODMORDEN	51,619	–	3,646	3,070	360	2,471	48	2,543	2,615	13,528
494	SADDLEWORTH	56,050	37	2,673	1,893	780	2,376	260	2,301	6,013	13,215
495	HUDDERSFIELD	62,211	–	3,461	1,345	568	3,450	139	2,390	4,554	15,345
496	HALIFAX	58,453	5	2,838	1,924	756	2,628	249	2,278	4,495	14,484
497	BRADFORD	65,146	5	3,926	1,745	270	3,368	222	4,936	4,538	15,577
498	HUNSLET	74,228	32	3,162	3,881	286	3,839	349	8,830	4,611	15,239
499	HOLBECK	73,456	–	3,176	4,429	524	3,467	233	8,217	5,128	17,861
500	BRAMLEY	64,246	–	3,319	2,416	537	2,697	415	5,369	4,222	14,948
501	LEEDS	72,577	13	3,394	2,898	323	4,146	229	7,710	5,229	16,356
502	DEWSBURY	69,160	50	3,582	2,673	538	3,683	322	4,718	5,135	16,661
503	WAKEFIELD	62,898	52	2,503	3,784	864	3,114	127	5,095	4,067	15,054
504	PONTEFRACT	63,563	–	2,434	3,845	924	2,734	312	5,717	3,657	12,433
505	HEMSWORTH	49,350	–	2,329	1,896	108	3,738	325	2,654	5,525	10,943
506	BARNSLEY	66,696	37	3,307	3,869	385	3,299	333	6,244	4,261	15,527
507	WORTLEY	50,178	89	1,714	2,158	851	2,235	165	2,222	3,758	13,116
508	ECCLESALL BIERLOW	64,645	247	3,007	3,137	285	3,861	167	6,045	5,191	15,388
509	SHEFFIELD	77,675	458	3,682	3,496	289	3,924	238	7,929	6,200	18,745
510	ROTHERHAM	58,115	102	2,984	3,188	204	3,408	291	4,680	3,895	11,574
511	DONCASTER	53,518	26	1,859	1,975	271	3,254	129	4,571	3,822	13,066
512	THORNE	48,728	54	920	2,870	812	3,086	54	2,924	2,653	9,096
513	GOOLE	51,770	–	2,631	1,624	227	3,183	97	4,417	2,891	9,581
514	SELBY	42,755	–	1,118	1,373	610	1,525	–	3,203	3,152	9,253
515	TADCASTER	50,711	–	1,991	2,702	711	2,503	228	4,949	2,958	9,585
	37.—EAST RIDING (WITH YORK).										
516	YORK	55,456	–	2,199	1,171	329	3,052	298	7,748	4,295	10,491
517	POCKLINGTON	41,274	–	499	1,939	111	2,050	166	2,770	1,662	8,089
518	HOWDEN	44,944	–	1,498	1,311	375	1,373	125	2,122	4,057	9,176

TABLE 2. (*continued*).—**Annual Death-rate per Million living**, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Remaining Diseases.
	IX.—YORKSHIRE— *continued.*										
	37.—EAST RIDING (WITH YORK)—*cont.*										
519	BEVERLEY	45,467	34	1,142	1,310	369	1,746	201	3,526	2,552	
520	SCULCOATES	60,478	97	2,157	2,872	303	2,981	321	6,951	4,733	
521	HULL	68,802	–	2,624	3,655	324	3,449	403	6,495	4,864	
522	PATRINGTON	33,952	–	278	2,319	93	1,948	–	1,484	3,896	
523	SKIRLAUGH	37,965	–	414	2,151	165	2,564	414	1,737	1,323	
524	DRIFFIELD	45,925	–	843	923	502	2,050	80	3,171	2,850	
525	BRIDLINGTON	40,573	–	923	534	194	3,061	–	2,915	2,770	
	38.—NORTH RIDING.										
526	SCARBOROUGH	52,428	–	1,073	800	566	2,672	117	4,154	4,115	
527	MALTON	38,621	–	500	715	322	1,929	36	2,787	2,338	
528	EASINGWOLD	32,793	–	811	901	991	1,712	90	1,351	1,982	
529	THIRSK	36,015	–	566	880	1,006	2,074	251	1,760	1,571	
530	HELMSLEY	32,414	–	383	1,303	307	1,839	–	1,609	1,303	
531	PICKERING	41,763	–	1,012	939	217	2,601	145	1,734	2,890	
532	WHITBY	47,589	–	1,707	809	539	3,235	90	2,725	3,504	
533	GUISBOROUGH	49,332	–	1,610	2,125	242	2,479	193	2,608	5,007	
534	MIDDLESBROUGH	68,609	19	3,086	2,411	248	3,964	375	5,281	6,356	
535	STOKESLEY	33,997	–	1,138	1,007	71	3,343	142	1,565	2,347	
536	NORTHALLERTON	34,075	–	765	556	278	1,878	278	1,113	2,295	
537	BEDALE	34,336	102	818	613	102	3,272	–	1,431	2,556	
538	LEYBURN	26,761	–	433	542	217	2,275	108	2,167	1,300	
539	AYSGARTH	37,274	–	821	1,314	328	1,149	164	493	3,941	
540	REETH	29,485	–	1,443	206	412	412	–	1,031	1,237	
541	RICHMOND	34,918	–	824	760	570	2,091	–	634	2,535	
	X.—NORTHERN COUNTIES.										
	39.—DURHAM.										
542	DARLINGTON	46,491	–	1,435	889	265	2,277	94	3,478	5,115	
543	STOCKTON	59,660	84	2,924	2,298	486	3,027	346	4,372	5,792	
544	HARTLEPOOL	59,293	163	1,727	2,357	198	3,048	292	4,585	4,539	
545	AUCKLAND	50,321	31	2,306	2,296	201	2,458	301	3,733	5,155	
546	TEESDALE	38,677	39	709	1,182	276	1,418	197	1,221	4,057	
547	WEARDALE	43,533	93	1,205	834	139	1,947	278	1,947	3,384	
548	LANCHESTER	56,579	–	2,711	2,004	397	2,634	264	3,306	4,995	
549	DURHAM	60,637	358	2,826	1,990	165	2,516	402	3,847	6,332	
550	EASINGTON	64,377	188	2,449	2,302	290	2,020	507	5,043	7,403	
551	HOUGHTON-LE-SPRING	60,279	–	2,932	2,271	125	2,342	679	7,760	5,686	
552	CHESTER-LE-STREET	64,385	29	2,881	2,211	157	2,040	285	4,379	7,003	
553	SUNDERLAND	71,922	213	4,687	2,554	426	3,156	292	6,617	5,039	
554	SOUTH SHIELDS	62,872	49	2,980	2,171	603	3,208	114	5,412	6,128	
555	GATESHEAD	65,884	193	2,843	1,946	346	3,070	272	6,140	6,265	
	40.—NORTHUMBERL.										
556	NEWCASTLE-UPON-TYNE	68,321	122	4,202	1,871	632	3,561	173	5,709	5,786	
557	TYNEMOUTH	59,441	34	2,423	2,058	410	2,856	200	4,247	6,374	
558	CASTLE WARD	40,070	–	1,016	736	140	1,906	385	3,503	3,888	
559	HEXHAM	39,391	–	1,063	967	387	1,764	193	2,610	4,229	
560	HALTWHISTLE	34,431	–	898	499	–	1,697	–	1,896	2,695	
561	BELLINGHAM	26,502	–	154	924	616	1,387	616	462	1,541	
562	MORPETH	50,202	55	2,571	1,267	275	1,963	349	3,303	6,023	
563	ALNWICK	41,112	76	1,853	1,039	151	2,194	38	2,231	2,723	
564	BELFORD	25,282	–	161	644	322	644	161	1,449	2,274	
565	BERWICK	40,339	–	2,158	1,412	1,654	2,420	242	2,420	2,703	
566	GLENDALE	27,296	85	340	680	170	1,871	–	1,276	1,276	
567	ROTHBURY	31,276	–	1,403	1,403	421	1,823	561	1,964	1,823	

TABLE 2. (*continued*).—**Annual Death-rate per Million living,** among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	X.—NORTHERN COUNTIES—*cont.*										
	41.—CUMBERLAND.										
568	ALSTON	32,414	–	690	1,839	230	2,529	–	460	2,529	4,598
569	PENRITH	34,418	–	1,516	591	702	2,144	37	1,294	2,588	6,691
570	BRAMPTON	34,095	–	1,318	1,494	351	1,933	88	2,109	2,548	8,172
571	LONGTOWN	36,744	–	1,279	814	116	2,093	116	1,279	2,907	8,954
572	CARLISLE	51,838	–	2,105	2,060	504	3,572	163	3,157	5,396	11,725
573	WIGTON	37,882	34	1,290	781	441	1,901	102	1,426	3,802	9,335
574	COCKERMOUTH	54,142	–	4,142	604	507	2,708	237	3,592	3,333	13,528
575	WHITEHAVEN	52,983	–	4,123	1,288	260	3,426	71	2,623	3,686	12,900
576	BOOTLE	40,264	102	2,898	458	203	2,339	153	3,355	2,084	10,380
	42.—WESTMORLAND.										
577	EAST WARD	35,616	–	806	806	115	1,438	–	633	1,726	8,688
578	WEST WARD	26,423	–	537	430	537	1,396	–	644	2,470	7,089
579	KENDAL	35,774	19	1,030	393	412	1,555	169	1,442	3,390	8,766
	XI.—WELSH COUNTIES.										
	43.—MONMOUTHSH.										
580	CHEPSTOW	39,125	204	2,249	777	695	2,208	164	491	3,802	7,850
581	MONMOUTH	36,006	–	1,722	780	511	1,938	27	1,130	2,691	9,150
582	ABERGAVENNY	54,785	–	3,301	1,267	367	3,635	100	1,334	4,968	13,271
583	BEDWELLTY	76,906	48	5,869	5,714	1,646	4,974	358	2,302	4,736	18,860
584	PONTYPOOL	51,083	–	2,474	1,400	364	2,838	192	1,496	3,394	13,787
585	NEWPORT	56,341	9	2,853	1,602	454	3,402	249	3,556	3,719	14,276
	44.—SOUTH WALES.										
	GLAMORGANSHIRE.										
586	CARDIFF	59,843	42	3,602	1,655	724	3,576	208	5,575	3,857	13,788
587	PONTYPRIDD	70,783	–	3,867	3,757	243	3,033	336	3,369	2,883	18,178
588	MERTHYR TYDFIL	70,187	7	4,043	5,856	409	3,831	273	2,645	4,254	16,833
589	BRIDGEND	55,603	–	2,469	3,627	221	2,946	477	1,328	3,661	12,909
590	NEATH	53,078	–	3,359	3,372	131	3,241	209	1,738	3,843	10,953
591	PONTARDAWE	42,167	–	1,033	1,500	100	2,200	233	1,300	3,100	7,667
592	SWANSEA	61,626	14	4,130	3,550	191	3,373	245	2,106	3,980	16,008
593	GOWER	36,466	–	1,964	281	140	2,945	140	1,052	3,436	6,452
	CARMARTHENSHIRE.										
594	LLANELLY	47,010	–	1,974	1,643	202	3,718	216	1,283	2,695	10,909
595	LLANDOVERY	41,483	–	441	587	73	1,836	73	808	514	7,195
596	LLANDILOFAWR	38,110	–	721	1,241	400	1,801	120	881	2,202	7,926
597	CARMARTHEN	39,066	–	1,032	1,229	369	1,548	74	958	1,990	9,435
	PEMBROKESHIRE.										
598	NARBERTH	34,080	–	819	1,465	776	2,025	43	474	1,810	6,247
599	PEMBROKE	44,570	–	1,776	360	335	2,265	51	1,055	5,198	10,216
600	HAVERFORDWEST	42,546	–	1,004	1,248	245	2,326	269	1,444	2,301	6,634
	CARDIGANSHIRE.										
601	CARDIGAN	33,035	–	579	1,631	579	2,630	–	1,105	1,894	6,049
602	NEWCASTLE-IN-EMLYN	31,713	–	727	1,726	45	1,590	136	954	2,090	4,362
603	LAMPETER	35,467	–	779	433	260	1,817	–	346	1,817	6,055
604	ABERAYRON	27,904	–	567	708	354	2,125	71	850	2,266	4,887
605	ABERYSTWITH	35,195	–	1,004	1,888	121	1,205	40	643	1,928	8,116
606	TREGARON	28,271	–	274	274	183	1,098	91	640	1,281	4,758

TABLE 2. (*continued*).—**Annual Death-rate per Million living**, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	XI.—WELSH COUNTIES —*cont.*										
	44.—SOUTH WALES— *cont.*										
	BRECKNOCKSHIRE.										
607	BUILTH	36,556	–	705	1,410	403	3,122	–	906	1,208	[illegible]
608	BRECKNOCK	42,325	–	1,502	1,780	556	2,447	–	667	2,670	10,007
609	CRICKHOWELL	62,236	–	4,300	4,780	1,368	3,323	469	1,798	2,541	13,890
610	HAY	42,583	–	1,000	1,333	250	2,417	–	917	2,000	9,000
	RADNORSHIRE.										
611	KNIGHTON	39,083	–	873	437	582	3,150	146	728	2,475	7,860
612	RHAYADER	37,014	–	878	1,757	627	2,008	125	502	2,008	9,661
	45.—NORTH WALES.										
	MONTGOMERYSHIRE.										
613	MACHYNLLETH	37,539	–	851	2,167	232	2,399	77	1,161	2,322	7,043
614	NEWTOWN	36,136	–	644	1,966	339	2,271	34	1,729	1,729	7,525
615	FORDEN (MONTGOMERY)	34,090	99	888	1,036	740	1,431	49	1,085	2,615	7,153
616	LLANFYLLIN	40,483	–	715	840	447	2,904	45	983	2,279	7,730
	FLINTSHIRE.										
617	HOLYWELL	41,270	–	1,983	1,655	400	2,710	200	746	2,692	8,221
	DENBIGHSHIRE.										
618	WREXHAM	50,576	–	2,153	1,583	570	2,508	89	1,697	1,963	12,704
619	RUTHIN	36,678	–	746	475	814	1,288	203	542	1,695	5,153
620	ST. ASAPH	39,731	–	1,024	992	512	2,143	96	1,280	1,823	7,294
621	LLANRWST	38,111	–	1,157	257	771	2,442	–	964	2,699	7,776
	MERIONETHSHIRE.										
622	CORWEN	37,494	–	1,541	1,233	360	2,517	–	822	1,952	7,345
623	BALA	42,169	–	753	301	–	2,259	–	1,205	2,711	6,777
624	DOLGELLY	36,574	–	1 447	1,389	463	2,141	–	579	2,720	10,986
625	FESTINIOG	47,103	–	1,834	1,675	797	3,216	133	1,010	3,828	8,852
	CARNARVONSHIRE.										
626	PWLLHELI	35,263	–	1,380	843	1,303	1,861	–	498	2,223	6,056
627	CARNARVON	43,306	–	1,947	1,733	428	2,979	175	1,188	2,531	10,728
628	BANGOR	47,319	–	1,914	1,843	661	3,118	118	1,110	4,040	8,481
629	CONWAY	34,721	–	791	416	1,166	1,707	42	1,582	3,664	6,436
	ANGLESEY.										
630	ANGLESEY	40,657	–	758	316	316	2,778	–	631	1,894	6,692
631	HOLYHEAD	39,844	–	1,126	390	866	2,815	87	693	4,374	7,796

TABLE 3.—ENGLAND AND WALES.—**Death-rates** PER **1000** LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, **1881–90.—Persons.**

	ALL AGES.		Under 1 Year.*	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
	Crude Rate.	Rate in Standard Population.												
ENGLAND AND WALES	19·08	19·08	142	56·82	5·29	3·02	4·35	5·61	7·53	11·42	17·06	31·33	64·65	153·67
London	20·31	21·42	152	68·16	5·86	2·89	3·78	4·86	7·64	13·05	20·21	35·38	68·89	155·87
Surrey	15·29	15·58	110	40·60	3·93	2·44	3·41	4·31	6·40	10·75	15·76	27·44	56·72	140·96
Kent	16·57	15·94	116	43·62	4·59	3·01	4·24	5·35	6·69	10·06	14·29	25·77	55·04	142·20
Sussex	15·66	14·94	109	39·77	4·16	2·49	3·55	4·76	6·51	9·75	14·02	24·02	52·42	139·27
Hampshire	16·70	16·00	112	42·22	4·12	2·39	4·10	5·74	7·78	10·73	14·94	25·71	55·46	143·80
Berkshire	16·17	15·02	105	38·82	4·33	2·26	3·44	4·94	6·35	9·35	13·88	25·10	56·10	149·54
Middlesex	16·13	16·62	128	48·89	4·57	2·56	2·97	3·72	5·98	9·88	15·24	28·30	59·41	143·51
Hertfordshire	16·89	15·41	108	39·35	4·24	2·54	3·64	5·42	6·56	9·33	13·90	26·57	57·20	154·96
Buckinghamshire	16·78	15·26	116	41·87	3·90	2·20	3·57	5·05	6·25	8·74	12·43	23·98	58·99	153·71
Oxfordshire	16·81	15·15	112	40·24	4·04	2·39	3·54	4·77	6·21	9·26	13·06	23·75	58·65	155·14
Northamptonshire	17·08	16·21	132	47·86	4·27	2·86	4·05	5·18	6·31	8·99	12·33	24·29	57·47	154·70
Huntingdonshire	16·41	13·94	107	36·71	3·80	2·65	3·83	6·25	6·13	7·41	10·76	21·83	53·36	137·62
Bedfordshire	17·31	16·30	131	47·78	4·52	2·73	3·32	4·98	6·47	9·05	13·07	24·21	60·00	154·32
Cambridgeshire	17·29	15·40	121	43·79	4·49	2·80	4·06	5·57	6·81	8·97	12·64	23·39	51·91	138·61
Essex	16·82	16·32	126	48·50	4·75	2·71	3·91	4·81	6·21	9·51	13·57	25·13	55·63	146·93
Suffolk	17·61	15·29	114	42·34	3·79	2·66	4·24	5·93	6·95	9·13	12·10	23·25	53·04	147·13
Norfolk	18·03	15·58	134	46·60	4·06	2·52	4·06	5·54	6·69	8·95	11·91	22·49	50·67	144·80
Wiltshire	16·92	14·95	103	36·29	3·71	2·46	3·84	5·48	6·79	9·08	13·86	25·90	58·51	152·84
Dorsetshire	16·18	14·24	96	35·65	3·76	2·43	3·89	5·35	6·31	8·90	12·44	23·62	53·48	145·20
Devonshire	18·30	16·56	120	47·78	4·31	3·02	4·28	5·82	7·16	9·98	13·96	25·36	55·55	142·54
Cornwall	18·98	17·18	137	53·35	4·54	2·89	4·59	6·22	6·73	8·63	12·80	25·04	56·55	148·89
Somersetshire	17·34	15·50	110	40·21	4·07	2·53	3·98	5·25	6·61	9·60	14·29	26·62	57·97	143·39
Gloucestershire	17·82	16·89	124	47·27	4·45	2·84	3·88	5·16	6·89	10·27	15·05	27·91	60·08	149·50
Herefordshire	17·32	15·01	109	36·85	4·12	2·51	3·78	5·44	6·61	9·52	13·25	26·77	57·50	151·12
Shropshire	17·42	15·51	117	40·00	4·26	2·51	3·64	5·40	7·17	9·26	13·00	25·85	59·46	155·47
Staffordshire	19·65	19·99	156	61·61	4·83	2·77	4·01	5·32	7·24	11·21	17·48	34·32	71·87	160·20
Worcestershire	16·99	16·66	134	49·17	4·20	2·29	3·63	4·57	6·04	9·42	14·31	27·25	60·48	152·92
Warwickshire	19·01	19·25	150	58·54	4·60	2·50	3·71	5·00	7·27	11·78	17·82	32·31	66·32	155·95
Leicestershire	18·42	17·92	164	59·53	4·29	2·52	3·63	4·91	6·34	9·11	13·46	26·37	58·52	157·08
Rutlandshire	16·25	14·20	111	38·78	2·97	2·46	3·30	5·32	5·47	7·33	11·99	21·39	54·04	158·55
Lincolnshire	17·51	15·94	132	46·10	4·54	2·93	4·40	5·87	7·13	9·17	12·33	23·29	53·79	144·59
Nottinghamshire	19·44	19·13	154	61·82	5·19	2·93	4·39	5·89	7·22	10·11	14·98	28·69	61·16	157·88
Derbyshire	17·74	17·88	134	49·98	4·82	2·74	4·42	5·41	6·69	9·40	15·19	31·14	67·59	169·89
Cheshire	18·85	19·43	142	54·51	4·91	2·79	4·27	5·59	7·64	11·61	17·86	34·70	73·21	164·36
Lancashire	22·40	24·19	166	72·79	6·82	3·49	4·92	6·27	8·96	14·38	22·83	43·26	85·21	173·71
West Riding	20·03	21·23	156	63·11	6·21	3·46	5·06	6·00	7·61	11·65	18·40	35·98	76·59	173·94
East Riding (with York)	19·48	19·14	149	56·42	5·72	3·25	4·54	5·88	7·87	11·75	16·41	29·24	64·77	161·00
North Riding	18·15	17·67	135	51·34	4·76	3·05	4·57	6·08	7·71	10·20	15·13	27·81	60·31	149·56
Durham	19·83	20·57	152	62·09	6·38	3·98	5·43	6·60	7·76	11·07	16·73	32·81	69·70	166·97
Northumberland	19·78	20·19	142	56·28	5·83	3·84	5·51	6·91	8·86	12·48	17·84	32·87	69·82	165·64
Cumberland	18·38	17·95	123	48·32	4·64	3·04	4·47	5·92	7·64	10·55	16·70	31·93	66·07	157·49
Westmorland	15·52	14·32	100	34·65	3·66	2·21	4·01	5·37	6·13	8·42	12·52	24·66	57·01	155·83
Monmouthshire	19·70	19·53	140	57·00	5·91	3·36	4·99	6·19	8·10	11·65	17·54	33·84	67·74	142·29
South Wales	19·13	19·04	140	54·86	5·96	3·83	5·67	7·17	8·43	11·39	16·19	30·54	61·75	143·76
North Wales	18·68	17·06	118	42·26	5·35	3·54	5·64	7·57	8·79	10·57	14·56	27·55	60·42	152·20

* The death-rates under one year of age are per 1000 Births.

TABLE 3. (*continued*).—ENGLAND AND WALES.—**Death-rates** PER **1000** LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, **1881-90.**—**Males.**

	ALL AGES.													
	Crude Rate.	Rate in Standard Population.	Under 1 Year.*	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ENGLAND AND WALES	20·22	20·22	155	61·69	5·34	2·94	4·30	5·71	7·73	12·35	19·28	34·66	70·17	162·18
London	22·03	23·19	164	73·13	5·92	2·91	4·06	5·43	8·02	14·91	23·73	41·23	77·41	168·23
Surrey	16·86	16·86	119	44·04	3·86	2·29	3·47	5·05	7·56	12·85	18·39	31·03	63·50	147·25
Kent	17·39	16·77	128	47·39	4·51	2·84	4·16	5·58	7·07	10·95	16·09	27·95	59·11	146·60
Sussex	17·09	16·03	122	44·29	4·16	2·33	3·52	5·18	7·09	11·02	16·26	26·48	55·91	149·54
Hampshire	17·90	17·14	123	46·03	3·94	2·20	3·98	6·60	8·87	12·36	17·60	28·55	58·93	149·90
Berkshire	16·98	15·80	116	42·41	4·37	2·15	3·13	4·71	6·66	10·46	15·88	26·77	59·81	158·97
Middlesex	17·56	17·98	142	53·25	4·54	2·57	3·08	4·13	6·51	11·18	17·82	32·80	66·55	158·25
Hertfordshire	17·81	16·28	121	42·98	4·49	2·41	3·11	5·26	6·96	10·60	15·91	29·64	61·18	163·54
Buckinghamshire	17·45	15·79	128	46·02	3·92	2·05	3·06	5·20	6·34	8·73	13·87	24·90	61·71	161·14
Oxfordshire	17·79	15·89	125	44·05	4·14	2·28	3·45	4·83	6·53	9·85	14·09	24·99	62·70	166·65
Northamptonshire	17·70	16·81	146	52·50	4·31	2·61	3·65	4·98	6·13	8·98	13·39	26·73	60·83	161·18
Huntingdonshire	17·04	14·50	117	40·19	3·90	2·54	2·74	5·07	5·42	8·20	12·37	25·55	58·96	144·86
Bedfordshire	18·49	17·00	144	52·33	4·68	2·53	2·80	4·70	6·11	9·69	14·38	25·87	64·61	161·85
Cambridgeshire	18·06	16·21	134	47·70	4·58	2·67	3·56	5·23	6·72	9·67	13·90	26·27	57·84	147·86
Essex	17·49	17·05	137	52·45	4·78	2·53	3·69	4·78	6·25	10·11	14·79	26·89	59·76	154·86
Suffolk	18·48	15·88	126	46·51	3·77	2·32	3·74	5·93	7·06	9·08	13·09	25·01	56·52	155·37
Norfolk	18·98	16·39	140	51·62	4·02	2·35	3·76	5·71	6·65	9·28	13·15	24·01	54·24	153·41
Wiltshire	17·20	15·14	115	39·86	3·87	2·15	3·15	4·58	6·55	9·03	14·98	27·30	59·32	157·69
Dorsetshire	16·69	14·75	107	39·00	3·84	2·18	3·56	5·48	6·32	9·45	13·58	24·40	57·45	154·08
Devonshire	19·34	17·59	132	52·04	4·24	2·90	4·31	6·27	7·66	11·26	16·21	27·65	59·09	148·61
Cornwall	20·07	18·34	140	57·29	4·56	2·63	4·41	6·56	6·80	9·47	13·87	30·05	63·56	176·85
Somersetshire	18·51	16·61	124	44·60	4·09	2·37	3·80	5·38	7·25	10·39	16·37	30·01	64·25	152·01
Gloucestershire	19·09	18·09	138	52·26	4·53	2·66	3·74	5·52	7·52	11·12	17·05	31·36	66·29	160·45
Herefordshire	18·28	15·87	120	40·46	3·91	2·16	3·47	5·59	6·38	10·10	15·49	29·55	63·43	164·80
Shropshire	18·12	16·18	130	44·00	4·25	2·20	3·18	5·14	7·04	9·59	14·47	28·64	63·37	164·73
Staffordshire	20·80	21·27	171	67·21	4·98	2·77	3·87	4·98	7·03	12·06	20·03	38·35	78·65	170·25
Worcestershire	18·36	17·85	147	53·59	4·30	2·35	3·46	4·68	6·30	10·35	16·47	31·44	66·41	165·39
Warwickshire	20·24	20·42	164	63·29	4·64	2·44	3·58	5·18	7·53	12·89	19·82	35·13	72·76	164·51
Leicestershire	19·69	18·92	182	65·95	4·35	2·49	3·36	4·82	6·22	9·21	14·81	28·84	62·71	162·27
Rutlandshire	16·73	14·55	126	48·30	2·65	1·92	2·91	4·46	5·12	6·85	13·37	22·36	57·80	164·88
Lincolnshire	18·17	16·52	144	50·45	4·46	2·74	3·86	5·35	6·64	9·25	13·54	25·53	58·38	156·63
Nottinghamshire	20·42	19·87	171	68·06	5·16	2·92	3·69	5·41	6·57	10·10	15·72	30·38	64·15	165·44
Derbyshire	18·36	18·44	148	54·88	4·91	2·71	4·27	4·99	6·13	9·35	16·41	33·09	70·64	170·33
Cheshire	19·32	20·28	156	59·35	5·05	2·82	4·31	5·58	7·67	12·06	19·70	36·88	76·84	171·28
Lancashire	23·85	25·62	181	78·76	7·00	3·52	5·10	6·39	9·76	15·5.	25·44	47·20	92·10	184·63
West Riding	21·81	22·48	171	68·70	6·19	3·36	4·90	5·72	7·50	12·02	21·20	40·32	84·22	180·30
East Riding (with York)	20·56	20·33	163	61·31	5·94	3·05	4·56	5·93	7·90	12·50	18·28	32·64	73·19	170·34
North Riding	18·87	18·40	148	56·07	4·70	3·07	4·33	6·05	7·42	10·51	16·88	29·70	64·06	158·61
Durham	20·22	21·14	165	66·02	6·43	3·96	5·49	6·03	6·90	10·72	17·35	35·17	74·45	175·88
Northumberland	20·41	21·03	155	66·81	5·76	3·72	5·49	6·83	8·57	12·94	19·05	35·59	76·37	173·19
Cumberland	19·12	18·79	136	52·86	4·62	2·91	4·22	5·92	7·55	10·99	18·07	34·97	70·63	163·93
Westmorland	16·45	14·87	116	39·19	3·36	1·97	3·45	5·07	6·00	9·10	13·38	26·76	61·32	157·61
Monmouthshire	20·56	20·64	153	62·24	5·81	3·70	4·73	6·05	7·73	12·13	19·03	37·69	73·32	147·81
South Wales	19·87	20·14	153	59·05	6·00	3·81	5·87	7·25	8·22	11·49	18·36	34·21	68·47	153·90
North Wales	19·28	17·72	132	46·33	5·43	3·16	5·14	7·47	8·20	10·69	16·05	30·22	66·82	161·38

* The death-rates under one year of age are per 1000 births.

TABLE 3. (*continued*).—ENGLAND AND WALES.—**Death-rates** PER **1000** LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, **1881-90.—Females.**

	ALL AGES.		Under 1 Year.*	0—	—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
	Crude Rate.	Rate in Standard Population.												
ENGLAND AND WALES	18·01	18·01	128	51·99	5·25	3·09	4·40	5·51	7·34	10·55	15·04	28·40	60·08	147 32
London	18·77	19·74	139	63·23	5·81	2·88	3·56	4·39	6·80	11·38	17·15	30·71	63·00	149·14
Surrey	14·07	14·37	100	37·18	3·99	2·58	3·36	3·69	5·47	8·93	13·51	24·44	51·40	136·45
Kent	15·78	15·16	105	39·86	4·67	3·18	4·33	5·13	6·33	9·21	12·63	23·79	51·46	138·57
Sussex	14·40	13·91	95	35·27	4·16	2·64	3·58	4·44	6·06	8·72	12·20	22·00	49·51	131·08
Hampshire	15·56	14·92	100	38·44	4·29	2·58	4·24	4·95	6·80	9·28	12·56	23·18	52·47	138·82
Berkshire	15·37	14·28	94	35·19	4·28	2·38	3·73	5·17	6·06	8·34	12·08	23·56	52·76	141·63
Middlesex	14·86	15·33	114	44·50	4·60	2·55	2·87	3·41	5·54	8·74	12·99	24·72	54·18	135·60
Hertfordshire	16·02	14·59	95	35·73	3·99	2·68	4·24	5·56	6·23	8·23	12·12	23·85	53·75	147·97
Buckinghamshire	16·13	14·76	103	37·74	3·89	2·36	4·17	4·92	6·18	8·74	11·38	23·14	56·50	147·07
Oxfordshire	15·89	14·46	100	36·42	3·93	2·49	3·62	4·72	5·94	8·74	12·14	22·63	55·06	145·23
Northamptonshire	16·46	15·65	117	43·31	4·22	3·07	4·48	5·39	6·49	9·00	11·30	22·91	54·31	149·12
Huntingdonshire	15·80	13·41	96	33·26	3·69	2·77	5·05	7·38	6·79	6·70	9·27	18·40	48·39	131·85
Bedfordshire	16·26	15·65	117	43·24	4·36	2·94	3·83	5·18	6·75	8·54	12·01	22·81	56·06	147·87
Cambridgeshire	16·55	14·64	108	39·87	4·39	2·94	4·63	5·90	6·89	8·33	11·51	20·81	46·79	131·32
Essex	16·15	15·63	115	44·59	4·71	2·90	4·16	4·83	6·18	8·92	12·39	23·46	51·88	140·34
Suffolk	16·78	14·73	101	38·17	3·81	3·01	4·77	5·93	6·85	9·17	11·21	21·65	49·79	140·00
Norfolk	17·14	14·82	119	41·59	4·09	2·70	4·36	5·38	6·73	8·67	10·83	21·16	47·54	137·87
Wiltshire	16·65	14·76	90	32·74	3·55	2·78	4·63	6·36	7·01	9·12	12·84	24·63	57·77	148·58
Dorsetshire	15·70	13·76	86	32·30	3·88	2·67	4·26	5·23	6·31	8·22	11·43	22·93	50·06	139·66
Devonshire	17·38	15·59	108	43·50	4·38	3·13	4·24	5·45	6·75	8·93	12·16	23·48	52·26	138·16
Cornwall	18·02	16·09	123	49·35	4·53	3·15	4·78	5·93	6·61	7·99	10·50	21·30	51·51	143·54
Somersetshire	16·31	14·46	96	35·83	4·06	2·69	4·08	5·15	6·10	8·70	12·60	23·89	53·14	137·19
Gloucestershire	16·71	15·75	110	42·37	4·38	3·02	4·01	4·88	6·37	9·55	13·42	25·13	55·42	142·07
Herefordshire	16·40	14·19	97	33·30	4·33	2·86	4·09	5·30	6·82	8·98	11·19	23·08	52·21	140·71
Shropshire	16·74	14·89	103	35·96	4·28	2·74	4·15	5·67	7·29	8·95	11·60	23·12	55·85	147·96
Staffordshire	18·49	18·79	140	56·09	4·69	2·78	4·17	5·67	7·45	10·35	14·96	30·42	65·78	152·04
Worcestershire	15·75	15·54	120	44·81	4·10	2·23	3·79	4·49	5·82	8·59	12·39	23·55	55·47	143·90
Warwickshire	17·85	18·15	135	53·82	4·56	2·57	3·83	4·84	7·04	10·74	16·00	29·12	60·95	149·35
Leicestershire	17·23	16·97	146	53·28	4·24	2·56	3·89	4·98	6·45	9·02	12·22	24·09	54·83	152·57
Rutlandshire	15·78	13·88	96	34·21	3·28	3·09	3·78	6·13	5·79	7·78	10·71	20·48	50·59	152·55
Lincolnshire	16·87	15·40	119	41·75	4·62	3·13	4·98	6·39	7·61	9·09	11·36	21·14	49·51	138·29
Nottinghamshire	18·50	18·43	138	55·70	5·21	2·93	4·68	6·31	7·84	10·12	14·29	27·10	58·43	151·27
Derbyshire	17·12	17·34	120	45·14	4·72	2·78	4·58	5·93	7·26	9·45	13·99	29·31	64·79	164·16
Cheshire	17·85	18·62	127	49·68	4·78	2·77	4·23	5·60	7·61	11·22	16·19	32·75	70·01	158·77
Lancashire	21·08	22·84	150	66·92	6 63	3·46	4·74	6·17	8·77	13·27	20·49	39·96	79·84	166·06
West Riding	18·81	20·05	140	57·59	6·22	3·57	5·23	6·26	7·72	10·72	15·78	32·10	70·15	168·48
East Riding (with York)	18·44	18·03	136	51·55	5·51	3·45	4·52	5·84	7·83	11·00	14·59	26·09	57·54	154·38
North Riding	17·42	16·98	121	46·63	4·83	3·02	4·82	6·12	8·00	10·07	13·30	25·93	56·80	146·15
Durham	19·41	20·04	139	57·52	6·32	4·00	5·38	7·19	8·69	11·46	15·82	30·43	65·29	160·15
Northumberland	19·15	19·40	129	51·75	5·91	3·96	5·52	6·99	9·14	12·00	16·33	30·32	64·31	160·39
Cumberland	17 66	17·17	109	43·74	4·65	3·18	4·73	5·91	7·73	10·11	14·81	29·19	62·18	152·52
Westmorland	14·62	13·80	84	30·22	3·97	2·44	4·54	5·65	6·24	7·75	11·70	22·54	52·92	154·13
Monmouthshire	18·79	18·49	126	51·79	6·02	3·02	5·27	6·36	8·53	11·12	15·05	29·86	62·36	137·32
South Wales	18·39	18·01	126	50·08	5·92	3·86	5·46	7·08	8·66	11·28	14·18	27·13	56·09	136·48
North Wales	18·09	16·44	104	38·16	5·26	3·92	6·18	7·67	9·35	10·45	13·16	25·05	54·88	145·08

* The death-rates under one year of age are per 1000 births.

TABLE 4.—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881 90.**

COUNTIES.	ALL CAUSES	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
ENGLAND AND WALES.																									
Persons	19080	45	440	334	163	450	14	196	25	659	15	589	276	1724	420	2592	1576	3729	1104	435	57	84	69	648	3436
Males	20248	52	468	346	158	418	16	211	25	711	17	430	304	1847	471	2894	1548	4696	1147	556	8			968	3617
Females	18806	38	414	322	167	480	13	182	25	610	13	739	249	1609	371	2392	1602	3382	1064	318	103	163	134	347	3260
LONDON.																									
Persons	20308	119	634	328	260	690	8	187	18	745	23	683	352	2078	542	2326	1491	4286	1118	504	75	80	51	735	2975
Males	22027	134	693	354	264	658	9	205	17	822	27	504	412	2547	637	2538	1407	4996	1151	650	11	-	-	1029	3202
Females	18779	105	569	306	257	718	8	171	19	676	20	848	298	1650	467	2138	1485	3946	1089	373	132	151	97	475	2770
SURREY.																									
Persons	15293	30	273	116	229	357	1	107	14	395	12	603	178	1574	349	2460	1517	2505	929	412	51	74	52	492	2571
Males	16990	37	295	132	249	361	2	120	12	438	13	429	188	1892	401	2724	1531	2813	960	555	8	-	-	764	2797
Females	14068	23	253	101	208	353	1	96	15	358	11	759	169	1352	303	2224	1477	2230	876	283	90	141	99	250	2396
KENT.																									
Persons	16572	126	266	143	232	355	4	158	24	489	15	616	228	1511	380	2280	1626	2720	1016	429	54	67	55	624	3154
Males	17587	162	281	139	240	334	4	162	24	520	16	439	226	1554	418	2440	1673	2942	1059	559	9			975	3502
Females	15784	92	251	146	223	376	4	155	24	459	15	788	229	1470	343	2126	1620	2504	983	303	97	132	109	285	4010
SUSSEX.																									
Persons	15657	22	228	116	226	349	3	133	14	430	5	727	173	1662	388	1982	1594	2529	990	456	58	59	56	496	2961
Males	17089	32	257	128	226	339	4	145	16	492	7	542	191	1855	445	2193	1628	2864	1052	621	9			709	4284
Females	14403	14	202	104	225	357	3	122	13	376	3	889	157	1493	339	1797	1564	2206	935	311	109	111	105	284	2689

TABLE 4. (*continued.*)—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881–90.**

] COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
HAMPSHIRE.																									
Persons	16698	6	285	102	237	320	1	208	30	437	6	632	219	1849	343	2297	1717	2821	993	452	46	68	57	515	3057
Males	17903	9	309	98	229	299	2	219	28	474	5	472	248	2088	382	2503	1781	3072	1058	609	7	–	–	783	3228
Females	15564	4	263	106	244	341	1	197	31	401	6	784	192	1625	306	2103	1657	2584	932	304	82	133	111	263	2894
BERKSHIRE.																									
Persons	16169	19	277	151	191	291	2	118	11	01	5	656	145	1473	351	2159	1788	2773	948	438	55	65	59	523	3270
Males	16982	27	295	144	188	272	2	122	9	442	7	486	148	1596	379	2301	1717	2979	978	578	7	–	–	796	3509
Females	15374	11	260	157	195	310	2	113	13	361	4	823	142	1353	323	2020	1857	2573	919	302	101	128	116	257	3034
MIDDLESEX.																									
Persons	16131	45	389	199	284	488	3	163	14	644	16	547	262	1376	434	2265	1322	2924	980	367	44	78	52	521	2714
Males	17561	55	437	203	281	478	5	174	16	736	18	385	309	1556	510	2607	1264	3260	1034	462	4	–	–	788	2979
Females	14861	35	348	196	286	497	2	153	12	562	13	692	220	1216	366	1961	1373	2625	933	284	80	147	98	285	2477
HERTFORDSHIRE.																									
Persons	16891	11	309	158	226	359	1	112	17	443	11	668	146	1434	299	2651	1815	2917	949	467	55	60	60	514	3209
Males	17808	15	340	166	233	348	1	111	15	501	10	511	161	1546	330	2801	1749	3187	962	624	8	–	–	766	3423
Females	16019	8	280	149	220	370	2	112	19	387	11	817	131	1327	270	2509	1879	2661	936	317	100	118	118	276	3002
BUCKINGHAMSH.																									
Persons	16780	19	315	179	160	335	8	148	20	415	8	582	210	1295	322	2236	1595	2939	1008	416	62	62	69	536	3841
Males	17451	25	330	195	148	311	8	164	14	427	6	425	235	1252	354	2383	1544	3169	1000	561	3	–	–	804	4093
Females	16129	14	301	162	171	359	9	133	26	403	10	734	187	1337	290	2093	1645	2716	1016	277	121	123	137	275	3590
OXFORDSHIRE.																									
Persons	16810	11	289	187	85	281	2	114	15	347	4	670	137	1388	365	2345	1698	2792	1023	482	47	64	69	511	3884
Males	17787	18	318	190	79	252	2	127	20	371	5	494	151	1469	394	2509	1618	3134	1048	643	3	–	–	746	4206
Females	15886	5	262	183	92	309	3	102	11	324	4	835	123	1321	338	2191	1774	2469	1000	330	87	125	135	289	3574

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881–90.**

COUNTIES	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
NORTHAMPTONSH.																									
Persons	17080	12	366	258	122	388	3	181	16	559	5	648	178	1413	421	2344	1556	2934	1025	373	44	87	61	555	3531
Males	17792	17	388	256	111	353	3	181	13	589	7	530	184	1445	453	2498	1478	3142	1042	503	5	–	–	836	3675
Females	16465	6	349	260	132	423	3	180	20	530	3	766	171	1384	390	2192	1633	2728	1009	243	83	173	121	277	3389
HUNTINGDONSH.																									
Persons	16410	4	168	135	182	259	4	126	79	373	27	916	143	1536	319	2002	1559	2730	812	404	37	44	48	584	3919
Males	17042	8	185	130	157	216	4	134	59	413	35	795	142	1468	342	2106	1732	2877	929	531	8	–	–	819	3952
Females	15800	—	152	140	205	300	4	118	99	334	19	1032	144	1602	296	1901	1393	2592	698	281	65	87	95	357	3886
BEDFORDSHIRE.																									
Persons	17309	23	268	272	212	370	4	95	16	531	8	655	187	1507	333	2456	1604	2848	1030	442	48	59	63	439	3839
Males	18102	21	318	280	236	344	4	80	20	595	9	482	211	1488	403	2673	1594	3178	1104	598	7	–	–	703	4244
Females	16263	25	224	265	191	394	4	108	13	475	7	809	165	1542	271	2264	1613	2557	964	304	85	111	119	205	3478
CAMBRIDGESHIRE.																									
Persons	17291	9	218	208	245	387	6	146	19	428	14	789	214	1666	391	2080	1702	2748	986	460	55	66	60	594	3800
Males	18030	11	226	208	241	356	6	133	19	451	16	644	231	1674	407	2152	1736	3021	1049	580	8	–	–	877	4014
Females	16539	8	211	208	249	418	6	159	18	406	12	930	197	1659	375	2010	1669	2484	926	345	100	129	118	320	3593
ESSEX.																									
Persons	16818	187	366	218	273	537	4	177	17	607	18	543	250	1431	407	2271	1426	3064	905	346	45	66	56	498	3106
Males	17192	209	374	212	259	476	5	184	15	645	21	391	273	1479	455	2436	1391	3310	933	454	8	–	–	744	3218
Females	16449	164	358	225	288	599	3	170	19	569	15	694	227	1383	360	2107	1461	2818	878	240	81	132	112	253	2994
SUFFOLK.																									
Persons	17610	11	215	99	144	410	5	120	20	455	8	693	234	1707	435	2176	1684	2797	1029	416	56	62	55	554	4225
Males	18480	13	267	95	142	388	6	115	21	499	9	500	251	1664	472	2308	1708	3093	1058	584	8	–	–	829	4481
Females	16783	10	164	102	147	431	5	125	19	414	7	876	218	1748	399	2050	1662	2516	1001	257	102	121	108	294	3977

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING IN REGISTRATION COUNTIES, **1881-90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
NORFOLK.																									
Persons	18027	7	200	159	178	316	5	191	22	553	10	716	182	1495	305	2338	1618	2722	1010	411	66	74	66	540	4838
Males	18981	7	225	157	171	282	4	201	21	639	12	507	204	1462	348	2508	1658	2956	1060	585	11	–	–	814	5149
Females	17137	6	177	160	186	348	5	182	24	482	9	911	162	1527	265	2180	1581	2504	963	248	118	143	127	285	4544
WILTSHIRE.																									
Persons	16921	5	224	120	129	244	2	101	11	233	4	617	203	1451	269	2504	2111	3165	1088	514	56	62	72	498	3238
Males	17197	7	226	122	120	226	–	79	8	248	6	442	225	1429	294	2583	2028	3370	1120	641	6	–	–	736	3281
Females	16646	2	222	118	138	262	3	122	13	218	2	786	181	1471	244	2426	2191	2964	1056	391	104	122	142	267	3201
DORSETSHIRE.																									
Persons	16182	3	248	109	157	230	1	99	20	264	2	629	114	1392	283	2394	1908	2994	1021	466	62	49	72	518	3147
Males	16685	5	265	107	155	209	1	96	19	275	–	467	122	1352	308	2492	1891	3283	1046	596	3	–	–	803	3190
Females	15700	1	231	110	158	250	1	102	21	252	4	785	107	1430	259	2299	1924	2718	998	341	117	95	141	244	3112
DEVONSHIRE.																									
Persons	18305	5	347	186	123	375	5	175	24	381	9	740	191	1708	409	2545	1884	3398	1051	476	62	61	61	562	3527
Males	19341	7	358	205	124	376	7	193	22	417	10	538	210	1757	458	2707	1830	3799	1138	659	7	–	–	879	3640
Females	17379	3	337	172	123	375	3	160	25	348	8	922	173	1663	365	2400	1933	3039	974	313	111	115	115	279	3423
CORNWALL.																									
Persons	18975	2	265	171	158	492	5	165	38	367	7	667	213	1766	384	2453	1652	3173	1075	415	56	56	78	521	4796
Males	20075	5	293	182	157	501	4	162	35	419	11	530	220	1877	445	2563	1647	3600	1154	549	6	–	–	863	4852
Females	18017	–	240	162	158	485	5	167	41	321	5	787	207	1669	331	2356	1656	2800	1007	298	99	105	145	223	4750
SOMERSETSHIRE.																									
Persons	17344	14	312	176	148	285	4	106	19	315	5	669	155	1352	327	2417	1969	3125	1045	474	57	63	61	584	3662
Males	18509	16	344	184	144	276	6	103	17	381	6	489	174	1428	368	2646	1945	3446	1134	641	9	–	–	902	3850
Females	16312	12	283	170	151	293	3	108	21	256	4	828	138	1284	290	2214	1990	2840	967	327	100	118	115	302	3498

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881-90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
GLOUCESTERSH.																									
Persons	17816	23	363	290	89	356	6	136	15	414	6	667	191	1480	354	2465	1790	3319	1015	504	60	75	64	606	3528
Males	18086	32	401	322	90	353	6	152	18	464	6	459	216	1542	405	2709	1797	3618	1074	670	10	–	–	944	3708
Females	16705	16	329	263	88	359	5	123	14	370	5	883	170	1426	310	2252	1785	3057	964	359	104	140	119	310	3289
HEREFORDSHIRE.																									
Persons	17322	5	243	204	121	231	3	60	18	311	6	708	144	1249	240	2622	2201	2981	1009	432	67	67	62	603	3735
Males	18286	11	271	203	129	194	4	67	14	312	9	529	145	1206	261	3002	2217	3397	1075	647	7	–	–	864	3766
Females	16402		215	205	114	266	2	54	22	310	3	881	144	1291	220	2257	2186	2667	946	225	125	132	122	343	3702
SHROPSHIRE.																									
Persons	17424	6	180	203	168	282	7	148	12	383	4	704	149	1369	294	2326	1936	3151	1139	461	51	84	74	640	3653
Males	18115	8	188	208	163	254	7	132	11	402	4	542	168	1368	307	2456	1833	3512	1268	630	5	–	–	971	3738
Females	16740	4	172	197	173	309	7	164	12	365	4	865	131	1371	281	2198	2038	2795	1071	294	96	167	148	313	3566
STAFFORDSHIRE.																									
Persons	19650	52	506	363	79	425	5	203	24	838	8	475	343	1346	307	2694	1348	4080	1112	385	44	92	77	667	4177
Males	20865	57	513	373	77	377	7	210	24	889	10	349	366	1112	345	2871	1304	4069	1146	476	9	–	–	982	4309
Females	18291	46	499	353	82	472	4	196	23	787	6	602	320	1279	270	2516	1391	3551	1078	294	79	184	154	350	3958
WORCESTERSHIRE.																									
Persons	16994	14	363	253	102	305	5	203	28	591	8	553	297	1196	293	2185	1640	3103	1078	421	46	78	69	547	3616
Males	18359	16	387	275	85	288	4	219	31	657	9	407	341	1338	335	2456	1697	3505	1136	560	5	–	–	811	3887
Females	15750	12	342	234	118	320	6	189	26	530	8	687	257	1067	254	1938	1670	2736	1025	295	84	149	132	306	3365
WARWICKSHIRE.																									
Persons	19008	33	442	292	125	485	2	138	22	943	8	617	233	1604	327	2287	1564	3894	1016	433	74	81	62	762	3564
Males	20270	41	468	303	121	445	1	157	20	1024	9	467	256	1889	368	2435	1487	4255	1058	575	7	–	–	1014	3789
Females	17846	25	417	281	129	522	3	120	23	866	7	759	212	1395	287	2166	1651	3554	976	298	137	158	120	525	3356

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881–90.**

COUNTIES.	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
LEICESTERSHIRE.																									
Persons	18422	7	343	382	101	363	4	194	11	1098	9	563	239	1292	406	2683	1481	3185	949	376	48	74	68	597	3949
Males	19690	8	3 9	401	95	344	4	202	9	1198	11	426	250	1372	445	2960	1480	3516	953	513	8	–	–	870	4266
Females	17232	6	328	364	106	382	4	187	13	1005	8	691	227	1217	370	2423	1482	2873	944	247	85	144	132	341	3653
RUTLANDSHIRE.																									
Persons	16251	18	182	173	71	270	9	80	4	262	–	687	115	1272	292	2154	1666	2473	1002	514	58	44	53	532	4320
Males	16726	36	204	178	80	258	18	71	9	249	–	631	116	1191	267	2222	1617	2773	898	684	9	–	–	827	4388
Females	15778	–	159	168	62	283	–	88	–	274	–	743	115	1352	318	2086	1715	2174	1105	345	106	88	106	239	4252
LINCOLNSHIRE.																									
Persons	17513	26	165	306	164	319	5	186	21	561	12	662	225	1467	321	2714	1624	2862	1094	413	57	61	70	573	3605
Males	18165	29	171	300	154	284	6	187	18	600	15	497	226	1826	340	2893	1694	3138	1158	558	13	–	–	855	3703
Females	16869	22	160	313	175	354	4	184	24	522	9	825	223	1606	301	2537	1555	2588	1030	270	100	121	140	295	3511
NOTTINGHAMSH.																									
Persons	19437	22	386	427	164	431	4	268	21	859	15	568	427	1605	413	2565	1517	3407	1129	368	67	95	82	626	3971
Males	20421	24	404	425	159	406	6	282	19	920	18	393	479	1604	449	2798	1408	3736	1182	495	6	–	–	916	4292
Females	18498	20	368	430	168	455	3	254	23	801	13	734	378	1607	379	2343	1621	3093	1079	247	126	186	160	349	3661
DERBYSHIRE.																									
Persons	17741	16	352	360	95	381	3	180	22	559	11	482	277	1406	374	2678	1536	3412	1160	351	53	87	80	609	3257
Males	18365	20	368	352	92	333	2	192	20	597	12	320	303	1365	410	2866	1447	3699	1191	455	9	–	–	907	3405
Females	17119	12	336	369	98	429	4	167	24	522	9	643	251	1446	337	2490	1625	3125	1128	247	96	175	160	312	3114
CHESHIRE.																									
Persons	18854	9	443	294	117	381	20	210	23	595	14	547	237	1606	383	2712	1592	3603	1222	422	50	90	83	648	3553
Males	19920	11	471	314	112	370	24	221	24	634	16	407	269	1667	438	2924	1548	3924	1283	513	8	–	–	989	3753
Females	17852	6	417	276	121	391	17	199	23	557	12	673	208	1549	332	2512	1634	3301	1164	337	89	174	161	328	3366

TABLE 4. *(continued)*.—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING IN REGISTRATION COUNTIES, **1881-90.**

COUNTIES.	ALL Causes.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
LANCASHIRE.																									
Persons	22403	24	709	483	153	520	53	265	34	976	25	477	342	1954	472	2974	1540	5135	1307	437	58	109	80	733	3543
Males	23826	28	760	505	149	483	59	295	34	1054	28	335	381	2101	543	3245	1461	5618	1364	534	9	-	-	1077	3763
Females	21078	21	661	464	156	555	47	237	34	903	22	609	306	1816	406	2723	1612	4684	1253	347	104	212	154	413	3339
WEST RIDING.																									
Persons	20031	44	424	533	105	432	9	222	36	751	19	517	281	1852	450	2999	1534	4200	1145	388	55	92	78	597	3268
Males	21315	53	445	545	109	391	10	247	36	798	21	351	303	1985	505	3300	1494	4691	1198	494	9	-		896	3440
Females	18806	36	405	521	111	468	8	198	35	706	16	675	259	1724	398	2713	1573	3732	1094	287	99	180	153	312	3103
EAST RIDING.																									
Persons	19482	24	274	509	88	389	6	245	39	875	21	594	297	1653	368	3051	1632	3431	1053	424	59	70	63	643	3674
Males	20558	29	292	521	88	342	4	235	41	929	22	416	321	1685	401	3266	1713	3754	1128	530	6	-		975	3800
Females	18437	20	255	497	87	438	8	225	37	823	19	767	275	1622	336	2843	1553	3117	980	291	110	139	125	320	3555
NORTH RIDING.																									
Persons	18150	15	258	339	97	406	5	260	37	550	14	597	344	1467	385	2606	1522	3407	1097	405	55	93	75	624	3491
Males	18872	21	273	348	88	353	6	268	40	586	18	454	358	1379	404	2762	1493	3854	1140	508	5	-	-	252	3562
Females	17448	9	243	330	105	460	4	252	33	513	9	742	331	1557	366	2449	1553	2954	1053	301	106	187	151	293	3447
DURHAM.																									
Persons	19825	61	466	505	82	420	45	273	42	822	16	440	457	1699	548	2763	1380	3629	1189	336	42	106	67	726	3691
Males	20225	66	489	486	75	363	46	284	39	829	17	310	473	1592	580	2919	1361	3915	1165	377	5	-	-	1119	3723
Females	19411	55	464	514	90	480	44	261	45	815	14	575	441	1811	514	2600	1399	3331	1215	293	81	216	177	317	3659
NORTHUMBERLD.																									
Persons	19778	47	416	347	114	394	29	230	44	689	15	557	420	2086	476	2792	1746	3033	1201	406	73	98	81	744	3741
Males	20445	55	428	359	107	349	31	244	46	741	18	422	455	2121	506	2922	1754	3245	1215	493	9	-	-	1122	3793
Females	19149	39	403	335	121	439	26	216	41	637	11	691	386	2051	446	2663	1737	2823	1187	317	136	195	161	370	3686

CVI

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881-90.**

COUNTIES.	ALL CAUSES.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Disease.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
CUMBERLAND.																									
Persons	**18383**	**5**	**442**	**227**	**85**	**395**	**19**	**135**	**16**	**456**	**10**	**616**	**199**	**1621**	**448**	**2400**	**1891**	**3411**	**1008**	**422**	**54**	**81**	**76**	**774**	**3592**
Males	19116	6	495	233	86	363	19	143	18	483	13	489	212	1591	485	2472	1853	3721	1019	525	9	–	–	1202	3679
Females	17661	5	389	222	84	427	18	127	15	429	7	741	187	1651	411	2330	1930	3105	998	320	98	161	151	352	3503
WESTMORLAND.																									
Persons	**15518**	**6**	**133**	**109**	**93**	**193**	**–**	**152**	**20**	**228**	**17**	**637**	**130**	**1404**	**392**	**2223**	**1799**	**2510**	**1028**	**391**	**40**	**92**	**41**	**617**	**3263**
Males	16448	13	128	103	75	181	–	141	28	272	22	535	141	1354	410	2370	1788	2811	1135	553	3	–	–	960	3425
Females	14624	–	138	114	111	204	–	162	12	186	12	736	120	1451	376	2082	1809	2221	925	234	75	180	81	288	3107
MONMOUTHSHIRE.																									
Persons	**19700**	**19**	**520**	**514**	**183**	**489**	**7**	**209**	**26**	**415**	**12**	**482**	**218**	**1411**	**407**	**2627**	**1539**	**4362**	**1139**	**448**	**42**	**99**	**83**	**925**	**3524**
Males	20558	23	522	535	162	423	7	226	30	429	11	355	230	1286	425	2775	1513	4901	1120	509	5	–	–	1507	3564
Females	18790	15	518	493	206	560	6	191	23	400	14	616	205	1543	389	2470	1566	3790	1160	383	80	204	171	307	3480
SOUTH WALES.																									
Persons	**19130**	**6**	**420**	**550**	**103**	**412**	**9**	**264**	**26**	**406**	**10**	**501**	**168**	**2008**	**418**	**2915**	**1428**	**3669**	**977**	**442**	**44**	**104**	**98**	**836**	**3316**
Males	19865	8	433	540	94	377	11	288	25	415	12	400	182	1936	449	3105	1366	4069	1004	547	8	–	–	1357	3239
Females	18388	4	407	560	113	448	7	240	27	397	8	603	155	2080	385	2723	1490	3265	949	336	80	208	198	310	3395
NORTH WALES.																									
Persons	**18682**	**6**	**215**	**263**	**166**	**316**	**10**	**153**	**22**	**244**	**8**	**736**	**182**	**2077**	**337**	**3341**	**1599**	**3338**	**1168**	**569**	**46**	**91**	**97**	**610**	**3088**
Males	19284	9	227	277	168	310	11	163	21	230	12	608	193	2012	353	3468	1572	3713	1214	706	7	–	–	959	3051
Females	18095	3	204	249	165	323	9	143	22	257	5	861	171	2140	322	3218	1625	2973	1124	437	84	180	192	270	3118

TABLE 5.—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.*

PERIODS.		ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and 80 years.
ALL CAUSES.													
1861-70	Persons	22,416	68,305	7,932	4,472	6,393	8,192	9,785	12,722	17,392	30,279	62,458	158,794
1871-80	Persons	21,272	63,116	6,435	3,635	5,327	7,039	8,927	12,018	17,722	31,486	64,830	161,592
1881-90	Persons	19,089	56,825	5,263	3,017	4,350	5,908	7,528	11,415	17,064	31,331	63,951	158,674
1861-70	Males	23,609	73,102	8,148	4,460	6,161	8,453	9,897	13,464	19,165	32,995	66,639	164,643
1871-80	Males	22,612	68,140	6,623	3,691	5,227	7,325	9,304	13,795	20,049	34,556	69,574	169,877
1881-90	Males	20,218	61,688	5,435	2,989	4,297	5,712	7,733	12,345	19,285	34,664	70,139	162,184
1861-70	Females	21,282	63,430	7,756	4,484	6,622	7,958	9,685	12,034	15,554	27,773	58,707	154,277
1871-80	Females	20,044	58,008	6,198	3,700	5,126	6,780	8,582	11,585	15,587	28,548	60,507	156,566
1881-90	Females	18,006	51,994	5,059	3,005	4,402	5,514	7,339	10,546	15,044	28,402	60,079	147,320
SMALL-POX.													
1861-70	Persons	160	635	144	56	86	136	101	73	49	36	26	22
1871-80	Persons	234	516	283	167	197	300	239	168	111	71	46	35
1881-90	Persons	45	80	33	26	41	59	57	44	32	21	17	20
1861-70	Males	179	640	149	56	91	181	136	98	68	48	38	30
1871-80	Males	265	527	301	136	206	377	300	211	145	86	61	48
1881-90	Males	52	82	35	25	43	70	72	59	43	28	26	30
1861-70	Females	142	631	139	55	80	93	70	50	32	25	15	16
1871-80	Females	205	506	266	139	189	230	183	128	81	58	34	26
1881-90	Females	38	77	30	27	40	49	43	29	23	14	10	12
MEASLES.													
1861-70	Persons	440	2,998	242	29	11	9	7	5	3	1	1	1
1871-80	Persons	378	2,598	207	22	7	6	5	4	3	2	1	1
1881-90	Persons	440	3,131	271	23	7	6	6	4	3	1	1	1
1861-70	Males	459	3,067	230	26	9	7	4	4	3	1	1	2
1871-80	Males	396	2,662	196	22	5	6	4	3	3	2	1	1
1881-90	Males	468	3,271	262	19	6	5	3	3	2	1	1	1
1861-70	Females	422	2,929	254	32	13	10	9	5	3	1	1	1
1871-80	Females	360	2,494	217	22	8	6	7	5	3	1	1	2
1881-90	Females	414	2,992	280	26	8	8	8	5	3	1	1	1
SCARLET FEVER.													
1861-70	Persons	972	4,624	2,182	501	153	93	61	28	14	9	6	6
1871-80	Persons	716	3,489	1,515	325	104	63	36	21	9	5	3	3
1881-90	Persons	334	1,669	762	153	41	26	22	12	4	2	3	1
1861-70	Males	1,011	4,745	2,220	468	149	80	47	23	15	8	5	8
1871-80	Males	750	3,587	1,553	345	107	55	35	21	10	5	3	1
1881-90	Males	346	1,712	758	148	43	23	16	10	5	2	4	1
1861-70	Females	934	4,503	2,144	534	157	105	75	33	12	10	6	5
1871-80	Females	685	3,387	1,476	330	101	70	36	20	7	5	3	3
1881-90	Females	322	1,627	765	158	40	28	28	14	3	3	2	1

* The rates of Mortality from the decennium 1861-70 and 1871-80 are not in all cases agree with the rates for the same periods given in previous Annual Supplements, because these rates have been corrected as to be comparable with the rates for 1881-90, which are based on the new census returns.

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
DIPHTHERIA.												
1861–70	185	767	393	136	59	38	26	21	22	26	26	25
1871–80 Persons	121	472	291	88	33	21	17	17	14	18	19	14
1881–90	163	690	424	100	36	20	17	16	14	17	17	12
1861–70	177	757	338	107	58	35	24	20	22	30	32	32
1871–80 Males	117	472	256	72	28	20	14	16	17	19	20	14
1881–90	158	688	373	84	35	19	15	13	14	19	17	15
1861–70	191	778	448	136	61	41	28	22	21	22	21	20
1871–80 Females	125	473	325	105	38	22	19	19	12	16	18	15
1881–90	167	693	474	115	37	21	19	18	13	16	16	9
WHOOPING-COUGH.												
1861–70	527	3,766	152	8	2	1	0	1	0	0	1	—
1871–80 Persons	512	3,652	135	6	1	0	0	0	0	0	0	1
1881–90	450	3,370	128	4	1	1	0	0	0	1	1	3
1861–70	487	3,394	123	5	1	0	0	1	0	1	1	—
1871–80 Males	474	3,309	112	4	1	—	0	0	0	0	0	1
1881–90	418	3,066	100	3	1	1	0	0	1	1	1	2
1861–70	566	4,139	182	11	3	1	1	0	0	0	1	—
1871–80 Females	547	3,994	157	8	1	1	0	0	0	1	0	1
1881–90	480	3,672	155	5	2	0	0	1	0	1	1	4
FEVER (Including TYPHUS, ENTERIC FEVER, and ILL-DEFINED FORMS of CONTINUED FEVER).												
1861–70	885	1,248	924	709	850	770	671	748	842	1,055	1,299	1,330
1871–80 Persons	482	646	514	435	540	506	408	375	399	452	549	493
1881–90	235	190	221	235	321	309	262	222	194	190	174	129
1861–70	826	1,230	881	622	787	823	704	793	903	1,159	1,469	1,494
1871–80 Males	490	640	482	388	511	577	434	392	433	495	625	587
1881–90	252	189	207	216	331	369	304	243	221	220	195	142
1861–70	875	1,266	966	798	911	722	641	706	784	959	1,151	1,203
1871–80 Females	473	653	545	485	570	442	385	360	366	413	484	421
1881–90	220	191	235	252	311	256	225	202	169	164	157	120
TYPHUS.												
1861–70*	?	?	?	?	?	?	?	?	?	?	?	?
1871–80 Persons	57	26	45	49	68	68	60	68	74	68	64	37
1881–90	14	4	7	9	16	15	18	26	21	17	12	6
1861–70*	?	?	?	?	?	?	?	?	?	?	?	?
1871–80 Males	61	26	46	47	70	83	69	74	80	77	77	50
1881–90	16	4	7	8	17	19	21	28	24	21	14	7
1861–70*	?	?	?	?	?	?	?	?	?	?	?	?
1871–80 Females	52	27	43	52	67	55	53	63	68	60	53	28
1881–90	13	4	8	9	15	12	16	24	19	13	10	6

* The deaths from typhus were not separately classified prior to 1869.

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ENTERIC FEVER.												
1861-70	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Persons	322	469	336	311	406	380	294	248	251	267	294	218
1881-90	196	129	180	208	289	282	232	182	155	142	113	62
1861-70	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Males	325	396	308	273	376	430	309	258	273	296	340	259
1881-90	211	131	170	191	298	336	272	201	176	165	132	71
1861-70	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Females	320	401	364	350	436	334	280	238	230	247	255	187
1881-90	182	128	189	225	280	233	196	164	135	122	98	55
SIMPLE AND ILL-DEFINED CONTINUED FEVER.												
1861-70	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Persons	103	220	123	75	66	58	54	59	74	117	191	228
1881-90	25	57	34	18	16	12	12	14	18	31	49	61
1861-70	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Males	104	218	128	68	65	64	56	60	80	128	208	278
1881-90	25	54	30	17	16	14	11	14	21	34	49	64
1861-70	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Females	101	222	118	83	67	53	52	59	68	106	176	206
1881-90	25	59	38	18	16	11	13	14	15	29	49	59
PUERPERAL FEVER AND CHILDBIRTH.												
1861-70	165	—	—	0	81	334	484	461	31	—	—	—
1871-80 Persons	167	—	—	0	84	335	490	461	27	—	—	—
1881-90	153	—	—	0	64	317	463	415	22	0	—	—
1861-70	—	—	—	—	—	—	—	—	—	—	—	—
1871-80 Males	—	—	—	—	—	—	—	—	—	—	—	—
1881-90	—	—	—	—	—	—	—	—	—	—	—	—
1861-70	321	—	—	0	161	633	921	888	60	—	—	—
1871-80 Females	325	—	—	1	167	678	946	886	53	—	—	—
1881-90	297	—	—	0	129	601	888	802	43	0	—	—
DIARRHŒAL DISEASES (Including CHOLERA).												
1861-70	1,076	5,985	160	67	61	95	155	217	319	660	1,639	4,372
1871-80 Persons	993	5,728	69	23	21	35	59	96	161	417	1,133	3,740
1881-90	674	4,346	54	16	15	23	37	61	107	301	985	2,581
1861-70	1,145	6,377	160	74	61	90	139	204	337	683	1,694	4,486
1871-80 Males	1,068	6,158	64	22	21	36	54	94	169	438	1,243	3,930
1881-90	728	4,683	50	15	14	21	33	56	110	317	920	2,728
1861-70	1,011	5,591	161	62	60	100	169	228	300	638	1,593	4,267
1871-80 Females	927	5,299	74	25	21	39	66	97	153	398	1,049	3,611
1881-90	623	4,012	57	18	16	26	41	64	104	287	853	2,472

* The deaths from enteric fever and from simple and ill-defined forms of continued fever were not separately classified prior to 1869.

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
CANCER.												
1861-70 Persons	384	13	7	7	17	29	113	445	1,048	1,768	2,360	2,556
1871-80 Persons	468	12	7	7	15	27	124	525	1,255	2,200	3,092	3,283
1881-90 Persons	589	20	10	11	20	35	128	584	1,545	2,868	4,160	4,295
1861-70 Males	242	13	8	7	18	26	60	204	536	1,201	1,862	2,258
1871-80 Males	312	13	7	8	16	27	70	239	705	1,588	2,599	2,985
1881-90 Males	430	21	11	12	23	37	79	297	998	2,299	3,742	3,914
1861-70 Females	519	13	7	7	16	32	161	669	1,530	2,291	2,791	2,786
1871-80 Females	617	12	7	7	14	26	173	790	1,760	2,753	3,512	3,513
1881-90 Females	739	19	9	10	18	33	172	852	2,042	3,368	4,506	4,578
PHTHISIS.												
1861-70 Persons	2,475	968	454	825	2,651	3,928	4,243	4,026	3,340	2,656	1,603	539
1871-80 Persons	2,116	767	358	664	2,036	3,117	3,619	3,745	3,132	2,449	1,476	492
1881-90 Persons	1,724	536	290	521	1,545	2,324	2,901	3,132	2,737	2,169	1,355	521
1861-70 Males	2,467	990	431	605	2,190	3,883	4,094	4,166	3,861	3,297	2,024	659
1871-80 Males	2,209	783	340	481	1,675	3,092	3,699	4,120	3,860	3,195	1,924	603
1881-90 Males	1,847	553	253	342	1,287	2,333	3,024	3,562	3,488	2,916	1,816	688
1861-70 Females	2,483	947	477	1,045	3,112	3,967	4,378	3,900	2,850	2,065	1,239	447
1871-80 Females	2,028	750	375	846	2,397	3,140	3,543	3,401	2,464	1,777	1,093	407
1881-90 Females	1,609	518	327	699	1,800	2,315	2,787	2,730	2,053	1,512	974	397
OTHER TUBERCULAR DISEASES.												
1861-70 Persons	765	4,477	525	269	182	125	90	76	88	111	121	78
1871-80 Persons	747	4,442	503	256	169	104	74	62	65	80	96	45
1881-90 Persons	696	3,963	554	306	229	171	128	107	94	94	83	48
1861-70 Males	870	5,003	593	290	185	136	95	73	88	120	137	77
1871-80 Males	849	4,991	556	264	171	110	72	61	63	79	96	46
1881-90 Males	775	4,457	562	285	216	174	126	108	106	107	90	42
1861-70 Females	665	3,949	458	249	179	114	87	79	87	102	107	79
1871-80 Females	651	3,894	451	247	167	95	75	63	67	80	96	45
1881-90 Females	620	3,473	545	327	242	168	130	106	83	82	78	53
DIABETES MELLITUS.												
1861-70 Persons	30	3	5	9	17	19	32	42	59	95	117	74
1871-80 Persons	38	1	4	10	19	25	37	51	72	132	171	113
1881-90 Persons	57	4	7	15	24	30	46	64	107	217	293	238
1861-70 Males	41	3	5	10	22	24	44	55	83	136	180	120
1871-80 Males	50	1	4	10	24	34	48	68	96	181	247	172
1881-90 Males	69	5	7	14	26	35	58	78	134	282	397	314
1861-70 Females	20	2	4	8	13	14	22	30	37	58	62	38
1871-80 Females	27	2	4	10	14	18	27	35	50	87	106	67
1881-90 Females	45	3	6	15	22	26	35	51	82	161	206	180

TABLES 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
DISEASES OF NERVOUS SYSTEM.												
1861-70 Persons	2,796	10,247	565	322	377	421	621	1,126	2,022	4,324	10,068	18,492
1871-80 Persons	2,789	9,249	565	324	353	369	592	1,201	2,244	4,908	11,427	21,273
1881-90 Persons	2,592	8,337	578	320	331	333	501	1,098	2,169	4,972	11,827	21,695
1861-70 Males	3,087	11,517	595	330	366	440	701	1,339	2,243	4,662	10,946	19,894
1871-80 Males	3,071	10,483	602	334	349	382	681	1,429	2,428	5,324	12,464	23,102
1881-90 Males	2,804	9,451	601	322	331	339	553	1,263	2,302	5,286	12,862	23,923
1861-70 Females	2,519	8,972	536	315	388	403	549	929	1,815	4,012	9,311	17,357
1871-80 Females	2,520	8,016	528	314	356	357	511	990	2,075	4,532	10,542	19,820
1881-90 Females	2,392	7,231	556	318	330	329	454	943	2,049	4,697	10,969	20,427
DISEASES OF CIRCULATORY SYSTEM.												
1861-70 Persons	1,054	106	142	222	280	312	548	1,019	1,891	3,730	7,261	9,186
1871-80 Persons	1,339	94	145	237	306	342	624	1,319	2,276	4,856	9,750	13,289
1881-90 Persons	1,576	134	149	258	334	358	592	1,345	2,571	5,712	12,196	18,854
1861-70 Males	1,067	114	140	203	266	300	590	1,086	1,879	3,868	7,547	10,318
1871-80 Males	1,348	102	138	205	297	328	660	1,458	2,397	5,023	10,081	14,372
1881-90 Males	1,548	146	139	221	313	325	566	1,398	2,698	5,885	12,954	20,356
1861-70 Females	1,042	98	143	241	293	323	510	956	1,729	3,718	7,015	8,312
1871-80 Females	1,330	87	152	270	314	355	592	1,190	2,165	4,705	9,468	12,454
1881-90 Females	1,602	122	160	295	354	388	616	1,295	2,455	5,558	11,807	17,764
DISEASES OF RESPIRATORY SYSTEM.												
1861-70 Persons	3,591	12,518	795	221	309	447	723	1,413	2,892	6,691	14,983	24,343
1871-80 Persons	3,899	13,053	763	211	300	444	775	1,621	3,252	7,421	16,068	30,219
1881-90 Persons	3,729	12,966	833	213	305	443	781	1,609	3,173	7,102	15,081	29,087
1861-70 Males	3,938	13,554	811	212	313	520	859	1,720	3,496	7,581	15,175	26,148
1871-80 Males	4,272	14,243	781	204	326	533	932	2,000	4,048	8,442	17,069	31,544
1881-90 Males	4,096	14,141	846	211	344	531	944	1,998	4,011	8,264	16,376	30,668
1861-70 Females	3,262	11,478	779	230	306	382	611	1,129	2,325	5,871	13,103	22,650
1871-80 Females	3,545	11,895	745	217	274	363	632	1,270	2,521	6,500	15,218	29,199
1881-90 Females	3,382	11,799	821	215	266	363	632	1,244	2,410	6,081	14,009	28,326
BRONCHITIS.												
1861-70 Persons	1,760	4,741	164	49	64	104	231	607	1,591	4,250	9,881	19,018
1871-80 Persons	2,285	7,024	184	48	60	91	220	679	1,887	4,995	12,037	24,919
1881-90 Persons	2,138	7,497	182	40	44	67	159	520	1,549	4,418	10,795	23,226
1861-70 Males	1,833	5,123	159	44	59	107	246	671	1,740	4,481	10,023	19,802
1871-80 Males	2,381	7,654	178	44	57	92	228	742	2,057	5,273	12,268	25,356
1881-90 Males	2,220	8,173	175	37	42	63	155	540	1,706	4,732	11,098	23,200
1861-70 Females	1,691	4,358	168	54	69	101	217	549	1,451	4,037	9,789	18,413
1871-80 Females	2,193	6,394	190	52	63	91	212	621	1,736	4,745	11,915	24,582
1881-90 Females	2,060	6,826	188	43	46	70	163	502	1,406	4,143	10,545	23,245

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
PNEUMONIA.												
1861-70 Persons	1,089	5,345	271	103	157	218	302	447	627	1,005	1,574	2,062
1871-80 Persons	1,004	3,982	258	105	172	260	392	642	877	1,336	2,000	2,397
1881-90 Persons	1,066	3,668	299	119	201	301	494	833	1,157	1,762	2,596	3,187
1861-70 Males	1,261	5,822	275	100	168	273	385	612	892	1,324	1,928	2,336
1871-80 Males	1,188	4,353	260	101	194	335	508	882	1,270	1,796	2,441	2,783
1881-90 Males	1,275	4,005	302	117	236	382	640	1,138	1,682	2,352	3,226	3,693
1861-70 Females	926	4,866	268	106	145	169	226	294	379	711	1,268	1,850
1871-80 Females	828	3,613	256	109	150	192	286	419	516	921	1,622	2,099
1881-90 Females	868	3,332	295	121	167	229	361	549	679	1,243	2,074	2,809
PLEURISY.												
1861-70 Persons	42	28	13	11	19	27	38	50	66	105	159	196
1871-80 Persons	49	33	17	13	22	32	44	60	80	125	178	210
1881-90 Persons	55	43	20	14	25	32	43	69	90	143	211	238
1861-70 Males	51	31	15	12	21	35	48	67	92	134	168	210
1871-80 Males	60	36	19	15	28	42	56	77	113	161	192	217
1881-90 Males	67	49	21	17	30	42	55	90	124	184	239	245
1861-70 Females	34	25	12	10	17	21	28	35	42	79	151	185
1871-80 Females	39	30	14	12	16	23	34	44	50	93	166	204
1881-90 Females	45	37	19	12	20	24	33	50	60	106	189	233
CROUP.												
1861-70 Persons	246	1,593	248	13	1	0	0	0	—	—	—	—
1871-80 Persons	168	1,047	210	9	0	0	0	—	—	—	—	—
1881-90 Persons	144	907	217	9	0	0	0	—	—	—	—	—
1861-70 Males	269	1,698	263	15	0	—	—	0	—	—	—	—
1871-80 Males	186	1,131	225	9	0	—	—	—	—	—	—	—
1881-90 Males	159	985	227	9	0	—	0	—	—	—	—	—
1861-70 Females	223	1,488	232	11	1	0	0	—	—	—	—	—
1871-80 Females	151	962	196	10	0	0	0	—	—	—	—	—
1881-90 Females	129	829	206	9	0	0	—	—	—	—	—	—
LARYNGITIS.												
1861-70 Persons	51	223	48	9	8	11	19	24	32	36	41	36
1871-80 Persons	48	185	50	11	9	11	21	30	34	40	46	36
1881-90 Persons	54	256	75	12	7	6	11	18	24	35	47	52
1861-70 Males	56	235	48	10	7	11	21	29	41	51	52	50
1871-80 Males	55	200	53	12	10	10	23	36	47	59	65	45
1881-90 Males	60	272	79	12	6	6	12	23	32	46	62	70
1861-70 Females	46	211	48	8	9	11	17	19	25	23	31	26
1871-80 Females	41	171	47	11	8	12	20	24	21	23	29	29
1881-90 Females	49	241	72	11	8	7	10	14	17	25	34	39

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
DISEASES OF DIGESTIVE SYSTEM.												
1861-70 } Persons	1,184	2,665	210	179	241	308	462	911	1,642	3,019	4,822	5,378
1871-80 } Persons	1,165	2,637	194	158	210	266	438	901	1,671	3,099	4,839	5,690
1881-90 } Persons	1,104	2,962	225	161	204	237	353	745	1,421	2,670	4,443	5,736
1861-70 } Males	1,226	2,983	217	197	246	285	451	918	1,710	3,058	4,947	5,208
1871-80 } Males	1,205	2,959	198	169	218	247	413	902	1,732	3,167	4,911	5,753
1881-90 } Males	1,147	3,324	213	173	207	226	342	741	1,453	2,756	4,621	5,877
1861-70 } Females	1,145	2,345	204	160	236	328	510	909	1,578	2,983	4,714	5,440
1871-80 } Females	1,126	2,316	190	147	201	282	461	899	1,615	2,921	4,778	5,642
1881-90 } Females	1,064	2,602	236	150	201	247	363	749	1,393	2,595	4,296	5,631
DISEASES OF URINARY SYSTEM.												
1861-70 } Persons	206	95	62	45	64	99	161	277	419	779	1,611	2,563
1871-80 } Persons	350	149	89	59	82	120	208	370	583	1,052	2,033	3,188
1881-90 } Persons	435	193	92	62	89	138	226	437	734	1,363	2,690	4,172
1861-70 } Males	378	114	80	55	78	111	192	348	572	1,139	2,714	4,991
1871-80 } Males	471	178	111	65	89	126	234	442	766	1,474	3,290	5,993
1881-90 } Males	556	215	109	66	93	141	237	494	917	1,826	4,139	7,475
1861-70 } Females	160	75	44	36	50	88	133	211	276	448	658	688
1871-80 } Females	235	121	67	53	75	116	184	304	414	671	958	1,098
1881-90 } Females	318	171	75	57	85	134	215	384	568	955	1,489	1,766
VIOLENCE (ACCIDENT, SUICIDE, AND HOMICIDE).												
1861-70 } Persons	765	1,317	458	448	500	543	585	720	899	1,115	1,319	2,368
1871-80 } Persons	733	1,215	385	354	442	490	565	723	925	1,185	1,461	2,556
1881-90 } Persons	648	1,143	325	263	359	386	469	654	858	1,116	1,449	2,494
1861-70 } Males	1,175	1,476	600	757	857	1,016	1,084	1,307	1,554	1,887	2,015	2,490
1871-80 } Males	1,116	1,353	527	596	761	924	1,031	1,278	1,584	1,970	2,212	2,845
1881-90 } Males	968	1,266	451	435	602	686	829	1,130	1,450	1,845	2,183	2,771
1861-70 } Females	378	1,157	315	134	147	118	136	192	284	401	718	2,274
1871-80 } Females	369	1,077	243	111	126	113	140	212	319	477	820	2,334
1881-90 } Females	347	1,019	199	91	120	115	138	209	320	476	841	2,298
SUICIDE.												
1861-70 } Persons	65	—	0	4	29	44	62	106	170	225	209	148
1871-80 } Persons	70	—	—	3	25	48	70	113	174	242	240	182
1881-90 } Persons	77	—	0	3	31	52	78	130	191	253	262	189
1861-70 } Males	99	—	—	4	27	59	93	167	262	376	356	249
1871-80 } Males	107	—	—	4	24	64	104	178	275	408	415	335
1881-90 } Males	118	—	0	4	29	66	116	201	308	436	476	372
1861-70 } Females	34	—	0	3	30	31	35	53	83	86	82	69
1871-80 } Females	35	—	—	3	26	33	39	54	81	94	92	64
1881-90 } Females	37	—	0	3	33	39	42	64	84	91	85	58

TABLE 6.—**Mean Annual Marriage-, Birth-, and Death-rates per 1000 Persons living in England and Wales and in each Registration County, 1881–90.**

	England and Wales.	London.	Surrey.	Kent.	Sussex.	Hampshire.	Berkshire.	Middlesex.	Hertfordshire.	Buckinghamshire.	Oxfordshire.	Northamptonshire.	Huntingdonshire.	Bedfordshire.	Cambridgeshire.
Mean Population, 1881–91	27,488,482	4,014,113	516,573	757,412	524,368	620,781	258,125	477,907	208,777	160,156	184,895	292,554	51,756	160,129	193,692
Decennial Increase or Decrease of Population (per cent.).*	11·66	10·38	24·09	13·68	12·20	15·83	8·37	50·93	6·29	·57	3·49	11·26	— 5·51	7·59	2·60
Marriage-rate	14·90	17·49	12·37	13·27	12·59	14·38	12·58	10·88	10·74	12·38	12·73	14·02	12·62	13·47	12·86
Birth-rate	32·34	33·11	28·43	30·51	27·67	29·69	29·61	31·98	29·04	30·37	29·63	31·64	28·01	30·66	29·27
Death-rate†	19·08	20·31	15·29	16·57	15·66	16·70	16·17	16·13	16·89	16·78	16·81	17·08	16·41	17·31	17·29
Small-pox	0·04	0·12	0·03	0·13	0·02	0·01	0·02	0·04	0·01	0·02	0·01	0·01	0·00	0·02	0·01
Measles	0·44	0·63	0·27	0·27	0·23	0·29	0·28	0·39	0·31	0·32	0·29	0·37	0·17	0·27	0·22
Scarlet Fever	0·33	0·33	0·12	0·14	0·12	0·10	0·15	0·20	0·16	0·18	0·19	0·26	0·14	0·27	0·21
Diphtheria	0·16	0·26	0·23	0·23	0·23	0·24	0·19	0·28	0·23	0·16	0·09	0·12	0·18	0·21	0·25
Whooping-cough	0·45	0·69	0·36	0·36	0·35	0·32	0·29	0·49	0·36	0·34	0·28	0·39	0·26	0·37	0·39
Typhus	0·01	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·01
Enteric Fever	0·20	0·19	0·11	0·16	0·13	0·21	0·12	0·16	0·11	0·15	0·11	0·18	0·13	0·09	0·15
Simple Continued Fever	0·03	0·02	0·01	0·02	0·01	0·03	0·01	0·01	0·02	0·02	0·02	0·02	0·08	0·02	0·02
Diarrhœa and Dysentery	0·66	0·74	0·40	0·49	0·43	0·44	0·40	0·64	0·44	0·42	0·35	0·56	0·37	0·53	0·43
Cholera	0·02	0·02	0·01	0·02	0·00	0·01	0·01	0·02	0·01	0·01	0·00	0·01	0·03	0·01	0·01
Cancer	0·59	0·68	0·60	0·62	0·73	0·63	0·66	0·55	0·67	0·58	0·67	0·65	0·92	0·66	0·79
Tabes Mesenterica	0·28	0·35	0·18	0·23	0·17	0·22	0·14	0·26	0·15	0·21	0·14	0·18	0·14	0·19	0·21
Phthisis	1·72	2·08	1·57	1·51	1·66	1·85	1·47	1·38	1·43	1·29	1·39	1·41	1·54	1·51	1·67
Other Tub. & Scrof. Dis.	0·42	0·54	0·35	0·38	0·39	0·34	0·35	0·43	0·30	0·32	0·37	0·42	0·32	0·33	0·32
Diseases of Nervous System	2·59	2·33	2·46	2·28	1·98	2·30	2·16	2·26	2·65	2·24	2·34	2·34	2·00	2·46	2·08
Diseases of Circulatory „	1·58	1·49	1·52	1·63	1·59	1·72	1·79	1·32	1·81	1·60	1·70	1·56	1·56	1·60	1·70
Diseases of Respiratory „	3·73	4·29	2·51	2·72	2·53	2·82	2·77	2·92	2·92	2·94	2·79	2·93	2·73	2·85	2·75
Diseases of Digestive „	1·10	1·12	0·92	1·02	0·99	0·99	0·95	0·98	0·95	1·01	1·02	1·03	0·81	1·03	0·99
Diseases of Urinary „	0·43	0·50	0·41	0·43	0·46	0·45	0·44	0·37	0·47	0·42	0·48	0·37	0·40	0·44	0·46
Diseases of Generative „	0·06	0·08	0·05	0·05	0·06	0·05	0·05	0·04	0·06	0·06	0·05	0·04	0·04	0·05	0·06
Puerperal Fever	0·08	0·08	0·07	0·07	0·06	0·07	0·06	0·08	0·06	0·06	0·06	0·09	0·04	0·06	0·07
Childbirth	0·07	0·05	0·05	0·06	0·06	0·06	0·06	0·05	0·06	0·07	0·07	0·06	0·05	0·06	0·06
Violence	0·65	0·74	0·49	0·62	0·50	0·52	0·52	0·52	0·51	0·54	0·51	0·56	0·58	0·44	0·59
Other Causes	3·44	2·97	2·57	3·13	2·96	3·03	3·28	2·74	3·20	3·81	3·88	3·52	3·92	3·84	3·77

* The *minus* sign signifies a decrease.

† For death-rate in Standard Population, *see* Table 3, page xcvii.

TABLE 6. (*continued*).—**Mean Annual Marriage-, Birth-, and Death-rates** PER **1000 Persons** LIVING in ENGLAND AND WALES and in each REGISTRATION COUNTY, **1881–90.**

——	Essex.	Suffolk.	Norfolk.	Wiltshire.	Dorsetshire.	Devonshire.	Cornwall.	Somersetshire.	Gloucestershire.	Herefordshire.	Shropshire.	Staffordshire.	Worcestershire.	Warwickshire.	Leicestershire.	Rutlandshire.
Mean Population, 1881–91	656,730	353,652	449,037	251,940	186,963	623,312	322,479	500,339	537,026	115,746	260,327	1,055,105	402,771	760,134	352,964	22,565
Decennial Increase or Decrease of Population (per cent.)*	37·82	2·77	3·03	2·66	2·17	4·09	−2·13	3·84	4·52	−3·93	−4·18	9·60	10·31	9·75	16·08	−3·84
Marriage-rate	11·96	13·21	13·54	12·71	13·47	14·91	13·42	13·01	15·25	11·7	13·06	13·22	13·92	15·10	14·48	11·19
Birth-rate	33·13	31·56	30·28	29·37	28·16	28·43	28·60	29·28	29·74	27·15	28·59	30·35	30·92	32·93	33·78	27·02
Death-rate†	16·82	17·61	18·03	16·92	16·18	18·30	18·98	17·34	17·82	17·32	17·42	19·65	16·99	19·01	18·42	16·25
Small-pox	0·19	0·01	0·01	0·00	0·00	0·01	0·00	0·01	0·02	0·01	0·01	0·05	0·01	0·03	0·01	0·02
Measles	0·37	0·21	0·20	0·22	0·25	0·35	0·26	0·31	0·36	0·24	0·18	0·51	0·36	0·44	0·34	0·18
Scarlet Fever	0·22	0·10	0·16	0·12	0·11	0·19	0·17	0·18	0·20	0·20	0·20	0·36	0·25	0·29	0·38	0·17
Diphtheria	0·27	0·14	0·18	0·13	0·16	0·12	0·16	0·15	0·19	0·12	0·17	0·08	0·10	0·13	0·10	0·07
Whooping-cough	0·54	0·41	0·32	0·24	0·23	0·38	0·49	0·28	0·36	0·23	0·28	0·42	0·30	0·48	0·36	0·27
Typhus	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·01	0·01	0·01	0·00	0·00	0·01
Enteric Fever	0·18	0·12	0·19	0·10	0·10	0·18	0·16	0·11	0·14	0·06	0·15	0·20	0·20	0·14	0·19	0·08
Simple Continued Fever	0·02	0·02	0·02	0·01	0·02	0·02	0·03	0·02	0·02	0·02	0·01	0·02	0·03	0·02	0·01	0·09
Diarrhœa and Dysentery	0·61	0·46	0·56	0·23	0·26	0·38	0·37	0·31	0·41	0·31	0·38	0·84	0·59	0·94	1·10	0·26
Cholera	0·02	0·01	0·01	0·00	0·00	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·01	0·01	–
Cancer	0·54	0·69	0·73	0·62	0·63	0·74	0·67	0·67	0·67	0·67	0·71	0·70	0·48	0·55	0·62	0·56	0·69
Tabes Mesenterica	0·25	0·23	0·18	0·20	0·11	0·19	0·21	0·15	0·19	0·14	0·15	0·34	0·31	0·23	0·24	0·12
Phthisis	1·43	1·71	1·50	1·45	1·39	1·71	1·77	1·35	1·48	1·25	1·37	1·34	1·20	1·60	1·20	1·37
Other Tuberc. & Scrof. Dis.	0·41	0·43	0·31	0·27	0·28	0·41	0·38	0·33	0·35	0·24	0·20	0·31	0·29	0·33	0·41	0·29
Diseases of Nervous System	2·27	2·18	2·34	2·50	2·39	2·55	2·45	2·42	2·46	2·62	2·33	2·69	2·19	2·29	2·68	2·15
Circulatory „	1·43	1·68	1·62	2·11	1·91	1·89	1·65	1·97	1·79	2·20	1·94	1·35	1·64	1·58	1·48	1·65
Respiratory „	3·06	2·80	2·72	3·17	2·89	3·40	3·17	3·13	3·32	2·98	3·15	1·08	3·10	3·90	3·18	2·47
Digestive „	0·91	1·03	1·01	1·09	1·02	1·05	1·08	1·05	1·02	1·01	1·14	1·11	1·08	1·02	0·95	1·00
Urinary „	0·35	0·42	0·41	0·51	0·47	0·48	0·42	0·47	0·50	0·43	0·46	0·39	0·42	0·43	0·38	0·64
Generative „	0·04	0·06	0·07	0·06	0·06	0·06	0·06	0·06	0·06	0·06	0·07	0·05	0·04	0·05	0·07	0·06
Puerperal Fever	0·07	0·06	0·07	0·06	0·05	0·06	0·06	0·06	0·08	0·07	0·08	0·09	0·08	0·08	0·07	0·04
Childbirth	0·06	0·06	0·07	0·07	0·07	0·08	0·08	0·06	0·06	0·06	0·08	0·08	0·07	0·06	0·07	0·05
Violence	0·50	0·55	0·54	0·50	0·52	0·56	0·52	0·58	0·61	0·60	0·64	0·67	0·55	0·76	0·60	0·55
OTHER CAUSES	3·08	4·22	4·82	3·26	3·16	3·60	4·80	3·66	3·52	3·74	3·85	4·18	3·61	3·58	3·86	4·34

* The *minus* sign signifies a decrease.

† For death-rate in Standard Population, *see* Table 3, page xcvii.

TABLE 6. (*continued*).—**Mean Annual Marriage-, Birth-, and Death-rates PER 1000 Persons LIVING in ENGLAND AND WALES and in each REGISTRATION COUNTY, 1881-90.**

——	Lincoln-shire.	Notting-ham-shire.	Derby-shire.	Cheshire.	Lanca-shire.	West Riding.	East Riding.	North Riding.	Durham.	North-umber-land.	Cumber-land.	Westmor-land.	Mon-mouth-shire.	South Wales.	North Wales.
Mean Population, 1881-91	465,171	471,976	409,464	665,171	3,721,862	2,331,207	381,230	344,384	949,767	470,058	258,598	65,265	254,787	965,595	456,600
Decennial Increase or Decrease of Population (per cent.)*	0·91	15·20	11·87	13·76	13·54	12·12	10·41	5·96	17·01	16·67	6·34	2·96	17·47	19·18	−2·38
Marriage-rate	13·55	16·19	13·97	13·60	16·17	15·48	15·82	14·01	15·62	15·96	13·83	12·74	15·87	15·45	12·29
Birth-rate	30·45	35·86	33·15	31·54	34·45	32·27	32·69	33·24	37·65	33·89	33·31	28·62	34·31	33·32	27·96
Death-rate†	17·51	19·44	17·74	18·85	22·40	20·03	19·48	18·15	19·83	19·78	18·38	15·52	19·70	19·13	18·68
Small-pox	0·03	0·02	0·02	0·01	0·02	0·04	0·02	0·01	0·06	0·05	0·01	0·01	0·02	0·01	0·01
Measles	0·17	0·39	0·35	0·44	0·71	0·42	0·27	0·26	0·47	0·42	0·44	0·13	0·52	0·42	0·22
Scarlet Fever	0·30	0·43	0·36	0·29	0·48	0·53	0·51	0·34	0·51	0·35	0·23	0·11	0·51	0·55	0·26
Diphtheria	0·16	0·16	0·09	0·12	0·15	0·11	0·09	0·10	0·08	0·11	0·09	0·09	0·18	0·10	0·17
Whooping-cough	0·32	0·43	0·38	0·38	0·52	0·43	0·39	0·41	0·42	0·39	0·40	0·19	0·49	0·41	0·32
Typhus	0·01	0·00	0·00	0·02	0·05	0·01	0·01	0·01	0·04	0·03	0·02	—	0·01	0·01	0·01
Enteric Fever	0·19	0·27	0·18	0·21	0·27	0·22	0·24	0·26	0·27	0·23	0·13	0·15	0·21	0·26	0·15
Simple Continued Fever	0·02	0·02	0·02	0·02	0·03	0·04	0·04	0·04	0·04	0·04	0·02	0·02	0·03	0·03	0·02
Diarrhœa and Dysentery	0·56	0·86	0·56	0·59	0·98	0·75	0·88	0·55	0·82	0·69	0·46	0·23	0·41	0·41	0·24
Cholera	0·01	0·02	0·01	0·01	0·02	0·02	0·02	0·01	0·02	0·01	0·01	0·02	0·01	0·01	0·01
Cancer	0·66	0·57	0·48	0·55	0·48	0·52	0·59	0·60	0·44	0·56	0·62	0·64	0·48	0·50	0·74
Tabes Mesenterica	0·22	0·43	0·28	0·24	0·34	0·28	0·30	0·34	0·46	0·42	0·20	0·13	0·22	0·17	0·18
Phthisis	1·47	1·61	1·41	1·61	1·95	1·85	1·65	1·47	1·70	2·09	1·62	1·40	1·41	2·01	2·08
Other Tub. & Scrof. Dis.	0·32	0·41	0·37	0·38	0·47	0·45	0·37	0·38	0·55	0·48	0·45	0·39	0·41	0·42	0·34
Diseases of Nervous System	2·72	2·57	2·68	2·71	2·97	3·00	3·05	2·61	2·76	2·79	2·40	2·22	2·63	2·92	3·34
Diseases of Circulatory „	1·62	1·52	1·54	1·59	1·54	1·53	1·63	1·52	1·38	1·75	1·89	1·80	1·54	1·43	1·60
Diseases of Respiratory „	2·86	3·41	3·41	3·60	5·14	4·20	3·43	3·41	3·63	3·03	3·41	2·51	4·36	3·67	3·34
Diseases of Digestive „	1·09	1·13	1·16	1·22	1·31	1·15	1·05	1·10	1·19	1·20	1·01	1·03	1·14	0·98	1·17
Diseases of Urinary „	0·41	0·37	0·35	0·42	0·44	0·39	0·42	0·41	0·34	0·41	0·42	0·39	0·45	0·44	0·57
Diseases of Generative „	0·06	0·07	0·05	0·05	0·06	0·05	0·06	0·06	0·04	0·07	0·05	0·04	0·04	0·04	0·05
Puerperal Fever	0·06	0·10	0·09	0·09	0·11	0·09	0·07	0·09	0·11	0·10	0·08	0·09	0·10	0·10	0·09
Childbirth	0·07	0·08	0·08	0·08	0·08	0·08	0·06	0·07	0·09	0·08	0·08	0·04	0·08	0·10	0·10
Violence	0·57	0·63	0·61	0·65	0·73	0·60	0·64	0·62	0·73	0·74	0·77	0·62	0·93	0·84	0·61
OTHER CAUSES	3·61	3·94	3·26	3·57	3·55	3·27	3·69	3·48	3·68	3·74	3·57	3·27	3·52	3·30	3·06

* The *minus* sign signifies a decrease.

† For death-rate in Standard Population, *see* Table 3, page xcvii.

MORTALITY

IN

ENGLAND AND WALES

AND IN

REGISTRATION COUNTIES AND DISTRICTS

During the Ten Years 1881–90.

EXPLANATORY NOTES.

The numbers of Deaths in the Tables are the totals registered in the ten calendar years 1881–90.

The "Mean Populations" shown in the Tables are the arithmetical means of the numbers enumerated at the censuses of 1881 and 1891.

Many changes of boundary, affecting the areas of Registration Districts, and sometimes those of Registration Counties also, were made in the course of the decennium. Corresponding adjustments have been made in the mean populations, except in those cases in which the changes were too small to appreciably affect the death-rates.

The Table on page 3 shows the total mortality in England and Wales during the decennium, by age and cause in combination.

The Tables on pages 4–95 show the mortality of Males and of Females separately, in England and Wales and in each Registration County, by age and cause in combination.

In each of these Tables the horizontal line of figures immediately below the age headings gives the average annual death-rates from all causes *at successive age-periods*, and the first vertical column of figures gives the average annual death-rates *at all ages* from the several causes.

(The death-rates of Persons, at successive age-periods, and from several causes in Registration Counties, are shown in Tables 3 and 6, pages xcvii, cxv–cxvii.)

The Tables on pages 97–728 show the mortality in each registration district among Persons, Males, and Females, (*a*) at successive age-periods, (*b*) from several causes; and also the mortality of Persons, by age and cause in combination.

In each of these Tables the three horizontal lines of figures immediately below the age headings give the average annual death-rates from all causes *at successive age-periods*, and the first three vertical columns of figures give the average annual death-rates *at all ages* from the several causes.

The meanings of the expressions "Crude Death-rate," and "Death-rate in Standard Population," which occur in each Table, are explained on pages xxxvi–xxxviii; and a method of further correcting mean populations and death-rates by the help of the Decennial Increase or Decrease of Population is discussed on pages xlii–xlvi.

The numbers and rates of Marriages and of Births are given at the foot of each Table.

ENGLAND AND WALES.—(PERSONS.)

CAUSES OF DEATH.	DEATH RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	19·08	†142	–	–	–	–	56·82	5·29	3·02	4·35	5·61	7·53	11·42	17·06	31·33	64·65	153·67
Mean Population, 1881–91 -	–	27,488,482	753,823	688,001	705,794	698,985	690,574	3,537,177	3,271,287	3,011,949	2,749,048	2,487,319	4,085,595	3,134,779	2,335,160	1,595,545	921,143	359,480
Deaths from All Causes 1881-90 - - -	19·08	5,244,771	1,259,860	406,599	163,942	104,255	75,328	2,009,984	173,138	90,867	119,570	139,486	307,550	357,839	398,479	499,906	595,525	552,427
Small-pox - - -	0·04	12,280	1,392	431	380	326	288	2,817	1,073	781	1,136	1,467	2,324	1,370	752	329	160	71
Measles - - -	0·44	121,067	25,366	45,910	20,578	11,768	7,123	110,745	8,862	682	197	161	228	120	41	18	8	5
Scarlet Fever - - -	0·33	91,769	5,061	12,973	14,908	14,317	11,784	59,043	24,912	4,612	1,136	640	899	366	93	39	25	4
Diphtheria - - -	0·16	44,729	2,124	4,713	5,457	6,263	5,856	24,413	13,859	2,997	981	507	698	491	316	273	152	42
Whooping-cough - -	0·45	123,597	53,407	37,774	15,299	8,292	4,428	119,200	4,171	113	31	13	14	14	9	9	11	12
Typhus - - -	0·01	3,919	10	13	23	37	54	137	243	265	436	385	748	807	495	273	107	23
Enteric Fever - -	0·20	54,009	366	737	994	1,188	1,288	4,573	5,875	6,274	7,949	7,010	9,476	5,706	3,610	2,269	1,045	222
Simple Continued Fever -	0·03	6,891	341	398	470	416	380	2,005	1,106	532	433	298	492	437	414	501	454	219
Diarrhœa and Dysentery -	0·66	181,155	119,346	25,470	4,130	1,551	942	151,439	1,570	431	358	525	1,348	1,647	2,172	4,417	8,055	9,193
Cholera - -	0·02	4,129	1,597	451	113	73	61	2,295	182	55	54	62	175	237	316	381	285	87
Cancer - - -	0·59	161,920	119	142	172	160	119	712	332	332	563	859	5,221	18,315	36,069	45,761	38,318	15,438
Tabes Mesenterica - -	0·28	75,873	39,194	16,187	5,176	2,124	1,344	64,025	3,964	2,261	1,524	973	1,199	770	519	386	213	39
Phthisis - - -	1·72	473,968	7,246	5,517	2,676	1,833	1,678	18,950	9,502	15,680	42,471	57,802	118,508	98,178	63,913	34,606	12,485	1,873
Other Tub. and Scrof. Dis. -	0·42	115,422	32,615	22,343	9,914	6,349	4,942	76,163	14,154	6,951	4,772	3,275	4,041	2,583	1,685	1,109	555	134
Diseases of Nervous System - -	2·59	712,557	215,665	44,802	17,038	10,193	7,176	294,904	18,919	9,649	9,087	8,291	20,480	34,415	50,654	79,333	108,944	77,881
Diseases of Circulatory „ -	1·58	433,143	2,704	655	401	425	558	4,743	4,876	7,772	9,174	8,906	24,182	42,159	60,040	91,144	112,340	67,812
Diseases of Respiratory „ -	3·73	1,024,932	240,796	127,073	46,611	26,596	17,545	458,621	27,261	6,420	8,379	11,008	31,927	50,428	74,086	113,318	138,922	104,562
Diseases of Digestive „ -	1·10	303,585	69,258	25,902	4,789	2,574	2,234	104,757	7,354	4,860	5,617	5,897	14,407	23,346	33,193	42,604	40,929	20,621
Diseases of Urinary „ -	0·43	119,137	1,700	1,713	1,243	1,142	1,032	6,830	3,007	1,860	2,451	3,424	9,215	13,691	17,143	21,740	24,777	14,999
Diseases of Generative „ -	0·06	15,706	305	157	78	36	14	590	33	92	449	793	2,476	3,289	3,213	2,321	1,792	658
Puerperal Fever - -	0·08	23,077	–	–	–	–	–	–	–	2	995	5,066	10,970	5,838	206	–	–	–
Childbirth - - -	0·07	19,015	–	–	–	–	–	–	–	4	783	2,803	7,941	7,168	315	1	–	–
Violence - - -	0·65	178,235	21,095	5,989	5,411	4,462	3,448	40,405	10,620	7,923	9,882	9,602	19,142	20,491	20,044	17,810	13,349	8,967
OTHER CAUSES - -	3·44	944,651	420,153	27,249	8,051	4,130	3,034	462,617	11,263	10,319	10,712	9,719	21,439	25,973	29,181	41,264	92,599	229,565

Marriages - - - - - - - 2,047,428
Births - - - - - - - 8,890,238

Average Annual Rate per 1000 { Persons Married - - 14·90 / Births - - - 32·34

Deaths from Childbirth and Puerperal Fever, 4·73 per 1000 Births.

† The death-rate under one year of age is per 1000 Births.

ENGLAND AND WALES.—(MALES.)

CAUSES OF DEATH.	DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	20·22	†155	–	–	–	–	61·69	5·34	2·94	4·30	5·71	7·73	12·35	19·28	34·66	70·17	162·18
Mean Population, 1881-91	–	13,346,491	375,661	342,625	352,010	347,970	344,343	1,762,609	1,630,975	1,506,544	1,306,722	1,179,850	1,055,274	1,514,486	1,112,527	746,349	417,389	153,686
Deaths from All Causes, 1881-90	20·22	2,698,316	702,686	211,197	83,031	52,290	38,118	1,087,322	87,019	44,281	58,725	67,398	151,211	186,969	214,550	258,712	292,877	249,252
Small-pox	0·05	6,940	713	215	197	170	147	1,442	573	371	580	823	1,496	898	482	209	110	46
Measles	0·47	62,495	14,074	23,984	10,203	5,833	3,554	57,648	4,271	282	88	59	64	40	18	10	3	2
Scarlet Fever	0·35	46,162	2,794	6,058	7,649	7,137	5,938	30,176	12,359	2,295	584	270	308	144	54	15	15	2
Diphtheria	0·16	21,045	1,182	2,421	2,935	3,032	2,819	12,119	6,078	1,259	473	230	286	195	158	141	73	23
Whooping-cough	0·42	55,746	25,719	16,912	6,315	3,289	1,804	54,039	1,624	41	9	7	5	3	6	4	5	3
Typhus	0·02	2,092	6	3	12	21	27	69	119	125	235	223	411	421	292	159	57	11
Enteric Fever	0·21	28,214	194	371	532	595	615	2,307	2,775	2,884	4,078	3,969	5,310	3,043	1,956	1,234	549	109
Simple Continued Fever	0·02	3,236	178	194	225	182	179	958	489	257	216	160	221	211	230	251	205	98
Diarrhœa and Dysentery	0·71	94,886	65,134	12,971	2,026	758	441	81,330	728	195	158	212	557	698	1,023	2,127	3,660	4,149
Cholera	0·02	2,295	858	245	51	42	22	1,218	87	30	20	31	98	155	195	287	172	43
Cancer	0·43	57,432	65	69	98	89	57	378	187	176	309	433	1,549	4,504	11,098	17,162	15,620	6,016
Tabes Mesenterica	0·30	40,021	22,045	8,635	2,858	1,153	721	35,392	1,963	1,001	637	390	448	299	208	182	86	15
Phthisis	1·85	246,455	3,935	2,789	1,357	892	782	9,755	4,131	5,157	17,594	27,529	59,126	53,952	38,810	21,766	7,578	1,057
Other Tub. & Scrof. Dis.	0·47	62,921	19,051	12,739	5,457	3,303	2,618	43,168	7,215	3,295	2,307	1,962	2,014	1,329	973	620	289	49
Diseases of Nervous System	2·80	374,287	123,872	24,740	9,022	5,264	3,684	166,582	9,801	4,857	4,523	3,995	10,816	19,130	25,695	39,449	53,685	35,844
Circulatory „	1·55	206,589	1,528	341	200	217	203	2,579	2,249	3,330	4,278	3,888	11,066	21,169	30,021	43,945	52,830	31,254
Respiratory „	4·10	546,630	137,030	65,962	23,758	13,484	8,983	249,247	13,709	3,182	4,630	6,268	18,458	30,264	44,627	61,675	68,352	46,118
Digestive „	1·15	153,114	40,034	13,744	2,482	1,281	1,093	58,584	3,477	2,909	2,834	2,937	6,678	11,245	16,492	20,568	19,288	9,032
Urinary „	0·56	74,211	592	870	695	641	594	3,792	1,770	969	1,273	1,668	4,041	7,475	10,291	13,928	17,276	11,488
Generative „	0·01	1,107	206	29	11	8	3	257	7	6	19	25	76	116	180	165	189	67
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·97	129,181	10,840	3,327	3,176	2,804	2,169	22,316	7,352	6,548	8,297	8,094	16,209	17,108	16,137	13,770	9,111	4,259
Other Causes	3·60	482,628	232,246	13,938	4,112	2,095	1,575	253,966	5,995	5,432	5,575	4,845	11,454	14,600	16,144	24,395	43,685	99,567

Marriages 2,037,428
Births 4,526,729

Average Annual Rate per 1000 { Persons Married . . 14·89
Births . . . 33·92

† The death-rate under one year of age is per 1000 Births.

ENGLAND AND WALES.—(Females.)

Causes of Death.	Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	18·01	†128	–	–	–	–	51·99	5·25	3·09	4·40	5·51	7·34	10·55	15·04	28·40	60·08	147·32
Mean Population, 1881-91	–	14,142,081	378,162	345,376	353,784	351,014	346,232	1,774,568	1,640,312	1,505,405	1,382,326	1,307,469	2,130,321	1,620,293	1,222,633	849,206	503,754	205,794
Deaths from All Causes, 1881-90	18·01	2,546,455	557,174	195,402	80,911	51,965	37,210	922,662	86,119	46,586	60,845	72,088	156,339	170,870	183,929	241,194	302,648	303,175
Small-pox	0·04	5,340	679	216	183	156	141	1,375	500	410	556	644	918	472	270	120	50	25
Measles	0·41	58,572	11,292	21,926	10,375	5,935	3,569	53,097	4,591	390	109	102	164	80	23	8	5	3
Scarlet Fever	0·32	45,607	2,267	6,315	7,259	7,180	5,846	28,867	12,553	2,377	552	370	591	222	39	24	10	2
Diphtheria	0·17	23,684	942	2,292	2,792	3,231	3,037	12,294	7,781	1,738	508	277	402	296	158	132	79	19
Whooping-cough	0·48	67,851	27,688	20,862	8,984	5,003	2,624	65,161	2,547	72	22	6	9	11	3	5	6	9
Typhus	0·01	1,827	4	10	11	16	27	68	124	140	261	162	337	386	233	114	50	12
Enteric Fever	0·18	25,795	172	366	462	593	673	2,266	3,100	3,390	3,871	3,041	4,166	2,663	1,654	1,035	496	113
Simple Continued Fever	0·03	3,595	163	204	245	234	201	1,047	617	275	217	138	271	226	184	250	249	121
Diarrhœa and Dysentery	0·61	86,309	54,212	12,499	2,104	793	501	70,109	842	236	200	313	791	949	1,149	2,290	4,386	5,044
Cholera	0·01	1,834	739	206	62	31	39	1,077	95	25	25	31	77	82	121	144	113	44
Cancer	0·74	104,488	54	73	74	71	62	334	145	156	254	426	3,672	13,811	24,971	28,599	22,698	9,422
Tabes Mesenterica	0·25	35,252	17,149	7,552	2,338	971	623	28,633	2,001	1,260	887	583	751	471	311	204	127	24
Phthisis	1·61	227,513	3,311	2,728	1,319	941	896	9,195	5,371	10,523	24,877	30,273	59,382	44,226	25,103	12,840	4,907	816
Other Tub. and Scrof. Dis.	0·37	52,501	13,564	9,604	4,467	3,046	2,324	32,995	6,939	3,656	2,465	1,613	2,027	1,254	712	489	266	85
Diseases of Nervous System	2·39	338,270	91,793	20,062	8,046	4,929	3,492	128,322	9,118	4,792	4,564	4,296	9,664	15,285	25,049	39,884	55,259	42,037
Diseases of Circulatory „	1·60	226,559	1,176	314	201	208	265	2,164	2,627	4,442	4,896	5,068	13,116	20,990	30,019	47,199	59,480	36,558
Diseases of Respiratory „	3·38	478,243	103,766	61,081	22,853	13,112	8,562	209,374	13,462	3,238	3,680	4,740	13,469	20,164	29,459	51,643	70,570	58,444
Diseases of Digestive „	1·06	150,471	29,234	12,148	2,357	1,293	1,141	46,173	3,877	2,251	2,783	3,230	7,729	12,131	17,031	22,036	21,641	11,589
Diseases of Urinary „	0·32	44,926	708	843	548	501	438	3,038	1,237	861	1,178	1,756	4,574	6,216	6,942	8,112	7,501	3,511
Diseases of Generative „	0·10	14,599	99	128	67	28	11	333	26	86	430	768	2,400	3,173	3,033	2,156	1,603	591
Puerperal Fever	0·16	23,077	–	–	–	–	–	–	–	2	995	5,066	10,970	5,838	206	–	–	–
Childbirth	0·13	19,015	–	–	–	–	–	–	–	4	783	2,803	7,941	7,108	315	1	–	–
Violence	0·35	49,104	10,255	2,662	2,235	1,658	1,279	18,089	3,268	1,375	1,655	1,508	2,933	3,383	3,907	4,040	4,238	4,708
Other Causes	3·29	462,023	167,907	13,311	3,939	2,035	1,459	208,651	5,298	4,887	5,137	4,874	9,985	11,373	13,037	19,869	48,914	129,998

Marriages – – – – – – – 2,047,428
Births – – – – – – – 4,363,509

Average Annual Rate per 1000 { Persons Married – – 14·90
{ Births – – – 30·85

Deaths from Childbirth and Puerperal Fever, 4·73 per 1000 Births of Both Sexes.

† The death-rate under one year of age is per 1000 Births.

I.—LONDON.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*23·19	†164	–	–	–	–	73·13	5·92	2·91	4·03	5·43	8·62	14·91	23·73	41·23	77·41	168·23
Mean Population, 1881–91	–	1,894,117	54,909	49,088	49,884	48,066	47,017	248,964	217,044	192,855	184,542	185,148	315,387	234,318	160,364	94,884	46,273	14,338
Deaths from All Causes, 1881–90	22·03	417,221	111,132	38,203	15,981	9,921	6,824	182,061	12,841	5,609	7,432	10,047	27,185	34,934	38,054	39,116	35,821	24,121
Small-pox	0·13	2,530	274	103	93	75	63	608	271	157	212	279	473	290	164	46	23	7
Measles	0·69	13,119	2,756	5,074	2,389	1,306	774	12,299	757	34	6	6	9	5	1	1	–	1
Scarlet Fever	0·35	6,709	401	995	1,168	1,148	942	4,654	1,571	247	98	37	62	23	9	4	4	–
Diphtheria	0·26	4,901	334	786	792	883	696	3,451	1,146	150	56	34	63	36	28	12	11	4
Whooping-cough	0·66	12,469	5,053	4,038	1,604	914	465	12,074	372	12	1	4	1	1	2	–	2	–
Typhus	0·01	164	1	–	2	2	2	7	17	15	14	16	25	45	13	9	2	1
Enteric Fever	0·20	3,882	27	49	64	73	83	296	354	389	535	570	877	441	229	134	45	12
Simple Continued Fever	0·02	321	16	11	30	17	28	102	49	19	20	14	31	21	20	18	21	6
Diarrhœa and Dysentery	0·83	15,571	11,711	1,972	266	84	65	14,098	65	15	17	23	82	116	148	245	377	382
Cholera	0·03	516	254	60	14	13	4	345	12	9	4	4	17	24	37	32	25	7
Cancer	0·50	9,548	15	17	20	18	15	85	41	29	57	89	337	989	2,303	2,945	2,089	584
Tabes Mesenterica	0·41	7,802	4,954	1,473	543	177	113	7,260	265	104	53	33	46	36	22	10	2	1
Phthisis	2·55	48,241	775	476	249	182	119	1,801	544	540	2,158	4,186	11,984	12,414	8,779	4,490	1,252	163
Other Tub. and Scrof. Dis.	0·64	12,056	4,129	2,608	1,172	749	508	9,166	1,154	374	280	202	331	267	163	79	33	7
Diseases of Nervous System	2·54	48,063	15,834	3,091	1,369	795	527	22,216	1,172	492	461	470	1,125	2,790	3,801	5,338	6,309	3,594
Circulatory "	1·50	28,357	388	99	58	49	66	660	403	623	752	730	2,200	4,013	5,662	5,772	5,300	2,822
Respiratory "	4·67	88,383	29,861	12,247	4,612	2,454	1,548	42,942	1,938	354	557	934	3,016	4,868	7,471	10,044	10,157	6,902
Digestive "	1·15	21,799	6,211	1,956	377	206	147	8,897	481	331	389	398	1,109	1,780	2,904	2,761	2,104	924
Urinary "	0·65	12,315	107	101	93	89	97	487	243	145	191	301	927	1,630	2,129	2,402	2,424	1,365
Generative "	0·01	215	54	9	1	1	1	66	3	1	3	2	12	18	29	31	34	16
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·03	19,486	3,032	589	478	427	331	5,457	1,048	762	769	927	2,192	2,529	2,424	1,829	1,040	509
Ill-defined Causes	3·21	60,679	32,125	1,849	627	299	230	35,130	995	784	799	788	1,975	2,498	2,595	2,914	4,557	7,724

Marriages - - 83,042
Births - - 676,554

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

1.—LONDON.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*19·74	†139	–	–	–	–	63·23	5·81	2·88	3·56	4·39	6·80	11·38	17·15	30·71	63·00	149·14
Mean Population, 1881-91	–	2,119,996	55,314	49,393	49,987	48,756	46,919	250,369	219,906	198,413	208,182	221,697	364,002	261,066	184,169	118,852	66,998	26,342
Deaths from All Causes, 1881-90	18·77	397,963	90,405	35,647	15,770	9,881	6,604	158,307	12,767	5,707	7,420	9,726	24,750	29,708	31,588	36,496	42,207	39,287
Small-pox	0·11	2,235	268	100	85	73	66	592	246	177	229	246	366	214	94	39	22	10
Measles	0·58	12,330	2,251	4,684	2,365	1,340	746	11,386	841	37	13	21	19	8	3	1	1	–
Scarlet Fever	0·30	6,462	318	913	1,106	1,072	824	4,233	1,623	280	97	64	107	42	10	3	2	1
Diphtheria	0·26	5,413	255	724	804	851	763	3,397	1,482	225	68	54	76	67	30	23	18	3
Whooping-cough	0·72	15,214	5,423	4,835	2,342	1,294	705	14,599	594	10	3	–	1	3	1	1	1	1
Typhus	0·01	163	2	2	1	2	4	11	18	19	17	14	27	25	19	10	2	1
Enteric Fever	0·17	3,615	28	56	60	80	83	307	358	451	512	465	682	427	210	133	56	14
Simple Continued Fever	0·02	395	18	15	23	24	23	103	70	22	22	10	30	36	25	27	35	15
Diarrhœa and Dysentery	0·68	14,339	10,027	1,961	306	99	46	12,439	91	28	20	33	83	103	140	261	478	663
Cholera	0·02	425	212	62	14	8	4	300	16	2	5	6	11	15	28	25	10	7
Cancer	0·84	17,876	10	22	12	12	15	71	45	24	50	91	755	2,721	4,481	4,676	3,565	1,397
Tabes Mesenterica	0·30	6,312	3,774	1,272	387	165	74	5,672	233	118	67	50	74	39	30	11	16	2
Phthisis	1·66	35,175	623	468	228	184	174	1,677	679	1,059	2,499	3,590	9,445	8,460	4,755	2,162	710	139
Other Tub. and Scrof. Dis.	0·46	9,696	3,110	2,079	1,013	655	460	7,317	1,007	363	250	185	230	163	74	60	36	11
Diseases of Nervous System	2·14	45,315	11,899	2,981	1,222	762	486	17,350	1,098	475	474	515	1,307	2,232	3,712	5,403	7,156	5,593
Diseases of Circulatory „	1·48	31,477	286	69	55	48	58	516	524	762	842	826	2,168	3,408	4,566	6,108	7,142	4,615
Diseases of Respiratory „	3·95	83,661	17,385	11,377	4,410	2,425	1,457	37,054	1,953	363	455	680	2,016	3,517	5,629	9,372	12,394	10,228
Diseases of Digestive „	1·09	23,076	4,745	1,743	367	189	158	7,202	478	277	395	510	1,303	2,325	2,923	3,113	2,906	1,644
Diseases of Urinary „	0·37	7,901	81	76	77	70	60	364	169	118	158	273	829	1,150	1,425	1,481	1,288	646
Diseases of Generative „	0·13	2,797	21	29	8	2	–	60	3	10	64	146	540	666	580	358	272	98
Puerperal Fever	0·15	3,196	–	–	–	–	–	–	–	1	127	735	1,575	733	25	–	–	–
Childbirth	0·10	2,045	–	–	–	–	–	–	–	–	83	289	898	736	39	–	–	–
Violence	0·47	10,020	3,510	464	339	249	202	4,764	466	159	245	286	598	750	777	688	670	617
OTHER CAUSES	2·76	58,795	26,159	1,715	546	277	196	28,893	773	727	725	637	1,610	1,868	2,012	2,541	5,427	13,582

Marriages - - - 351,042
Births - - - 652,618

Deaths from Childbirth and Puerperal Fever - - 3·94 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

2.—SURREY.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·86	†119	–	–	–	–	44·04	3·86	2·29	3·47	5·05	7·56	12·85	18·39	31·03	63·50	147·25
Mean Population, 1891-91	–	244,247	6,300	5,983	6,149	6,111	6,139	30,682	29,694	28,145	25,044	22,871	35,640	27,991	20,190	13,385	7,655	2,950
Deaths from All Causes, 1891-90	16·66	40,691	8,939	2,477	1,001	593	502	13,512	1,147	645	869	1,155	2,694	3,597	3,713	4,154	4,861	4,344
Small-pox	0·04	90	5	–	1	–	1	7	5	3	4	9	28	11	8	6	8	1
Measles	0·30	723	151	244	120	63	51	629	76	8	1	1	5	1	–	1	1	–
Scarlet Fever	0·13	322	14	44	55	34	39	186	84	31	8	1	4	3	3	–	2	–
Diphtheria	0·23	536	24	50	53	69	73	268	175	50	14	6	9	8	4	–	2	–
Whooping-cough	0·16	881	390	296	101	43	26	855	24	–	2	–	–	–	–	–	–	–
Typhus	0·00	4	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–
Enteric Fever	0·12	292	1	3	6	3	3	16	35	16	37	58	58	28	19	13	11	1
Simple Continued Fever	0·01	30	1	4	–	2	1	8	5	1	–	3	2	3	2	3	2	1
Diarrhœa and Dysentery	0·44	1,069	733	132	15	12	6	898	6	3	4	2	14	11	7	22	35	67
Cholera	0·01	32	13	3	–	1	1	18	1	–	–	–	2	1	2	3	6	–
Cancer	0·43	1,047	1	–	–	–	3	4	3	2	6	6	19	70	198	311	293	140
Tabes Mesenterica	0·19	460	265	87	30	9	16	407	18	16	2	5	5	1	2	2	1	1
Phthisis	1·83	4,459	76	45	25	14	10	170	48	75	238	417	1,021	1,051	733	456	203	38
Other Tub. and Scrof. Dis.	0·40	980	262	208	91	55	44	660	120	44	40	30	40	15	19	8	4	–
Diseases of Nervous System	2·72	6,653	1,262	258	86	57	49	1,712	117	80	98	122	393	768	725	883	1,056	699
Diseases of Circulatory „	1·56	3,812	34	7	5	4	4	54	34	61	69	77	182	383	542	742	1,016	652
Diseases of Respiratory „	2·81	6,871	1,703	744	308	157	120	3,032	176	46	69	110	248	436	498	631	855	780
Diseases of Digestive „	0·97	2,367	588	178	39	17	12	824	46	38	54	50	122	175	263	297	319	188
Diseases of Urinary „	0·55	1,355	10	6	1	7	3	27	9	12	21	33	81	120	203	252	396	252
Diseases of Generative „	0·01	19	6	–	–	–	–	6	1	–	–	–	2	2	4	1	1	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·76	1,863	161	87	39	26	24	287	75	78	90	134	258	259	250	213	155	64
Other Causes	2·81	6,855	3,239	132	36	20	17	3,444	89	81	111	91	209	240	237	320	564	1,468

Marriages . . . 31,938
Births . . . 74,941

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

2.—SURREY.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·37	†100	–	–	–	–	37·18	3·99	2·58	3·36	3·69	5·47	8·93	13·51	24·44	51·40	136·45
Mean Population, 1881-91	–	272,326	6,352	6,049	6,121	6,160	6,136	30,818	29,852	27,849	26,389	27,319	44,107	32,426	23,624	16,083	9,746	4,113
Deaths from All Causes, 1881-90	14·07	38,311	7,173	2,243	955	645	442	11,458	1,191	719	887	1,007	2,411	2,895	3,191	3,931	5,009	5,612
Small-pox	0·02	63	6	10	2	2	3	23	–	2	3	6	16	5	7	1	–	–
Measles	0·25	689	129	227	119	74	38	587	75	9	6	5	4	1	1	–	–	1
Scarlet Fever	0·10	275	15	39	40	33	29	156	75	16	5	2	12	7	–	2	–	–
Diphtheria	0·24	648	21	46	65	90	60	282	229	64	27	8	14	8	7	4	3	2
Whooping-cough	0·35	961	411	285	115	66	37	914	44	1	–	1	1	–	–	–	–	–
Typhus	0·00	4	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Enteric Fever	0·10	261	1	3	4	4	4	16	25	34	33	35	34	40	14	18	9	3
Simple Continued Fever	0·01	41	1	3	3	3	4	14	4	5	1	1	4	3	3	3	1	2
Diarrhœa and Dysentery	0·36	974	638	108	25	8	8	787	5	2	2	1	9	8	16	23	49	72
Cholera	0·01	31	13	2	–	2	1	18	3	2	–	–	–	2	3	2	–	1
Cancer	0·76	2,068	6	2	2	–	1	11	3	–	1	14	55	225	496	566	461	236
Tabes Mesenterica	0·17	461	209	88	19	14	9	339	30	31	17	5	14	12	5	6	1	1
Phthisis	1·35	3,681	60	38	22	15	13	148	69	137	337	406	880	775	513	279	115	22
Other Tub. and Scrof. Dis.	0·30	824	217	140	61	57	40	515	114	64	35	21	30	24	11	7	2	1
Diseases of Nervous System	2·22	6,056	964	215	111	48	44	1,382	119	69	81	97	301	435	625	821	1,166	960
Diseases of Circulatory „	1·48	4,022	25	4	1	4	9	43	33	83	77	80	167	330	491	777	1,102	839
Diseases of Respiratory „	2·23	6,073	1,322	716	268	155	93	2,554	173	49	46	53	165	240	285	547	890	1,071
Diseases of Digestive „	0·88	2,386	427	177	41	19	16	680	61	37	48	35	120	185	265	345	368	242
Diseases of Urinary „	0·28	771	10	7	4	3	3	27	4	10	20	27	67	91	125	163	145	92
Diseases of Generative „	0·09	246	5	1	–	1	–	7	1	3	7	9	35	46	46	40	34	18
Puerperal Fever	0·14	383	–	–	–	–	–	–	–	–	10	63	203	105	2	–	–	–
Childbirth	0·10	269	–	–	–	–	–	–	–	–	9	37	102	117	4	–	–	–
Violence	0·25	681	135	27	22	26	14	224	33	16	35	19	50	56	57	60	56	75
OTHER CAUSES	2·38	6,443	2,558	105	31	21	16	2,731	91	85	86	81	127	180	214	267	607	1,974

Marriages – – – 31,938
Births – – – 71,916

Deaths from Childbirth and Puerperal Fever – – 4·44 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

3.—KENT.—(Males.)

Causes of Death.	Ceteris Death-Rate per 1000.	All Ages.	Under 1 Year.	1	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	-	*16·77	†128	-	-	-	-	47·39	1·51	2·84	4·16	5·58	7·07	10·95	16·09	27·95	59·11	146·69
Mean Population, 1881-90	-	372,468	9,800	9,247	9,512	9,615	9,446	47,620	45,797	42,926	38,521	32,820	51,980	41,032	30,983	21,806	13,262	5,721
Deaths from All Causes, 1881-90	17·39	64,762	14,996	4,057	1,563	1,103	848	22,567	2,067	1,220	1,602	1,831	3,674	4,495	4,986	6,094	7,839	8,387
Small-pox	0·16	602	33	16	12	10	8	79	60	40	58	81	137	89	87	13	7	1
Measles	0·28	1,047	210	368	168	115	64	925	101	8	4	4	3	-	2	-	-	-
Scarlet Fever	0·14	548	29	71	68	81	74	323	144	24	7	6	6	5	2	-	1	-
Diphtheria	0·21	780	38	57	105	109	105	414	254	51	23	7	9	6	3	11	1	1
Whooping-cough	0·33	1,244	652	353	103	55	42	1,205	35	3	-	-	1	-	-	-	-	-
Typhus	0·00	15	-	-	-	1	-	1	-	1	4	2	2	1	4	-	-	-
Enteric Fever	0·16	603	3	3	10	15	11	42	62	81	96	75	100	64	34	28	17	4
Simple Continued Fever	0·02	89	3	3	6	4	3	19	14	12	4	5	4	6	7	8	6	4
Diarrhœa and Dysentery	0·53	1,988	1,377	228	32	15	9	1,661	19	7	3	6	10	12	13	29	79	99
Cholera	0·02	58	31	6	1	-	-	38	1	1	-	-	2	6	2	5	2	1
Cancer	0·44	1,636	1	3	2	3	1	10	1	5	10	16	43	91	277	471	482	230
Tabes Mesenterica	0·23	843	484	151	41	25	12	713	45	27	21	6	9	7	7	2	6	-
Phthisis	1·55	5,788	113	71	39	28	25	276	119	133	379	638	1,361	1,918	891	504	236	33
Other Tub. and Scrof. Dis.	0·42	1,567	467	284	116	84	81	1,032	173	94	61	61	43	35	25	21	6	1
Diseases of Nervous System	2·44	9,088	2,286	540	178	110	75	3,189	240	149	157	112	292	564	668	1,001	1,463	1,227
Diseases of Circulatory System	1·63	6,082	37	6	7	8	9	67	61	98	107	104	251	543	791	1,211	1,992	1,187
Diseases of Respiratory System	2·94	10,950	2,706	1,266	453	292	249	5,026	327	67	111	153	317	530	686	994	1,415	1,333
Diseases of Digestive System	1·04	3,859	902	274	94	27	25	1,222	74	60	85	76	164	267	377	551	579	344
Diseases of Urinary System	0·56	2,089	27	11	17	11	12	78	28	23	24	34	111	187	259	372	523	443
Diseases of Generative System	0·01	33	7	-	1	-	1	9	-	-	1	2	2	4	4	4	3	4
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violence	0·97	3,633	210	104	71	60	41	486	138	153	270	307	519	492	454	383	289	142
Other Causes	3·32	12,398	5,266	242	70	50	31	5,662	165	183	177	136	283	368	423	496	1,082	3,533

Marriages - - 50,988
Births - - 117,329

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

3.—KENT.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·16	†105	–	–	–	–	39·86	4·67	3·18	4·33	5·13	6·33	9·21	12·63	23·79	51·46	138·57
Mean Population, 1881-91	–	384,944	9,834	9,318	9,613	9,528	9,556	47,849	45,289	41,983	36,268	34,196	56,253	43,582	33,462	23,999	15,123	6,940
Deaths from All Causes, 1881-90	15·78	60,759	11,911	3,727	1,526	1,122	786	19,072	2,117	1,333	1,569	1,755	3,562	4,015	4,226	5,710	7,783	9,617
Small-pox	0·09	354	42	12	13	20	5	92	31	40	38	41	57	27	20	5	3	–
Measles	0·25	967	176	370	146	100	55	847	88	15	–	4	6	3	2	1	–	1
Scarlet Fever	0·15	563	28	70	79	91	71	339	148	34	12	6	16	6	2	–	–	–
Diphtheria	0·25	974	32	63	103	128	124	450	378	84	14	12	16	9	5	1	3	2
Whooping-cough	0·38	1,446	664	439	154	82	34	1,373	66	5	1	–	–	–	–	–	1	–
Typhus	0·00	16	–	–	–	–	1	1	2	6	1	1	1	2	1	–	–	1
Enteric Fever	0·15	596	–	3	15	10	15	43	79	103	83	71	94	44	36	28	11	4
Simple Continued Fever	0·02	94	3	4	5	5	3	20	10	6	8	2	8	4	6	11	12	7
Diarrhœa and Dysentery	0·46	1,768	1,135	215	32	14	14	1,410	16	5	6	7	19	24	15	38	91	137
Cholera	0·02	58	30	5	1	1	–	37	2	–	–	2	3	–	4	3	6	1
Cancer	0·79	3,033	2	2	–	–	4	8	2	4	3	6	93	330	664	864	705	354
Tabes Mesenterica	0·23	882	442	152	51	23	10	678	52	51	34	18	19	17	5	1	5	2
Phthisis	1·47	5,659	99	79	26	18	15	237	128	274	628	724	1,409	1,080	665	347	133	34
Other Tub. and Scrof. Dis.	0·34	1,320	339	219	107	79	70	814	163	114	66	48	59	23	14	12	6	1
Diseases of Nervous System	2·13	8,184	1,593	382	163	111	69	2,318	207	125	135	135	265	404	627	977	1,570	1,421
Diseases of Circulatory „	1·62	6,235	46	8	8	6	6	74	66	107	110	119	278	491	711	1,203	1,754	1,322
Diseases of Respiratory „	2·50	9,640	2,140	1,140	436	314	185	4,215	338	88	88	83	200	343	410	847	1,358	1,670
Diseases of Digestive „	0·99	3,823	639	237	62	27	29	994	92	65	69	88	188	301	427	534	651	414
Diseases of Urinary „	0·30	1,166	14	8	10	10	10	52	26	21	27	40	95	125	161	221	250	148
Diseases of Generative „	0·10	375	2	3	1	–	1	7	1	4	15	17	47	84	79	59	41	21
Puerperal Fever	0·13	509	–	–	–	–	–	–	–	–	21	107	233	144	4	–	–	–
Childbirth	0·11	419	–	–	–	–	–	–	–	–	13	65	166	172	3	–	–	–
Violence	0·28	1,097	167	56	47	44	29	343	68	31	39	34	74	95	71	101	97	144
OTHER CAUSES	3·02	11,581	4,318	260	67	39	36	4,720	154	151	158	125	216	287	294	457	1,086	3,933

Marriages - - - 50,258
Births - - - 113,557

Deaths from Childbirth and Puerperal Fever - - 4·02 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

4.—SUSSEX.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·03	†122	–	–	–	–	44·29	4·16	2·33	3·52	5·18	7·09	11·02	16·26	26·48	55·91	149·54
Mean Population, 1881-90	–	244,846	6,309	5,971	6,178	6,211	6,195	30,924	30,529	29,279	24,482	19,654	33,281	26,893	20,772	15,204	9,710	4,118
Deaths from All Causes, 1881-90	17·09	41,841	9,041	2,522	970	676	486	13,695	1,269	683	861	1,018	2,361	2,963	3,378	4,026	5,429	6,158
Small-pox	0·03	78	9	2	–	2	1	14	2	3	2	11	13	11	2	5	9	6
Measles	0·26	629	157	219	104	65	36	581	55	6	3	–	2	–	1	1	–	–
Scarlet Fever	0·13	314	16	45	48	48	35	191	82	19	6	5	3	3	1	4	–	–
Diphtheria	0·23	555	25	41	49	68	66	249	202	59	17	4	6	3	6	2	5	–
Whooping-cough	0·34	830	404	255	78	51	23	811	19	–	–	–	–	–	–	–	–	–
Typhus	0·00	9	–	–	–	–	–	–	1	1	1	–	1	1	1	2	1	–
Enteric Fever	0·15	356	1	4	8	4	6	23	25	38	55	46	58	45	32	21	11	2
Simple Continued Fever	0·02	38	–	2	1	–	1	4	4	3	3	3	4	3	2	3	6	3
Diarrhœa and Dysentery	0·40	1,205	803	134	18	17	8	980	14	3	–	4	10	6	16	21	46	103
Cholera	0·01	18	6	2	–	1	–	11	3	–	–	–	–	1	1	–	2	–
Cancer	0·54	1,326	2	4	4	3	2	15	4	3	6	8	26	79	228	328	431	193
Tabes Mesenterica	0·19	468	233	81	46	13	9	382	24	18	11	9	6	6	5	5	2	–
Phthisis	1·86	4,583	56	44	21	12	10	143	58	81	256	404	1,136	1,013	745	452	162	33
Other Tub. and Scrof. Dis.	0·44	1,089	325	211	90	68	39	733	121	59	28	32	46	21	21	17	9	2
Nervous System	2·19	5,370	1,210	310	100	50	42	1,712	110	71	60	69	150	300	397	589	985	918
Circulatory "	1·63	3,985	34	3	3	6	4	50	41	35	74	58	135	348	473	744	1,132	895
Respiratory "	2·86	7,012	1,697	776	276	168	126	3,043	232	49	70	69	202	312	456	695	1039	1,095
Digestive "	1·05	2,577	563	179	38	23	16	819	62	40	39	30	78	188	268	396	495	262
Urinary "	0·62	1,521	16	7	10	4	5	42	29	15	24	24	79	136	194	283	466	329
Generative "	0·01	22	3	–	–	–	–	3	–	–	–	–	1	1	5	5	4	3
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·76	1,860	148	37	33	31	25	274	70	80	108	112	212	239	246	262	151	109
OTHER CAUSES	3·28	8,038	3,352	166	43	42	32	3,635	96	109	98	70	193	247	268	306	721	2,304

Marriages . . . 33,020
Births . . . 74,164

* Death-rate in Standard Population (*see* pages XXXVI-XXXVIII).
† The death-rate under one year of age is per 1000 Births.

4.—SUSSEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*13·91	†95	–	–	–	–	35·27	4·16	2·64	3·58	4·44	6·06	8·72	12·20	22·00	49·51	131·08
Mean Population, 1881-91	–	279,522	6,481	6,030	6,157	6,218	6,171	31,057	29,881	28,892	27,206	26,286	42,450	32,963	25,516	18,469	11,635	5,167
Deaths from All Causes, 1881-90	14·40	40,259	6,743	2,284	898	581	449	10,955	1,243	763	974	1,168	2,572	2,875	3,113	4,063	5,760	6,773
Small-pox	0·01	39	3	1	–	–	1	5	6	4	3	2	6	4	3	4	2	–
Measles	0·20	564	81	199	117	51	30	478	54	16	3	2	5	5	1	–	–	–
Scarlet Fever	0·10	292	21	37	23	39	31	151	84	17	9	5	14	8	2	1	1	–
Diphtheria	0·23	630	12	23	63	73	74	245	246	77	19	8	13	11	6	3	1	1
Whooping-cough	0·36	999	440	283	137	64	30	954	40	4	1	–	–	–	–	–	–	–
Typhus	0·00	9	–	–	–	–	–	–	–	1	2	2	1	1	–	2	–	–
Enteric Fever	0·12	340	3	8	1	5	4	21	34	44	47	41	65	42	26	8	10	2
Simple Continued Fever	0·01	37	–	1	2	1	–	4	6	3	3	4	1	–	4	5	4	3
Diarrhœa and Dysentery	0·38	1,050	674	126	19	10	10	839	12	2	2	8	9	8	9	23	53	85
Cholera	0·00	9	7	1	–	–	–	8	1	–	–	–	–	–	–	–	–	–
Cancer	0·89	2,488	2	2	2	2	–	8	2	3	4	11	70	271	542	671	613	293
Tabes Mesenterica	0·16	488	186	77	26	9	9	307	40	25	18	11	12	10	8	2	5	–
Phthisis	1·49	4,174	53	40	21	11	10	135	80	160	436	543	1,061	865	515	276	94	9
Other Tub. and Scrof. Dis.	0·34	947	197	169	71	53	41	531	126	78	47	41	34	35	22	18	12	3
Diseases of Nervous System	1·80	5,024	821	251	82	49	32	1,235	113	69	55	57	127	227	393	665	1,057	1,026
Diseases of Circulatory „	1·56	4,372	21	7	4	1	2	35	39	59	71	72	199	325	476	849	1,332	915
Diseases of Respiratory „	2·24	6,249	1,161	712	220	154	110	2,357	181	34	47	61	163	231	329	575	1,064	1,207
Diseases of Digestive „	0·94	2,614	379	150	36	23	19	607	63	45	53	49	144	203	293	351	501	305
Diseases of Urinary „	0·31	870	13	15	1	1	3	33	10	19	17	28	99	103	123	179	158	101
Diseases of Generative „	0·10	280	2	–	1	–	–	3	–	4	5	9	37	58	61	48	34	21
Puerperal Fever	0·11	311	–	–	–	–	–	–	–	–	7	73	137	93	1	–	–	–
Childbirth	0·11	294	–	–	–	–	–	–	–	–	6	29	140	113	6	–	–	–
Violence	0·26	739	136	32	34	16	24	242	30	23	21	23	57	49	62	61	71	100
Other Causes	2·68	7,490	2,531	150	38	19	19	2,757	76	76	98	89	178	213	231	322	748	2,702

Marriages 33,020
Births 70,954

Deaths from Childbirth and Puerperal Fever 4·17 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi xxxviii).
† The death-rate under one year of age is per 1000 Births.

5.—HAMPSHIRE.‡—(Males).

Causes of Death.	Crude Death Rate per 1000	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	-	*17·14	†123	-	-	-	-	46·03	3·94	2·20	3·98	6·60	8·87	13·36	17·60	28·55	58·98	149·96
Mean Population, 1881-91 -	-	301,260	7,968	7,407	7,084	7,008	7,582	38,189	35,997	33,391	30,813	26,882	42,611	33,103	25,706	18,092	11,365	4,520
Deaths from All Causes, 1881-90 - - -	17·90	53,937	11,527	3,234	1,341	847	630	17,579	1,419	735	1,225	1,773	3,781	4,091	4,524	5,337	6,697	6,778
Small-pox - - -	0·01	27	3	-	-	1	-	4	-	-	2	7	6	4	2	1	-	1
Measles - - -	0·31	931	174	341	135	98	61	809	99	9	3	4	2	4	-	1	-	-
Scarlet Fever - -	0·10	296	17	38	49	47	38	189	68	15	7	10	3	3	-	-	-	-
Diphtheria - - -	0·23	691	20	69	88	95	95	367	225	46	26	5	9	6	5	3	2	-
Whooping-cough - -	0·30	900	431	265	106	40	33	878	20	1	-	-	-	-	-	-	-	1
Typhus - - -	0·00	6	-	-	-	-	-	-	1	-	2	-	1	1	-	-	1	-
Enteric Fever - -	0·23	669	10	15	26	19	13	86	49	74	83	110	137	53	32	13	14	4
Simple Continued Fever -	0·08	85	4	4	6	4	6	24	11	2	3	7	7	5	7	7	4	3
Diarrhœa and Dysentery -	0·47	1,420	891	166	36	7	11	1,110	11	2	6	30	44	28	18	37	58	85
Cholera - - -	0·01	16	7	4	1	-	-	12	-	-	-	-	1	-	-	1	2	-
Cancer - - -	0·47	1,421	3	1	6	1	-	11	3	-	5	10	30	72	242	410	449	189
Tabes Mesenterica -	0·25	746	449	137	50	18	7	661	35	12	14	5	8	5	1	4	-	1
Phthisis - - -	2·09	6,289	80	42	19	20	8	169	70	73	302	814	1,757	1,391	941	481	174	27
Other Tub. and Scrof. Dis.	0·38	1,154	347	249	98	66	50	779	109	64	41	30	53	23	19	13	9	2
Diseases of Nervous System -	2·50	7,510	1,820	452	143	86	58	2,559	152	88	103	112	281	486	619	934	1,241	935
Circulatory „ -	1·78	5,366	25	5	3	5	3	41	35	44	89	82	246	496	777	1,085	1,344	979
Respiratory „ -	3·07	9,254	2,366	1,092	391	235	153	4,136	258	47	94	125	331	481	614	850	1,142	1,176
Digestive „ -	1·06	3,187	682	243	49	17	24	985	55	59	48	66	180	251	346	462	474	261
Urinary „ -	0·61	1,834	23	9	5	6	9	55	27	9	32	37	111	197	265	341	443	317
Generative „ -	0·01	22	4	1	-	-	-	5	-	-	-	1	1	4	4	3	4	-
Puerperal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violence - -	0·78	2,366	176	58	61	48	26	369	90	82	159	195	318	302	293	243	210	99
Other Causes -	3·22	9,728	4,066	160	65	35	35	4,331	101	106	114	114	255	279	339	446	976	2,668

Marriages - - - 44,636
Births - - - 23,711

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

‡ The boundaries of this county were altered during the decennium; the mean population has, therefore, been corrected in order to obtain the true death-rate.

5.—HAMPSHIRE.‡—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·92	†100	–	–	–	–	38·44	4·29	2·58	4·24	4·95	6·80	9·28	12·56	23·18	52·47	138·82
Mean Population, 1881-91	–	319,512	8,030	7,460	7,755	7,656	7,577	38,478	35,766	33,202	29,685	28,938	47,838	37,056	28,727	21,070	13,155	5,597
Deaths from All Causes, 1881-90	15·56	49,730	9,082	3,026	1,207	821	655	14,791	1,535	856	1,258	1,438	3,254	3,438	3,608	4,885	6,902	7,770
Small-pox	0·00	13	2	2	–	–	–	4	–	–	1	3		–	3	–	–	–
Measles	0·26	840	136	316	130	96	50	728	81	9	3	3	9	5	1	1	–	–
Scarlet Fever	0·11	339	20	53	46	52	27	198	91	23	5	1	14	5	–	–	2	–
Diphtheria	0·24	779	16	52	85	99	101	353	294	71	17	11	14	8	4	4	3	–
Whooping-cough	0·34	1,089	494	326	121	65	39	1,045	42	2	–	–	–	–	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Enteric Fever	0·20	631	5	11	19	19	22	76	77	74	97	77	87	67	31	30	14	1
Simple Continued Fever	0·03	99	2	4	7	8	9	30	13	8	2	4	5	13	7	3	10	4
Diarrhœa and Dysentery	0·40	1,281	797	154	35	6	8	1,000	14	3	5	6	15	18	23	25	65	107
Cholera	0·01	20	12	–	–	–	–	12	2	–	–	–	2	–	1	–	3	–
Cancer	0·78	2,505	–	4	1	–	2	7	2	3	6	11	80	292	526	686	620	272
Tabes Mesenterica	0·19	615	296	122	35	11	9	473	46	32	18	14	16	4	8	2	2	–
Phthisis	1·62	5,191	67	48	22	18	19	174	88	187	528	676	1,400	1,070	610	309	133	16
Other Tub. and Scrof. Dis.	0·31	979	217	169	77	57	57	577	132	75	56	29	43	19	17	14	11	6
Diseases of Nervous System	2·10	6,719	1,335	345	125	69	58	1,932	132	86	107	81	215	348	528	856	1,316	1,118
Diseases of Circulatory „	1·66	5,293	28	9	2	5	9	53	47	64	91	93	249	394	595	1,038	1,541	1,128
Diseases of Respiratory „	2·58	8,257	1,811	965	362	216	159	3,513	233	53	65	74	195	271	368	732	1,361	1,392
Diseases of Digestive „	0·93	2,978	424	190	43	22	24	703	74	43	43	55	156	264	341	451	508	340
Diseases of Urinary „	0·30	971	7	4	8	7	2	28	16	19	29	26	96	131	143	195	218	70
Diseases of Generative „	0·08	263	–	1	–	2	–	3	2	2	7	12	33	38	66	40	44	16
Puerperal Fever	0·13	424	–	–	–	–	–	–	–	–	17	84	212	105	6	–	–	–
Childbirth	0·11	355	–	–	–	–	–	–	–	–	20	50	148	135	2	–	–	–
Violence	0·26	839	181	51	39	33	25	329	44	13	22	21	61	44	69	78	65	23
Other Causes	2·92	9,248	3,232	200	50	36	35	3,553	105	89	118	102	202	207	258	421	986	3,207

Marriages – 44,636
Births – 90,590

Deaths from Childbirth and Puerperal Fever – 4·23 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

‡ The boundaries of this county were altered during the decennium; the mean population has, therefore, been corrected in order to obtain the true death-rate.

6.—BERKSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·80	†116	–	–	–	–	42·41	4·37	2·15	3·18	4·71	6·66	10·46	15·88	26·77	59·81	158·97
Mean Population, 1881-91	–	127,614	3,363	3,245	3,278	3,261	3,185	16,332	15,525	14,965	13,167	10,518	17,323	13,838	10,801	7,961	5,078	2,106
Deaths from All Causes, 1881-90	16·98	21,671	4,513	1,221	516	374	302	6,926	679	321	419	495	1,153	1,447	1,715	2,131	3,037	3,348
Small-pox	0·03	35	1	–	1	1	–	3	–	1	1	4	9	5	5	2	4	1
Measles	0·30	377	64	130	59	37	33	323	38	10	2	–	1	2	–	–	–	1
Scarlet Fever	0·14	184	7	27	24	22	25	105	68	16	1	2	–	2	–	–	–	–
Diphtheria	0·19	240	7	19	28	38	39	131	84	11	6	1	1	1	2	1	–	2
Whooping-cough	0·27	347	168	103	38	18	11	338	9	–	–	–	–	–	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1
Enteric Fever	0·12	156	–	1	2	3	5	11	21	12	24	15	34	16	13	2	5	3
Simple Continued Fever	0·01	12	2	–	–	–	–	2	2	2	1	–	1	–	–	–	3	1
Diarrhœa and Dysentery	0·44	564	348	59	14	5	7	433	7	–	–	1	9	8	2	16	35	53
Cholera	0·01	9	4	1	1	–	–	6	1	–	–	–	–	–	1	–	–	1
Cancer	0·49	620	3	–	–	–	–	3	3	3	5	4	11	36	99	176	203	77
Tabes Mesenterica	0·15	189	88	36	16	10	6	156	16	5	8	–	3	–	–	1	–	–
Phthisis	1·60	2,037	65	28	12	7	7	119	26	24	109	233	461	428	326	209	90	12
Other Tub. and Scrof. Dis.	0·38	484	141	83	38	35	26	323	59	18	12	15	24	14	10	5	2	2
Diseases of Nervous System	2·30	2,937	649	135	64	25	24	897	67	40	39	25	98	166	218	323	548	516
Diseases of Circulatory	1·72	2,191	20	2	4	–	1	27	18	26	38	25	65	172	295	412	681	492
Diseases of Respiratory	2·98	3,801	898	384	140	108	78	1,608	113	23	28	36	107	196	252	356	547	560
Diseases of Digestive	0·98	1,248	262	88	12	12	10	384	27	19	19	17	59	83	141	168	202	129
Diseases of Urinary	0·58	737	4	1	3	4	5	17	13	10	9	9	31	60	94	136	198	161
Diseases of Generative	0·01	9	2	–	–	–	–	2	–	–	1	–	1	–	2	–	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·80	1,016	44	20	31	22	13	130	65	52	59	63	125	131	144	108	85	54
OTHER CAUSES	3·48	4,476	1,736	104	29	27	12	1,908	48	9	56	45	113	157	170	216	432	1,282

Marriages - - - 16,242
Births - - - 38,975

* Death-rate in Standard Population (*see* pages XXXVI–XXXVIII).
† The death-rate under one year of age is per 1000 Births.

6.—BERKSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·28	†94	–	–	–	–	35·19	4·26	2·38	3·73	5·17	6·06	8·34	12·08	23·56	52·76	141·63
Mean Population, 1881–91	–	130,511	3,279	3,154	3,240	3,303	3,186	16,162	15,657	14,197	11,601	10,706	18,438	14,961	11,966	8,671	5,644	2,508
Deaths from All Causes, 1881-90	15·37	20,065	3,517	1,159	446	310	255	5,687	670	338	433	554	1,117	1,247	1,446	2,043	2,978	3,552
Small-pox	0·01	14	2	–	–	1	1	4	–	–	1	–	2	3	1	3	–	–
Measles	0·26	339	69	100	52	29	29	279	44	7	5	1	1	1	1	–	–	–
Scarlet Fever	0·16	205	10	31	22	28	30	121	61	16	1	2	2	2	–	–	–	–
Diphtheria	0·19	254	5	16	28	33	32	114	103	22	6	1	3	2	–	1	2	–
Whooping-cough	0·31	405	198	105	41	31	13	388	17	–	–	–	–	–	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Enteric Fever	0·11	148	1	2	5	3	4	15	23	14	15	20	20	20	8	8	5	–
Simple Continued Fever	0·01	17	–	1	1	2	1	5	1	3	–	1	1	–	1	1	4	–
Diarrhœa and Dysentery	0·36	471	261	51	12	6	6	336	7	3	1	3	6	7	6	10	30	62
Cholera	0·00	5	1	–	–	–	–	1	1	–	–	–	–	–	–	1	1	1
Cancer	0·82	1,074	2	2	–	–	–	4	1	1	1	1	34	123	231	291	256	131
Tabes Mesenterica	0·14	185	75	32	9	4	5	125	15	7	9	4	8	5	7	2	3	–
Phthisis	1·35	1,766	37	44	13	6	2	102	38	66	162	233	420	337	205	128	62	13
Other Tub. and Scrof. Dis.	0·32	421	110	78	25	18	16	247	74	24	23	17	14	7	7	4	3	1
Diseases of Nervous System	2·02	2,636	480	136	52	20	20	708	46	35	34	35	77	124	207	327	548	495
Diseases of Circulatory „	1·86	2,424	9	1	2	2	2	16	19	31	30	34	90	128	273	505	742	556
Diseases of Respiratory „	2·57	3,358	655	393	129	80	63	1,320	112	22	24	27	77	113	136	276	559	632
Diseases of Digestive „	0·92	1,200	194	57	11	3	11	276	38	13	26	26	54	92	121	189	218	147
Diseases of Urinary „	0·30	394	4	4	3	4	–	15	5	9	5	18	47	44	70	60	86	37
Diseases of Generative „	0·10	132	–	2	–	–	–		1	–		2	20	27	29	24	17	6
Puerperal Fever	0·13	167	–	–	–	–	–	–	–	–	3	45	75	43	1	–	–	–
Childbirth	0·12	152	–	–	–	–	–	–	–	–	2	22	61	61	6	–	–	–
Violence	0·26	335	40	17	13	16	8	94	23	15	18	15	24	23	23	26	30	44
Other Causes	3·05	3,961	1,364	87	28	24	12	1,515	40	50	63	49	81	85	112	187	412	1,367

Marriages – 16,242
Births – 37,451

Deaths from Childbirth and Puerperal Fever – 4·17 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

7.—MIDDLESEX.—(Males.)

Causes of Death.	Crude Death-Rate per 1,000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·98	†142	–	–	–	–	53·25	4·54	2·57	3·08	4·13	6·51	11·18	17·82	32·80	66·58	156·25
Mean Population, 1881-91	–	224,630	6,494	6,065	6,326	6,291	6,197	31,373	29,848	27,302	21,257	18,421	33,164	26,444	17,930	10,724	6,035	2,201
Deaths from All Causes, 1881-90	17·56	39,499	11,071	3,016	1,222	766	630	16,705	1,354	702	655	760	2,158	2,956	3,195	3,518	4,018	3,439
Small-pox	0·06	124	11	4	2	4	1	22	9	6	8	18	25	15	10	7	1	3
Measles	0·44	961	215	373	147	82	67	883	94	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·20	467	23	59	74	63	56	274	138	32	8	9	3	–	–	–	–	–
Diphtheria	0·28	632	31	70	92	91	87	376	196	29	5	7	8	5	3	2	1	–
Whooping-cough	0·48	1,075	496	311	109	61	48	1,025	48	1	–	–	1	–	–	–	–	–
Typhus	0·01	12	–	–	1	–	–	1	2	1	2	1	1	3	1	–	–	–
Enteric Fever	0·17	390	7	7	10	11	7	42	31	54	48	51	68	40	29	17	8	2
Simple Continued Fever	0·02	35	2	–	1	1	4	8	7	8	1	1	1	2	1	3	2	1
Diarrhœa and Dysentery	0·74	1,654	1,280	181	21	5	4	1,491	6	4	2	3	5	10	15	26	31	61
Cholera	0·01	41	22	7	–	1	–	30	1	–	1	–	1	3	–	4	–	1
Cancer	0·38	864	5	2	2	–	1	10	–	3	4	3	16	59	168	230	246	95
Tabes Mesenterica	0·31	695	446	118	37	13	18	632	21	17	4	5	7	2	2	4	1	–
Phthisis	1·56	3,496	35	37	17	5	15	172	60	77	173	309	790	895	633	314	136	18
Other Tub. and Scrof. Dis.	0·51	1,145	408	228	99	58	51	844	109	52	37	14	19	30	20	12	7	1
Diseases of Nervous System	2·61	5,858	1,371	316	105	71	36	1,899	142	69	52	64	317	639	608	647	842	579
Diseases of Circulatory System	1·26	2,830	56	9	5	1	8	79	29	51	45	45	133	294	382	579	743	450
Diseases of Respiratory System	3·26	7,305	2,047	856	361	197	140	3,621	183	53	44	46	246	375	522	668	867	709
Diseases of Digestive System	1·03	2,323	701	214	58	19	25	997	50	41	33	26	94	140	230	296	296	139
Diseases of Urinary System	0·43	1,038	15	7	8	2	2	34	15	10	14	15	60	113	133	217	241	186
Diseases of Generative System	0·00	9	4	–	–	–	–	4	–	–	–	1	–	1	–	–	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·73	1,770	324	54	39	41	33	391	118	94	100	93	134	215	210	191	113	48
Other Causes	2·97	6,666	3,211	139	54	34	27	3,465	96	97	73	56	160	295	228	271	481	1,163

Marriages . . . 25,999
Births . . . 77,978

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

7.—MIDDLESEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·33	†114	–	–	–	–	44·50	4·60	2·55	2·87	3·41	5·54	8·74	12·99	24·72	54·18	135·60
Mean Population, 1881-91	–	253,208	6,496	6,103	6,255	6,184	6,172	31,210	29,482	26,503	25,224	24,624	40,451	29,793	20,619	13,488	8,269	3,545
Deaths from All Causes, 1881-90	14·86	37,629	8,531	2,802	1,202	765	589	13,889	1,356	676	724	840	2,242	2,603	2,678	3,334	4,480	4,807
Small-pox	0·04	89	16	2	3	–	1	22	9	5	7	7	15	9	9	2	2	2
Measles	0·35	880	176	297	154	84	60	771	88	7	2	1	3	5	–	–	2	1
Scarlet Fever	0·20	496	16	55	69	89	64	293	153	27	9	3	8	3	–	–	–	–
Diphtheria	0·29	723	23	59	99	93	107	381	256	47	7	6	6	12	4	2	2	–
Whooping-cough	0·50	1,258	515	381	184	75	50	1,205	44	2	1	1	2	–	1	1	–	1
Typhus	0·00	4	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–
Enteric Fever	0·15	388	6	15	7	4	11	43	43	60	50	50	45	47	28	12	9	1
Simple Continued Fever	0·01	30	1	1	1	3	3	9	6	–	2	1	3	3	2	1	2	1
Diarrhœa and Dysentery	0·56	1,424	1,016	174	30	3	7	1,230	10	3	3	2	6	10	17	22	43	78
Cholera	0·01	34	16	7	–	1	1	25	2	–	–	1	1	–	–	4	–	1
Cancer	0·69	1,752	1	–	3	–	–	4	3	3	1	3	51	196	411	467	404	209
Tabes Mesenterica	0·22	558	325	104	29	21	7	486	23	16	14	2	4	6	1	4	1	1
Phthisis	1·22	3,078	71	51	33	14	8	177	70	129	258	296	835	668	380	181	66	18
Other Tub. and Scrof. Dis.	0·37	928	277	185	69	47	42	620	121	53	38	24	25	19	16	8	2	2
Diseases of Nervous System	1·96	4,965	980	245	97	56	38	1,416	99	50	68	72	192	332	441	628	919	748
Diseases of Circulatory „	1·37	3,476	50	12	6	10	4	82	45	79	63	72	214	300	405	653	910	653
Diseases of Respiratory „	2·63	6,647	1,538	836	309	189	126	2,998	169	51	48	49	158	228	333	592	1,010	1,011
Diseases of Digestive „	0·93	2,362	484	176	35	27	23	745	73	28	31	40	119	194	244	328	376	184
Diseases of Urinary „	0·28	718	18	6	5	4	3	36	14	12	20	17	56	119	126	131	120	67
Diseases of Generative „	0·08	202	–	2	1	–	–	3	1	1	3	8	28	46	42	34	28	8
Puerperal Fever	0·15	372	–	–	–	–	–	–	–	–	4	64	191	112	1	–	–	–
Childbirth	0·10	248	–	–	–	–	–	–	–	–	5	28	113	94	8	–	–	–
Violence	0·28	721	186	35	29	26	16	292	44	20	29	28	53	44	46	49	51	65
Other Causes	2·47	6,276	2,816	159	39	19	18	3,051	83	82	59	65	114	156	162	215	533	1,756

Marriages - - - 25,999
Births - - - 74,876

Deaths from Childbirth and Puerperal Fever - } 4·06 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

8.—HERTFORDSHIRE.—(Males.)

Causes of Death	Death-rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·25	†1·23		—	—	—	42·98	4·49	2·41	3·11	5·26	6·96	10·69	15·91	29·64	61·18	178·73
Mean Population, 1881–91	—	101,744	2,041	2,488	2,583	2,569	2,677	13,058	13,496	12,071	10,439	7,963	12,462	10,748	8,521	6,640	4,292	1,766
Deaths from All Causes	17·81	18,119	2,524	303	329	299	296	3,612	302	313	324	387	867	1,152	1,403	1,968	2,629	2,588
Small-pox	0·01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·54	55	6	17	—	5	3	31	3	1	1	2	2	6	—	1	2	—
Scarlet Fever	0·17	17	1	2	3	3	2	11	2	1	—	1	—	2	—	—	—	—
Diphtheria	0·27	27	1	2	2	2	1	8	1	1	1	—	—	—	—	—	—	—
Whooping-cough	0·35	34	1	4	3	2	1	11	2	—	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	113	—	—	—	4	—	4	16	16	14	18	18	6	10	6	3	2
Simple Continued Fever	0·01	1	—	—	—	—	1	1	1	—	1	—	2	—	2	—	1	—
Diarrhœa and Dysentery	0·50	51	25	6	3	1	1	36	4	—	—	—	—	3	3	3	2	1
Cholera	0·01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Erysipelas	0·01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diseases of Uncertain Seat—Metastatic	0·01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·16	17	—	—	—	—	—	—	3	1	—	1	1	3	4	2	1	—
Other Uncertain Seat	1·13	115	4	1	2	3	2	12	3	1	—	—	1	2	1	—	—	1
Other Uncertain Seat—Diseases	0·95	96	4	1	2	—	—	7	1	—	—	—	—	—	—	—	—	—
Diseases of Nervous System	2·47	251	25	5	9	3	2	44	3	2	1	1	2	3	2	1	1	—
Diseases of Circulatory System	1·01	103	2	1	1	1	1	6	1	—	—	—	—	1	1	1	1	—
Diseases of Respiratory System	7·01	713	108	41	29	15	9	202	7	3	1	1	3	5	6	5	2	—
Diseases of Digestive System	1·31	133	7	1	1	2	1	12	1	—	—	—	—	—	1	—	—	—
Diseases of Urinary System	1·23	125	4	1	1	1	1	8	1	—	—	—	—	—	—	—	—	—
Diseases of Generative System	0·14	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parturition	0·12	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidents	0·77	78	2	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Suicide	0·16	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide	0·01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence, Cause Undefined	0·46	47	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
All other Causes	3·46	352	47	15	26	13	10	111	12	5	3	2	3	1	1	1	1	1
Ill-defined and not specified	14·31	1,457	1,344	25	23	14	8	1,514	45	30	44	37	67	106	101	155	76	47
															187	183	347	1,067

Births . . . 30,742

* Death-rate in Standard Population (*see* pages xxxvi–xxx

† The death-rate under one year of age is per 1000 Births.

8.—HERTFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·59	†95	–	–	–	–	35·73	3·99	2·68	4 24	5·56	6·23	8·23	12·12	23·85	53·75	147·97
Mean Population, 1881-91 -	–	107,033	2,701	2,542	2,595	2,617	2,646	13,101	12,938	11,999	9,231	8,374	14,501	12,379	9,035	7,456	4,953	2,166
Deaths from All Causes, 1881-90 - - -	16·02	17,146	2,844	918	414	294	211	4,681	516	321	391	466	903	1,019	1,204	1,778	2,662	3,205
Small-pox - - -	0·01	9	–	–	–	–	–	–	–	1	–	1	4	2	–	–	–	1
Measles - - -	0·28	300	54	95	46	50	16	261	33	2	–	1	2	1	–	–	–	–
Scarlet Fever - - -	0·15	160	7	13	26	30	24	100	39	11	5	1	3	1	–	–	–	–
Diphtheria - - -	0·22	235	7	11	25	21	33	97	92	27	5	3	5	4	–	1	–	1
Whooping-cough - -	0·37	396	171	113	56	25	15	380	15	–	–	–	–	1	–	–	–	–
Typhus - - -	0·00	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever - -	0·11	120	–	1	5	1	1	8	9	13	23	15	22	13	12	3	2	–
Simple Continued Fever -	0·02	20	–	–	3	1	–	4	1	1	2	1	1	3	–	–	6	1
Diarrhœa and Dysentery -	0·39	414	229	57	8	3	4	301	5	1	–	2	4	4	6	9	37	45
Cholera - - -	0·01	12	5	–	–	–	1	6	–	–	–	–	–	1	1	2	2	–
Cancer - - -	0·82	874	1	–	–	1	–	2	–	1	2	6	24	73	196	233	238	99
Tabes Mesenterica -	0·13	140	57	29	9	4	2	101	8	9	4	4	3	6	4	1	–	–
Phthisis - - -	1·33	1,420	20	15	3	6	5	49	29	79	165	201	341	268	156	92	37	3
Other Tub. and Scrof. Dis. -	0·27	289	49	38	25	16	14	142	38	31	24	10	21	9	8	4	2	–
Diseases of Nervous System -	2·51	2,685	346	107	41	25	19	538	50	29	31	41	81	143	239	370	611	552
Diseases of Circulatory „ -	1·88	2,011	9	4	1	–	1	15	12	21	28	38	78	135	208	401	604	471
Diseases of Respiratory „ -	2·66	2,848	560	312	114	78	52	1,116	99	21	20	23	62	75	111	255	490	576
Diseases of Digestive „ -	0·94	1,002	161	45	18	8	7	239	31	16	17	18	40	55	100	160	180	146
Diseases of Urinary „ -	0·32	339	3	3	2	4	3	15	4	6	11	12	26	30	47	66	79	43
Diseases of Generative „ -	0·10	107	1	–	–	–	–	1	–	1	2	6	11	19	15	23	20	9
Puerperal Fever - -	0·12	126	–	–	–	–	–	–	–	–	6	31	48	40	1	–	–	–
Childbirth - - -	0·12	126	–	–	–	–	–	–	–	–	8	11	47	56	4	–	–	–
Violence - - -	0·28	295	46	18	11	10	8	93	15	4	9	11	20	16	23	30	28	45
OTHER CAUSES - -	2·98	3,216	1,118	57	21	11	6	1,213	35	45	29	30	60	64	73	128	326	1,213

Marriages - - 11,208
Births - - 29,884

Deaths from Childbirth and Puerperal Fever - - 4·16 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

9.—BUCKINGHAMSHIRE.—(Males.)

Causes of Death.	Crude Death-rate per 1000 Pop.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*15·70	†128	–	–	–	–	46·02	5·93	2·05	3·66	5·20	6·34	8·73	13·57	24·90	61·71	161·14
Mean Population, 1891-91	–	78,878	2,695	1,985	2,024	2,101	2,078	10,245	10,011	9,681	8,179	5,867	9,759	8,223	6,860	5,225	3,343	1,405
Deaths from All Causes 1887-90	17·45	13,758	345	79	41	232	174	4,715	392	198	250	305	621	718	931	1,301	2,093	2,264
Small-pox	0·02	20	3	–	–	–	–	3	–	–	4	–	3	2	1	5	2	–
Measles	0·31	265	42	20	32	27	15	229	26	5	–	–	–	–	–	–	–	–
Scarlet Fever	0·29	194	2	21	25	15	23	86	37	12	3	3	2	1	–	–	–	–
Diphtheria	0·15	117	1	13	13	12	20	62	30	10	4	2	2	1	–	–	–	–
Whooping-cough	0·31	245	134	73	19	10	6	242	2	–	–	–	–	–	–	1	1	–
Typhus	0·01	6	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	1
Enteric Fever	0·25	192	2	2	2	2	1	9	17	12	11	11	21	14	13	7	19	4
Simple Continued Fever	0·01	11	1	2	1	–	1	5	1	–	1	–	–	1	1	1	1	–
Diarrhœa and Dysentery	0·43	337	244	45	19	3	2	264	1	–	–	2	1	3	3	6	12	38
Cholera	0·01	5	2	–	–	–	–	2	–	–	–	–	–	–	–	2	1	–
Cholera	0·43	335	–	–	–	1	–	1	1	2	–	–	9	27	52	84	113	46
Tabes Mesenterica	0·23	186	108	33	6	6	2	155	13	4	2	2	1	4	3	1	–	–
Hydrocephalus	1·26	987	22	8	6	7	3	46	12	13	64	123	245	196	156	95	33	5
Other Tub. and Scrof. Dis.	0·45	229	85	50	22	8	12	177	40	10	17	6	10	7	3	7	1	1
Nervous System	2·38	1,859	347	75	26	17	16	481	52	23	24	21	35	90	124	267	426	376
Organs of Circulation	1·24	1,577	12	–	1	1	2	16	12	12	21	24	39	74	128	245	384	264
Organs of Respiration	3·17	2,478	614	254	106	83	50	1,107	69	16	16	19	56	99	163	299	367	351
Digestive Organs	1·09	766	174	43	12	14	3	243	15	18	14	5	32	34	84	117	153	74
Urinary Organs	0·26	202	8	4	2	3	3	20	1	5	5	10	17	31	39	71	164	108
Generative Organs	0·03	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·80	631	37	19	17	11	6	89	35	28	35	50	68	67	74	81	76	31
Ill-defined Causes	1·11	3,528	1,071	69	21	9	7	1,468	28	27	29	26	64	64	86	124	348	964

Marriages . . 2,475
Births . . 24,171

* Death-rate in Standard Population (*see* pages xxxvi xxxviii).
† The death-rate under one year of age is per 1000 Births.

9.—BUCKINGHAMSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwrds.
Annual Death-Rate per 1000	–	*14·76	†103	–	–	–	–	37·74	3·89	2·36	4·17	4·92	6·18	8·74	11·38	23·14	56·50	147·07
Mean Population, 1881-91	–	81,318	2,049	1,995	2,111	2,046	2,127	10,328	10 081	9,214	7,150	6,262	10,831	9,083	7,442	5,704	3,653	1,570
Deaths from All Causes, 1881-90	16·13	13,116	2,447	741	319	215	176	3,898	392	217	298	308	669	794	847	1,320	2,064	2,309
Small-pox	0·01	11	1	–	1	–	–	2	–	1	2	2	–	2	1	–	1	–
Measles	0·30	245	41	66	40	29	26	202	35	4	2	–	1	–	1	–	–	–
Scarlet Fever	0·16	132	7	25	25	13	15	85	28	14	3	2	–	–	–	–	–	–
Diphtheria	0·17	139	1	10	10	21	20	62	54	11	1	2	1	2	1	5	–	–
Whooping-cough	0·36	292	142	75	35	18	11	281	11	–	–	–	–	–	–	–	–	–
Typhus	0·01	7	–	–	–	–	–	–	–	1	2	–	1	3	–	–	–	–
Enteric Fever	0·13	108	–	–	1	3	2	6	10	16	20	11	11	13	9	6	3	3
Simple Continued Fever	0·03	21	–	1	2	–	1	4	4	2	2	–	2	2	2	1	2	–
Diarrhœa and Dysentery	0·40	328	157	48	10	5	1	221	5	2	1	3	6	11	3	11	34	31
Cholera	0·01	8	2	–	2	–	1	5	–	–	–	–	1	1	1	–	–	–
Cancer	0·73	597	–	–	1	–	1	2	–	–	3	1	13	61	132	171	154	60
Tabes Mesenterica	0·19	152	75	19	8	4	3	109	8	8	8	3	7	2	4	1	1	1
Phthisis	1·34	1,087	23	15	10	5	1	54	22	45	99	119	279	226	126	80	34	3
Other Tub. and Scrof. Dis.	0·29	236	62	34	13	11	8	128	33	18	20	11	11	8	4	2	1	–
Diseases of Nervous System	2·09	1,702	266	76	24	19	9	394	29	13	40	28	52	72	122	225	400	327
Diseases of Circulatory „	1·65	1,338	7	2	–	2	2	13	10	20	22	19	44	77	139	272	431	291
Diseases of Respiratory „	2·72	2,209	463	247	95	60	50	915	60	17	16	22	47	76	107	206	381	362
Diseases of Digestive „	1·02	826	113	49	11	10	10	193	24	12	11	14	38	56	76	131	173	98
Diseases of Urinary „	0·28	225	1	6	1	5	–	13	5	2	7	8	13	23	22	53	52	27
Diseases of Generative „	0·12	98	1	–	–	–	–	1	–	1	4	4	12	18	20	18	14	6
Puerperal Fever	0·12	100	–	–	–	–	–	–	–	–	4	26	41	29	–	–	–	–
Childbirth	0·14	111	–	–	–	–	–	–	–	1	3	16	36	52	3	–	–	–
Violence	0·28	224	39	9	10	5	7	70	19	5	6	6	8	10	18	26	21	35
Other Causes	3·58	2,920	1,046	59	20	5	8	1,138	35	24	22	11	45	50	56	112	362	1,065

Marriages 9,913
Births 23,862

Deaths from Childbirth and Puerperal Fever 4·34 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

10.—OXFORDSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·89	†125	–	–	–	–	44·05	4·14	2·28	3·46	4·83	6·53	9·85	14·09	24·99	62·70	166·65
Mean Population, 1881-91	–	89,851	2,993	2,955	2,298	2,301	2,350	11,597	11,291	10,824	9,218	6,951	11,239	9,222	7,776	6,119	3,862	1,652
Deaths from All Causes, 1881-90	17·79	15,082	3,495	875	360	218	160	5,108	468	247	319	336	734	908	1,096	1,529	2,484	2,756
Small-pox	0·02	16	1	–	–	–	–	1	–	1	–	1	2	3	1	3	4	–
Measles	0·32	286	60	107	50	24	10	251	30	3	1	–	–	1	–	–	–	–
Scarlet Fever	0·19	171	5	24	30	27	21	107	46	8	5	3	1	1	–	–	–	–
Diphtheria	0·08	71	1	4	8	6	6	25	26	9	3	3	2	–	2	1	–	–
Whooping-cough	0·25	226	118	59	22	11	8	218	7	1	–	–	–	–	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	114	1	–	1	3	3	8	6	16	23	22	13	11	5	3	7	–
Simple Continued Fever	0·02	18	1	–	2	–	–	3	2	4	3	1	2	2	–	–	–	1
Diarrhœa and Dysentery	0·37	333	185	30	7	6	2	230	6	–	3	1	2	2	4	15	33	37
Cholera	0·00	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Cancer	0·49	444	–	–	–	1	–	1	1	1	2	3	8	33	70	124	153	48
Tabes Mesenterica	0·15	136	61	21	9	6	2	99	17	8	4	2	3	–	2	1	–	–
Phthisis	1·48	1,311	18	17	6	4	4	49	26	22	86	140	297	270	215	125	73	8
Other Tub. and Scrof. Dis.	0·39	354	118	63	23	14	9	227	50	14	11	19	11	9	4	6	3	–
Diseases of Nervous System	2·51	2,254	444	100	41	16	17	618	48	16	37	17	58	104	140	290	485	441
Diseases of Circulatory ,,	1·62	1,454	13	1	1	1	3	19	9	16	19	12	52	92	138	293	501	369
Diseases of Respiratory ,,	3·13	2,816	753	304	109	63	42	1,251	71	18	11	22	95	113	161	287	477	450
Diseases of Digestive ,,	1·05	942	194	47	14	4	8	267	20	17	18	20	25	62	114	145	176	78
Diseases of Urinary ,,	0·64	578	7	1	3	2	2	15	13	5	9	6	31	55	61	100	163	129
Diseases of Generative ,,	0·00	3	1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Child-birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·75	679	29	18	16	19	13	95	52	43	45	30	69	75	78	64	72	47
Other Causes	4·22	3,779	1,501	79	18	11	10	1,619	38	45	38	34	63	74	101	129	467	1,240

Marriages - - - 11,761
Births - - - 28,040

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

10.—OXFORDSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·46	†100	–	–	–	–	36·42	3·93	2·49	3·62	4·72	5·94	8·74	12·14	22·63	55·06	145·23
Mean Population, 1881-91	–	95,044	2,364	2,189	2,317	2,344	2,319	11,533	11,262	10,639	8,758	7,696	12,788	10,496	8,749	6,731	4,473	1,919
Deaths from All Causes 1881-90	15·89	15,099	2,667	802	355	211	165	4,200	443	265	317	363	759	917	1,062	1,523	2,463	2,787
Small-pox	0·01	5	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–
Measles	0·26	249	41	97	42	16	15	211	29	4	1	–	2	2	–	–	–	–
Scarlet Fever	0·18	174	14	23	27	28	28	120	40	10	1	3	–	–	–	–	–	–
Diphtheria	0·09	87	–	5	7	8	8	28	36	13	2	2	2	1	2	1	–	–
Whooping-cough	0·31	294	123	84	37	22	11	277	17	–	–	–	–	–	–	–	–	–
Typhus	0·00	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
Enteric Fever	0·10	97	–	–	2	1	4	7	13	16	11	10	19	8	6	5	2	–
Simple Continued Fever	0·01	10	–	–	–	–	–	–	–	3	1	2	–	1	–	1	2	–
Diarrhœa and Dysentery	0·32	308	153	38	7	5	2	205	4	2	2	3	6	2	5	12	27	40
Cholera	0·00	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Cancer	0·84	794	–	–	–	1	–	1	–	1	1	1	17	84	151	226	214	98
Tabes Mesenterica	0·12	117	44	15	5	6	1	71	14	6	13	5	2	2	2	1	–	1
Phthisis	1·32	1,256	22	8	8	8	2	48	36	60	130	149	277	251	167	100	31	7
Other Tub. and Scrof. Dis.	0·34	321	77	62	23	9	17	188	49	26	16	9	13	8	4	3	4	1
Diseases of Nervous System	2·19	2,082	307	72	38	20	15	452	32	31	28	15	44	95	171	284	506	424
Diseases of Circulatory „	1·77	1,686	11	3	2	–	1	17	11	15	28	22	64	99	187	314	554	375
Diseases of Respiratory „	2·47	2,347	497	248	109	50	36	940	75	17	9	23	53	71	99	214	429	417
Diseases of Digestive „	1·00	950	119	54	15	9	10	207	23	12	23	21	48	77	104	170	171	94
Diseases of Urinary „	0·33	314	2	2	1	2	2	9	6	8	3	16	21	32	51	56	70	42
Diseases of Generative „	0·09	83	1	1	–	–	–	2	–	1	1	4	9	20	18	11	12	5
Puerperal Fever	0·13	119	–	–	–	–	–	–	–	–	–	2	22	56	37	2	–	–	–
Childbirth	0·13	128	–	–	–	–	–	–	–	–	–	4	25	50	48	1	–	–	–
Violence	0·29	275	31	13	9	10	5	68	23	13	10	8	22	20	21	19	34	37
Other Causes	3·59	3,396	1,221	77	23	16	8	1,345	35	27	30	23	52	57	70	104	407	1,246

Marriages - - - 11,764
Births - - - 26,751

Deaths from Childbirth and Puerperal Fever - - 4·51 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

11.—NORTHAMPTONSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death-Rate per 1,000	–	*16·81	†146	–	–	–	–	52·50	4·31	2·06	3·65	4·98	6·13	8·98	13·39	25·73	60·83	161·18
Mean Population, 1881–91	–	145,505	3,983	3,682	3,793	3,743	3,774	18,975	18,037	16,559	15,036	12,280	10,234	15,486	12,297	9,140	5,591	2,110
Deaths from All Causes, 1881–90	17·70	25,757	6,871	1,689	626	465	310	9,961	778	441	549	611	1,226	1,390	1,647	2,352	3,401	3,401
Small-pox	0·02	25	–	–	–	–	1	2	–	–	–	2	6	3	2	3	3	4
Measles	0·38	568	112	200	82	68	43	505	43	5	1	3	–	1	–	–	–	–
Scarlet Fever	0·26	378	27	41	62	62	45	237	99	22	13	1	1	–	–	–	–	–
Diphtheria	0·11	162	5	13	11	28	26	83	48	19	5	2	–	3	–	1	–	1
Whooping-cough	0·35	513	253	163	43	29	12	500	12	1	–	–	–	–	–	–	–	–
Typhus	0·00	5	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–
Enteric Fever	0·18	264	2	5	1	7	6	21	37	38	47	28	41	25	12	7	6	2
Simple Continued Fever	0·01	19	2	1	1	–	–	4	2	3	1	–	1	2	3	2	1	–
Diarrhœa and Dysentery	0·59	857	589	78	12	3	4	686	6	1	1	–	6	5	9	20	50	73
Cholera	0·01	10	3	–	–	–	1	4	–	–	–	–	1	2	–	2	1	–
Cancer	0·53	771	3	–	–	–	1	4	1	2	5	–	18	46	138	240	240	78
Tabes Mesenterica	0·18	268	149	39	20	13	5	226	12	10	7	3	6	2	1	–	1	–
Phthisis	1·44	2,096	64	58	16	10	8	136	39	44	168	271	479	412	296	170	76	8
Other Tub. and Scrof. Dis.	0·45	659	228	124	42	35	21	450	80	33	30	17	21	12	8	4	4	–
Nervous System	2·50	3,634	934	175	58	27	34	1,228	77	46	44	36	103	199	209	403	733	561
Circulatory „	1·48	2,150	16	2		2	3	23	18	31	37	37	86	145	221	421	697	434
Respiratory „	3·14	4,572	1,408	528	187	121	61	2,305	124	28	35	57	109	165	243	398	576	564
Digestive „	1·05	1,526	411	121	18	17	5	572	35	27	26	27	58	70	142	203	238	169
Urinary „	0·50	732	11	7	5	9	4	36	13	12	9	21	46	58	68	122	218	129
Generative „	0·00	7	3	–	–	–	–	3	–		–			2	1	–	–	1
Puerperal Fever	–	–	–	–	–	–		–	–	–	–	–						
Childbirth	–	–	–	–	–			–										
Violence	0·84	1,217	70	32	30	23	17	172	78	67	78	63	138	126	148	156	125	66
Other Causes	3·69	5,346	2,581	122	37	11	13	2,764	54	51	42	42	105	100	145	200	432	1,402

Marriages	–	–	20,507
Births	–	–	47,186

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

11.—NORTHAMPTONSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·65	†117	–	–	–	–	43·31	4·22	3·07	4·48	5·39	6·49	9·00	11·30	22·91	54·31	149·12
Mean Population, 1881–91	–	147,049	4,058	3,704	3,893	3,916	3,788	19,359	18,068	16,506	14,040	12,069	20,286	15,986	12,786	9,545	5,949	2,455
Deaths from All Causes, 1881–90	16·46	24,211	5,310	1,594	661	479	340	8,384	762	506	629	651	1,316	1,439	1,445	2,187	3,231	3,661
Small-pox	0·01	9	2	–	–	–	–	2	1	–	–	4	2	–	–	–	–	–
Measles	0·35	513	100	155	93	65	40	453	50	7	1	–	1	1	–	–	–	–
Scarlet Fever	0·26	383	23	50	61	59	51	244	91	29	6	3	4	5	–	1	–	–
Diphtheria	0·13	194	7	10	15	26	28	86	66	23	6	2	6	1	–	2	2	–
Whooping-cough	0·42	622	268	188	74	53	21	604	17	–	–	–	–	–	–	–	–	1
Typhus	0·00	5	–	–	–	–	–	–	1	1	–	–	–	1	–	1	1	–
Enteric Fever	0·18	265	2	3	5	4	5	19	34	43	54	29	34	26	14	7	4	1
Simple Continued Fever	0·02	29	–	1	2	2	2	7	7	1	4	–	3	3	2	1	–	1
Diarrhœa and Dysentery	0·53	779	451	92	17	8	7	575	5	2	3	2	6	10	11	23	69	73
Cholera	0·00	5	1	–	–	–	–	1	–	–	–	–	1	1	–	2	–	–
Cancer	0·77	1,126	–	–	1	1	1	3	1	2	4	8	39	113	255	324	275	102
Tabes Mesenterica	0·17	252	123	37	20	3	2	185	21	13	12	8	5	7	1	–	–	–
Phthisis	1·38	2,035	60	34	13	14	7	128	45	100	244	254	515	378	192	111	57	11
Other Tub. and Scrof. Dis.	0·39	574	160	98	34	36	24	352	72	50	33	16	23	9	8	6	4	1
Diseases of Nervous System	2·19	3,223	683	128	56	36	25	928	67	58	52	35	83	125	227	432	638	578
Diseases of Circulatory „	1·63	2,402	9	2	–	1	–	12	22	30	47	49	104	182	257	463	712	515
Diseases of Respiratory „	2·73	4,011	1,004	524	189	119	86	1,922	127	22	22	33	82	138	136	321	583	625
Diseases of Digestive „	1·01	1,484	298	140	31	12	10	491	43	30	29	27	58	105	141	208	226	126
Diseases of Urinary „	0·24	358	12	5	3	4	6	30	16	5	17	19	41	35	39	60	68	28
Diseases of Generative „	0·08	122	1	–	–	–	–	1	–	–	4	10	18	20	25	15	22	7
Puerperal Fever	0·17	254	–	–	–	–	–	–	–	–	14	55	107	74	4	–	–	–
Childbirth	0·12	178	–	–	–	–	–	–	–	–	7	18	69	80	4	–	–	–
Violence	0·28	408	50	27	23	15	6	121	30	15	21	15	23	26	24	28	60	45
OTHER CAUSES	3·40	4,980	2,056	100	24	21	19	2,220	46	66	49	64	92	99	105	182	510	1,547

Marriages – – – 20,507
Births – – – 45,373

Deaths from Childbirth and Puerperal Fever – – 4·67 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

12 HUNTINGDONSHIRE.—(MALES.)

Causes of Death.	Crude Death-rate per 1000	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-rate per 1000	-	15·20	7·17	-	-	-		40·19	3·90	2·54	2·74	5·07	5·42	8·26	12·37	25·55	58·80	141·36
Mean Population, 1881-91	-	25,408	622	604	647	631	631	3,135	3,176	3,076	2,659	1,853	2,659	2,585	2,329	1,879	1,247	565
Deaths from All Causes, 1881-90	17·94	4,559	899	299	74	59	49	1,270	124	78	73	93	160	208	288	480	747	815
		2	-		-	-	-	-			-	-	1	-	1	-	-	-
		47	15	16	4	3	2	40	6	1				-	-	-	-	-
		33	4	7	2	3	5	21	12	2				-	-	-	-	-
		40	1	4	2	6	5	18	13	7				-	-	-	-	-
		55	31	15	6	1	1	54	1					-	-	-	-	-
		1	-	-	-	-	-	-						1	-	-	-	-
		34	-	-	-	-	-	-	2	4	6	5	4	3	2	3	1	1
		15	-	-	1	1	-	2	1	1					1	4		2
		105	50	12	4	3	2	71	1		1			-	3	1	11	18
		9	-	1	-	-	-	1						-	-	4	2	1
		202	-	-	-	-	-	-				1		9	30	67	70	23
		36	17	8	1	2	-	28	2	3				1	-	-	-	-
		373	13	6	1	1	-	21	18	3	2	4	6	68	54	42	24	2
		87	20	20	4	6	3	53	15	6	5	2	4	-	3	1	-	-
	2·11	54	30	32	15	11	3	150	9	1	2	3	7	15	17	32	122	115
	1·73	2	-	-	-	1	-	3	2		1	2	12	2	5	5	113	104
	2·88	183	67	17	11	14		292	3	2	2	1	1	2	4	10	44	107
	0·13	40	21	5		1		67	3				2	1	1	1	13	29
	0·53	1	1	-	1		1	3	2			2		1	1	1	13	32
	0·01	2	-	1			-	1		-	-	-	-	-				1

12.—HUNTINGDONSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*13·41	†96	–	–	–	–	33·26	3·69	2·77	5·05	7·38	6·79	6·70	9·27	18·40	48·39	131·85
Mean Population, 1881-91	–	26,348	647	594	631	645	637	3,154	3,172	3,028	2,357	1,910	3,197	2,823	2,524	2,038	1,426	719
Deaths from All Causes, 1881-90	15·80	4,163	685	182	67	75	40	1,049	117	84	119	141	217	189	234	375	690	948
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	40	9	17	4	4	1	35	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	37	1	5	3	8	4	21	12	2	1	–	–	1	–	–	–	–
Diphtheria	0·20	54	1	–	1	8	9	19	17	6	8	2	1	1	–	–	–	–
Whooping-cough	0·30	79	42	16	9	8	3	78	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·12	31	–	–	–	–	–	–	1	3	6	8	5	3	2	2	1	–
Simple Continued Fever	0·10	26	–	–	–	1	1	2	7	6	4	1	2	–	–	–	2	2
Diarrhœa and Dysentery	0·33	88	43	11	2	–	–	56	1	2	–	–	1	–	–	4	7	17
Cholera	0·02	5	2	–	–	1	–	3	–	1	–	–	1	–	–	–	–	–
Cancer	1·03	272	–	–	–	–	1	1	–	–	1	1	10	15	51	79	85	29
Tabes Mesenterica	0·14	38	11	5	5	2	–	23	5	3	5	–	1	–	–	1	–	–
Phthisis	1·60	422	20	10	–	3	1	34	6	21	50	71	103	51	37	28	14	2
Other Tub. and Scrof. Dis.	0·30	78	13	8	7	5	4	37	8	6	8	5	6	4	2	2	–	–
Diseases of Nervous System	1·90	501	69	18	7	5	3	102	17	8	7	9	10	23	30	51	131	113
Diseases of Circulatory „	1·39	367	–	–	–	–	–	–	3	6	6	9	10	12	30	68	115	108
Diseases of Respiratory „	2·59	683	112	61	23	21	7	254	13	4	5	3	13	26	22	62	119	162
Diseases of Digestive „	0·70	184	22	7	1	2	–	32	5	1	3	3	16	8	18	25	44	29
Diseases of Urinary „	0·28	74	2	–	–	–	1	3	1	1	2	2	2	7	14	17	14	11
Diseases of Generative „	0·06	17	–	–	–	–	–	–	–	–	–	1	1	3	5	2	3	2
Puerperal Fever	0·09	23	–	–	–	–	–	–	–	–	3	6	7	7	–	–	–	–
Childbirth	0·09	25	–	–	–	–	–	–	–	–	–	4	12	8	1	–	–	–
Violence	0·36	94	6	6	3	4	2	21	11	4	4	1	4	3	1	8	15	22
Other Causes	3·91	1,024	302	18	2	3	3	328	5	9	6	14	7	17	21	26	140	451

Marriages - - - 3,267
Births - - - 7,129

Deaths from Childbirth and Puerperal Fever - - 3·31 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

13.—BEDFORDSHIRE.—(Males.)

Causes of Death.	Corrected Index-Number Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000	–	*17·00	†144	–	–	–	–	52·33	4·08	2·53	2·80	4·70	6·11	9·09	11·38	25·87	64·61	161·85
[illegible]	–	75,880	2,067	1,879	1,907	1,976	1,988	9,886	9,787	9,529	8,039	5,552	9,220	7,737	6,365	4,991	3,156	1,245
[illegible]	18·49	13,959	3,614	822	369	230	198	5,173	438	226	225	261	563	752	915	1,284	2,087	2,035
Small-pox	0·02	16	–	–	–	–	–	–	–	–	–	3	2	3	2	2	1	3
Measles	0·22	230	52	24	26	23	17	212	21	4	2	–	–	–	–	–	–	–
Scarlet Fever	0·23	211	10	30	30	24	28	132	65	8	1	2	2	1	–	–	–	–
Diphtheria	0·24	178	6	14	24	24	29	97	65	9	2	2	–	–	2	1	–	–
Whooping-cough	0·24	220	136	71	19	15	7	248	11	–	–	–	–	–	–	–	–	–
[illegible]	[illegible]	[illegible]	[illegible]	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·08	60	–	–	2	1	2	5	9	5	12	6	9	6	1	2	3	3
Simple Continued Fever	0·02	15	–	–	1	–	1	2	–	1	1	–	3	–	–	3	2	3
Diarrhœa and Dysentery	0·60	448	325	44	8	4	4	385	5	–	–	–	1	2	–	6	17	32
Cholera	0·01	7	–	2	–	–	–	2	–	–	–	–	–	–	–	2	2	–
Cancer	0·48	363	1	1	–	–	1	3	1	1	1	1	7	25	52	104	112	56
Tabes Mesenterica	0·21	159	105	20	5	4	4	138	8	3	2	1	1	4	1	1	–	–
Phthisis	1·39	1,035	42	15	5	[illegible]	4	61	20	23	35	112	241	216	168	86	67	3
Other Tub. and Scrof. Dis.	0·40	303	110	52	19	13	7	201	37	18	12	6	10	5	9	2	2	1
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

13.—BEDFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·65	†117	–	–	–	–	43·23	4·36	2·94	3·83	5·18	6·75	8·54	12·01	22·81	56·06	147·87
Mean Population, 1881-91	–	84,847	1,993	1,954	1,957	1,995	1,993	9,892	9,726	9,179	8,220	7,349	11,871	9,751	7,861	5,852	3,694	1,452
Deaths from All Causes, 1881-90	16·26	13,797	2,796	725	367	217	171	4,276	424	270	315	381	801	833	944	1,335	2,071	2,147
Small-pox	0·02	21	1	1	–	–	1	3	–	–	–	2	8	5	1	–	1	1
Measles	0·22	190	26	66	32	22	18	164	21	3	1	–	1	–	–	–	–	–
Scarlet Fever	0·27	225	11	20	51	27	26	135	71	10	4	2	2	1	–	–	–	–
Diphtheria	0·19	162	5	9	18	29	18	79	63	13	1	3	3	–	–	–	–	–
Whooping-cough	0·39	334	167	90	37	19	11	324	9	1	–	–	–	–	–	–	–	–
Typhus	0·00	3	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
Enteric Fever	0·11	92	2	–	–	2	–	4	8	13	22	11	10	10	3	7	3	1
Simple Continued Fever	0·01	11	–	–	1	–	1	2	2	2	1	–	1	1	–	–	2	–
Diarrhœa and Dysentery	0·48	403	255	52	7	1	1	316	4	2	–	–	3	1	1	11	21	44
Cholera	0·01	6	3	1	–	–	–	4	–	1	–	1	–	–	–	–	–	–
Cancer	0·81	686	–	–	1	–	–	1	1	–	3	1	19	72	162	186	177	64
Tabes Mesenterica	0·17	140	77	24	10	3	4	118	7	3	1	2	4	3	1	1	–	–
Phthisis	1·61	1,368	27	11	5	4	3	50	25	73	148	177	349	252	164	88	35	7
Other Tub. and Scrof. Dis.	0·27	230	67	24	15	10	10	126	24	27	10	11	14	9	3	2	3	1
Diseases of Nervous System	2·26	1,921	310	71	31	19	14	445	42	22	19	31	81	85	139	261	444	352
Diseases of Circulatory „	1·61	1,368	6	–	1	–	1	8	18	25	22	24	60	104	142	281	410	274
Diseases of Respiratory „	2·56	2,169	459	229	115	64	47	914	56	17	12	16	49	67	96	173	404	365
Diseases of Digestive „	0·96	818	110	52	11	7	5	185	20	19	22	17	31	63	95	125	161	80
Diseases of Urinary „	0·30	258	3	2	1	1	1	8	10	6	6	12	21	19	27	55	69	25
Diseases of Generative „	0·08	72	–	2	1	–	–	3	–	–	1	2	10	12	12	15	15	2
Puerperal Fever	0·11	94	–	–	–	–	–	–	–	–	3	21	34	35	1	–	–	–
Childbirth	0·12	101	–	–	–	–	–	–	–	–	7	18	39	36	1	–	–	–
Violence	0·21	174	25	6	8	5	7	51	15	4	5	6	6	7	14	15	24	27
OTHER CAUSES	3·49	2,951	1,242	65	22	4	3	1,336	27	29	27	23	56	50	82	115	302	904

Marriages - - - 10,788
Births - - - 23,988

Deaths from Childbirth and Puerperal Fever - - 3·97 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

14.—CAMBRIDGESHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*16·21	†134	–	–	–	–	47·70	4·58	2·67	3·56	5·23	6·72	9·67	13·80	26·27	57·84	147·96
Mean Population, 1881-91	–	95,061	2,418	2,258	2,415	2,381	2,484	11,956	11,692	11,221	10,152	7,558	11,821	10,056	8,095	6,339	4,232	1,939
Deaths from All Causes, 1881-91	18·06	17,163	3,868	983	463	264	185	5,703	536	300	361	395	794	972	1,125	1,665	2,448	2,869
Small-pox	0·01	10	–	–	–	–	–	–	–	–	–	2	3	1	3	1	–	–
Measles	0·23	215	40	76	38	19	7	189	24	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·21	198	12	27	33	25	26	123	44	22	7	2	–	–	–	–	–	–
Diphtheria	0·24	229	10	17	25	29	28	109	79	16	8	4	2	1	3	4	1	2
Whooping-cough	0·36	338	105	101	30	21	13	330	7	–	–	–	–	–	–	–	–	1
Typhus	0·01	6	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	2
Enteric Fever	0·13	126	2	1	1	–	–	4	16	13	17	22	25	7	15	4	3	–
Simple Continued Fever	0·02	18	–	3	–	2	–	5	4	1	1	–	–	3	1	1	1	1
Diarrhœa and Dysentery	0·45	429	275	40	13	3	3	334	6	–	1	1	1	2	5	8	21	50
Cholera	0·02	15	3	3	–	–	–	6	–	–	–	–	–	–	–	2	5	2
Cancer	0·64	612	–	–	–	1	–	1	2	1	3	3	7	46	73	192	195	89
Tabes Mesenterica	0·23	220	102	48	9	6	2	167	14	10	8	3	8	4	4	1	1	–
Phthisis	1·67	1,591	46	28	7	6	5	93	25	27	110	104	356	331	220	149	66	11
Other Tub. and Scrof. Dis.	0·41	387	103	58	23	23	15	222	60	33	21	5	12	10	10	5	9	–
Diseases of Nervous System	2·15	2,046	385	91	46	27	18	567	42	36	37	26	48	92	133	218	434	443
Diseases of Circulatory „	1·74	1,650	12	4	2	1	2	21	8	14	19	22	50	107	157	293	529	499
Diseases of Respiratory „	3·03	2,872	752	285	108	66	38	1,249	31	21	18	19	56	103	161	287	446	431
Diseases of Digestive „	1·05	997	202	76	11	4	7	300	20	14	21	9	35	74	97	156	102	169
Diseases of Urinary „	0·58	551	9	3	6	3	–	21	8	5	5	5	22	28	61	92	166	138
Diseases of Generative „	0·01	8	2	–	–	–	–	2	–	–	–	–	–	1	–	3	2	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·88	834	44	24	30	20	9	127	59	64	50	43	88	75	88	102	85	53
OTHER CAUSES	4·00	3,816	1,696	99	21	7	12	1,834	37	22	35	23	80	87	92	147	322	1,137

Marriages . . 12,455
Births . . 28,901

* Death-rate in Standard Population (see pages xxxvi–xxxviii).
† The death rate under one year of age is per 1000 Births.

14.—CAMBRIDGESHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·64	†108	–	–	–	–	39·87	4·39	2·94	4·63	5·90	6·89	8·33	11·51	20·81	46·79	131·32
Mean Population, 1881-91	–	98,631	2,440	2,248	2,365	2,458	2,395	11,906	11,809	10,967	9,048	7,807	12,717	10,944	8,968	7,065	4,913	2,487
Deaths from All Causes, 1881-90	16·55	16,323	3,008	908	372	241	218	4,747	519	322	419	461	876	912	1,032	1,470	2,299	3,266
Small-pox	0·01	8	1	–	–	–	–	1	1	–	–	2	2	–	1	–	–	1
Measles	0·21	208	45	69	36	14	16	180	23	4	–	–	1	–	–	–	–	–
Scarlet Fever	0·21	205	9	25	26	26	25	111	65	19	3	1	5	–	1	–	–	–
Diphtheria	0·25	246	11	13	28	25	33	110	89	22	9	4	4	4	2	–	1	1
Whooping-cough	0·42	412	201	127	30	29	13	400	11	–	1	–	–	–	–	–	–	–
Typhus	0·01	6	–	–	1	–	–	1	–	2	1	1	–	–	–	–	–	1
Enteric Fever	0·16	157	2	3	1	4	6	16	18	14	29	15	28	16	5	6	8	2
Simple Continued Fever	0·02	18	1	1	1	3	–	6	1	2	1	1	2	1	–	1	–	3
Diarrhœa and Dysentery	0·41	400	214	41	10	5	2	272	6	1	1	–	3	6	9	19	27	56
Cholera	0·01	12	3	–	–	–	1	4	1	–	1	–	2	1	–	–	2	1
Cancer	0·93	917	–	–	–	–	–	–	3	–	6	3	23	85	163	264	256	114
Tabes Mesenterica	0·20	194	83	28	14	3	3	131	14	11	14	1	10	3	4	2	3	1
Phthisis	1·66	1,636	45	26	15	4	4	94	33	84	200	229	386	271	182	102	49	6
Other Tub. and Scrof. Dis.	0·38	370	70	56	20	21	17	184	49	38	20	14	15	18	10	13	5	4
Diseases of Nervous System	2·01	1,982	268	74	31	22	23	418	41	36	25	27	43	73	135	234	450	500
Diseases of Circulatory „	1·67	1,646	14	3	1	2	3	23	12	18	25	24	52	85	165	284	479	479
Diseases of Respiratory „	2·48	2,450	530	257	102	56	51	996	68	15	22	18	49	81	87	200	402	512
Diseases of Digestive „	0·93	913	138	58	13	11	7	227	24	15	13	20	39	48	81	126	201	119
Diseases of Urinary „	0·34	340	7	6	3	–	2	18	6	5	5	13	25	35	59	60	75	39
Diseases of Generative „	0·10	99	1	1	–	–	–	2	–	1	–	7	12	19	18	17	20	3
Puerperal Fever	0·13	127	–	–	–	–	–	–	–	–	4	26	54	43	–	–	–	–
Childbirth	0·12	116	–	–	–	–	–	–	–	–	6	18	48	38	6	–	–	–
Violence	0·32	316	47	16	16	11	5	95	25	10	8	5	17	19	25	21	35	56
OTHER CAUSES	3·57	3,545	1,318	104	24	5	7	1,458	29	25	25	32	56	66	79	121	286	1,368

Marriages - - - 12,455
Births - - - 27,716

Deaths from Childbirth and Puerperal Fever - - 4·29 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

15.—ESSEX.—(Males.)

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*17·66	†167	–	–	–	–	52·45	4·78	2·53	3·69	4·78	6·25	10·11	14·79	26·89	59·76	154·36
Mean Population, 1881-91	–	57,381	2,192	8,717	2,058	2,017	2,005	44,989	42,840	39,658	32,130	26,470	45,714	36,382	26,304	17,209	10,760	4,295
Deaths from All Causes, 1881-90	17·49	57,253	35,166	1,568	1,791	1,194	884	23,597	2,049	1,002	1,187	1,266	2,857	3,679	3,890	4,816	6,394	6,516
Small-pox	0·01	68	84	26	42	27	15	194	42	29	44	67	140	92	43	26	3	5
Measles	0·45	1,903	266	182	181	114	89	1,031	135	10	3	3	-	1	-	-	-	-
Scarlet Fever	0·31	661	42	105	112	103	82	448	176	31	21	3	6	5	3	-	-	-
Diphtheria	0·26	547	45	86	102	135	105	473	228	30	22	8	10	12	6	5	6	1
Whooping-cough	0·48	1,567	771	442	146	87	49	1,495	66	1	-	-	-	-	1	-	-	-
Typhus	0·00	16	-	-	-	-	-	-	3	1	2	1	4	3	1	-	1	-
Enteric Fever	0·18	603	4	5	17	19	17	55	73	77	72	78	94	57	35	37	12	3
Simple Continued Fever	0·02	66	1	1	4	2	3	11	8	4	2	1	3	1	3	4	12	1
Diarrhœa and Dysentery	0·64	2,176	1,424	269	58	21	11	1,809	12	7	5	5	15	14	14	42	68	119
Cholera	0·02	69	37	6	-	-	-	45	3	1	2	1	2	3	3	7	1	1
Cancer	0·35	1,200	2	-	2	1	1	6	3	3	5	8	30	74	223	376	377	168
Tabes Mesenterica	0·27	935	541	180	63	17	16	779	47	25	9	8	4	6	3	3	1	-
Phthisis	1·48	4,892	166	60	31	17	25	299	92	123	322	472	1,078	1,045	763	473	207	34
Other Tub. and Scrof. Dis.	0·45	1,488	475	354	121	81	55	1,086	159	73	42	25	30	31	18	23	15	1
Diseases of Nervous System	2·44	7,967	2,046	586	182	120	67	3,312	239	86	89	80	213	399	486	758	1,330	1,000
" Circulatory "	1·39	4,584	47	9	6	7	9	78	63	76	160	55	262	412	599	838	1,311	1,110
" Respiratory "	5·31	17,395	1,243	1,435	519	332	222	5,751	355	76	94	77	318	494	670	903	1,267	1,542
" Digestive "	0·93	3,033	759	246	49	35	25	1,114	78	54	44	46	124	234	342	397	425	277
" Urinary "	0·45	1,486	91	9	10	14	15	67	37	13	31	29	68	132	179	243	399	599
" Generative "	0·01	20	2	2	-	-	-	4	-	-	1	-	2	4	2	6	4	3
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violence	0·74	2,430	193	67	63	56	32	392	195	131	158	189	283	330	282	273	184	72
Other Causes	7·24	23,753	5,148	298	88	43	43	5,580	120	126	124	98	231	340	305	397	781	2,459

Marriages - - 3,070
Births - - 13,578

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

15.—ESSEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·63	†115	–	–	–	–	44·59	4·71	2·90	4·16	4·83	6·18	8·92	12·39	23·46	51·88	140·34
Mean Population 1881–91	–	329,429	9,446	8,863	9,111	9,080	8,944	45,449	43,032	38,128	29,328	26,199	47,158	37,213	27,072	18,972	11,761	5,117
Deaths from All Causes, 1881–90	16·15	53,199	12,270	4,166	1,770	1,202	857	20,265	2,027	1,104	1,219	1,265	2,913	3,318	3,354	4,451	6,102	7,181
Small-pox	0·16	541	85	28	26	17	25	181	43	42	50	43	93	43	32	9	3	2
Measles	0·36	1,180	243	401	207	120	78	1,049	110	8	2	3	5	2	1	–	–	–
Scarlet Fever	0·22	741	21	104	125	129	82	461	203	44	12	3	10	6	1	1	–	–
Diphtheria	0·29	948	28	76	108	145	121	478	335	74	18	7	13	10	4	4	5	–
Whooping-cough	0·60	1,972	890	563	230	137	75	1,895	70	1	1	–	1	1	1	–	1	1
Typhus	0·00	11	–	–	–	–	–	–	2	2	2	–	1	2	1	–	1	–
Enteric Fever	0·17	559	5	9	10	22	15	61	65	87	76	58	92	57	33	21	8	1
Simple Continued Fever	0·02	62	1	3	2	6	4	16	13	5	4	–	5	2	6	5	3	3
Diarrhœa and Dysentery	0·57	1,874	1,273	250	30	14	6	1,573	18	8	2	3	19	16	11	38	61	125
Cholera	0·02	50	26	6	1	1	1	35	2	1	–	–	–	1	3	4	4	–
Cancer	0·69	2,286	1	1	2	–	1	5	4	1	4	3	75	259	486	620	558	271
Tabes Mesenterica	0·23	748	406	147	53	13	3	622	27	28	16	18	17	6	6	6	1	1
Phthisis	1·38	4,555	86	58	28	19	28	219	110	255	477	531	1,043	941	536	281	140	22
Other Tub. and Scrof. Dis.	0·36	1,185	335	237	107	72	51	802	140	62	44	33	45	19	19	13	5	3
Diseases of Nervous System	2·11	6,942	1,711	416	178	94	71	2,470	200	98	96	75	191	288	473	777	1,199	1,075
Diseases of Circulatory „	1·46	4,813	53	14	4	5	5	81	63	107	113	94	244	396	536	944	1,357	878
Diseases of Respiratory „	2·82	9,284	2,158	1,329	492	295	213	4,487	347	71	56	61	220	308	413	769	1,203	1,349
Diseases of Digestive „	0·88	2,891	544	194	40	22	22	822	82	58	45	48	148	240	301	406	448	293
Diseases of Urinary „	0·24	786	9	6	7	9	4	35	25	16	19	27	72	117	107	130	154	84
Diseases of Generative „	0·08	266	2	2	2	2	–	8	–	2	5	10	32	38	50	50	47	24
Puerperal Fever	0·13	435	–	–	–	–	–	–	–	–	13	89	211	121	1	–	–	–
Childbirth	0·11	370	–	–	–	–	–	–	–	–	13	48	152	147	10	–	–	–
Violence	0·25	835	184	43	31	37	17	312	46	18	31	26	48	68	56	56	57	117
Other Causes	3·00	9,865	4,209	279	87	43	35	4,653	122	116	120	85	176	230	267	317	847	2,932

Marriages – 39,279
Births – 107,026

Deaths from Childbirth and Puerperal Fever – 3·70 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

16.—SUFFOLK.—(MALES.)

CAUSES OF DEATH.	CROSS DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	15·88	41·36	–	–	–	–	46·51	3·77	2·32	3·74	5·93	7·06	9·08	13·09	25·01	56·52	155·37
Mean Population 1882-91	–	179,398	4,635	4,446	4,524	4,584	4,558	22,723	22,040	20,673	17,451	12,735	20,964	17,128	14,587	11,951	8,530	3,816
Deaths (from All Causes), 1882-91	18·48	33,859	7,179	1,923	739	417	319	10,568	832	479	653	755	1,480	1,556	1,910	2,989	4,708	5,929
Small-pox	0·01	20	1	–	–	–	–	1	–	–	2	1	–	3	3	5	7	–
Measles	0·24	441	78	144	74	46	22	364	34	8	1	1	–	–	–	1	–	–
Scarlet Fever	0·10	183	10	19	32	28	17	106	44	5	3	2	–	2	1	1	–	–
Diphtheria	0·14	255	9	22	26	31	23	111	91	14	9	5	7	3	2	3	–	1
Whooping-cough	0·39	660	383	199	57	27	15	681	15	1	1	–	–	–	1	–	–	–
Typhus	0·01	10	–	1	–	–	–	1	–	4	1	1	2	–	–	–	1	–
Enteric Fever	0·12	199	–	2	1	4	3	10	23	18	38	27	27	17	13	18	6	2
Simple Continued Fever	0·02	35	1	–	2	–	2	5	4	–	3	4	1	4	3	3	4	5
Diarrhœa and Dysentery	0·50	871	466	86	22	9	7	590	5	6	–	5	2	4	12	39	88	111
Cholera	0·01	16	5	1	1	–	1	8	3	–	–	–	–	1	3	1	–	–
Cholera	0·50	1	1	–	1	–	–	2	–	1	1	3	17	38	113	234	308	145
Tabes Mesenterica	0·25	444	244	84	16	8	1	353	32	17	5	1	7	3	4	3	8	–
Fever	1·66	2,947	46	38	17	8	13	122	55	71	228	369	696	490	413	291	114	18
Cause Ill-defined and Sen. Dis.	0·47	835	242	183	59	28	28	540	92	48	31	27	25	18	10	14	7	1
Nervous System	2·31	4,109	715	215	70	35	32	1,067	99	52	57	44	123	175	242	469	876	775
Circulation	1·71	3,040	18	4	3	2	4	31	17	29	35	42	82	153	230	593	940	794
Respiratory	3·09	5,488	1,289	571	231	127	93	2,311	132	30	39	42	126	201	262	488	856	841
Digestive	1·06	1,884	339	125	29	33	10	516	26	33	37	30	54	111	192	282	335	208
Urinary	0·58	1,031	8	4	4	1	4	21	15	11	13	10	42	52	108	129	325	290
Generative	0·01	24	1	1	–		–	2	–	–	–	1	1	2	3	3	1	1
Puerperal Fever	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–
Childbirth	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–
Violence	0·72	1,278	86	32	40	30	23	211	81	57	87	92	157	145	148	188	169	94
Other Causes	3·47	6,144	192	54	20	21	3,544	64	74	62	46	134	134	147	325	663	2,653	
Males		33,859																
Females		34,876																

* Deaths from Uncertain Diagnosis, or in public institutions.
† The death-rate under one year of age is per 1000 Births.

16.—SUFFOLK.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·73	†101	–	–	–	–	38·17	3·81	3·01	4·77	5·93	6·85	9·17	11·21	21·65	49·79	140·00
Mean Population, 1881-91	–	181,254	4,655	4,447	4,519	4,561	4,557	22,739	22,156	20,138	16,882	14,125	23,528	19,341	16,408	13,110	8,924	4,403
Deaths from All Causes 1881-90	16·78	30,420	5,563	1,709	676	403	329	8,680	845	607	782	838	1,611	1,773	1,839	2,838	4,443	6,164
Small-pox	0·01	18	1	–	–	–	–	1	–	–	3	1	2	2	–	6	1	2
Measles	0·19	351	53	114	62	32	26	287	53	9	–	1	–	–	1	–	–	–
Scarlet Fever	0·10	185	7	24	18	23	29	101	53	20	4	–	6	1	–	–	–	–
Diphtheria	0·15	266	4	19	21	36	36	116	91	35	9	5	3	7	–	2	–	–
Whooping-cough	0·43	781	363	232	93	43	25	756	24	1	–	–	–	–	–	–	–	–
Typhus	0·00	9	–	–	–	–	–	–	–	1	3	–	2	1	–	2	–	–
Enteric Fever	0·13	227	1	3	1	..	8	13	18	32	33	22	37	26	16	20	10	–
Simple Continued Fever	0·02	35	–	1	4	1	1	7	6	5	–	2	1	1	1	8	4	–
Diarrhœa and Dysentery	0·41	750	351	85	11	13	10	470	11	3	2	–	8	12	16	35	65	122
Cholera	0·01	12	–	1	..	1	–	2	–	–	–	1	2	–	2	2	2	1
Cancer	0·88	1,588	–	1	3	2	–	6	4	2	1	9	34	178	293	438	425	198
Tabes Mesenterica	0·22	396	192	65	23	11	5	296	24	14	18	5	6	8	5	11	8	1
Phthisis	1·75	3,169	47	40	24	12	9	132	72	167	383	438	731	551	342	216	114	23
Other Tub. and Scrof. Dis.	0·40	724	179	112	56	29	23	399	100	73	31	23	35	25	15	13	7	3
Diseases of Nervous System	2·05	3,715	507	156	63	43	24	793	82	61	72	51	116	181	273	479	821	786
Diseases of Circulatory „	1·66	3,012	16	5	3	2	1	27	16	38	46	37	105	179	254	531	995	784
Diseases of Respiratory „	2·52	4,560	903	532	183	112	89	1,819	145	27	29	32	93	135	159	389	763	969
Diseases of Digestive „	1·00	1,814	250	106	23	10	14	403	40	33	27	35	77	103	170	300	371	255
Diseases of Urinary „	0·26	466	14	6	2	3	–	25	8	6	7	12	34	57	64	100	110	43
Diseases of Generative „	0·10	185	–	–	–	–	–	–	–	–	6	6	19	33	35	34	37	15
Puerperal Fever	0·12	219	–	–	–	–	–	–	–	–	10	40	107	57	5	–	–	–
Childbirth	0·11	195	–	–	–	–	–	–	–	–	4	30	79	77	5	–	–	–
Violence	0·29	532	86	24	35	12	12	169	34	17	15	17	29	28	37	46	47	93
Other Causes	3·97	7,211	2,589	183	51	18	17	2,858	64	64	79	66	85	111	146	206	663	2,369

Marriages – 23,356
Births – 54,846

Deaths from Childbirth and Puerperal Fever – 3·71 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

17.—NORFOLK.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	-	*16·39	†149	-	-	-	-	51·62	4·02	2·35	3·76	5·71	6·65	9·28	13·15	24·01	54·24	153·41
Mean Population, 1881-91	-	216747	5,733	5,230	5,075	5,571	5,542	27,820	26,596	25,041	21,730	16,617	27,238	22,059	18,826	15,309	10,538	4,973
Deaths from All Causes, 1881-90	18·98	41,140	10,631	2,293	782	544	412	14,362	1,069	588	817	949	1,811	2,047	2,476	3,676	5,716	7,629
Small-pox	0·01	15	2	-	-	-	-	2	-	1	1	2	2	1	1	3	1	1
Measles	0·22	487	115	181	79	47	30	452	26	6	1	1	1	-	-	-	-	-
Scarlet Fever	0·16	341	21	83	55	59	50	218	85	21	8	5	3	1	-	-	-	-
Diphtheria	0·17	370	15	18	32	36	45	146	133	37	17	-	8	9	3	3	7	1
Whooping-cough	0·28	612	343	173	40	25	13	594	17	-	-	-	-	-	-	1	-	-
Typhus	0·00	9	-	-	-	2	-	2	-	2	2	1	2	-	-	-	-	-
Enteric Fever	0·20	436	4	7	14	15	10	50	56	37	65	51	71	37	30	25	12	2
Simple Continued Fever	0·02	46	1	1	-	3	2	7	5	4	4	3	-	2	5	5	6	2
Diarrhœa and Dysentery	0·64	1,384	939	111	23	11	10	1,094	15	1	6	1	7	8	12	24	78	144
Cholera	0·01	25	6	4	1	-	-	11	2	2	-	-	2	2	-	3	2	1
Cancer	0·51	1,098	-	-	3	6	1	10	2	4	5	8	19	55	165	320	355	156
Tabes Mesenterica	0·20	442	256	73	21	16	10	376	20	11	4	9	4	3	4	6	4	1
Phthisis	1·46	3,158	99	60	13	8	18	198	75	73	270	419	707	532	422	392	151	19
Other Tub. and Scrof. Dis.	0·35	754	228	151	59	39	27	504	67	48	34	18	28	18	14	14	8	1
Diseases of Nervous System	2·51	5,436	1,180	295	89	59	33	1,656	111	58	59	50	160	283	350	591	1,094	1,084
" Circulatory "	1·06	3,564	16	4	3	1	2	26	13	38	58	54	111	232	348	629	1,155	1,261
" Respiratory "	2·96	6,414	1,035	719	225	142	97	2,818	187	34	37	37	63	106	238	358	570	1,031
" Digestive "	1·03	2,227	465	194	26	15	19	669	49	37	34	37	90	143	248	340	491	1,001
" Urinary "	0·58*	1,257	21	7	6	4	1	39	13	11	10	29	56	71	110	183	382	565
" Generative "	0·01	24	7	-	-	-	-	7	-	-	1	-	-	2	2	5	7	2
Puerperal Fever	-	-	-							-								
Childbirth	-	-								-								
Violence	0·81	1,753	86	38	36	34	20	214	104	85	124	120	193	206	186	229	202	101
OTHER CAUSES	5·16	11,185	4,892	264	57	22	24	5,259	89	78	77	72	181	204	247	425	368	3,557

Marriages . . . 2,401
Births . . . 6,462

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

17.—NORFOLK.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·82	†119	–	–	–	–	41·59	4·09	2·70	4·36	5·38	6·73	8·67	10·83	21·16	47·54	137·87
Mean Population, 1881-91	–	232,290	5,811	5,335	5,519	5,667	5,567	27,899	26,805	24,748	21,128	18,534	30,559	25,199	21,741	17,483	12,025	6,169
Deaths from All Causes, 1881-90	17·14	39,808	7,947	1,974	783	517	383	11,604	1,097	669	922	998	2,057	2,184	2,355	3,700	5,717	8,505
Small-pox	0·01	15	–	–	–	–	1	1	–	–	1	1	3	3	4	–	1	1
Measles	0·18	412	78	135	69	53	28	363	40	3	–	–	4	2	–	–	–	–
Scarlet Fever	0·16	372	16	35	56	48	48	203	111	32	8	3	8	4	1	2	–	–
Diphtheria	0·19	431	10	15	36	50	57	168	146	60	15	5	12	12	7	3	2	1
Whooping-cough	0·35	809	377	245	101	45	15	783	24	–	2	–	–	–	–	–	–	–
Typhus	0·01	12	–	–	–	–	–	–	1	2	3	1	3	2	–	–	–	–
Enteric Fever	0·18	422	2	6	5	11	10	34	53	59	50	48	68	42	32	20	13	3
Simple Continued Fever	0·02	55	3	1	2	3	2	11	7	4	1	1	2	2	5	6	9	7
Diarrhœa and Dysentery	0·48	1,120	688	115	17	10	8	838	13	3	6	2	3	9	12	33	67	134
Cholera	0 01	22	2	2	–	–	–	4	2	–	–	1	4	3	–	6	2	–
Cancer	0·91	2,117	–	2	3	–	–	5	3	1	3	2	52	241	447	592	524	247
Tabes Mesenterica	0·16	376	168	74	19	9	5	275	35	19	11	13	7	3	6	2	4	1
Phthisis	1·53	3,546	77	52	15	21	10	175	84	174	419	467	824	614	412	244	120	13
Other Tub. and Scrof. Dis.	0·27	616	153	98	39	19	21	330	83	43	35	30	29	26	13	11	9	7
Diseases of Nervous System	2·18	5,064	822	195	68	44	30	1,159	104	63	75	61	121	201	319	659	1,105	1,197
Diseases of Circulatory „	1·58	3,672	12	5	1	2	4	24	27	40	57	55	151	206	294	665	1,159	994
Diseases of Respiratory „	2·50	5,816	1,211	563	232	137	98	2,241	203	32	44	65	110	178	201	506	997	1,239
Diseases of Digestive „	0·96	2,238	356	127	20	10	13	526	46	51	42	40	90	136	226	360	452	269
Diseases of Urinary „	0·25	577	19	8	3	5	3	38	16	4	13	17	51	60	59	110	128	81
Diseases of Generative „	0·12	273	2	4	–	–	–	6	–	3	5	10	41	43	58	58	29	20
Puerperal Fever	0·14	332	–	–	–	–	–	–	–	–	19	48	179	83	3	–	–	–
Childbirth	0·13	295	–	–	–	–	–	–	–	–	17	37	121	113	7	–	–	–
Violence	0·29	663	71	33	26	20	18	168	30	13	30	23	32	44	47	55	90	131
OTHER CAUSES	4·53	10,553	3,880	259	71	30	12	4,252	69	63	66	68	142	157	202	368	1,006	4,160

Marriages	30,404	Deaths from Childbirth and Puerperal Fever	4·61 per 1000 Births of both Sexes.
Births	66,526		

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

18.—WILTSHIRE.‡ -(Mal s.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*15·14	†115	–	–	–	–	39·86	3·87	2·15	3·15	4·58	6·55	9·03	14·98	27·30	59·32	157·09
Mean Population, 1881–91 -	–	124,254	3,217	3,094	3,244	3,233	3,129	15,887	15,501	14,621	12,870	9,565	15,761	12,815	10,638	8,530	5,646	2,420
Deaths from All Causes, 1881-90 - - -	17·20	21,298	4,307	1,115	426	267	218	6,333	600	315	405	438	1,033	1,157	1,593	2,329	3,349	3,816
Small-pox - - -	0·01	9	–	–	–	–	–	–	–	–	–	2	1	1	1	3	–	1
Measles - - -	0·23	281	65	89	45	22	16	235	40	5	–	1	–	–	–	–	–	–
Scarlet Fever - - -	0·12	144	9	20	27	18	20	94	40	10	2	3	–	1	–	1	–	–
Diphtheria - - -	0·12	149	6	11	12	15	22	66	57	13	3	4	2	1	1	2	–	–
Whooping-cough - -	0·23	281	144	70	27	16	7	273	8	–	–	–	–	–	–	–	–	–
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	0·08	98	1	2	1	4	2	10	12	9	10	12	21	8	8	5	3	–
Simple Continued Fever -	0·01	10	–	–	–	–	1	1	–	–	2	–	–	1	2	1	3	–
Diarrhœa and Dysentery -	0·25	308	148	28	11	5	6	198	4	1	1	1	5	9	6	11	22	50
Cholera - - -	0·01	8	2	1	–	1	–	4	–	–	–	–	–	1	–	3	–	–
Cancer - - -	0·44	549	–	–	–	–	–	–	3	1	–	2	5	33	77	143	185	97
Tabes Mesenterica - -	0·23	286	159	57	12	11	3	242	19	8	4	2	–	1	–	1	2	1
Hydrocephalus - -	1·43	1,775	58	18	7	5	5	93	27	40	122	195	456	338	277	175	65	13
Other Tub. and Scrof. Dis. -	0·29	365	106	57	22	14	13	212	56	18	20	12	24	11	5	4	1	2
Diseases of Nervous System -	2·58	3,210	63	130	47	20	17	846	56	35	44	31	105	186	252	397	668	590
" Circulatory " -	2·03	2,524	11	1	1	3	2	18	16	24	31	19	70	156	209	508	834	575
" Respiratory " -	3·37	4,187	1,067	452	134	80	70	1,783	133	27	36	39	92	125	249	402	636	695
" Digestive " -	1·12	1,392	272	74	14	8	5	374	30	27	30	20	42	89	174	223	251	132
" Urinary " -	0·64	796	19	7	6	3	2	28	11	6	8	14	37	38	73	150	224	197
" Generative " -	0·01	7	1	–	–	–	–	1	–	–	–	1	2	–	–	–	1	2
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·74	924	85	17	41	30	15	189	51	42	48	38	88	72	118	116	91	61
Other Causes - -	3·26	4,077	1,571	72	19	12	12	1,686	37	49	44	42	83	81	111	181	363	1,400
Marriages - -			1,605															
Births - - -			3,745															

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.
‡ The boundaries of this county were altered during the decennium, the mean population has, therefore, been corrected in order to obtain the true death-rate.

18.—WILTSHIRE.‡—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·76	†90	–	–	–	–	32·74	3·55	2·78	4·63	6·36	7·01	9·12	12·84	24·63	57·77	148·58
Mean Population, 1881–91	–	127,686	3,256	3,218	3,173	3,205	3,138	15,990	15,654	14,208	11,230	9,848	16,827	13,892	11,709	9,410	6,162	2,756
Deaths from All Causes, 1881–90	16·65	21,255	3,283	1,045	435	274	198	5,235	556	395	520	626	1,179	1,267	1,504	2,318	3,560	4,095
Small-pox	0·00	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Measles	0·22	284	47	97	53	30	9	236	27	13	1	1	4	2	–	–	–	–
Scarlet Fever	0·12	151	6	22	18	21	25	92	39	11	4	4	1	–	–	–	–	–
Diphtheria	0·14	176	4	10	15	14	18	61	75	16	9	3	6	2	4	–	–	–
Whooping-cough	0·26	334	153	103	36	19	9	320	14	–	–	–	–	–	–	–	–	–
Typhus	0·00	4	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–
Enteric Fever	0·12	156	–	1	4	3	3	11	15	22	31	17	24	12	13	4	6	1
Simple Continued Fever	0·01	17	–	–	–	2	1	3	4	–	2	–	1	–	2	–	4	1
Diarrhœa and Dysentery	0·22	278	116	21	9	11	2	159	5	3	–	–	8	6	10	12	24	49
Cholera	0·00	3	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–
Cancer	0·79	1,004	–	1	1	–	–	2	2	1	1	4	21	111	199	286	253	124
Tabes Mesenterica	0·18	231	97	45	17	4	3	166	17	12	7	13	5	3	4	2	1	1
Phthisis	1·47	1,878	32	26	9	7	6	80	43	73	220	276	471	324	207	115	62	7
Other Tub. and Scrof. Dis.	0·24	312	65	47	18	14	15	159	42	35	19	16	15	12	5	6	1	2
Diseases of Nervous System	2·43	3,098	420	98	46	31	30	625	66	62	51	43	104	159	265	446	703	574
Diseases of Circulatory „	2·19	2,797	9	3	–	1	2	15	15	37	48	36	86	148	280	532	922	678
Diseases of Respiratory „	2·96	3,785	780	392	150	73	50	1,445	102	28	23	26	87	108	163	377	716	710
Diseases of Digestive „	1·06	1,348	176	78	17	16	11	298	36	17	29	34	50	76	134	226	280	168
Diseases of Urinary „	0·39	499	14	9	2	2	1	28	8	9	11	24	39	59	69	100	93	59
Diseases of Generative „	0·10	133	–	–	–	–	1	1	–	–	6	7	17	30	21	20	20	11
Puerperal Fever	0·12	156	–	–	–	–	–	–	–	–	4	35	72	45	–	–	–	–
Childbirth	0·14	181	–	–	–	–	–	–	–	–	4	35	71	65	6	–	–	–
Violence	0·27	341	62	20	16	10	4	112	22	8	8	9	18	26	24	24	42	48
Other Causes	3·22	4,086	1,302	72	24	16	8	1,422	23	47	42	40	78	78	96	165	433	1,662

Marriages - - - 16,005
Births - - - 36,448

Deaths from Childbirth and Puerperal Fever - - 4·55 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

‡ The boundaries of this county were altered during the decennium; the mean population has, therefore, been corrected in order to obtain the true death-rate.

19.—DORSETSHIRE.—(Males.)

Causes of Death.	One in Death-Rate per 1000	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000	-	-	-	-	-	-	-	30·00	3·84	2·18	3·66	5·48	6·32	9·65	13·58	24·40	57·45	151·33
Mean Population, 1881-90	-	91,476	2,107	2,104	2,270	2,304	2,295	11,271	10,874	10,435	9,760	7,372	12,061	9,024	7,382	6,188	4,153	1,846
Deaths from All Causes, 1881-90 . . . }	16·49	15,203	2,032	869	813	804	149	4,866	396	228	347	404	768	929	1,070	1,510	2,386	2,865
Small-pox . . .	0·01	5	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Measles . . .	0·38	348	45	89	34	24	15	207	33	6	-	4	-	1	2	1	1	-
Scarlet Fever . . .	0·11	98	6	18	10	15	10	59	27	10	2	-	1	-	-	-	-	-
Diphtheria . . .	0·16	146	3	4	15	20	14	56	55	11	3	-	3	2	-	1	-	-
Whooping-cough . . .	0·21	193	95	62	15	6	7	185	6	-	-	-	-	-	-	-	-	-
Typhus . . .	0·00	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever . . .	0·10	88	1	8	-	-	-	8	10	6	10	14	18	6	9	7	2	-
Remittent, Simple Fever . . .	0·07	67	-	-	-	-	-	-	1	3	1	2	3	1	-	2	3	-
Diarrhœa and Dysentery . . .	0·26	262	180	35	4	2	1	168	6	3	-	2	4	6	7	7	3	1
Cholera . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer . . .	0·47	427	-	-	-	-	-	-	1	4	4	4	18	19	67	122	118	77
Tubercular Diseases . . .	0·73	662	44	33	18	6	1	84	2	7	3	3	3	3	3	1	-	-
Phthisis . . .	1·35	1,237	15	16	6	8	2	47	8	22	104	160	324	289	164	59	14	1
Other Tub. and Scrof. Dis. . . .	0·81	742	64	57	26	12	8	173	33	19	16	10	9	10	4	6	1	-
Nervous System—																		
Apoplexy . . .	2·39	2,187	501	104	34	20	13	672	43	21	33	34	68	110	146	241	459	463
Paralysis . . .	1·54	1,405	5	2	1	2	-	10	11	15	26	14	46	121	179	284	386	470
Epilepsy . . .	0·46	423	672	305	95	62	32	1,166	66	39	38	39	56	124	135	374	391	389
Convulsions . . .	1·49	1,367	196	57	13	6	4	276	13	15	12	17	40	73	114	132	185	117
Cerebritis . . .	0·60	545	4	5	1	2	2	14	9	4	9	10	19	47	88	86	126	124
Disease of Heart . . .	2·40	2,197	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	-
Pericarditis . . .	0·03	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Endocarditis . . .	0·04	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism . . .	0·26	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis . . .	2·63	2,406	780	89	17	11	13	910	55	33	11	35	90	91	86	80	71	41
Pneumonia . . .	3·48	3,186	1,088	71	56	22	10	1,247	33	31	44	55	68	85	57	101	368	919

Mean number of Births . . . 12,567
Do. do. 94,766

* Death-rate at Standard Population (see pages xxvi-xxxvii).
† The death-rate under one year of age is per 1000 Births.

19.—DORSETSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*13·76	†86	–	–	–	–	32·30	3·88	2·67	4·26	5·23	6·31	8·22	11·43	22·93	50·06	139·66
Mean Population, 1881–91	–	95,507	2,253	2,226	2,267	2,216	2,302	11,264	10,902	10,265	8,811	7,913	12,932	10,504	8,857	6,964	4,828	2,267
Deaths from All Causes, 1881–90	15·70	14,995	2,216	802	263	208	149	3,638	423	274	375	414	816	863	1,012	1,597	2,417	3,166
Small-pox	0·00	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·23	221	43	66	38	26	14	187	23	4	1	1	3	2	–	–	–	–
Scarlet Fever	0·11	105	7	10	19	11	12	59	32	10	3	1	4	2	1	–	–	–
Diphtheria	0·16	151	1	12	8	15	13	49	67	22	4	2	4	1	1	–	–	1
Whooping-cough	0·25	239	92	85	22	15	10	224	14	–	–	–	–	–	–	–	–	1
Typhus	0·00	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·10	97	–	–	1	2	2	5	15	18	17	5	14	9	4	5	5	–
Simple Continued Fever	0·02	20	–	–	1	–	2	3	2	5	1	1	–	–	2	3	1	2
Diarrhœa and Dysentery	0·25	241	96	24	6	3	1	130	5	1	3	2	6	5	6	17	20	46
Cholera	0·00	4	1	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1
Cancer	0·79	750	–	–	1	2	–	3	1	2	3	4	14	70	153	222	175	103
Tabes Mesenterica	0·11	102	28	20	9	5	2	64	12	4	5	4	4	5	2	2	–	–
Phthisis	1·43	1,366	22	20	6	4	3	55	17	55	152	198	348	234	150	93	53	11
Other Tub. and Scrof. Dis.	0·26	247	47	40	15	10	6	118	37	26	22	10	16	6	5	2	5	–
Diseases of Nervous System	2·30	2,196	333	94	22	21	14	484	51	38	37	31	57	61	151	288	493	505
Diseases of Circulatory „	1·92	1,838	5	–	1	3	–	9	9	23	24	28	45	100	165	342	589	504
Diseases of Respiratory „	2·72	2,596	485	284	71	61	40	941	56	18	17	24	52	76	107	247	475	583
Diseases of Digestive „	1·00	953	105	53	15	9	10	192	34	8	18	13	42	61	88	159	207	131
Diseases of Urinary „	0·34	326	1	3	–	1	2	7	3	3	12	5	25	47	52	67	64	41
Diseases of Generative „	0·12	112	1	–	–	–	–	1	–	1	3	5	14	18	20	28	15	7
Puerperal Fever	0·10	91	–	–	–	–	–	–	–	–	4	20	39	27	1	–	–	–
Childbirth	0·14	135	–	–	–	–	–	–	–	–	6	17	56	54	2	–	–	–
Violence	0·24	233	31	14	12	7	8	72	14	10	4	6	10	12	21	13	21	50
Other Causes	3·11	2,970	918	77	22	13	10	1,040	31	26	39	37	62	73	81	108	293	1,180

Marriages - - - 12,593
Births - - - 25,890

Deaths from Childbirth and Puerperal Fever - - 4·29 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

20.—DEVONSHIRE.—(Males.)

Causes of Death.	Annual Death-Rate per 1000 Living at each Age-period.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*17·59	†132	–	–	–	–	52·04	1·24	2·19	4·31	6·27	7·06	11·26	16·21	27·66	59·69	148·91
Mean Population, 1881-90	–	293,688	7,897	7,669	7,240	7,132	7,088	36,105	34,809	32,480	32,386	24,778	38,202	50,128	24,838	19,083	13,451	5,857
Deaths from All Causes, 1881-90	19·51	56,789	11,945	3,823	1,466	917	679	18,730	1,478	958	1,396	1,553	2,927	5,301	4,026	5,528	8,929	8,704
Small-pox	0·01	21	1	–	2	–	–	3	–	–	3	2	3	3	2	2	2	1
Measles	0·56	1,671	297	305	181	108	66	947	76	15	6	1	3	2	–	1	–	–
Scarlet Fever	0·29	861	35	91	97	103	72	398	150	31	11	3	6	–	1	–	–	1
Diphtheria	0·14	393	29	39	32	56	45	192	107	35	17	6	1	1	4	–	–	–
Whooping-cough	0·38	1,104	545	397	143	48	38	1,081	19	1	2	–	–	1	–	–	–	–
Typhus	0·01	29	–	–	–	1	1	2	1	1	3	3	4	–	4	2	–	–
Enteric Fever	0·13	39	2	6	13	9	15	45	62	66	103	72	95	55	30	22	11	5
Simple Continued Fever	0·02	55	2	1	6	2	4	15	10	5	6	3	5	6	4	6	3	3
Diarrhœa and Dysentery	0·42	1,238	804	96	25	19	5	949	13	5	1	2	9	9	18	40	79	100
Cholera	0·01	30	9	1	1	–	–	11	1	–	1	–	2	2	4	6	3	–
Cancer	0·34	1,558	–	1	2	1	–	4	1	4	5	11	39	96	230	446	468	276
Tabes Mesenterica	0·23	677	318	124	55	11	12	520	43	24	24	9	6	6	2	5	1	–
Phthisis	1·75	5,145	91	80	55	17	16	259	70	101	410	696	1,269	947	677	503	242	55
Other Tub. and Scrof. Dis.	0·46	1,348	340	253	88	63	56	820	174	94	62	56	54	28	21	17	15	5
Diseases of Nervous System	2·71	7,937	1,904	486	135	103	64	2,692	173	105	135	101	208	358	487	838	1,557	1,293
Circulatory	1·85	5,451	57	8	4	3	6	78	14	60	80	79	181	470	690	1,024	1,635	1,160
Respiratory	3·80	11,086	1,552	1,353	410	254	159	4,850	211	73	145	124	275	160	742	1,091	1,616	1,656
Digestive	1·14	3,339	677	270	60	24	29	1,060	67	51	72	62	146	294	510	476	553	344
Urinary	0·46	1,353	18	12	9	4	3	51	28	24	28	46	96	180	217	345	542	388
Generative	0·01	24	2	1	–	–	–	3	–	–	–	–	2	1	4	3	6	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·88	2,580	157	55	59	49	44	364	143	153	182	195	317	312	311	280	248	195
Ill-defined Causes	3·42	10,030	4,904	326	98	42	56	4,566	115	110	130	142	226	293	349	458	1,063	3,560

Males	–	–	28,977
Deaths	–	–	30,349

* Death-rate at Standard Population (see pages xxiv–xxvii).
† The death-rate under one year of age is per 1000 Births.

20.—DEVONSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·59	†108	–	–	–	–	43·50	4·38	3·13	4·24	5·45	6·75	8·93	12·16	23·48	52·26	138·16
Mean Population, 1881–91	–	328,744	7,558	7,018	7,195	7,253	6,960	35,984	34,740	32,960	31,243	29,826	47,163	36,542	30,861	24,401	16,914	8,110
Deaths from All Causes, 1881–90	17·88	57,133	9,358	3,367	1,450	873	605	15,653	1,523	1,031	1,325	1,626	3,183	3,265	3,752	5,730	8,840	11,205
Small-pox	0·00	11	2	–	–	–	–	2	1	–	–	2	4	1	–	–	1	–
Measles	0·34	1,108	191	409	196	113	77	986	90	13	6	2	8	2	1	–	–	–
Scarlet Fever	0·17	566	30	83	94	95	51	353	146	34	8	7	11	3	2	1	–	1
Diphtheria	0·12	404	20	38	36	67	42	203	133	30	13	2	9	4	5	3	2	–
Whooping-cough	0·37	1,232	540	363	143	93	44	1,183	47	1	–	–	–	–	–	–	–	1
Typhus	0·00	10	–	–	–	–	–	–	–	2	2	–	3	2	–	–	–	1
Enteric Fever	0·16	525	5	5	9	9	7	35	59	73	88	66	81	53	35	19	13	3
Simple Continued Fever	0·02	82	1	1	8	2	3	15	14	10	2	3	7	7	3	9	7	5
Diarrhœa and Dysentery	0·35	1,145	684	98	19	11	8	820	9	3	4	2	13	17	18	41	81	137
Cholera	0·01	27	12	3	1	1	–	17	4	–	1	1	–	–	2	1	1	–
Cancer	0·92	3,030	4	1	–	2	3	10	2	3	4	8	86	288	599	827	787	416
Tabes Mesenterica	0·17	569	235	103	46	14	11	409	42	28	17	18	29	14	4	5	3	–
Phthisis	1·66	5,468	87	74	35	27	19	242	103	240	584	777	1,345	918	579	419	227	34
Other Tub. and Scrof. Dis.	0·37	1,201	249	164	105	69	51	638	161	84	78	51	72	45	28	26	16	2
Diseases of Nervous System	2·40	7,889	1,410	382	139	64	61	2,036	143	108	97	110	198	279	533	980	1,729	1,676
Diseases of Circulatory „	1·93	6,356	23	9	3	1	3	39	52	107	96	102	229	370	642	1,263	2,014	1,442
Diseases of Respiratory „	3·04	9,991	1,952	1,112	433	219	159	3,875	224	71	60	89	209	285	422	928	1,766	2,062
Diseases of Digestive „	0·97	3,201	510	201	45	27	16	799	99	58	58	60	148	219	299	461	580	420
Diseases of Urinary „	0·31	1,029	15	5	2	1	1	24	20	20	32	46	91	124	158	180	228	106
Diseases of Generative „	0·11	364	1	1	1	–	1	4	–	2	5	25	38	76	82	68	45	19
Puerperal Fever	0·11	377	–	–	–	–	–	–	–	–	9	62	181	117	8	–	–	–
Childbirth	0·12	379	–	–	–	–	–	–	–	–	13	52	157	148	9	–	–	–
Violence	0·28	917	129	50	34	17	16	246	60	31	41	30	64	58	65	80	94	148
Other Causes	3·45	11,252	3,258	285	101	41	32	3,717	114	113	107	111	200	235	258	419	1,246	4,732

Marriages - - - 46,397
Births - - - 86,665

Deaths from Childbirth and Puerperal Fever - - 4·27 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

21.—CORNWALL.—(Males.)

Causes of Death.	Crude Death-Rate 1881-1890	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	-	*18·81	†149	-	-	-	-	57·29	4·56	2·63	4·41	6·56	6·90	9·47	15·87	30·05	63·56	156·85
Mean Population, 1881-91	-	15,257	3,856	3,482	3,705	3,709	3,726	18,568	18,493	17,913	18,000	12,592	17,895	14,468	12,545	10,104	6,787	2,962
Deaths from All Causes, 1881-90	20·07	30,100	7,054	2,213	694	368	309	10,638	839	472	794	826	1,234	1,370	1,991	3,036	4,314	4,046
Small-pox	0·01	8	–	–	–	–	1	1	–	–	1	1	2	2	1	–	–	–
Measles	0·29	449	101	153	57	29	33	373	57	5	2	1	1	1	–	–	–	–
Scarlet Fever	0·18	274	17	36	44	41	35	167	75	20	5	4	3	–	–	–	–	–
Diphtheria	0·16	236	7	19	18	21	32	97	94	26	9	3	2	2	1	–	2	–
W[illegible]-cough	0·50	752	380	231	73	26	16	726	24	1	–	–	–	–	–	–	1	–
Typhus	0·00	6	–	–	–	–	–	–	–	1	3	1	–	1	–	–	–	–
Enteric Fever	0·16	244	2	1	5	4	8	20	24	24	35	40	35	23	21	11	10	1
Simple Continued Fever	0·03	52	1	4	–	–	–	5	9	6	5	5	2	–	3	11	4	2
Diarrhœa and Dysentery	0·42	630	457	43	7	1	–	508	2	2	1	4	6	9	6	21	35	36
Cholera	0·01	16	3	–	–	–	–	3	–	1	–	–	–	1	3	3	4	1
Cancer	0·53	796	–	–	–	–	–	–	1	3	3	6	8	50	108	231	262	124
Tabes Mesenterica	0·32	485	130	74	18	5	8	230	29	15	18	7	10	4	3	3	2	–
Fever	1·88	2,820	89	55	20	11	4	177	33	49	240	342	488	379	454	441	194	23
Other Tub. and Scrof. Dis.	0·44	658	187	138	33	19	19	396	87	42	49	19	52	12	12	12	7	–
Nervous System	2·56	3,851	956	310	73	34	35	1,405	69	52	61	51	98	133	239	409	750	584
Circulatory	1·15	2,471	13	3	–	1	1	18	15	34	33	45	60	139	246	492	815	580
Respiratory	4·40	7,448	1,277	687	214	103	77	2,358	124	27	40	55	115	186	330	639	872	692
Digestive	1·15	1,733	383	139	16	11	14	563	46	27	47	29	59	92	144	223	325	168
Urinary	0·53	825	12	4	4	4	–	24	11	10	18	19	36	38	95	135	240	190
Generative	0·01	9	1	–	–	–	–	1	–	–	1	1	1	1	2	–	2	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·86	1,330	45	28	36	28	18	155	68	66	157	123	169	168	131	120	103	36
Other Causes	4·86	7,291	2,087	296	76	30	13	3,402	71	61	66	70	107	129	175	284	726	2,200

Marriages - - - 21,631
Births - - - 47,333

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

21.—CORNWALL.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·09	†123	–	–	–	–	49·35	4·53	3·15	4·78	5·93	6·61	7·99	10·50	21·30	51·51	143·54
Mean Population, 1881–91	–	172,242	3,780	3,531	3,780	3,683	3,576	18,350	18,209	17,296	16,754	14,865	23,554	19,077	16,722	13,545	9,460	4,410
Deaths from All Causes. 1881–90	18·02	31,032	5,537	2,084	711	411	313	9,056	824	545	801	881	1,557	1,525	1,755	2,885	4,873	6,330
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	413	81	123	74	37	25	340	59	9	1	–	1	2	1	–	–	–
Scarlet Fever	0·16	279	22	35	36	30	24	147	88	22	7	9	5	1	–	–	–	–
Diphtheria	0·16	272	9	11	21	28	38	107	110	25	13	7	6	–	1	2	–	1
Whooping-cough	0·48	835	398	247	101	51	23	820	11	4	–	–	–	–	–	–	–	–
Typhus	0·01	9	–	–	–	–	–	–	2	–	1	–	1	–	1	2	2	–
Enteric Fever	0·17	287	3	1	–	1	2	7	29	26	57	46	50	28	20	15	6	3
Simple Continued Fever	0·04	71	4	1	3	6	6	20	9	4	6	3	6	7	2	8	5	1
Diarrhœa and Dysentery	0·32	553	343	41	5	2	3	394	6	1	3	4	15	5	8	18	45	54
Cholera	0·00	8	1	–	–	1	–	2	1	–	–	–	1	–	–	1	2	1
Cancer	0·79	1,356	–	2	1	1	–	4	1	–	5	4	25	126	264	381	374	172
Tabes Mesenterica	0·21	357	118	89	30	8	9	254	18	27	18	13	9	6	5	3	3	1
Phthisis	1·67	2,875	72	86	27	6	10	201	37	144	353	425	649	418	292	226	114	16
Other Tub. and Scrof. Dis.	0·33	570	92	102	30	17	22	263	72	61	56	28	42	25	16	4	1	2
Diseases of Nervous System	2·36	4,058	726	238	47	35	32	1,078	79	42	65	60	104	152	248	493	941	796
Diseases of Circulatory „	1·66	2,853	14	5	–	2	3	24	20	35	38	42	101	148	272	554	950	669
Diseases of Respiratory „	2·80	4,823	941	639	201	125	72	1,978	129	40	36	44	101	124	186	448	880	857
Diseases of Digestive „	1·01	1,734	272	115	19	13	9	428	51	31	30	32	82	91	143	253	374	219
Diseases of Urinary „	0·30	513	4	4	3	8	–	19	4	6	15	22	36	57	59	103	118	74
Diseases of Generative „	0·10	171	–	1	–	–	–	1	–	1	5	6	23	32	44	24	27	8
Puerperal Fever	0·10	180	–	–	–	–	–	–	–	–	5	27	84	60	4	–	–	–
Childbirth	0·15	250	–	–	–	–	–	–	–	–	14	43	95	94	4	–	–	–
Violence	0·22	384	46	15	22	13	10	106	32	14	16	8	18	16	28	33	43	70
OTHER CAUSES	4·74	8,181	2,391	329	91	27	25	2,863	66	53	57	58	103	133	157	317	988	3,386

Marriages 21,631
Births 44,879

Deaths from Childbirth and Puerperal Fever 4·66 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

22.—SOMERSETSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*16·61	†124					44·69	4·09	2·37	3·89	5·38	7·25	10·69	16·37	30·01	64·25	152·01
Mean Population, 1881-91	–	235,016	6,215	5,983	6,182	6,219	6,160	30,759	29,849	28,747	24,569	17,777	29,422	24,210	19,909	15,135	10,036	4,603
Deaths from All Causes, 1881-90	18·51	43,500	9,249	2,416	918	664	479	13,717	1,220	681	956	957	2,134	2,588	3,260	4,542	6,448	6,997
Small-pox	0·02	38	5	–	–	–	–	5	2	3	3	3	9	7	5	1	–	–
Measles	0·34	808	185	278	106	84	52	705	87	10	–	3	1	1	–	1	–	–
Scarlet Fever	0·18	422	27	63	64	60	53	267	122	26	7	3	6	1	–	–	–	–
Diphtheria	0·14	332	12	29	29	52	51	173	110	29	12	4	4	1	3	3	–	–
Whooping-cough	0·28	648	346	174	53	34	13	620	27	1	–	–	–	–	–	–	–	–
Typhus	0·01	18	–	–	–	1	1	2	1	2	3	2	1	–	–	1	1	–
Enteric Fever	0·10	242	2	1	7	2	2	14	27	25	39	36	36	24	18	11	9	3
Simple Continued Fever	0·02	44	2	5	1	2	2	12	7	3	2	–	1	2	3	–	3	3
Diarrhœa and Dysentery	0·28	895	252	86	17	10	3	368	9	5	–	2	7	3	18	27	65	85
Cholera	0·01	15	4	–	–	1	2	7	–	–	–	–	1	2	2	2	1	–
Cancer	0·49	1,149	1	1	4	2	1	9	3	4	5	6	27	71	175	337	354	158
Tabes Mesenterica	0·17	408	189	87	22	10	11	319	32	16	7	8	10	6	5	2	3	1
Phthisis	1·46	3,550	39	24	17	4	6	90	42	66	259	420	881	697	494	276	109	22
Other Tub. and Scrof. Dis.	0·37	866	233	155	45	33	27	493	116	62	53	90	34	28	16	7	12	3
Diseases of Nervous System	2·65	6,218	1,569	291	119	77	31	2,087	138	69	70	62	170	305	441	685	1,243	948
Circulatory	1·04	1,771	25	9	4	3	8	49	32	45	80	54	168	356	506	944	1,397	939
Respiratory	8·45	8,980	2,942	759	287	184	117	3,420	180	44	71	68	227	328	521	819	1,238	1,180
Digestive	1·18	2,998	580	186	28	21	21	733	66	51	57	38	103	178	301	450	444	245
Urinary	0·44	1,536	16	16	6	7	5	50	15	16	27	36	78	136	188	276	392	262
Generative	0·01	24	2	–	–	–	–	2	–	–	–	–	–	1	3	5	9	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·99	2,180	125	55	69	53	42	333	106	110	133	106	216	245	287	282	194	108
Other Causes	3·85	9,059	3,364	180	49	26	31	3,650	98	89	126	66	154	199	274	413	975	3,006

Marriages - - - 36,756
Births - - - 74,079

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

22.—SOMERSETSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·46	†98	–	–	–	–	35·83	4·06	2·69	4·08	5·15	6·10	8·70	12·60	23·89	53·14	137·19
Mean Population, 1881–91	–	265,323	6,320	5,986	6,119	6,229	6,191	30,845	29,757	28,249	25,372	22,787	36,357	29,223	24,458	18,827	13,046	6,402
Deaths from All Causes, 1881–90	16·31	43,279	6,869	2,248	921	589	426	11,053	1,208	759	1,034	1,174	2,216	2,541	3,081	4,498	6,932	8,783
Small-pox	0·01	33	4	–	–	–	–	4	1	1	5	10	7	4	1	–	–	–
Measles	0·28	752	134	256	126	66	52	634	91	13	4	4	2	4	–	–	–	–
Scarlet Fever	0·17	451	26	54	60	70	61	271	119	39	8	5	7	2	–	–	–	–
Diphtheria	0·15	400	9	21	40	55	45	170	141	55	11	6	6	4	1	4	2	–
Whooping-cough	0·29	777	337	243	89	45	28	742	32	1	–	–	–	–	–	–	1	1
Typhus	0·00	9	–	–	–	–	–	–	–	1	2	2	2	–	–	1	1	–
Enteric Fever	0·11	286	–	5	–	6	3	14	33	29	55	46	45	19	15	15	12	3
Simple Continued Fever	0·02	56	1	1	3	2	1	8	6	6	7	4	2	2	4	8	4	5
Diarrhœa and Dysentery	0·26	680	342	82	12	15	9	460	13	3	6	7	10	12	8	21	57	83
Cholera	0·00	11	2	2	–	–	–	4	–	–	–	–	–	3	–	2	1	1
Cancer	0·83	2,197	1	1	3	2	–	7	1	4	2	5	51	214	495	584	566	268
Tabes Mesenterica	0·14	366	133	73	21	6	8	241	32	19	23	16	17	6	5	3	4	–
Phthisis	1·28	3,407	40	39	9	11	3	102	62	128	413	533	878	601	381	208	85	16
Other Tub. and Scrof. Dis.	0·29	769	159	116	38	40	24	377	103	75	67	32	46	35	13	12	6	3
Diseases of Nervous System	2·21	5,874	1,056	226	92	55	30	1,459	133	95	97	71	152	240	438	773	1,229	1,187
Diseases of Circulatory „	1·99	5,281	19	8	2	1	2	27	34	63	68	67	191	321	588	1,038	1,674	1,210
Diseases of Respiratory „	2·84	7,536	1,427	766	290	139	106	2,728	205	53	47	56	147	249	346	766	1,393	1,546
Diseases of Digestive „	0·97	2,565	325	132	28	13	14	512	72	40	50	54	110	187	289	426	505	320
Diseases of Urinary „	0·33	867	10	5	6	3	2	26	10	12	23	30	68	129	139	165	166	99
Diseases of Generative „	0·10	265	1	1	1	–	1	4	–	4	10	7	35	54	51	40	45	15
Puerperal Fever	0·12	313	–	–	–	–	–	–	–	–	12	60	127	109	5	–	–	–
Childbirth	0·12	306	–	–	–	–	–	–	–	–	8	41	118	124	15	–	–	–
Violence	0·30	802	119	50	47	30	22	268	49	30	24	24	36	46	48	67	99	111
Other Causes	3·50	9,276	2,724	172	54	30	15	2,995	71	88	92	94	159	176	239	365	1,082	3,915

Marriages - - - 32,556
Births - - - 71,838

Deaths from Childbirth and Puerperal Fever - - } 4·23 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

23.—GLOUCESTERSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*18·09	†138	–	–	–	–	52·26	4·53	2·66	3·74	5·53	7·52	11·12	17·05	31·36	66·21	160·45
Mean Population, 1881–91	–	250,484	6,723	6,181	6,541	6,585	6,443	32,473	31,479	30,302	26,062	19,854	33,165	27,087	21,114	15,500	9,534	3,904
Deaths from All Causes, 1881-90	19·09	47,808	11,196	3,104	1,257	804	610	16,971	1,425	805	975	1,095	2,495	3,011	3,600	4,861	6,306	6,264
Small-pox	0·03	79	5	1	–	1	2	9	3	3	9	12	12	13	5	5	6	2
Measles	0·40	1,004	210	375	173	107	56	921	71	6	3	–	1	2	–	–	–	–
Scarlet Fever	0·33	807	49	116	133	138	105	541	198	41	14	4	3	4	2	–	–	–
Diphtheria	0·09	225	14	49	22	24	25	104	79	21	3	3	5	2	3	3	2	–
Whooping-cough	0·35	883	413	264	113	44	28	862	18	–	–	–	1	–	1	–	1	–
Typhus	0·01	15	–	–	–	–	–	–	–	2	1	1	3	1	2	3	1	1
Enteric Fever	0·15	381	3	4	6	5	7	25	26	52	53	56	74	46	18	18	6	2
Simple Continued Fever	0·02	44	1	4	3	2	–	10	5	5	2	4	4	1	1	1	6	3
Diarrœa and Dysentery	0·46	1,161	779	122	22	17	4	944	8	1	3	6	11	10	16	43	51	68
Cholera	0·01	16	2	–	1	1	1	5	1	–	–	–	2	2	3	1	1	1
Cancer	0·46	1,149	3	–	2	5	2	12	7	6	8	6	34	80	177	322	338	189
Tabes Mesenterica	0·23	540	302	92	29	18	14	455	35	16	8	5	8	6	4	–	3	–
Phthisis	1·54	3,862	75	44	18	13	11	161	57	64	271	453	971	847	575	319	128	16
Other Tub. and Scrof. Dis.	0·40	1,014	263	213	79	45	47	647	143	66	35	27	27	24	25	14	6	–
Diseases of Nervous System	2·71	6,785	1,799	803	115	75	51	2,843	164	96	82	78	217	396	492	848	1,191	878
" Circulatory	1·80	4,500	23	8	4	5	2	42	53	64	70	74	208	300	621	940	1,257	811
" Respiratory	3·63	9,092	2,444	1,011	376	173	156	4,160	216	59	75	71	220	334	612	948	1,274	1,093
" Digestive	1·67	2,891	642	191	34	29	25	882	53	46	58	50	112	191	260	389	444	206
" Urinary	0·67	1,679	17	11	11	8	9	56	20	18	30	28	104	141	234	319	429	300
" Generative	0·01	25	3	1	1	–	–	5	–	–	–	1	3	3	3	1	8	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·94	2,365	123	71	67	63	45	369	171	138	141	134	306	285	243	273	191	116
OTHER CAUSES	3·81	9,521	4,056	254	48	40	20	4,418	97	101	104	82	170	293	303	415	961	2,807

MARRIAGES . . . 40,939
BIRTHS . . . 81,358

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

23.—GLOUCESTERSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·75	†110	–	–	–	–	42·37	4·38	3·02	4·01	4·88	6·37	9·55	13·42	25·13	55·42	142·07
Mean Population, 1881-91	–	286,542	7,018	6,415	6,565	6,627	6,493	33,118	31,552	30,336	28,609	26,213	41,174	32,120	25,941	19,192	12,539	5,748
Deaths from All Causes, 1881-90	16·71	47,867	8,591	2,826	1,216	824	576	14,033	1,381	915	1,147	1,280	2,624	3,067	3,482	4,823	6,949	8,166
Small-pox	0·02	45	4	–	3	–	1	8	4	1	4	8	10	7	2	1	–	–
Measles	0·33	943	167	333	176	92	57	825	86	11	5	4	7	1	1	3	–	–
Scarlet Fever	0·26	752	42	104	98	131	102	477	198	47	5	10	11	4	–	–	–	–
Diphtheria	0·09	251	7	22	29	37	31	126	81	20	6	1	7	6	3	1	–	–
Whooping-cough	0·36	1,028	428	306	124	81	41	980	45	1	–	–	1	1	–	–	–	–
Typhus	0·01	15	–	–	–	–	1	1	1	2	1	–	–	2	4	2	2	–
Enteric Fever	0·12	352	5	4	2	6	7	24	39	53	64	32	52	41	17	20	9	1
Simple Continued Fever	0·01	39	–	1	4	2	3	10	7	4	1	–	8	–	1	4	4	–
Diarrhœa and Dysentery	0·37	1,061	634	116	24	12	5	791	11	5	1	8	8	11	14	30	79	103
Cholera	0·00	14	3	1	–	–	–	4	1	1	1	–	2	–	1	1	3	–
Cancer	0·85	2,433	2	–	2	2	1	7	4	9	7	8	66	296	506	660	594	276
Tabes Mesenterica	0·17	488	217	72	27	9	9	334	31	34	30	16	17	9	6	6	4	1
Phthisis	1·43	4,086	66	43	24	17	17	167	86	202	448	551	1,032	771	484	231	94	20
Other Tub. and Scrof. Dis.	0·31	888	164	132	63	48	32	439	141	96	73	38	40	16	20	14	9	2
Diseases of Nervous System	2·25	6,452	1,357	231	102	54	51	1,795	134	98	104	74	178	290	475	813	1,343	1,148
Diseases of Circulatory „	1·78	5,114	11	4	1	6	5	27	46	87	90	94	214	371	620	1,003	1,505	1,057
Diseases of Respiratory „	3·06	8,761	1,769	988	367	233	128	3,485	220	50	59	79	207	295	418	905	1,482	1,561
Diseases of Digestive „	0·96	2,761	411	164	39	20	20	654	63	42	52	56	118	214	346	421	506	289
Diseases of Urinary „	0·36	1,030	12	7	5	4	7	35	13	16	21	43	68	131	177	208	219	99
Diseases of Generative „	0·10	299	–	5	–	1	–	6	–	1	9	16	37	70	61	50	33	16
Puerperal Fever	0·14	402	–	–	–	–	–	–	–	–	22	76	183	117	4	–	–	–
Childbirth	0·12	342	–	–	–	–	–	–	–	–	10	46	123	157	6	–	–	–
Violence	0·31	889	104	59	54	33	34	284	68	26	31	13	41	54	70	73	94	135
Other Causes	3·30	9,422	3,188	234	72	36	24	3,554	102	109	103	107	194	203	246	377	969	3,458

Marriages – 40,939
Births – 78,337

Deaths from Childbirth and Puerperal Fever – 4·66 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

24.—HEREFORDSHIRE.—(Males.)

Causes of Death	Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	—	*15·87	†120	–	–			40·46	3·91	2·16	3·47	5·59	6·38	10·10	15·39	30·73	63·43	164·90
Mean Population 1881–91	—	58,734	1,970	1,929	1,419	1,365	1,386	6,769	6,859	6,759	5,564	4,113	6,991	6,171	5,442	4,320	2,702	1,191
Deaths (Annl. Aft Causes, 1881–90	18·28	10,371	1,908	413	185	129	97	2,735	268	146	193	230	442	622	836	1,319	1,714	1,865
Smallpox	0·01	6	1	–				1	–	–	–	–	–	2	2	1	–	–
Measles	0·27	154	30	39	15	16	20	120	19	3	–	–	–	3	–	–	–	–
Scarlet Fever	0·20	115	6	18	20	11	9	64	35	14	2	–	–	–	–	–	–	–
Diphtheria	0·13	73	3	5	5	10	7	30	25	8	6	–	–	–	1	3	–	–
Whooping-cough	0·19	110	63	22	13	4	3	104	6	–	–	–	–	–	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Enteric Fever	0·07	38	2	–	–	–	1	3	2	1	4	7	5	4	7	4	1	–
Simple Continued Fever	0·01	8	1	–	–	–	–	1	4	2	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·31	177	105	13	5	1	3	130	3	–	–	–	3	–	1	9	13	18
Cholera	0·01	5	3	1	–	–	–	3	–	–	–	–	–	–	–	–	2	–
Cancer	0·53	300	–	–	–	1	–	1	–	–	1	8	5	15	39	89	100	42
Tabes Mesenterica	0·14	82	30	12	7	1	4	54	11	6	5	2	1	7	2	–	–	–
Phthisis	1·21	684	10	4	2	3	2	21	8	14	62	86	159	136	104	68	20	6
Other Tub. & Scrof. Dis.	0·26	148	38	21	10	10	4	83	15	11	11	7	8	3	3	5	2	–
Diseases of Nervous System	3·09	1,703	394	46	24	13	6	483	22	12	21	18	39	89	142	254	337	286
Diseases of Circulatory System	2·22	1,258	6	2	1	–	1	9	13	7	17	21	39	77	152	300	356	262
Diseases of Respiratory System	3·31	1,876	370	152	50	39	13	624	42	10	13	20	51	109	132	253	338	304
Diseases of Digestive System	1·08	610	126	31	6	4	3	170	10	10	5	10	16	42	61	97	115	74
Diseases of Urinary System	0·65	367	6	1	1	2	1	11	3	2	4	8	8	35	66	78	86	66
Diseases of Generative System	0·01	4	2	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·80	503	21	12	15	9	14	71	21	26	22	25	58	69	67	66	64	33
Other Causes	3·77	2,138	661	34	15	5	6	741	24	20	19	18	49	47	55	111	280	774

Marriages - - - 6,515
Births - - - 15,886

* Death-rate in Standard Population (*see pages* XXVI–XXVIII).
† The death-rate under one year of age is per 1000 Births.

24.—HEREFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·19	†97	–	–	–	–	33·30	4·33	2·86	4·09	5·30	6·82	8·98	11·19	23·08	52·21	140·71
Mean Population, 1881–91	–	59,012	1,405	1,311	1,410	1,383	1,365	6,874	6,829	6,543	5,429	4,677	7,624	6,428	5,673	4,407	3,032	1,496
Deaths from All Causes, 1881–90	16·40	9,679	1,510	390	166	122	101	2,289	296	187	222	248	520	577	635	1,017	1,583	2,105
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	127	20	38	25	11	9	103	14	5	2	2	–	1	–	–	–	–
Scarlet Fever	0·21	121	4	11	12	19	9	55	40	18	1	4	1	2	–	–	–	–
Diphtheria	0·11	67	–	2	10	7	8	27	22	11	–	1	1	3	2	–	–	–
Whooping-cough	0·27	157	77	37	13	11	7	145	11	1	–	–	–	–	–	–	–	–
Typhus	0·00	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·05	32	–	–	1	–	–	1	2	3	2	5	5	6	3	3	1	1
Simple Continued Fever	0·02	13	–	–	–	1	–	1	1	3	1	1	2	1	–	–	2	1
Diarrhœa and Dysentery	0·31	183	90	21	4	2	2	119	3	1	1	1	2	2	1	12	15	26
Cholera	0·00	2	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Cancer	0·88	520	–	–	–	1	–	1	2	1	–	1	12	54	113	137	130	69
Tabes Mesenterica	0·14	85	38	13	3	2	2	58	14	4	3	2	2	2	–	–	–	–
Phthisis	1·29	762	14	3	5	4	1	27	19	36	89	118	197	142	71	43	16	4
Other Tub. and Scrof. Dis.	0·22	130	20	23	4	4	6	57	23	15	10	4	8	3	3	3	2	2
Diseases of Nervous System	2·26	1,332	246	48	20	11	10	335	35	19	19	24	29	46	95	181	281	268
Diseases of Circulatory „	2·19	1,290	2	3	–	1	–	6	11	19	10	20	50	86	113	280	416	279
Diseases of Respiratory „	2·67	1,574	296	126	45	32	23	522	51	9	22	16	41	46	75	142	295	355
Diseases of Digestive „	0·95	558	90	27	4	4	3	128	13	11	16	8	20	50	66	33	101	62
Diseases of Urinary „	0·23	133	2	–	2	–	4	8	2	1	5	5	9	19	18	22	24	20
Diseases of Generative „	0·13	74	1	–	–	–	–	1	–	–	5	1	9	12	19	11	12	4
Puerperal Fever	0·13	78	–	–	–	–	–	–	–	–	2	9	40	27	–	–	–	–
Childbirth	0·12	72	–	–	–	–	–	–	–	–	1	6	39	25	1	–	–	–
Violence	0·31	185	15	6	10	7	8	46	17	5	5	7	13	9	10	16	26	31
OTHER CAUSES	3·69	2,183	595	32	8	5	8	648	15	24	28	13	40	41	45	84	262	983

Marriages - - 6,818
Births - - - 15,538

Deaths from Childbirth and Puerperal Fever - 4·77 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

25.—SHROPSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	-	*16·18	†159	-	-	-	-	44·00	4·25	2·29	3·18	5·14	7·04	9·59	14·47	28·64	63·37	164·73
Mean Population, 1881-91	-	145,500	3,187	3,027	3,242	3,184	3,289	15,929	15,616	15,070	13,077	10,465	10,076	13,627	11,840	9,245	5,878	2,407
Deaths from All Causes 1881-90	18·12	23,459	4,938	1,090	467	282	222	7,008	664	345	435	522	1,131	1,307	1,709	2,648	3,785	3,965
Small-pox	0·01	10	1	-	-	-	-	1	-	-	2	2	1	3	1	-	-	-
Measles	0·15	240	58	81	36	19	17	211	25	3	1	-	3	1	-	-	-	-
Scarlet Fever	0·21	270	19	38	31	42	24	174	71	19	3	5	1	3	2	-	-	1
Diphtheria	0·16	211	10	16	27	18	21	92	71	17	15	6	1	3	2	4	-	-
Whooping-cough	0·25	329	187	86	20	19	11	323	6	1	-	-	-	-	-	-	-	-
Typhus	0·01	9	-	-	-	-	1	1	-	1	1	1	1	1	1	2	-	-
Enteric Fever	0·13	171	2	3	6	3	7	21	20	13	18	21	14	26	13	14	11	1
Simple Continued Fever	0·01	14	1	1	1	1	1	5	2	1	1	-	1	1	1	1	1	1
Diarrhœa and Dysentery	0·40	520	304	40	10	2	3	359	3	1	2	1	4	2	11	21	48	73
Cholera	0·00	5	1	-	1	-	-	2	1	-	-	-	-	-	1	1	-	-
Cancer	0·54	702	-	-	-	1	-	1	1	3	1	2	12	37	109	197	236	103
Tabes Mesenterica	0·17	217	124	34	14	6	5	183	7	7	3	4	6	1	1	3	2	-
Phthisis	1·37	1,771	21	26	5	5	4	61	31	32	98	193	474	328	267	197	86	12
Other Tub. and Scrof. Dis.	0·31	397	112	62	32	14	13	233	55	31	21	13	21	9	6	5	3	1
Nervous System	2·46	3,181	826	124	34	32	6	1,042	73	56	32	47	102	150	198	340	646	495
Circulating "	1·83	2,374	13	3	3	1	1	21	16	24	32	28	89	153	282	495	757	559
Respiratory "	3·91	5,048	1,092	498	148	61	44	1,743	105	22	32	13	102	165	287	550	777	760
Digestive "	1·21	1,564	302	60	14	8	5	389	38	27	33	28	45	110	168	285	280	172
Urinary "	0·63	816	12	8	3	3	2	28	11	6	15	15	39	70	80	157	216	179
Generative "	0·01	7	2	-	-	-	-	2	-	-	-	-	-	-	1	1	1	3
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violence	0·96	1,398	41	38	37	27	22	165	69	56	70	67	132	155	182	159	124	70
Other Causes	3·74	5,441	1,380	72	25	29	15	1,982	56	34	46	46	87	113	116	259	369	1,427

Marriages - - - 15,764
Births - - - 37,967

* Death-rate at Standard Population (see pages xxxv—xxvi).
† The death-rate under one year of age is per 1000 Births.

25.—SHROPSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·89	†103	–	–	–	–	35·96	4·28	2·74	4·15	5·67	7·29	8·95	11·60	23·12	55·85	147·96
Mean Population, 1881–91	–	130,827	3,207	2,979	3,187	3,149	3,217	15,739	15,686	14,688	12,148	10,138	16,947	14,341	12,327	9,481	6,363	2,969
Deaths from All Causes, 1881–90	16·74	21,900	3,747	1,000	416	276	220	5,659	671	402	504	575	1,236	1,284	1,430	2,192	3,554	4,393
Small-pox	0·00	5	1	–	–	–	–	1	–	–	2	–	–	1	1	–	–	–
Measles	0·17	225	52	63	32	18	10	175	36	5	–	3	2	3	1	–	–	–
Scarlet Fever	0·20	258	17	36	33	34	30	150	83	9	2	4	5	4	1	–	–	–
Diphtheria	0·17	226	4	13	22	24	28	91	91	26	1	4	5	3	2	2	1	–
Whooping-cough	0·31	404	185	118	50	21	16	390	13	1	–	–	–	–	–	–	–	–
Typhus	0·01	9	–	–	–	–	–	–	–	1	2	–	2	1	1	2	–	–
Enteric Fever	0·16	215	–	3	3	5	4	15	30	20	26	20	37	21	23	16	6	1
Simple Continued Fever	0·01	16	–	–	1	1	1	3	3	1	2	–	–	–	–	3	2	2
Diarrhœa and Dysentery	0·36	477	229	40	10	6	3	288	7	2	–	2	10	9	7	25	47	80
Cholera	0·00	5	1	1	–	–	–	2	–	–	–	–	–	–	–	1	2	–
Cancer	0·86	1,131	–	2	1	2	–	5	3	3	3	1	37	112	245	282	311	129
Tabes Mesenterica	0·13	172	80	40	10	1	2	133	7	7	5	5	3	4	2	4	2	–
Phthisis	1·37	1,793	19	18	10	8	6	61	44	91	215	243	484	304	177	112	51	11
Other Tub. and Scrof. Dis.	0·28	368	80	44	22	17	14	177	63	44	24	15	16	13	10	3	3	–
Diseases of Nervous System	2·20	2.875	599	104	49	27	25	804	58	39	36	35	74	115	187	334	590	603
Diseases of Circulatory „	2·04	2,666	6	2	1	–	1	10	24	32	39	38	90	152	252	513	875	641
Diseases of Respiratory „	2·79	3,656	765	338	108	67	46	1,324	101	37	34	28	99	115	175	353	638	752
Diseases of Digestive „	1·07	1,401	230	60	11	7	12	320	31	22	36	35	57	85	127	233	295	160
Diseases of Urinary „	0·29	385	11	5	4	3	3	26	9	7	8	15	28	40	48	62	95	47
Diseases of Generative „	0·10	126	1	1	–	–	–	2	–	–	4	5	17	26	29	14	18	11
Puerperal Fever	0·17	218	–	–	–	–	–	–	–	–	5	38	106	66	3	–	–	–
Childbirth	0·15	193	–	–	–	–	–	–	–	–	3	28	66	89	7	–	–	–
Violence	0·31	408	54	30	25	24	7	140	32	17	11	13	13	21	20	32	43	66
Other Causes	3·59	4,668	1,413	82	24	11	12	1,542	36	38	46	43	85	100	112	201	575	1,390

Marriages - - 15,704
Births - - - 36,464

Deaths from Childbirth and Puerperal Fever - - 5·52 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

26.- STAFFORDSHIRE.—(Males.)

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	-	*21·27	†171	-	-	-	-	67·21	4·98	2·77	3·87	4·98	7·03	12·06	20·03	38·33	78·06	170·25
Mean Population, 1881-91	-	527,981	16,124	14,315	14,856	14,353	14,644	74,292	68,258	61,878	56,274	46,664	74,668	57,227	42,022	27,861	14,209	4,628
Deaths from All Causes, 1881-90	20·80	109,844	33,386	9,392	3,606	2,112	1,438	49,932	3,397	1,711	2,177	2,323	5,251	6,900	8,417	10,080	11,177	7,879
Small-pox	0·06	302	38	12	6	7	3	66	22	16	42	42	58	36	12	7	1	-
Measles	0·51	2,711	639	1,055	453	266	145	2,548	151	8	1	-	1	2	-	-	-	-
Scarlet Fever	0·37	1,970	131	315	331	316	233	1,346	325	71	5	13	5	3	2	-	-	-
Diphtheria	0·06	405	33	39	49	55	46	222	114	30	13	4	10	4	1	6	1	-
Whooping-cough	0·28	1,991	974	592	207	116	47	1,936	51	1	2	-	-	-	-	1	-	-
Typhus	0·01	35	-	-	1	1	1	3	3	3	7	3	5	4	4	3	-	1
Enteric Fever	0·21	1,110	9	12	24	19	33	104	122	124	157	151	185	112	98	45	16	1
Simple Continued Fever	0·02	129	9	13	13	8	6	49	19	16	4	5	8	5	6	8	6	3
Diarrhœa and Dysentery	0·89	4,692	3,184	729	141	51	30	4,135	43	7	12	5	19	15	49	97	157	153
Cholera	0·01	52	9	3	1	-	-	13	5	-	-	-	4	7	10	11	2	-
Cancer	0·35	1,843	2	2	3	-	4	11	11	7	11	13	50	142	357	583	519	139
Tabes Mesenterica	0·37	1,935	1,100	437	154	46	33	1,764	75	27	17	11	10	10	12	7	2	-
Hydrocephalus	1·41	7,436	177	122	57	17	25	398	122	160	505	776	1,645	1,710	1,244	670	209	17
Other Tub. and Scrof. Dis.	0·34	1,819	581	366	172	86	57	1,262	194	82	81	53	59	40	24	16	6	2
Diseases of Nervous System	2·87	15,158	6,029	1,081	385	204	149	7,848	453	213	188	171	426	757	932	1,523	1,748	899
Circulatory	1·30	6,887	27	18	5	6	4	60	93	124	177	180	425	723	1,107	1,623	1,651	724
Respiratory	4·61	24,334	6,192	2,947	1,078	551	350	11,118	535	139	108	272	809	1,436	2,289	3,172	2,941	1,445
Digestive	1·15	6,070	1,634	626	106	54	55	2,525	124	104	118	119	257	435	651	859	647	221
Urinary	0·48	2,544	54	49	42	37	28	210	98	39	42	48	165	261	335	468	566	282
Generative	0·01	46	9	3	2	-	-	14	-	1	2	-	7	5	5	4	7	1
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violence	0·98	5,187	214	139	100	185	129	827	403	326	362	289	673	619	630	547	351	160
Other Causes	4·39	23,218	12,279	831	196	97	80	13,483	285	213	283	168	430	574	654	1,070	2,347	3,851

Marriages - - - 90,280
Births - - - 194,784.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

26.—STAFFORDSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·79	†140	–	–	–	–	56·09	4·69	2·78	4·17	5·67	7·45	10·35	14·96	30·42	65·78	152·04
Mean Population, 1881-91	–	527,124	16,139	14,619	15,012	14,796	14,721	75,287	69,098	61,376	52,306	46,048	73,806	56,475	42,533	28,629	15,866	5,700
Deaths from All Causes, 1881-90	18·49	97,487	26,341	8,886	3,477	2,062	1,465	42,231	3,243	1,705	2,181	2,611	5,500	5,843	6,362	8,708	10,437	8,666
Small-pox	0·05	242	28	8	9	7	7	59	25	20	34	31	34	18	15	5	1	–
Measles	0·50	2,632	520	1,006	474	278	156	2,434	179	13	1	1	4	–	–	–	–	–
Scarlet Fever	0·35	1,863	114	279	336	282	223	1,234	521	65	12	8	13	7	2	1	–	–
Diphtheria	0·03	433	20	44	49	51	55	219	143	33	16	4	9	4	–	3	1	1
Whooping-cough	0·47	2,489	1,082	789	323	151	76	2,421	65	2	–	–	–	1	–	–	–	–
Typhus	0·00	23	–	–	2	1	1	4	2	4	3	3	1	4	2	–	–	–
Enteric Fever	0·20	1,035	3	18	22	26	32	101	158	168	155	108	147	85	58	36	18	1
Simple Continued Fever	0·02	122	5	13	4	8	7	37	23	9	8	8	16	8	5	5	3	–
Diarrhœa and Dysentery	0·79	4,147	2,571	729	148	55	24	3,527	42	4	9	13	40	38	41	96	169	168
Cholera	0·01	31	14	3	1	1	–	19	–	–	–	1	1	1	3	4	1	1
Cancer	0·60	3,172	3	2	7	3	2	17	7	4	6	18	122	438	862	894	599	205
Tabes Mesenterica	0·32	1,687	849	434	108	55	29	1,475	68	35	25	22	29	13	6	8	6	–
Phthisis	1·28	6,743	149	105	48	22	22	346	162	316	768	925	1,786	1,250	747	331	100	12
Other Tub. and Scrof. Dis.	0·27	1,424	400	276	117	82	56	931	167	96	68	45	52	27	18	15	5	–
Diseases of Nervous System	2·52	13,262	4,510	906	372	217	145	6,150	393	229	208	237	403	632	862	1,381	1,761	1,006
Diseases of Circulatory „	1·39	7,332	40	11	11	10	8	80	114	170	186	166	472	704	1,056	1,752	1,802	830
Diseases of Respiratory „	3·55	18,718	4,713	2,708	986	545	394	9,346	558	139	165	193	593	786	1,091	2,004	2,437	1,406
Diseases of Digestive „	1·08	5,685	1,237	556	80	51	58	1,982	173	82	95	139	283	451	650	863	696	271
Diseases of Urinary „	0·29	1,552	54	62	41	26	27	210	64	27	42	55	178	197	218	280	207	74
Diseases of Generative „	0·08	419	8	8	7	–	3	26	3	7	15	30	73	85	75	67	24	14
Puerperal Fever	0·18	969	–	–	–	–	–	–	–	–	42	210	449	248	20	–	–	–
Childbirth	0·15	813	–	–	–	–	–	–	–	–	26	136	317	325	9	–	–	–
Violence	0·35	1,847	184	130	125	88	76	603	165	95	101	72	118	110	126	140	173	144
Other Causes	3·96	20,847	9,837	799	207	103	64	11,010	211	187	196	186	360	411	496	823	2,434	4,533

Marriages - - - 80,280
Births - - - 188,748

Deaths from Childbirth and Puerperal Fever - - 4·65 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

27.—WORCESTERSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	–	*17·85	†147	–	–	–	–	53·59	4·30	2·35	3·46	4·68	6·30	10·35	16·47	31·44	66·41	165·30
Mean Population, 1881-91		192,111	5,228	4,920	5,077	5,072	4,995	25,292	24,035	22,676	20,099	15,886	20,182	20,823	16,351	11,553	6,729	2,885
Deaths from All Causes, 1881-90	18·36	35,270	9,394	2,304	918	609	428	13,553	1,034	534	696	744	1,650	2,155	2,693	3,632	4,469	4,110
Small-pox	0·03	31	5	–	1	–	–	6	3	1	3	7	7	1	2	1	–	–
Measles	0·39	743	171	272	109	86	47	685	53	2	2	–	–	–	2	–	–	–
Scarlet Fever	0·27	528	32	91	100	65	63	351	146	16	6	1	3	4	–	–	1	–
Diphtheria	0·08	163	6	11	9	25	22	73	65	18	–	2	3	–	–	1	1	–
Whooping-cough	0·29	554	267	161	67	30	17	542	11	1	–	–	–	–	–	–	–	–
Typhus	0·00	8	–	–	–	–	–	–	1	1	1	3	–	–	–	–	1	1
Enteric Fever	0·22	420	2	5	6	11	8	32	82	40	72	63	71	39	39	14	6	8
Simple Continued Fever	0·03	59	11	5	4	4	1	25	16	2	2	3	2	2	1	4	–	–
Diarrhœa and Dysentery	0·65	1,263	882	142	29	10	4	1,074	8	4	3	2	3	9	11	32	58	59
Cholera	0·01	18	6	1	1	–	–	8	1	–	–	–	–	1	4	3	1	–
Cancer	0·41	781	1	2	3	3	1	10	5	1	1	6	19	62	122	236	233	86
Tabes Mesenterica	0·34	650	427	115	34	11	10	597	14	15	8	5	3	4	2	3	5	2
Phthisis	1·34	2,571	33	14	14	7	4	72	37	40	167	279	642	595	396	243	87	13
Other Tub. and Scrof. Dis.	0·33	643	243	145	49	25	24	426	72	43	29	23	22	13	9	6		
Diseases of: Nervous System	2·46	4,718	1,085	205	109	57	38	1,494	102	72	72	61	156	275	366	616	895	609
Circulatory „	1·61	3,088	30	6	–	5	6	47	24	40	51	42	138	266	408	687	889	595
Respiratory „	3·50	6,734	1,780	700	252	166	122	3,020	177	33	66	57	183	302	477	753	934	722
Digestive „	1·14	2,183	560	159	29	20	15	783	45	40	31	35	70	133	205	313	393	165
Urinary „	0·56	1,076	17	15	11	4	4	51	12	10	18	21	48	101	148	199	263	205
Generative „	0·00	9	2	–	–	–	–	2	–	–	–	2	1	1	–	2	1	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·81	1,568	112	57	37	51	24	281	131	87	107	75	188	175	178	178	146	69
OTHER CAUSES	3·80	7,467	3,643	221	54	29	18	3,965	80	61	63	57	141	172	262	344	671	1,051

Marriages . . . 28,039
Births . . . 63,140

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

27.—WORCESTERSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Years.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·54	†120	–	–	–	–	44·81	4·10	2·23	3·79	4·49	5·82	8·59	12·39	23·55	55·47	143·90
Mean Population, 1881-91	–	210,660	5,420	4,837	5,126	5,094	5,148	25,625	24,278	22,868	21,369	19,798	30,705	23,262	18,294	13,050	7,974	3,437
Deaths from All Causes, 1881-90	15·75	33,178	7,385	2,167	918	594	419	11,483	995	509	810	888	1,787	1,998	2,266	3 073	4,423	4,946
Small-pox	0·01	25	4	–	1	1	–	6	2	2	1	5	1	4	3	1	–	–
Measles	0·34	721	141	254	111	79	56	641	66	7	4	1	–	1	–	1	–	–
Scarlet Fever	0·23	492	23	63	95	77	59	317	138	17	7	5	3	2	2	–	1	–
Diphtheria	0·12	249	8	13	20	33	28	102	104	22	3	6	5	2	1	2	1	1
Whooping-cough	0·32	674	314	185	67	48	30	644	29	1	–	–	–	–	–	–	–	–
Typhus	0·01	12	–	–	–	–	–	–	3	1	–	–	2	1	2	2	1	–
Enteric Fever	0·19	399	–	2	4	7	5	18	37	58	76	74	43	46	25	14	7	1
Simple Continued Fever	0·03	55	10	8	7	2	–	27	8	4	–	3	4	1	3	3	1	1
Diarrhœa and Dysentery	0·53	1,116	699	152	27	10	8	896	10	2	5	1	10	7	12	25	68	80
Cholera	0·01	16	6	2	1	–	1	10	–	–	–	1	–	–	–	4	1	–
Cancer	0·69	1,448	1	1	–	3	2	7	1	2	2	5	47	167	332	382	334	169
Tabes Mesenterica	0·26	541	292	131	32	10	8	473	26	13	12	2	4	4	8	1	2	1
Phthisis	1·07	2,248	19	17	12	4	6	58	38	90	271	318	584	416	297	120	51	5
Other Tub. & Scrof. Dis.	0·25	536	137	91	41	33	25	327	71	40	28	16	23	14	5	6	5	1
Diseases of Nervous System	1·94	4,082	786	192	78	52	38	1,146	117	40	75	55	145	216	284	522	827	655
Diseases of Circulatory „	1·67	3,519	32	4	3	2	7	48	30	49	68	82	159	262	396	696	1,064	665
Diseases of Respiratory „	2·74	5,763	1,376	650	280	171	100	2,577	159	43	54	49	138	219	293	546	863	823
Diseases of Digestive „	1·02	2,159	418	161	51	14	11	635	45	26	52	36	110	154	242	304	363	192
Diseases of Urinary „	0·29	621	10	8	8	3	1	30	8	9	18	18	56	85	100	127	104	66
Diseases of Generative „	0·08	176	1	1	1	–	–	3	–	–	6	7	29	31	41	28	19	12
Puerperal Fever	0·15	314	–	–	–	–	–	–	–	–	16	65	136	90	7	–	–	–
Childbirth	0·13	278	–	–	–	–	–	–	–	–	14	36	112	113	3	–	–	–
Violence	0·31	645	128	40	35	19	18	240	37	24	24	34	39	22	47	48	56	74
Other Causes	3·36	7,089	2,980	192	64	26	16	3,278	66	59	74	69	137	141	168	241	656	2,200

Marriages - - - 28,039
Births - - - 61,419

Deaths from Childbirth and Puerperal Fever - - } 4·75 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

28.—WARWICKSHIRE.—(Males.)

Causes of Death.	Death-Rate per 1000 Living at the Ages.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*20·12	†164	–	–	–	–	63·29	4·64	2·44	3·58	5·18	7·53	12·89	19·82	35·93	72·75	164·51
[illegible] Population, 1881	–	372,042	16,629	9,805	10,112	9,889	9,688	50,123	46,340	42,970	38,313	32,098	34,343	42,015	30,563	20,350	11,049	3,908
Deaths from All Causes	20·24	75,292	2,977	1,972	2,309	1,441	1,624	31,723	2,151	1,050	1,372	1,660	1,991	5,417	6,059	7,312	8,038	6,429
[illegible]	0·03	155	15	5	2	–	2	24	18	5	17	12	44	14	7	8	1	1
[illegible]	0·45	1,941	385	660	296	184	101	1,623	108	3	–	1	3	1	1	1	–	–
[illegible]	0·39	1,668	97	160	269	203	141	770	230	47	10	8	8	4	2	–	–	–
[illegible]	0·12	511	24	47	59	68	63	252	118	37	9	9	5	8	4	5	2	2
[illegible]	0·45	1,966	517	533	199	111	55	1,615	41	–	–	–	–	–	–	–	–	–
[illegible]	0·01	3	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
[illegible]	0·15	564	3	4	14	14	11	46	56	62	102	94	99	53	35	20	10	2
[illegible]	0·06	246	6	5	4	7	4	26	14	4	6	2	4	4	2	3	3	3
[illegible]	1·02	3,870	2,821	528	76	20	19	3,464	18	3	7	6	17	16	30	57	85	107
[illegible]	0·01	54	4	7	5	2	–	18	1	–	–	–	2	2	4	4	3	–
[illegible]	0·07	1,[illegible]	–	6	3	6	–	15	5	7	9	12	57	139	371	529	445	147
[illegible]	0·26	[illegible]	549	197	62	28	10	846	36	12	12	14	10	8	6	7	1	–
[illegible]	1·[illegible]	[illegible]	69	50	30	16	8	173	65	104	399	721	1,698	1,698	1,245	700	198	28
[illegible]	0·67	1,[illegible]	443	239	102	78	58	920	140	72	63	47	55	31	17	18	6	1
[illegible]	2·10	[illegible]	2,539	663	248	128	107	3,685	239	113	133	97	292	538	715	1,046	1,469	920
[illegible]	1·[illegible]	[illegible]	48	13	6	6	11	84	72	119	115	97	313	601	849	1,189	1,357	738
[illegible]	4·[illegible]	[illegible]	3,964	1,898	688	370	262	7,182	348	91	144	154	522	927	1,265	1,868	2,073	1,275
[illegible]	1·[illegible]	[illegible]	1,023	300	73	36	26	1,458	115	58	66	70	179	330	377	529	528	226
[illegible]	0·[illegible]	[illegible]	25	20	16	26	21	105	55	20	38	43	168	223	283	418	504	282
[illegible]	0·01	[illegible]	7	1	1	1	–	10	–	–	–	–	3	1	3	6	2	1
[illegible]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
[illegible]	1·[illegible]	[illegible]	746	136	104	91	88	1,186	273	154	131	146	309	411	414	377	238	132
[illegible]	2·18	[illegible]	1,[illegible]	500	121	52	37	8,221	149	139	140	146	362	402	429	531	1,113	2,564

Marriages - - - 57,856
Births - - - 128,212

* Death-rate in Standard Population (see pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

28.—WARWICKSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·15	†135	–	–	–	–	53·82	4·56	2·57	3·83	4·84	7·04	10·74	16·00	29·12	60·95	149·35
Mean Population, 1881-91	–	394,092	10,778	9,870	10,109	9,943	9,819	50,519	46,735	42,942	39,384	36,184	58,616	44,779	33,584	23,048	13,239	5,062
Deaths from All Causes, 1881-90	17·8	70,328	16,791	5,594	2,362	1,445	996	27,188	2,129	1,102	1,510	1,752	4,126	4,808	5,373	6,711	8,069	7,560
Small-pox	0·02	98	17	3	–	2	–	22	8	9	11	11	22	4	10	–	1	–
Measles	0·42	1,643	338	586	318	173	111	1,526	99	4	4	3	4	3	–	–	–	–
Scarlet Fever	0·28	1,106	55	154	204	204	114	731	288	51	14	9	11	2	–	–	–	–
Diphtheria	0·13	507	15	47	68	70	65	265	168	27	15	7	7	7	5	2	3	1
Whooping-cough	0·52	2,059	774	678	291	163	78	1,984	69	1	–	1	–	2	–	2	–	–
Typhus	0·00	12	–	1	–	–	2	3	–	1	1	3	1	1	1	1	–	–
Enteric Fever	0·12	472	2	6	5	13	16	42	56	63	86	45	85	46	29	13	5	2
Simple Continued Fever	0·02	92	4	4	7	7	10	32	12	7	7	6	8	2	4	6	5	3
Diarrhœa and Dysentery	0·87	3,414	2,285	483	95	29	25	2,917	33	7	4	10	17	29	33	53	138	173
Cholera	0·01	28	7	2	1	–	2	12	1	–	–	2	1	3	5	2	1	1
Cancer	0·76	2,991	2	2	5	2	1	12	8	10	17	17	112	413	787	807	579	229
Tabes Mesenterica	0·21	835	461	173	40	19	19	712	31	21	24	8	14	14	6	3	1	1
Phthisis	1·34	5,262	58	50	16	16	16	156	109	193	527	644	1,348	1,132	666	340	134	13
Other Tub. and Scrof. Dis.	0·29	1,132	313	201	91	54	48	707	140	70	65	36	51	28	14	9	9	3
Diseases of: Nervous System	2·10	8,276	1,894	508	223	133	94	2,852	229	154	116	123	280	385	724	1,105	1,323	985
Diseases of: Circulatory	1·64	6,446	41	12	7	10	8	78	97	150	164	148	395	616	932	1,404	1,598	864
Diseases of: Respiratory	3·55	14,007	3,037	1,825	726	384	248	6,220	337	87	103	128	418	696	955	1,500	2,061	1,502
Diseases of: Digestive	0·98	3,845	752	269	60	37	35	1,153	127	52	80	84	215	352	429	543	530	280
Diseases of: Urinary	0·30	1,175	22	17	10	14	13	76	38	17	37	54	118	156	211	216	173	79
Diseases of: Generative	0·14	538	2	3	2	1	–	8	1	2	11	26	118	157	93	60	48	14
Puerperal Fever	0·16	621	–	–	–	–	–	–	–	–	21	130	329	135	6	–	–	–
Childbirth	0·12	473	–	–	–	–	–	–	–	1	14	61	212	177	8	–	–	–
Violence	0·53	2,069	696	109	80	64	53	1,002	110	37	60	58	100	128	143	158	133	140
OTHER CAUSES	3·34	13,227	6,016	461	113	50	38	6,678	168	138	129	138	260	320	312	487	1,327	3,270

Marriages – – – 57,856
Births – – – 124,003

Deaths from Childbirth and Puerperal Fever – – 4·34 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

29.—LEICESTERSHIRE.—(Males.)

Causes of Death.	Death-Rate per 1000 Living.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000		*18·92	†182	–	–	–	–	65·95	4·35	2·49	3·36	4·82	6·22	9·21	14·81	28·84	62·71	162·27
Mean Population, 1881-91		170,883	4,989	4,565	4,530	4,636	4,455	23,196	21,362	19,448	17,364	14,395	24,500	18,540	13,866	9,983	5,886	2,343
Deaths from All Causes, 1881-90	19·69	33,636	11,039	2,447	816	580	424	15,297	930	484	583	694	1,525	1,707	2,054	2,879	3,691	3,802
[illegible]	0·01	14	2	–	–	1	–	3	1	–	1	1	6	–	2	–	–	–
[illegible]	0·36	615	161	227	99	54	25	566	40	4	1	–	–	2	–	–	1	–
[illegible]	0·40	685	49	98	113	119	87	466	178	31	3	1	4	1	–	–	–	–
[illegible]	0·05	102	8	23	20	12	27	88	10	13	3	4	1	2	5	6	–	–
[illegible]	0·34	587	343	157	46	36	24	576	10	–	–	–	1	–	–	–	–	–
[illegible]	0·03	6	–	–	–	–	–	–	–	1	2	1	–	–	1	1	–	–
[illegible] Fever	0·20	346	1	6	7	10	11	35	39	43	48	47	52	33	17	21	10	1
[illegible] Continued Fever	0·01	16	1	1	–	1	–	3	3	2	1	–	1	–	1	3	1	2
[illegible] Dysentery	1·20	2,037	1,662	206	21	7	1	1,897	10	2	2	1	6	3	7	21	68	90
[illegible]	0·01	19	5	2	1	–	–	8	–	–	–	2	–	4	3	1	1	–
[illegible]	0·43	728	–	–	2	2	2	6	2	–	5	4	23	42	113	232	206	95
[illegible] Mesenteric	0·25	425	296	33	20	13	8	370	20	9	9	7	6	5	–	2	–	–
[illegible]	1·37	2,344	50	19	9	6	10	94	28	55	184	319	624	480	328	170	48	5
[illegible] Ill-defined Dis.	0·44	760	260	153	54	27	26	519	74	43	26	25	25	17	16	12	2	1
[illegible]	2·96	5,068	2,120	346	85	70	40	2,663	100	60	57	40	117	181	276	481	685	448
[illegible]	1·48	2,530	35	3	–	4	3	93	22	35	47	38	124	229	329	597	683	401
[illegible]	3·52	6,029	1,870	760	246	129	91	3,096	112	28	39	62	163	249	374	556	779	581
[illegible]	0·95	1,629	435	111	12	16	12	586	30	20	22	19	73	102	167	248	232	121
[illegible]	0·51	874	22	12	9	7	10	60	22	14	14	19	38	76	102	157	219	155
[illegible]	0·01	18	–	1	–	–	–	1	–	–	–	1	2	–	2	3	8	1
[illegible] Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
[illegible]	0·87	1,487	143	43	38	45	30	300	102	71	60	57	157	164	161	191	144	80
[illegible] Causes	4·23	7,230	3,780	135	34	21	7	4,007	66	44	59	46	102	117	150	228	600	1,821

Marriages . . 35,527
Births . . 60,559

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

29.—LEICESTERSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·97	†146	–	–	–	–	53·28	4·24	2·56	3·89	4·98	6·45	9·02	12·22	24·09	54·83	152·57
Mean Population, 1881-91 -	–	182,081	5,119	4,636	4,828	4,677	4,542	23,802	21,829	19,810	18,218	16,672	26,478	19,996	15,096	10,820	6,670	2,690
Deaths from All Causes, 1881-90 - - -	17·23	31,377	8,561	2,296	885	581	359	12,682	925	507	709	831	1,707	1,803	1,845	2,607	3,657	4,104
Small-pox - - -	0·01	11	1	1	–	–	–	2	1	3	1	4	–	–	–	–	–	–
Measles - - -	0·33	597	129	237	109	48	33	556	33	4	1	2	–	1	–	–	–	–
Scarlet Fever - - -	0·36	663	28	96	119	125	69	437	179	28	8	3	5	3	–	–	–	–
Diphtheria - - -	0·11	193	6	17	23	25	26	97	62	13	2	1	3	4	3	4	4	–
Whooping-cough - -	0·38	695	314	227	82	36	18	677	17	1	–	–	–	–	–	–	–	–
Typhus - - -	0·00	7	–	–	–	–	–	–	–	1	1	–	1	–	–	1	3	–
Enteric Fever - -	0·19	340	–	3	8	8	8	27	49	47	54	41	55	27	17	16	4	3
Simple Continued Fever -	0·01	24	–	2	1	1	–	4	7	2	–	2	4	–	1	1	1	2
Diarrhœa and Dysentery -	1·01	1,830	1,382	157	20	12	2	1,573	10	2	3	4	11	15	14	33	79	86
Cholera - - -	0·01	14	2	–	1	1	–	4	1	1	–	–	1	1	1	2	1	2
Cancer - - -	0·69	1,258	1	3	–	2	2	8	–	1	6	2	44	162	272	374	280	109
Tabes Mesenterica -	0·23	414	214	76	17	14	3	324	19	17	9	16	12	5	6	2	3	1
Phthisis - - -	1·22	2,216	35	23	15	7	9	89	46	84	292	346	619	409	217	88	23	3
Other Tub. and Scrof. Dis. -	0·37	673	183	107	55	33	20	398	79	46	44	22	32	26	15	6	4	1
Diseases of Nervous System - -	2·42	4,411	1,463	271	92	65	39	1,930	94	71	52	62	116	184	253	429	702	518
Diseases of Circulatory „ - -	1·48	2,698	17	3	–	2	3	25	42	57	58	66	154	237	346	576	713	424
Diseases of Respiratory „ - -	2·87	5,232	1,300	738	242	152	79	2,511	129	25	36	55	133	187	241	468	752	690
Diseases of Digestive „ - -	0·94	1,719	335	118	29	9	10	501	49	27	35	32	91	126	193	257	261	147
Diseases of Urinary „ - -	0·25	450	15	11	7	4	5	42	13	11	13	25	43	61	66	71	74	31
Diseases of Generative „ - -	0·09	155	1	3	2	–	–	6	–	–	2	9	21	28	34	21	28	6
Puerperal Fever - -	0·14	262	–	–	–	–	–	–	–	–	12	52	130	67	1	–	–	–
Childbirth - - -	0·13	241	–	–	–	–	–	–	–	–	15	34	101	87	4	–	–	–
Violence - - -	0·34	620	128	22	29	20	20	219	36	16	19	11	35	47	39	44	64	90
OTHER CAUSES - -	3·65	6,654	3,007	181	34	17	13	3,252	59	50	46	42	91	126	122	214	661	1,991

Marriages - - - 25,557
Births - - - 58,660

Deaths from Childbirth and Puerperal Fever - 4·22 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

30.—RUTLANDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·55	†126	–	–	–	–	43·30	2·65	1·92	2·91	4·46	5·12	6·85	13·37	22·36	57·80	164·88
Mean Population, 1881–91	–	11,252	274	249	256	273	262	1,314	1,323	1,407	1,272	807	1,387	1,154	987	814	545	242
Deaths from All Causes, 1881-90	16·73	1,882	401	87	31	25	25	569	35	27	37	36	71	79	132	182	315	369
Small-pox	0·04	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
Measles	0·20	23	8	7	1	3	2	21	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	20	1	4	2	5	–	12	5	1	–	–	1	1	–	–	–	–
Diphtheria	0·08	9	–	1	2	–	1	4	2	2	–	1	–	–	–	–	–	–
Whooping-cough	0·26	29	12	10	5	–	1	28	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Enteric Fever	0·07	8	–	–	–	–	–	–	1	1	4	–	1	–	–	–	–	–
Simple Continued Fever	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·25	28	14	1	–	–	2	17	–	–	–	–	–	1	–	1	7	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	71	–	–	–	1	–	1	–	–	1	–	3	2	10	18	24	12
Tabes Mesenterica	0·12	13	3	3	–	1	–	12	–	–	1	–	–	–	–	–	–	–
Phthisis	1·19	134	12	5	–	–	–	17	1	2	8	17	36	16	17	12	8	–
Other Tub. and Scrof. Dis.	0·27	30	10	6	3	2	1	22	5	–	1	–	1	–	1	–	–	–
Diseases of Nervous System	2·23	250	73	14	6	2	2	97	3	4	2	1	2	7	13	26	45	50
Diseases of Circulatory ,,	1·63	182	–	1	–	–	1	2	2	1	1	3	7	9	19	30	61	47
Diseases of Respiratory ,,	2·77	312	83	26	11	7	4	130	6	1	5	2	3	14	23	32	53	43
Diseases of Digestive ,,	0·90	101	14	4	–	–	3	21	2	4	3	3	3	10	17	7	20	11
Diseases of Urinary ,,	0·68	77	1	–	–	–	2	3	1	1	–	2	3	5	7	14	25	16
Diseases of Generative ,,	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·83	93	8	2	–	3	2	15	3	3	5	5	6	9	8	17	11	11
OTHER CAUSES	4·38	494	158	3	1	1	4	167	1	6	6	3	3	3	15	24	59	206

Marriages - - 1,262
Births - - - 3,138

* Death-rate in Standard Population (see pages xxvii.–xxviii.).
† The death-rate under one year of age is per 1000 Births.

30.—RUTLANDSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*13·88	†96	–	–	–	–	34·21	3·28	3·09	3·78	6·13	5·79	7·78	10·71	20·48	50·59	152·55
Mean Population, 1881–91	–	11,313	255	271	255	260	257	1,298	1,374	1,199	1,058	865	1,485	1,246	1,064	874	595	255
Deaths from All Causes, 1881–90	15·78	1,785	291	85	33	19	16	444	45	37	40	53	86	97	114	179	301	389
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	18	3	8	4	–	1	16	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	19	2	1	4	4	2	13	1	2	1	1	–	1	–	–	–	–
Diphtheria	0·06	7	–	–	–	–	–	–	5	1	1	–	–	–	–	–	–	–
Whooping-cough	0·28	32	13	7	5	2	1	28	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	10	–	–	–	–	–	–	1	1	3	1	–	1	1	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	31	12	4	2	–	–	18	1	–	–	1	1	–	–	1	2	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	84	–	–	–	–	–	–	–	–	–	–	–	4	22	26	21	11
Tabes Mesenterica	0·11	13	9	3	–	–	–	12	–	–	–	–	1	–	–	–	–	–
Phthisis	1·35	153	4	3	1	–	1	9	4	13	16	23	45	30	7	4	2	–
Other Tub. and Scrof. Dis.	0·32	36	10	3	1	1	2	17	4	6	4	1	2	1	1	–	–	–
Diseases of Nervous System	2·09	236	47	9	2	3	1	62	6	2	2	5	4	8	19	29	62	37
Diseases of Circulatory „	1·71	194	1	–	–	–	–	1	–	3	2	2	6	17	19	41	68	35
Diseases of Respiratory „	2·17	246	56	31	11	7	5	110	6	2	2	2	5	2	15	24	33	45
Diseases of Digestive „	1·10	125	19	2	2	–	3	26	6	1	2	7	9	7	13	16	20	18
Diseases of Urinary „	0·34	39	–	2	–	–	–	2	1	3	1	–	2	6	4	4	11	5
Diseases of Generative „	0·11	12	–	–	–	–	–	–	–	–	–	–	1	4	1	4	2	–
Puerperal Fever	0·09	10	–	–	–	–	–	–	–	–	–	3	2	5	–	–	–	–
Childbirth	0·11	12	–	–	–	–	–	–	–	–	2	3	3	4	–	–	–	–
Violence	0·24	27	3	3	1	1	–	8	2	–	1	1	2	2	1	3	3	4
Other Causes	4·27	481	112	9	–	1	–	122	2	3	3	3	3	5	11	26	76	227

Marriages	1,262	Deaths from Childbirth and Puerperal Fever	3·53 per 1000 Births of both Sexes.
Births	3,045		

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

31.—LINCOLNSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·52	†144	–	–	–	–	50·45	4·46	2·74	3·86	5·38	6·64	9·25	13·34	25·53	58·38	152·03
Mean Population, 1881-91 -	–	231,242	5,980	5,666	5,873	5,906	5,867	29,302	28,353	26,550	24,045	18,434	30,192	24,821	19,974	15,214	9,990	4,367
Deaths from All Causes, 1881-90 - - -	18·17	12,095	10,395	2,441	876	586	495	14,783	1,265	727	929	982	2,005	2,295	2,665	3,884	5,832	6,639
Small-pox - - -	0·03	68	9	1	1	2	1	14	3	2	4	9	11	12	7	4	–	2
Measles - - -	0·17	395	98	131	66	39	20	354	33	3	1	1	1	1	–	–	1	–
Scarlet Fever - - -	0·30	693	38	75	93	91	93	390	218	45	17	7	11	3	–	1	1	–
Diphtheria - - -	0·15	355	15	20	27	43	46	151	120	47	13	9	3	3	5	1	3	–
Whooping-cough - -	0·28	656	343	187	67	27	14	638	16	2	–	–	–	–	–	–	–	–
Typhus - - -	0·01	14	–	–	–	–	–	–	–	3	4	1	3	1	–	–	1	1
Enteric Fever - -	0·19	433	1	5	5	11	8	30	51	46	62	44	70	43	22	36	19	5
Simple Continued Fever -	0·02	41	2	3	–	2	2	9	6	3	5	2	–	3	3	1	7	3
Diarrhœa and Dysentery -	0·60	1,387	951	132	18	13	14	1,128	13	3	2	2	5	4	11	36	79	104
Cholera - - -	0·01	34	8	3	2	1	–	14	4	–	–	–	3	3	2	2	4	2
Cancer - - -	0·50	1,150	–	2	1	1	–	4	1	1	4	9	15	66	167	315	386	182
Tabes Mesenterica - -	0·23	523	296	87	31	15	6	435	29	17	10	8	10	2	2	7	3	–
Phthisis - - -	1·35	3,097	92	36	5	7	9	109	61	79	284	406	711	585	396	268	113	25
Other Tub. and Scrof. Dis. -	0·34	787	200	134	58	31	44	467	114	65	41	36	21	17	16	6	5	–
Nervous System - -	2·89	6,630	2,080	351	98	68	54	2,660	137	81	83	62	187	268	352	694	1,148	1,008
Circulatory - -	1·69	3,867	15	2	1	2	1	21	17	37	49	28	170	274	437	748	1,211	930
Respiratory - -	3·14	7,257	1,936	761	260	144	97	3,201	103	34	60	94	213	311	410	662	1,036	1,073
Digestive - - -	1·16	2,677	618	236	36	15	19	924	58	40	51	36	90	174	243	344	462	266
Urinary - - -	0·56	1,291	17	16	2	7	3	45	16	15	14	22	48	83	142	194	385	327
Generative - -	0·01	30	3	–	–	–	–	3	–	–	–	–	3	4	6	6	6	2
Puerperal Fever -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·85	1,976	66	52	57	34	30	239	137	122	160	138	228	237	199	219	181	126
Ill-defined Causes -	3·71	8,585	3,558	264	48	33	24	3,947	68	82	85	74	172	206	246	340	791	2,564

Marriages - - - 31,523
Births - - - 72,243

* Death-rate in Standard Population (*see* pages XXXVI-XXXVIII).
† The death-rate under one year of age is per 1000 Births.

31.—LINCOLNSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·40	†119	–	–	–	–	41·75	4·62	3·13	4·98	6·39	7·61	9·09	11·36	21·14	49·51	138·29
Mean Population, 1881–91	–	233,929	5,958	5,732	5,865	5,850	5,940	29,345	28,399	26,452	22,140	19,002	30,961	25,384	20,598	15,797	10,683	5,148
Deaths from All Causes, 1881–90	16·87	39,461	8,242	2,132	866	573	440	12,253	1,312	828	1,102	1,215	2,357	2,307	2,339	3,340	5,289	7,119
Small-pox	0·02	51	3	1	1	–	–	5	1	3	4	7	17	4	4	4	1	1
Measles	0·16	374	64	132	60	32	35	323	40	5	2	1	3	–	–	–	–	–
Scarlet Fever	0·31	732	43	84	93	104	85	409	218	51	9	13	20	9	1	2	–	–
Diphtheria	0·18	410	18	18	32	42	30	140	152	64	16	8	12	4	10	2	2	–
Whooping-cough	0·35	828	397	226	103	49	21	796	30	1	–	–	–	–	–	–	–	1
Typhus	0·00	10	–	–	–	–	–	–	1	2	–	–	1	2	3	–	1	–
Enteric Fever	0·18	430	2	6	8	9	11	36	45	54	77	39	62	40	25	29	17	6
Simple Continued Fever	0·02	55	2	2	3	3	2	12	6	5	1	3	4	5	3	4	8	4
Diarrhœa and Dysentery	0·52	1,222	732	92	30	17	14	885	16	9	2	11	11	13	16	35	86	138
Cholera	0·01	21	4	3	2	–	–	9	1	1	–	1	1	2	–	1	2	3
Cancer	0·83	1,931	–	–	1	–	1	2	1	1	3	7	61	217	441	524	463	211
Tabes Mesenterica	0·22	522	238	72	28	15	11	364	34	37	19	17	21	18	5	4	3	–
Phthisis	1·61	3,757	46	38	13	13	10	120	103	228	508	576	1,026	603	321	180	72	20
Other Tub. and Scrof. Dis.	0·30	705	145	93	47	41	29	355	120	72	50	31	33	23	7	5	9	–
Diseases of Nervous System	2·54	5,935	1,511	241	102	46	44	1,944	128	85	90	76	162	209	346	597	1,158	1,140
Diseases of Circulatory „	1·56	3,638	10	2	1	5	4	22	24	40	58	52	151	258	373	712	1,089	859
Diseases of Respiratory „	2·59	6,055	1,454	681	219	113	96	2,563	168	40	64	61	143	194	204	445	949	1,224
Diseases of Digestive „	1·03	2,410	457	198	41	18	15	729	86	34	52	51	81	143	203	334	416	281
Diseases of Urinary „	0·27	631	8	10	4	6	2	30	11	8	8	28	63	94	72	112	126	79
Diseases of Generative „	0·10	233	2	1	–	–	–	3	–	–	8	12	26	55	48	36	34	11
Puerperal Fever	0·12	284	–	–	–	–	–	–	–	–	17	55	144	67	1	–	–	–
Childbirth	0·14	327	–	–	–	–	–	–	–	–	14	45	127	133	8	–	–	–
Violence	0·30	691	66	43	29	24	16	178	46	21	20	23	34	41	56	60	75	137
Other Causes	3·51	8,209	3,040	189	49	36	14	3,328	81	67	80	98	154	173	192	254	778	3,004

Marriages - - - 31,523
Births - - - 69,405

Deaths from Childbirth and Puerperal Fever - - 4·31 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

32.—NOTTINGHAMSHIRE.—(Males.)

Causes of Death.	Death-Rate per 1000	All Ages.	Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	-	*19·87	*171	-	-	-	-	68·06	5·16	2·92	4·09	5·41	6·97	10·10	15·72	30·38	64·15	165·44
Mean Population, 1881-91	-	238,334	6,887	6,084	6,129	6,043	6,159	31,282	29,955	25,598	23,148	19,723	33,903	25,572	18,814	13,027	7,599	2,963
Deaths from All Causes, 1881-90	20·42	47,041	14,673	3,656	1,598	924	678	21,292	1,509	745	947	1,068	2,213	2,584	2,957	3,958	4,875	4,902
Smallpox	0·02	55	16	-	-	-	3	13	1	3	1	10	14	5	4	2	1	1
Measles	0·39	931	321	381	173	71	58	864	64	1	1	-	-	1	-	-	-	-
Scarlet Fever	0·42	978	57	125	165	162	129	636	229	43	11	4	10	3	-	-	-	1
Diphtheria	0·08	367	18	42	36	55	30	197	125	21	6	4	5	2	1	3	-	-
Whooping-cough	0·41	986	454	270	147	59	28	918	16	1	-	-	-	-	-	1	-	-
Typhus	0·03	13	-	-	-	-	-	-	1	1	3	3	2	1	1	1	-	-
Enteric Fever	0·28	650	4	5	17	21	16	63	63	51	92	98	129	70	35	27	17	5
Simple (unspecified) Fever	0·02	44	4	1	2	6	7	20	4	3	1	2	2	4	2	4	2	3
Diarrhœa and Dysentery	0·92	2,119	1,337	255	34	15	11	1,852	16	2	1	3	3	6	11	33	82	110
Cholera	0·02	41	17	4	1	-	1	23	1	1	-	-	5	6	2	1	1	1
Cancer	0·39	906	2	1	1	4	-	8	5	2	8	13	39	66	167	276	235	96
Tabes Mesenterica	0·48	1,103	644	145	72	19	15	995	15	26	14	5	6	2	5	4	1	-
Phthisis	1·60	3,695	71	42	19	12	13	164	65	94	334	466	877	728	501	325	121	20
Other Tub. and Scrof. Dis.	0·45	1,034	358	201	83	51	43	716	130	54	31	25	25	17	17	13	4	2
Brain, Nervous System	2·80	6,445	2,516	467	113	86	64	3,191	114	90	64	71	171	275	361	602	862	614
Heart	1·41	3,244	22	3	2	1	5	33	29	34	67	46	162	300	447	697	893	536
Respiratory	3·74	8,606	2,632	1,084	375	220	138	4,459	256	50	73	79	225	355	533	814	1,014	794
Digestive	1·18	2,722	867	282	51	19	12	1,201	69	40	25	34	102	174	257	351	308	170
Urinary	0·49	1,140	24	20	16	8	6	74	20	10	17	30	56	89	136	208	287	213
Generative	0·01	14	-	-	-	-	-	-	-	-	-	1	-	2	3	2	6	1
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive	0·22	2,110	191	62	55	67	48	423	187	119	124	111	212	236	237	228	186	97
Other Causes	4·29	9,888	5,026	261	73	43	35	5,442	109	100	74	64	178	242	237	366	355	2,238

Males	-	-
Females	-	-

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).

† The mortality under one year of age is per 1000 Births.

32.—NOTTINGHAMSHIRE.– (Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*18·43	†138	–	–	–	–	55·70	5·21	2·93	4·68	6·31	7·84	10·12	14·29	27·10	58·43	151·27
Mean Population, 1881–91	–	241,622	6,789	6,103	6,233	6,325	6,387	31,887	29,606	26,115	23,976	22,388	35,682	26,381	19,899	13,950	8,350	3,388
Deaths from All Causes, 1881–90	18·50	44,696	11,452	3,475	1,382	870	632	17,761	1,542	766	1,121	1,412	2,797	2,669	2,843	3,781	4,879	5,125
Small-pox	0·02	49	6	2	3	–	2	13	2	2	3	6	15	4	2	1	–	1
Measles	0·37	890	169	358	150	92	48	817	61	7	2	–	3	–	–	–	–	–
Scarlet Fever	0·43	1,038	44	149	161	152	128	634	309	55	16	10	10	1	2	1	–	–
Diphtheria	0·17	407	15	33	56	52	53	209	141	27	15	8	3	1	1	1	1	–
Whooping-cough	0·45	1,099	497	318	132	73	40	1,065	32	1	1	–	–	–	–	–	–	–
Typhus	0·00	8	–	–	–	–	1	1	1	–	1	1	2	–	1	1	–	–
Enteric Fever	0·25	613	5	11	10	16	24	66	84	73	96	89	89	51	43	17	4	1
Simple Continued Fever	0·02	55	3	1	5	4	2	15	6	5	4	4	6	4	2	3	5	1
Diarrhœa and Dysentery	0·80	1,936	1,288	251	47	13	9	1,613	21	–	3	5	17	22	19	41	88	107
Cholera	0·01	31	8	5	3	–	1	17	3	–	–	–	2	1	–	4	4	–
Cancer	0·73	1,774	1	–	–	1	–	2	1	2	3	8	60	273	452	494	340	139
Tabes Mesenterica	0·38	914	531	182	41	11	13	778	58	15	13	14	10	10	8	6	1	1
Phthisis	1·61	3,882	51	43	14	12	20	140	102	181	481	633	1,090	637	355	181	64	18
Other Tub. and Scrof. Dis.	0·38	916	245	152	73	47	40	557	116	61	49	26	51	26	12	10	7	1
Diseases of Nervous System	2·34	5,662	1,868	365	119	79	39	2,470	151	94	65	61	162	222	401	620	851	565
Diseases of Circulatory „	1·62	3,917	17	6	1	5	2	31	34	63	75	76	220	350	501	830	1,111	626
Diseases of Respiratory „	3·09	7,473	1,929	1,038	368	197	138	3,670	173	44	45	78	205	265	369	686	1,036	902
Diseases of Digestive „	1·08	2,608	620	230	41	31	21	943	57	30	45	62	138	188	264	362	323	196
Diseases of Urinary „	0·25	596	12	20	10	13	8	63	23	11	18	24	68	81	77	111	84	36
Diseases of Generative „	0·13	304	–	3	5	–	–	8	–	2	12	18	59	64	66	41	27	7
Puerperal Fever	0·19	449	–	–	–	–	–	–	–	–	34	102	204	109	–	–	–	–
Childbirth	0·16	387	–	–	–	–	–	–	–	–	21	69	158	134	5	–	–	–
Violence	0·35	844	170	54	34	29	14	301	71	21	34	18	60	58	61	57	64	99
Other Causes	3·67	8,844	3,973	254	59	33	29	4,348	96	72	85	100	165	168	202	314	869	2,425

Marriages – 38,209
Births – 83,223

Deaths from Childbirth and Puerperal Fever – 4·94 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

33.—DERBYSHIRE.—(MALES.)

CAUSES OF DEATH.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*18·44	†148	–	–	–	–	54·88	4·91	2·71	4·27	4·90	6·13	9·35	16·41	33·09	70·64	176·33
Mean Population, 1891–91	–	204,696	5,862	5,442	5,625	5,414	5,454	27,797	25,453	22,986	20,820	18,425	30,160	22,638	16,647	11,234	6,291	2,155
Deaths from All Causes, 1881–90	18·36	37,575	10,259	2,709	1,699	634	561	15,255	1,250	622	888	903	1,848	2,116	2,732	3,717	4,444	3,809
Small-pox	0·02	41	3	1	–	–	–	4	6	–	3	7	7	3	4	5	2	–
Measles	0·37	755	182	293	145	63	47	700	49	2	1	1	–	–	–	–	–	–
Scarlet Fever	0·35	721	39	92	129	167	91	472	189	37	10	4	5	2	1	–	1	–
Diphtheria	0·09	179	2	20	22	30	27	98	64	11	3	2	2	4	3	3	–	–
Whooping-cough	0·33	682	346	186	79	34	16	661	20	1	–	–	–	–	–	–	–	–
Typhus	0·00	5	–	–	–	–	–	–	–	–	2	–	–	3	1	–	–	–
Enteric Fever	0·19	393	4	1	9	7	14	35	30	40	70	49	72	42	26	22	7	–
Simple Continued Fever	0·02	40	4	3	1	6	–	14	7	2	1	6	3	3	2	1	1	–
Diarrhœa and Dysentery	0·60	1,221	816	145	22	6	3	992	15	–	2	2	3	9	16	37	72	73
Cholera	0·01	25	8	2	–	–	–	10	1	–	1	–	3	3	2	4	–	1
Cancer	0·32	654	–	–	–	2	1	3	3	4	2	4	25	39	116	207	170	81
Tabes Mesenterica	0·30	619	317	143	42	15	9	526	38	14	9	10	3	9	6	2	2	–
Phthisis	1·37	2,795	31	20	12	12	9	84	56	76	261	337	665	563	408	247	78	18
Other Tub. and Scrof. Dis.	0·41	839	260	136	56	33	45	530	94	53	30	37	29	23	29	9	5	–
Disease of Nervous System	2·87	5,864	2,371	349	120	71	69	2,980	165	65	74	60	133	213	327	572	748	518
Disease of Circulatory „	1·45	2,961	14	3	4	2	4	27	25	49	63	56	143	250	404	700	836	408
Disease of Respiratory „	3·70	7,569	2,055	907	329	172	144	3,607	214	43	71	74	170	307	505	832	1,053	693
Disease of Digestive „	1·19	2,437	508	206	33	17	21	845	62	25	44	44	113	163	294	353	343	151
Disease of Urinary „	0·46	931	12	11	12	5	5	45	21	15	18	20	54	66	112	193	232	155
Disease of Generative „	0·01	18	3	–	–	–	–	3	–	–	–	–	–	3	2	7	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·91	1,856	74	37	45	37	34	230	92	104	142	122	204	224	235	199	173	71
OTHER CAUSES	2·39	6,964	3,124	144	66	25	21	3,380	99	80	83	68	154	187	219	325	730	1,630

Marriages – – 8,650
Births – – 10,234

* Death-rate in Standard Population. (See pages xxxii–xxxiii).
† The death-rate under one year of age is per 1000 births.

33.—DERBYSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·34	†120	–	–	–	–	45·14	4·72	2·78	4·58	5·93	7·26	9·45	13·99	29·31	64·79	164·16
Mean Population, 1881–91	–	204,858	5,991	5,512	5,620	5,509	5,476	28,108	25,615	22,841	19,868	18,175	29,735	22,311	17,043	11,901	6,836	2,425
Deaths from All Causes, 1881–90	17·12	35,070	7,976	2,478	1,034	677	523	12,688	1,210	635	910	1,078	2,158	2,108	2,385	3,488	4,429	3,981
Small-pox	0·01	25	4	–	–	–	1	5	1	–	2	5	6	2	1	2	1	–
Measles	0·34	688	156	254	113	65	43	631	48	5	–	3	–	1	–	–	–	–
Scarlet Fever	0·37	755	42	99	104	123	100	468	228	34	7	5	12	1	–	–	–	–
Diphtheria	0·10	201	8	16	19	28	27	98	74	14	4	1	5	–	2	2	1	–
Whooping-cough	0·43	878	398	247	112	64	26	847	28	1	1	–	1	–	–	–	–	–
Typhus	0·00	9	–	1	–	–	–	1	1	2	–	1	2	1	1	–	–	–
Enteric Fever	0·17	342	3	6	5	11	9	34	39	36	49	40	70	28	23	14	8	1
Simple Continued Fever	0·02	49	4	3	3	5	2	17	10	7	3	–	4	3	2	3	–	–
Diarrhœa and Dysentery	0·52	1,069	667	128	18	5	6	824	24	–	4	4	12	19	19	32	66	65
Cholera	0·01	18	4	1	–	1	1	7	–	–	1	–	2	3	3	–	2	–
Cancer	0·64	1,318	–	–	–	–	–	–	3	2	2	5	47	159	347	380	278	95
Tabes Mesenterica	0·25	515	234	121	31	14	7	407	29	23	10	11	12	9	11	2	1	–
Phthisis	1·45	2,963	34	30	13	10	10	97	61	142	416	464	755	505	309	142	66	6
Other Tub. and Scrof. Dis.	0·34	691	158	121	55	37	30	401	93	50	38	31	38	15	15	6	2	2
Diseases of Nervous System	2·49	5,100	1,786	278	131	79	58	2,332	150	69	77	62	135	188	341	544	736	466
Diseases of Circulatory ,,	1·63	3,329	7	–	5	1	7	20	31	60	58	83	212	290	432	757	911	475
Diseases of Respiratory ,,	3·12	6,401	1,463	808	310	147	114	2,842	199	41	51	59	156	196	305	679	1,051	822
Diseases of Digestive ,,	1·13	2,311	395	177	32	23	25	652	71	37	36	39	118	167	265	408	359	159
Diseases of Urinary ,,	0·25	507	8	9	6	9	11	43	16	13	13	27	51	71	68	96	76	33
Diseases of Generative ,,	0·10	197	1	–	–	1	–	2	1	–	11	6	30	50	32	31	27	7
Puerperal Fever	0·17	358	–	–	–	–	–	–	–	–	18	85	173	78	4	–	–	–
Childbirth	0·16	328	–	–	–	–	–	–	–	–	11	53	134	125	5	–	–	–
Violence	0·31	639	83	50	32	28	23	216	46	24	30	18	33	36	51	50	75	60
Other Causes	3·11	6,379	2,521	129	45	26	23	2,744	57	75	68	76	150	161	149	340	769	1,790

Marriages - - - 28,610
Births - - - 66,534

Deaths from Childbirth and Puerperal Fever - - 5·05 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

34.—CHESHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE 1881-1890.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	-	*20·28	†158	—	—	—	—	59·35	5·05	2·82	4·31	5·58	7·67	12·03	19·70	36·88	76·84	171·28
Mean Population 1881-91	-	322,351	8,361	8,281	8,415	8,463	8,306	42,423	39,221	36,779	33,318	28,815	47,106	36,537	27,083	18,120	9,769	3,175
Deaths from All Causes, 1881-90	19·92	64,212	16,745	4,692	1,793	1,136	813	25,179	1,981	1,038	1,435	1,609	3,611	4,397	5,334	6,683	7,507	5,438
Small-pox	0·01	35	2	—	—	—	—	2	1	3	2	2	5	11	3	3	3	—
Measles	0·47	1,517	388	566	243	136	79	1,412	98	2	1	1	3	—	—	—	—	—
Scarlet Fever	0·31	1,013	57	165	148	145	145	660	273	48	14	8	6	4	—	—	—	—
Diphtheria	0·11	362	25	36	44	54	54	211	101	19	5	3	10	2	3	5	—	—
Whooping-cough	0·37	1,193	582	353	124	59	32	1,160	32	1	—	—	—	—	—	—	—	—
Typhus	0·02	77	—	—	1	—	—	1	6	3	5	8	14	19	12	4	4	—
Enteric Fever	0·22	713	8	7	11	24	14	64	69	73	88	95	137	70	55	48	14	—
Simple, Continued Fever	0·02	77	3	9	7	3	3	24	8	7	4	3	4	5	5	8	5	4
Diarrhœa and Dysentery	0·63	2,045	1,375	249	48	17	9	1,698	15	6	5	6	15	19	31	63	107	85
Cholera	0·02	51	18	4	1	—	—	23	—	2	2	2	3	5	6	5	3	—
Cancer	0·41	1,313	—	1	2	2	3	8	2	3	9	10	31	96	277	390	329	128
Tabes Mesenterica	0·27	866	432	179	48	31	21	731	33	27	8	13	13	6	6	7	2	—
Paralysis	1·67	5,355	67	45	21	20	17	170	94	135	446	682	1,365	1,079	802	454	124	24
Other Tub. and Scrof. Dis.	0·44	1,411	466	271	141	71	45	994	162	64	55	34	37	21	20	15	8	1
Diseases of Nervous System	2·92	9,426	3,125	616	256	138	90	4,225	244	107	125	115	285	503	691	1,073	1,337	721
Diseases of Circulatory System	1·85	5,980	37	6	6	7	4	60	47	70	114	80	263	462	720	1,200	1,361	623
Diseases of Respiratory System	3·92	12,648	3,960	1,372	437	250	159	6,178	345	79	90	122	432	747	1,116	1,523	1,786	960
Diseases of Digestive System	1·28	4,140	1,970	354	55	37	25	2,441	84	57	77	49	151	332	485	900	546	214
Diseases of Urinary System	0·51	1,655	37	16	15	16	13	97	44	36	40	39	106	159	240	320	377	197
Diseases of Generative System	0·01	27	8	—	—	—	—	8	—	1	—	—	2	6	3	2	3	2
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·99	3,187	149	92	85	59	60	444	263	182	211	236	443	439	393	306	248	82
Other Causes	3·77	12,086	5,618	351	105	68	41	6,183	127	112	134	101	286	442	466	657	1,220	2,397

Marriages - - 45,223
Births - - 107,312

* Death-rate in Standard Population (*see* pages XXXVI–XXXVIII).
† The death-rate under one year of age is per 1000 Births.

34.—CHESHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·62	†127	–	–	–	–	49·68	4·78	2·77	4·23	5·60	7·61	11·22	16·19	32·75	70·01	158·77
Mean Population, 1881-91	–	342,820	9,039	8,186	8,394	8,360	8,417	42,396	39,318	36,819	34,447	32,757	52,396	39,472	29,787	20,354	11,142	3,932
Deaths from All Causes, 1881-90	17·85	61,199	13,001	4,247	1,851	1,155	808	21,062	1,879	1,019	1,456	1,835	3,987	4,427	4,824	6,666	7,801	6,243
Small-pox	0·01	22	3	–	–	–	–	3	1	–	5	6	2	5	–	–	–	–
Measles	0·42	1,430	296	545	266	135	81	1,323	195	7	1	1	1	1	1	–	–	–
Scarlet Fever	0·28	945	34	122	161	155	116	588	262	49	11	13	16	6	–	–	–	–
Diphtheria	0·12	416	17	32	55	60	48	212	136	27	13	7	11	6	1	3	–	–
Whooping-cough	0·39	1,342	564	388	175	103	59	1,289	48	3	1	1	–	–	–	–	–	–
Typhus	0·02	57	–	–	–	–	–	–	3	3	12	3	12	9	6	6	3	–
Enteric Fever	0·20	682	15	14	11	17	20	77	78	71	96	73	106	84	60	24	11	2
Simple Continued Fever	0·02	78	4	3	5	2	7	21	14	4	3	3	5	8	3	11	4	2
Diarrhœa and Dysentery	0·56	1,911	1,143	239	58	18	13	1,471	17	6	3	7	27	28	47	67	126	112
Cholera	0·01	40	18	5	–	–	–	23	1	1	–	–	3	3	3	3	3	–
Cancer	0·68	2,326	1	–	–	3	2	6	1	4	7	7	82	328	583	677	455	176
Tabes Mesenterica	0·21	712	331	148	42	22	20	563	43	27	21	12	20	9	11	5	1	–
Phthisis	1·55	5,310	48	52	29	21	18	168	102	220	594	793	1,433	1,065	538	283	102	12
Other Tub. and Scrcf. Dis.	0·33	1,139	293	203	95	59	49	699	163	83	56	24	42	27	20	15	9	1
Diseases of Nervous System	2·51	8,612	2,454	496	236	130	104	3,420	245	106	118	111	261	411	713	1,092	1,323	812
Diseases of Circulatory „	1·63	5,602	29	6	4	1	5	45	60	124	120	119	335	573	790	1,336	1,439	661
Diseases of Respiratory „	3·30	11,318	2,335	1,282	451	271	159	4,498	282	59	77	122	344	571	781	1,475	1,931	1,178
Diseases of Digestive „	1·16	3,992	764	306	65	42	22	1,199	83	53	77	88	219	319	504	673	554	223
Diseases of Urinary „	0·34	1,154	26	17	20	20	10	93	35	24	35	44	129	163	180	214	172	65
Diseases of Generative „	0·09	306	1	5	1	–	–	7	1	2	13	24	43	60	61	50	35	10
Puerperal Fever	0·17	596	–	–	–	–	–	–	–	–	22	140	284	148	2	–	–	–
Childbirth	0·16	551	–	–	–	–	–	–	–	–	19	92	240	195	5	–	–	–
Violence	0·33	1,126	119	57	73	40	39	328	99	37	29	28	91	85	109	114	112	94
OTHER CAUSES	3·36	11,532	4,506	327	104	56	36	5,029	110	109	123	117	281	323	406	618	1,521	2,895

Marriages 45,223
Births 102,516

Deaths from Childbirth and Puerperal Fever 5·47 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

35.—LANCASHIRE.—(MALES.)

CAUSES OF DEATH	CRUDE DEATH RATE PER 1000.	AGE Actual.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000		*25·62	†181	–	–	–	–	78·76	7·00	3·52	5·10	6·39	9·16	15·57	25·44	47·20	92·10	184·63
Mean Population, 1881–91	–	1,595,010	53,108	47,485	48,193	47,227	46,577	242,650	218,063	200,283	182,765	167,164	284,201	245,691	147,031	86,814	39,671	10,677
Deaths from All Causes, 1881-90	23·83	427,682	17,813	10,643	15,867	9,743	7,038	191,104	15,275	7,058	9,321	10,687	26,022	33,579	37,412	40,975	36,588	19,743
Small-pox	0·03	510	42	15	6	9	15	87	32	21	26	72	129	92	39	10	3	1
Measles	0·76	13,650	3,264	5,569	2,192	1,189	666	12,811	745	24	8	5	9	2	1	–	–	–
Scarlet Fever	0·50	9,000	559	1,857	1,501	1,466	1,175	6,076	2,404	360	78	31	51	20	6	1	–	–
Diphtheria	0·15	2,687	193	332	318	388	365	1,704	684	98	41	24	48	24	26	10	9	3
Whooping-cough	0·46	8,273	3,896	2,654	1,055	549	344	8,378	242	4	1	1	–	–	–	–	–	–
Typhus	0·06	1,058	3	2	6	10	12	33	52	33	94	101	240	245	148	80	21	2
Enteric Fever	0·30	5,391	26	70	108	117	122	452	504	502	754	745	1,054	622	382	205	70	11
Simple Continued Fever	0·03	618	44	47	52	40	36	219	93	33	46	35	43	39	12	10	21	7
Diarrhœa and Dysentery	1·05	18,818	12,561	3,202	493	173	86	16,565	159	41	27	44	115	157	232	470	659	449
Cholera	0·03	569	190	56	14	10	5	275	25	3	7	11	24	30	33	58	30	4
Cancer	0·34	6,049	2	10	14	10	8	44	28	23	51	53	204	679	1,446	1,847	1,303	341
Tabes Mesenterica	0·38	6,889	3,388	1,981	563	224	146	6,005	347	102	99	45	59	53	27	33	9	–
Phthisis	2·10	37,712	502	422	220	163	131	1,438	694	340	2,820	4,152	9,228	8,921	5,981	2,818	740	80
Other Tub. and Scrof. Dis.	0·54	9,749	3,042	2,159	972	529	397	7,099	1,004	408	309	241	279	185	125	71	28	–
Diseases of Nervous System	3·24	58,245	21,614	4,716	1,896	1,074	763	30,063	1,888	785	701	611	1,797	2,984	4,188	6,048	6,467	2,713
Diseases of Circulatory	1·46	26,254	269	57	27	28	47	348	391	556	671	583	1,863	3,534	4,731	6,072	5,426	2,065
Diseases of Respiratory	5·62	100,992	28,876	12,988	4,527	2,521	1,759	44,971	2,617	659	972	1,261	4,348	7,288	10,427	12,936	10,826	4,447
Diseases of Digestive	1·36	24,439	7,951	2,772	437	232	202	10,594	961	479	490	475	1,179	1,909	2,592	2,916	2,148	659
Diseases of Urinary	0·53	9,579	168	169	158	169	156	841	419	179	196	244	796	1,208	1,558	1,772	1,670	696
Diseases of Generative	0·01	158	26	3	4	1	1	35	–	1	4	4	11	21	35	21	22	4
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·03	18,337	1,699	525	487	446	340	3,497	1,188	918	1,078	1,151	2,606	2,885	2,602	1,981	1,051	380
OTHER CAUSES	8·78	67,924	30,848	2,458	767	394	296	30,163	1,092	899	848	768	1,936	2,681	2,790	3,505	6,031	7,851

Marriages - 309,873
Births - 651,295

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

35.—LANCASHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*22·84	†150	–	–	–	–	66·92	6·63	3·46	4·74	6·17	8·77	13·27	20·49	39·96	79·84	166·06
Mean Population, 1881–91	–	1,926,852	53,280	48,201	49,087	48,372	47,432	246,372	221,223	204,512	194,038	187,591	307,824	230,793	164,857	103,454	50,954	15,234
Deaths from All Causes, 1881–90	21·08	406,142	94,881	37,865	15,341	9,931	6,861	164,879	14,670	7,078	9,199	11,568	27,005	30,636	33,786	41,340	40,683	25,298
Small-pox	0·02	398	53	10	12	10	9	94	29	32	37	60	82	38	14	7	4	1
Measles	0·66	12,745	2,615	5,077	2,202	1,292	682	11,868	795	36	13	10	14	6	3	–	–	–
Scarlet Fever	0·46	8,934	417	1,343	1,517	1,437	1,211	5,925	2,411	362	77	53	77	25	3	1	–	–
Diphtheria	0·16	2,998	165	413	373	420	377	1,748	903	166	44	19	46	31	17	19	5	–
Whooping-cough	0·55	10,694	4,019	3,414	1,495	859	444	10,231	447	8	3	1	–	1	–	1	2	–
Typhus	0·05	903	2	5	4	4	13	28	54	35	76	89	189	241	121	50	16	4
Enteric Fever	0·24	4,573	20	68	97	113	122	420	572	609	662	482	755	491	334	168	65	15
Simple Continued Fever	0·03	661	47	53	56	49	39	244	124	46	44	19	42	35	40	34	29	4
Diarrhœa and Dysentery	0·90	17,393	10,727	3,012	478	180	108	14,505	161	42	39	61	154	193	285	586	868	499
Cholera	0·02	427	163	53	17	6	13	252	28	7	6	5	14	17	34	32	23	9
Cancer	0·61	11,740	6	13	9	13	8	49	16	14	39	58	537	1,912	3,223	3,306	1,989	597
Tabes Mesenterica	0·31	5,896	2,749	1,408	476	193	138	4,964	330	162	103	72	105	65	48	30	14	3
Phthisis	1·82	35,001	414	379	210	144	139	1,286	828	1,469	3,613	4,616	9,648	7,253	3,881	1,800	528	79
Other Tub. and Scrof. Dis.	0·41	7,821	2,262	1,624	728	499	337	5,450	909	405	273	192	251	166	90	59	23	3
Diseases of Nervous System	2·72	52,459	16,276	4,028	1,626	1,061	731	23,722	1,683	728	687	664	1,538	2,665	4,402	6,492	6,662	3,216
Diseases of Circulatory „	1·61	31,069	120	44	36	32	44	276	446	796	795	890	2,488	3,898	5,355	7,276	6,493	2,353
Diseases of Respiratory „	4·68	90,259	18,476	11,425	4,266	2,546	1,630	38,342	2,577	642	740	1,026	3,284	5,178	8,133	12,214	12,235	5,888
Diseases of Digestive „	1·25	24,140	5,563	2,377	453	261	191	8,850	630	356	437	488	1,312	2,151	3,003	3,448	2,567	898
Diseases of Urinary „	0·35	6,687	114	215	124	115	103	671	253	154	195	285	743	1,072	1,133	1,113	825	243
Diseases of Generative „	0·10	1,997	20	15	14	14	3	66	2	14	64	133	380	450	413	294	145	36
Puerperal Fever	0·21	4,075	–	–	–	–	–	–	–	–	173	955	1,939	972	36	–	–	–
Childbirth	0·15	2,961	–	–	–	–	–	–	–	–	98	420	1,292	1,122	29	–	–	–
Violence	0·41	7,951	1,782	470	362	275	221	3,110	572	230	231	225	471	600	766	760	610	376
OTHER CAUSES	3·36	64,360	28,871	2,419	781	409	298	32,778	900	765	750	745	1,644	2,054	2,420	3,650	7,580	11,074

Marriages – 300,873
Births – 631,157

Deaths from Childbirth and Puerperal Fever – 5·49 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

36.—YORKSHIRE (West Riding).—(Males.)

Causes of Death.	Crude Death-Rate per 1000 Living.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	–	*22·48	†171	–	–	–	–	6·70	6·19	3·34	4·90	5·72	7·50	12·62	21·20	40·32	84·22	189·46
Mean Population—1881–91	–	1,187,893	32,604	29,439	29,460	29,354	29,096	149,953	136,500	127,980	116,996	104,017	173,938	134,374	95,481	69,372	29,783	8,369
Deaths from All Causes / 1881–90	21·31	246,207	5,577	1,010	1,081	1,031	1,048	10,747	8,449	4,273	5,737	5,954	13,044	16,962	22,956	24,945	25,017	15,564
Measles	0·65	766	81	53	13	9	14	132	38	34	76	86	112	71	37	9	5	1
Scarlet Fever	0·04	47	1	2	3	2	2	10	7	17	5	3	3	1	–	–	–	–
Diphtheria	0·03	34	1	2	7	1	1	12	3	7	3	3	3	1	2	–	–	–
Whooping-cough	0·39	4,583	2,946	1,440	599	295	199	5,479	189	4	–	–	–	–	1	–	–	–
Typhus	0·01	129	1	–	–	1	2	4	7	12	9	14	21	37	11	5	6	–
Enteric Fever	0·25	2,971	32	40	36	48	26	182	246	276	319	341	392	355	265	169	54	4
Other Continued Fevers	0·01	87	7	21	17	23	13	81	14	6	15	8	13	21	11	10	22	2
Diarrhœa and Dysentery	0·80	9,515	6,113	1,543	518	89	53	8,316	85	25	16	15	31	69	115	221	346	314
Cholera	0·02	241	74	87	38	11	5	215	3	3	3	8	5	2	11	24	31	8
Cancer	0·35	3,977	6	6	7	3	3	25	14	8	31	32	129	393	853	1,210	1,046	285
Tabes Mesenterica	0·20	2,340	1,665	175	258	117	46	2,261	17	10	18	25	31	24	23	16	5	3
Hydrocephalus	1·88	22,345	7,716	2,944	1,148	571	352	12,731	4,011	1,256	1,055	2,051	1,273	1,052	3,738	2,086	659	55
Other Tubercular Diseases	0·50	5,747	1,439	1,237	598	392	258	3,924	696	339	266	248	184	148	85	47	19	5
Diseases of Nervous System	3·70	37,540	11,454	4,456	1,671	595	467	18,643	1,187	534	445	710	859	1,547	2,327	3,802	4,837	2,276
Organs of Circulation	1·49	17,661	87	44	14	12	20	177	108	54	106	357	966	1,924	2,867	4,086	4,055	1,581
Respiratory Organs	4·69	55,615	1,980	1,429	2,299	1,207	874	24,115	1,493	559	478	1,083	1,993	3,213	4,825	6,585	6,781	3,108
Digestive Organs	1·20	14,233	1,203	543	348	192	72	2,358	273	98	245	355	393	946	1,408	1,835	1,530	554
Urinary Organs	0·40	4,805	76	32	45	54	39	246	154	56	112	140	207	570	843	1,149	1,251	611
Generative Organs	0·01	161	10	2	1	3	–	16	1	–	2	5	5	11	20	22	18	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·99	11,744	661	258	237	240	242	1,638	546	408	641	581	1,332	1,494	1,402	1,178	691	289
Other Causes	3·45	40,946	10,859	1,486	375	173	139	24,867	533	448	495	389	1,019	1,238	1,333	1,861	3,028	6,417

Marriages - - - 180,794
Births - - - 384,388

* Death-rate in Standard Population (*see* pages xxxvi xxxviii).
† The death-rate under one year of age is per 1000 Births.

36.—YORKSHIRE (WEST RIDING).—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*20·05	†140	–	–	–	–	57·59	6·22	3·57	5·23	6·26	7·72	10·72	15·78	32·10	70·15	168·48
Mean Population, 1881–91	–	1,193,374	33,013	29,863	29,845	29,754	29,564	152,039	139,374	128,995	120,260	113,183	184,061	139,599	102,238	67,521	35,176	11,018
Deaths from All Causes, 1881–90	18·81	224,429	51,847	19,588	7,730	4,702	3,694	87,561	8,670	4,610	6,287	7,084	14,216	14,955	16,133	21,674	24,676	18,563
Small-pox	0·04	424	63	11	9	11	8	102	36	29	54	71	69	33	19	9	2	–
Measles	0·40	4,827	995	1,901	817	415	303	4,431	355	21	2	3	10	8	1	1	–	–
Scarlet Fever	0·52	6,222	266	860	961	910	886	3,883	1,815	340	57	40	64	21	1	1	–	–
Diphtheria	0·11	1,324	76	148	143	162	173	702	413	105	26	18	12	20	7	13	7	1
Whooping-cough	0·47	5,580	2,283	1,788	735	379	208	5,393	183	3	1	–	–	–	–	–	–	–
Typhus	0·01	93	–	–	1	4	1	6	6	13	20	12	18	12	3	3	–	–
Enteric Fever	0·20	2,365	20	30	53	45	75	223	271	306	336	279	400	237	147	112	46	8
Simple Continued Fever	0·04	421	24	28	34	27	23	136	76	29	26	21	26	28	18	25	18	18
Diarrhœa and Dysentery	0·71	8,423	5,105	1,333	215	68	50	6,821	116	35	26	40	71	106	120	226	462	400
Cholera	0·02	189	67	21	11	1	5	105	9	2	7	5	6	7	13	17	13	5
Cancer	0·67	8,055	3	5	6	5	9	28	6	19	14	39	302	1,278	2,162	2,242	1,522	443
Tabes Mesenterica	0·26	3,096	1,339	728	207	87	72	2,433	181	135	92	53	80	46	31	30	15	–
Phthisis	1·72	20,579	226	218	112	86	93	735	581	1,090	2,788	3,105	5,336	3,529	1,908	1,068	387	52
Other Tub. and Scrof. Dis.	0·40	4,753	1,103	906	406	281	190	2,886	704	380	225	165	170	112	51	36	18	6
Diseases of Nervous System	2·71	32,380	10,593	2,337	918	519	431	14,798	1,105	550	468	387	845	1,278	2,251	3,626	4,625	2,447
Diseases of Circulatory „	1·57	18,776	63	14	17	18	17	129	214	401	513	530	1,301	2,166	2,909	4,318	4,509	1,786
Diseases of Respiratory „	3·73	44,532	10,133	6,179	2,259	1,218	806	20,595	1,339	336	402	502	1,276	1,949	2,862	5,077	6,227	3,967
Diseases of Digestive „	1·09	13,054	2,689	1,455	215	107	96	4,562	352	187	220	289	643	966	1,392	1,994	1,726	722
Diseases of Urinary „	0·29	3,421	46	79	48	40	49	262	135	84	103	149	403	500	515	630	486	154
Diseases of Generative „	0·10	1,179	9	8	5	3	–	25	2	7	38	53	192	301	265	166	100	30
Puerperal Fever	0·18	2,144	–	–	–	–	–	–	–	–	115	477	1,033	503	16	–	–	–
Childbirth	0·15	1,828	–	–	–	–	–	–	–	1	97	269	778	655	27	1	–	–
Violence	0·31	3,726	515	197	185	139	95	1,131	280	137	179	142	245	271	317	346	361	317
OTHER CAUSES	3·11	37,038	16,229	1,292	373	177	104	18,175	490	400	478	435	936	934	1,098	1,733	4,152	8,207

Marriages - - - 180,394
Births - - - 370,426

Deaths from Childbirth and Puerperal Fever - - 5·28 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

37.—YORKSHIRE (East Riding, with York).—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	-	*20·83	†163	-	-	-	-	61·31	5·94	3·05	4·56	5·93	7·90	12·50	18·28	32·64	73·19	170·34
Mean Population, 1881-91	-	187,822	5,282	4,788	4,908	4,892	4,881	24,751	22,388	20,716	18,930	16,522	27,526	21,749	15,935	10,874	6,263	2,168
Deaths from All Causes, 1881-90	20·56	38,612	10,552	2,636	980	694	513	15,175	1,330	632	863	979	2,175	2,719	2,913	3,549	4,584	3,698
Small-pox	0·03	54	3	3	–	3	1	10	4	2	5	6	10	8	5	3	1	–
Measles	0·29	549	178	204	83	49	36	551	43	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·52	979	48	122	131	141	140	582	331	36	11	6	6	5	1	1	–	
Diphtheria	0·06	106	15	8	15	26	20	82	60	10	3	2	3	1	2	3	1	–
Whooping-cough	0·34	643	305	204	59	38	14	620	23	–	–	–	–	–	–	–	–	
Typhus	0·00	7	–	–	–	–	1	1	–	1	2	–	1	1	–	1	–	
Enteric Fever	0·27	498	7	6	10	13	15	51	44	46	57	65	100	62	39	23	8	4
Simple Continued Fever	0·04	77	7	2	8	7	6	30	10	4	2	3	7	7	5	4	3	2
Diarrhœa and Dysentery	·13	1,743	1,314	179	25	10	3	1,531	10	3	3	3	7	10	15	35	60	67
Cholera	0·02	42	28	4	–	–		32	1	–	–	–	–	1	2	3	3	–
Cancer	0·42	781	1	1	1	2	–	5	–	1	4	7	23	61	153	229	227	71
Tabes Mesenterica	0·32	602	379	97	32	19	3	529	28	18	13	4	7	3	2	1	2	1
Phthisis	1·69	3,165	45	37	14	14	13	123	83	100	276	360	751	688	442	249	80	10
Other Tubercular Dis.	0·40	753	186	128	73	46	41	474	122	56	33	19	20	16	10	3	–	–
Nervous System	3·27	6,134	2,604	363	97	74	50	2,678	125	68	80	60	240	359	447	636	932	539
Circulatory ,,	1·71	3,218	11	2	2	3	3	21	23	46	56	57	212	472	472	631	842	446
Respiratory ,,	3·75	7,041	1,835	853	292	164	93	3,237	154	34	61	95	252	390	574	760	920	544
Digestive ,,	1·17	2,198	580	180	21	14	15	809	33	37	39	32	96	151	191	286	324	142
Urinary ,,	0·56	1,052	11	10	7	8	11	47	23	14	11	17	76	101	130	189	220	163
Generative ,,	0·01	12	1	–	–	–	–	1	1	–	–	–	2	1	3		4	–
Puerperal Fever	–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–
Childbirth	–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–
Violence	0·98	1,837	121	43	38	30	26	258	128	89	131	189	231	240	265	211	117	63
Other Causes	3·79	7,115	3,238	190	72	33	24	3,557	84	67	76	84	161	202	245	289	768	1,641

Marriages - - - 36,148
Births - - - 65,059

* Death-rate in Standard Population (see pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

37.—YORKSHIRE (East Riding, with York).—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·03	†136	–	–	–	–	51·55	5·51	3·45	4·52	5·84	7·83	11·00	14·59	26·09	57·54	154·38
Mean Population, 1881–91 -	–	193,408	5,302	4,860	4,903	4,925	4,891	24,881	22,746	20,670	18,907	17,428	28,597	21,814	16,295	11,713	7,299	3,058
Deaths from All Causes, 1881–90 - - -	18·44	35,659	8,266	2,445	939	719	458	12,827	1,253	714	854	1,017	2,240	2,400	2,377	3,056	4,200	4,721
Small-pox - - -	0·02	39	4	2	1	–	–	7	6	3	6	5	8	4	–	–	–	–
Measles - - -	0·26	494	111	188	73	54	22	448	39	2	2	1	1	1	–	–	–	–
Scarlet Fever - - -	0·50	962	36	90	123	175	134	558	307	56	15	9	11	5	1	–	–	–
Diphtheria - - -	0·09	169	6	17	19	20	11	73	65	10	3	4	8	3	1	1	1	–
Whooping-cough - -	0·43	838	375	248	109	58	22	812	24	1	–	–	1	–	–	–	–	–
Typhus - - -	0·01	15	–	–	–	–	–	–	1	1	–	2	7	2	2	–	–	–
Enteric Fever - -	0·22	435	8	7	7	10	10	42	47	51	54	65	76	42	29	16	10	3
Simple Continued Fever -	0·04	71	1	2	4	6	4	17	16	6	3	2	5	6	1	7	8	–
Diarrhœa and Dysentery -	0·82	1,591	1,082	199	31	14	5	1,331	13	3	4	4	12	20	23	31	63	87
Cholera - - -	0·02	37	31	1	–	–	1	33	–	–	–	–	–	1	2	–	–	1
Cancer - - - -	0·77	1,483	–	–	1	1	–	2	2	6	3	4	56	236	353	366	318	137
Tabes Mesenterica -	0·28	532	283	103	27	10	12	435	27	18	13	7	11	8	3	8	2	–
Phthisis - - -	1·62	3,138	48	25	26	15	13	127	96	207	365	417	841	605	306	117	49	8
Other Tub. and Scrof. Dis. -	0·34	649	141	105	51	39	33	369	93	54	41	29	36	13	11	3	–	–
Diseases of Nervous System -	2·84	5,498	1,578	281	95	75	54	2,083	136	75	69	70	181	275	380	620	887	722
Diseases of Circulatory „ -	1·55	3,003	11	4	2	3	2	22	34	54	63	81	178	289	390	560	785	547
Diseases of Respiratory „ -	3·12	6,029	1,380	818	280	159	94	2,731	157	50	38	59	171	268	329	588	892	746
Diseases of Digestive „ -	0·98	1,895	394	129	20	8	7	558	50	27	22	43	113	161	198	274	276	173
Diseases of Urinary „ -	0·29	563	11	13	10	7	3	44	23	14	11	15	60	90	76	102	89	39
Diseases of Generative „ -	0·11	212	1	1	1	–	–	3	–	1	2	10	43	40	50	28	29	6
Puerperal Fever - -	0·14	268	–	–	–	–	–	–	–	–	11	62	112	81	2	–	–	–
Childbirth - - -	0·13	242	–	–	–	–	–	–	–	–	20	39	102	76	5	–	–	–
Violence - - -	0·32	619	88	20	16	31	14	169	45	15	35	19	47	47	46	58	56	82
Other Causes - -	3·54	6,877	2,677	192	43	34	17	2,963	72	60	74	70	160	127	169	277	735	2,170

Marriages - - - 30,148
Births - - - 60,956

Deaths from Childbirth and Puerperal Fever - - 4·09 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

38.—YORKSHIRE (North Riding).—(Males.)

Causes of Death.	Old Def. Districts Rate per 1000 1881-90.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Average Death Rate per 1000	-	*18·40	*148	-	-	-	-	56·07	4·70	3·07	4·33	6·05	7·42	10·31	16·88	29·70	64·05	153·51
Mean Population, 1881-91	-	17,518	4,849	4,359	4,090	4,552	4,503	22,945	21,636	19,708	17,653	14,639	24,597	19,559	14,410	9,924	5,883	2,321
Deaths from All Causes, 1881-90	18·87	32,084	8,639	2,370	894	550	413	12,866	1,016	606	765	885	1,818	2,017	2,435	2,947	3,708	3,563
Small-pox	0·02	36	3	–	–	–	–	3	2	1	4	7	6	8	3	–	1	1
Measles	0·27	472	105	194	82	46	15	442	26	2	–	–	1	1	–	–	–	–
Scarlet Fever	0·35	602	33	91	96	85	71	375	154	48	11	3	7	–	4	–	–	–
Diphtheria	0·09	153	9	11	18	20	22	80	51	10	5	3	3	–	–	1	–	–
Whooping-cough	0·35	612	309	183	67	27	12	598	14	–	–	–	–	–	–	–	–	–
Typhus	0·01	11	–	–	–	1	–	1	–	1	1	1	1	–	4	1	1	–
Enteric Fever	0·27	465	2	1	4	13	15	35	43	46	57	61	81	55	48	24	14	1
Simple Continued Fever	0·04	69	3	4	3	1	1	12	9	9	–	–	5	6	9	10	5	4
Diarrhœa and Dysentery	0·59	1,015	672	138	17	3	6	836	10	2	1	2	11	7	8	25	49	64
Cholera	0·02	32	14	3	–	2	–	19	1	–	1	–	–	–	5	2	2	2
Cancer	0·45	787	–	–	1	2	1	4	4	6	4	5	16	43	154	312	234	106
Tabes Mesenterica	0·36	620	316	146	58	19	6	545	33	13	5	10	5	5	2	2	1	–
Phthisis	1·35	2,293	22	22	15	10	10	86	52	68	241	231	602	435	313	176	67	13
Other Tub. and Scrof. Dis.	0·40	699	179	145	58	37	31	450	86	45	23	25	34	19	9	4	5	–
Malignant Stomach	2·30	4,784	1,792	295	105	64	52	2,288	130	66	54	47	100	168	226	474	689	543
Cancer, other	1·17	2,411	1	2	4	1	1	10	21	28	39	38	114	213	360	527	744	485
Heart Disease	8·85	6,885	1,619	763	252	138	100	2,872	156	35	73	124	325	478	544	650	781	588
Pneumonia	1·14	1,976	338	105	32	29	11	772	55	30	34	38	93	125	182	254	244	142
Bronchitis	0·51	880	14	13	4	6	8	44	16	14	24	23	48	76	92	141	236	166
Generative Organs	0·00	8	2	–	–	–	–	2	–	–	–	–	–	2	2	1	1	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·36	1,040	79	36	27	33	25	200	77	95	126	111	202	212	220	180	130	58
Other Causes	3·57	6,168	2,948	157	45	22	26	3,198	75	81	64	53	134	164	198	254	556	1,301
Males		24,126																
Females		58,383																

* Death-rates on Standard Populations (see pages xxxvi–xxxviii).
* The death-rate under one year of age is per 1000 Births.

38.—YORKSHIRE (North Riding).—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·98	†121	–	–	–	–	46·63	4·83	3·02	4·82	6·12	8·00	10·07	13·30	25·93	56·80	146·15
Mean Population, 1881–91	–	171,199	4,832	4,336	4,655	4,624	4,609	23,056	21,322	19,474	16,949	15,021	24,185	18,447	13,787	9,987	6,280	2,691
Deaths from All Causes, 1881–90	17·42	29,820	6,802	2,163	815	577	393	10,750	1,029	588	817	919	1,936	1,858	1,833	2,590	3,567	3,933
Small-pox	0·01	15	1	–	–	–	–	1	1	–	3	3	2	1	2	2	–	–
Measles	0·24	416	70	162	74	35	29	370	34	2	3	2	4	1	–	–	–	–
Scarlet Fever	0·33	565	24	74	83	95	57	333	163	31	7	7	15	7	–	1	1	–
Diphtheria	0·11	180	7	12	15	26	25	85	73	9	5	2	1	3	2	–	–	–
Whooping-cough	0·46	787	366	226	87	54	26	759	27	–	–	–	–	1	–	–	–	–
Typhus	0·00	7	–	–	–	–	–	–	1	–	2	1	2	–	–	1	–	–
Enteric Fever	0·25	431	1	4	4	3	15	27	53	49	82	47	76	39	28	20	8	2
Simple Continued Fever	0·03	57	3	5	2	4	7	21	4	2	4	3	5	2	1	5	5	5
Diarrhœa and Dysentery	0·51	879	523	132	21	9	7	692	10	4	2	6	13	17	19	15	44	57
Cholera	0·01	15	2	2	1	–	–	5	3	–	–	–	2	2	–	2	–	1
Cancer	0·74	1,270	–	–	1	2	–	3	1	–	–	3	40	159	276	340	304	144
Tabes Mesenterica	0·33	566	280	116	39	15	8	458	31	22	9	5	20	9	7	3	2	–
Phthisis	1·56	2,665	24	29	13	8	15	89	88	179	338	400	737	434	219	121	55	5
Other Tub. and Scrof. Dis.	0·37	626	150	108	42	30	23	353	102	46	41	19	28	18	10	7	1	1
Diseases of Nervous System	2·45	4,192	1,267	277	97	63	42	1,746	108	56	54	65	87	148	251	470	678	529
Diseases of Circulatory „	1·55	2,659	6	3	–	2	2	13	29	40	53	39	143	224	297	522	780	519
Diseases of Respiratory „	2·95	5,057	1,181	664	242	153	87	2,327	152	41	61	65	158	206	248	455	686	658
Diseases of Digestive „	1·05	1,802	361	164	21	14	13	573	48	31	34	44	96	130	180	251	284	131
Diseases of Urinary „	0·30	515	10	7	7	2	6	32	11	12	14	22	55	76	66	75	100	52
Diseases of Generative „	0·11	182	–	2	–	–	–	2	3	–	9	14	26	32	45	22	21	8
Puerperal Fever	0·19	320	–	–	–	–	–	–	–	–	–	13	73	145	87	2	–	–	–
Childbirth	0·15	258	–	–	–	–	–	–	–	–	–	12	31	112	102	1	–	–	–
Violence	0·29	501	83	27	18	25	14	167	33	12	15	11	23	27	41	57	39	76
Other Causes	3·43	5,855	2,443	149	48	37	17	2,694	54	52	56	57	146	133	138	221	559	1,745

Marriages - - 24,126
Births - 56,082

Deaths from Childbirth and Puerperal Fever - - 5·05 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

39.—DURHAM.—(Males.)

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000		*21·14	4165					66·62	6·43	3·96	5·49	6·03	6·30	10·72	17·56	35·17	74·45	175·88
Mean Population 1881-91		484,736	15,317	13,435	14,845	13,688	13,575	69,860	62,396	54,022	50,232	43,931	72,477	55,443	38,330	22,987	11,922	3,296
Deaths from All Causes, 1881-90	20·22	98,040	30,064	9,348	3,576	2,071	1,484	46,743	4,015	2,162	2,758	2,650	5,901	5,944	6,730	8,085	8,355	5,797
Small-pox	0·07	322	40	5	13	14	7	79	31	26	22	30	55	41	28	6	3	1
Measles	0·47	2,272	486	860	395	212	129	2,082	169	9	6	1	1	–	4	–	–	–
Scarlet Fever	0·50	2,407	144	337	389	333	283	1,176	724	139	36	11	11	3	–	–	[illegible]	–
Diphtheria	0·07	363	38	63	46	52	35	233	90	15	14	1	1	3	1	3	1	1
Whooping-cough	0·36	1,759	779	569	215	80	52	1,695	61	1	–	–	–	–	–	1	–	–
Typhus	0·05	221	1	–	1	–	5	7	13	17	32	24	44	35	25	16	7	1
Enteric Fever	0·26	1,277	11	23	27	34	33	128	189	133	210	133	241	138	80	48	28	8
Simple Continued Fever	0·04	188	10	9	17	8	8	52	31	16	23	7	12	9	14	9	9	6
Diarrhœa and Dysentery	0·82	4,019	2,788	845	118	28	25	3,804	43	12	4	8	17	23	26	70	106	106
Cholera	0·02	84	23	13	–	–	1	37	4	8	–	–	5	11	7	6	9	2
Cancer	0·31	1,503	–	2	5	2	2	11	4	6	4	15	36	130	322	472	359	144
Tabes Mesenterica	0·47	2,291	1,026	676	201	82	40	2,025	108	50	35	23	13	9	9	7	1	–
Tuberculous Disease	1·49	7,218	105	120	64	41	37	367	250	342	374	1,068	1,757	1,357	982	526	166	17
Other Tuberculous Diseases	0·58	2,811	764	631	279	136	121	1,931	386	175	108	65	71	49	33	14	7	
Diseases of Nervous System	2·92	14,150	5,765	1,013	411	224	168	7,581	516	237	191	124	350	623	818	1,342	1,796	987
Circulatory "	1·79	8,688	224	91	45	14	11	391	93	104	145	122	417	819	1,054	1,473	1,589	719
Respiratory "	3·87	18,761	5,465	2,037	940	592	513	9,547	595	156	102	240	644	985	1,456	1,948	1,916	985
Digestive "	1·17	5,668	1,818	714	123	49	41	2,745	145	79	98	104	217	362	514	673	550	199
Urinary "	0·38	1,826	37	68	36	47	25	213	80	42	44	44	134	179	217	295	357	221
Generative "	0·01	26	6	1	–	1	–	8	–	1	–	–	1	2	7	3	3	3
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth																		
Violence	1·[illegible]	5,257	299	124	111	97	76	712	94	106	163	146	400	750	689	521	306	97
Other Causes	3·70	18,047	10,645	575	189	85	66	11,558	98	179	184	164	322	491	498	679	1,422	2,445

Marriages - - - 74,784
Births - - - 182,361

* Death-rate in Standard Population [illegible] Census Years.
† The death-rate under one year of age is per 1000 Births.

39.—DURHAM.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*20·04	†139	–	–	–	–	57·52	6·32	4·00	5·38	7·19	8·69	11·46	15·82	30·43	65·29	160·15
Mean Population, 1881–91	–	464,971	15,183	13,265	13,777	13,609	13,558	69,392	62,226	54,115	47,626	41,477	66,518	49,306	35,197	22,721	12,092	4,301
Deaths from All Causes, 1881–90	19·41	90,253	24,369	8,543	3,387	2,094	1,522	39,915	3,934	2,162	2,560	2,984	5,782	5,651	5,568	6,914	7,895	6,888
Small-pox	0·05	255	34	18	13	9	6	80	29	19	33	28	27	16	11	8	2	2
Measles	0·46	2,156	382	814	369	228	150	1,943	194	9	–	5	4	–	–	–	1	–
Scarlet Fever	0·51	2,391	125	333	367	366	306	1,497	669	152	24	17	25	4	1	1	1	–
Diphtheria	0·09	419	35	55	53	51	49	243	123	21	7	3	10	6	1	2	1	2
Whooping-cough	0·48	2,233	949	656	290	165	83	2,143	85	4	–	1	–	–	–	–	–	–
Typhus	0·04	203	–	1	–	5	1	7	16	16	25	10	25	42	32	21	7	2
Enteric Fever	0·26	1,213	5	21	29	43	37	135	196	160	168	137	177	115	66	38	18	3
Simple Continued Fever	0·04	209	7	18	16	17	9	67	52	13	11	10	17	11	7	10	9	2
Diarrhœa and Dysentery	0·82	3,791	2,283	779	121	28	25	3,236	37	13	7	15	37	44	38	87	149	128
Cholera	0·01	66	24	2	3	2	3	34	3	1	–	1	6	4	3	4	8	2
Cancer	0·58	2,675	1	1	2	1	4	9	1	9	6	13	132	457	695	739	476	138
Tabes Mesenterica	0·44	2,048	897	553	163	76	37	1,726	129	54	38	22	32	22	16	7	2	–
Phthisis	1·81	8,422	88	85	63	46	43	325	339	617	1,098	1,312	2,203	1,418	729	293	81	7
Other Tub. and Scrof. Dis.	0·51	2,300	569	458	226	137	113	1,503	388	198	91	52	78	40	23	15	2	–
Diseases of Nervous System	2·60	12,090	4,400	886	363	234	146	6,029	451	202	161	125	276	511	757	1,183	1,524	871
Diseases of Circulatory „	1·40	6,506	28	10	3	4	12	57	96	155	183	183	486	717	1,008	1,394	1,489	738
Diseases of Respiratory „	3·33	15,486	4,106	2,421	932	470	318	8,247	545	155	149	204	548	625	819	1,338	1,641	1,215
Diseases of Digestive „	1·21	5,647	1,335	691	100	47	48	2,221	159	82	104	128	262	417	632	774	614	254
Diseases of Urinary „	0·29	1,364	27	90	33	33	22	205	69	42	52	72	160	198	151	187	168	60
Diseases of Generative „	0·08	376	2	13	4	1	–	20	–	4	21	20	74	71	67	50	37	12
Puerperal Fever	0·22	1,004	–	–	–	–	–	–	–	–	71	246	471	207	9	–	–	–
Childbirth	0·18	822	–	–	–	–	–	–	–	–	61	152	320	281	8	–	–	–
Violence	0·32	1,473	246	87	75	46	43	497	164	53	60	41	74	101	117	107	131	128
Other Causes	3·68	17,014	8,826	551	162	85	67	9,691	189	183	190	187	338	344	378	656	1,534	3,324

Marriages - - - 74,184
Births - - - 175,189

Deaths from Childbirth and Puerperal Fever - - 5·11 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

40.—NORTHUMBERLAND.—(Males.)

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*21·03	†155	–	–	–	–	60·81	5·76	3·72	5·49	6·83	8·57	12·94	19·35	35·59	76·37	173·19
Mean Population, 1881-91	–	234,082	6,818	6,121	6,094	6,275	6,174	31,482	28,606	26,048	24,171	21,321	35,344	26,933	19,379	12,221	6,432	2,145
Deaths from All Causes, 1881-90	20·41	47,787	12,600	3,661	1,367	849	657	19,134	1,647	970	1,328	1,457	3,030	3,485	3,750	4,350	4,912	3,715
Small-pox	0·06	129	10	7	–	1	5	23	15	7	15	10	30	8	17	2	1	1
Measles	0·43	1,003	209	401	162	85	56	913	78	6	–	1	3	–	1	–	1	–
Scarlet Fever	0·36	841	61	127	119	123	104	534	224	58	7	6	7	3	–	–	2	–
Diphtheria	0·11	250	16	35	28	36	26	141	60	16	8	4	6	4	3	5	3	–
Whooping-cough	0·35	816	365	230	91	46	30	782	33	–	–	–	–	1	–	–	–	–
Typhus	0·03	73	–	–	–	–	–	–	1	4	12	6	14	16	9	9	2	–
Enteric Fever	0·24	570	1	6	12	11	7	37	65	61	99	84	98	56	34	30	4	2
Simple Continued Fever	0·05	108	5	5	3	7	5	25	17	9	13	6	6	11	7	7	4	3
Diarrhœa and Dysentery	0·72	1,688	1,088	268	42	17	3	1,418	9	9	4	1	9	17	23	46	76	73
Cholera	0·02	42	9	4	–	3	–	16	1	–	–	2	3	4	5	6	3	2
Cancer	0·42	987	2	–	1	2	1	6	5	2	5	9	16	82	202	319	240	101
Tabes Mesenterica	0·46	1,065	474	294	71	38	23	900	53	35	19	14	19	12	6	6	1	–
Phthisis	2·12	4,998	63	40	28	15	22	168	123	164	297	569	1,211	968	698	349	109	10
Other Tub. and Scrof. Dis.	0·51	1,185	322	218	108	62	58	768	180	71	46	31	40	15	21	10	3	–
Diseases of Nervous System	2·92	6,839	2,256	461	186	102	98	3,103	187	102	84	78	183	280	437	763	1,022	600
Diseases of Circulatory System	1·75	4,105	18	3	1	6	3	31	37	57	72	81	220	454	623	890	1,042	589
Diseases of Respiratory System	3·24	7,595	1,978	945	347	177	120	3,557	206	60	95	118	315	485	598	768	857	536
Diseases of Digestive System	1·24	2,843	810	281	45	18	24	1,178	67	48	43	47	137	246	257	350	326	144
Diseases of Urinary System	0·49	1,155	22	20	23	10	15	90	44	21	24	36	68	123	127	163	263	187
Diseases of Generative System	0·01	20	3	2	–	–	–	5	–	1	–	–	2	2	6	–	3	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·12	2,626	185	48	32	51	36	352	116	123	191	176	384	405	344	294	179	87
Other Causes	3·79	8,880	1,712	237	78	39	21	3,087	126	111	94	75	260	283	392	336	771	1,409

Marriages - - 37,515
Births - - 81,202

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

40.—NORTHUMBERLAND.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*19·40	†129	–	–	–	–	51·75	5·91	3·96	5·52	6·99	9·14	12·00	16·33	30·32	64·31	160·39
Mean Population, 1881-91 -	–	235,976	6,764	6,170	6,228	6,131	6,217	31,510	28,516	25,964	24,057	22,157	34,756	25,836	19,321	13,125	7,649	3,085
Deaths from All Causes, 1881-90 - - -	19·15	45,181	10,038	3,390	1,376	833	671	16,308	1,686	1,029	1,329	1,549	3,178	3,100	3,155	3,980	4,919	4,948
Small-pox - - -	0·04	93	12	2	1	1	2	18	12	12	10	8	18	3	6	5	1	–
Measles - - -	0·40	951	194	325	196	78	56	849	88	5	2	–	6	1	–	–	–	–
Scarlet Fever - - -	0·34	791	46	123	122	104	102	497	216	45	10	4	12	6	–	1	–	–
Diphtheria - - -	0·12	285	12	48	40	33	39	172	71	14	10	4	6	5	2	1	–	–
Whooping-cough - -	0·44	1,037	411	332	119	83	40	985	50	1	1	–	–	–	–	–	–	–
Typhus - - -	0·03	62	–	–	–	–	–	–	3	5	7	4	10	16	10	3	4	–
Enteric Fever - -	0·22	510	4	6	3	9	15	37	70	74	71	78	84	50	25	14	5	2
Simple Continued Fever -	0·04	97	4	6	7	6	8	31	18	6	6	4	4	4	5	8	8	3
Diarrhœa and Dysentery -	0·66	1,550	889	274	49	17	8	1,237	10	4	3	5	16	19	20	44	94	98
Cholera - - -	0·01	27	12	4	–	1	–	17	1	–	–	1	–	2	1	2	3	–
Cancer - - -	0·69	1,631	1	–	–	3	1	5	3	2	7	4	68	214	401	459	328	140
Tabes Mesenterica - -	0·39	911	354	229	77	27	13	700	73	47	26	20	28	10	4	1	1	1
Phthisis - - -	2·05	4,841	39	43	20	19	37	158	168	337	641	669	1,273	836	455	207	84	13
Other Tub. & Scrof. Dis. -	0·45	1,051	248	162	91	70	58	629	186	88	40	33	36	22	8	5	4	–
Diseases of Nervous System -	2·66	6,285	1,718	365	151	92	71	2,397	203	92	87	63	210	263	464	760	1,002	744
Diseases of Circulatory „ -	1·74	4,099	13	3	2	2	1	21	43	68	75	91	243	440	538	867	1,046	667
Diseases of Respiratory „ -	2·82	6,661	1,477	912	337	193	128	3,047	222	55	68	83	233	270	418	662	869	734
Diseases of Digestive „ -	1·19	2,801	559	262	44	19	22	906	60	41	60	86	144	237	288	403	370	206
Diseases of Urinary „ -	0·32	749	10	32	23	18	15	98	28	12	22	48	84	108	105	112	94	38
Diseases of Generative „ -	0·14	322	4	4	3	–	–	11	1	2	6	20	56	64	72	35	42	13
Puerperal Fever - -	0·19	459	–	–	–	–	–	–	–	1	20	117	205	115	1	–	–	–
Childbirth - - -	0·16	381	–	–	–	–	–	–	–	–	19	75	170	107	10	–	–	–
Violence - - -	0·37	873	166	42	31	19	29	287	48	23	34	39	60	66	78	68	77	93
OTHER CAUSES - -	3·68	8,714	3,865	216	60	39	26	4,206	112	95	104	93	212	242	244	323	887	2,196

Marriages - -	37,515	Deaths from Childbirth and Puerperal Fever - -	5·27 per 1000 Births of both Sexes.
Births - -	78,046		

* Death-rate in Standard Population (*see* pages xxxvi xxxviii).
† The death-rate under one year of age is per 1000 Births.

41.—CUMBERLAND.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*18·79	†136	–	–	–	–	52·84	4·62	2·91	4·22	5·92	7·55	10·89	18·67	34·97	70·63	163·93
Mean Population, 1881-91	–	128,413	3,731	3,398	3,463	3,448	3,342	17,382	16,091	14,506	13,247	11,327	18,275	14,262	10,391	7,126	4,212	1,504
Deaths from All Causes, 1881-90	19·12	24,547	6,042	1,706	705	442	289	9,184	744	422	559	671	1,389	1,567	1,940	2,492	2,975	2,613
Small-pox	0·01	8	1	1	–	–	–	2	–	–	–	1	3	1	–	–	1	–
Measles	0·50	636	126	293	80	51	27	577	51	3	1	–	2	–	1	1	–	–
Scarlet Fever	0·23	289	23	51	60	33	36	203	80	11	1	2	2	–	–	–	–	–
Diphtheria	0·09	110	6	14	14	23	19	76	20	2	2	1	3	3	1	1	1	–
Whooping-cough	0·36	466	243	124	52	23	14	456	7	–	–	–	–	–	–	–	–	–
Typhus	0·02	24	–	–	–	–	1	1	5	–	2	3	4	4	2	2	1	–
Enteric Fever	0·14	184	–	3	2	1	3	9	19	21	23	23	38	23	13	9	6	–
Simple Continued Fever	0·02	23	2	1	–	–	–	3	5	–	3	2	3	1	3	1	1	3
Diarrhœa and Dysentery	0·48	620	416	83	16	5	2	522	6	1	2	2	6	4	8	11	39	19
Cholera	0·01	17	3	1	–	–	–	4	2	–	–	2	–	–	2	4	2	1
Cancer	0·40	628	1	2	–	–	–	3	1	5	4	3	18	45	94	193	189	68
Tabes Mesenterica	0·21	272	119	52	31	12	1	215	16	11	6	4	6	3	6	2	3	–
Phthisis	1·59	2,043	24	24	19	11	4	82	49	54	148	292	477	381	209	179	69	13
Other Tub. and Scrof. Dis.	0·49	623	207	97	46	38	32	420	85	38	27	12	14	11	10	4	1	1
Diseases of Nervous System	2·47	3,174	800	178	69	53	18	1,227	106	41	36	35	90	145	232	307	489	406
Diseases of Circulatory „	1·85	2,379	10	2	1	3	2	18	21	26	37	29	91	167	231	511	711	487
Diseases of Respiratory „	3·72	4,778	1,258	526	205	121	85	2,195	110	26	56	45	159	226	394	546	580	441
Diseases of Digestive „	1·02	1,308	346	71	21	15	7	460	29	25	25	16	67	96	130	177	186	97
Diseases of Urinary „	0·52	675	8	12	12	9	7	48	23	14	14	17	45	62	76	116	159	101
Diseases of Generative „	0·01	11	2	–	–	–	–	2	–	–	–	–	–	1	–	5	3	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·20	1,544	67	32	30	24	19	172	58	74	108	115	225	236	216	167	118	55
OTHER CAUSES	3·69	4,726	2,268	140	46	20	12	2,486	54	70	64	62	127	168	172	196	417	920

Marriages - - - 17,886
Births - - - 14,595

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

41.—CUMBERLAND.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·17	†109	–	–	–	–	43·74	4·65	3·18	4·73	5·91	7·73	10·11	14·81	29·19	62·18	152·52
Mean Population, 1881-91	–	130,185	3,646	3,290	3,491	3,376	3,347	17,150	15,872	14,488	12,727	11,528	18,397	14,227	10,845	7,940	4,945	2,066
Deaths from All Causes, 1881-90	17·66	23,992	4,539	1,558	650	427	327	7,501	738	460	602	681	1,422	1,438	1,606	2,318	3,075	3,151
Small-pox	0·00	6	1	–	–	–	–	1	–	1	–	1	3	–	–	–	–	–
Measles	0·39	506	100	205	79	44	35	463	35	1	1	1	2	2	1	–	–	–
Scarlet Fever	0·22	289	17	34	45	47	38	181	86	11	4	1	3	1	–	1	1	–
Diphtheria	0·08	109	4	10	15	19	21	69	25	3	6	–	2	–	1	3	–	–
Whooping-cough	0·43	556	243	174	56	40	21	534	20	1	–	–	–	–	–	–	–	1
Typhus	0·02	24	–	–	–	–	–	–	–	2	3	–	6	4	7	–	1	1
Enteric Fever	0·13	165	2	4	13	5	6	30	25	17	20	18	15	18	7	8	6	1
Simple Continued Fever	0·01	19	1	2	–	1	1	5	–	–	3	–	1	1	1	3	2	3
Diarrhœa and Dysentery	0·43	559	307	85	17	8	3	420	8	2	2	2	6	7	5	19	44	44
Cholera	0·01	9	1	1	–	–	–	2	2	–	–	–	1	1	–	–	3	–
Cancer	0·74	965	–	–	–	–	–	–	1	1	1	2	36	116	237	251	221	99
Tabes Mesenterica	0·19	243	96	41	13	12	4	171	24	12	10	8	5	8	2	1	2	–
Phthisis	1·65	2,149	19	24	8	5	10	66	58	135	270	337	561	376	188	111	41	6
Other Tub. and Scrof. Dis.	0·41	535	123	94	47	23	32	319	78	48	24	18	26	13	6	2	–	1
Diseases of Nervous System	2·33	3,033	633	142	58	41	37	941	68	45	32	32	91	133	220	412	585	444
Diseases of Circulatory „	1·93	2,512	6	2	1	3	4	16	17	40	38	40	97	194	304	506	742	518
Diseases of Respiratory „	3·10	4,042	888	522	203	126	63	1,802	114	36	29	32	105	138	215	436	588	547
Diseases of Digestive „	1·00	1,299	243	79	23	10	15	370	44	27	44	34	74	93	144	191	171	107
Diseases of Urinary „	0·32	417	6	7	7	11	5	36	14	9	10	13	49	53	54	75	71	33
Diseases of Generative „	0·10	128	2	1	2	–	–	5	–	1	2	7	19	22	23	26	16	7
Puerperal Fever	0·16	209	–	–	–	–	–	–	–	–	7	46	102	52	2	–	–	–
Childbirth	0·15	196	–	–	–	–	–	–	–	–	14	27	78	74	3	–	–	–
Violence	0·35	458	53	23	21	13	10	120	25	15	16	7	29	27	52	49	45	73
Other Causes	3·51	4,564	1764	108	37	19	22	1 950	64	53	66	55	111	105	134	224	536	1,266

Marriages - - - 17,886
Births - - - 41,611

Deaths from Childbirth and Puerperal Fever - - 4·70 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

42.—WESTMORLAND.—(Males.)

Causes of Death	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000		*14·87	†116	-	-	-	-	39·19	3·36	1·97	3·45	5·07	6·00	9·10	13·38	26·76	61·32	157·61
Mean Population, 1881-91		31,985	883	755	795	787	785	3,955	3,894	3,611	3,244	2,035	4,282	3,537	2,751	2,156	1,362	678
Deaths from All Causes, 1881-90	16·45	5,261	1,035	243	98	66	48	1,550	131	71	112	135	257	322	368	577	839	911
Small-pox	0·01	4	1	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–
Measles	0·13	41	13	10	4	3	4	34	6	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·10	33	3	5	3	9	1	21	9	1	2	–	–	–	–	–	–	–
Diphtheria	0·08	24	3	2	3	2	2	12	5	3	–	1	–	–	1	1	–	1
Whooping-cough	0·18	58	38	17	4	1	1	56	1	–	–	–	–	–	–	–	1	–
Typhus																		
Enteric Fever	0·14	45				1	1	2	3	3	6	5	10	3	3	3	3	–
Simple Continued Fever	0·03	9	–	1	–	1	1	3	–	1	–	–	–	1	1	1	3	–
Diarrhœa and Dysentery	0·27	87	44	5	3	1	–	53	3	–	1	–	2	2	1	4	6	15
Cholera	0·02	7	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	–
Cancer	0·53	171	–	1	–	–	–	1	–	–	1	1	4	9	19	58	46	35
Tabes Mesenterica	0·14	45	17	10	1	2	–	30	5	3	–	2	4	1	–	–	–	–
Phthisis	1·35	435	6	5	–	3	3	17	9	4	28	58	103	75	59	50	25	5
Other Tub. and Scrof. Dis.	0·41	131	33	28	14	4	2	81	19	7	4	4	9	6	–	–	1	
Diseases of Nervous System	2·37	758	228	34	15	6	7	290	16	16	10	5	11	28	47	76	143	110
Diseases of Circulatory „	1·79	579	1	–	–	–	1	2	4	2	3	9	10	24	58	125	183	152
Diseases of Respiratory „	2·81	899	227	84	29	23	12	375	19	3	7	12	27	44	59	93	128	153
Diseases of Digestive „	1·13	363	64	10	6	2	3	85	7	5	8	7	19	40	31	53	76	32
Diseases of Urinary „	0·55	177	6	1	–	–	1	8	2	3	4	3	7	12	14	35	46	45
Diseases of Generative „	0·00	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·86	307	10	9	8	8	6	41	14	10	18	15	40	47	45	35	32	12
Other Causes	3·45	1,086	408	21	8		3	438	9	10	19	10	10	20	25	46	134	366

Marriages - - - 4,157
Births - - - 9,462

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

42.—WESTMORLAND.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*13·80	†84	–	–	–	–	30·22	3·97	2·44	4·54	5·65	6·24	7·75	11·70	22·54	52·92	154·13
Mean Population, 1881–91	–	33,280	849	813	827	786	778	4,053	3,833	3,725	3,347	2,940	4,727	3,625	2,854	2,147	1,423	606
Deaths from All Causes, 1881-90	14·62	4,867	775	235	96	70	49	1,225	152	91	152	166	295	281	334	484	753	934
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	46	12	19	6	1	2	40	4	–	–	2	–	–	–	–	–	–
Scarlet Fever	0·11	38	–	5	1	8	4	18	12	2	1	2	2	–	–	1	–	–
Diphtheria	0·11	37	–	–	4	6	7	17	12	2	1	2	–	1	2	–	–	–
Whooping-cough	0·20	68	27	24	8	3	3	65	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	54	1	–	–	2	1	4	5	2	12	6	7	9	4	1	1	3
Simple Continued Fever	0·01	4	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·19	62	28	10	2	–	1	41	1	–	1	–	2	1	1	3	6	6
Cholera	0·01	4	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–
Cancer	0·74	245	–	–	–	–	–	–	–	–	1	–	8	13	53	70	72	28
Tabes Mesenterica	0·12	40	11	10	3	2	–	26	2	1	3	2	3	–	1	2	–	–
Phthisis	1·45	483	5	3	2	3	1	14	8	33	64	81	123	78	43	27	11	1
Other Tub. and Scrof. Dis.	0·38	125	23	21	8	8	6	66	20	7	10	5	7	3	6	1	–	–
Diseases of Nervous System	2·08	693	155	33	18	8	3	217	18	10	12	7	17	22	52	79	132	127
Diseases of Circulatory „	1·81	602	1	1	2	–	–	4	1	8	10	13	20	28	61	114	185	158
Diseases of Respiratory „	2·22	739	174	85	24	14	13	310	23	7	11	7	14	19	34	63	116	135
Diseases of Digestive „	0·93	308	32	9	4	1	5	51	11	5	7	9	20	17	22	58	65	43
Diseases of Urinary „	0·23	78	2	–	1	2	–	5	1	1	2	–	14	16	10	12	11	6
Diseases of Generative „	0·08	25	–	–	1	–	–	1	–	–	2	1	2	4	6	4	4	1
Puerperal Fever	0·18	60	–	–	–	–	–	–	–	–	3	15	22	20	–	–	–	–
Childbirth	0·08	27	–	–	–	–	–	–	–	–	–	1	13	12	1	–	–	–
Violence	0·29	96	6	3	5	7	2	23	10	2	–	5	3	10	9	6	18	10
Other Causes	3·10	1,033	298	12	7	5	1	323	19	11	12	8	18	27	27	41	132	415

Marriages – 4,157
Births – 9,219

Deaths from Childbirth and Puerperal Fever – 4·66 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

43.—MONMOUTHSHIRE.—(Males.)

Causes of Death.	Annual Death-rate per 1,000 Living.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-rate per 1,000	–	*28·04	106·			–	–	62·24	5·81	3·70	4·75	6·05	7·73	12·13	19·93	37·69	73·32	147·81
Mean Population, 1881–90	–	35,158	3,480	3,372	3,307	3,480	3,307	17,150	15,907	14,283	14,051	12,876	13,373	14,149	10,933	7,402	4,033	1531
Deaths from All Causes, 1881–90	28·04	9,859	369	357	357	519	430	10,675	924	528	668	778	1,034	1,715	2,179	2,790	2,957	2,303
Smallpox	0·02	6	–	–	1	1	2	7	1	1	2	2	7	6	3	1	–	–
Measles	0·52	182	12	32	108	60	40	607	65	4	2	2	3	–	1	–	–	–
Scarlet Fever	0·53	186	11	17	107	88	93	457	190	31	8	3	1	1	1	–	–	–
Diphtheria	0·16	56	4	9	36	34	35	125	55	11	9	3	4	2	3	–	–	–
Whooping-cough	0·42	147	20	19	69	29	14	535	20	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	3	1	2	3	–	–	–	–	–	–
Enteric Fever	0·23	81	3	7	7	5	4	28	27	23	43	58	69	23	15	7	2	1
Simple Continued Fever	0·03	10	1	1	1	3	3	14	7	3	–	2	4	2	1	3	1	2
Diarrhœa and Dysentery	0·43	151	37	31	15	3	3	423	7	3	1	2	4	6	21	23	36	36
Cholera	0·01	4	3	–	–	–	1	6	1	–	–	–	–	–	3	1	2	1
Cancer	0·36	126	2	–	–	–	–	2	4	3	1	3	7	33	88	137	135	83
Tabes Mesenterica	0·23	80	106	71	30	5	9	265	7	13	7	3	2	3	–	1	–	–
Phthisis	1·29	453	53	34	20	9	14	120	34	43	138	263	495	317	196	151	53	6
Other Tub. and Scrof. Dis.	0·42	147	101	105	51	21	23	390	65	34	17	9	16	13	9	4	–	–
Nervous System	2·78	3,046	1,525	179	67	39	39	1,843	101	52	48	41	92	158	242	340	448	275
Circulation	1·51	1,486	8	3	3	–	3	20	16	33	39	36	101	192	288	472	533	254
Respiratory	4·90	4,295	1,464	681	228	159	101	2,683	136	32	54	91	216	395	608	847	877	806
Digestive	1·12	1,229	114	109	28	9	11	581	33	17	27	20	76	118	152	207	170	68
Urinary	0·51	557	10	10	9	6	4	39	12	8	15	10	42	67	88	141	155	81
Generative	0·01	7	2	–	–	–	–	2	–	–	–	–	1	1	–	2	–	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·31	1,439	55	57	57	28	28	178	90	160	204	192	300	268	233	196	106	40
Other Causes	3·76	4,078	2,468	199	45	21	1	2,370	41	56	51	48	127	148	167	257	483	930

Marriages – – 6,[illegible]

Births – – 10,[illegible]

* Death-rate in Standard Population (see pages xxxvi–xxxviii).

† The death-rate under one year of age is per 1000 Births.

43.—MONMOUTHSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·49	†126	–	–	–	–	51·79	6·02	3·02	5·27	6·36	8·53	11·12	15·05	29·86	62·36	137·32
Mean Population, 1881–91	–	123,639	3,756	3,321	3,405	3,445	3,352	17,279	15,903	14,131	11,927	10,791	17,193	13,117	10,179	7,170	4,245	1,704
Deaths from All Causes, 1881–90	18·79	23,232	5,386	1,849	791	546	377	8,949	957	427	628	686	1,466	1,459	1,532	2,141	2,647	2,340
Small-pox	0·01	18	2	–	–	1	–	3	2	1	2	2	3	1	3	1	–	–
Measles	0·52	641	103	231	113	77	41	565	64	6	3	–	2	1	–	–	–	–
Scarlet Fever	0·49	609	41	68	103	89	67	368	186	42	6	3	3	1	–	–	–	–
Diphtheria	0·21	255	9	18	31	37	37	132	86	20	4	4	5	1	1	1	1	–
Whooping-cough	0·56	692	286	219	88	45	24	662	26	1	2	–	1	–	–	–	–	–
Typhus	0·01	8	–	–	1	–	–	1	–	1	2	1	1	2	–	–	–	–
Enteric Fever	0·19	236	–	5	2	12	10	29	39	30	38	30	30	22	8	4	5	1
Simple Continued Fever	0·02	28	2	1	1	1	–	5	7	1	2	2	2	4	1	–	1	3
Diarrhœa and Dysentery	0·40	495	248	70	9	7	5	339	6	3	1	3	9	7	12	21	48	46
Cholera	0·01	17	9	1	1	–	1	12	–	2	–	–	–	–	–	1	1	1
Cancer	0·62	761	1	–	–	–	–	1	1	2	6	5	32	113	165	211	153	72
Tabes Mesenterica	0·21	254	118	55	21	8	4	206	16	10	5	5	4	3	3	2	–	–
Phthisis	1·54	1,908	26	36	11	11	1	85	51	80	253	275	541	341	171	82	25	4
Other Tub. and Scrof. Dis.	0·39	481	122	81	37	18	26	284	78	34	26	14	21	9	11	2	1	1
Diseases of Nervous System	2·47	3,054	1,112	171	60	32	32	1,407	92	48	47	50	89	132	191	335	410	253
Diseases of Circulatory „	1·57	1,936	3	1	2	1	2	9	20	40	51	48	118	183	260	438	514	255
Diseases of Respiratory „	3·79	4,686	1,151	621	230	143	88	2,233	153	25	45	31	137	172	256	503	646	485
Diseases of Digestive „	1·16	1,434	338	115	22	17	15	507	31	14	29	31	72	97	178	213	177	85
Diseases of Urinary „	0·38	474	13	7	7	9	3	39	10	13	15	23	50	65	72	65	85	37
Diseases of Generative „	0·08	99	–	1	–	–	–	1	1	–	2	5	21	23	23	14	7	2
Puerperal Fever	0·20	252	–	–	–	–	–	–	–	–	12	54	119	66	1	–	–	–
Childbirth	0·17	211	–	–	–	–	–	–	–	–	10	36	87	74	4	–	–	–
Violence	0·31	380	25	24	22	15	11	97	48	13	13	14	27	26	42	29	35	36
Other Causes	3·48	4,303	1,777	124	30	23	10	1,964	40	41	54	50	92	116	130	219	538	1,059

Marriages - - - 20,219
Births - - - 42,698

Deaths from Childbirth and Puerperal Fever - - } 5·30 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi xxxviii).
† The death-rate under one year of age is per 1000 Births.

44.—SOUTH WALES.—(Males.)

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	-	*20·14	†153	-	-	-	-	59·65	6·00	3·81	5·87	7·25	8·22	11·49	18·26	34·21	68·47	153·90
Mean Population, 1881–91	-	485,285	13,639	12,248	12,810	12,642	12,558	63,917	58,931	53,935	51,934	46,606	72,758	53,180	38,594	25,782	14,118	5,620
Deaths from All Causes, 1881–90	19·87	96,405	25,201	6,707	2,846	1,988	1,383	38,128	3,535	2,056	3,050	3,380	5,979	6,109	7,031	8,819	9,607	8,849
Small-pox	0·01	40	3	-	-	2	1	6	-	1	5	5	16	7	-	-	-	-
Measles	0·43	2,102	484	774	290	216	132	1,896	179	8	9	7	1	1	1	-	-	-
Scarlet Fever	0·54	2,603	170	376	463	405	307	1,723	690	137	30	18	11	8	5	1	-	-
Diphtheria	0·09	435	18	35	46	61	55	215	155	41	13	7	9	3	6	3	2	1
Whooping-cough	0·38	1,829	938	482	196	114	52	1,784	44	1	-	-	-	-	-	-	-	-
Typhus	0·01	52	-	-	-	1	-	1	2	5	11	11	7	7	5	2	1	-
Enteric Fever	0·29	1,397	9	16	28	29	30	109	152	155	224	232	269	115	76	37	23	5
Simple Continued Fever	0·03	122	2	5	9	8	8	32	16	10	12	7	12	9	5	10	6	3
Diarrhœa and Dysentery	0·41	2,013	1,2 6	232	46	18	9	1,601	16	2	4	3	17	34	33	65	108	130
Cholera	0·01	58	8	1	-	3	1	13	1	1	1	2	2	8	13	10	6	1
Cancer	0·40	1,943	2	1	2	2	-	7	5	5	9	15	52	139	350	001	520	240
Tabes Mesenterica	0·18	884	381	181	62	33	22	679	56	44	36	14	24	10	5	7	8	1
Phthisis	1·94	9,395	173	147	67	44	41	472	219	231	922	1,335	2,213	1,185	1,160	843	390	66
Other Tub. and Scrof. Dis.	0·45	2,181	481	313	140	108	105	1,156	329	217	138	84	103	54	47	38	14	1
Diseases of Nervous System	3·10	15,037	7,727	828	300	193	114	9,168	326	203	178	172	342	540	724	1,088	1,333	993
Diseases of Circulatory „	1·37	6,631	37	8	5	5	6	61	69	127	165	149	390	676	935	1,389	1,705	965
Diseases of Respiratory „	4·07	19,747	4,963	2,302	809	513	327	8,914	599	115	210	312	662	990	1,577	2,324	2,488	1,547
Diseases of Digestive „	1·00	4,872	1,288	393	69	45	32	1,822	115	109	117	106	223	301	502	638	562	287
Diseases of Urinary „	0·55	2,655	35	35	36	20	10	116	74	40	59	95	174	231	346	465	627	429
Diseases of Generative „	0·01	38	9	-	-	-	-	9	1	-	1	2	4	4	5	2	9	1
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violence	1·36	6,583	141	127	152	111	83	614	294	391	705	618	1,093	997	782	610	344	135
Other Causes	3·24	15,716	7,052	461	120	59	30	7,731	193	163	201	186	355	391	454	686	1,512	3,844

Marriages - 74,593
Births - 164,58

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

44.—SOUTH WALES.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·01	†126	–	–	–	–	50·08	5·92	3·86	5·46	7·08	8 66	11·28	14·18	27·13	56·09	136·48
Mean Population, 1881–91	–	480,310	13,756	12,261	12,763	12,721	12,492	63,993	58,328	53,209	48,354	44,309	69,069	51,235	39,479	27,707	16,793	7,834
Deaths from All Causes, 1881–90	18·39	88,318	19,736	6,176	2,788	1,918	1,431	32,049	3,452	2,052	2,641	3,138	5,982	5,779	5,598	7,516	9,419	10,692
Small-pox	0·00	20	2	1	–	1	1	5	1	–	1	8	5	–	–	–	–	–
Measles	0·41	1,956	362	681	345	186	129	1,703	211	22	6	3	8	2	–	–	1	–
Scarlet Fever	0·56	2,689	179	400	416	447	341	1,783	682	144	35	11	24	6	2	1	1	–
Diphtheria	0·11	543	18	49	50	67	69	253	178	49	14	12	13	13	9	1	1	–
Whooping-cough	0·45	2,154	981	624	228	149	78	2,060		3	2	–	–	–	–	–	–	–
Typhus	0·01	36	–	–	1	–	2	3	3	7	2	3	6	3	5		2	–
Enteric Fever	0·24	1,153	9	11	17	31	32	100	167	165	181	122	173	104	78		17	3
Simple Continued Fever	0·03	132	3	12	7	10	7	39	25	14	9	3	13	6	6	8	8	1
Diarrhœa and Dysentery	0·40	1,907	1,115	250	39	21	8	1,433	17	6	5	11	29	32	27	69	130	148
Cholera	0·01	40	6	6	–	1	–	13	1	2	3	1	3	4	4	5	2	2
Cancer	0·60	2,897	–	1	2	–	–	3	1	5	10	12	88	363	671	789	664	291
Tabes Mesenterica	0·15	743	262	154	59	16	16	507	65	48	37	22	24	24	7	6	3	–
Phthisis	2·08	9,992	149	147	66	42	39	443	284	584	1,244	1,421	2,465	1,707	971	561	262	50
Other Tub. and Scrof. Dis.	0·39	1,851	333	239	144	96	93	905	310	198	130	102	94	62	28	14	6	2
Diseases of Nervous System	2·72	13,079	5,803	693	271	181	106	7,054	348	184	131	140	292	450	692	1,105	1,508	1,175
Diseases of Circulatory „	1·49	7,155	24	8	3	2	11	48	91	150	168	197	470	731	953	1,493	1,811	1,043
Diseases of Respiratory „	3·26	15,681	3,711	2,027	799	489	329	7,355	513	139	170	219	476	575	751	1,560	2,205	1,718
Diseases of Digestive „	0·95	4,558	899	342	79	46	33	1,399	111	91	111	122	268	339	523	664	583	347
Diseases of Urinary „	0·34	1,613	19	26	16	9	21	91	49	35	50	72	184	222	240	299	257	114
Diseases of Generative „	0·08	383	–	1	2	–	1	4	1	2	20	30	63	81	92	50	26	14
Puerperal Fever	0·21	1,001	–	–	–	–	–	–	–	–	45	236	459	252	9	–	–	–
Childbirth	0·20	950	–	–	–	–	–	–	–	1	36	148	401	353	11	–	–	–
Violence	0·31	1,488	166	109	106	70	52	503	123	60	49	61	77	106	114	122	128	145
Other Causes	3·39	16,297	5,695	395	138	54	63	6,345	182	143	182	182	347	344	405	724	1,804	5,639

Marriages - - - 74,593
Births - - - 157,239

Deaths from Childbirth and Puerperal Fever - - 6·06 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi xxxviii).
† The death-rate under one year of age is per 1000 Births.

45.—NORTH WALES.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*17·72	†132	–	–	–	–	46·33	5·43	3·16	5·14	7·47	8·20	10·69	16·05	30·22	66·82	161·38
Mean Population, 1881-91	–	225,358	5,560	5,175	5,558	5,578	5,444	27,315	26,636	25,938	23,101	18,448	30,095	24,637	20,252	15,388	9,408	4,140
Deaths from All Causes, 1881-90	19·28	43,458	3,625	1,977	909	635	509	12,655	1,446	820	1,188	1,378	2,468	2,634	3,251	4,651	6,286	6,681
Small-pox	0·01	20	1	–	–	–	–	1	1	–	1	2	4	–	4	6	1	–
Measles	0·23	511	126	158	72	48	20	424	69	12	3	1	1	–	1	–	–	–
Scarlet Fever	0·28	624	35	84	105	78	84	386	166	33	18	7	3	4	3	–	–	–
Diphtheria	0·17	378	12	28	34	48	46	168	146	30	16	10	3	1	2	–	2	–
Whooping-cough	0·31	698	362	173	71	33	22	661	34	1	–	2	–	–	–	–	–	–
Typhus	0·01	25	–	–	–	–	–	–	–	1	3	3	2	2	7	3	3	1
Enteric Fever	0·16	367	1	1	5	3	3	13	25	29	51	60	71	69	26	18	11	3
Simple Continued Fever	0·02	48	2	3	2	1	2	10	3	6	4	3	4		4	7	5	–
Diarrhœa and Dysentery	0·23	519	247	35	7	5	2	296	6	1		1	4		9	24	60	106
Cholera	0·01	26	3	2	–	1	–	6	2	–	1	–	1		5	2	5	–
Cancer	0·61	1,370	2	1	2	–	–	6	2	2	4	5	30	95	220	414	407	185
Tabes Mesenterica	0·19	434	172	70	37	13	15	296	45	14	18	11	19	11	9	7	2	2
Phthisis	2·01	4,535	30	30	31	10	13	104	86	113	416	635	1,107	794	576	460	215	29
Other Tub. and Scrof. Dis.	0·35	795	137	121	55	31	46	390	129	85	42	41	40	24	16	19	7	2
Diseases of: Nervous System	3·47	7,816	3,232	339	136	94	53	3,854	167	133	87	85	140	227	332	631	1,114	1,037
Circulatory „	1·57	3,542	10	2	4	4	2	22	35	36	58	55	115	216	303	731	995	886
Respiratory „	3·71	8,368	1,463	626	238	157	112	2,596	259	55	85	118	231	563	644	1,069	1,543	1,415
Digestive „	1·21	2,735	444	116	34	23	17	633	58	45	52	54	125	211	311	439	516	391
Urinary „	0·71	1,590	18	12	10	10	12	62	23	25	25	38	86	119	154	255	404	399
Generative „	0·01	16	2	–	–	1	–	3	–	–	1	–	1	–	4	3	2	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·96	2,162	36	35	48	44	29	192	101	100	190	159	313	285	290	240	174	109
Other Causes	3·05	6,879	2,290	141	57	33	31	2,552	90	94	109	88	159	207	233	333	820	2,314

Marriages - - 2[illegible]
Births - - 8[illegible]

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

45.—NORTH WALES.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·44	†104	–	–	–	–	38·16	5·26	3·92	6·18	7·67	9·35	10·45	13·16	25·05	54·88	145·08
Mean Population, 1881–91	–	231,242	5,545	5,165	5,470	5,577	5,355	27,112	26,498	25,566	21,582	18,794	31,556	25,889	21,566	16,483	10,861	5,335
Deaths from All Causes, 1881–90	18·09	41,843	6,485	1,861	874	616	511	10,347	1,395	1,002	1,333	1,442	2,951	2,705	2,839	4,129	5,960	7,740
Small-pox	0·00	7	–	1	–	–	–	1	–	–	–	2	1	1	–	2	–	–
Measles	0·20	471	89	150	62	51	31	383	54	16	3	4	7	3	1	–	–	–
Scarlet Fever	0·25	575	33	61	78	70	82	324	169	46	8	11	9	4	3	1	–	–
Diphtheria	0·17	382	11	22	30	46	50	159	150	32	14	8	8	3	1	4	3	–
Whooping-cough	0·32	747	296	203	105	62	40	706	38	3	–	–	–	–	–	–	–	–
Typhus	0·01	21	–	–	–	–	–	–	–	–	2	4	6	2	4	–	2	1
Enteric Fever	0·14	330	1	2	3	8	3	17	18	36	54	44	55	38	32	16	14	6
Simple Continued Fever	0·02	51	3	–	4	2	1	10	3	4	3	2	8	6	3	4	7	1
Diarrhœa and Dysentery	0·26	595	230	49	10	5	7	301	3	4	3	–	18	16	26	33	64	127
Cholera	0·01	12	2	–	–	–	–	2	1	–	–	–	3	1	–	1	4	–
Cancer	0·86	1,990	1	–	–	1	–	2	1	3	2	10	42	179	376	535	582	258
Tabes Mesenterica	0·17	396	112	70	24	11	12	229	40	34	31	15	21	12	8	4	1	1
Phthisis	2·14	4,948	40	32	16	11	17	116	118	286	693	693	1,261	832	477	313	124	35
Other Tub. and Scrof. Dis.	0·32	744	98	85	45	45	29	302	143	93	57	31	54	29	14	11	6	4
Diseases of Nervous System	3·22	7,441	2,401	314	128	79	44	2,966	186	123	108	89	167	223	393	726	1,157	1,303
Diseases of Circulatory „	1·63	3,758	16	3	2	–	2	23	26	57	67	67	186	286	435	726	1,047	858
Diseases of Respiratory „	2·97	6,874	1,072	560	235	141	127	2,135	216	63	64	80	232	252	327	718	1,301	1,486
Diseases of Digestive „	1·12	2,599	302	116	34	18	23	493	67	64	55	80	165	178	290	422	483	302
Diseases of Urinary „	0·44	1,010	7	9	11	6	11	44	25	21	26	27	105	118	142	167	197	138
Diseases of Generative „	0·08	195	1	1	1	–	–	3	1	–	6	8	29	43	40	28	28	9
Puerperal Fever	0·18	416	–	–	–	–	–	–	–	–	13	81	210	107	5	–	–	–
Childbirth	0·19	444	–	–	–	–	–	–	–	–	14	63	178	180	9	–	–	–
Violence	0·27	624	48	31	41	25	15	160	57	19	17	27	26	29	35	59	70	125
Other Causes	3·12	7,213	1,722	152	45	35	17	1,971	79	98	93	96	160	183	218	359	870	3,086

Marriages - - - 28,055
Births - - - 62,131

Deaths from Childbirth and Puerperal Fever - - 6·74 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

1A.—PADDINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		20·11	†143	–	–	–	–	62·91	7·40	3·38	3·64	4·00	6·25	11·23	18·77	33·10	61·12	141·01
Males	—					23·16	†158	–	–	–	–	70·20	7·61	3·56	4·74	5·72	8·55	15·21	24·95	44·36	74·57	147·19
Females	—					17·23	†127	–	–	–	–	55·77	7·19	3·22	2·95	3·04	4·89	8·57	14·74	26·22	53·56	138·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·08 per cent.			112,532			2430	2149	2148	2139	2015	10881	9474	8706	11074	13581	21997	14663	10380	6644	3691	1441
Males				45,665			1199	1044	1080	1080	980	5383	4651	4044	4264	4845	8188	5884	4097	2518	1329	462
Females				66,837			1231	1105	1068	1059	1035	5498	4823	4662	6810	8736	13809	8779	6283	4126	2362	979
Deaths from All Causes, 1881–90. Persons	17·99			20,243			4143	1403	607	410	282	6845	701	294	403	543	1375	1647	1948	2199	2256	2032
Males	22·25			10,161			2323	764	324	211	157	3779	354	144	202	277	700	895	1022	1117	991	680
Females	15·08			10,082			1820	639	283	199	125	3066	347	150	201	266	675	752	926	1082	1265	1352
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	12	3	9	2	–	–	–	1	3	–	2	2	–	2	1	–	–	1	1
Measles	0·43	0·56	0·34	485	257	228	96	190	81	42	31	440	34	5	1	2	2	1	–	–	–	–
Scarlet Fever	0·13	0·19	0·10	154	87	67	13	25	20	21	20	99	42	6	3	1	2	1	–	–	–	–
Diphtheria	0·36	0·47	0·28	402	214	188	16	50	60	59	48	233	127	9	9	2	9	6	4	2	–	1
Whooping-cough	0·47	0·56	0·41	533	257	276	209	161	67	53	21	511	19	–	1	2	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	3	2	1	–	–	–	2	–	2	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·20	0·25	0·16	221	115	106	1	2	1	4	3	11	17	19	26	39	55	26	15	10	3	–
Simple Continued Fever	0·01	0·01	0·01	13	5	8	–	–	1	1	–	2	2	1	–	–	–	2	1	3	2	–
Diarrhœa and Dysentery	0·51	0·70	0·37	570	320	250	456	55	5	2	1	519	5	1	–	1	2	2	7	3	10	20
Cholera	0·02	0·04	0·01	22	16	6	12	1	2	2	1	18	–	–	–	–	–	–	1	2	–	1
Cancer	0·89	0·75	0·99	1,002	341	661	–	3	4	2	1	10	4	2	3	3	44	111	236	270	222	97
Tabes Mesenterica	0·19	0·27	0·13	212	124	88	124	28	12	9	2	175	9	7	4	4	8	1	2	1	1	–
Phthisis	1·60	2·23	1·16	1,795	1,020	775	49	25	18	16	9	117	25	34	104	161	435	388	301	153	61	16
Other Tub. & Scrof. Dis.	0·49	0·68	0·36	552	310	242	136	103	49	40	36	364	84	26	13	14	19	17	7	4	2	2
Diseases of Nervous System	1·85	2·24	1·58	2,080	1,025	1,055	465	126	45	28	16	680	49	23	35	25	65	113	156	268	352	314
Circulatory „	1·79	2·02	1·63	2,014	924	1,090	24	7	3	1	4	39	36	43	46	47	138	194	287	391	410	383
Respiratory „	3·41	4·15	2·90	3,339	1,897	1,942	770	451	171	84	49	1525	86	20	30	49	143	206	287	456	539	498
Digestive „	1·28	1·45	1·16	1,438	664	774	288	64	17	7	10	366	34	21	30	43	83	129	186	203	211	132
Urinary „	0·67	0·96	0·47	751	440	311	9	7	3	1	2	22	16	11	9	21	60	105	129	143	148	87
Generative „	0·11	0·02	0·18	129	7	122	–	3	1	–	–	4	1	1	1	4	23	40	22	15	10	8
Puerperal Fever	0·09	–	0·14	96	–	96	–	–	–	–	–	–	–	–	6	22	45	23	–	–	–	–
Childbirth	0·04	–	0·06	42	–	42	–	–	–	–	–	–	–	–	3	6	18	13	2	–	–	–
Violence	0·94	1·51	0·54	1,052	691	361	165	37	25	25	22	274	69	21	32	50	105	116	142	112	79	52
OTHER CAUSES	2·50	3·18	2·09	2,826	1,442	1,384	1,328	65	22	11	5	1431	42	42	45	47	117	151	163	163	205	420

Marriages 25,368§

Births { Males 14,721 } 29,000
{ Females 14,279 }

Annual Rate per 1000 living { Persons Married 18·30§ / Births 25·77

Deaths from Childbirth and Puerperal Fever 4·76 per 1,000 Births

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

§ These figures relate to the two Registration Districts of Paddington and Kensington, as the Marriages in these two Districts were not separately returned until the 1st January 1885.

1b.—KENSINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Deaths per 1000 (Persons / Males / Females)	—	In Standard Population* 23·78 / 24·33 / 18·38	4154 / 4170 / 4158	–	–	–	–	62·86 / 68·22 / 57·48	4·36 / 4·34 / 4·39	2·49 / 2·27 / 2·98	3·59 / 3·09 / 3·96	3·97 / 3·77 / 3·10	6·59 / 9·50 / 5·06	12·31 / 16·28 / 9·72	18·66 / 24·10 / 14·62	34·71 / 43·64 / 28·63	74·78 / 87·24 / 67·24	177·67 / 191·32 / 170·71
Mean Population in 1885 (Persons / Males / Females)	Decennial Increase of Population 1·94 per cent.	164,750 / 85,884 / 80,146	3506 / 1749 / 1757	3221 / 1694 / 1527	3159 / 1629 / 1530	3144 / 1584 / 1560	3192 / 1575 / 1617	16223 / 8113 / 8110	14564 / 7036 / 7528	13446 / 6436 / 7010	13684 / 6957 / 10427	13814 / 6444 / 7377	21244 / 10776 / 10468	21500 / 8846 / 13063	14822 / 6043 / 8779	9344 / 3721 / 5623	5031 / 1897 / 3134	1944 / 657 / 1287
Deaths from Causes (Persons / Males / Females) Annual Rate per 1000 (Persons / Males / Females)	18·50 / 22·84 / 15·03	30,476 / 14,081 / 15,495	6283 / 3705 / 2708	2127 / 1130 / 1047	883 / 445 / 438	595 / 278 / 317	329 / 157 / 172	10197 / 5335 / 4862	649 / 308 / 332	332 / 139 / 193	584 / 244 / 340	787 / 372 / 415	2039 / 1024 / 1035	2661 / 1391 / 1270	2766 / 1452 / 1334	3234 / 1624 / 1610	3762 / 1655 / 2107	3454 / 1257 / 2197

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·02	0·01	25	12	13	3	1	1	1	1	7	–	–	1	3	5	3	5	1	–	–	–
Measles	0·46	0·47	0·45	765	373	392	152	281	143	88	51	717	39	3	1	1	–	1	1	–	–	–	–
Scarlet Fever	0·10	0·12	0·09	169	77	92	10	29	32	25	18	112	11	1	1	1	4	1	–	–	1	–	–
Diphtheria	0·18	0·20	0·17	294	139	155	14	40	34	42	42	175	77	16	6	3	8	6	2	–	–	–	1
Whooping-cough	0·31	0·37	0·26	515	276	457	329	265	124	65	36	819	29	2	–	–	–	1	–	–	–	–	–
Typhus	0·00	0·00	0·00	5	3	2	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–
Enteric Fever	0·10	0·12	0·09	172	81	91	1	2	3	6	1	13	18	13	17	23	24	26	24	7	5	3	–
Simple Continued Fever	0·02	0·03	0·02	30	10	20	1	–	2	2	4	9	2	3	3	1	5	1	1	2	1	–	–
Diarrhœa and Dysentery	0·54	0·70	0·43	887	436	451	645	160	18	4	1	771	3	–	1	1	8	6	5	12	24	36	5
Cholera	0·01	0·01	0·01	15	7	8	4	2	1	–	–	7	–	1	–	1	–	2	1	–	2	1	–
Cancer	0·81	0·67	0·90	1330	437	893	–	–	1	1	3	5	3	–	4	7	23	143	258	359	338	185	–
Tabes Mesenterica	0·20	0·10	0·29	329	92	237	322	55	31	10	7	425	15	5	2	–	4	9	2	1	–	–	–
Phthisis	2·76	3·57	1·98	4,525	2,349	1,970	46	25	10	14	4	99	84	80	301	441	1126	1154	708	358	198	41	2
Other Forms of Tubercular Disease	0·41	0·55	0·30	672	371	301	205	142	76	18	28	502	73	22	18	11	14	19	4	9	7	2	–
Diseases of Nervous System	2·18	2·01	1·93	3583	1710	1882	747	248	69	62	24	1125	69	27	35	40	89	171	201	428	714	567	114
Circulatory	1·14	1·15	1·13	1870	1007	863	34	8	2	2	2	48	21	44	27	42	141	303	340	497	584	443	111
Respiratory	3·80	4·44	3·16	6254	3784	2470	1287	716	254	125	77	2459	166	96	57	84	167	255	402	754	1017	1078	230
Digestive	1·93	1·74	2·13	3175	1495	1680	302	95	37	9	12	455	53	16	23	25	37	76	124	224	344	348	122
Urinary	0·58	0·67	0·53	949	569	380	3	7	3	2	5	20	10	5	7	14	35	39	146	211	314	195	40
Generative	0·06	0·01	0·09	97	5	92	1	–	–	–	–	1	–	–	2	7	19	14	20	12	12	10	–
Puerperal Fever	0·09	–	0·14	143	–	143	–	–	–	–	–	–	–	–	7	30	70	32	–	–	–	–	–
Convulsions	0·03	–	0·05	51	–	51	–	–	–	–	–	–	–	–	1	10	21	18	–	–	–	–	–
Violence	0·38	0·55	0·27	624	360	264	188	18	16	6	6	234	16	12	13	16	37	66	73	57	54	46	7
Other Causes	2·63	3·25	2·22	4 30	2148	2183	1963	125	35	13	12	2148	50	37	51	47	139	189	284	260	418	706	135

Marriages – – Rejected
Births (Males / Females) Annual Rate per 1000 living (Persons Married / Births) Deaths from Childbirth and Puerperal Fever (4·73 per 1000 Births.)

* *See pages* xxxvi–xxxviii. † The death-rates under one year of age are per 1000 Births.

§ These figures relate to the two Registration Districts of Paddington and Kensington, as the Westbourne Park District was not separately returned prior to the 1st of January 1885.

2.—FULHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 19·87	†161	–	–	–	–	67·53	5·77	2·76	3·86	4·40	6·28	10·39	15·86	31·03	60·96	154·57
Males	—	Standard 20·86	†174	–	–	–	–	71·59	5·84	2·66	3·64	4·69	5·99	11·05	18·04	34·52	70·14	160·08
Females	—	Population* 18·95	†147	–	–	–	–	63·49	5·71	2·85	4·04	4·19	6·53	9·82	14·04	28·57	55·71	151·75
Mean Population, 1881–91. Persons	Decennial Increase of Population 64·47 per cent.	151,859	4534	4061	4129	4043	3885	20652	17902	15070	13864	14242	26290	18984	12219	7164	4006	1466
Males		70,115	2299	2036	2012	1998	1948	10293	8893	7215	6187	6122	12041	8878	5572	2961	1457	496
Females		81,744	2235	2025	2117	2045	1937	10359	9009	7855	7677	8120	14249	10106	6647	4203	2549	970
Deaths from All Causes, 1881–90. Persons	19·13	29,051	8682	2776	1146	790	552	13946	1033	416	535	627	1652	1973	1938	2223	2442	2266
Males	20·16	14,137	4774	1365	570	394	266	7369	519	192	225	287	721	981	1005	1022	1022	794
Females	18·24	14,914	3908	1411	576	396	286	6577	514	224	310	340	931	992	933	1201	1420	1472

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·26	0·32	0·21	400	226	174	21	5	7	8	8	49	39	23	53	57	88	53	25	6	6	1
Measles	0·71	0·80	0·63	1082	564	518	224	418	202	98	64	1006	66	5	–	–	3	2	–	–	–	–
Scarlet Fever	0·48	0·53	0·44	736	374	362	33	96	124	153	95	501	184	24	13	7	4	3	–	–	–	–
Diphtheria	0·28	0·27	0·30	431	189	242	18	42	55	64	61	240	143	20	9	5	8	2	2	1	1	–
Whooping-cough	0·73	0·71	0·74	1102	495	607	457	348	136	79	38	1058	40	1	–	1	–	1	–	–	1	–
Typhus	0·00	0·00	0·01	7	2	5	–	–	–	–	–	–	2	1	1	1	1	–	1	–	–	–
Enteric Fever	0·17	0·19	0·15	259	134	125	5	8	7	5	9	34	19	30	41	29	58	25	12	7	1	3
Simple Continued Fever	0·02	0·02	0·02	31	14	17	1	1	6	2	4	14	6	1	3	–	1	1	–	1	3	1
Diarrhœa and Dysentery	1·04	1·17	0·93	1580	817	763	1244	178	23	14	4	1463	7	3	–	–	3	10	6	19	25	44
Cholera	0·03	0·03	0·02	39	21	18	27	3	–	1	–	31	–	–	1	–	–	1	2	4	–	–
Cancer	0·55	0·37	0·71	839	261	578	1	–	1	1	–	3	5	–	1	5	29	117	185	220	196	78
Tabes Mesenterica	0·40	0·42	0·33	610	341	269	420	108	28	9	5	570	16	11	2	3	4	2	2	–	–	–
Phthisis	1·58	1·68	1·50	2402	1178	1224	43	36	15	13	7	114	44	55	161	213	622	604	351	167	58	13
Other Tub. & Scrof. Dis.	0·58	0·67	0·51	883	467	416	372	172	68	53	41	706	85	31	15	12	10	10	9	3	1	1
Diseases of Nervous System	1·99	2·08	1·90	3015	1461	1554	958	208	72	49	32	1319	76	35	27	34	90	164	203	326	402	339
Diseases of Circulatory „	1·36	1·28	1·43	2069	897	1172	81	16	4	4	3	108	20	39	35	49	132	213	284	386	470	333
Diseases of Respiratory „	3·72	3·92	3·53	5631	2747	2884	1595	817	294	165	119	2990	137	21	30	49	157	252	320	521	644	510
Diseases of Digestive „	1·11	1·17	1·07	1693	817	876	513	155	30	17	17	732	35	25	33	24	76	146	171	195	168	88
Diseases of Urinary „	0·41	0·49	0·35	626	344	282	11	11	6	4	7	39	11	9	12	19	43	71	108	120	117	77
Diseases of Generative „	0·07	0·01	0·11	100	8	92	3	2	–	–	–	5	–	2	3	3	16	20	20	13	12	6
Puerperal Fever	0·08	–	0·16	127	–	127	–	–	–	–	–	–	–	–	6	24	69	27	1	–	–	–
Childbirth	0·06	–	0·10	84	–	84	–	–	–	–	–	–	–	–	3	11	43	26	1	–	–	–
Violence	0·61	0·88	0·38	924	615	309	211	38	30	29	23	331	46	38	41	33	88	92	99	62	49	45
OTHER CAUSES	2·89	3·08	2·71	4381	2165	2216	2444	114	38	22	15	2633	52	42	45	48	107	131	136	172	288	727

Marriages 11,619 | Annual Rate per 1000 living { Persons Married 15·30 / Births 35·57 | Deaths from Childbirth and Puerperal Fever 3·91 per 1000 Births.

Births { Males 27,421 / Females 26,594 } 54,015

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

3.—CHELSEA.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4	Total under 5 Years	5–	10–	15–	20	25–	35–	45–	55–	65–	75 and upwards
Annual Deaths { Persons	—	In Standard Population.* 21·88	1109	–	–	–	–	73·51	6·45	3·33	4·08	5·76	8·20	14·51	23·70	38·73	71·07	103·99
per 1000. { Males	—		1220	–	–	–	–	77·22	6·34	2·71	4·52	5·86	9·58	15·98	26·01	45·14	81·85	177·61
{ Females	—		1150	–	–	–	–	69·83	5·48	5·08	4·83	5·68	7·75	13·23	20·30	35·11	63·27	155·48
Mean Population, 1881-91. { Persons	Decennial Increase of Population 9·22 per cent.	52,190	2465	2272	2262	2203	2096	11268	9518	8772	8101	9351	16318	11883	8061	5089	2807	1922
{ Males		46,754	1236	1171	1142	1098	1046	5693	4651	4381	3945	4473	7487	5626	3668	2268	1179	893
{ Females		48,436	1229	1101	1120	1105	1050	5605	4867	4241	4186	4878	8831	6257	4393	2821	1628	629
Deaths from All Causes, 1881-90. { Persons	22·50	20,946	5070	1793	725	475	314	8287	614	292	379	539	1401	1734	1878	1361	1095	1676
{ Males	24·90	10,500	2737	980	369	220	157	4463	323	123	177	262	747	885	962	1047	765	658
{ Females	20·15	10,246	2333	813	356	255	157	3924	291	169	202	277	654	841	916	944	1030	878

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·02	0·02	15	7	8	4	–	–	–	–	4	1	1	1	–	3	3	1	–	1	–
Measles	0·73	0·80	0·65	689	362	327	137	237	129	71	45	619	54	1	–	1	2	–	1	–	–	–
Scarlet Fever	0·15	0·14	0·15	136	62	74	9	21	10	21	18	88	38	3	1	1	3	1	–	1	–	–
Diphtheria	0·24	0·27	0·22	224	119	105	9	37	36	37	34	153	53	8	1	3	–	2	1	–	–	–
Whooping-cough	0·72	0·71	0·74	667	311	356	235	213	96	55	37	636	28	2	–	–	1	–	–	–	–	–
Typhus	0·01	0·00	0·01	6	2	4	–	–	–	–	1	1	–	1	1	2	–	1	–	–	–	–
Enteric Fever	0·13	0·14	0·12	120	69	60	2	4	1	3	6	16	16	16	9	5	31	12	6	4	3	–
Simple Continued Fever	0·02	0·02	0·02	19	9	10	–	–	2	2	1	5	3	2	2	–	1	2	1	3	–	1
Diarrhœa and Dysentery	0·87	0·90	0·84	803	394	409	601	105	18	4	3	728	1	1	–	1	1	4	3	10	27	27
Cholera	0·04	0·04	0·04	35	16	19	19	2	3	–	1	25	–	–	1	–	1	2	3	2	–	–
Cancer	1·49	0·90	2·01	1371	508	973	1	2	3	–	–	6	3	1	3	10	79	247	442	351	208	71
Tabes Mesenterica	0·37	0·42	0·33	342	185	160	234	50	15	10	7	316	9	5	1	4	1	2	1	2	–	1
Phthisis	3·08	3·81	2·42	2839	1668	1171	45	40	22	13	12	132	30	64	216	306	743	685	397	206	58	7
Other Tub. & Scrof. Dis.	0·64	0·78	0·51	592	343	249	184	135	66	37	21	443	64	14	5	7	13	9	2	6	2	–
Diseases of Nervous System	2·38	2·56	2·22	2195	1121	1074	658	143	51	41	2	895	54	28	20	25	53	86	130	204	301	236
" Circulatory	1·74	1·85	1·62	1607	822	785	26	6	4	1	–	37	25	31	34	30	105	173	274	307	300	212
" Respiratory	4·36	4·81	3·97	4025	2068	1957	943	407	205	111	55	1721	93	19	25	43	59	183	275	471	457	490
" Digestive	1·12	1·10	1·15	1035	480	555	299	75	19	9	7	409	24	16	10	18	47	80	114	135	126	65
" Urinary	0·44	0·57	0·32	406	251	155	7	–	5	8	6	26	12	8	5	12	23	40	77	75	70	45
" Generative	0·11	0·01	0·20	99	4	95	2	–	–	–	–	2	–	–	1	4	28	26	16	12	9	1
Puerperal Fever	0·08	–	0·15	75	–	75	–	–	–	–	–	–	–	–	3	14	41	16	1	–	–	–
Convulsions	0·05	0·07	0·10	48	25	23	–	–	–	–	–	–	–	–	1	3	23	21	–	–	–	–
Violence	0·53	0·67	0·39	484	294	190	149	22	12	15	10	208	30	21	12	21	47	43	38	14	33	27
Other Causes	3·18	3·44	2·95	2954	1491	1463	1546	144	35	14	12	1751	76	56	27	29	67	80	82	145	193	493

Marriages	2,070	Annual Rate per 1000 living { Persons Married	19·63	Deaths from Childbirth and Puerperal Fever	3·88 per 1000 Births.
Births { Males	16,182		Births	34·43		
{ Females	15,546					
	31,728					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

4.—ST. GEORGE, HANOVER SQUARE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·48	†153	–	–	–	–	71·34	6·89	3·84	4·70	5·26	8·55	16·40	23·80	40·40	70·39	155·13
Annual Death-Rate per 1000. Males	—	In Standard Population* 26·83	†170	–	–	–	–	77·46	7·03	4·29	5·49	6·48	11·18	21·41	30·66	50·28	82·96	181·32
Annual Death-Rate per 1000. Females	—	In Standard Population* 20·31	†136	–	–	–	–	65·28	6·75	3·41	4·06	4·27	6·47	12·36	18·25	32·72	61·63	141·19
Mean Population, 1881–91. Persons	Decennial Decrease of Population 10·42 per cent.	141,943	2852	2569	2535	2406	2327	12689	10862	10110	13643	17954	28586	19629	13607	8631	4614	1618
Mean Population, 1881–91. Males	Decennial Decrease of Population 10·42 per cent.	64,359	1446	1270	1247	1195	1155	6313	5288	4924	6084	8025	12636	8765	6089	3777	1896	562
Mean Population, 1881–91. Females	Decennial Decrease of Population 10·42 per cent.	77,584	1406	1299	1288	1211	1172	6376	5574	5186	7559	9929	15950	10864	7518	4854	2718	1056
Deaths from All Causes, 1881–90. Persons	21·08	29,922	5305	2026	841	514	366	9052	748	388	641	944	2445	3220	3239	3487	3248	2510
Deaths from All Causes, 1881–90. Males	24·82	15,975	2971	1053	424	263	179	4890	372	211	334	520	1413	1877	1867	1899	1573	1019
Deaths from All Causes, 1881–90. Females	17·98	13,947	2334	973	417	251	187	4162	376	177	307	424	1032	1343	1372	1588	1675	1491

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·01	18	8	10	4	–	–	1	1	6	1	1	2	–	4	2	1	1	–	–
Measles	0·47	0·53	0·43	673	338	335	123	260	124	69	30	606	61	–	1	1	1	1	–	–	–	1
Scarlet Fever	0·12	0·13	0·12	172	81	91	9	32	25	15	22	103	44	8	7	4	6	–	–	–	–	–
Diphtheria	0·32	0·37	0·29	458	235	223	16	67	67	20	53	223	117	10	12	7	8	7	2	2	–	–
Whooping-cough	0·52	0·51	0·53	741	331	410	265	246	102	65	35	713	28	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	6	1	5	–	–	–	–	–	–	1	–	1	1	2	–	–	1	–	–
Enteric Fever	0·19	0·24	0·16	273	152	121	4	2	2	2	1	11	9	30	39	56	72	24	13	11	5	3
Simple Continued Fever	0·02	0·02	0·02	27	11	16	1	1	–	2	3	7	3	–	–	2	6	4	2	–	2	1
Diarrhœa and Dysentery	0·55	0·63	0·49	787	405	382	584	74	9	3	1	671	3	–	1	1	8	8	8	20	32	35
Cholera	0·01	0·02	0·01	18	14	4	9	2	1	–	–	12	–	–	–	–	2	–	–	1	2	1
Cancer	0·96	0·85	1·06	1368	547	821	–	1	1	–	1	3	3	4	5	10	62	187	350	412	242	90
Tabes Mesenterica	0·26	0·33	0·21	374	213	161	224	62	20	9	5	320	21	10	6	5	5	5	2	–	–	–
Phthisis	2·39	3·28	1·65	3393	2111	1282	46	24	11	12	5	98	41	49	118	292	801	944	558	347	126	19
Other Tub. & Scrof. Dis.	0·62	0·74	0·52	874	473	401	199	190	92	56	54	591	90	32	34	31	44	28	15	8	–	1
Diseases of Nervous System	2·20	2·50	1·95	3116	1606	1510	644	185	76	32	19	956	63	27	37	49	112	208	293	427	550	394
Diseases of Circulatory „	1·96	2·30	1·68	2778	1478	1300	25	6	3	3	7	44	36	52	108	95	242	412	503	556	475	255
Diseases of Respiratory „	4·32	5·02	3·73	6127	3232	2895	1046	601	228	88	76	2039	70	12	43	93	260	406	551	802	1041	810
Diseases of Digestive „	1·31	1·45	1·19	1855	931	924	300	114	21	16	11	462	33	26	44	64	147	230	273	273	209	94
Diseases of Urinary „	0·79	1·08	0·55	1120	692	428	5	7	4	4	6	26	9	12	36	33	132	190	199	211	184	88
Diseases of Generative „	0·14	0·02	0·23	194	16	178	3	1	–	–	–	4	–	–	6	18	43	47	38	14	16	8
Puerperal Fever	0·07	–	0·13	100	–	100	–	–	–	–	–	–	–	–	6	20	49	25	–	–	–	–
Childbirth	0·05	–	0·09	67	–	67	–	–	–	–	–	–	–	–	2	9	28	27	1	–	–	–
Violence	0·99	1·57	0·51	1403	1008	395	166	38	23	27	20	274	46	46	51	60	181	225	197	167	98	58
Other Causes	2·81	3·22	2·41	3980	2092	1888	1632	113	32	20	16	1813	69	69	82	93	230	240	232	234	266	652

Marriages 14,294

Births { Males 17,485 / Females 17,120 } 34,605

Annual Rate per 1000 living { Persons Married 20·14 / Births 24·38

Deaths from Childbirth and Puerperal Fever 4·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

5.—WESTMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons —	In Standard Population* 21·33	†163	–	–	–	–	79·32	4·30	1·52	2·23	3·05	6·94	13·63	19·36	36·02	69·50	154·03
	Males —	21·37	†174	–	–	–	–	75·25	3·62	1·81	1·46	3·47	6·91	13·63	19·94	38·30	71·53	150·00
	Females —	20·90	†152	–	–	–	–	83·41	4·95	1·24	2·97	2·66	6·96	13·63	18·77	33·66	67·66	157·14
Mean Popu-lation, 1881–90.	Persons	Decennial Decrease of Population 19·84 per cent.	31,930					3876	3445	3353	4440	5183	7914	5540	4054	2490	1213	422
	Males		20,744					1991	1711	1655	2185	2478	3979	2745	2046	1254	576	184
	Females		21,186					1885	1734	1698	2255	2705	3935	2795	2008	1236	637	238
Deaths from All Causes, 1881–90.	Persons	18·45	7,738					1683	624	239	163	94	2865	448	51	99	158	549	755	785	897	843	650
	Males	18·75	3,889					906	322	104	78	43	1427	62	30	32	86	275	374	403	481	412	276
	Females	18·17	3,849					777	302	135	85	51	1350	86	21	67	72	274	381	377	416	431	374

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Smallpox	0·01	0·00	0·02	6	1	5	1	–	–	–	–	1	–	–	–	1	2	–	2	–	–	–
Measles	0·57	0·56	0·57	237	116	121	45	83	45	32	13	217	19	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·15	0·11	0·19	62	22	40	3	7	9	10	9	38	14	5	1	–	3	1	1	–	–	–
Diphtheria	0·11	0·10	0·13	47	20	27	2	10	7	10	3	32	10	1	–	–	1	2	1	–	–	–
Whooping-cough	0·47	0·42	0·52	197	88	109	69	58	23	29	9	188	9	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	3	2	1	–	–	–	–	1	1	–	–	–	–	–	1	1	–	–	–
Enteric Fever	0·14	0·17	0·11	58	35	23	–	1	–	1	1	3	7	3	4	15	11	9	4	3	–	–
Simple Continued Fever	0·01	0·01	0·01	5	2	3	–	1	1	–	–	2	–	1	–	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·56	0·60	0·51	233	124	109	163	35	4	1	–	206	2	–	–	–	3	1	2	4	9	6
Cholera	0·02	0·02	0·02	9	5	4	5	2	–	–	–	7	–	–	–	–	–	1	1	–	–	–
Ulcer	0·55	0·39	0·71	232	81	151	–	–	–	–	–	–	–	–	–	2	23	29	60	68	37	13
Cancer Malignant Disease	0·31	0·32	0·30	131	67	64	88	24	9	2	1	124	–	2	1	–	2	–	1	–	1	–
Phthisis	2·05	2·59	1·52	860	538	322	12	4	5	2	1	24	7	9	40	46	228	257	156	77	15	1
Other Tub. & Scrof. Dis.	0·46	0·59	0·33	192	122	70	54	47	24	19	9	153	14	5	1	7	7	2	3	–	–	–
Diseases of: Nervous System	2·06	2·10	2·02	864	436	428	236	89	20	7	5	357	11	5	10	12	27	65	87	119	113	83
Circulatory ,,	1·30	1·34	1·27	545	277	268	6	–	–	1	1	8	8	4	11	11	37	83	105	112	107	59
Respiratory ,,	4·22	4·35	4·10	1771	902	869	345	220	74	39	30	708	34	9	10	12	47	93	170	285	268	137
Digestive ,,	1·16	1·13	1·20	488	234	254	111	47	7	2	3	170	1	1	4	11	33	52	59	71	54	22
Urinary ,,	0·42	0·53	0·32	177	110	67	1	1	–	–	4	6	1	–	1	5	21	33	29	33	28	16
Generative ,,	0·33	0·00	0·65	138	1	137	1	–	–	–	–	1	–	–	2	6	34	49	32	12	3	–
Puerperal Fever	0·07	–	0·14	30	–	30	–	–	–	–	–	–	–	–	1	3	16	9	1	–	–	–
Childbirth	0·03	–	0·06	12	–	12	–	–	–	–	–	–	–	–	–	3	3	6	–	–	–	–
Accident	0·44	0·54	0·34	184	113	71	53	1	2	4	2	62	2	–	4	10	22	18	19	20	15	12
Other Causes	3·00	2·87	3·14	1237	593	644	483	26	9	4	3	525	9	6	9	14	28	44	54	84	194	206

Marriages	4,992	Annual Rate per 1000 living	Persons Married	29·38
Births — Males	5,220		Births	31·61
Births — Females	5,100			
Births	10,320			

Deaths from Childbirth and Puerperal Fever — 4·07 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

6.—MARYLEBONE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 20·84	†148	–	–	–	–	74·82	5·08	2·86	3·07	3·75	6·83	12·20	20·46	32·12	58·16	121·25
Males	—	Standard 22·37	†163	–	–	–	–	81·10	5·16	2·66	3·11	3·86	7·48	13·02	23·37	36·52	63·36	132·28
Females	—	Population* 19·39	†132	–	–	–	–	68·57	5·01	3·06	3·04	3·67	6·37	11·57	18·28	28·96	54·82	115·42
Mean Population, 1881-91. Persons	Decennial Decrease of Population 8·07 per cent.	148,657	3356	2868	2878	2753	2740	14595	12588	11625	14494	17452	27749	19857	14193	9180	5009	1915
Males		65,134	1695	1415	1449	1360	1361	7280	6160	5573	6331	7179	11467	8611	6071	3842	1957	663
Females		83,523	1661	1453	1429	1393	1379	7315	6428	6052	8163	10273	16282	11246	8122	5338	3052	1252
Deaths from All Causes, 1881-90. Persons	19·10	28,397	6981	2225	861	506	347	10920	640	333	445	654	1895	2422	2904	2949	2913	2322
Males	21·13	13,762	3914	1141	415	249	185	5904	318	148	197	277	858	1121	1419	1403	1240	877
Females	17·52	14,635	3067	1084	446	257	162	5016	322	185	248	377	1037	1301	1485	1546	1673	1445

	Persons.	Males.	Females.	Persons.	Males	Females.	PERSONS.											
Small-pox	0·01	0·01	0·01	16	9	7	–	1	2	–	1	4	1	2	1	2	2	1	–	2	1	–
Measles	0·54	0·65	0·46	805	425	380	162	320	137	79	53	751	47	3	–	1	2	–	–	–	1	–
Scarlet Fever	0·12	0·14	0·11	184	88	96	12	25	28	26	27	118	46	11	2	–	3	4	–	–	–	–
Diphtheria	0·15	0·16	0·15	228	104	124	13	29	32	30	30	134	55	8	5	4	7	7	3	4	1	–
Whooping-cough	0·55	0·60	0·51	816	388	428	341	264	96	58	27	786	29	–	–	1	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	9	3	6	2	1	1	–	–	4	1	–	1	–	1	1	1	–	–	–
Enteric Fever	0·15	0·16	0·15	228	104	124	2	1	1	6	6	16	16	16	19	35	61	37	16	7	4	1
Simple Continued Fever	0·02	0·02	0·02	27	12	15	2	2	1	1	–	6	4	1	1	2	–	5	3	–	5	–
Diarrhœa and Dysentery	0·65	0·78	0·55	971	509	462	753	99	12	4	3	871	3	4	1	3	5	12	7	10	24	31
Cholera	0·02	0·02	0·01	23	16	7	7	5	1	2	–	15	–	–	1	–	1	–	1	2	3	–
Cancer	1·20	0·87	1·46	1789	569	1220	–	–	1	2	2	5	–	2	3	16	91	300	502	438	336	96
Tabes Mesenterica	0·24	0·30	0·20	363	198	165	207	79	17	6	4	313	12	8	5	6	9	4	5	–	1	–
Phthisis	1·71	2·08	1·42	2546	1357	1189	43	24	9	6	10	92	34	56	126	219	680	620	430	217	60	12
Other Tub. & Scrof. Dis.	0·55	0·70	0·43	813	454	359	286	154	75	51	39	605	70	31	21	10	32	25	13	5	1	–
Diseases of Nervous System	1·92	2·20	1·69	2840	1430	1410	796	191	77	46	22	1132	67	35	29	39	80	150	251	344	400	313
Diseases of Circulatory	1·51	1·60	1·44	2248	1042	1206	23	2	4	2	4	35	24	33	58	60	161	259	365	457	485	311
Diseases of Respiratory	4·11	4·45	3·83	6101	2902	3199	1406	701	278	132	74	2681	111	29	37	44	158	297	502	703	850	689
Diseases of Digestive	1·14	1·23	1·08	1698	799	899	394	90	22	15	10	531	26	18	27	46	92	168	242	243	196	109
Diseases of Urinary	0·62	0·83	0·46	924	543	381	8	3	2	6	6	25	15	9	15	27	78	115	178	179	182	101
Diseases of Generative	0·24	0·01	0·43	364	7	357	1	1	–	–	–	2	–	1	4	12	81	101	96	39	23	5
Puerperal Fever	0·09	–	0·17	138	–	138	–	–	–	–	–	–	–	–	5	33	69	28	3	–	–	–
Childbirth	0·05	–	0·08	70	–	70	–	–	–	–	–	–	–	–	1	5	39	23	2	–	–	–
Violence	0·64	0·91	0·43	956	593	363	276	26	35	15	16	368	30	16	19	32	101	100	97	81	69	43
OTHER CAUSES	2·86	3·41	2·42	4240	2210	2030	2247	117	30	19	13	2426	49	50	64	57	142	165	187	218	271	611

Marriages - - - 15,018

Births - Males - 24,069, Females - 23,173 } 47,242

Aunual Rate per 1000 living { Persons Married 20·20, Births - - 31·78

Deaths from Childbirth and Puerperal Fever - - - - - } 4·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

7.—HAMPSTEAD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 10·05	†147	–	–	–	–	48·55	5·78	3·24	3·19	3·34	5·35	9·24	13·49	24·08	53·83	132·37
Males	—	Standard 17·69	†126	–	–	–	–	52·77	5·49	2·89	3·21	4·46	7·16	10·09	17·11	28·23	64·81	146·38
Females	—	Population* 14·39	†106	–	–	–	–	44·32	6·07	3·51	3·18	2·87	4·41	8·69	11·09	21·19	46·78	125·36
Mean Population, 1881–91. Persons	Decennial Increase of Population 50·52 per cent.	56,934	1197	1058	1036	1090	1077	5518	5206	5490	6455	7306	10996	6860	4695	2870	1607	621
Males		22,173	609	524	506	540	524	2703	2552	2682	2152	2154	3644	2715	1960	1176	628	307
Females		34,761	588	534	530	550	553	2755	2654	2808	4303	5152	7092	4145	2735	1694	979	414
Deaths from All Causes, 1884–90. Persons	18·71	7,808	1548	535	251	217	128	2679	301	168	206	244	570	634	628	691	865	823
Males	16·83	3,731	803	284	128	118	65	1458	140	66	69	96	261	274	325	332	407	305
Females	11·73	4,077	685	251	123	99	63	1221	161	102	137	148	309	360	303	359	458	519

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·28	0·30	0·26	157	87	70	7	6	4	4	4	25	14	10	16	20	39	20	5	5	2	1
Measles	0·28	0·34	0·25	162	76	86	58	58	24	14	12	146	9	2	2	3	–	–	–	–	–	–
Scarlet Fever	0·62	0·78	0·72	354	174	180	9	45	52	81	50	237	81	18	4	4	6	1	–	3	–	–
Diphtheria	0·40	0·43	0·38	227	96	131	14	21	35	29	29	128	62	18	4	6	1	1	2	2	3	–
Whooping-cough	0·33	0·45	0·25	187	99	88	88	62	19	10	3	182	3	–	1	–	–	–	–	–	1	–
Typhus	0·00	–	0·01	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·18	0·23	0·15	103	50	53	1	–	1	1	–	3	12	7	15	8	32	12	6	5	3	–
Simple Continued Fever	0·01	0·00	0·01	4	1	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–
Diarrhœa and Dysentery	0·31	0·43	0·25	176	96	80	135	19	1	–	–	155	2	–	–	–	3	1	2	3	2	4
Cholera	0·01	0·00	0·02	6	1	5	2	2	–	–	–	4	–	–	–	1	1	–	–	–	–	–
Cancer	0·69	0·51	0·80	391	114	277	–	–	–	–	–	–	–	–	1	–	5	47	86	107	105	40
Tabes Mesenterica	0·13	0·18	0·10	73	39	34	38	11	5	3	1	58	4	4	1	1	1	2	1	–	1	–
Phthisis	1·48	1·80	1·28	845	399	446	10	4	–	1	–	15	5	31	68	108	254	193	114	40	17	1
Other Tub. & Scrof. Dis.	0·36	0·51	0·27	207	112	95	48	42	22	12	5	129	26	8	11	5	14	8	4	2	–	–
Diseases of Nervous System	1·46	1·79	1·24	829	397	432	179	47	12	12	3	253	19	7	15	5	23	47	70	100	149	141
Circulatory „	1·14	1·28	1·05	649	283	366	12	3	2	–	1	18	3	14	9	18	26	64	88	116	171	122
Respiratory „	2·08	2·65	1·72	1186	588	598	258	133	50	32	12	505	22	11	12	9	42	55	80	113	155	152
Digestive „	0·88	1·13	0·73	501	249	252	111	30	7	1	–	149	11	9	8	12	23	45	50	62	81	44
Urinary „	0·40	0·61	0·26	226	135	91	2	–	1	2	2	7	1	1	5	2	17	21	25	44	32	14
Generative „	0·08	0·01	0·12	44	2	42	1	–	–	–	–	1	–	–	–	2	8	11	10	3	5	4
Puerperal Fever	0·07	–	0·11	39	–	39	–	–	–	–	–	–	–	–	2	3	23	10	1	–	–	–
Childbirth	0·04	–	0·06	21	–	21	–	–	–	–	–	–	–	–	1	4	7	9	–	–	–	–
Violence	0·42	0·75	0·24	239	167	72	68	8	8	14	3	98	7	5	4	12	9	25	34	20	15	10
OTHER CAUSES	2·06	2·57	1·77	1180	566	614	527	24	8	4	3	566	19	23	27	20	34	62	40	59	95	235

Marriages 3,535

Births { Males 6,840 / Females 6,446 } 13,286

Annual Rate per 1000 living { Persons Married 12·42 / Births 23·34

Deaths from Childbirth and Puerperal Fever 6·52 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

8.—PANCRAS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 22·47	†153	–	–	–	–	66·51	5·73	2·90	3·87	4·99	8·64	15·18	22·68	39·25	75·46	170·49
Annual Death-Rate per 1000. Males	—	In Standard Population* 24·35	†164	–	–	–	–	70·37	5·96	2·78	3·99	5·26	9·73	17·56	27·00	46·72	86·20	188·36
Annual Death-Rate per 1000. Females	—	In Standard Population* 20·69	†142	–	–	–	–	62·64	5·50	3·01	3·75	4·74	7·62	12·99	18·94	33·46	68·19	161·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·84 per cent.	235,318	6356	5660	5671	5407	5205	28299	24031	21449	21871	24647	41896	29820	20875	13158	6859	2413
Mean Population, 1881–91. Males	Decennial Decrease of Population 0·84 per cent.	112,938	3187	2841	2861	2700	2592	14181	11882	10668	10704	11958	20224	14322	9673	5741	2769	816
Mean Population, 1881–91. Females	Decennial Decrease of Population 0·84 per cent.	122,380	3169	2819	2810	2707	2613	14118	12149	10781	11167	12689	21672	15498	11202	7417	4090	1597
Deaths from All Causes, 1881–90. Persons	21·35	50,231	11600	4004	1591	958	670	18823	1376	621	846	1231	3618	4528	4734	5164	5176	4114
Deaths from All Causes, 1881–90. Males	22·79	25,740	6305	2057	779	472	366	9979	708	297	427	629	1967	2515	2612	2682	2387	1537
Deaths from All Causes, 1881–90. Females	20·01	24,491	5295	1947	812	486	304	8844	668	324	419	602	1651	2013	2122	2482	2789	2577

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·02	0·02	48	25	23	9	1	1	2	1	14	6	4	3	1	11	3	5	–	1	–
Measles	0·57	0·62	0·52	1337	701	636	258	519	227	142	83	1229	98	3	3	2	–	2	–	–	–	–
Scarlet Fever	0·17	0·19	0·16	405	209	196	20	67	64	52	44	247	111	28	5	3	8	2	1	–	–	–
Diphtheria	0·27	0·28	0·25	624	314	310	44	102	98	91	94	429	142	16	6	5	10	9	2	2	2	1
Whooping-cough	0·68	0·60	0·76	1605	673	932	572	556	220	118	78	1544	60	–	–	–	–	–	1	–	–	–
Typhus	0·00	0·00	0·00	4	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–
Enteric Fever	0·22	0·24	0·20	519	275	244	–	3	8	13	11	35	38	65	59	83	113	65	36	16	8	1
Simple Continued Fever	0·01	0·01	0·01	27	14	13	3	–	3	2	4	12	2	–	6	2	–	2	–	–	2	1
Diarrhœa and Dysentery	0·71	0·77	0·65	1661	864	797	1277	189	23	9	4	1502	6	5	3	–	5	12	15	20	31	62
Cholera	0·02	0·02	0·02	48	28	20	26	6	1	–	–	33	1	–	1	1	2	2	5	1	1	1
Cancer	0·85	0·68	1·02	2008	764	1244	4	6	3	2	–	15	4	6	10	12	76	258	500	617	377	133
Tabes Mesenterica	0·35	0·40	0·30	819	449	370	477	142	53	23	14	709	33	25	12	6	12	10	6	2	3	1
Phthisis	2·45	3·10	1·86	5775	3499	2276	98	42	18	17	9	184	62	68	236	452	1537	1621	995	493	114	13
Other Tub. & Scrof. Dis.	0·62	0·70	0·55	1467	796	671	537	307	125	89	48	1106	135	45	42	30	39	33	18	6	9	4
Diseases of Nervous System	2·23	2·40	2 08	5251	2707	2544	1203	369	126	73	56	1917	133	46	48	41	158	302	459	692	860	595
Diseases of Circulatory „	1·69	1·66	1·71	3967	1873	2094	31	12	6	7	6	62	55	94	106	105	296	475	650	793	861	470
Diseases of Respiratory „	4·24	4·49	4·01	9968	5066	4902	2322	1211	431	206	136	4306	199	30	55	87	342	531	838	1209	1425	946
Diseases of Digestive „	1·21	1·20	1·22	2846	1350	1496	604	197	46	23	24	894	52	36	48	65	169	293	351	420	343	175
Diseases of Urinary „	0·63	0·83	0·46	1494	932	562	8	5	5	9	4	29	18	15	23	56	145	199	295	319	256	139
Diseases of Generative „	0·08	0·02	0·14	184	18	166	9	1	–	–	–	10	–	–	5	11	36	40	31	23	19	9
Puerperal Fever	0·09	–	0·18	221	–	221	–	–	–	–	–	–	–	–	1	62	103	55	–	–	–	–
Childbirth	0·05	–	0·10	121	–	121	–	–	–	–	–	–	–	–	5	21	53	41	1	–	–	–
Violence	0·89	1·16	0·64	2087	1309	778	515	48	56	45	34	698	119	36	56	87	212	245	206	193	135	100
OTHER CAUSES	3·30	3·40	3·15	7745	3872	3873	3495	221	77	35	20	3848	102	99	113	98	291	327	319	357	728	1463

Marriages - - - 21,649

Births - {Males - 38,357 / Females - 37,330} 75,687

Annual Rate per 1000 living {Persons Married 18·40 / Births - - 32·16}

Deaths from Childbirth and Puerperal Fever - - - - - - 4·52 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

9.—ISLINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·55	†144	–	–	–	–	61·41	4·74	2·24	3·23	4·15	6·64	11·36	18·46	33·16	66·99	155·78
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·01	†156	–	–	–	–	65·89	4·72	2·04	3·30	4·69	7·31	12·81	21·63	39·91	74·46	162·82
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·17	†133	–	–	–	–	57·09	4·77	2·44	3·16	3·69	6·05	10·07	15·78	28·11	62·20	152·29
Mean Population, 1881-91. Persons	Decennial Increase of Population 12·83 per cent.	301,004	8259	7504	7526	7389	7061	37789	32971	28075	29209	30540	37842	37206	25310	15789	8329	3168
Mean Population, 1881-91. Males	Decennial Increase of Population 12·83 per cent.	141,670	4159	3784	3749	3631	3596	18919	16444	14270	13388	13981	24446	17586	11509	6756	3250	1030
Mean Population, 1881-91. Females	Decennial Increase of Population 12·83 per cent.	159,334	4100	3720	3776	3758	3465	18770	16527	14705	15821	16559	27396	19620	13801	9024	5079	2038
Deaths from All Causes, 1881-90. Persons	18·47	55,592	1070	1867	2081	1223	905	26146	1564	650	642	1236	3443	4228	4073	5233	5614	4834
Deaths from All Causes, 1881-90. Males	19·74	27,964	772	2539	1055	610	426	12442	776	291	442	655	1786	2253	2611	2686	2455	1677
Deaths from All Causes, 1881-90. Females	17·34	27,628	6208	2548	1026	613	419	10704	788	359	500	611	1657	1975	2102	2547	3478	3157

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·14	0·16	0·12	421	233	188	31	8	6	3	3	51	24	16	32	68	109	67	33	10	8	3
Measles	0·61	0·71	0·52	1830	1001	829	366	655	368	182	124	1695	125	4	2	1	2	1	–	–	–	–
Scarlet Fever	0·27	0·28	0·25	807	402	405	47	101	122	117	90	480	191	45	28	18	26	8	6	–	1	–
Diphtheria	0·24	0·25	0·24	732	356	376	44	92	95	119	101	451	107	31	15	6	16	10	3	–	3	–
Whooping-cough	0·69	0·67	0·71	2074	942	1132	319	606	295	167	98	1985	86	1	–	–	–	–	1	–	1	–
Typhus	0·01	0·01	0·00	18	11	7	–	–	–	–	–	–	2	2	3	1	3	5	1	1	–	–
Enteric Fever	0·19	0·22	0·17	581	313	268	8	11	9	9	13	50	43	54	71	68	148	74	42	24	9	1
Simple Continued Fever	0·02	0·02	0·02	62	31	31	5	6	3	2	4	20	12	6	4	1	7	1	1	2	4	1
Diarrhœa and Dysentery	0·73	0·81	0·64	2162	1143	1019	1647	263	25	7	9	1951	7	5	4	5	5	12	25	30	45	72
Cholera	0·03	0·03	0·03	80	39	41	37	10	5	2	–	54	4	1	–	–	3	4	5	6	3	–
Cancer	0·63	0·40	0·84	1904	567	1337	1	2	–	1	2	6	3	4	1	3	58	209	423	550	461	181
Tabes Mesenterica	0·33	0·38	0·29	994	535	459	618	187	71	26	14	916	38	12	10	6	7	1	3	–	1	–
Phthisis	2·00	2·53	1·52	6071	3585	2486	93	65	34	19	17	217	57	104	307	554	1512	1588	1012	483	156	94
Other Tub. & Scrof. Dis.	0·55	0·64	0·47	1653	908	750	662	372	152	81	62	1329	122	60	49	20	30	20	16	7	4	1
Nervous System	2·13	2·27	2·00	6398	3213	3185	1759	501	194	105	82	2641	142	50	56	56	170	279	540	756	980	728
Circulatory	1·36	1·24	1·47	4100	1753	2347	37	10	7	7	7	68	46	62	80	84	246	458	598	844	882	644
Respiratory	3·80	4·12	3·52	11452	5838	5614	2564	1435	539	290	197	5025	225	45	62	86	348	557	907	1261	1008	1008
Digestive	0·99	1·01	0·97	2971	1429	1542	661	224	53	28	18	984	55	30	46	54	133	246	384	447	377	279
Urinary	0·40	0·51	0·31	1218	718	500	15	11	6	3	9	44	21	10	17	26	95	172	207	240	242	165
Generative	0·05	0·01	0·10	161	9	152	1	2	–	–		3	1	–	2	8	23	38	40	19	20	7
Puerperal Fever	0·07	–	0·14	220	–	220	–	–	–	–	–	–	–	–	–	8	55	104	50	3	–	–
Childbirth	0·03	–	0·09	144	–	144	–	–	–	–	–	–	–	–	4	22	66	48	4	–	–	–
Violence	0·44	0·57	0·32	1329	813	516	400	61	37	34	25	617	66	26	26	42	97	114	119	80	69	58
Other Causes	2·75	2·90	2·60	8265	4125	4140	4195	247	60	30	21	4553	97	87	115	77	235	266	312	380	606	1556

Marriages - 30,732

Births - Males - 49,891 / Females - 47,529 = 97,420

Annual Rate per 1000 Living: Persons Married 17·79; Births - - 32·37

Deaths from Childbirth and Puerperal Fever - - - - - 3·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

10.—HACKNEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under †1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·38	†137	–	–	–	–	60·43	7·41	3·35	4·02	4·99	7·08	11·03	16·80	30·15	60·27	144·14
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·01	†148	–	–	–	–	64·81	7·37	3·36	4·86	6·28	8·23	12·71	20·70	35·08	65·30	151·47
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·84	†126	–	–	–	–	56·09	7·45	3·34	3·39	4·06	6·16	9·62	13·62	26·52	57·08	140·19
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·10 per cent.	208,002	5651	5083	5281	5120	4997	26132	23260	21079	21756	20942	34021	24255	16887	10969	6268	2433
Mean Population, 1881–91. Males	Decennial Increase of Population 23·10 per cent.	94,560	2819	2535	2609	2532	2507	13002	11540	10106	9293	8770	15228	11101	7583	4649	2435	853
Mean Population, 1881–91. Females	Decennial Increase of Population 23·10 per cent.	113,442	2832	2548	2672	2588	2490	13130	11720	10973	12463	12172	18793	13154	9304	6320	3833	1580
Deaths from All Causes, 1881–90. Persons	18·58	38,657	9015	3252	1598	1095	832	15792	1723	707	875	1045	2410	2676	2837	3307	3778	3507
Deaths from All Causes, 1881–90. Males	20·48	19,367	4950	1713	774	551	439	8427	850	340	452	551	1253	1411	1570	1631	1590	1292
Deaths from All Causes, 1881–90. Females	17·00	19,290	4065	1539	824	544	393	7365	873	367	423	494	1157	1265	1267	1676	2188	2215

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·49	0·58	0·42	1026	552	474	111	54	41	37	40	283	134	86	99	106	164	92	33	16	9	4
Measles	0·56	0·62	0·51	1157	582	575	262	411	197	109	77	1056	86	6	2	2	4	1	–	–	–	–
Scarlet Fever	0·79	0·89	0·71	1645	845	800	72	209	270	272	228	1051	445	79	33	15	10	10	1	–	1	–
Diphtheria	0·41	0·41	0·40	848	390	458	29	96	145	131	120	521	247	45	11	7	5	5	5	1	1	–
Whooping-cough	0·58	0·58	0·58	1207	552	655	514	379	149	74	45	1161	42	3	–	–	–	1	–	–	–	–
Typhus	0·03	0·04	0·03	62	34	28	1	–	–	–	–	1	1	2	5	6	15	20	7	4	1	–
Enteric Fever	0·36	0·42	0·32	757	394	363	4	9	13	14	12	52	56	93	147	113	163	68	40	18	6	1
Simple Continued Fever	0·02	0·02	0·02	36	18	18	–	–	2	2	3	7	8	2	1	1	4	4	2	2	1	4
Diarrhœa and Dysentery	0·61	0·71	0·53	1268	670	598	949	136	17	12	6	1120	6	2	2	6	7	8	8	15	35	50
Cholera	0·04	0·05	0·03	78	45	33	43	8	3	2	–	56	–	–	2	–	1	6	6	1	2	4
Cancer	0·61	0·47	0·72	1267	448	819	–	1	1	–	1	3	3	2	4	8	38	149	295	376	287	102
Tabes Mesenterica	0·32	0·39	0·26	666	367	299	420	120	49	14	9	612	23	6	9	4	6	3	1	1	1	–
Phthisis	1·74	2·24	1·31	3609	2118	1491	51	53	20	11	15	150	49	60	190	346	948	877	576	289	108	16
Other Tub. & Scrof. Dis.	0·49	0·59	0·42	1028	555	473	397	219	94	63	30	803	76	33	28	18	22	19	17	10	2	–
Diseases of Nervous System	2·19	2·42	2·00	4562	2291	2271	1378	325	116	72	47	1938	104	52	43	65	113	191	313	507	727	509
Diseases of Circulatory „	1·39	1·31	1·46	2901	1241	1660	36	7	8	5	6	62	47	57	69	62	165	257	406	566	744	466
Diseases of Respiratory „	3·24	3·56	2·98	6743	3368	3375	1496	878	343	203	134	3054	191	28	37	68	190	301	451	694	894	835
Diseases of Digestive „	1·01	1·06	0·96	2091	999	1092	486	177	34	17	19	733	45	23	48	51	90	164	247	281	244	165
Diseases of Urinary „	0·47	0·61	0·36	977	572	405	6	6	7	11	5	35	23	10	11	24	70	131	146	193	200	134
Diseases of Generative „	0·05	0·01	0·09	107	7	100	2	1	–	–	–	3	–	–	–	5	19	19	13	26	19	3
Puerperal Fever	0·07	–	0·13	142	–	142	–	–	–	–	–	–	–	–	7	26	81	28	–	–	–	–
Childbirth	0·05	–	0·09	103	–	103	–	–	–	–	–	–	–	–	3	13	45	39	3	–	–	–
Violence	0·53	0·77	0·33	1105	732	373	256	37	40	27	21	381	65	52	47	47	95	121	113	90	46	48
Other Causes	2·53	2·73	2·34	5272	2587	2685	2502	126	49	19	14	2710	72	66	77	52	155	162	154	217	450	1157

Marriages - - - 15,139

Births { Males - 33,441 / Females - 32,192 } 65,633

Annual Rate per 1000 living { Persons Married 14·56 / Births - - 31·55

Deaths from Childbirth and Puerperal Fever - - - - - 3·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

II.—ST. GILES.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	—	—	—	In Standard Population*			+154	–	–	–	–	79·73	4·75	1·49	2·43	3·69	6·49	13·20	22·74	39·36	83·05	173·72
							+179	–	–	–	–	86·97	4·84	1·24	2·45	3·94	6·58	14·03	25·17	42·14	96·32	186·23
							+136	–	–	–	–	72·70	4·67	1·74	2·42	3·47	6·41	12·53	19·29	38·27	80·25	165·16
Mean Population (Estimated) 1881-90.	Persons	Decennial Decrease of Population 12·14 per cent.		42,582			935	859	817	843	793	4238	3681	3501	4116	4634	7828	5758	4165	2612	1298	411
	Males			20,719			452	428	401	436	401	2058	1820	1777	1881	2282	3799	2886	2086	1323	696	167
	Females			21,863			483	422	416	407	392	2180	1861	1724	2235	2652	4029	2872	2079	1289	602	244
Deaths from All Causes, 1881-90.	Persons	22·99		8,941			2076	736	295	159	115	3379	175	52	100	182	509	705	947	1040	1078	714
	Males	22·35		4,464			1169	363	147	82	55	1816	88	22	46	90	259	405	546	559	518	311
	Females	19·71		4,310			907	373	148	77	58	1563	87	30	54	92	250	300	401	501	560	403
	Persons.	Males.	Females.	Persons	Males.	Females.	PERSONS.															
Small-pox	0·03	0·03	0·03	12	6	6	1	–	–	–	2	3	2	1	1	–	2	1	2	–	–	–
Measles	0·64	0·65	0·64	274	134	140	51	107	52	34	14	258	16	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·20	0·18	80	41	39	5	16	15	12	10	58	17	4	–	–	–	–	–	–	–	1
Diphtheria	0·14	0·11	0·16	58	23	35	6	13	7	8	7	41	12	–	2	1	1	–	–	–	1	–
Whooping-cough	0·57	0·51	0·63	242	105	137	98	65	35	19	17	234	8	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·15	0·17	68	31	37	–	2	1	–	4	7	5	3	3	12	18	8	5	2	–	–
Simple Continued Fever	0·03	0·04	0·03	14	8	6	–	–	2	2	–	4	6	1	1	–	–	–	1	–	1	–
Diarrhœa and Dysentery	0·75	0·82	0·68	318	170	148	109	44	4	1	1	249	4	–	–	–	1	3	6	16	20	19
Cholera	0·01	0·01	0·01	4	2	2	3	–	–	–	–	3	–	–	–	–	–	–	1	–	–	–
Cancer	0·48	0·30	0·64	204	63	141	1	–	–	1	–	2	–	–	–	2	9	26	57	55	37	16
Tabes Mesenterica	0·23	0·26	0·20	96	54	42	54	26	5	3	–	87	4	–	1	–	1	1	2	–	–	–
Phthisis	2·44	3·06	1·91	1041	624	417	12	6	4	1	1	24	5	9	34	84	244	269	223	108	40	3
Other Tub. & Scrof. Dis.	0·53	0·65	0·41	226	137	89	79	56	28	14	11	188	17	2	2	2	6	2	2	3	1	1
Diseases of Nervous System	2·23	2·34	2·14	951	483	468	234	71	20	18	5	348	16	6	10	4	25	60	89	149	171	73
Circulatory	1·40	1·39	1·38	590	288	302	2	1	1	–	–	4	7	10	9	14	38	64	103	131	134	76
Respiratory	5·12	5·85	5·03	2,182	1213	1099	443	240	97	38	29	847	29	2	2	20	58	144	232	350	404	224
Digestive	1·04	1·09	0·99	442	225	217	109	45	6	4	2	166	10	2	9	9	15	48	60	55	48	20
Urinary	0·59	0·60	0·57	250	125	125	–	–	3	1	4	8	4	1	1	4	8	40	57	64	41	23
Generative	0·07	0·01	0·13	31	3	28	–	1	–	–	–	1	–	–	–	1	5	10	4	1	3	1
Puerperal Fever	0·40	–	0·17	37	–	37	–	–	–	–	–	–	–	–	2	12	15	3	–	–	–	–
Childbirth	0·05	–	0·10	21	–	21	–	–	–	–	–	–	–	–	3	4	3	6	–	–	–	–
Violence	0·62	0·76	0·57	2	157	124	122	5	3	2	–	132	3	–	4	3	26	26	39	26	18	4
OTHER CAUSES	3·26	3·56	2·94	1388	739	649	657	38	12	2	6	715	9	11	11	10	29	49	65	80	154	255

Marriages - - 3,368

Births - { Males 6,803 / Females 6,657 } 13,460

Annual Rate per 1000 living { Persons Married 15·91 / Births - - 31·61

Deaths from Childbirth and Puerperal Fever - - - - - } 4·31 per 1000 Births.

* *See* pages xxxvi xxxviii.

† The death rates under one year of age are per 1000 births.

12.—STRAND.

Causes of Death.	Crude Death-Rate per 1000.	All Ages	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–.	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 32·47	†226	–	–	–	–	109·60	10·65	6·52	6·82	7·71	13·73	24·06	35·56	48·54	73·96	157·84
Males	—	36·72	†244	–	–	–	–	117·01	12·47	7·52	8·06	8·77	16·59	28·00	44·85	58·52	85·09	175·00
Females	—	28·46	†209	–	–	–	–	102·40	8·95	5·39	5·62	6·68	10·80	19·72	25·74	38·57	63·53	145·83
Mean Population, 1881-91. Persons	Decennial Decrease of Population 18·06 per cent.	30,549	603	498	512	516	497	2626	2395	2348	3151	3802	5776	4264	3214	1924	845	204
Males		15,267	298	241	259	243	252	1293	1155	1131	1550	1871	2924	2236	1652	962	409	84
Females		15,282	305	257	253	273	245	1333	1240	1217	1601	1931	2852	2028	1562	962	436	120
Deaths from All Causes, 1881-90. Persons	28·27	8,637	1542	706	298	198	134	2878	255	153	215	293	793	1026	1143	934	625	322
Males	32·36	4,941	828	369	155	97	64	1513	144	85	125	164	485	626	741	563	348	147
Females	24·19	3,696	714	337	143	101	70	1365	111	68	90	129	308	400	402	371	277	175

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·02	0·03	7	3	4	1	–	–	–	–	1	–	1	–	1	3	1	–	–	–	–
Measles	0·61	0·68	0·54	186	104	82	31	79	40	14	10	174	12	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·24	0·25	75	37	38	5	9	6	17	11	48	23	–	–	1	1	2	–	–	–	–
Diphtheria	0·52	0·48	0·56	159	73	86	12	32	30	31	20	125	25	3	–	1	2	2	1	–	–	–
Whooping-cough	0·57	0·48	0·65	173	74	99	60	59	20	16	12	167	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Enteric Fever	0·38	0·37	0·39	116	57	59	1	–	1	–	–	2	7	15	14	31	24	7	12	4	–	–
Simple Continued Fever	0·03	0·03	0·03	9	5	4	–	–	–	–	–	–	1	2	–	1	–	1	3	–	–	1
Diarrhœa and Dysentery	0·73	0·70	0·77	224	107	117	163	34	4	1	–	202	–	1	1	2	3	3	3	2	5	2
Cholera	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
Cancer	1·22	1·25	1·19	373	191	182	1	–	1	1	1	4	3	–	5	8	21	57	108	106	51	10
Tabes Mesenterica	0·26	0·30	0·21	78	46	32	36	16	6	4	–	62	7	2	–	1	2	3	1	–	–	–
Phthisis	2·69	3·36	2·03	823	513	310	10	8	7	5	1	31	13	16	37	69	226	217	143	58	13	–
Other Tub. & Scrof. Dis.	1·05	1·18	0·92	320	180	140	67	68	37	23	24	219	29	13	11	8	15	14	6	3	2	–
Diseases of Nervous System	2·33	2·61	2·05	712	399	313	176	41	13	16	4	250	9	5	10	16	43	59	109	85	80	46
Circulatory „	2·77	3·32	2·22	847	507	340	9	7	1	2	1	20	11	34	41	29	89	155	173	153	96	46
Respiratory „	5·65	6·10	5·22	1730	932	798	375	254	91	44	27	791	44	11	16	32	69	116	174	207	175	95
Digestive „	1·83	2·10	1·65	573	321	252	68	34	6	4	3	115	8	12	16	14	56	80	111	92	52	17
Urinary „	1·39	1·97	0·81	424	301	123	1	2	2	3	3	11	3	2	8	12	55	79	86	83	66	19
Generative „	0·19	0·05	0·34	59	7	52	–	–	–	–	–	–	1	–	4	3	12	17	14	4	3	1
Puerperal Fever	0·08	–	0·15	23	–	23	–	–	–	–	–	–	–	–	–	6	11	5	1	–	–	–
Childbirth	0·04	–	0·09	13	–	13	–	–	–	–	–	–	–	–	–	2	7	4	–	–	–	–
Violence	2·15	3·07	1·22	656	469	187	77	19	17	10	15	138	28	15	22	27	77	115	105	75	38	16
Other Causes	3·44	4·03	2·85	1052	612	440	449	44	16	7	2	518	24	20	30	29	77	87	93	61	44	69

Marriages - - - 4,540

Births - {Males - 3,397} {Females - 3,414} 6,811

Annual Rate per 1000 living {Persons Married 29·72 / Births - - 22·30}

Deaths from Childbirth and Puerperal Fever - - - - - } 5·29 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

13.—HOLBORN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	—	—	—	In Standard Population*	21·55		†164	-	-	-	-	81·65	6·55	2·69	3·20	4·24	6·79	11·08	17·20	30·57	58·27	136·69
	—	—	—		22·48		†177	-	-	-	-	88·19	6·48	2·40	2·61	3·47	6·52	11·62	18·11	32·87	61·48	143·45
	—	—	—		20·67		†152	-	-	-	-	75·17	6·62	2·98	3·82	5·02	7·06	10·55	16·35	28·52	55·93	132·17
Mean Population 1881–90.	Decennial Decrease of Population 6·45 per cent.			146877				1708	3648	3736	3525	3786	18897	15802	14342	14816	14681	24488	18434	13248	7581	3657	1071
				77490				2107	1819	1807	1720	1776	9133	7830	7076	7619	7709	12489	9239	6470	3773	1542	412
				78387				2101	1829	1829	1805	1780	9264	7972	7340	7197	7272	11998	9225	6778	4208	2115	659
Deaths from All Causes 1881–90.		20·12		29551				8744	3360	1444	899	571	15018	1039	386	474	622	1655	2643	2979	2440	2131	1464
		20·48		15826				4786	1791	725	454	288	8054	511	170	199	257	814	1070	1172	1240	978	791
		19·67		13725				3958	1569	719	445	283	6964	528	216	275	365	841	973	1197	1200	1153	673

	Persons	Males	Females	Persons.	Males.	Females	PERSONS.													
Small-pox	0·02	0·02	0·03	35	14	21	7	3	2	2	-	14	4	2	2	5	2	3	2	1	-	-
Measles	0·78	0·82	0·74	1143	597	546	228	446	211	136	71	1092	50	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·28	0·29	0·26	405	215	190	32	67	78	66	51	294	85	14	1	3	6	1	1	-	-	-
Diphtheria	0·26	0·26	0·26	381	187	194	17	65	69	77	45	273	87	10	-	2	1	3	3	-	2	-
Whooping-cough	0·80	0·74	0·86	1177	540	637	410	417	169	87	58	1141	33	3	1	-	-	-	-	-	-	-
Typhus	0·00	0·01	0·00	6	4	2	-	-	-	-	-	-	1	1	-	-	-	3	1	-	-	-
Enteric Fever	0·14	0·14	0·15	210	99	111	1	1	5	5	3	15	23	29	28	35	36	24	9	10	1	-
Simple continued Fever	0·03	0·02	0·03	37	17	20	3	1	2	2	4	12	9	2	-	-	3	2	2	3	4	-
Diarrhœa and Dysentery	0·96	0·95	0·96	1405	694	711	1003	222	44	14	4	1287	14	1	3	3	3	10	9	20	21	35
Cholera	0·02	0·02	0·01	26	17	9	14	8	-	1	-	18	1	1	-	1	-	-	3	2	-	-
Cancer	0·40	0·26	0·54	584	187	397	4	6	2	4	5	21	12	2	6	7	35	70	149	147	104	31
Tubercular Diseases	0·40	0·42	0·38	585	308	277	352	120	40	17	11	540	28	7	4	4	-	1	1	-	-	-
Phthisis	2·13	2·34	1·92	3129	1709	1420	51	41	29	18	14	153	62	64	194	312	762	748	543	289	47	6
Other Tub. & Scrof. Dis.	0·67	0·73	0·62	990	531	459	249	213	129	94	71	756	129	36	11	10	22	13	8	3	2	1
Diseases of Nervous System	2·29	2·32	2·26	3233	1694	1539	1114	277	126	77	51	1645	95	34	33	35	91	163	268	348	383	128
Circulatory	1·25	1·17	1·33	1832	853	979	19	4	7	7	5	42	72	53	56	55	150	245	303	363	329	175
Respiratory	4·75	4·89	4·62	6983	3569	3414	1859	1075	423	229	111	3697	140	35	34	49	180	364	513	787	776	452
Digestive	1·05	1·04	1·05	1540	763	777	458	182	23	15	13	692	38	19	26	20	71	137	165	183	148	61
Liver	0·34	0·41	0·28	506	297	209	5	6	4	7	13	35	18	3	7	13	41	72	89	114	76	38
Genito-Urinary	0·04	0·00	0·07	57	3	54	2	-	-	-	-	2	-	-	-	2	11	15	13	7	3	3
Puerperal Fever	0·07	-	0·14	107	-	107	-	-	-	-	-	-	-	-	5	18	52	31	1	-	-	-
Childbirth	0·05	-	0·09	68	-	68	-	-	-	-	-	-	-	-	4	8	32	23	1	-	-	-
Accidents	0·65	0·72	0·58	951	525	426	511	34	22	11	11	589	24	12	15	11	30	55	74	53	38	30
OTHER CAUSES	2·83	3·01	2·67	4161	2203	1958	2406	177	59	30	29	2701	105	61	42	28	107	132	122	139	209	445

Marriages		10,342	Annual Rate per 1000 living	Persons Married	14·08
Births	Males	77,153		Births	36·23
	Females	263,218			

Deaths from Childbirth and Puerperal Fever 3·29 per 1000 Births.

* *See* pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

14.—LONDON CITY.

CAUSES OF DEATH	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 34·14	†171	–	–	–	–	90·03	14·31	8·68	8·15	10·38	20·58	32·56	41·56	55·15	76·20	141·21
Annual Death-Rate per 1000. Males	—	In Standard Population* 40·64	†187	–	–	–	–	97·80	15·50	8·51	9·62	12·18	26·45	43·10	56·74	72·55	102·52	177·63
Annual Death-Rate per 1000. Females	—	In Standard Population* 28·01	†153	–	–	–	–	82·44	13·09	8·90	6·43	8·21	14·85	22·53	28·77	41·85	60·60	125·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population 25·45 per cent.	44,880	779	716	698	695	702	3590	3446	4264	5694	5993	7240	5396	4252	2892	1601	512
Mean Population, 1881–91. Males	Decennial Decrease of Population 25·45 per cent.	22,442	372	334	369	341	357	1773	1742	2433	3066	3276	3576	2631	1944	1253	596	152
Mean Population, 1881–91. Females	Decennial Decrease of Population 25·45 per cent.	22,438	407	382	329	354	345	1817	1704	1831	2628	2717	3664	2765	2308	1639	1005	360
Deaths from All Causes, 1881–90. Persons	30·60	13,733	1486	789	426	343	188	3232	493	370	464	622	1490	1757	1767	1595	1220	723
Deaths from All Causes, 1881–90. Males	35·10	7,878	834	414	207	169	110	1734	270	207	295	399	946	1134	1103	909	611	270
Deaths from All Causes, 1881–90. Females	26·09	5,855	652	375	219	174	78	1498	223	163	169	223	544	623	664	686	609	453

	Persons.	Males.	Females.	Persons	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	4	4	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–
Measles	0·35	0·36	0·33	155	81	74	25	55	26	20	14	140	13	1	1	–	–	–	–	–	–
Scarlet Fever	0·20	0·22	0·17	89	50	39	4	14	18	13	7	56	21	6	3	1	1	–	–	1	–	–
Diphtheria	0·93	0·89	0·96	418	200	218	24	74	75	98	41	312	72	12	4	4	6	2	3	2	–	1
Whooping-cough	0·44	0·43	0·45	197	96	101	60	56	42	19	11	188	9	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	8	5	3	–	–	–	–	–	–	–	–	1	4	1	1	1	–	–	–
Enteric Fever	0·46	0·55	0·37	207	123	84	1	–	1	3	1	6	14	28	33	36	51	22	8	6	2	1
Simple Continued Fever	0·02	0·02	0·02	9	4	5	–	–	–	–	–	–	2	1	1	–	2	–	2	1	–	–
Diarrhœa and Dysentery	0·45	0·49	0·40	200	111	89	123	36	5	2	1	167	2	1	1	–	2	3	5	6	11	2
Cholera	0·01	0·03	–	6	6	–	–	1	1	–	–	2	1	–	–	–	–	1	–	2	–	–
Cancer	1·76	1·80	1·72	790	404	386	–	1	1	2	–	4	4	8	13	17	45	129	233	213	100	24
Tabes Mesenterica	0·20	0·22	0·19	92	50	42	36	19	9	3	1	68	5	3	5	4	4	2	1	–	–	–
Phthisis	2·83	3·51	2·15	1269	787	482	12	12	7	5	2	38	23	27	77	130	362	309	175	102	21	5
Other Tub. & Scrof. Dis.	0·82	0·97	0·66	367	218	149	49	59	41	37	26	212	55	20	21	10	23	16	4	4	1	1
Diseases of Nervous System	2·54	2·83	2·25	1142	636	506	225	81	27	16	10	359	35	32	23	22	70	111	142	140	133	75
Diseases of Circulatory „	3·48	4·02	2·93	1560	902	658	7	5	3	2	6	23	34	66	72	83	196	264	267	269	214	81
Diseases of Respiratory „	5·05	5·26	4·86	2272	1181	1091	286	254	94	65	29	728	40	13	38	55	136	194	256	313	208	201
Diseases of Digestive „	2·23	2·37	2·08	999	533	466	103	42	9	7	2	163	24	28	25	42	106	139	171	153	108	40
Diseases of Urinary „	1·50	1·97	1·02	671	442	229	1	–	5	5	5	16	12	14	24	42	93	125	130	106	78	29
Diseases of Generative „	0·22	0·04	0·40	98	8	90	3	2	2	1	–	8	–	–	1	4	25	20	18	13	6	3
Puerperal Fever	0·12	–	0·25	55	–	55	–	–	–	–	–	–	–	–	2	13	27	13	–	–	–	–
Childbirth	0·03	–	0·07	15	–	15	–	–	–	–	–	–	–	–	1	2	4	7	1	–	–	–
Violence	3·05	4·65	1·45	1368	1043	325	83	34	33	40	23	213	84	51	58	80	174	228	191	142	106	41
OTHER CAUSES	3·88	4·43	3·35	1742	994	748	444	44	27	5	9	529	43	59	59	73	159	171	158	130	142	219

Marriages 9,079

Births { Males 4,460 / Females 4,250 } 8,710

Annual Rate per 1000 living { Persons Married 40·46 / Births 19·41

Deaths from Childbirth and Puerperal Fever 8·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

15.—SHOREDITCH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 24·51	†168	–	–	–	–	78·47	6·22	2·56	3·11	4·18	7·25	12·97	22·10	42·85	89·83	208·40
Annual Death-Rate per 1000. Males	—	In Standard Population* 26·15	†185	–	–	–	–	86·18	6·22	2·64	2·71	3·89	7·51	14·44	24·86	47·61	86·45	225·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 22·97	†149	–	–	–	–	70·92	6·22	2·48	3·52	4·45	7·00	11·56	19·53	38·81	84·83	199·76
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·04 per cent.	125,300	3904	3461	3528	3332	3210	17525	14472	12592	11007	11900	20445	14752	10450	6639	3968	1250
Mean Population, 1881–91. Males	Decennial Decrease of Population 2·04 per cent.	61,248	1951	1718	1753	1655	1597	8674	7208	6181	6023	5807	10229	7260	4890	3050	1578	428
Mean Population, 1881–91. Females	Decennial Decrease of Population 2·04 per cent.	64,052	2043	1743	1775	1677	1613	8851	7264	6411	5884	6093	10216	7492	5560	3589	2090	822
Deaths from All Causes, 1881–90. Persons	24·13	30,226	8079	3003	1340	739	526	13752	900	322	370	497	1483	1914	2243	2845	3995	2686
Deaths from All Causes, 1881–90. Males	25·19	15,426	4550	1603	692	302	268	7475	448	163	163	226	768	1048	1198	1452	1522	963
Deaths from All Causes, 1881–90. Females	23·10	14,800	3529	1465	648	377	258	6277	452	159	207	271	715	866	1045	1393	1773	1642

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·06	0·08	0·05	80	48	32
Measles	0·71	0·74	0·67	884	453	431
Scarlet Fever	0·42	0·45	0·38	523	278	245
Diphtheria	0·22	0·20	0·23	272	122	150
Whooping-cough	0·99	0·94	1·04	1241	574	667
Typhus	0·01	0·01	0·01	10	6	4
Enteric Fever	0·15	0·14	0·16	193	88	105
Simple Continued Fever	0·02	0·02	0·01	21	12	9
Diarrhœa and Dysentery	1·08	1·17	1·00	1354	713	641
Cholera	0·02	0·02	0·03	29	12	17
Cancer	0·52	0·38	0·65	647	232	415
Tabes Mesenterica	0·55	0·66	0·45	694	405	289
Phthisis	2·83	2·84	1·85	2920	1737	1183
Other Tub. & Scrof. Dis.	0·32	0·50	0·44	646	363	283
Diseases of Nervous System	3·03	3·20	2·87	3796	1957	1839
Circulatory „	1·57	1·43	1·70	1965	875	1090
Respiratory „	5·50	5·88	5·16	6988	3601	3387
Digestive „	1·12	1·06	1·18	1405	670	735
Urinary „	0·37	0·47	0·27	461	289	172
Generative „	0·04	0·02	0·06	50	10	40
Puerperal Fever	0·09	–	0·18	115	–	115
Childbirth	0·05	–	0·11	68	–	68
Violence	0·76	0·85	0·69	948	568	380
Other Causes	3·90	3·96	4·01	4893	2496	2597

	Persons.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	16	9	5	3	3	36	13	9	3	2	10	4	3	–	–	–
Measles	187	341	184	78	43	833	50	–	1	–	–	–	–	–	–	–
Scarlet Fever	41	32	106	102	65	346	107	14	–	–	5	1	–	–	–	–
Diphtheria	19	31	49	48	38	205	55	2	2	–	2	3	–	–	1	–
Whooping-cough	447	415	192	93	53	1200	40	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	1	1	2	2	–	–	1	1	–	1	–	1
Enteric Fever	1	6	1	5	1	14	21	19	31	25	31	25	12	7	7	1
Simple Continued Fever	2	–	2	1	3	8	2	1	–	–	2	3	2	1	–	–
Diarrhœa and Dysentery	913	206	27	5	8	1159	6	2	2	1	3	4	7	22	72	76
Cholera	14	5	1	–	2	22	2	–	–	–	2	2	–	–	1	–
Cancer	1	2	–	2	1	6	7	1	3	–	18	67	152	178	163	52
Tabes Mesenterica	428	140	54	20	5	656	20	8	3	3	1	1	–	1	–	–
Phthisis	69	53	29	19	22	192	39	46	139	235	719	711	481	257	73	8
Other Tub. & Scrof. Dis.	202	133	70	49	43	497	72	22	10	11	7	11	6	8	2	–
Diseases of Nervous System	1067	264	101	61	45	1478	84	26	26	27	118	212	306	472	676	414
Circulatory „	15	6	3	3	7	34	45	42	31	43	135	222	340	462	461	242
Respiratory „	1540	985	398	183	121	3227	136	24	31	45	143	275	503	891	1064	567
Digestive „	404	155	25	14	10	608	28	20	16	14	56	109	151	188	156	68
Urinary „	8	7	8	6	5	34	19	16	9	14	25	55	69	92	84	48
Generative „	5	4	–	1	–	10	–	1	1	2	4	2	9	7	10	4
Puerperal Fever	–	–	–	–	–	–	–	1	10	31	45	28	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	4	4	33	23	1	–	–	–
Violence	143	51	29	26	19	268	51	16	10	17	51	65	67	54	36	36
Other Causes	2457	144	55	29	31	2716	84	50	37	28	71	97	135	228	544	1116

Marriages - - - 10,033

Births { Males - 24,571 / Females - 23,994 } 48,565

Annual Rate per 1000 living { Persons Married 16·02 / Births - - 38·46

Deaths from Childbirth and Puerperal Fever - - - - - 3·80 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

16.—BETHNAL GREEN

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard 22·99	†157	-	-	-	-	75·85	5·43	2·43	3·88	5·54	8·58	14·38	21·08	36·46	72·32	165·47
Males	—	Standard 24·73	†169	-	-	-	-	80·48	5·30	2·27	3·87	5·43	9·41	16·37	24·32	42·21	79·46	191·86
Females	—	Population* 21·36	†144	-	-	-	-	71·32	5·55	2·59	3·89	5·65	7·75	12·44	18·06	31·56	66·74	148·56
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·71 per cent.	128,046	4090	3690	3821	3591	3498	18690	16197	14241	12727	11620	19249	14473	10001	6292	3360	1196
Males		62,927	2027	1795	1920	1760	1749	9251	8110	7139	6358	5687	9574	7148	4823	2895	1475	467
Females		65,119	2063	1895	1901	1831	1749	9439	8087	7102	6369	5933	9675	7325	5178	3397	1885	729
Deaths from All Causes, 1881–90. Persons	22·71	29,083	8040	3254	1481	827	575	14177	879	346	494	644	1651	2081	2108	2294	2430	1979
Males	24·04	15,126	4363	1657	736	409	280	7445	430	162	246	309	901	1170	1173	1222	1172	896
Females	21·43	13,957	3677	1597	745	418	295	6732	449	184	248	335	750	911	935	1072	1258	1083

	Persons.	Males.	Female	Persons.	Males.	Females.	Persons.													
Small-pox	0·07	0·06	0·08	87	35	52	23	7	6	4	3	43	9	5	10	5	6	6	2	1	-	-
Measles	0·89	0·90	0·87	1134	569	565	203	439	251	124	59	1076	53	4	-	-	1	-	-	-	-	-
Scarlet Fever	0·54	0·58	0·51	695	362	333	46	127	150	102	93	518	152	14	5	2	2	1	1	-	-	-
Diphtheria	0·19	0·15	0·22	240	95	145	18	51	31	40	44	184	44	3	2	1	2	1	3	-	-	-
Whooping-cough	0·95	0·83	1·08	1221	520	701	426	409	179	96	64	1174	45	-	-	-	-	1	-	1	-	-
Typhus	0·01	0·01	0·01	12	6	6	-	-	-	-	-	-	3	2	3	1	-	1	2	-	-	-
Enteric Fever	0·16	0·16	0·16	209	103	106	2	1	1	6	7	17	24	31	30	22	35	19	14	14	2	1
Simple Continued Fever	0·02	0·02	0·02	27	12	15	1	2	2	2	1	8	9	1	2	1	1	-	2	3	-	-
Diarrhœa and Dysentery	0·81	0·85	0·76	1035	537	498	694	187	30	8	7	926	5	2	-	4	4	3	7	16	37	31
Cholera	0·04	0·04	0·03	45	25	20	18	8	2	2	-	30	2	-	-	1	1	2	2	5	1	1
Cancer	0·42	0·33	0·50	533	207	326	1	-	-	1	-	2	1	2	2	2	21	77	114	153	119	40
Tabes Mesenterica	0 52	0 58	0·47	671	367	304	430	139	44	14	7	634	18	9	1	1	3	3	1	1	-	-
Phthisis	2·69	3·28	2·11	3441	2066	1375	73	45	22	12	11	163	55	70	229	355	907	826	506	244	76	10
Other Tub. & Scrof. Dis.	0·48	0·55	0·41	617	349	268	231	171	63	25	19	509	46	15	10	5	7	13	7	3	1	1
Diseases of Nervous System	2·92	3·11	2·75	3742	1954	1788	1284	313	123	84	55	1859	69	22	29	29	104	223	266	366	454	321
Circulatory	1·29	1·26	1·33	1658	795	863	30	4	-	3	3	40	28	65	62	47	124	237	261	313	290	191
Respiratory	5·48	5·86	5·12	7023	3686	3337	1581	1060	486	246	154	3527	181	36	37	59	184	320	522	743	881	533
Digestive	0·94	0·92	0·95	1198	578	620	365	113	26	12	8	524	34	13	17	14	50	95	138	166	104	43
Urinary	0·39	0·53	0·26	500	331	169	2	7	11	10	9	39	21	9	9	11	21	56	73	100	99	62
Generative	0·03	-	0·06	37	-	37	-	2	-	-	-	2	-	-	1	2	11	3	7	5	6	-
Puerperal Fever	0·08	-	0·15	98	-	98	-	-	-	-	-	-	-	-	4	27	43	23	1	-	-	-
Childbirth	0·06	-	0·13	83	-	83	-	-	-	-	-	-	-	-	3	17	28	34	1	-	-	-
Violence	0 66	0·74	0·57	839	465	374	423	40	15	17	15	510	34	12	10	11	28	48	60	54	35	37
Other Causes	3·07	3·28	2·88	3938	2064	1874	2189	129	39	19	16	2392	46	31	28	27	68	89	118	106	325	708

Marriages - - - 24,392

Births - Males - 25,865 / Females - 25,447 = 51,312

Annual Rate per 1000 living: Persons Married 38·10; Births - - 40·07

Deaths from Childbirth and Puerperal Fever - - - - - 3·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

17.—WHITECHAPEL.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	Persons —	In Standard Population* 32·62	†173	–	–	–	–	84·84	8·10	5·56	8·39	9·83	17·21	28·68	43·04	59·55	100·71	178·74
	Males —	35·82	†181	–	–	–	–	90·31	8·85	6·16	9·58	10·64	18·43	31·52	49·10	68·52	117·74	189·74
	Females —	29·61	†164	–	–	–	–	78·66	7·36	4·96	7·17	8·89	15·74	25·27	36·15	49·94	84·51	166·39
Mean Population, 1884-93.	Persons —	Decennial Increase of Population 4·34 per cent.	72913					9429	8038	7073	7090	7792	12010	8795	6160	3782	1688	546
	Males —		37827					4312	3989	3505	3850	4401	6578	4504	3275	1976	823	284
	Females —		35086					4817	4049	3568	3750	3801	5432	4001	2885	1806	865	312
Deaths from All Causes, 1884-93.	Persons —	31·60	22·695					8000	651	393	638	766	2037	2522	2651	2352	1700	865
	Males —	33·54	12·089					4211	333	216	369	446	1242	1511	1608	1350	969	444
	Females —	28·26	9·946					3789	248	1·7	269	320	835	1011	1043	992	731	521

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·03	0·03	0·04	23	10	13
Measles	0·77	0·75	0·80	565	284	281
Scarlet Fever	0·21	0·25	0·17	156	94	59
Diphtheria	0·37	0·35	0·39	271	132	139
Whooping-cough	0·60	0·55	0·65	438	209	229
Typhus	0·01	0·01	0·01	5	2	3
Enteric Fever	0·34	0·37	0·30	248	141	107
Simple Continued Fever	0·02	0·02	0·01	12	7	5
Diarrhœa and Dysentery	1·09	1·12	1·05	795	424	369
Cholera	0·04	0·03	0·04	28	14	14
Cancer	1·18	1·13	1·24	861	427	434
Acute Miscellaneous	0·45	0·45	0·41	326	171	145
Phthisis	2·81	3·15	2·45	2051	1208	783
Other Tub. & Scrof. Dis.	0·64	0·75	0·52	465	282	183
Nervous System	3·72	3·75	2·86	2720	1436	1004
Circulation	2·77	3·28	2·55	2021	1128	893
Respiration	4·71	5·24	6·36	4671	2540	2231
Digestive	1·88	1·80	1·76	1368	792	616
Urinary	1·17	1·37	0·75	855	506	262
Generative	0·16	0·05	0·30	117	13	104
Puerperal Fever	0·10	–	0·21	74	–	74
Childbirth	0·09	–	0·17	62	–	62
Violence	2·09	2·18	1·97	1520	1315	615
Other Causes	3·81	3·02	3·05	2778	1487	1291

Persons.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
3	1	1	1	–	6	4	3	2	4	–	4	–	–	–	–	–
126	220	98	47	27	518	16	–	–	1	–	–	–	–	–	–	–
17	24	59	26	15	121	29	2	1	–	–	–	–	–	–	–	–
14	48	38	56	52	188	61	8	5	2	3	–	–	2	–	2	–
164	139	66	29	21	419	19	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	1
13	11	25	51	37	53	37	13	3	1	2	–	–	–	–	–	–
4	3	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–
681	2	3	–	–	15	12	17	18	24	24	–	–	–	–	–	–
17	2	–	–	1	–	2	3	3	–	–	–	–	–	–	–	–
4	6	1	9	15	55	145	274	226	100	27	–	–	–	–	–	–
6	5	–	3	–	6	5	3	–	2	3	–	–	–	–	–	–
270	16	7	3	3	6	5	3	–	2	3	–	–	–	–	–	–
58	14	27	112	195	568	559	354	152	38	3	–	–	–	–	–	–
267	62	21	22	16	33	26	10	6	2	–	–	–	–	–	–	–
852	61	41	44	46	119	182	234	200	230	170	–	–	–	–	–	–
2	25	65	110	95	274	384	369	325	264	164	–	–	–	–	–	–
2454	93	47	47	78	247	365	561	574	502	295	–	–	–	–	–	–
193	25	26	33	32	132	159	191	159	137	47	–	–	–	–	–	–
32	17	22	22	30	148	154	181	144	105	24	–	–	–	–	–	–
16	–	1	6	9	22	25	15	12	7	1	–	–	–	–	–	–
–	–	–	2	19	37	13	3	–	–	–	–	–	–	–	–	–
–	–	–	1	9	26	25	1	–	–	–	–	–	–	–	–	–
486	141	62	93	91	393	243	244	206	118	45	–	–	–	–	–	–
1393	43	57	80	74	158	179	184	165	181	264	–	–	–	–	–	–

Marriages	–	1406	
Births	Males —	13,408	26,067
	Females —	12,659	

Annual Rate per 1000 living { Persons Married 15·24 / Births - 36·42 }

Deaths from Childbirth and Puerperal Fever - - - - } 5·31 per 1000 Births.

* See pages xxxv xxxvii.

† The death-rates under one year of age are per 1000 Births.

18.—ST. GEORGE-IN-THE-EAST.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 26·63	†182	–	–	–	–	87·74	4·63	2·06	3·36	5·35	9·56	15·90	25·14	48·86	93·14	181·62
Males	—	Standard 28·25	†197	–	–	–	–	95·05	5·04	2·17	3·36	5·37	8·89	16·13	27·13	54·16	101·01	211·90
Females	—	Population* 25·09	†166	–	–	–	–	80·61	4·25	1·94	3·35	5·32	10·31	15·63	23·16	43·89	86·06	165·24
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·89 per cent.	46,476	1503	1213	1315	1238	1200	6469	5396	4575	4291	4546	7592	5478	4058	2458	1254	359
Males		23,354	734	607	643	606	604	3194	2640	2302	2174	2329	3984	2802	2020	1189	594	126
Females		23,122	769	606	672	632	596	3275	2756	2273	2117	2217	3608	2676	2038	1269	660	233
Deaths from All Causes, 1881–90. Persons	25·92	12,045	3403	1309	499	297	168	5676	250	94	144	243	726	871	1020	1201	1168	652
Males	26·90	6,282	1886	677	253	132	88	3036	133	50	73	125	354	452	548	644	600	267
Females	24·92	5,763	1517	632	246	165	80	2640	117	44	71	118	372	419	472	557	568	385

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·04	0·05	0·03	17	11	6	6	–	1	–	–	7	–	1	1	2	2	1	1	1	1	–
Measles	1·04	1·09	0·99	484	254	230	101	209	85	58	17	470	14	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·34	0·31	0·36	156	72	84	14	39	25	31	24	133	18	3	–	–	2	–	–	–	–	–
Diphtheria	0·14	0·15	0·14	66	34	32	9	18	7	13	8	55	7	–	2	–	1	1	–	–	–	–
Whooping-cough	0·78	0·71	0·86	364	166	198	161	99	54	30	14	358	5	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	2	1	2	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–
Enteric Fever	0·12	0·12	0·13	58	28	30	–	4	1	–	2	7	12	6	6	6	11	5	3	1	–	1
Simple Continued Fever	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Diarrhœa and Dysentery	1·46	1·52	1·40	678	354	324	451	101	26	3	3	584	3	1	–	–	2	2	7	13	42	24
Cholera	0·02	0·02	0·03	10	4	6	3	3	1	–	–	7	–	–	–	–	1	2	–	–	–	–
Cancer	0·54	0·37	0·71	250	87	163	–	–	1	–	–	1	–	1	–	–	14	32	52	84	51	15
Tabes Mesenterica	0·51	0·57	0·44	235	134	101	160	47	14	5	2	228	4	2	1	–	–	–	–	–	–	–
Phthisis	2·69	3·10	2·27	1248	724	524	9	8	6	4	2	29	6	10	61	120	343	310	201	128	36	4
Other Tub. & Scrof. Dis.	0·54	0·62	0·46	251	145	106	90	62	31	16	10	209	18	7	7	4	3	2	1	–	–	–
Diseases of Nervous System	2·82	2·98	2·66	1312	697	615	515	104	24	20	13	676	34	7	8	9	38	56	105	166	149	64
Circulatory „	1·85	1·88	1·83	861	438	423	8	3	4	–	1	16	3	10	12	19	71	110	135	196	193	96
Respiratory „	7·04	7·51	6·56	3271	1755	1516	747	460	190	100	54	1551	74	14	17	35	97	135	307	409	413	169
Digestive „	1·16	1·18	1·15	541	276	265	191	66	6	4	2	269	13	4	6	4	19	38	65	48	52	23
Urinary „	0·51	0·50	0·51	235	117	118	2	7	1	2	4	16	8	3	2	6	11	29	44	45	45	26
Generative „	0·04	0·01	0·07	20	3	17	1	–	1	–	–	2	–	–	–	2	2	6	1	1	5	1
Puerperal Fever	0·09	–	0·19	43	–	43	–	–	–	–	–	–	–	–	2	11	21	8	1	–	–	–
Childbirth	0·07	–	0·14	33	–	33	–	–	–	–	–	–	–	–	2	3	14	14	–	–	–	–
Violence	0·76	0·84	0·68	355	197	153	168	15	6	2	6	197	12	6	6	9	22	31	26	25	12	9
Other Causes	3·34	3·36	3·30	1550	782	768	767	64	15	9	6	861	19	17	11	12	51	37	71	82	169	220

Marriages - - - 2,946

Births - { Males - 9,576 } 18,733
{ Females - 9,157 }

Annual Rate per 1000 living { Persons Married 12·68
Births - - 40·31

Deaths from Childbirth and Puerperal Fever - - - - - } 4·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

19.—STEPNEY.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·97	†196	–	–	–	–	39·20	9·05	4·87	3·57	4·30	6·63	10·31	17·19	27·40	54·70	133·69
Annual Death-Rate per 1000. Males	—	In Standard Population* 25·13	†214	–	–	–	–	107·12	9·24	5·38	4·22	4·28	6·79	10·29	17·76	26·66	57·3	138·33
Annual Death-Rate per 1000. Females	—	In Standard Population* 22·88	†177	–	–	–	–	91·42	8·87	4·38	2·85	4·34	6·46	10·34	16·59	28·73	52·66	133·73
Mean Population, 1881–90. Persons	Decennial Decrease of Population 1·99 per cent.	57,960	1734	1673	1550	1504	1469	7830	6949	6367	5705	5268	8801	7031	5074	3051	1208	381
Mean Population, 1881–90. Males	Decennial Decrease of Population 1·99 per cent.	29,399	856	762	782	789	738	3877	3475	3274	3055	2712	4582	3635	2579	1546	595	129
Mean Population, 1881–90. Females	Decennial Decrease of Population 1·99 per cent.	28,561	878	811	768	765	731	3953	3474	3093	2749	2551	4319	3416	2495	1585	735	252
Deaths from All Causes, 1881–90. Persons	23·74	13,813	4143	1937	858	518	311	7767	629	310	207	242	590	741	872	896	710	560
Deaths from All Causes, 1881–90. Males	23·57	6,929	2302	998	429	257	167	4153	321	176	129	116	311	374	438	395	324	172
Deaths from All Causes, 1881–90. Females	22·70	6,884	1841	939	429	261	144	3614	308	134	78	126	279	367	414	441	386	337

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·05	0·03	0·06	27	10	17	5	–	1	2	–	8	4	2	3	2	2	6	–	–	–	–
Measles	1·01	1·13	0·88	583	331	252	195	243	102	52	38	554	26	1	–	1	–	1	–	–	–	–
Scarlet Fever	0·56	0·55	0·58	326	161	165	21	59	66	59	43	248	60	9	2	2	4	1	–	–	–	–
Diphtheria	0·42	0·45	0·39	243	132	111	28	44	47	42	20	181	55	1	–	3	–	2	–	–	1	–
Whooping-cough	1·05	0·91	1·18	606	268	338	178	218	102	57	25	580	24	2	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	5	2	3	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–
Enteric Fever	0·23	0·23	0·21	130	60	61	1	1	4	6	8	20	21	37	8	6	18	8	4	6	2	–
Simple Continued Fever	0·03	0·02	0·03	14	6	8	–	–	–	2	–	2	3	1	3	–	2	–	1	2	–	–
Diarrhœa and Dysentery	1·17	1·24	1·09	676	364	312	493	117	16	9	1	636	4	–	1	–	1	2	7	8	9	8
Cholera	0·02	0·03	0·01	13	10	3	4	1	–	1	1	7	1	–	–	–	1	1	2	1	–	1
Cancer	0·37	0·25	0·50	216	73	143	1	4	3	3	–	11	3	2	–	1	2	26	61	54	46	10
Tabes Mesenterica	0·53	0·60	0·46	305	175	130	182	69	16	4	11	282	11	8	1	–	3	–	–	1	–	–
Phthisis	1·74	1·75	1·73	1,007	513	494	10	26	15	21	19	82	42	44	66	90	222	222	166	55	18	–
Other Tub. & Scrof. Dis.	0·78	0·86	0·70	454	254	200	112	124	79	41	18	365	56	15	8	3	3	3	–	3	–	–
Diseases of the Nervous System	2·32	2·29	2·36	1,346	673	673	555	119	65	25	30	794	50	30	12	12	20	46	81	108	112	72
Diseases of the Circulatory	1·16	1·09	1·24	675	320	355	5	2	3	2	1	13	23	30	23	10	41	85	112	154	120	46
Diseases of the Respiratory	5·56	5·60	5·51	3,219	1,646	1,573	857	644	245	143	73	1,962	112	24	18	21	73	197	231	208	221	107
Diseases of the Digestive	1·21	1·21	1·22	704	356	348	280	85	21	16	10	412	23	2	7	10	21	49	59	60	51	14
Diseases of the Urinary	0·33	0·35	0·30	189	102	87	2	11	10	8	5	36	15	11	8	2	12	17	27	28	23	10
Diseases of the Generative	0·04	0·01	0·07	24	4	20	3	3	–	–	–	6	–	1	3	1	–	1	8	1	1	3
Puerperal Fever	0·07	–	0·15	43	–	43	–	–	–	–	–	–	–	–	2	10	24	7	–	–	–	–
Childbirth	0·06	–	0·12	33	–	33	–	–	–	–	–	–	–	–	–	4	14	13	–	–	–	–
Violence	1·21	1·65	0·76	701	484	217	161	24	27	12	12	236	44	48	31	45	88	57	67	40	18	7
Other Causes	3·23	3·31	3·14	1,874	976	898	1,129	143	47	13	9	1,332	51	44	11	10	35	44	46	46	79	181

Marriages	4,363	Annual Rate per 1000 living	Persons Married	17·93	Deaths from Childbirth and Puerperal Fever	3·59 per 1000 Births.
Births Males	10,766		Births	35·48		
Births Females	10,377					
Births	21,143					

* See pages xxxvi. xxxviii.

† The death-rates under one year of age are per 1000 Births.

20.—MILE END OLD TOWN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 20·54	†146	–	–	–	–	69·05	5·33	2·06	3·04	4·06	6·37	12·00	17·64	32·70	70·93	156·86
Males	—	Standard 20·94	†156	–	–	–	–	72·82	5·51	2·06	2·83	4·00	6·57	12·29	18·73	35·78	70·10	144·57
Females	—	Population* 20·17	†136	–	–	–	–	65·32	5·16	2·06	3·24	4·12	6·18	11·72	16·67	30·27	71·49	163·18
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·87 per cent.	106,602	3393	2874	2969	2872	2720	14828	12582	11167	10179	10090	16930	12227	8823	5667	3024	1085
Males		51,639	1660	1457	1445	1440	1357	7359	6260	5630	5019	4900	8305	5956	4132	2496	1214	368
Females		54,963	1733	1417	1524	1432	1363	7469	6322	5537	5160	5190	8625	6271	4691	3171	1810	717
Deaths from All Causes, 1881-90. Persons	20·32	21,660	5978	2237	1010	612	401	10238	671	230	309	410	1079	1467	1556	1853	2145	1702
Males	20·31	10,486	3247	1139	483	290	200	5359	345	116	142	196	546	732	774	893	851	532
Females	20·33	11,174	2731	1098	527	322	201	4879	326	114	167	214	533	735	782	960	1294	1170

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·06	0·06	0·06	63	31	32	17	–	2	1	–	20	6	8	6	6	8	7	2	–	–	–
Measles	0·70	0·74	0·67	750	381	369	162	300	135	78	37	712	37	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·55	0·58	0·53	588	297	291	33	87	113	95	108	436	122	14	8	–	5	3	–	–	–	–
Diphtheria	0·16	0·15	0·17	169	77	92	12	16	28	34	16	106	43	9	1	1	4	1	1	1	2	–
Whooping-cough	0·91	0·80	1·02	971	412	559	325	319	158	93	41	936	35	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	11	5	6	–	–	–	1	–	1	2	1	2	–	2	1	–	2	–	–
Enteric Fever	0·18	0·18	0·19	197	95	102	–	1	2	2	5	10	25	18	28	21	34	34	14	8	3	2
Simple Continued Fever	0·02	0·01	0·02	16	7	9	2	–	1	1	–	4	4	1	1	1	1	1	1	2	–	–
Diarrhœa and Dysentery	0·82	0·88	0·76	873	453	420	634	105	18	6	2	765	5	2	2	1	5	6	4	15	32	36
Cholera	0·03	0·03	0·03	30	13	17	12	4	–	1	–	17	2	1	1	–	2	2	2	1	2	–
Cancer	0·48	0·24	0·70	513	126	387	–	–	–	–	–	–	–	–	–	1	20	69	121	136	128	38
Tabes Mesenterica	0·44	0·51	0·37	469	263	206	327	85	24	10	4	450	11	2	1	1	2	–	2	–	–	–
Phthisis	1·91	2·27	1·57	2035	1173	862	16	23	8	6	9	62	29	43	105	181	508	482	342	199	72	7
Other Tub. & Scrof. Dis.	0·42	0·48	0·36	445	247	198	169	109	47	27	22	374	31	7	8	7	7	2	4	1	4	–
Diseases of Nervous System	2·49	2·46	2·52	2656	1271	1385	978	189	91	45	29	1332	79	17	15	24	59	130	185	277	342	196
Circulatory	1·30	1·13	1·46	1383	583	800	17	1	2	4	1	25	15	27	38	35	87	184	220	268	293	191
Respiratory	4·77	4·93	4·63	5090	2544	2546	1235	766	315	179	109	2604	131	21	22	33	108	231	352	553	657	378
Digestive	0·97	0·96	0·98	1032	494	538	296	122	20	9	3	450	25	10	17	19	54	74	101	121	115	46
Urinary	0·32	0·39	0·26	343	199	144	4	7	7	5	3	26	10	4	7	12	25	47	59	60	66	27
Generative	0·04	0·01	0·07	45	6	39	1	1	–	–	–	2	–	–	3	3	1	12	8	7	8	1
Puerperal Fever	0·07	–	0·13	71	–	71	–	–	–	–	–	–	–	–	6	17	32	16	–	–	–	–
Childbirth	0·05	–	0·10	53	–	53	–	–	–	–	–	–	–	–	3	7	19	23	1	–	–	–
Violence	0·47	0·55	0·40	504	282	222	225	19	13	8	6	271	23	11	5	10	21	39	36	37	35	16
Other Causes	3·15	2·94	3·32	3353	1527	1826	1513	83	26	7	6	1635	36	29	30	29	75	103	101	165	386	764

Marriages 10,954

Births { Males 20,808 / Females 20,011 } 40,819

Annual Rate per 1000 living { Persons Married 20·55 / Births 38·29

Deaths from Childbirth and Puerperal Fever 3·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

21.—POPLAR.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000. Persons	—	In Standard Population* 25·36	†148	–	–	–	–	67·74	5·93	3·01	4·17	6·30	8·85	14·58	27·18	40·98	85·06	188·36
Annual Death-Rate per 1000. Males	—	In Standard Population* 24·28	†150	–	–	–	–	72·42	5·73	3·41	4·61	6·45	9·89	16·48	30·78	48·74	94·92	212·38
Annual Death-Rate per 1000. Females	—	In Standard Population* 24·28	†136	–	–	–	–	63·10	6·12	2·69	3·69	6·14	7·78	12·56	17·36	33·4	77·22	175·20
Mean Population, 1881–90. Persons	Decennial Increase of Population 6·54 per cent.	161,629	5261	4607	4747	4544	4376	23535	20577	17623	15102	13722	24031	19369	13684	8087	3942	1357
Mean Population, 1881–90. Males	Decennial Increase of Population 6·54 per cent.	79,933	2555	2332	2432	2330	2268	11717	10307	8381	7365	7065	12436	9979	7006	3976	1899	525
Mean Population, 1881–90. Females	Decennial Increase of Population 6·54 per cent.	81,696	2706	2415	2315	2214	2108	11818	10270	8742	7737	6657	12195	9390	6678	4111	2043	832
Deaths from All Causes. Persons	22·55	36,447	9154	3526	1578	1035	649	15942	1220	530	629	865	2170	2824	3685	3314	3393	2556
Deaths from All Causes. Males	24·16	19,784	5041	1804	807	521	312	8485	571	303	366	456	1230	1645	1876	1938	1729	1115
Deaths from All Causes. Females	20·91	16,716	4113	1722	771	514	337	7457	649	227	263	409	940	1179	1159	1376	1624	1441

	Persons	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·08	0·07	0·08	128	61	67	34	7	6	2	4	53	9	4	3	13	20	17	2	–	1	–
Measles	0·72	0·72	0·73	1171	586	585	169	459	219	137	67	1052	76	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·45	0·46	0·43	724	377	347	46	109	123	132	92	502	172	39	4	2	4	2	3	–	–	–
Diphtheria	0·19	0·16	0·21	301	134	167	20	51	38	46	46	201	72	13	–	4	4	3	2	3	–	–
Whooping-cough	0·79	0·68	0·90	1280	559	721	485	388	193	116	55	1235	45	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	7	4	3	–	–	–	1	1	2	1	1	–	–	1	–	1	1	–	–
Enteric Fever	0·18	0·18	0·18	290	147	143	–	8	10	8	12	38	33	27	38	37	39	44	15	12	7	–
Simple Continued Fever	0·03	0·02	0·03	41	19	22	3	2	3	2	5	15	4	3	1	3	4	3	4	2	2	–
Diarrhœa and Dysentery	0·77	0·77	0·77	1244	631	613	823	162	25	7	8	1025	13	2	3	7	10	19	13	44	50	56
Cholera	0·02	0·02	0·02	37	20	17	14	5	1	2	1	23	3	–	–	–	1	2	4	–	3	1
Cancer	0·51	0·39	0·63	818	316	502	1	1	–	–	–	2	1	–	1	5	27	120	205	244	156	57
Tabes Mesenterica	0·47	0·53	0·41	765	434	331	463	179	54	19	13	729	20	8	3	3	3	5	3	1	–	–
Phthisis	2·43	2·93	1·93	3933	2391	1542	90	47	22	14	10	183	66	83	213	375	1019	959	648	286	81	13
Other Tub. & Scrof. Dis.	0·60	0·66	0·54	971	541	430	417	221	83	47	20	788	92	21	12	10	13	16	13	3	3	–
Diseases of Nervous System	2·48	2·78	2·22	4004	2229	1775	1199	263	119	69	55	1704	118	46	40	49	106	232	334	320	505	290
Circulatory	1·51	1·55	1·47	2443	1270	1173	45	7	2	8	5	67	27	61	55	60	171	296	428	542	484	252
Respiratory	5·13	5·47	4·77	8279	4369	3810	1881	1192	522	329	174	4098	227	36	55	65	189	353	644	954	1454	624
Digestive	1·10	1·12	1·08	1780	917	863	597	194	43	19	17	870	34	27	14	27	70	133	177	187	187	54
Urinary	0·43	0·54	0·32	696	443	253	6	9	8	10	5	38	16	8	16	18	62	116	128	141	193	50
Generative	0·04	0·01	0·07	66	10	56	6	1	–	–	–	7	–	1	3	2	13	12	8	11	7	2
Puerperal Fever	0·06	–	0·15	122	–	122	–	–	–	–	–	–	–	–	–	3	30	52	36	1	–	–
Childbirth	0·06	–	0·13	105	–	105	–	–	–	–	–	–	–	–	–	6	20	43	34	2	–	–
Violence	1·23	1·78	0·64	1968	1457	511	395	70	59	43	27	594	69	79	46	29	115	172	167	267	592	1118
OTHER CAUSES	3·26	3·37	3·20	5274	2719	2555	2432	150	43	27	18	2670	69	79	46	29	115	172	167	267	592	1118

Marriages	–	10,048	Annual Rate per 1000 living	Persons Married	13·56
Births	Males 31,529	61,836		Births	38·26
	Females 30,307				

Deaths from Childbirth and Puerperal Fever – 3·67 per 1000 Births.

* See pages xxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

22.—ST. SAVIOUR SOUTHWARK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 22·27	†166	–	–	–	–	78·97	5·77	2·13	2·96	4·10	7·09	11·99	19·37	34·33	71·03	157·55
Annual Death-Rate per 1000. Males	—	In Standard Population* 23·36	†181	–	–	–	–	84·84	5·68	2·03	2·81	3·86	6·79	12·38	20·95	38·32	76·91	166·19
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·23	†151	–	–	–	–	73·17	5·86	2·24	3·13	4·36	7·40	11·59	17·82	30·75	66·48	152·73
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·86 per cent.	198,928	5966	5352	5335	5126	4945	26724	22527	19719	18620	18902	33111	24805	17135	10329	5315	1741
Mean Population, 1881-91. Males	Decennial Increase of Population 3·86 per cent.	99,075	2956	2696	2619	2543	2454	13268	11165	9756	9651	9719	16792	12423	8478	4882	2317	624
Mean Population, 1881-91. Females	Decennial Increase of Population 3·86 per cent.	99,853	3010	2656	2716	2583	2491	13456	11362	9963	9069	9183	16319	12382	8657	5447	2998	1117
Deaths from All Causes, 1881-90. Persons	21·54	42,855	12114	4982	2076	1208	723	21103	1300	421	552	775	2348	2973	3319	3546	3775	2743
Deaths from All Causes, 1881-90. Males	22·08	21,880	6700	2565	1028	596	368	11257	634	198	271	375	1141	1538	1776	1871	1782	1037
Deaths from All Causes, 1881-90. Females	21·01	20,975	5414	2417	1048	612	355	9846	666	223	281	400	1207	1435	1543	1675	1993	1706

	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.											
Small-pox	0·05	0·04	0·06	106	44	62	28	13	4	6	1	52	11	8	9	9	8	6	2	–	–	1
Measles	0·89	0·90	0·87	1766	896	870	311	746	340	182	102	1681	79	3	–	2	1	–	–	–	–	–
Scarlet Fever	0·35	0·37	0·32	687	364	323	46	122	126	124	85	503	148	16	7	3	4	3	1	1	1	–
Diphtheria	0·18	0·18	0·18	361	180	181	34	63	63	56	49	265	67	7	2	3	7	4	1	4	–	1
Whooping-cough	0·91	0·82	1·00	1813	814	999	604	589	323	156	68	1740	70	2	–	–	1	–	–	–	–	–
Typhus	0·01	0·01	0·01	14	7	7	–	–	–	–	1	1	–	1	3	1	3	1	3	–	1	–
Enteric Fever	0·13	0·14	0·12	251	134	117	3	4	8	7	12	34	34	21	37	25	42	29	16	12	1	–
Simple Continued Fever	0·02	0·02	0·02	39	19	20	2	3	6	4	2	17	5	1	1	–	1	6	2	2	1	3
Diarrhœa and Dysentery	0·82	0·87	0·79	1641	857	784	1173	255	38	15	4	1485	10	1	5	4	4	7	18	25	36	46
Cholera	0·01	0·01	0·01	22	11	11	8	1	–	–	–	9	–	–	1	–	2	–	5	2	3	–
Cancer	0·47	0·30	0·63	929	302	627	4	1	2	1	2	10	–	2	1	5	24	113	232	252	226	64
Tabes Mesenterica	0·47	0·54	0·40	932	531	401	593	197	60	17	15	882	24	7	7	4	5	1	2	–	–	–
Phthisis	2·16	2·45	1·87	4302	2430	1872	107	75	34	38	19	273	90	67	184	364	1127	1097	710	301	80	9
Other Tub. & Scrof. Dis.	0·57	0·63	0·51	1136	627	509	378	281	139	96	46	940	107	24	8	12	19	15	4	3	4	–
Diseases of Nervous System	2·73	2·91	2·54	5422	2883	2539	2030	428	171	104	55	2788	141	49	41	38	138	272	417	492	663	383
Diseases of Circulatory „	1·33	1·16	1·49	2636	1147	1489	28	3	4	4	10	49	62	64	49	67	194	321	444	549	551	286
Diseases of Respiratory „	5·36	5·53	5·21	10683	5478	5205	2548	1727	611	311	208	5405	245	25	52	88	256	477	777	1177	1355	826
Diseases of Digestive „	0·99	0·93	1·04	1964	926	1038	504	222	45	18	13	802	43	35	33	21	101	184	249	228	180	88
Diseases of Urinary „	0·46	0·54	0·38	916	534	382	7	12	12	13	5	49	27	8	7	17	82	119	158	199	170	80
Diseases of Generative „	0·04	0·01	0·06	70	10	60	2	1	3	–	–	6	–	2	1	2	9	8	14	15	11	2
Puerperal Fever	0·07	–	0·14	136	–	136	–	–	–	–	–	–	–	–	5	32	65	34	–	–	–	–
Childbirth	0·06	–	0·11	114	–	114	–	–	–	–	–	–	–	–	5	21	52	34	2	–	–	–
Violence	0·50	0·61	0·39	998	604	394	397	36	21	19	8	481	57	20	26	21	75	84	77	73	50	34
Other Causes	2·96	3·11	2·86	5917	3082	2835	3307	203	66	37	18	3631	80	58	68	36	128	158	185	211	442	920

Marriages - - - 29,031

Births - { Males - 37,065 / Females - 35,867 } 72,932

Annual Rate per 1000 living { Persons Married 29·19 / Births - - 36·66

Deaths from Childbirth and Puerperal Fever - - - - - } 3·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

23.—ST. OLAVE SOUTHWARK.

Causes of Death.	Crude Death-Rate	All Ages.	Under 1 Year.	1–	2–	3–	4–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons	In Standard Population* 22·84	1·17	–	–	–	–	7·78	6·43	3·74	5·60	7·45	10·98	17·10	25·26	44·98	78·96	168·78
	Males		1·19	–	–	–	–	7·18	6·63	4·29	5·96	8·20	12·46	18·93	30·18	54·84	100·69	149·04
	Females		1·142	–	–	–	–	8·32	6·23	3·18	5·19	6·65	9·42	15·22	20·88	38·78	70·28	155·56
Mean Population, 1881–91.	Persons	Decennial Increase of Population 1·51 per cent.	135,136	4389	3920	3938	3743	3656	19696	16942	14694	12928	12146	20871	16942	11928	6679	3394	1121
	Males		68,259	2245	1995	1955	1872	1863	9919	8449	7459	6858	6269	10593	8442	5538	3475	1413	394
	Females		67,407	2466	1974	1983	1871	1793	9786	8493	7235	6070	5877	10278	7950	5385	3204	1891	728
Deaths in Three Years, 1881–90.	Persons	21·78	33,057	7992	3445	1503	894	670	14454	1091	550	724	995	2291	2743	2914	3904	2909	1892
	Males	20·49	17,568	4446	1682	782	467	342	7949	562	320	429	544	1329	1526	1727	2446	1880	761
	Females	22·76	15,344	3876	1693	721	447	328	6705	529	230	315	391	962	1267	1187	1458	1529	1130

	Persons	Males	Females	Persons.	Males.	Females.	Persons.											
Small-pox	0·06	0·06	0·06	82	43	39	18	2	5	1	3	29	7	8	8	4	15	5	4	1	1	–
Measles	0·82	0·81	0·83	1111	552	559	217	409	214	121	71	1032	75	1	–	1	2	–	–	–	–	–
Scarlet Fever	0·40	0·40	0·40	544	274	270	22	87	109	101	76	395	123	13	3	3	6	1	–	–	–	–
Diphtheria	0·28	0·27	0·30	381	184	200	22	65	68	67	67	289	75	4	2	1	6	3	2	2	–	–
Whooping-cough	0·81	0·71	0·90	1096	486	610	426	355	156	87	42	1066	29	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	16	11	5	–	–	1	–	–	1	7	3	2	–	1	–	2	–	–	–
Enteric Fever	0·19	0·30	0·17	252	136	116	5	5	8	5	4	27	24	36	28	35	67	19	12	2	2	–
Simple Continued Fever	0·01	0·01	0·01	9	5	4	1	–	–	1	1	3	–	1	–	–	1	2	–	1	1	–
Diarrhœa and Dysentery	0·95	0·96	0·94	1286	653	633	859	219	43	12	7	1140	7	1	2	3	11	8	17	22	38	37
Cholera	0·03	0·03	0·03	44	22	22	20	8	1	2	–	31	2	1	–	–	–	–	4	4	1	1
Cancer	0·82	0·69	0·94	1108	471	637	2	1	1	2	1	7	2	3	9	6	60	194	292	321	167	42
Tabes Mesenterica	0·35	0·37	0·33	466	242	224	374	103	27	14	7	425	23	9	6	1	7	2	2	–	1	–
Phthisis	2·33	2·75	1·89	3145	1870	1275	45	44	14	18	13	134	73	69	206	306	844	721	502	238	56	5
Other Tub. & Scrof. Dis.	0·62	0·70	0·54	839	477	362	263	169	88	46	39	605	90	53	24	31	27	18	13	7	2	–
Nervous System	2·80	3·01	2·61	3812	2051	1761	1305	316	145	81	57	1904	103	49	36	31	82	196	230	365	463	234
Circulatory	1·51	1·61	1·41	2046	1096	950	16	4	5	8	7	40	41	68	76	74	229	319	396	385	289	129
Respiratory	5·51	5·79	5·24	7488	3951	3537	1705	1177	473	220	143	3718	167	34	55	90	223	382	578	853	835	512
Digestive	1·25	1·26	1·23	1689	860	829	399	160	28	21	12	620	37	35	46	44	108	167	217	210	148	57
Urinary	0·65	0·84	0·45	876	570	306	8	7	12	3	6	36	20	15	20	31	86	143	187	169	134	66
Generative	0·10	0·02	0·17	134	16	118	4	1	1	–	–	6	1	–	5	10	20	40	22	22	4	4
Puerperal Fever	0·09	–	0·19	126	–	126	–	–	–	–	–	–	–	–	3	37	56	29	1	–	–	–
Childbirth	0·06	–	0·12	79	–	79	–	–	–	–	–	–	–	–	1	6	32	37	3	–	–	–
Violence	1·43	2·04	0·80	1935	1393	542	248	75	37	57	46	463	107	95	109	105	241	250	234	158	109	65
Other Causes	3·30	3·44	3·19	4459	2351	2108	2043	135	67	27	18	2290	78	66	83	98	167	207	188	209	358	746

Marriages	7,566	Annual Rate per 1000 living	Persons Married 17·86
Births { Males 26,104 / Females 25,166 }	51,270		Births 37·80

Deaths from Childbirth and Puerperal Fever 4·09 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

24.—LAMBETH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 21·32	†145	–	–	–	–	67·22	6·26	3·14	3·94	5·27	7·75	12·91	20·31	35·40	66·14	152·63
Males	—	Standard 22·96	†156	–	–	–	–	71·64	6·37	3·11	4·25	5·72	8·41	14·52	23·64	41·36	76·04	164·18
Females	—	Population* 19·76	†134	–	–	–	–	62·80	6·16	3·16	3·68	4·89	7·16	11·46	17·46	30·87	59·79	146·66
Mean Population, 1881-91. Persons	Decennial Increase of Population 8·48 per cent.	264,451	7367	6554	6673	6362	6191	33147	28885	26006	25219	26169	44039	32521	22457	14339	7864	2905
Males		124,582	3650	3258	3378	3182	3105	16573	14365	12752	11616	11980	21195	15455	10364	6189	3072	991
Females		139,869	3717	3296	3295	3180	3086	16574	14520	13254	13573	14189	23744	17066	12093	8150	4792	1914
Deaths from All Causes, 1881-90. Persons	20·51	54,236	13249	4748	2060	1345	879	22281	1809	816	994	1379	3484	4200	4562	5076	5201	4434
Males	21·97	27,365	7256	2445	1031	700	441	11873	915	397	495	685	1783	2244	2450	2560	2336	1627
Females	19·21	26,871	5993	2303	1029	645	438	10408	894	419	499	694	1701	1956	2112	2516	2865	2807

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·15	0·16	0·14	402	203	199	38	22	16	12	8	96	49	29	36	60	67	28	23	7	6	1
Measles	0·61	0·63	0·58	1601	789	812	316	613	291	162	85	1467	125	3	–	2	1	2	1	–	–	–
Scarlet Fever	0·37	0·39	0·35	967	483	484	50	118	148	161	123	600	264	46	23	13	16	3	–	1	1	–
Diphtheria	0·35	0·35	0·34	917	440	477	45	139	145	151	126	606	233	45	6	3	8	5	3	1	7	–
Whooping cough	0·69	0·67	0·71	1825	832	993	735	569	254	140	65	1763	60	2	–	–	–	–	–	–	–	–
Typhus	0·02	0·01	0·02	41	18	23	–	1	–	–	–	1	2	4	2	3	12	13	3	1	–	–
Enteric Fever	0·21	0·22	0·20	553	271	282	–	6	4	8	10	28	63	65	86	84	113	68	20	21	4	1
Simple Continued Fever	0·03	0·02	0·03	67	28	39	–	2	6	1	3	12	10	3	5	2	5	11	5	7	5	2
Diarrhœa and Dysentery	0·71	0·79	0·65	1890	985	905	1367	228	83	9	7	1644	9	1	2	6	19	14	19	46	62	68
Cholera	0·02	0·02	0·02	54	28	26	24	8	1	2	1	36	1	2	1	2	3	2	1	3	3	–
Cancer	0·72	0·54	0·88	1907	671	1236	1	1	3	3	2	10	9	4	12	19	76	273	468	528	373	135
Tabes Mesenterica	0·26	0·31	0·22	699	386	313	413	136	41	15	7	612	33	14	9	8	9	6	3	3	2	–
Phthisis	1·80	2·30	1·55	5023	2859	2164	71	62	34	21	22	210	71	96	281	481	1338	1256	797	331	92	20
Other Tub. & Scrof. Dis.	0·57	0·65	0·49	1507	815	692	537	309	134	94	62	1136	143	47	40	31	47	36	16	8	3	–
Diseases of Nervous System	2·37	2·59	2·18	6279	3224	3055	1965	442	180	109	75	2771	126	75	57	69	175	333	457	718	872	626
Diseases of Circulatory „	1·43	1·42	1·44	3779	1770	2009	36	12	5	1	8	62	62	104	118	105	287	512	614	744	721	450
Diseases of Respiratory „	4·20	4·49	3·94	11101	5592	5509	2432	1463	543	304	173	4915	236	49	66	111	321	559	852	1353	1537	1102
Diseases of Digestive „	1·21	1·26	1·18	3211	1566	1645	733	240	46	29	19	1067	62	44	53	70	187	284	448	449	365	182
Diseases of Urinary „	0·49	0·63	0·36	1292	785	507	14	10	11	11	7	53	28	18	21	37	128	170	234	247	226	130
Diseases of Generative „	0·08	0·01	0·15	222	15	207	7	4	–	–	–	11	1	–	7	12	43	42	54	17	30	5
Puerperal Fever	0·08	–	0·15	207	–	207	–	–	–	–	–	–	–	–	9	37	108	51	2	–	–	–
Childbirth	0·05	–	0·10	141	–	141	–	–	–	–	–	–	–	–	8	24	62	43	4	–	–	–
Violence	0·67	0·95	0·43	1777	1178	599	318	103	78	65	41	605	107	59	52	87	174	174	185	159	112	63
OTHER CAUSES	3·32	3·56	3·10	8774	4427	4347	4147	260	87	47	35	4576	115	106	100	113	285	315	353	382	780	1649

Marriages - - - 21,936

Births - {Males - 46,463 / Females - 44,683} 91,146

Annual Rate per 1000 living {Persons Married 16·59 / Births - - 34·47

Deaths from Childbirth and Puerperal Fever - - - - - 3·82 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

25.—WANDSWORTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death-Rate per 1000.	Persons	—		In Standard Popul tion*		17·26 18·15 16·43	·146	–	–	–	–	56·54	4·04	2·01	2·02	3·20	5·30	9·45	15·16	28·22	60·72	141·44
	Males	—					·154	–	–	–	–	60·78	4·08	2·09	3·27	3·58	5·38	10·05	15·41	31·70	61·05	140·88
	Females	—					·4128	–	–	–	–	52·28	4·01	1·93	2·63	3·07	5·24	8·91	14·06	25·47	59·05	136·80
Mean Popu- lation, 1881–91.	Persons	Decennial Increase of Population 46·13 per cent.			258,267		7278	6685	6949	6783	6611	34276	30712	27339	25270	24245	42701	32126	21429	11926	6503	2294
	Males				119,237		3691	3324	3402	3320	3306	17149	15376	13412	11445	11445	19361	13917	9805	5264	2658	848
	Females				138,129		3547	3324	3427	3363	3305	17086	15376	14027	13775	12800	23440	17709	11598	6962	3941	1546
Deaths from All Causes, 1881–90.	Persons	16·28			42,035		12264	3042	1672	944	657	19579	1242	549	756	798	2265	3025	3203	3478	3974	3886
	Males	17·32			26,881		6798	2044	808	456	316	10442	625	274	374	354	1036	1510	1623	1705	1647	1471
	Females	15·28			21,154		5466	1898	764	488	341	8957	617	275	382	424	1229	1515	1580	1773	2327	2415

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	0·02	0·02	0·02	52	24	28	3	2	4	–	3	17	1	5	3	3	5	3	3	–	–	–
Measles	0·57	0·65	0·51	1489	779	710	316	528	273	152	100	1369	108	8	2	–	1	–	–	1	–	–
Scarlet Fever	0·19	0·19	0·19	494	234	260	31	69	96	78	68	342	109	13	9	2	12	6	1	–	–	–
Diphtheria	0·18	0·17	0·17	473	224	249	5	56	54	69	71	255	181	27	6	1	4	5	3	1	1	–
Whooping-cough	0·65	0·64	0·67	1695	768	927	690	535	240	124	76	1665	60	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·01	12	3	9	–	–	–	–	1	1	2	1	2	1	–	4	–	1	–	–
Enteric Fever	0·14	0·15	0·12	355	188	167	2	7	14	10	4	37	51	30	42	30	75	44	26	14	3	1
Simple Continued Fever	0·02	0·01	0·02	42	14	28	2	3	3	5	4	15	6	2	2	–	1	–	3	3	7	1
Diarrœa and Dysentery	0·71	0·80	0·63	1828	991	837	1425	217	25	7	7	1682	7	1	1	1	4	11	13	28	86	12
Cholera	0·03	0·04	0·03	79	45	34	59	8	–	–	1	68	1	1	–	1	–	–	2	3	2	1
Cancer	0·46	0·27	0·63	1196	330	866	–	3	1	–	1	5	3	1	3	–	32	152	283	326	277	115
Tabes Mesenterica	0·32	0·36	0·27	819	440	379	548	141	42	22	4	757	17	15	10	2	7	5	3	1	2	
Phthisis	1·45	1·61	1·31	3735	1944	1811	100	46	28	20	14	208	55	95	278	323	911	994	582	275	89	11
Other Tub. & Scrof. Dis.	0·48	0·57	0·40	1244	690	554	487	241	109	59	48	954	112	42	36	18	29	27	17	8	1	–
Brain & Nervous System	2·12	2·35	1·91	5482	2838	2644	1607	387	152	87	40	2273	137	54	67	48	196	326	491	593	764	524
Circulatory	1·22	1·17	1·26	3152	1413	1739	28	6	6	5	6	51	40	54	51	58	184	344	488	621	766	445
Respiratory	3·23	3·52	2·98	8335	4240	4095	2810	1295	421	238	120	4419	214	36	35	55	222	389	519	724	951	586
Digestive	0·96	0·96	0·95	2479	1158	1321	681	179	41	19	11	931	53	34	41	42	86	204	255	308	385	199
Urinary	0·35	0·41	0·29	903	428	475	15	6	10	1	4	36	12	10	16	16	80	104	141	196	178	112
Generative	0·04	0·00	0·08	116	4	112	1	1	–	–	–	2	1	–	3	3	12	17	28	26	16	8
Puerperal Fever	0·07	–	0·13	186	–	186	–	–	–	–	–	–	–	–	9	40	94	40	2	–	–	–
Childbirth	0·05	–	0·09	137	–	137	–	–	–	–	–	–	–	–	4	17	76	37	3	–	–	–
Violence	0·46	0·65	0·29	1188	784	404	340	46	27	16	15	435	42	56	51	64	107	128	127	69	52	37
OTHER CAUSES	2·91	2·75	2·33	6521	3295	3226	3502	159	50	34	20	3873	80	64	72	68	147	206	242	246	499	1303

Marriages - - - 17,543

Births - { Males - 44,103 / Females - 42,580 } 86,683

Annual Rate per 1000 living { Persons Married 14·55 / Births - - 33·47

Deaths from Childbirth and Puerperal Fever - - - - - } 3·66 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

26.—CAMBERWELL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 19·55	†143	–	–	–	–	59·53	5·07	2·24	2·88	4·53	6·63	11·56	17·45	34·51	71·03	159·72
Males	—	Standard 20·89	†155	–	–	–	–	63·94	5·11	2·15	2·79	4·68	7·02	12·91	19·83	38·97	79·35	179·59
Females	—	Population* 18·28	†130	–	–	–	–	55·07	5·03	2·33	2·96	4·40	6·29	10·37	15·41	31·11	65·54	149·51
Mean Population, 1881–91. Persons	Decennial Increase of Population 26·13 per cent.	210,969	6090	5643	5651	5617	5499	28500	26016	22906	20839	18847	33013	25355	17394	10274	5643	2182
Males		99,440	3073	2797	2829	2832	2790	14321	12983	11416	9738	8462	15156	11877	8050	4455	2242	740
Females		111,529	3017	2846	2822	2785	2709	14179	13033	11490	11101	10385	17857	13478	9344	5819	3401	1442
Deaths from All Causes, 1881–90. Persons	18·70	39,445	10213	3588	1513	985	667	16966	1319	513	601	853	2188	2930	3036	3546	4008	3485
Males	19·88	19,770	5676	1890	764	492	335	9157	663	245	272	396	1064	1533	1596	1736	1779	1329
Females	17·64	19,675	4537	1698	749	493	332	7809	656	268	329	457	1124	1397	1440	1810	2229	2156

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·07	0·07	0·07	153	72	81	28	5	11	7	4	55	14	9	6	3	28	22	9	5	1	1
Measles	0·62	0·68	0·56	1301	675	626	246	487	236	144	82	1195	96	5	1	1	2	–	1	–	–	–
Scarlet Fever	0·25	0·28	0·23	529	278	251	22	60	85	102	77	346	138	25	4	3	9	3	1	–	–	–
Diphtheria	0·22	0·21	0·22	456	213	243	25	59	65	68	64	281	136	16	3	1	7	4	2	3	1	2
Whooping-cough	0·73	0·70	0·76	1539	696	843	580	495	218	133	61	1487	51	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	12	4	8	–	–	1	–	–	1	3	3	1	1	1	2	–	–	–	–
Enteric Fever	0·14	0·15	0·12	285	149	136	3	5	6	10	13	37	37	31	35	36	37	35	0	13	3	1
Simple Continued Fever	0·01	0·02	0·01	28	15	13	2	–	2	–	1	5	5	2	2	3	2	1	2	2	3	1
Diarrhœa and Dysentery	0·69	0·76	0·63	1463	755	708	1066	181	27	7	6	1287	10	2	2	2	12	11	20	24	36	57
Cholera	0·02	0·02	0·02	47	23	24	21	6	–	1	–	28	2	–	–	1	2	2	4	5	3	–
Cancer	0·55	0·34	0·73	1153	343	810	–	1	–	1	3	5	1	–	4	3	33	139	265	330	281	92
Tabes Mesenterica	0·35	0·42	0·29	741	413	328	480	138	55	17	8	698	21	8	6	–	1	3	1	2	1	–
Phthisis	1·93	2·34	1·56	4069	2326	1743	80	46	28	22	18	194	68	72	227	376	999	1029	691	305	96	12
Other Tub. & Scrof. Dis.	0·42	0·48	0·36	877	473	404	289	208	95	59	35	686	91	28	10	19	21	10	3	4	4	1
Diseases of Nervous System	2·65	2·88	2·45	5591	2863	2728	1624	397	136	69	51	2277	129	58	42	61	183	337	441	667	863	533
Circulatory „	1·23	1·17	1·28	2587	1165	1422	29	8	4	4	7	52	58	67	76	67	160	299	396	512	581	319
Respiratory „	3·94	4·24	3·68	8319	4215	4104	1972	1138	442	275	181	4008	255	35	45	76	210	372	481	879	1089	869
Digestive „	0·99	0·96	1·02	2094	958	1136	472	175	25	14	14	700	59	33	31	29	97	208	271	286	255	125
Urinary „	0·43	0·55	0·33	917	549	368	16	7	7	6	10	46	17	13	9	18	57	125	134	165	214	119
Generative „	0·04	0·01	0·08	94	7	87	2	–	–	–	–	2	–	1	3	5	10	16	20	18	14	5
Puerperal Fever	0·08	–	0·15	164	–	164	–	–	–	–	–	–	–	–	4	39	89	32	–	–	–	–
Childbirth	0·05	–	0·09	97	–	97	–	–	–	–	–	–	–	–	6	13	51	26	1	–	–	–
Violence	0·36	0·52	0·22	766	516	250	184	29	19	23	11	266	59	37	22	32	42	73	82	77	47	29
OTHER CAUSES	2·92	3·08	2·77	6163	3062	3101	3072	143	51	23	21	3310	69	67	62	64	135	181	191	249	516	1319

Marriages 12,850

Births { Males 36,612 / Females 31,904 } 71,516

Annual Rate per 1000 living { Persons Married 12·18 / Births 33·90

Deaths from Childbirth and Puerperal Fever 3·65 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

27.—GREENWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 21·33	†147	–	–	–	–	65·62	7·43	3·54	4·93	6·62	9·03	13·24	14·45	22·51	43·63	150·22
Males	—	Standard 23·05	†157	–	–	–	–	67·84	7·22	3·73	5·14	7·80	10·87	15·92	21·43	30·71	72·19	145·29
Females	—	Population* 19·70	†136	–	–	–	–	61·42	7·65	3·34	4·73	5·59	7·39	10·74	10·71	20·76	57·80	144·23
Mean Population, 1881–91. Persons	Decennial Increase of Population 26·05 per cent.	148,323	4336	3919	4099	3902	3883	20089	18437	16659	14696	13401	22·89	17345	12963	7773	4431	1695
Males		71,661	2200	1946	2017	1952	1943	10011	9087	8295	6897	6122	10761	8450	5831	3553	1888	995
Females		76,662	2136	1973	1982	1950	1940	10078	9350	8364	7280	7279	12·89	8895	6422	4·80	2545	1010
Deaths from All Causes, 1881–90. Persons	21·03	31,185	7·80	3789	1399	886	921	13176	1348	589	695	874	2058	2492	2481	2927	2834	2444
Males	22·57	Do. 15,610	4132	1839	687	441	513	6992	656	320	350	480	1170	1429	1308	1283	1593	924
Females	19·58	15,575	3658	1951	622	445	408	6184	692	269	345	394	888	1063	1173	1644	1471	1487

	Persons.	Males.	Females.	Persons	Males	Females.	Persons.											
Small-pox	0·88	1·02	0·75	1303	730	573	107	54	52	51	38	302	161	93	131	136	224	136	90	21	5	4
Measles	0·65	0·69	0·61	966	495	471	154	345	207	114	64	884	61	8	–	1	1	1	–	–	–	–
Scarlet Fever	0·73	0·77	0·69	1083	552	531	34	127	176	178	152	667	393	61	21	9	14	5	2	1	–	–
Diphtheria	0·29	0·29	0·29	432	211	221	17	54	66	65	64	266	127	16	6	7	3	4	2	1	–	–
Whooping-cough	0·69	0·68	0·70	1023	490	533	379	336	153	72	40	980	41	–	1	–	–	–	1	–	–	–
Typhus	0·02	0·03	0·02	37	22	15	–	–	–	–	–	–	2	6	2	5	5	9	6	2	–	1
Enteric Fever	0·26	0·30	0·23	383	213	180	6	5	6	5	7	30	35	51	68	56	83	41	15	3	4	1
Simple Continued Fever	0·01	0·00	0·03	22	2	20	1	1	–	1	3	5	3	1	–	–	7	1	–	2	2	3
Diarrhœa and Dysentery	0·75	0·80	0·67	1067	572	515	732	141	22	9	6	900	6	4	–	3	9	16	16	19	27	27
Cholera	0·03	0·04	0·02	46	27	19	24	10	–	–	–	34	2	2	–	–	–	–	3	4	1	–
Cancer	0·38	0·38	0·76	856	272	584	–	–	–	–	2	2	2	–	4	4	31	108	201	243	190	63
Tabes Mesenterica	0·39	0·46	0·32	576	327	249	358	114	42	13	10	537	19	8	2	5	3	2	–	–	–	–
Phthisis	1·90	2·33	1·49	2815	1670	1145	43	28	12	11	12	106	50	66	162	320	728	681	426	201	62	13
Other Tub. & Scrof. Dis.	0·45	0·52	0·40	673	370	303	210	134	64	34	25	467	81	29	25	18	18	12	7	8	5	3
Nervous System	2·35	2·50	2·20	3490	1792	1688	1165	244	22	61	45	1607	108	40	51	36	98	151	289	334	495	326
Circulatory	1·36	1·55	1·17	2017	992	1081	23	9	5	6	5	44	28	39	47	25	140	266	344	423	481	220
Respiratory	5·99	4·33	3·67	5918	3101	2817	1448	858	306	185	102	2899	150	32	31	55	203	295	425	587	739	493
Digestive	1·15	1·14	1·15	1702	820	882	424	160	32	22	13	649	40	25	27	44	84	178	241	212	167	100
Urinary	0·42	0·55	0·29	617	392	225	11	8	5	7	4	35	18	8	11	23	49	71	102	117	117	66
Generative	0·05	0·01	0·08	69	8	61	3	–	1	–	–	4	–	–	1	3	9	13	11	18	7	3
Puerperal Fever	0·08	–	0·15	114	–	114	–	–	–	–	–	–	–	–	3	24	62	25	–	–	–	–
Childbirth	0·06	–	0·12	89	–	89	–	–	–	–	–	–	–	–	5	9	38	34	3	–	–	–
Violence	0·69	0·97	0·43	1019	602	327	238	23	28	20	20	329	44	41	55	34	104	118	103	97	69	36
Other Causes	3·27	3·41	3·14	4848	2451	2397	2143	129	42	33	13	2359	62	60	47	57	149	175	174	230	294	1052

Marriages	9,598	Annual Rate per 1000 living	Persons Married	12·94	Deaths from Childbirth and Puerperal Fever 3·93 per 1000 Births.
Births Males	26,308		Births	34·82	
Females	25,343	51,651			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

28.—LEWISHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·61	†121	–	–	–	–	44·61	3·78	2·28	2·32	3·01	4·47	7·66	12·69	24·33	52·48	132·64
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·04	†135	–	–	–	–	49·37	3·88	2·22	3·14	3·91	5·06	8·83	15·32	27·79	62·86	137·53
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·26	†107	–	–	–	–	39·90	3·68	2·34	1·82	2·54	4·09	6·78	10·71	21·90	45·96	129·91
Mean Population, 1881-91. Persons	Decennial Increase of Population 30·03 per cent.	83,980	1975	1841	1947	1899	1895	9557	9073	8588	9174	8769	13703	10002	7106	4426	2519	1063
Mean Population, 1881-91. Males	Decennial Increase of Population 30·03 per cent.	35,912	975	918	978	943	934	4748	4588	4142	3500	3019	5398	4282	3054	1828	972	381
Mean Population, 1881-91. Females	Decennial Increase of Population 30·03 per cent.	48,068	1000	923	969	956	961	4809	4485	4446	5674	5750	8305	5720	4052	2598	1547	682
Deaths from All Causes, 1881-90. Persons	13·54	11,369	2817	804	295	193	154	4263	343	196	213	264	613	766	902	1077	1322	1410
Deaths from All Causes, 1881-90. Males	15·60	5,604	1598	425	142	101	78	2344	178	92	110	118	273	378	468	508	641	524
Deaths from All Causes, 1881-90. Females	11·99	5,765	1219	379	153	92	76	1919	165	104	103	146	340	388	434	569	711	886

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	14	6	8	–	–	–	–	–	–	–	1	1	2	2	3	2	2	1	–
Measles	0·31	0·41	0·24	263	147	116	52	94	46	24	16	232	25	3	1	1	1	–	–	–	–	–
Scarlet Fever	0·11	0·11	0·10	90	41	49	4	16	8	11	16	55	26	4	2	–	3	–	–	–	–	–
Diphtheria	0·19	0·23	0·16	162	83	79	7	9	22	21	28	87	53	10	2	3	3	2	2	–	–	–
Whooping-cough	0·42	0·46	0·40	356	166	190	157	109	33	33	8	340	14	1	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·12	97	40	57	–	1	2	2	1	6	12	12	15	17	12	11	3	5	2	2
Simple Continued Fever	0·00	0·01	0·00	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1
Diarrhœa and Dysentery	0·43	0·52	0·36	362	187	175	271	33	11	–	–	315	2	–	–	–	2	3	3	5	10	23
Cholera	0·01	0·01	0·01	7	4	3	5	–	–	–	–	5	–	–	–	–	–	–	1	–	–	1
Cancer	0·58	0·44	0·69	490	158	332	–	–	–	–	1	1	1	–	–	2	10	54	102	149	124	47
Tabes Mesenterica	0·20	0·25	0·16	168	90	78	93	33	9	8	6	149	8	4	1	2	1	–	1	2	–	–
Phthisis	1·18	1·45	0·98	993	520	473	28	8	8	3	5	52	18	35	61	104	238	222	159	74	24	6
Other Tub. & Scrof. Dis.	0·32	0·42	0·24	267	152	115	79	51	22	15	16	183	29	23	11	4	6	6	4	–	1	–
Diseases of Nervous System	1·82	2·13	1·59	1527	765	762	411	94	20	16	7	548	34	14	16	14	39	63	120	185	262	232
Diseases of Circulatory „	1·18	1·18	1·19	994	424	570	6	3	–	–	–	9	11	22	25	25	40	83	119	196	276	188
Diseases of Respiratory „	2·41	2·94	2·00	2018	1055	963	524	229	79	41	32	905	50	12	20	14	61	107	117	172	248	312
Diseases of Digestive „	1·10	1·29	0·96	924	462	462	217	74	10	8	6	315	23	15	15	20	49	69	109	112	115	82
Diseases of Urinary „	0·35	0·51	0·24	296	183	113	3	1	2	–	2	8	2	4	5	4	17	28	42	65	68	53
Diseases of Generative „	0·05	0·01	0·09	43	2	41	–	1	–	–	–	1	–	–	–	2	5	6	11	7	7	4
Puerperal Fever	0·07	–	0·12	58	–	58	–	–	–	–	–	–	–	–	1	14	33	10	–	–	–	–
Childbirth	0·05	–	0·08	38	–	38	–	–	–	–	–	–	–	–	–	5	17	16	–	–	–	–
Violence	0·35	0·50	0·23	292	181	111	56	8	7	4	8	83	14	10	11	13	27	35	36	21	22	20
Other Causes	2·27	2·63	2·03	1907	936	971	904	40	16	7	2	969	21	26	26	18	47	48	71	82	160	439

Marriages – – – 5,053

Births – Males – 11,846 } 23,289
Births – Females – 11,443 }

Annual Rate per 1000 living { Persons Married 12·06 / Births – – 27·78

Deaths from Childbirth and Puerperal Fever – – – – – 4·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

29.—WOOLWICH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000 living	—	—	—	In		17·60	†124	–	–	–	–	50·82	4·53	2·54	3·49	5·43	7·09	11·19	17·26	28·96	62·85	141·16
				Standard		19·01	†137	–	–	–	–	56·14	4·35	2·39	3·53	5·37	7·87	12·34	18·34	32·26	71·42	157·89
				Population*		16·27	†110	–	–	–	–	45·56	4·73	2·79	3·44	4·74	6·28	9·38	15·48	25·93	57·66	134·85
Mean Population in 1881–91.	Persons	Decennial Increase at Population per cent.			94,387		2639	2115	2501	2408	2408	12291	11158	9634	9675	9223	11790	11032	7959	4805	2479	899
	Males				48,484		1337	1105	1225	1194	1212	6768	5614	4810	5589	5172	7588	5397	1097	2554	1083	351
	Females	32·75 per cent.			45,903		1302	1220	1276	1214	1196	6203	5544	4724	4086	4051	7202	5635	3862	2251	1396	548
Deaths from All Causes, 1881–90.	Persons	16·77			15,780		3855	1329	543	337	233	6297	506	244	338	501	1049	1234	1374	1409	1559	1269
	Males	17·14			8,458		2179	695	282	183	118	3457	244	112	197	309	597	724	776	758	754	550
	Females	16·06			7,322		1676	634	261	154	115	2840	262	132	141	192	452	510	598	651	805	739

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.												
Small-pox	0·03	0·02	0·03	27	12	15	9	2	–	–	–	11	3	–	–	5	5	1	1	1	–	–
Measles	0·45	0·47	0·43	425	227	198	84	105	72	43	29	333	28	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·15	0·16	0·13	139	78	61	9	19	25	17	16	84	40	6	4	3	1	1	–	–	–	–
Diphtheria	0·12	0·17	0·07	178	84	94	11	19	29	22	30	120	43	7	1	2	2	1	1	1	–	–
Whooping-cough	0·40	0·38	0·42	464	182	282	204	148	72	35	12	471	8	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·12	0·08	94	57	37	–	2	1	4	2	11	8	12	14	10	12	10	4	8	5	1
Simple Continued Fever	0·02	0·02	0·02	21	10	11	2	1	–	2	–	5	4	–	–	3	1	2	1	1	–	1
Diarrhœa and Dysentery	0·48	0·51	0·46	455	245	210	307	67	12	4	1	391	2	–	–	1	5	3	3	11	20	10
Cholera	0·01	0·05	0·03	38	23	15	18	–	–	–	–	18	1	–	–	–	2	1	3	3	1	1
Cancer	0·53	0·33	0·73	495	161	334	1	1	1	–	–	3	3	1	–	2	25	62	169	139	123	37
Tubercular Diseases	0·37	0·37	0·36	344	179	165	165	65	23	11	3	268	24	4	3	2	4	3	–	1	–	–
Brain	1·85	2·26	1·42	1885	1086	799	27	1	11	6	5	51	36	56	124	218	478	393	291	129	42	9
Other Forms	0·55	0·61	0·49	519	294	225	149	106	54	32	31	372	62	25	17	13	11	7	5	4	3	–
Diseases of Nervous System	2·08	2·20	1·95	1954	1066	888	577	114	53	35	25	804	60	27	20	24	39	83	183	233	243	215
Circulatory	1·47	1·14	1·81	1380	660	720	9	3	3	2	1	18	14	28	31	53	74	186	217	288	311	189
Respiratory	3·13	3·20	3·06	2955	1550	1405	736	402	134	74	48	1394	75	13	18	39	59	134	246	269	354	281
Digestive	1·03	0·98	1·08	969	477	492	280	49	27	6	6	368	21	9	20	17	45	70	108	86	160	65
Urinary	0·43	0·53	0·31	401	259	142	5	6	4	2	1	18	8	9	6	16	43	52	69	65	73	40
Generative	0·05	0·00	0·09	43	2	41	1	–	–	1	–	2	–	–	–	–	–	11	6	8	6	2
Puerperal Fever	0·09	–	0·19	86	–	86	–	–	–	–	–	–	–	–	–	3	21	39	22	1	–	–
Childbirth	0·04	–	0·09	39	–	39	–	–	–	–	–	–	–	–	–	3	7	15	13	1	–	–
Violence	0·68	0·99	0·35	642	482	160	80	25	14	13	7	148	22	19	47	42	72	84	81	56	38	33
OTHER CAUSES	2·48	2·56	2·42	2338	1248	1090	1169	74	20	13	7	1283	39	28	26	42	67	92	89	112	177	389

Marriages		8,157	Annual Rate per 1000 living	Persons Married	17·34	Deaths from Childbirth and Puerperal Fever 4·02 per 1000 Births.
Births	Males 15,855	31,126		Births	33·08	
	Females 15,271					

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

30.—EPSOM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·28	†103	–	–	–	–	36·78	4·04	2·38	3·45	5·09	9·99	17·26	23·69	37·02	69·14	152·23
Males	—	19·79	†112	–	–	–	–	39·47	3·52	2·21	3·77	6·26	12·56	21·99	27·36	37·61	73·13	169·73
Females	—	16·87	†94	–	–	–	–	34·09	4·60	2·58	3·17	4·27	8·02	13·21	20·61	36·51	65·80	139·78
Mean Population, 1881-91. Persons	Decennial Increase of Population 21·48 per cent.	45,615	996	986	1034	1015	1050	5081	5813	5747	4260	3847	6676	5308	3947	2688	1620	628
Males		21,584	506	483	539	512	501	2541	2985	3071	2018	1598	2897	2447	1798	1231	737	261
Females		24,031	490	503	495	503	549	2540	2828	2676	2242	2249	3779	2861	2149	1457	883	367
Deaths from All Causes. 1881-90. Persons	17·92	8,173	1202	348	140	91	88	1869	235	137	147	196	667	916	935	995	1120	956
Males	19·42	4,191	657	178	71	43	54	1003	105	68	76	100	364	538	492	463	539	443
Females	16·57	3,982	545	170	69	48	34	866	130	69	71	96	303	378	443	532	581	513

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	0·01	9	6	3	–	–	–	–	–	–	–	1	–	6	1	–	1	–	–
Measles	0·22	0·23	0·21	101	50	51	25	31	12	9	6	83	17	1	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·22	0·13	79	48	31	5	10	7	6	11	39	24	10	2	1	2	1	–	–	–
Diphtheria	0·19	0·19	0·20	88	41	47	3	5	8	10	7	33	37	10	2	2	2	2	–	–	–
Whooping-cough	0·32	0·31	0·33	147	68	79	69	34	24	9	6	142	5	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·06	0·07	30	13	17	–	–	–	1	–	1	2	3	5	–	4	11	–	1	3
Simple Continued Fever	0·01	–	0·02	4	–	4	–	–	–	1	–	1	1	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·30	0·34	0·26	136	73	63	91	19	1	2	2	115	–	1	–	–	–	–	3	3	5
Cholera	0·01	0·00	0·01	4	1	3	1	–	–	–	1	2	–	–	–	–	–	1	1	–	–
Cancer	0·59	0·40	0·77	271	87	184	–	–	–	–	–	–	1	1	1	3	4	29	61	91	56
Tabes Mesenterica	0·16	0·20	0·12	71	43	28	48	9	3	1	3	64	2	2	1	1	–	1	–	–	–
Phthisis	2·53	2·64	2·43	1155	570	585	24	10	7	5	2	48	13	19	55	83	274	246	208	129	68
Other Tub. & Scrof. Dis.	0·33	0·34	0·32	150	73	77	35	26	13	5	16	95	28	11	4	1	5	1	3	1	1
Diseases of Nervous System	4·71	5·51	3·99	2149	1190	959	159	25	12	7	9	212	22	18	20	36	209	382	379	339	342
Diseases of Circulatory „	1·64	1·73	1·56	747	373	374	7	–	–	1	2	10	9	15	12	11	26	67	104	154	196
Diseases of Respiratory „	2·36	2·74	2·02	1076	591	485	234	130	38	24	14	440	35	10	7	15	32	54	57	99	170
Diseases of Digestive „	0·84	0·87	0·82	384	187	197	61	27	4	4	4	100	10	13	8	8	17	27	32	53	66
Diseases of Urinary „	0·34	0·45	0·25	156	97	59	2	1	–	–	1	4	2	1	2	4	14	22	24	27	35
Diseases of Generative „	0·06	0·01	0·10	27	2	25	3	–	–	–	–	3	–	–	1	–	4	5	6	4	3
Puerperal Fever	0·05	–	0·10	24	–	24	–	–	–	–	–	–	–	–	–	5	18	1	–	–	–
Childbirth	0·05	–	0·10	25	–	25	–	–	–	–	–	–	–	–	1	2	8	13	1	–	–
Violence	0·34	0·48	0·21	153	103	50	16	4	5	3	3	31	10	8	7	12	14	19	13	18	10
Other Causes	2·61	2·67	2·54	1187	575	612	419	17	6	3	1	446	17	14	18	11	28	32	43	75	165

Marriages - - - 2,084

Births - {Males - 5,858 / Females 5,768} 11,626

Annual Rate per 1000 living {Persons Married 9·14 / Births - - 25·49}

Deaths from Childbirth and Puerperal Fever - - - - - 4·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

31.—CHERTSLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Deaths per 1000. Persons	—	In Standard Population* 13·17	†94	–	–	–	–	32·59	3·73	2·60	3·58	3·14	4·91	8·47	13·32	20·86	51·12	141·87
Males	—	15·07	†104	–	–	–	–	35·55	3·39	2·13	3·47	3·40	5·67	10·30	15·79	22·76	55·16	145·54
Females	—	12·41	†84	–	–	–	–	29·69	4·08	3·15	3·70	2·93	4·29	6·88	11·09	18·56	47·54	140·42
Mean Population, 1881-91. Persons	Decennial Increase of Population 20·77 per cent.	29,935	754	745	768	755	770	3702	3620	3660	2821	2423	4341	3437	2560	1780	1072	440
Males		14,519	382	367	373	368	389	1879	1829	1976	1468	1059	1939	1592	1216	848	504	209
Females		15,436	372	378	395	387	381	1913	1791	1684	1353	1364	2402	1845	1344	932	568	240
Deaths from All Causes, 1881-90. Persons	13·48	4,039	778	241	97	75	45	1236	185	95	101	76	213	291	341	366	548	637
Males	14·44	2,096	438	126	43	37	24	668	92	42	51	36	110	164	192	193	278	300
Females	12·59	1,943	340	115	54	38	21	568	73	53	50	40	103	127	149	173	270	337

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.												
Small-pox	0·03	0·05	0·02	10	7	3	1	–	–	–	–	1	–	1	1	–	4	–	1	1	1	–
Measles	0·23	0·23	0·23	68	33	35	16	25	8	8	1	58	9	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·14	0·14	41	20	21	3	3	6	6	6	23	14	2	–	–	–	2	–	–	–	–
Diphtheria	0·21	0·21	0·21	63	31	32	5	7	4	9	7	32	17	8	2	1	1	2	–	–	–	–
Whooping-cough	0·31	0·29	0·33	93	42	51	35	34	10	7	3	89	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·10	0·12	32	14	18	–	–	1	1	1	3	2	3	9	2	3	4	3	1	2	–
Simple Continued Fever	0·03	0·02	0·04	9	3	6	–	–	–	–	1	1	1	2	–	–	–	2	1	1	–	2
Diarrhœa and Dysentery	0·34	0·43	0·25	101	62	39	61	9	1	1	–	72	–	1	–	–	–	–	–	–	–	–
Cholera	0·03	0·03	0·03	8	4	4	6	–	–	1	–	7	–	–	–	–	–	–	1	–	–	–
Cancer	0·61	0·49	0·72	182	71	111	1	–	1	–	–	2	–	–	1	–	5	10	39	50	46	29
Tabes Mesenterica	0·07	0·06	0·08	22	9	13	7	3	–	2	2	14	–	3	1	–	2	2	–	–	–	–
Phthisis	1·42	1·54	1·30	424	223	201	3	3	3	1	1	11	7	18	36	36	90	90	76	37	17	6
Other Tub. & Scrof. Dis.	0·33	0·32	0·34	99	46	53	30	16	7	8	2	63	16	6	6	1	3	2	1	1	–	–
Nervous System	1·88	1·98	1·79	564	287	277	104	34	8	3	3	157	10	8	10	4	19	27	32	60	128	109
Circulatory	1·32	1·39	1·25	395	202	193	2	–	1	–	–	3	8	11	5	5	20	43	50	67	99	78
Respiratory	2·23	2·36	2·21	668	342	341	143	75	36	17	13	283	28	6	3	3	16	22	42	56	92	142
Digestive	0·73	0·81	0·65	219	118	101	49	13	3	–	1	66	3	4	3	2	5	17	24	21	44	34
Urinary	0·36	0·43	0·25	108	60	39	2	–	1	–	–	3	1	1	2	2	2	9	15	17	27	32
Generative	0·05	–	0·10	15	–	15	–	–	–	–	–	–	–	–	–	1	1	–	2	5	4	2
Puerperal Fever	0·06	–	0·12	18	–	18	–	–	–	–	–	–	–	–	1	2	9	6	–	–	–	–
Childbirth	0·05	–	0·09	14	–	14	–	–	–	–	–	–	–	–	–	3	4	7	–	–	–	–
Violence	0·56	0·84	0·29	167	122	45	12	7	2	2	3	26	8	7	10	7	8	23	25	19	21	13
Other Causes	2·33	2·67	2·03	704	391	313	208	13	5	5	2	323	7	13	11	7	13	22	23	30	65	101

Marriages		1,038	
Births	Males	4,288	8,287
	Females	4,099	

Annual Rate per 1000 living { Persons Married 10·94 / Births 27·66 }

Deaths from Childbirth and Puerperal Fever 3·86 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

32.—GUILDFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·01	†95	–	–	–	–	35·79	4·25	2·52	3·66	5·77	8·87	13·46	18·33	29·31	57·50	149·05
Males	—	16·94	†105	–	–	–	–	39·89	4·05	1·71	2·89	6·53	10·69	17·10	22·18	33·14	59·03	143·30
Females	—	15·12	†83	–	–	–	–	31·70	4·44	3·50	4·53	5·10	7·29	10·19	15·06	25·96	55·29	154·12
Mean Population, 1881-91. Persons	Decennial Increase of Population 20·83 per cent.	47,186	1142	1101	1107	1145	1126	5621	5275	5327	4616	3970	7020	5648	4278	2979	1767	685
Males		23,103	584	536	547	574	569	2810	2618	2926	2454	1854	3264	2666	1961	1388	841	321
Females		24,083	558	565	560	571	557	2811	2657	2401	2162	2116	3756	2982	2317	1591	926	364
Deaths from All Causes, 1881-90. Persons	16·63	7,845	1272	399	167	101	73	2012	224	134	169	229	623	760	784	873	1016	1021
Males	17·89	4,133	724	226	80	52	39	1121	106	59	71	121	349	456	435	460	504	460
Females	15·41	3,712	548	173	87	49	34	891	118	84	98	108	274	304	349	413	512	561

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	0·01	9	7	2	1	–	–	–	–	1	–	1	–	1	3	1	1	–	1	–
Measles	0·29	0·31	0·27	136	72	64	23	42	30	18	3	116	18	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·06	0·09	0·04	29	20	9	3	6	4	5	3	21	5	2	–	–	–	1	–	–	–	–
Diphtheria	0·21	0·15	0·26	97	35	62	3	2	1	12	15	33	31	15	6	1	6	3	1	1	–	–
Whooping-cough	0·32	0·32	0·32	151	75	76	73	46	14	10	2	145	6	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·11	0·10	0·11	50	24	26	–	1	–	–	–	1	5	6	11	5	9	3	5	2	3	–
Simple Continued Fever	0·01	0·01	0·00	3	2	1	–	–	–	–	1	1	–	–	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·31	0·36	0·27	148	84	64	82	15	–	3	–	100	–	–	2	–	5	–	6	1	13	21
Cholera	0·01	0·01	0·01	6	3	3	–	–	–	–	–	–	1	1	–	–	–	1	–	–	3	–
Cancer	0·69	0·48	0·89	327	112	215	–	2	–	–	–	2	1	–	–	1	13	41	65	90	80	34
Tabes Mesenterica	0·18	0·19	0·16	84	45	39	46	14	5	1	3	69	4	5	3	3	–	–	–	–	–	–
Phthisis	1·86	2·02	1·71	879	467	412	2	8	5	4	2	21	13	20	60	94	221	200	143	77	26	4
Other Tub. & Scrof. Dis.	0·33	0·39	0·27	157	91	66	32	25	11	11	6	85	27	12	11	–	10	5	4	3	–	–
Diseases of Nervous System	3·11	3·37	2·85	1466	779	687	174	49	25	8	6	262	23	12	17	32	108	185	192	214	248	173
Diseases of Circulatory „	1·69	1·73	1·65	796	399	397	4	3	1	1	2	11	7	17	12	14	44	76	110	162	226	117
Diseases of Respiratory „	2·45	2·66	2·25	1157	615	542	260	123	50	19	20	472	34	5	10	16	41	77	78	104	159	161
Diseases of Digestive „	0·90	0·99	0·82	426	229	197	77	21	11	2	2	113	12	7	7	10	23	33	46	67	65	43
Diseases of Urinary „	0·42	0·52	0·31	196	121	75	1	1	–	–	–	2	–	4	5	8	19	20	33	44	30	31
Diseases of Generative „	0·07	0·01	0·13	33	2	31	1	1	–	–	–	2	–	–	1	–	5	6	8	7	2	2
Puerperal Fever	0·06	—	0·12	28	–	28	–	–	–	–	–	–	–	–	–	2	16	9	1	–	–	–
Childbirth	0·05	—	0·10	23	–	23	–	–	–	–	–	–	–	–	–	3	13	8	–	–	–	–
Violence	0·65	1·00	0·32	308	230	78	21	7	5	4	6	43	16	6	11	21	48	47	47	32	22	15
Other Causes	2·83	3·15	2·54	1335	721	614	469	33	5	3	2	512	21	20	13	18	38	43	44	68	138	420

Marriages 2,866

Births Males 6,869, Females 6,582 — 13,451

Annual Rate per 1000 living: Persons Married 12·15; Births 28·51

Deaths from Childbirth and Puerperal Fever 3·79 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

33.—FARNHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons —	In Standard Population* 16·76	122	–	–	–	–	47·27	5·89	3·41	3·06	5·44	6·09	11·30	15·20	26·65	57·57	142·69
	Males —	17·52	130	–	–	–	–	50·70	6·12	2·98	2·70	5·33	6·04	12·53	17·09	29·41	60·74	142·50
	Females —	16·05	113	–	–	–	–	43·87	5·67	3·85	3·86	5·73	6·15	9·86	13·20	23·88	54·51	142·86
Mean Population in 1881–90.	Persons	Decennial Increase of Population 25·40 per cent.	45,121	1263	1142	1122	1103	1025	5655	4683	4041	3932	6523	7721	4726	3073	1966	1044	417
	Males		25,867	602	549	566	559	515	2791	2303	2014	3899	4708	4518	2546	1580	986	512	200
	Females		19,254	661	593	556	544	510	2864	2380	2027	1633	1815	3203	2180	1483	980	532	217
Deaths from All Causes, 1881–90.	Persons	15·00	6,768	1729	492	176	140	108	2645	276	138	163	355	470	534	467	524	681	595
	Males	14·42	3,731	954	242	93	74	52	1415	141	60	100	264	273	319	286	290	311	285
	Females	15·77	3,037	775	250	83	66	56	1230	135	78	63	104	197	215	181	234	290	310

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	0·01	0·02	0·01	5	4	1	–	–	–	–	1	1	–	–	1	–	–	1	–	1
Measles	0·19	0·17	0·22	86	44	42	15	34	12	19	6	77	8	–	1	–	–	–	–	–
Scarlet Fever	0·07	0·07	0·07	33	18	14	–	4	5	5	3	17	9	4	1	–	–	1	–	–
Diphtheria	0·64	0·52	0·80	280	135	144	9	23	29	41	34	136	105	31	5	5	4	1	–	1
Whooping-cough	0 30	0·34	0·46	176	87	89	83	57	18	8	8	174	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·25	0·10	83	64	19	1	–	2	2	2	7	5	4	10	35	8	5	4	3	2	–
Simple Continued Fever	0·02	0·02	0·02	8	4	4	1	–	1	–	–	2	2	1	–	–	1	1	1	–	–	–
Diarrhœa and Dysentery	0·58	0·51	0·66	260	133	127	167	39	7	8	2	223	2	–	–	3	6	2	1	6	8	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·39	0·24	0·58	174	63	111	–	–	–	–	–	–	1	–	–	1	6	23	41	45	33	24
Fever, Measles, etc.	0·21	0·18	0·26	96	46	50	52	22	4	2	2	82	6	5	1	–	1	–	1	–	–	–
Phthisis	1·61	1·77	1·39	726	458	268	9	7	5	3	2	26	11	18	44	106	186	169	161	45	17	3
Other Tub. & Scrof. Dis.	0·39	0·34	0·45	175	88	87	46	31	14	9	6	106	27	8	6	8	9	4	2	3	2	–
Diseases of Nervous System	2·02	1·93	2·13	910	500	410	278	45	21	11	8	363	19	16	17	22	31	46	51	109	131	105
Circulatory ,,	1 23	1·18	1·29	553	305	248	4	1	–	1	1	7	7	16	19	24	34	61	86	95	128	75
Respiratory ,,	2·64	2·66	2·61	1190	688	502	319	157	48	29	24	577	38	9	11	37	49	64	67	88	131	128
Digestive ,,	0·84	0·74	0·98	380	192	188	117	40	2	2	1	162	5	3	3	25	24	36	35	43	31	13
Urinary ,,	0·29	0·32	0·24	133	83	50	–	1	–	1	–	2	–	–	4	11	16	17	21	22	23	17
Generative ,,	0·03	–	0·06	12	–	12	–	–	–	–	–	–	–	–	–	1	6	5	–	–	–	–
Puerperal Fever	0·08	–	0·13	35	–	35	–	–	–	–	–	–	–	–	1	7	16	11	–	–	–	–
Childbirth	0·06	–	0·14	27	–	27	–	–	–	–	–	–	–	–	1	7	6	12	1	–	–	–
Violence	0·53	0·66	0·35	237	170	67	28	12	5	6	3	54	9	11	16	31	37	26	22	12	12	7
Other Causes	2·60	2·80	2 75	1181	649	532	600	19	3	2	5	629	20	12	22	32	40	49	35	49	83	212

Marriages	3,246	Annual Rate per 1000 living	Persons Married	14·39	Deaths from Childbirth and Puerperal Fever 4·38 per 1000 Births.
Births — Males	7,320		Births	31·39	
Births — Females	6,843				
	14,163				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births

24.—HAMBLEDON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·59	†85	–	–	–	–	28·80	3·81	2·08	3·59	3·71	5·02	7·85	11·92	20·65	55·56	139·37
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·90	†95	–	–	–	–	31·65	3·10	2·66	3·18	2·76	5·08	7·67	14·38	19·56	63·40	137·75
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·30	†75	–	–	–	–	25·87	4·52	1·42	4·14	4·75	4·96	8·03	9·46	21·78	47·37	141·18
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·91 per cent.	17,429	463	429	423	454	457	2226	2073	1970	1589	1457	2511	1872	1544	1162	738	287
Mean Population, 1881–91. Males	Decennial Increase of Population 13·91 per cent.	8,964	232	215	214	226	241	1128	1033	1054	912	762	1261	926	772	588	377	151
Mean Population, 1881–91. Females	Decennial Increase of Population 13·91 per cent.	8,465	231	214	209	228	216	1098	1040	916	677	695	1250	946	772	574	361	136
Deaths from All Causes, 1881–90. Persons	13·65	2,379	425	119	53	23	21	641	79	41	57	54	126	147	184	240	410	400
Deaths from All Causes, 1881–90. Males	14·22	1,275	240	64	29	11	13	357	32	28	29	21	64	71	111	115	239	208
Deaths from All Causes, 1881–90. Females	13·04	1,104	185	55	24	12	8	284	47	13	28	33	62	76	73	125	171	192

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	—	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·15	0·09	0·21	26	8	18	2	9	4	1	–	16	6	–	–	1	1	1	–	–	1	–
Scarlet Fever	0·05	0·09	0·01	9	8	1	–	1	1	–	1	3	–	4	1	–	1	–	–	–	–	–
Diphtheria	0·28	0·28	0·27	48	25	23	2	3	2	3	6	16	17	9	5	–	–	–	1	–	–	–
Whooping-cough	0·26	0·35	0·17	45	31	14	29	12	1	2	1	45	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·07	14	8	6	–	–	–	–	–	–	–	2	2	1	4	2	2	1	–	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·18	0·16	0·20	31	14	17	17	2	3	–	–	22	1	–	–	–	–	2	–	3	2	1
Cholera	0·02	–	0·04	3	–	3	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·57	0·67	108	51	57	–	–	–	–	–	–	–	1	1	–	4	2	21	32	32	15
Tabes Mesenterica	0·09	0·11	0·07	16	10	6	5	1	1	2	1	10	1	–	1	–	–	1	1	1	–	1
Phthisis	1·17	1·10	1·24	204	99	105	8	4	2	2	–	16	4	4	17	30	45	45	15	18	10	–
Other Tub. & Scrof. Dis.	0·23	0·22	0·24	40	20	20	9	11	1	3	–	24	4	5	1	2	1	1	1	–	1	–
Diseases of Nervous System	1·81	1·77	1·86	315	159	156	56	8	6	2	2	74	6	3	7	4	7	8	28	41	81	56
Diseases of Circulatory	1·84	1·81	1·88	321	162	159	3	1	1	–	–	5	2	2	4	4	12	19	32	62	113	66
Diseases of Respiratory	2·40	2·72	2·06	418	244	174	83	50	22	5	7	167	16	3	5	4	13	19	29	27	70	65
Diseases of Digestive	0·90	0·94	0·86	157	84	73	20	11	5	–	1	37	8	2	3	1	6	11	19	23	24	23
Diseases of Urinary	0·37	0·48	0·25	64	43	21	–	–	–	1	1	2	–	–	1	–	4	5	9	11	19	13
Diseases of Generative	0·05	0·01	0·09	9	1	8	1	–	–	–	–	1	–	–	–	–	2	5	–	–	1	–
Puerperal Fever	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	1	4	5	–	–	–	–
Childbirth	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Violence	0·41	0·59	0·21	71	53	18	4	1	1	1	1	8	3	2	3	2	7	11	8	10	15	2
OTHER CAUSES	2·62	2·82	2·43	460	253	207	183	4	3	1	–	191	11	3	6	3	12	7	18	11	40	158

Marriages - - - 1,042

Births - { Males - 2,536 / Females - 2,471 } 5,007

Annual Rate per 1000 living { Persons married 11·96 / Births - - 28·73

Deaths from Childbirth and Puerperal Fever - - - - - 3·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

35.—DORKING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate (Persons - Males - Females - 1st 1000.	— — —	In Standard Population*	12·69 13·82 11·63	Persons	†82	–	–	–	–	28·30	1·94	2·38	3·61	3·83	5·96	7·98	12·01	24·41	49·66	151·49
				Males	†87	–	–	–	–	31·09	1·96	2·61	3·18	3·96	6·75	8·26	13·73	26·34	53·87	171·43
				Females	†66	–	–	–	–	22·42	1·91	2·16	4·04	3·72	5·27	7·75	11·36	22·54	45·77	135·89
Mean Population, 1881–90. (Persons - Males - Females	Decennial Increase of Population 11·40 per cent.	16,337			393	366	401	395	413	1968	1910	1845	1442	1357	2267	1917	1499	1102	727	393
		7,899			204	192	206	193	205	1000	969	919	724	631	1032	872	707	543	349	133
		8,438			189	174	195	202	208	968	941	926	718	726	1215	1045	792	559	378	170
Deaths from Accidents, 1881–90. (Persons - Males - Females	14·07	2,299			359	103	41	36	18	557	37	44	32	52	135	153	180	269	361	450
	15·43	1,223			221	63	21	23	12	340	19	24	23	25	71	72	90	143	188	228
	12·75	1,076			138	40	20	13	6	217	18	20	29	27	64	81	90	126	173	231

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox - -	0·01	0·03	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles - -	0·13	0·13	0·12	22	13	10	2	8	5	3	1	19	2	1	–	–	–	–	–	–
Scarlet Fever - -	0·09	0·13	0·05	14	10	4	–	2	2	3	1	8	2	2	1	–	1	–	–	–
Diphtheria - -	0·10	0·10	0·07	16	8	8	–	1	2	3	3	9	4	1	–	–	–	2	–	–
Whooping-cough -	0·27	0·29	0·25	44	23	21	19	16	2	6	1	44	–	–	–	–	–	–	–	–
Typhus - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever -	0·09	0·06	0·12	15	5	10	–	–	–	–	–	–	2	1	2	–	3	3	–	3	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·12	0·16	0·08	20	13	7	11	2	–	1	–	14	–	–	–	–	–	–	–	2	1	3
Cholera - -	0·01	0·06	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer - -	0·72	0·84	0·58	117	43	74	–	–	–	–	–	–	–	–	–	2	–	6	24	27	35	23
Ill-defined Membranous	0·06	0·06	0·06	9	4	5	1	2	–	–	–	3	1	2	1	–	–	1	–	1	–	–
Phthisis - -	1·33	1·43	1·15	216	121	95	2	2	–	–	–	4	4	7	13	19	66	46	32	18	7	–
Other Tub. & Scrof. Dis.	0·37	0·42	0·33	61	33	28	12	6	5	4	4	31	9	10	5	2	3	1	–	–	–	–
Nervous System -	1·93	2·13	1·73	314	168	146	31	12	5	1	1	70	7	3	4	5	15	9	20	39	73	69
Circulatory „ -	1·59	1·43	1·67	293	152	141	1	–	–	–	–	1	2	2	4	3	4	25	37	52	85	73
Respiratory „ -	2·49	2·64	1·80	368	201	157	62	29	15	11	3	120	3	2	4	1	8	21	19	54	49	77
Digestive „ -	0·67	0·75	0·60	110	58	52	18	13	1	–	3	35	–	1	3	2	3	6	9	16	19	16
Urinary „ -	0·61	0·84	0·40	100	66	34	–	–	–	–	–	–	–	1	1	3	6	12	11	20	30	16
Generative „ -	0·09	0·01	0·17	15	1	14	1	–	–	–	–	1	–	–	1	1	1	5	3	4	1	–
Puerperal Fever -	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	3	6	4	–	–	–	–
Childbirth - -	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–
Violence - -	0·41	0·66	0·18	67	52	15	5	2	3	4	1	15	–	1	4	7	9	6	8	5	5	7
Other Causes - -	2·37	3·18	2·78	485	250	235	173	8	1	–	–	182	1	3	8	4	7	7	16	27	55	175

Marriages - - - 549

Births - - { Males - 2,372 / Females - 2,284 } 4,656

Annual Rate per 1000 living { Persons Married 19·52 / Births - - 29·72

Deaths from Childbirth and Puerperal Fever - - - - - 4·35 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

36.—REIGATE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·25	†93	–	–	–	–	33·15	3·43	3·42	4·74	4·39	5·38	6·94	12·26	21·55	49·28	136·36
Males	—	Standard 14·29	†99	–	–	–	–	36·62	3·79	3·47	5·57	5·20	6·28	8·19	12·75	24·16	53·55	141·41
Females	—	Population* 12·27	†86	–	–	–	–	29·74	3·08	3·38	3·86	3·76	4·67	5·89	11·82	19·21	45·54	131·91
Mean Population, 1881-91. Persons	Decennial Increase of Population 20·49 per cent.	33,469	768	770	781	795	774	3888	3934	3855	3460	3004	4852	3789	2961	2065	1177	484
Males		15,932	379	375	391	395	388	1928	1952	1932	1776	1328	2134	1733	1396	977	549	227
Females		17,537	389	395	390	400	386	1960	1982	1923	1684	1676	2718	2056	1565	1088	628	257
Deaths from All Causes, 1881-90. Persons	13·22	4,424	832	244	104	63	46	1289	135	132	164	132	261	263	363	445	580	660
Males	14·56	2,320	447	135	54	41	29	706	74	67	99	69	134	142	178	236	294	321
Females	12·00	2,104	385	109	50	22	17	583	61	65	65	63	127	121	185	209	286	339

	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·03	0·01	6	4	2	–	–	–	–	–	–	–	1	–	3	–	1	–	1	–	–
Measles	0·27	0·28	0·27	91	44	47	13	27	9	13	5	67	8	6	4	4	2	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·07	29	17	12	–	3	3	3	2	11	9	4	2	–	–	1	1	1	–	–
Diphtheria	0·21	0·18	0·24	70	28	42	3	3	4	8	4	22	25	12	6	2	–	1	2	–	–	–
Whooping-cough	0·33	0·31	0·34	109	50	59	60	25	14	4	2	105	3	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	0·03	0·03	11	5	6	–	–	–	–	–	–	1	–	–	3	1	1	3	–	2	–
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	2	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·26	0·20	77	42	35	43	7	–	–	–	50	1	–	2	–	2	4	–	1	7	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·48	0·30	0·64	160	47	113	2	–	–	–	1	3	–	–	–	1	1	14	41	42	40	18
Tabes Mesenterica	0·10	0·11	0·09	33	17	16	11	7	2	1	2	23	4	2	2	–	1	1	–	–	–	–
Phthisis	1·23	1·45	1·04	413	231	182	4	3	3	–	1	11	7	19	54	56	104	70	54	18	16	4
Other Tub. & Scrof. Dis.	0·22	0·31	0·13	72	50	22	14	11	8	3	4	40	5	5	9	5	4	1	2	1	–	–
Diseases of Nervous System	1·97	2·22	1·76	661	353	308	106	30	20	5	6	167	24	19	24	13	21	21	46	103	115	108
Diseases of Circulatory „	1·44	1·49	1·40	483	238	245	4	1	–	–	–	5	3	11	6	9	19	25	58	106	135	106
Diseases of Respiratory „	2·39	2·70	2·11	800	430	370	155	85	28	16	13	297	25	16	11	7	21	38	50	62	132	141
Diseases of Digestive „	0·89	1·02	0·78	299	162	137	52	25	5	4	2	88	8	6	16	4	14	17	32	38	44	32
Diseases of Urinary „	0·36	0·50	0·24	121	79	42	2	–	–	1	–	3	–	5	2	2	8	12	16	24	25	24
Diseases of Generative „	0·05	0·01	0·08	16	2	14	–	–	–	–	–	–	–	–	1	1	1	–	7	1	4	1
Puerperal Fever	0·07	–	0·13	22	–	22	–	–	–	–	–	–	–	–	–	3	11	8	–	–	–	–
Childbirth	0·07	–	0·13	22	–	22	–	–	–	–	–	–	–	–	–	1	12	9	–	–	–	–
Violence	0·42	0·72	0·14	140	115	25	11	4	3	4	2	24	4	9	6	7	20	18	14	18	14	6
OTHER CAUSES	2·34	2·52	2·16	785	404	381	352	11	5	1	2	371	7	17	17	14	16	22	36	30	45	210

Marriages - - - 2,018

Births - { Males - 4,530 / Females - 4,457 } 8,987

Annual Rate per 1000 living { Persons Married 12·06 / Births - - 26·85

Deaths from Childbirth and Puerperal Fever - - - - - 4·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

37.—GODSTONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·92 / 17·18	†93	–	–	–	–	30·92	3·72	2·15	5·83	8·45	19·67	17·55	19·24	37·28	79·51	155·35
Males	—		†99	–	–	–	–	33·82	4·14	2·16	5·04	10·55	11·26	19·81	21·85	39·56	84·13	150·35
Females	—		†88	–	–	–	–	27·95	3·31	2·14	6·89	5·87	19·08	15·48	16·59	35·23	75·19	160·00
Mean Popln. in 1881-91. Persons	Decennial Increase of Population 6·90 per cent.	18,393	412	397	404	408	420	2041	1933	1719	1699	1715	2764	2228	1780	1325	781	518
Males		9,379	202	205	200	220	208	1035	966	878	973	988	1485	1117	888	658	378	153
Females		8,924	210	192	204	188	212	1006	967	841	726	767	1279	1111	892	667	403	165
Deaths from All Causes, 1881-90. Persons	19·78	3,621	427	106	46	28	24	631	72	37	99	145	295	391	342	404	621	494
Males	20·62	1,934	233	67	26	10	14	350	40	19	49	100	156	219	194	259	318	230
Females	18·89	1,687	194	39	20	18	10	281	32	18	50	45	139	172	148	235	303	264

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·04	0·04	0·04	8	4	4	1	1	–	–	–	2	–	–	–	1	2	–	2	1	–	–
Measles	0·19	0·26	0·12	35	24	11	7	9	5	3	3	27	6	1	–	1	1	–	–	–	–	–
Scarlet Fever	0·07	0·06	0·08	13	6	7	1	2	1	3	3	10	2	–	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·09	0·20	26	8	18	1	1	2	6	3	13	11	2	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·22	0·29	47	21	26	24	9	6	4	1	44	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·19	0·09	26	18	8	–	–	–	1	–	1	3	1	4	10	4	2	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·23	0·34	51	21	30	10	6	3	–	1	20	1	–	1	–	–	1	3	5	12	8
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·73	0·66	0·81	134	63	73	–	–	–	–	–	–	–	–	–	–	1	8	32	46	31	16
Tabes Mesenterica	0·11	0·10	0·12	20	9	11	7	2	1	–	1	11	–	–	4	3	1	–	1	–	–	–
Phthisis	2·27	2·62	1·91	416	246	170	12	3	2	2	1	20	4	5	26	54	109	92	55	38	12	1
Other Tub. & Scrof. Dis.	0·32	0·31	0·34	59	29	30	14	11	3	2	3	33	10	2	3	2	4	2	2	1	–	–
Nervous System	5·51	5·62	5·39	1008	527	481	56	10	5	2	1	74	6	7	21	31	95	153	128	179	244	100
Circulatory „	2·13	2·15	2·11	390	202	188	2	1	–	–	–	3	3	3	7	6	13	40	96	86	124	57
Respiratory „	2·83	3·16	2·49	518	296	222	80	37	13	4	5	139	15	2	10	13	30	42	33	66	110	58
Digestive „	0·74	0·83	0·65	136	77	59	19	11	–	2	1	33	3	1	4	3	9	14	7	24	29	13
Urinary „	0·35	0·42	0·28	64	39	25	–	–	–	–	–	–	–	1	3	3	4	9	7	15	17	5
Generative „	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Puerperal Fever	0·07	–	0·13	13	–	13	–	–	–	–	–	–	–	–	–	2	3	5	2	–	–	–
Childbirth	0·05	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	–
Violence	0·42	0·67	0·16	77	63	14	10	–	3	–	1	14	1	4	7	4	6	4	12	12	10	3
Other Causes	2·11	3·00	1·21	388	281	107	183	3	1	–	–	187	4	7	7	9	7	17	13	19	64	23

Marriages - - 836

Births - { Males - 2,358 / Females - 2,156 } 4,514

Annual Rate per 1000 living { Persons Married 9·14 / Births - - 24·85

Deaths from Childbirth and Puerperal Fever - - - - - 4·84 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

38.—CROYDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·60	†118	–	–	–	–	45·49	3·54	2·25	2·96	3·60	5·54	9·97	14·95	26·82	54·22	133·00
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·05	†129	–	–	–	–	48·35	3·53	2·17	3·32	4·14	6·64	11·79	17·55	32·98	63·27	146·51
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·22	†107	–	–	–	–	42·62	3·55	2·33	2·71	3·26	4·76	8·48	12·83	22·12	47·89	124·80
Mean Population, 1881-91. Persons	Decennial Increase of Population 27·37 per cent.	135,480	3377	3172	3180	3212	3215	16156	16077	15005	13425	13009	20782	16043	11429	7390	4382	1782
Mean Population, 1881-91. Males	Decennial Increase of Population 27·37 per cent.	60,664	1664	1612	1609	1588	1629	8102	7992	7240	5630	5002	8672	7210	5139	3199	1805	673
Mean Population, 1881-91. Females	Decennial Increase of Population 27·37 per cent.	74,816	1713	1560	1571	1624	1586	8054	8085	7765	7795	8007	12110	8833	6290	4191	2577	1109
Deaths from All Causes, 1881-90. Persons	14·99	20,311	4629	1470	634	352	265	7350	569	338	398	468	1152	1599	1709	1982	2376	2370
Deaths from All Causes, 1881-90. Males	16·91	10,261	2564	747	320	155	131	3917	282	157	187	207	576	850	902	1055	1142	986
Deaths from All Causes, 1881-90. Females	13·43	10,050	2065	723	314	197	134	3433	287	181	211	261	576	749	807	927	1234	1384

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·06	0·08	0·05	87	47	40	6	8	3	2	2	21	3	3	2	12	22	11	8	1	4	–
Measles	0·38	0·43	0·34	512	261	251	108	180	90	39	37	454	46	4	2	–	3	1	1	1	–	–
Scarlet Fever	0·16	0·17	0·15	212	101	111	12	36	32	25	22	127	54	12	3	1	8	4	1	1	1	–
Diphtheria	0·19	0·20	0·19	262	122	140	12	25	36	39	20	132	86	17	9	–	6	4	4	2	2	–
Whooping-cough	0·43	0·48	0·40	588	291	297	225	194	83	36	22	560	27	–	–	1	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	6	4	2	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	1
Enteric Fever	0·11	0·13	0·09	147	80	67	1	3	4	3	1	12	18	15	11	16	37	18	5	9	5	1
Simple Continued Fever	0·01	0·02	0·01	19	10	9	–	3	1	2	–	6	2	1	–	2	1	1	2	2	1	1
Diarrhœa and Dysentery	0·45	0·52	0·40	613	314	299	438	75	17	1	6	537	2	2	1	–	5	7	5	11	17	26
Cholera	0·02	0·02	0·01	22	14	8	10	4	–	1	1	16	1	1	–	–	1	1	–	1	1	–
Cancer	0·62	0·47	0·75	844	283	561	1	–	1	–	3	5	2	–	3	8	20	89	179	227	214	97
Tabes Mesenterica	0·24	0·26	0·22	319	158	161	170	55	18	6	8	257	22	15	3	2	8	4	2	4	1	1
Phthisis	1·40	1·71	1·16	1902	1035	867	32	21	13	5	10	81	19	62	139	192	394	442	282	197	80	14
Other Tub & Scrof. Dis.	0·36	0·43	0·30	482	261	221	134	101	41	33	19	328	49	29	15	22	15	10	11	3	–	–
Diseases of Nervous System	2·12	2·44	1·86	2872	1480	1392	634	132	50	28	25	869	53	36	27	32	127	256	286	337	467	382
Diseases of Circulatory „	1·43	1·47	1·40	1935	889	1046	20	3	1	2	1	27	18	34	31	39	72	182	271	352	527	382
Diseases of Respiratory „	2·61	3·02	2·27	3535	1835	1700	909	441	189	89	61	1689	68	19	30	32	109	182	213	314	408	471
Diseases of Digestive „	0·94	1·02	0·88	1276	618	658	260	99	17	11	7	394	30	22	33	12	66	95	159	185	176	104
Diseases of Urinary „	0·45	0·68	0·27	616	413	203	6	4	–	2	3	15	5	8	15	17	29	54	97	138	137	101
Diseases of Generative „	0·05	0·01	0·08	63	4	59	4	–	–	1	–	5	1	1	1	2	12	7	11	10	9	4
Puerperal Fever	0·07	–	0·13	101	–	101	–	–	–	–	–	–	–	–	2	19	52	27	1	–	–	–
Childbirth	0·05	–	0·09	69	–	69	–	–	–	–	–	–	–	–	2	9	25	31	2	–	–	–
Violence	0·40	0·64	0·21	545	386	159	85	15	21	16	6	143	20	17	18	17	63	54	65	50	55	43
Other Causes	2·44	2·70	2·17	3284	1655	1629	1562	71	17	11	11	1672	43	40	50	32	76	118	103	137	270	743

Marriages - - - 9,311

Births - { Males - 19,933 / Females - 19,229 } 39,162

Annual Rate per 1000 living { Persons Married 13·75 / Births - - 28·91

Deaths from Childbirth and Puerperal Fever - - - - } 4·34 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

39.—KINGSTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard Population*	14·86		+115	–	–	–	–	41·95	2·96	2·10	3·07	3·30	5·35	8·88	14·07	26·06	52·65	134·92
	Males		16·37		+129	–	–	–	–	45·22	3·79	2·09	3·31	4·24	6·43	11·06	16·67	30·74	62·87	140·41
	Females		13·44		+105	–	–	–	–	38·63	4·13	2·11	2·80	2·68	4·58	7·08	11·97	22·54	45·84	131·63
Mean Population, 1881-91.	Persons	Decennial Increase of Population 34·09 per cent.			2,088	2459	2189	2159	2175	10874	10357	9184	8077	8885	11228	10880	7548	4861	2807	1177
	Males				1,256	1258	1099	1074	1085	5442	5121	4535	3870	3513	4394	4917	3372	2092	1123	443
	Females				1,832	1201	1090	1085	1090	5432	5236	4649	4207	5372	6834	5973	4176	2769	1684	734
Deaths from All Causes, 1881-90.	Persons	14·29			2,983	767	327	231	186	4,494	416	193	276	293	777	967	1062	1267	1478	1588
	Males	16·17			1,620	397	189	148	140	2,483	194	92	128	149	388	544	562	643	700	622
	Females	12·77			1,363	370	137	83	46	2,011	218	101	148	144	389	423	500	624	772	966

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Smallpox	0·01	0·01	0·02	11	6	5	1	–	–	–	1	2	1	–	1	–	3	1	2	–	1	–
Measles	0·22	0·25	0·19	199	102	97	36	58	43	20	16	173	24	1	–	–	–	–	–	–	–	1
Scarlet Fever	0·11	0·14	0·09	101	55	46	5	8	23	10	10	56	30	6	3	1	3	–	1	–	1	–
Diphtheria	0·19	0·20	0·17	167	81	86	5	19	20	23	24	91	54	7	4	3	3	1	1	–	2	1
Whooping-cough	0·29	0·28	0·29	257	114	143	111	85	23	12	11	242	12	–	2	–	1	–	–	–	–	–
Tetanus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·08	0·07	0·09	71	30	41	–	2	–	–	2	4	11	10	8	9	3	3	7	1	1	–
Simple Continued Fever	0·02	0·01	0·02	16	6	10	1	3	1	1	3	8	1	1	–	1	3	–	–	1	1	–
Diarrhœa and Dysentery	0·41	0·47	0·36	368	191	177	272	42	4	2	1	321	3	–	–	–	2	1	3	8	8	22
Cholera	0·01	0·01	0·01	12	6	6	5	–	–	1	–	6	2	–	–	–	–	–	4	3	–	–
Cancer	0·56	0·36	0·71	502	149	353	2	–	–	–	–	2	1	–	1	3	13	40	116	147	120	59
Tabes Mesenterica	0·18	0·18	0·18	164	73	91	78	37	9	6	2	132	7	10	1	1	5	3	2	2	1	–
Phthisis	1·41	1·76	1·11	1273	708	565	35	13	3	6	4	61	21	29	94	98	202	296	194	115	57	16
Other Tub. & Scrof. Dis.	0·39	0·52	0·28	349	209	140	99	73	36	22	16	246	43	16	10	6	13	8	3	1	2	1
Nervous System	1·89	2·17	1·67	1703	873	830	423	96	33	27	26	604	52	20	25	31	46	74	129	188	276	258
Circulatory ,,	1·56	1·62	1·51	1407	653	754	10	1	1	3	4	19	6	19	31	33	75	126	182	266	341	309
Respiratory ,,	2·40	2·76	2·12	2158	1111	1047	544	226	90	71	42	973	65	20	14	24	35	106	128	197	265	291
Digestive ,,	0·99	1·08	0·94	891	436	455	229	60	18	7	6	320	16	12	15	10	15	68	104	104	123	72
Genito-Urinary ,,	0·40	0·56	0·27	360	224	136	4	5	3	3	1	16	3	1	3	6	20	40	55	63	91	63
Parturition ,,	0·05	0·01	0·09	42	3	39	–	–	–	–	–	–	–	1	2	2	2	9	9	6	6	5
Puerperal Fever	0·09	–	0·18	81	–	81	–	–	–	–	–	–	–	–	3	19	45	23	–	–	–	–
Childbirth	0·05	–	0·09	48	–	48	–	–	–	–	–	–	–	–	3	5	17	22	–	–	–	–
Violence	0·50	0·83	0·18	450	333	117	53	8	7	10	9	86	20	16	25	24	34	71	54	60	36	18
Other Causes	2·48	2·88	2·08	2242	1163	1079	1139	33	13	7	8	1200	36	24	30	26	33	69	75	99	156	472

Marriages	5,691	Annual Rate per 1000 living	Persons Married	12·63	Deaths from Childbirth and Puerperal Fever 4·87 per 1000 Births.
Births Males	13,540		Births	29·42	
Births Females	12,963				
Births	26,503				

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

40.—RICHMOND.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·33	†131	–	–	–	–	51·16	4·29	2·06	3·41	4·05	6·14	10·33	16·81	29·29	59·02	145·32
Males	—	19·04	†140	–	–	–	–	55·96	4·78	2·18	3·68	5·18	8·41	11·80	20·04	33·98	71·25	145·00
Females	—	15·71	†121	–	–	–	–	46·68	3·80	1·95	3·23	3·40	4·66	9·60	14·44	26·08	51·74	145·48
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·53 per cent.	37,590	912	815	851	830	849	4257	3871	3641	3812	4000	6285	4559	3194	2151	1286	534
Males		16,046	439	402	402	404	408	2055	1925	1742	1522	1468	2484	1964	1352	874	480	180
Females		21,544	473	413	449	426	441	2202	1946	1899	2290	2532	3801	2595	1842	1277	806	354
Deaths from All Causes, 1881–90. Persons	16·68	6,270	1408	431	171	98	70	2178	166	75	130	162	386	471	537	630	759	776
Males	18·78	3,014	771	222	84	39	34	1150	92	38	56	76	209	222	271	297	342	261
Females	15·11	3,256	637	209	87	59	36	1028	74	37	74	86	177	249	266	333	417	515

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·02	0·01	5	3	2	–	1	–	–	–	1	1	–	–	1	–	1	–	1	–	–
Measles	0·36	0·45	0·29	136	73	63	33	48	21	13	11	126	7	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·10	0·12	0·09	38	19	19	–	8	11	2	6	27	10	–	–	–	1	–	–	–	–	–
Diphtheria	0·15	0·14	0·17	58	22	36	2	7	10	5	9	33	17	2	2	–	1	–	2	–	1	–
Whooping-cough	0·49	0·49	0·49	185	79	106	73	68	21	11	6	179	6	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·19	0·20	74	31	43	–	–	2	–	1	3	11	5	8	12	11	10	7	4	1	2
Simple Continued Fever	0·01	0·01	0·02	5	1	4	–	–	–	1	–	1	1	–	–	–	2	–	–	–	–	1
Diarrhœa and Dysentery	0·63	0·76	0·54	238	122	116	179	24	4	2	2	211	1	1	–	–	1	1	2	5	9	7
Cholera	0·02	0·01	0·02	6	2	4	1	–	–	–	–	1	–	–	–	–	–	–	2	1	1	1
Cancer	0·79	0·51	0·99	296	82	214	1	–	–	–	–	1	–	–	–	1	7	33	70	80	67	37
Tabes Mesenterica	0·23	0·29	0·19	87	46	41	49	23	6	2	1	81	1	3	1	–	1	–	–	–	–	–
Phthisis	1·39	1·82	1·07	523	292	231	5	9	4	1	–	19	14	11	37	55	120	130	86	43	8	–
Other Tub. & Scrof. Dis.	0·43	0·50	0·37	160	80	80	54	37	13	12	8	124	16	4	5	2	3	4	1	1	–	–
Diseases of Nervous System	1·99	2·10	1·90	747	337	410	185	33	12	6	6	242	14	7	7	9	16	42	59	95	147	109
Diseases of Circulatory ,,	1·37	1·48	1·29	514	237	277	2	–	1	–	3	6	2	7	15	9	30	51	51	114	144	85
Diseases of Respiratory ,,	2·80	3·23	2·47	1051	518	533	236	107	47	27	12	429	22	3	10	11	28	51	67	101	159	170
Diseases of Digestive ,,	1·26	1·28	1·25	475	206	269	113	36	4	4	–	157	10	4	7	8	30	36	61	68	61	33
Diseases of Urinary ,,	0·55	0·75	0·40	208	121	87	3	1	1	2	–	7	2	–	3	4	19	21	39	34	47	32
Diseases of Generative ,,	0·08	0·02	0·13	31	4	27	1	–	–	–	–	1	1	1	–	1	3	8	4	4	3	5
Puerperal Fever	0·10	–	0·18	39	–	39	–	–	–	–	–	–	–	–	1	8	21	9	–	–	–	–
Childbirth	0·05	–	0·08	18	–	18	–	–	–	–	–	–	–	–	1	4	9	4	–	–	–	–
Violence	0·88	1·47	0·43	329	236	93	52	4	6	2	3	67	17	13	18	21	46	36	39	37	21	14
Other Causes	2·79	3·14	2·53	1047	503	544	419	25	8	8	2	462	13	12	15	16	36	34	47	42	90	280

Marriages - - - 2,347

Births - Males - 5,492 / Females - 5,264 = 10,756

Annual Rate per 1000 living: Persons Married 12·49; Births - - 28·61

Deaths from Childbirth and Puerperal Fever - - - - - 5·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

41.—BROMLEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·83	†108	–	–	–	–	40·18	3·77	2·13	2·83	2·84	4·60	7·03	11·85	22·75	53·81	139·61
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·67	†117	–	–	–	–	44·09	3·33	2·22	2·83	3·26	5·30	8·07	13·22	23·92	55·71	150·74
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·13	†95	–	–	–	–	36·32	4·21	2·05	2·84	2·60	4·11	6·18	10·65	21·77	52·87	132·18
Mean Population, 1881-91. Persons	Decennial Increase of Population 39·20 per cent.	59,113	1502	1420	1453	1494	1434	7303	6923	6057	5786	5871	9676	7115	4997	3972	1639	674
Mean Population, 1881-91. Males	Decennial Increase of Population 39·20 per cent.	26,598	747	708	716	747	709	3627	3457	2933	2442	2211	3980	3198	2492	1409	709	279
Mean Population, 1881-91. Females	Decennial Increase of Population 39·20 per cent.	32,515	755	712	737	747	725	3676	3466	3124	3344	3660	5696	3917	2505	1663	930	404
Deaths from All Causes, 1881-90. Persons	13·05	7,713	1905	559	211	153	106	2934	261	129	164	167	445	500	591	699	882	941
Deaths from All Causes, 1881-90. Males	14·44	3,831	1048	312	106	76	57	1599	115	65	69	72	211	258	303	337	395	407
Deaths from All Causes, 1881-90. Females	11·91	3,882	857	247	105	77	49	1335	146	64	95	95	234	242	288	362	487	534

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·04	0·06	0·01	21	17	4	2	–	–	–	–	2	1	–	6	3	5	3	–	1	–	–
Measles	0·31	0·37	0·27	166	99	67	27	71	31	23	10	162	21	1	–	–	–	2	–	–	–	–
Scarlet Fever	0·14	0·15	0·13	83	40	43	7	10	9	11	11	48	23	2	2	–	5	2	1	–	–	–
Diphtheria	0·17	0·16	0·17	100	43	57	6	8	13	12	9	50	37	6	3	–	2	–	–	–	–	–
Whooping-cough	0·40	0·43	0·38	239	114	125	126	69	21	10	7	233	6	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·08	48	23	25	–	–	–	–	–	–	3	1	5	6	14	7	3	6	–	–
Simple Continued Fever	0·01	–	0·02	5	–	5	–	–	–	–	–	–	–	2	1	–	–	–	1	–	1	–
Diarrhœa and Dysentery	0·45	0·52	0·40	268	138	130	183	31	1	1	1	217	3	1	1	–	2	2	3	4	12	23
Cholera	0·01	–	0·01	4	–	4	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1
Cancer	0·43	0·31	0·52	253	83	169	1	–	–	–	–	1	–	1	1	3	5	17	55	76	68	25
Tabes Mesenterica	0·14	0·14	0·14	80	34	45	40	17	4	–	–	61	2	6	6	3	1	1	–	–	–	–
Phthisis	1·12	1·29	0·98	660	342	318	8	10	7	5	1	31	18	15	47	70	169	149	101	46	12	2
Other Tub. & Scrof. Dis.	0·30	0·34	0·26	175	91	84	57	41	14	9	8	129	21	12	4	1	4	2	1	1	–	–
Diseases of Nervous System	1·65	1·91	1·43	973	506	467	251	59	17	14	11	352	20	15	10	13	23	36	68	96	176	164
Diseases of Circulatory „	1·45	1·45	1·45	855	384	471	14	1	1	–	1	17	6	16	15	11	36	71	122	154	245	192
Diseases of Respiratory „	2·35	2·71	2·06	1389	719	671	393	151	64	46	29	683	58	5	7	9	32	48	77	122	173	176
Diseases of Digestive „	0·84	0·89	0·81	499	235	264	113	40	9	6	4	172	10	7	10	11	24	36	55	67	74	33
Diseases of Urinary „	0·34	0·43	0·24	192	115	77	6	4	–	–	1	11	2	3	3	4	15	19	27	41	32	35
Diseases of Generative „	0·03	0·01	0·05	18	2	16	1	–	1	–	–	2	–	–	2	1	1	4	2	3	2	1
Puerperal Fever	0·07	–	0·12	40	–	40	–	–	–	–	–	–	–	–	2	8	26	4	–	–	–	–
Childbirth	0·05	–	0·10	31	–	31	–	–	–	–	–	–	–	–	1	1	13	16	–	–	–	–
Violence	0·43	0·70	0·21	256	186	70	34	13	7	6	7	67	6	12	16	10	25	30	25	27	14	14
OTHER CAUSES	2·26	2·48	2·07	1338	659	679	633	34	10	10	6	693	24	19	22	13	33	51	50	55	103	277

Marriages		3,247	Annual Rate per 1000 living	Persons Married	10·99
Births	Males	3,993		Births	29·97
	Females	3,724			
		17,717			

Deaths from Childbirth and Puerperal Fever 4·01 per 1000 Births.

* *See pages* XLIVI-XLIVIII.

† The death-rates under one year of age are per 1000 Births.

42.—DARTFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 17·81	†115	–	–	–	–	42·89	6·33	5·17	6·92	7·69	7·95	10·89	15·03	30·36	62·13	156·84
Males	—	Standard 18·72	†126	–	–	–	–	45·40	6·45	5·07	7·33	8·68	9·00	11·78	16·29	32·94	64·19	154·90
Females	—	Population* 17·13	†104	–	–	–	–	40·34	6·19	5·28	6·43	6·75	6·95	10·03	13·81	28·00	60·24	158·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 28·57 per cent.	61,069	1724	1564	1609	1591	1610	8098	7649	7120	6100	5330	8747	6729	4982	3379	2073	862
Males		30,790	873	785	825	800	792	4075	3952	3824	3286	2605	4256	3320	2455	1615	994	408
Females		30,279	851	779	784	791	818	4023	3697	3296	2814	2725	4491	3409	2527	1764	1079	454
Deaths from All Causes, 1881–90. Persons	18·01	11,000	2139	652	304	228	150	3473	484	368	422	410	695	733	749	1026	1288	1352
Males	18·65	5,742	1187	326	155	105	77	1850	255	194	241	226	383	391	400	532	638	632
Females	17·37	5,258	952	326	149	123	73	1623	229	174	181	184	312	342	349	494	650	720

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	1·32	1·63	1·00	804	501	303	61	25	23	28	12	149	86	79	79	110	159	85	43	8	6	–
Measles	0·29	0·30	0·28	177	93	84	30	59	33	18	12	152	17	5	1	2	–	–	–	–	–	–
Scarlet Fever	0·15	0·14	0·16	90	43	47	6	16	9	14	13	58	19	7	2	2	–	1	1	–	–	–
Diphtheria	0·29	0·24	0·34	179	75	104	7	16	25	29	21	98	54	13	4	5	3	–	2	–	–	–
Whooping-cough	0·29	0·24	0·34	177	74	103	81	43	22	7	7	160	14	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	6	2	4	–	–	–	–	1	1	–	1	1	–	–	3	–	–	–	–
Enteric Fever	0·15	0·16	0·15	93	48	45	–	–	2	2	2	6	9	23	11	11	14	5	7	3	2	2
Simple Continued Fever	0·03	0·02	0·04	19	7	12	1	2	1	2	–	6	1	1	–	–	–	–	–	2	4	5
Diarrhœa and Dysentery	0·51	0·52	0·51	314	159	155	202	30	5	4	4	245	10	3	5	–	1	4	2	5	11	28
Cholera	0·01	0·02	0·00	8	7	1	6	–	–	–	–	6	–	–	–	–	–	1	1	–	–	–
Cancer	0·52	0·40	0·64	319	124	195	–	–	–	–	–	–	–	1	–	–	12	20	69	83	90	44
Tabes Mesenterica	0·32	0·30	0·35	198	93	105	126	31	10	7	–	174	10	6	4	1	1	1	–	1	–	–
Phthisis	1·35	1·31	1·39	824	403	421	17	11	6	5	4	43	25	32	89	106	193	152	96	66	20	2
Other Tub. & Scrof. Dis.	0·33	0·36	0·30	202	110	92	54	42	14	10	2	122	22	13	11	10	8	10	2	2	2	–
Diseases of Nervous System	2·86	2·93	2·79	1747	903	844	294	80	25	19	14	432	64	61	86	45	66	102	134	229	294	234
Circulatory	1·53	1·46	1·60	935	450	485	9	1	1	2	1	14	11	16	13	17	44	69	100	183	275	193
Respiratory	2·99	3·11	2·86	1823	957	866	388	191	85	50	44	758	74	37	33	19	45	83	103	194	252	225
Digestive	1·03	1·01	1·04	626	310	316	126	57	8	6	3	200	13	13	16	10	28	47	54	98	97	50
Urinary	0·36	0·48	0·24	221	147	74	5	2	3	6	1	17	3	3	2	5	18	24	30	38	46	35
Generative	0·05	0·01	0·09	32	4	28	3	–	–	–	–	3	–	1	1	3	4	3	8	6	2	1
Puerperal Fever	0·06	–	0·13	39	–	39	–	–	–	–	–	–	–	–	–	9	16	14	–	–	–	–
Childbirth	0·07	–	0·14	42	–	42	–	–	–	–	–	–	–	–	–	1	9	14	18	–	–	–
Violence	0·62	0·94	0·29	379	290	89	40	10	18	9	6	83	12	13	26	29	43	40	46	43	25	19
OTHER CAUSES	2·87	3·06	2·68	1746	942	804	683	36	14	10	3	746	40	37	37	17	26	51	51	65	162	514

Marriages – – – 3,240

Births – {Males – 9,453} {Females – 9,177} 18,630

Annual Rate per 1000 living {Persons Married 10·61; Births – – 30·51}

Deaths from Childbirth and Puerperal Fever – – – – – 4·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

43.—GRAVESEND.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000 Living	Persons	In Standard Population* 18·29	†126	–	–	–	–	56·14	4·39	2·51	3·41	4·58	7·57	10·88	18·30	29·02	57·61	145·88
	Males	19·61	†132	–	–	–	–	60·06	4·32	2·81	3·71	3·84	8·77	13·00	21·17	32·59	66·30	147·99
	Females	17·04	†119	–	–	–	–	52·14	5·49	2·21	3·16	5·20	6·39	8·82	15·63	26·00	51·39	144·87
Mean Population	Persons	23,589	577	534	562	542	530	2745	2567	2552	2579	2280	3555	2729	1951	1382	861	388
	Males	11,576	292	275	289	276	264	1387	1319	1283	1186	1145	1825	1346	940	632	359	154
	Females	12,013	285	259	273	266	266	1358	1248	1269	1393	1135	1730	1383	1011	750	502	234
Deaths from all Causes	Persons	1327	904	339	149	96	93	1541	128	64	88	103	269	297	357	401	406	599
	Males	1517	488	186	75	50	34	833	57	26	44	44	100	175	199	206	238	227
	Females	1741	416	153	64	46	29	708	71	38	44	59	169	122	158	195	268	372

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	0·03	0·03	0·03	6	2	4
Measles	0·34	0·31	0·31	79	42	37
Scarlet Fever	0·35	0·34	0·37	88	44	44
Diphtheria	0·20	0·20	0·20	47	23	24
Whooping-cough	0·59	0·54	0·64	140	63	77
Typhus	0·00	0·00	–	1	1	–
Enteric Fever	0·11	0·12	0·11	27	14	13
Simple Continued Fever	0·03	0·01	0·01	6	5	1
Diarrhœa and Dysentery	0·64	0·67	0·61	151	78	73
Cholera	0·01	–	0·02	2	–	2
Cancer	0·78	0·58	1·00	185	65	120
Tabes Mesenterica	0·19	0·19	0·19	45	22	23
Phthisis	1·75	1·99	1·52	413	230	182
Other Tub. & Scrof. Dis.	0·37	0·36	0·37	87	42	45
Diseases of Nervous System	2·07	2·07	2·13	495	239	256
Circulatory	1·57	1·52	1·59	367	176	191
Respiratory	3·30	3·56	3·05	777	411	366
Digestive	1·15	1·18	1·12	271	137	134
Urinary	0·51	0·57	0·46	121	66	55
Generative	0·05	0·01	0·09	12	1	11
Puerperal Fever	0·07	–	0·14	17	–	17
Childbirth	0·03	–	0·07	9	–	9
Violence	0·98	1·59	0·38	230	184	46
Other Causes	3·12	3·24	3·00	735	374	361

	Persons.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Smallpox	–	–	–	–	–	–	–	1	–	–	2	3	1	–	–	–
Measles	16	24	17	12	6	76	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	12	15	16	15	61	24	2	–	–	1	–	–	–	–	–
Diphtheria	5	7	11	5	6	34	8	3	–	–	1	1	–	–	–	–
Whooping-cough	64	53	12	5	3	137	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	1	–	1	2	3	3	3	5	4	5	1	1	–
Simple Continued Fever	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–
Diarrhœa and Dysentery	101	26	3	1	–	131	–	–	1	–	–	–	–	–	8	11
Cholera	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	1	1	1	–	–	1	7	11	35	55	48	26
Tabes Mesenterica	25	8	3	1	1	38	5	–	1	–	–	–	1	–	–	–
Phthisis	8	5	2	2	2	19	8	12	29	36	114	81	54	43	12	4
Other Tub. & Scrof. Dis.	26	14	9	9	6	64	13	1	1	3	–	2	3	–	–	–
Diseases of Nervous System	111	27	12	8	3	161	12	5	5	6	12	25	41	36	91	81
Circulatory	1	1	1	–	1	4	1	4	5	6	17	39	54	70	91	76
Respiratory	181	108	41	25	13	367	17	3	3	5	16	47	46	73	97	103
Digestive	45	26	3	3	–	77	5	8	8	7	6	17	31	30	54	28
Urinary	2	1	1	1	2	7	2	2	–	2	7	10	25	22	19	35
Generative	–	–	–	–	–	–	–	–	1	–	–	4	4	–	3	1
Puerperal Fever	–	–	–	–	–	–	–	–	1	5	7	4	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	2	5	2	–	–	–	–
Violence	21	6	2	5	2	36	9	15	16	14	42	30	25	17	13	13
Other Causes	294	90	5	1	3	393	14	5	14	14	26	18	31	33	59	198

Marriages - - 1,817

Births - { Males - 3,693 / Females - 3,487 } 7,180

Annual Rate per 1000 living { Persons Married 15·41 / Births - - 30·44

Deaths from Childbirth and Puerperal Fever - - - - } 3·63 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

44.—STROOD.‡

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·84	†140	–	–	–	–	53·67	5·15	2·77	4·01	5·13	6·10	9·17	12·55	27·22	53·31	135·99
Males	—	Standard 17·87	†161	–	–	–	–	60·81	4·88	2·96	3·93	4·61	5·88	8·77	14·34	31·31	52·31	144·15
Females	—	Population* 15·86	†118	–	–	–	–	46·69	5·43	2·57	4·12	5·82	6·35	9·64	10·47	22·99	54·27	129·20
Mean Population, 1881-91. Persons	Decennial Increase of Population 30 40 per cent.	31,594	961	886	922	882	895	4546	4078	3580	2945	2710	4544	3567	2622	1620	968	414
Males		16,679	480	426	459	446	437	2248	2071	1789	1730	1541	2465	1938	1409	824	476	188
Females		14,915	481	460	463	436	458	2298	2007	1791	1215	1169	2079	1629	1213	796	492	226
Deaths from All Causes, 1881-90. Persons	17·28	5,459	1600	453	174	132	81	2440	210	99	118	139	277	327	329	441	516	563
Males	17·72	2,955	944	232	72	75	44	1367	101	53	68	71	145	170	202	258	249	271
Females	16·79	2,504	656	221	102	57	37	1073	109	46	50	68	132	157	127	183	267	292

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·07	0·08	0·05	21	14	7	2	–	1	–	–	3	1	–	2	–	6	5	2	2	–	–
Measles	0·39	0·37	0·42	124	61	63	20	44	23	17	5	109	15	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·22	0·32	83	36	47	3	15	8	21	8	55	21	5	1	–	1	–	–	–	–	–
Diphtheria	0·27	0·24	0·31	86	40	46	9	6	10	13	14	52	25	4	2	1	–	1	–	1	–	–
Whooping-cough	0·48	0·36	0·61	151	60	91	66	49	14	9	7	145	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	3	–	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·19	0·13	52	32	20	1	–	–	1	–	2	7	6	4	6	10	7	3	6	1	–
Simple Continued Fever	0·02	0·02	0·02	7	4	3	1	–	1	–	–	2	–	–	–	1	–	1	–	2	1	–
Diarrhœa and Dysentery	0·62	0·67	0·56	195	112	83	136	22	4	1	–	163	3	1	–	–	1	1	1	3	13	9
Cholera	0·09	0·11	0·07	30	19	11	23	3	1	–	–	27	1	–	–	–	1	–	–	1	–	–
Cancer	0·53	0·30	0·78	167	50	117	–	–	–	1	–	1	–	1	–	–	7	20	36	51	29	22
Tabes Mesenterica	0·35	0·41	0·29	111	68	43	69	22	9	3	4	107	2	–	1	1	–	–	–	–	–	–
Phthisis	1·28	1·18	1·40	405	196	209	18	9	8	1	2	38	16	14	30	46	95	74	55	26	10	1
Other Tub. & Scrof. Dis.	0·32	0·37	0·27	102	61	41	30	25	9	9	3	76	15	4	1	2	2	–	2	–	–	–
Diseases of Nervous System	2·13	2·21	2·04	673	369	304	268	50	18	5	5	346	18	12	7	9	14	23	33	58	89	64
Circulatory „	1·23	1·21	1·25	389	202	187	1	–	–	–	–	1	7	7	15	9	19	44	55	73	93	66
Respiratory „	3·35	3·51	3·16	1057	585	472	323	149	47	39	24	582	38	2	4	14	16	38	37	88	121	117
Digestive „	0·94	0·98	0·90	297	163	134	77	33	8	4	2	124	3	5	5	7	12	19	32	38	34	18
Urinary „	0·27	0·36	0·17	86	60	26	2	–	1	–	1	4	1	2	1	1	2	11	10	20	24	10
Generative „	0·05	–	0·10	15	–	15	–	1	–	–	–	1	–	–	–	1	1	4	2	2	3	1
Puerperal Fever	0·10	–	0·21	31	–	31	–	–	–	–	–	–	–	–	2	4	18	7	–	–	–	–
Childbirth	0·06	–	0·13	19	–	19	–	–	–	–	–	–	–	–	2	2	8	7	–	–	–	–
Violence	1·04	1·67	0·33	328	279	49	27	5	6	3	5	46	12	21	35	29	49	42	34	30	16	14
OTHER CAUSES	3·26	3·26	3·25	1027	544	483	524	20	6	5	1	556	18	13	6	6	15	23	27	40	82	241

Marriages 2,205

Births { Males 5,871 / Females 5,536 } 11,407

Annual Rate per 1000 living { Persons Married 13·96 / Births 36·10

Deaths from Childbirth and Puerperal Fever 4·38 per 1000 Births.

* *See* pages xxxvi-xxxviii. † The death-rates under one year of age are per 1000 Births.

‡ Prior to 26th December 1884 this District was known as North Aylesford.

45.—HOO.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 { Persons	—	In Standard Population* 15·36	†114	–	–	–	–	44·40	5·06	4·46	6·71	3·48	5·24	10·00	14·51	17·62	50·42	141·51
Males	—	16·45	†128	–	–	–	–	47·58	5·79	4·66	6·22	3·05	5·50	11·02	17·49	17·74	53·03	161·54
Females	—	14·34	†100	–	–	–	–	41·09	4·26	4·26	7·50	4·07	4·88	8·43	10·64	17·44	47·17	122·22
Mean Population at each of the Censal Years 1881-91. { Persons	Decennial Increase of Population 12·17 per cent.	3,624	114	102	101	111	99	527	494	381	313	287	406	420	324	210	119	53
Males		2,022	63	51	50	56	49	269	269	193	193	164	291	254	183	124	66	26
Females		1,602	51	51	51	55	50	258	235	188	120	123	205	166	141	86	53	27
Deaths from All Causes { Persons	16·39	594	156	37	18	7	16	234	25	17	21	10	26	42	47	37	60	75
1881-90. Males	17·01	344	88	21	6	3	10	128	15	9	12	5	16	28	32	22	35	42
Females	15·61	250	68	16	12	4	6	106	10	8	9	5	10	14	15	15	25	33

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·41	0·30	0·56	15	6	9	4	5	2	–	2	13	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·06	–	0·12	2	–	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·35	0·30	0·44	13	6	7	1	–	1	2	2	6	4	3	–	–	–	–	–	–	–
Whooping-cough	0·17	0·10	0·25	6	2	4	1	3	1	1	–	6	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·10	0·12	4	2	2	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–
Simple Continued Fever	0·03	–	0·06	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·26	0·64	0·62	23	13	10	16	1	2	–	–	19	–	–	–	–	–	–	2	–	2
Cholera	0·03	–	0·06	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·52	0·30	0·81	19	6	13	–	–	–	–	–	–	–	–	–	–	2	3	5	8	2
Tabes Mesenterica	0·06	0·10	–	2	2	–	1	1	–	–	–	3	–	–	–	–	–	–	–	–	–
Phthisis	1·30	1·14	1·50	47	23	24	1	1	2	–	–	4	–	3	3	3	11	7	10	3	4	1
Other Tub. & Scrof. Dis.	0·19	0·20	0·19	7	4	3	3	1	–	–	–	4	3	–	–	–	–	–	–	–	–	–
Diseases of Nervous System	2·26	2·32	2·18	82	47	35	39	8	1	1	3	53	1	3	–	3	–	3	3	5	5	2
" Circulatory "	1·24	1·34	1·12	45	27	18	1	–	–	–	–	1	–	3	4	–	1	3	7	9	12	5
" Respiratory "	2·70	3·12	2·18	98	63	35	23	8	5	3	6	44	6	–	3	1	5	5	10	8	2	1
" Digestive "	0·74	0·99	0·37	26	20	6	8	1	2	–	1	12	2	–	–	1	1	2	–	2	4	2
" Urinary "	0·22	0·25	0·19	8	5	3	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	1
" Generative "	0·08	–	0·19	3	–	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Puerperal Fever	0·08	–	0·19	3	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Childbirth	0·14	–	0·38	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·49	2·37	0·37	54	48	6	2	3	–	–	2	9	3	4	2	1	6	7	9	3	2	1
Other Causes	3·59	3·44	3·78	130	70	60	57	2	1	–	–	60	1	2	2	–	–	4	2	2	13	44

Marriages	–	246	Annual Rate per 1000 living	Persons Married	13·58
Births { Males	690	1,367		Births	37·73
Females	677		Deaths from Childbirth and Puerperal Fever		5·85 per 1000 Births.

* *See* pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

46.—MEDWAY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·88	†130	–	–	–	–	52·66	5·44	2·75	4·91	5·37	6·47	10·67	16·84	29·62	59·91	143·53
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·84	†142	–	–	–	–	57·70	5·15	2·70	5·08	5·43	6·28	11·17	19·61	32·49	63·99	142·39
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·98	†117	–	–	–	–	47·77	5·72	2·79	4·72	5·28	6·71	10·10	13·8.	26·84	56·26	144·47
Mean Population, 1881–91. Persons	Decennial Increase of Population 22·17 per cent.	68,476	1827	1723	1705	1730	1749	8734	7983	6918	6556	7037	10844	8050	5723	3630	2078	873
Mean Population, 1881–91. Males	Decennial Increase of Population 22·17 per cent.	35,774	899	827	856	858	860	4300	3979	3411	3505	4196	5926	4287	2983	1810	983	394
Mean Population, 1881–91. Females	Decennial Increase of Population 22·17 per cent.	32,702	928	896	849	872	889	4434	4004	3507	3051	2841	4918	3763	2740	1870	1095	479
Deaths from All Causes, 1881–90. Persons	17·58	12,036	2913	872	371	254	189	4599	434	190	322	378	702	859	964	1090	1245	1253
Deaths from All Causes, 1881–90. Males	17·88	6,398	1523	443	196	127	92	2481	205	92	178	228	372	479	585	588	629	561
Deaths from All Causes, 1881–90. Females	17·24	5,638	1290	429	175	127	97	2118	229	98	144	150	330	380	379	502	616	692

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·03	0·02	19	12	7	3	–	1	–	–	4	1	–	2	1	2	8	–	1	–	–
Measles	0·24	0·25	0·23	165	89	76	22	70	28	11	11	142	19	1	–	2	1	–	–	–	–	–
Scarlet Fever	0·35	0·30	0·41	240	107	133	12	25	43	35	34	149	67	10	2	4	6	1	1	–	–	–
Diphtheria	0·26	0·25	0·27	178	89	89	4	17	23	33	25	102	58	7	4	2	2	2	–	–	–	1
Whooping-cough	0·39	0·33	0·46	268	118	150	132	70	32	14	10	258	9	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	3	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Enteric Fever	0·17	0·17	0·17	115	60	55	–	–	4	4	1	9	15	12	28	15	18	7	4	3	4	–
Simple Continued Fever	0·03	0·03	0·02	18	10	8	–	2	1	1	1	5	2	1	2	–	1	3	–	1	3	–
Diarrhœa and Dysentery	0·54	0·53	0·55	370	190	180	258	52	9	4	1	324	6	–	–	1	3	6	4	9	8	9
Cholera	0·03	0·02	0·04	20	6	14	13	2	–	–	–	15	–	–	–	2	1	–	1	–	1	–
Cancer	0·59	0·39	0·80	401	138	263	–	–	–	–	–	–	–	–	3	2	12	43	103	125	87	26
Tabes Mesenterica	0·33	0·30	0·37	226	106	120	113	54	6	8	4	185	18	9	3	3	3	2	2	–	1	–
Phthisis	1·81	1·94	1·67	1241	696	545	28	24	14	6	7	79	30	40	107	129	279	267	195	83	29	3
Other Tub. & Scrof. Dis.	0·51	0·55	0·46	348	196	152	125	62	31	22	17	257	30	17	8	13	9	6	4	4	–	–
Diseases of Nervous System	2·33	2·45	2·17	1588	877	711	483	114	43	30	16	686	50	15	23	29	41	68	106	173	228	169
Diseases of Circulatory „	1·44	1·48	1·40	987	530	457	9	–	–	2	4	15	10	23	28	24	61	108	167	223	211	117
Diseases of Respiratory „	2·67	2·81	2·52	1830	1007	823	411	258	85	54	40	848	40	4	22	41	59	98	130	187	226	166
Diseases of Digestive „	1·10	1·11	1·10	756	397	359	198	49	17	7	4	275	19	7	16	25	43	55	77	103	94	42
Diseases of Urinary „	0·40	0·52	0·28	277	185	92	3	1	7	2	3	16	9	6	5	7	25	35	40	46	60	28
Diseases of Generative „	0·04	0·01	0·08	30	3	27	–	1	–	–	–	1	–	–	2	–	6	5	6	5	2	3
Puerperal Fever	0·06	–	0·13	43	–	43	–	–	–	–	–	–	–	–	2	5	15	21	–	–	–	–
Childbirth	0·05	–	0·10	34	–	34	–	–	–	–	–	–	–	–	2	6	16	10	–	–	–	–
Violence	0·63	0·91	0·33	431	324	107	29	19	15	11	4	78	23	16	35	41	44	57	44	40	30	23
OTHER CAUSES	3·58	3·49	3·66	2448	1255	1193	1070	52	12	10	7	1151	19	21	28	26	54	57	78	87	261	666

Marriages 5,558

Births { Males 11,409 / Females 11,020 } 22,429

Annual Rate per 1000 living { Persons Married 16·23 / Births 32·75

Deaths from Childbirth and Puerperal Fever 3·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

47.—MALLING

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Deaths registered, 1881–90	Persons	In Standard Population* 15·14	†114	–	–	–	–	41·33	4·92	2·21	3·30	4·69	7·28	8·77	13·74	22·56	54·12	147·05
	Males	15·87	†129	–	–	–	–	45·70	5·62	1·98	3·13	4·56	7·14	9·56	14·30	22·70	80·08	153·74
	Females	14·46	†98	–	–	–	–	37·22	4·22	2·45	4·87	4·84	7·41	7·98	11·16	23·04	38·08	90·11
Mean Population, 1881–91.	Persons	Decennial Increase of Population 8·36 per cent.	773	761	740	709	705	3828	3577	3167	2515	2110	3587	2952	2285	1640	996	457
	Males		389	359	374	401	376	1899	1778	1614	1407	1097	1792	1486	1147	837	501	222
	Females		384	402	366	308	329	1929	1799	1553	1108	1013	1795	1466	1138	803	495	225
Deaths from All Causes, 1881–90.	Persons	16·29	1043	261	121	93	64	1582	176	70	98	99	261	259	291	379	539	672
	Males	17·48	598	135	57	45	31	866	100	32	44	50	128	142	164	185	301	359
	Females	15·07	445	126	66	48	33	718	76	38	54	49	133	117	127	185	238	313

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	0·02	0·03	0·02	6	4	2	–	–	–	–	–	–	–	–	1	–	4	1	–
Measles	0·17	0·17	0·17	46	24	22	10	14	2	5	2	40	5	–	–	–	1	–	–
Scarlet Fever	0·11	0·12	0·10	29	16	13	3	3	2	6	3	17	10	–	–	1	–	1	–
Diphtheria	0·27	0·27	0·27	73	37	36	3	3	7	12	7	31	27	7	1	2	2	1	1
Whooping-cough	0·31	0·28	0·33	83	39	44	48	18	12	3	5	81	2	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	1	–	1	–	1	–	–
Enteric Fever	0·20	0·22	0·19	55	30	25	–	1	2	2	–	5	9	5	4	11	11	2	5
Simple Continued Fever	0·02	0·02	0·02	6	3	3	1	1	–	–	–	2	–	1	1	–	–	–	1
Diarrhœa and Dysentery	0·37	0·44	0·30	100	60	40	68	8	2	1	3	81	–	–	–	–	–	1	–
Cholera	0·04	0·01	0·07	11	6	5	6	1	1	–	–	8	–	–	–	–	–	1	1
Cancer	0·61	0·43	0·80	166	59	107	–	–	–	–	–	–	–	–	–	–	3	13	36
Tabes Mesenterica	0·21	0·22	0·22	59	30	29	36	9	4	–	1	50	2	3	2	2	–	–	–
Tubercle	1·30	1·33	1·26	352	184	168	8	3	3	2	–	16	9	12	29	38	26	75	47
Other Tub. & Scrof. Dis.	0·47	0·58	0·41	127	73	54	33	24	10	7	9	83	15	5	9	2	3	5	3
Nervous System	2·33	2·46	2·18	629	339	290	163	33	11	9	5	220	28	7	7	5	20	21	34
Circulatory "	1·55	1·70	1·51	421	220	201	4	2	–	1	1	8	4	8	7	10	24	36	51
Respiratory "	3·17	3·68	2·81	860	486	374	246	106	39	34	16	441	35	4	7	7	12	28	40
Digestive "	0·90	1·07	0·72	249	147	122	72	16	7	1	1	97	10	3	5	–	16	14	20
Urinary "	0·39	0·54	0·24	106	74	32	3	2	1	–	3	8	3	–	3	1	6	9	13
Generative "	0·05	0·01	0·09	14	2	13	–	–	–	–	–	–	–	–	–	1	1	3	5
Puerperal Fever	0·09	–	0·18	24	–	24	–	–	–	–	–	–	–	–	–	5	11	7	1
Childbirth	0·07	–	0·14	18	–	18	–	–	–	–	–	–	–	–	–	2	8	8	–
Violence	0·62	0·91	0·34	167	126	41	9	4	7	4	5	29	9	7	9	6	22	17	19
Other Causes	2·93	2·95	2·85	793	408	385	338	13	4	6	4	365	7	8	12	6	21	18	14

Marriages		1,528	Annual Rate per 1000 living	Persons Married	11·27
Births	Males	4,644		Births	35·82
	Females	4,526			
		9,169	Deaths from Childbirth and Puerperal Fever		4·58 per 1000 Births.

* *See* pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

48.—SEVENOAKS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·70	†91	–	–	–	–	33·59	3·77	2·65	4·05	5·15	5·36	8·20	12·07	24·19	52·19	143·43
Males	—	13·99	†99	–	–	–	–	36·26	3·33	2·26	3·45	4·22	5·79	8·14	12·23	26·93	58·19	146·96
Females	—	13·43	†82	–	–	–	–	30·99	4·23	3·02	4·66	5·95	4·99	8·26	11·91	21·45	46·76	140·00
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·32 per cent.	28,593	703	707	727	715	723	3575	3498	3289	2666	2351	4011	3292	2502	1790	1117	502
Males		13,937	351	357	361	357	342	1768	1774	1634	1335	1090	1865	1572	1226	895	531	247
Females		14,656	352	350	366	358	381	1807	1724	1655	1331	1261	2146	1720	1276	895	586	255
Deaths from All Causes, 1881-90. Persons	14·59	4,172	756	242	76	77	50	1201	132	87	108	121	215	270	302	433	583	720
Males	15·27	2,128	424	122	34	34	27	641	59	37	46	46	108	128	150	241	309	363
Females	13·93	2,044	332	120	42	43	23	560	73	50	62	75	107	142	152	192	274	357

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·05	0·09	0·01	15	13	2	1	–	–	–	–	1	–	–	–	–	3	4	1	3	2	1
Measles	0·28	0·29	0·28	81	40	41	11	28	15	7	6	67	12	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·11	26	10	16	3	2	2	2	2	11	9	3	–	2	–	1	–	–	–	–
Diphtheria	0·19	0·16	0·21	53	22	31	2	5	8	3	6	24	15	8	1	1	–	1	1	–	1	1
Whooping-cough	0·29	0·27	0·31	83	37	46	35	26	6	8	2	77	5	–	–	–	1	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·06	0·08	21	9	12	–	–	–	1	–	1	2	2	4	2	3	4	1	1	1	–
Simple Continued Fever	0·02	0·03	0·02	7	4	3	–	–	1	–	1	2	–	1	–	–	1	1	1	–	1	–
Diarrhœa and Dysentery	0·34	0·42	0·27	97	58	39	55	15	–	3	1	74	–	–	–	2	–	1	1	3	9	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·52	0·76	185	73	112	–	–	–	1	–	1	–	1	–	–	5	19	30	50	53	26
Tabes Mesenterica	0·12	0·14	0·11	35	19	16	11	4	5	1	–	21	6	2	2	2	–	2	–	–	–	–
Phthisis	1·47	1·51	1·42	419	211	208	6	6	1	3	1	17	6	18	37	53	92	73	69	41	11	2
Other Tub. & Scrof. Dis.	0·40	0·47	0·33	114	65	49	20	21	5	7	5	58	20	10	6	7	3	1	2	5	2	–
Diseases of Nervous System	2·06	2·12	2·01	590	296	294	119	35	8	14	5	181	10	8	16	8	18	34	35	66	111	103
Diseases of Circulatory	1·57	1·49	1·64	448	207	241	2	–	2	–	–	4	5	9	7	5	14	30	50	84	125	115
Diseases of Respiratory	2·15	2·45	1·87	616	342	274	141	65	11	17	13	247	14	4	7	6	9	24	33	59	94	119
Diseases of Digestive	0·88	0·83	0·93	252	115	137	48	12	2	1	4	67	9	3	5	7	3	12	27	39	56	24
Diseases of Urinary	0·40	0·55	0·25	113	77	36	–	–	1	–	–	1	–	1	–	2	8	9	16	22	22	32
Diseases of Generative	0·07	0·01	0·13	20	1	19	–	–	–	–	2	2	–	–	–	1	4	4	5	1	–	3
Puerperal Fever	0·09	–	0·17	25	–	25	–	–	–	–	–	–	–	–	1	4	12	3	–	–	–	–
Childbirth	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	–	–	6	7	4	–	–	–	–
Violence	0·47	0·68	0·27	134	95	39	11	8	3	7	1	30	6	3	5	4	13	16	13	17	13	15
OTHER CAUSES	2·87	3·11	2·65	821	434	387	291	15	6	2	1	315	13	14	17	8	18	22	17	42	83	272

Marriages 1,549

Births { Males 4,286 / Females 4,037 } 8,303

Annual Rate per 1000 living { Persons Married 10·83 / Births 29·04

Deaths from Childbirth and Puerperal Fever 5·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

49.—TUNBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons —	In Standard Population* 14·53 15·27 13·83	†109	–	–	–	–	35·88	3·69	2·66	3·64	5·10	6·15	9·67	13·01	24·16	56·33	146·69
	Males —		†110	–	–	–	–	39·56	3·87	2·23	2·74	5·86	6·31	10·79	15·56	26·44	60·17	148·46
	Females —		†89	–	–	–	–	32·17	3·51	3·09	4·45	4·58	6·04	8·80	11·10	22·40	53·23	145·35
Mean Population, 1881–90.	Persons —	Decennial Increase of Population 15·30 per cent.		1340	1279	1319	1322	1332	6592	6451	6209	5502	4649	7739	6236	4036	3556	2157	906
	Males —	54,333		657	637	659	669	667	3309	3207	3139	2623	1876	3283	2725	2115	1547	964	390
	Females —	25,178 29,155		683	642	660	653	665	3283	3244	3070	2879	2773	4456	3511	2821	2009	1193	516
Deaths from all Causes, 1881–90.	Persons —	15·16		1519	482	162	104	98	2365	238	165	200	237	476	603	642	859	1215	1329
	Males —	16·22		855	260	85	56	53	1309	124	70	72	110	267	294	329	469	580	579
	Females —	14·27		664	222	77	48	45	1056	114	95	128	127	209	309	313	450	635	750

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	6	3	3	–	1	–	–	–	1	–	–	–	–	2	1	1	1	–	–
Measles	0·20	0·21	0·19	112	54	58	26	38	14	9	9	96	11	2	–	–	1	–	2	–	–	–
Scarlet Fever	0·06	0·05	0·07	32	12	20	2	5	5	2	6	20	7	3	2	–	–	–	–	–	–	–
Diphtheria	0·22	0·22	0·21	119	56	63	3	4	13	9	17	46	57	11	2	–	–	2	–	–	–	1
Whooping-cough	0·26	0·24	0·28	141	70	71	73	46	12	4	2	137	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·11	57	24	33	1	–	–	–	1	2	7	14	7	2	9	9	3	3	1	–
Simple Continued Fever	0·02	0·02	0·02	9	4	5	–	–	–	–	1	1	3	1	2	–	2	–	–	–	–	–
Diarrhœa and Dysentery	0·39	0·44	0·35	216	112	104	129	21	7	2	–	159	3	2	–	–	–	1	6	4	13	28
Cholera	0·02	0·03	0·01	10	7	3	1	3	–	–	–	4	–	–	–	–	–	1	1	1	2	1
Cancer	0·78	0·80	0·92	426	152	274	–	1	–	–	1	2	1	2	2	1	13	39	87	121	97	63
Tabes Mesenterica	0·20	0·18	0·22	112	46	66	51	20	6	2	1	80	7	9	5	–	6	2	2	–	–	1
Phthisis	1·62	1·68	1·57	891	424	467	13	13	1	1	2	29	17	27	92	108	209	192	123	60	38	8
Other Tub. & Scrof. Dis.	0·40	0·40	0·39	217	100	117	62	39	14	12	18	145	20	13	11	9	14	3	1	2	–	–
Diseases of Nervous System	1·93	2·08	1·82	1056	523	543	176	65	18	8	13	280	17	15	17	9	32	43	75	134	247	197
Circulatory	1·76	1·88	1·65	964	473	491	6	1	5	1	–	11	13	13	9	20	30	66	93	191	297	221
Respiratory	2·44	2·63	2·28	1340	663	677	306	148	41	31	15	541	30	12	7	11	39	59	65	109	187	280
Digestive	0·95	1·00	0·91	523	251	272	98	35	9	2	3	147	11	8	5	12	20	31	51	79	84	75
Urinary	0·63	0·80	0·48	344	201	143	4	2	3	3	2	14	5	5	2	8	17	37	37	59	97	65
Generative	0·07	0·00	0·12	37	1	36	–	–	–	–	–	–	–	–	1	3	5	9	5	8	4	2
Puerperal Fever	0·07	–	0·12	37	–	37	–	–	–	–	–	–	–	–	3	7	13	13	1	–	–	–
Childbirth	0·04	–	0·08	23	–	23	–	–	–	–	–	–	–	–	–	3	11	9	–	–	–	–
Violence	0·45	0·49	0·25	249	175	74	19	10	6	8	4	47	9	7	14	16	24	24	31	37	27	23
Other Causes	2·53	2·92	2·25	1398	732	666	549	31	10	10	3	603	13	21	19	28	30	63	58	60	132	346

Marriages		3,050	Annual Rate per 1000 living	Persons Married	15·29
Births	Males 7,799	15,199		Births	27·67
	Females 7,400				

Deaths from Childbirth and Puerperal Fever — 2·96 per 1000 Births.

* *See pages* xxvi–xxviii.

† The death-rates under one year of age are per 1000 Births.

50.—MAIDSTONE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·12	†125	–	–	–	–	48·10	5·13	3·27	4·98	6·76	9·50	14·50	19·69	32·77	64·80	155·10
Males	—	20·19	†134	–	–	–	–	52·20	4·92	3·33	4·60	7·41	10·44	16·80	21·22	34·99	71·50	155·50
Females	—	18·11	†116	–	–	–	–	44·13	5·34	3·21	5·39	6·17	8·66	12·39	18·31	30·80	59·08	154·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·51 per cent.	46,572	1156	1121	1160	1138	1205	5780	5554	5167	4419	3830	6549	5407	4123	3052	1858	833
Males		22,560	569	554	573	550	595	2841	2785	2521	2304	1821	3075	2583	1960	1432	856	382
Females		24,012	587	567	587	588	610	2939	2769	2646	2115	2009	3474	2824	2163	1620	1002	451
Deaths from All Causes, 1881–90. Persons	20·24	9,427	1814	544	197	131	94	2780	285	169	220	259	622	784	812	1000	1204	1292
Males	21·38	4,823	980	285	109	65	44	1483	137	84	106	135	321	434	416	501	612	594
Females	19·17	4,604	834	259	88	66	50	1297	148	85	114	124	301	350	396	499	592	698

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·05	0·05	0·04	22	12	10	2	2	–	1	–	5	2	–	4	2	5	3	1	–	–	–
Measles	0·26	0·29	0·23	120	65	55	19	52	14	12	9	106	12	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·10	0·07	38	22	16	–	3	9	4	3	19	13	4	–	–	1	–	1	–	–	–
Diphtheria	0·25	0·20	0·30	117	44	73	3	4	9	18	20	54	44	11	2	2	1	1	–	2	–	–
Whooping-cough	0·42	0·39	0·45	196	87	109	90	60	19	15	7	191	5	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·10	0·13	54	23	31	–	–	–	2	3	5	6	3	8	9	12	3	3	3	2	–
Simple Continued Fever	0·02	0·01	0·02	7	3	4	1	–	1	–	–	2	3	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·55	0·62	0·47	254	140	114	174	33	6	1	1	215	2	–	–	–	1	5	1	6	12	12
Cholera	0·01	–	0·01	3	–	3	2	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·78	0·55	0·99	362	125	237	1	–	–	–	–	1	–	–	3	3	8	36	68	108	89	46
Tabes Mesenterica	0·24	0·18	0·30	112	40	72	54	16	6	1	3	80	6	5	6	4	1	5	3	1	1	–
Phthisis	2·20	2·16	2·23	1024	488	536	13	14	3	3	2	35	25	26	82	113	235	197	143	92	65	11
Other Tub. & Scrof. Dis.	0·47	0·54	0·40	217	121	96	57	34	18	15	11	135	27	17	10	5	9	5	4	3	1	1
Diseases of Nervous System	3·64	4·31	3·01	1694	971	723	255	67	22	10	5	359	21	34	27	21	100	209	220	204	281	218
Circulatory „	1·96	1·91	2·01	913	430	483	5	1	3	1	1	11	9	10	13	10	56	82	114	201	242	165
Respiratory „	3·02	3·10	2·94	1407	700	707	311	175	67	32	20	605	48	11	9	17	52	60	71	139	184	211
Digestive „	1·06	1·14	0·99	494	257	237	100	30	4	–	1	135	8	8	8	10	22	39	54	74	76	60
Urinary „	0·53	0·71	0·37	249	160	89	1	1	–	–	3	5	7	1	4	3	10	23	39	52	72	33
Generative „	0·06	0·00	0·12	29	1	28	–	1	–	–	–	1	–	–	1	1	5	9	5	3	4	–
Puerperal Fever	0·09	–	0·17	42	–	42	–	–	–	–	–	–	–	–	2	13	21	6	–	–	–	–
Childbirth	0·05	–	0·09	21	–	21	–	–	–	–	–	–	–	–	1	2	9	9	–	–	–	–
Violence	0·72	1·15	0·31	335	260	75	28	10	3	8	3	52	25	15	19	26	36	45	35	32	31	19
OTHER CAUSES	3·66	3·87	3·52	1717	874	843	698	41	13	7	2	761	22	22	21	18	38	47	50	79	144	515

Marriages - - - 3,370

Births - {Males - 7,322 / Females - 7,208} 14,530

Annual Rate per 1000 living {Persons Married 14·47 / Births - - 31·20

Deaths from Childbirth and Puerperal Fever - - - - - 4·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

51.—HOLLINGBURN.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-rate per 1000.	Persons	In Standard Population* 13·35	†110	–	–	–	–	35·59	4·98	2·31	4·04	5·26	5·80	7·47	11·87	21·58	55·23	135·55
	Males		†114	–	–	–	–	42·29	4·87	1·78	2·38	5·11	7·05	6·90	11·29	25·43	62·35	179·11
	Females		†85	–	–	–	–	29·02	5·09	2·90	5·93	6·78	4·60	7·95	12·54	18·37	47·06	142·66
Mean Population, 1881–91.	Persons	Decennial Increase of Population 5·17 per cent. 13,079	321	343	343	335	342	1714	1707	1602	1338	1040	1742	1405	1222	987	621	301
	Males		167	165	162	175	180	849	842	843	714	509	851	701	616	512	332	158
	Females		154	178	181	160	162	893	865	759	624	531	891	704	606	475	289	143
Deaths from All Causes, 1881–90.	Persons	15·81	414	105	35	32	24	610	85	37	54	63	101	105	145	213	343	108
	Males	16·86	245	59	25	19	11	359	41	15	17	26	60	49	69	121	207	204
	Females	14·74	169	46	10	13	13	251	44	22	37	36	41	56	76	92	136	204

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Scarlet Fever	0·07	0·07	0·08	9	5	4	1 – – – – 1 – – – 2 2 1 2 1 – –
Measles	0·19	0·17	0·21	26	12	14	3 9 2 3 2 19 5 2 – – – – – – – –
Scarlet Fever	0·07	0·04	0·10	9	2	7	– 2 1 2 2 7 2 – – – – – – – –
Diphtheria	0·40	0·20	0·61	55	27	28	6 4 5 5 5 25 25 3 1 – – – – – 1 –
Whooping-cough	0·27	0·27	0·27	37	19	18	16 13 3 3 1 36 1 – – – – – – – –
Typhus	0·01	–	0·01	1	–	1	– – – – – – – – – 1 – – – – – –
Enteric Fever	0·10	0·13	0·06	13	9	4	– – – – – – 1 1 3 1 3 1 – 2 1 –
Simple Continued Fever	0·03	0·01	0·03	4	2	2	– – – – – – – – 1 – – 2 – – – –
Diarrhœa and Dysentery	0·25	0·20	0·30	34	14	20	19 3 3 – 1 26 – – – 1 – 1 – – 2 3
Cholera	0·01	0·03	–	2	2	–	– – – – – – – – – – – – 2 – – –
Cancer	0·60	0·38	0·83	82	26	56	– – – – – – – – – – 1 7 16 24 24 10
Tabes Mesenterica	0·09	0·07	0·10	12	5	7	3 4 – – – 7 2 – – 1 1 – – – – – –
Phthisis	1·43	1·20	1·56	195	90	105	8 1 1 1 1 12 2 7 20 33 40 23 31 17 8 3
Other Tub. & Scrof. Dis.	0·25	0·30	0·19	34	21	13	10 5 1 2 2 20 4 2 2 4 1 1 – – – – –
Nervous System	1·70	2·05	1·73	260	143	117	61 12 4 3 2 82 6 7 6 3 7 11 9 25 28 47
Circulatory	1·66	1·70	1·62	227	118	109	2 1 – – – 3 2 4 3 4 5 17 20 47 74 48
Respiratory	2·65	3·09	2·19	362	214	148	78 32 12 10 6 138 24 1 5 2 9 10 23 37 33 13
Digestive	0·90	0·97	0·83	123	67	56	16 4 – 1 2 23 2 – 4 2 4 3 15 22 33 1
Urinary	0·32	0·48	0·16	44	33	11	1 – – – – 1 – – – 2 3 2 4 11 9 12
Generative	0·05	0·01	0·04	4	1	3	1 – – – – 1 – – – – 1 1 1 – – –
Puerperal Fever	0·05	–	0·10	7	–	7	– – – – – – – – – – 3 3 1 – – –
Childbirth	0·10	–	0·14	13	–	13	– – – – – – – 1 2 3 6 1 – – – –
Violence	0·64	1·03	0·24	87	71	16	8 2 – 1 – 11 5 5 4 5 8 10 2 14 12 4
Other Causes	3·79	4·15	3·51	523	287	236	181 13 3 1 – 198 4 5 3 3 9 6 11 29 63 261

Marriages		826	Annual Rate per 1000 living	Persons Married	12·03
Births	Males	2,141		Births	30·27
	Females	1,999			
		4,140			

Deaths from Childbirth and Puerperal Fever 4·83 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

52.—CRANBROOK.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·81	†104	–	–	–	–	35·26	3·69	2·18	3·37	5·08	6·37	7·20	11·48	22·22	54·74	147·55
Annual Death-Rate per 1000. Males	—	Standard 13·21	†112	–	–	–	–	37·94	2·72	1·15	2·60	4·14	5·93	5·97	9·76	22·69	57·19	146·26
Annual Death-Rate per 1000. Females	—	Population* 14·38	†96	–	–	–	–	32·62	4·68	3·28	4·32	5·84	6·76	8·30	13·11	21·75	52·19	148·92
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·23 per cent.	13,752	326	320	330	345	344	1665	1736	1695	1334	1024	1679	1487	1202	990	654	286
Mean Population, 1881–91. Males		6,828	163	162	155	169	176	825	881	872	732	459	792	704	584	498	334	147
Mean Population, 1881–91. Females		6,924	163	158	175	176	168	840	855	823	602	565	887	783	618	492	320	139
Deaths from All Causes, 1881–90. Persons	15·54	2,137	385	101	43	34	24	587	64	37	45	52	107	107	133	220	358	422
Deaths from All Causes, 1881–90. Males	15·38	1,050	210	53	20	15	14	313	24	10	19	19	47	42	57	113	191	215
Deaths from All Causes, 1881–90. Females	15·70	1,087	175	48	23	18	10	274	40	27	26	33	60	65	81	107	167	207

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·23	0·22	31	16	15	1	14	8	4	–	27	3	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·06	0·03	0·09	8	2	6	1	–	–	1	1	3	2	–	1	–	–	2	–	–	–	–
Diphtheria	0·27	0·22	0·32	37	15	22	4	4	1	4	5	18	14	4	–	–	1	–	–	–	–	–
Whooping-cough	0·33	0·40	0·27	46	27	19	25	9	7	3	1	45	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Enteric Fever	0·13	0·12	0·14	18	8	10	–	–	–	–	1	1	3	1	2	2	2	1	2	1	2	1
Simple Continued Fever	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·29	0·28	0·30	40	19	21	13	6	1	2	1	23	1	–	–	–	–	–	3	2	4	7
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·65	0·41	0·88	89	28	61	–	–	–	–	–	–	–	–	–	1	1	6	18	26	23	14
Tabes Mesenterica	0·12	0·10	0·14	17	7	10	6	2	1	1	–	10	1	1	–	1	3	–	–	–	1	–
Phthisis	1·25	1·11	1·39	172	76	96	3	–	–	1	–	4	2	8	13	22	45	23	20	22	11	2
Other Tub. & Scrof. Dis.	0·29	0·29	0·29	40	20	20	12	3	2	1	2	20	2	3	5	1	4	2	–	2	1	–
Diseases of Nervous System	2·17	2·36	1·98	298	161	137	52	11	5	4	2	74	9	4	1	4	9	19	14	39	64	61
Diseases of Circulatory „	1·98	1·80	2·15	272	123	149	3	1	–	–	–	4	1	3	6	1	10	6	29	38	100	74
Diseases of Respiratory „	2·76	2·93	2·59	379	200	179	70	30	7	9	7	123	16	3	6	3	8	13	12	42	63	90
Diseases of Digestive „	1·14	1·10	1·18	157	75	82	32	6	5	2	1	46	4	3	–	5	3	10	11	17	30	28
Diseases of Urinary „	0·39	0·50	0·29	54	34	20	2	–	1	–	–	3	–	1	–	2	4	3	5	8	19	9
Diseases of Generative „	0·08	0·03	0·13	11	2	9	1	–	–	–	–	1	–	–	–	–	1	2	1	2	2	2
Puerperal Fever	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Childbirth	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	–	1	4	6	–	–	–	–
Violence	0·41	0·51	0·32	57	35	22	4	1	1	1	2	9	4	2	4	3	4	3	5	11	7	5
OTHER CAUSES	2·82	2·94	2·71	387	200	187	156	14	4	1	1*	176	1	2	7	4	4	7	16	10	31	129

Marriages - - 744

Births { Males 1,881 / Females 1,830 } 3,711

Annual Rate per 1000 living { Persons Married 10·82 / Births 26·99

Deaths from Childbirth and Puerperal Fever } 4·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

53.—TENTERDEN.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000.	Persons	In Standard Population.* 13·15	†88	–	–	–	–	32·70	3·61	2·59	3·44	5·50	6·11	7·11	11·00	24·03	66·85	135·18
	Males	13·08	†103	–	–	–	–	36·08	3·81	2·15	3·59	4·18	4·48	7·87	12·24	22·82	49·25	128·35
	Females	13·23	†88	–	–	–	–	29·15	3·43	3·04	3·29	6·79	7·87	6·41	9·85	25·35	74·36	142·06
Mean Population, 1881–91.	Persons	Decennial Decrease of Population 4·73 per cent. 10,214	275	235	284	262	268	1324	1391	1197	929	727	1228	1063	900	749	583	353
	Males	5,093	141	125	139	131	143	679	690	604	473	359	581	521	433	390	296	127
	Females	5,151	134	110	145	131	125	645	671	593	456	368	647	562	467	359	287	126
Deaths from All Causes, 1881–90.	Persons	15·67	1,691	295	70	25	29	14	433	47	31	32	40	75	77	99	180	245	342
	Males	16·14	817	167	48	12	12	6	245	24	13	17	15	26	41	53	89	131	163
	Females	15·22	784	128	22	13	17	8	188	23	18	15	25	49	36	46	91	114	179

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Measles	0·33	0·08	0·04	6	4	2	2	2	1	1	–	6	–	–	–	–	–	–	–
Scarlet Fever	0·02		0·02	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	0·24	0·24	0·25	25	12	13	1	3	1	3	2	10	9	4	2	–	–	–	–
Whooping-cough	0·28	0·34	0·23	29	17	12	18	8	1	1	1	29	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·04	0·06	5	2	3	–	–	–	1	–	1	–	1	1	2	–	–	1
Simple Continued Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·14	0·24	0·14	19	12	7	11	4	–	–	–	15	–	–	–	–	–	1	3
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	0·39	0·55	0·64	61	28	33	–	–	–	–	–	–	–	–	1	1	–	11	20	19	9
Tabes Mesenterica	0·18	0·02	0·14	18	11	7	9	2	2	1	–	14	1	2	1	–	–	–	–	–	–
Phthisis	1·40	1·24	1·55	145	65	80	–	1	1	–	1	3	–	3	17	17	40	23	15	9	8	3	–
Other Tub. & Scrof. Dis.	0·20	0·24	0·16	20	12	8	2	1	1	2	2	8	2	1	–	3	3	–	1	1	1	–	–
Disease of Nervous System	2·35	2·41	2·29	240	122	118	55	8	7	4	3	77	6	2	–	3	7	4	15	26	44	36	36
Circulatory	1·64	1·62	1·67	167	84	83	2	1	–	1	–	4	3	2	2	3	6	8	13	28	63	35	36
Respiratory	2·73	2·86	2·60	279	150	129	45	23	6	12	3	89	20	4	2	4	4	12	18	40	37	30	17
Digestive	0·84	1·03	0·85	86	52	44	16	4	1	1	–	22	4	2	2	3	–	6	16	19	12	12	7
Urinary	0·21	0·28	0·14	21	14	7	–	–	1	–	–	1	–	1	–	–	–	2	1	5	3	1	–
Generative	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Puerperal Fever	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Childbirth	0·08	–	0·16	8	–	8	–	–	–	–	–	–	–	–	–	–	2	6	3	3	2	–	–
Violence	0·76	0·65	0·85	51	33	18	5	4	1	2	–	12	1	–	3	1	2	5	3	6	24	46	19
Other Causes	3·88	3·20	3·82	389	198	201	129	8	2	–	2	141	–	4	3	2	5	6	9	24	46	19	7

Marriages	587	Annual Rate per 1000 living	Persons Married	11·49	Deaths from Childbirth and Puerperal Fever 4·31 per 1000 Births.
Births Males	1,570		Births	29·56	
Females	1,449				
	3,019				

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

54.—WEST ASHFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·98	†99	–	–	–	–	35·34	4·18	3·05	3·50	5·19	6·64	8·59	12·41	21·61	49·15	143·34
Males	—	14·30	†105	–	–	–	–	37·87	4·17	3·07	3·30	4·95	6·28	8·52	13·41	25·50	48·62	149·36
Females	—	13·68	†93	–	–	–	–	32·83	4·18	3·03	3·73	5·43	6·99	8·66	11·45	17·73	49·64	138·58
Mean Population, 1881-91. Persons	Decennial Increase of Population 4·45 per cent.	18,529	480	448	465	488	479	2360	2323	2162	1771	1445	2530	1991	1580	1194	820	353
Males		9,223	227	240	238	241	229	1175	1152	1106	939	727	1242	963	768	596	399	156
Females		9,306	253	208	227	247	250	1185	1171	1056	832	718	1288	1028	812	598	421	197
Deaths from All Causes, 1881-90. Persons	15·31	2,836	565	155	59	28	27	834	97	66	62	75	168	171	196	258	403	506
Males	15·57	1,436	306	80	32	12	15	445	48	34	31	36	78	82	103	152	194	233
Females	15·04	1,400	259	75	27	16	12	389	49	32	31	39	90	89	93	106	209	273

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·17	0·12	27	16	11	8	6	4	2	3	23	2	–	–	1	1	–	–	–	–	–
Scarlet Fever	0 08	0·08	0·09	15	7	8	1	1	2	3	2	9	2	2	–	–	1	1	–	–	–	–
Diphtheria	0·19	0·16	0·23	36	15	21	–	3	4	1	3	11	17	7	–	–	–	–	–	–	–	1
Whooping-cough	0·32	0·31	0·32	59	29	30	35	11	3	4	2	55	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·11	19	9	10	–	–	–	–	1	1	3	4	2	3	–	4	1	1	–	–
Simple Continued Fever	0·03	0·05	0·01	6	5	1	–	–	–	–	1	1	4	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·50	0·38	0·62	93	35	58	59	12	2	1	–	74	1	–	–	1	1	1	–	4	4	7
Cholera	0·02	0·03	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
Cancer	0·70	0·40	1·00	130	37	93	–	–	–	1	–	1	–	–	–	–	6	6	29	31	43	14
Tabes Mesenterica	0·14	0·18	0·10	26	17	9	12	4	–	1	–	17	4	2	2	–	–	–	–	–	1	–
Phthisis	1·40	1·21	1·58	259	112	147	3	3	1	–	1	8	6	11	25	29	74	48	27	22	5	4
Other Tub. & Scrof. Dis.	0·36	0·35	0 38	67	32	35	20	8	6	2	2	38	8	11	2	3	3	1	–	1	–	–
Diseases of Nervous System	2·13	2·20	2·06	395	203	192	68	25	8	3	1	105	14	8	4	5	15	13	37	37	79	78
Diseases of Circulatory „	1·54	1·66	1·43	286	153	133	2	–	–	–	–	2	2	5	3	7	14	23	29	40	87	74
Diseases of Respiratory „	2·44	2·74	2·14	452	253	199	103	59	13	6	7	188	15	4	5	2	4	17	21	44	76	76
Diseases of Digestive „	0·77	0·78	0·76	143	72	71	22	6	2	1	–	31	3	2	2	5	8	16	14	23	18	21
Diseases of Urinary „	0·46	0·59	0·33	85	54	31	1	–	–	–	1	2	1	1	2	2	7	4	8	12	27	19
Diseases of Generative „	0·05	0·01	0·09	9	1	8	–	–	1	–	–	1	–	–	–	1	–	3	2	–	2	–
Puerperal Fever	0·05	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	–	1	7	2	–	–	–
Childbirth	0·10	–	0·17	16	–	16	–	–	–	–	–	–	–	–	–	1	1	6	8	–	–	–
Violence	0·62	0·95	0·29	115	88	27	10	6	7	3	2	28	3	5	8	7	11	10	12	13	14	4
OTHER CAUSES	3·16	3·22	3·10	585	295	290	221	11	6	–	1	239	8	3	6	7	10	12	16	29	47	208

Marriages - - 1,327

Births - Males - 2,909; Females - 2,786; 5,695

Annual Rate per 1000 living: Persons Married 14·32; Births - - 30·74

Deaths from Childbirth and Puerperal Fever - - - - - 4·57 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

55.—EAST ASHFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	—	In Standard Population* 12·89	†89	–	–	–	–	31·53	4·06	1·87	3·90	5·04	7·59	8·61	8·64	18·73	46·56	133·12
	—	12·49	†108	–	–	–	–	37·02	4·43	1·57	2·93	3·50	5·43	7·81	10·26	17·79	41·98	136·77
	—	12·87	†71	–	–	–	–	26·24	3·83	2·18	5·67	6·68	9·70	9·40	7·00	19·74	40·66	135·67
Mean Popn. 1881–90.	Decennial Increase of Population 1·6 per cent.	18,819	374	360	393	383	352	1862	1848	1655	1179	993	1673	1451	1204	945	683	326
		7,035	185	173	185	184	185	913	935	830	685	514	828	717	604	489	373	169
		6,784	188	187	208	199	167	949	913	825	494	479	845	734	600	456	330	157
Deaths 1881–90.		2,693	389	103	49	24	22	587	75	31	46	50	127	125	104	177	277	434
		1,043	234	55	25	11	13	338	40	13	18	18	45	56	62	87	145	221
		1,650	155	48	24	13	9	249	35	18	28	32	82	69	42	90	132	213

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·14	0·16	21	10	11	10	6	2	1	–	19	1	1	–	–	–	–	–	–
Scarlet Fever	0·01	0·07	0·01	6	5	1	–	1	1	–	2	4	–	–	1	–	–	–	1	–
Diphtheria	0·35	0·30	0·37	46	21	25	1	1	4	4	4	14	19	5	3	–	2	2	–	1	–	–
Whooping-cough	0·22	0·24	0·21	34	17	14	15	6	3	3	–	27	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·09	0·07	0·10	12	5	7	–	–	–	–	1	1	2	3	1	–	1	3	–	–	1	–
Simple continued Fever	0·04	0·03	0·04	5	2	3	–	1	1	1	–	3	–	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·49	0·46	0·55	68	31	37	39	10	1	–	–	50	1	1	–	–	1	1	–	1	4	9
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cancer	0·57	0·38	0·77	79	27	52	–	–	–	–	1	1	–	1	–	–	1	7	11	25	15	18
Tubercular Diseases	0·17	0·18	0·16	24	13	11	11	5	1	–	–	17	2	1	2	–	1	1	1	–	–	1
Premature Births	1·39	1·44	1·35	185	80	105	3	6	2	–	1	12	3	1	11	27	62	29	21	13	5	1
Other Causes A Sect. I. Div.	0·25	0·26	0·24	34	18	16	12	1	3	1	2	19	5	4	1	1	1	–	1	2	–	–
Zymotic	Nervous System	1·87	1·79	1·95	231	126	105	40	8	6	2	3	59	8	5	4	4	6	11	8	23	40	54
	Circulatory "	1·39	1·38	1·81	220	97	123	2	–	1	–	–	3	3	2	2	3	9	13	13	41	67	63
	Respiratory "	2·71	2·74	2·68	361	193	168	86	32	16	10	4	148	16	2	3	6	12	14	14	31	46	16
	Digestive "	0·89	0·89	0·84	124	67	57	17	10	–	–	2	29	2	2	3	1	4	8	7	17	22	24
	Urinary "	0·33	0·40	0·25	45	28	17	–	–	–	–	–	–	–	1	3	–	3	4	6	5	12	11
	Generative "	0·07	–	0·15	10	–	10	–	–	–	–	–	–	–	–	1	–	1	2	2	1	2	1
Parasitic Fever		0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	2	2	4	–	–	–	–
Childbirth		0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	2	1	–	4	–	–	–	–	–
Violence		0·44	0·71	0·17	61	50	11	4	6	2	1	1	14	3	3	–	2	5	3	6	8	3	
Other Causes		3·25	3·62	2·89	449	253	196	149	10	6	1	1	167	6	–	8	3	11	13	12	10	40	179

Marriages	–	466	Annual Rate per 1000 living	Persons Married	12·95
Births	Males	1,206		Births – –	31·40
	Females	1,151	Deaths from Child birth and Puerperal Fever – – –		4·37 per 1000 Births.

* See pages xxxvi. xxxvii.

† The death-rates under one year of age are per 1000 Births.

56.—BRIDGE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·60	†95	–	–	–	–	33·38	4·64	2·43	4·55	6·30	9·40	16·89	17·27	33·09	54·23	148·64
Males	—	Standard 17·89	†115	–	–	–	–	38·34	4·89	2·20	4·73	6·07	10·57	20·61	19·76	35·73	57·31	141·61
Females	—	Population* 15·38	†74	–	–	–	–	28·41	4·40	2·66	4·35	6·49	8·31	13·31	14·98	30·63	51·18	155·29
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·86 per cent.	12,634	303	295	332	320	320	1570	1507	1357	1054	905	1649	1403	1233	952	673	331
Males		6,237	153	158	156	160	158	785	757	681	571	412	795	689	592	459	335	161
Females		6,397	150	137	176	160	162	785	750	676	483	493	854	714	641	493	338	170
Deaths from All Causes, 1881-90. Persons	19·86	2,509	333	107	34	23	27	524	70	33	48	57	155	237	213	315	365	492
Males	21·36	1,332	205	54	20	9	13	301	37	15	27	25	84	142	117	164	192	228
Females	18·40	1,177	128	53	14	14	14	223	33	18	21	32	71	95	96	151	173	264

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·27	0·27	34	17	17	9	11	5	1	1	27	5	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·02	0·02	0·03	3	1	2	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·36	0·29	0·44	46	18	28	2	1	2	3	7	15	20	3	3	1	1	1	1	1	–	–
Whooping-cough	0·25	0·32	0·19	32	20	12	16	12	1	–	2	31	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·19	0·06	16	12	4	–	–	1	2	–	3	–	–	–	1	2	–	4	–	3	2	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·37	0·36	46	23	23	20	7	1	–	2	30	1	–	–	1	–	2	–	1	1	3	7
Cholera	0·01	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·59	0·80	88	37	51	–	–	–	–	–	–	–	–	–	–	–	3	7	11	28	25	14
Tabes Mesenterica	0·17	0·13	0·22	22	8	14	10	6	1	1	–	18	–	2	2	–	–	–	–	–	–	–	–
Phthisis	2·03	1·99	2·06	256	124	132	6	–	–	–	2	8	2	4	14	28	64	54	36	36	7	3	–
Other Tub. & Scrof. Dis.	0·37	0·35	0·39	47	22	25	10	9	5	3	–	27	6	4	4	2	2	–	2	–	–	–	–
Diseases of Nervous System	4·04	4·68	3·44	511	291	220	39	10	5	5	2	61	7	5	11	9	37	86	68	82	75	70	–
Diseases of Circulatory „	2·27	2·20	2·35	287	137	150	1	–	–	–	–	1	1	2	2	3	5	23	30	61	81	78	–
Diseases of Respiratory „	3·07	3·33	2·33	388	239	149	84	34	8	5	7	138	10	3	2	2	9	14	26	39	63	82	–
Diseases of Digestive „	0·89	0·96	0·83	113	60	53	17	4	2	2	1	26	6	1	2	1	6	10	7	15	25	14	–
Diseases of Urinary „	0·79	1·01	0·58	100	63	37	–	1	–	–	–	1	1	–	–	–	5	10	14	13	29	27	–
Diseases of Generative „	0·09	–	0·19	12	–	12	–	–	–	–	–	–	–	–	–	–	1	2	3	6	–	–	–
Puerperal Fever	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–
Childbirth	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–	–
Violence	0·40	0·64	0·16	50	40	10	–	3	2	–	–	5	4	4	4	2	7	8	7	2	3	4	–
OTHER CAUSES	3·53	3·52	3·50	444	220	224	119	8	–	1	2	130	5	4	2	2	9	13	7	28	52	192	–

Marriages - - - 683

Births - Males - 1,783 / Females - 1,736 — 3,519

Annual Rate per 1000 living — Persons Married 10·81; Births - - 27·85

Deaths from Childbirth and Puerperal Fever - - - - - 3·69 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

57.—CANTERBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000. Persons	—	In 20·25	†130	–	–	–	–	55·65	4·29	5·35	5·87	7·61	9·97	15·44	18·43	32·87	61·93	148·19
Annual Death-Rate per 1000. Males	—	Standard 22·51	†139	–	–	–	–	59·15	4·69	5·05	5·52	7·30	11·74	19·09	25·77	38·35	70·29	142·67
Annual Death-Rate per 1000. Females	—	Population* 18·11	†121	–	–	–	–	51·95	3·91	5·65	6·32	8·02	8·26	11·96	12·10	28·26	53·00	152·48
Mean Population, 1881-91. Persons	Decennial Increase of Population 6·22 per cent.	17,590	398	380	410	403	394	1955	1885	1776	1660	1827	1557	1660	1487	1089	743	378
Mean Population, 1881-91. Males	Decennial Increase of Population 6·22 per cent.	8,804	196	206	210	206	188	1006	946	891	1106	1041	1261	943	683	498	360	150
Mean Population, 1881-91. Females	Decennial Increase of Population 6·22 per cent.	8,786	202	174	200	197	176	949	972	885	854	786	1296	987	804	591	434	228
Deaths from All Causes, 1881-90. Persons	21·03	3,700	661	213	93	66	55	1088	81	95	115	140	255	298	274	358	475	529
Deaths from All Causes, 1881-90. Males	22·49	1,980	363	119	58	26	29	595	43	45	61	76	148	180	176	191	245	320
Deaths from All Causes, 1881-90. Females	19·58	1,720	298	94	35	40	26	493	38	50	54	64	107	118	98	167	230	502

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·63	0·62	0·63	110	55	55	33	37	13	15	5	103	3	3	–	1	–	–	–	–	–
Scarlet Fever	0·02	0·03	0·01	4	3	1	–	–	–	2	1	3	–	–	1	–	–	–	–	–	–
Diphtheria	0·24	0·33	0·16	43	29	14	2	4	3	5	12	26	10	2	2	2	1	–	–	–	–
Whooping-cough	0·27	0·27	0·27	48	24	24	20	18	4	1	3	46	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·23	0·33	0·24	50	29	21	–	–	–	2	–	2	4	12	9	7	5	6	3	1	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·49	0·52	0·46	86	46	40	55	11	–	1	–	67	–	1	–	2	3	1	–	2	5
Cholera	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	1·13	0·99	1·27	199	87	112	–	–	1	–	–	1	–	–	1	1	6	22	36	60	50	22
Tabes Mesenterica	0·47	0·49	0·44	82	43	39	46	17	5	2	–	70	4	4	1	1	1	1	–	–	–	–
Phthisis	2·36	2·75	1·97	415	242	173	–	1	2	3	1	6	2	11	38	55	107	93	56	26	18	3
Other Tub. & Scrof. Dis.	0·43	0·53	0·33	76	47	29	16	5	8	4	12	45	9	6	4	2	5	4	1	–	–	–
Nervous System	2·44	2·43	2·45	429	214	215	109	24	13	9	3	158	9	8	5	10	13	20	23	43	77	63
Circulatory	2·27	2·57	1·98	400	226	174	1	1	–	1	1	4	4	13	13	19	23	35	36	79	109	63
Respiratory	3·55	3·59	3·51	624	316	308	128	81	37	19	15	280	11	4	10	13	16	28	32	48	88	91
Digestive	1·06	1·10	1·02	187	97	90	16	6	4	1	–	27	6	5	2	5	8	10	23	28	32	22
Urinary	0·61	0·86	0·35	107	76	31	–	–	–	–	–	–	–	4	7	5	9	12	11	18	23	18
Generative	0·13	0·03	0·22	23	3	19	–	–	–	–	–	–	–	1	3	2	5	3	1	6	–	1
Puerperal Fever	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–
Violence	0·93	1·43	0·42	163	126	37	13	3	3	2	2	23	8	8	8	6	12	12	17	19	30	13
Other Causes	3·63	3·63	3·66	638	317	321	221	5	–	–	–	226	9	14	10	10	26	31	21	28	42	221

Marriages	1,530	Annual Rate per 1000 living	Persons Married 17·40
Births — Males 2,620	5,079		Births 28·87
Births — Females 2,459		Deaths from Childbirth and Puerperal Fever	3·15 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

52.—BLEAN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000. Persons	—	In 14·49	†108	–	–	–	–	39·57	5·05	2·82	4·00	5·28	5·36	9·14	12·70	19·98	51·00	131·18
Males	—	Standard 15·13	†120	–	–	–	–	41·94	5·27	2·32	4·05	6·64	5·83	9·38	14·73	20·10	53·77	150·83
Females	—	Population* 13·89	†95	–	–	–	–	37·12	4·82	3·37	3·96	4·25	4·98	8·94	10·96	19·89	48·71	116·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·89 per cent.	19,516	504	478	502	507	506	2497	2533	2450	1950	1402	2405	2056	1661	1296	849	417
Males		9,384	250	251	250	259	256	1266	1310	1293	964	602	1080	949	767	587	385	181
Females		10,132	254	227	252	248	250	1231	1223	1157	986	800	1325	1107	894	709	464	236
Deaths from All Causes, 1881–90. Persons	15·90	3,104	616	174	82	65	51	988	128	69	78	74	129	188	211	259	433	547
Males	16·75	1,572	354	88	38	30	21	531	69	30	39	40	63	89	113	118	207	273
Females	15·12	1,532	262	86	44	35	30	457	59	39	39	34	66	99	98	141	226	274

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Measles	0·26	0·28	0·24	50	26	24	12	19	7	4	3	45	4	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·21	0·20	0·22	41	19	22	6	6	3	5	4	24	13	2	2	–	–	–	–	–	–	–
Diphtheria	0·34	0·25	0·42	66	23	43	3	2	8	9	13	35	27	3	1	–	–	–	–	–	–	–
Whooping-cough	0·36	0·35	0·38	71	33	38	31	25	5	6	–	67	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·17	0·17	33	16	17	–	–	–	–	–	–	8	4	2	2	6	6	1	4	–	–
Simple Continued Fever	0·03	0·04	0·02	6	4	2	–	–	–	1	–	1	4	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·40	0·47	0·34	78	44	34	53	8	1	1	1	64	–	–	–	–	–	3	1	1	3	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·51	0·40	0·61	100	38	62	–	–	–	–	–	–	–	–	–	–	1	6	18	27	34	14
Tabes Mesenterica	0·30	0·30	0·30	58	28	30	32	14	4	–	–	50	2	3	2	–	–	1	–	–	–	–
Phthisis	1·50	1·59	1·41	292	149	143	5	4	1	1	1	12	9	7	33	44	55	47	43	23	18	1
Other Tub. & Scrof. Dis.	0·54	0·65	0·44	106	61	45	31	16	6	8	8	69	14	8	7	1	4	2	1	–	–	–
Diseases of Nervous System	2·11	1·99	2·22	412	187	225	83	15	8	5	4	115	10	7	4	7	7	26	16	43	84	93
Diseases of Circulatory „	1·76	1·74	1·79	344	163	181	1	–	1	–	–	2	1	8	6	6	9	28	43	57	98	86
Diseases of Respiratory „	2·41	2·69	2·16	471	252	219	113	42	29	19	11	214	13	6	1	3	3	14	19	28	70	100
Diseases of Digestive „	1·12	1·17	1·07	218	110	108	28	11	1	1	3	44	4	1	3	1	9	16	31	28	43	38
Diseases of Urinary „	0·41	0·60	0·25	81	56	25	1	1	2	–	–	4	1	–	1	1	4	4	9	15	23	19
Diseases of Generative „	0·04	–	0·08	8	–	8	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	–
Puerperal Fever	0·04	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	3	2	1	–	–	–
Childbirth	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	1	4	4	1	–	–	–
Violence	0·49	0·79	0·22	96	74	22	7	3	2	–	1	13	3	3	5	4	11	10	12	12	15	8
Other Causes	2·83	3·05	2·60	553	287	266	210	8	4	5	2	229	11	15	10	3	10	17	13	20	43	182

Marriages 1,207

Births { Males 2,952 / Females 2,756 } 5,708

Annual Rate per 1000 living { Persons Married 12·37 / Births 29·25

Deaths from Childbirth and Puerperal Fever 2·98 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

59.—FAVERSHAM.

CAUSES OF DEATH.	CRUDE DEATH RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000.	Persons	—		In Standard Population*	15·15		†127	–	–	–	–	46·54	4·21	2·31	3·05	5·45	5·03	8·29	10·88	22·16	50·31	142·17
	Males	—			15·18		†140	–	–	–	–	50·28	4·01	1·25	3·49	4·40	5·02	8·43	11·11	22·38	52·01	144·70
	Females	—			15·12		†115	–	–	–	–	42·94	4·40	3·44	3·84	6·54	6·24	8·15	10·65	21·94	48·65	139·63
Mean Population, 1881-91.	Persons	Decennial Increase of Population 3·28 per cent.			25,363		756	706	723	704	693	3582	3280	3114	2327	2000	3319	2653	2132	1566	956	434
	Males				12,820		364	351	350	337	354	1756	1646	1604	1259	1022	1653	1328	1071	791	473	217
	Females				12,543		392	355	373	367	339	1826	1634	1510	1068	978	1666	1325	1061	775	483	217
Deaths from All Causes, 1881-90.	Persons	16·38			4,155		1135	281	107	71	70	1667	138	72	85	109	187	220	282	347	481	617
	Males	16·45			2,109		620	120	63	40	37	883	66	20	44	45	83	142	149	177	246	314
	Females	16·31			2,046		515	161	44	31	33	784	72	52	41	64	104	108	113	170	235	303

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	0·01	0·02	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
Measles	0·24	0·23	0·25	61	30	31	11	20	13	11	3	58	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·10	0·12	28	13	15	4	7	1	3	8	23	3	1	–	–	1	–	–	–	–	–
Diphtheria	0·25	0·23	0·27	64	30	34	–	3	5	6	9	23	36	4	–	–	–	–	–	1	–	–
Whooping-cough	0·46	0·41	0·51	117	53	64	65	37	7	4	3	116	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·33	0·36	0·30	83	46	37	–	1	1	–	6	8	14	14	12	9	11	8	2	4	1	–
Simple Continued Fever	0·09	0·07	0·10	22	9	13	1	1	2	1	1	6	2	4	–	–	1	1	1	2	4	1
Diarrhœa and Dysentery	0·52	0·55	0·49	133	71	62	101	13	1	–	–	115	–	–	–	3	–	–	–	2	6	7
Cholera	0·01	0·01	0·02	3	1	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–
Cancer	0·30	0·31	0·29	127	40	87	–	–	–	–	1	1	–	–	–	–	5	8	21	39	33	20
Tabes Mesenterica	0·29	0·27	0·32	74	34	40	46	10	4	3	1	64	1	2	2	–	2	–	1	1	–	1
Phthisis	1·23	1·14	1·32	313	148	165	11	5	1	1	1	19	4	16	31	47	68	60	40	18	8	–
Other Tub. & Scrof. Dis.	0·27	0·29	0·26	69	37	32	24	9	8	1	2	44	10	6	–	2	5	–	1	1	–	–
Diseases of Nervous System	1·79	1·89	1·68	453	242	211	127	33	13	3	6	182	15	4	7	7	7	21	30	53	68	59
Diseases of Circulatory	1·57	1·50	1·65	397	192	207	7	–	–	–	–	7	2	5	4	7	16	32	42	86	114	84
Diseases of Respiratory	2·63	2·79	2·45	666	358	308	197	91	40	30	22	380	21	–	4	7	19	23	29	53	74	63
Diseases of Digestive	0·95	0·92	0·99	240	116	124	62	17	3	1	4	87	5	2	4	6	9	19	25	30	42	15
Diseases of Urinary	0·31	0·41	0·20	78	53	25	4	1	–	1	–	6	4	1	3	–	3	8	6	10	24	13
Diseases of Generative	0·04	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	1	–	8	–	2	–	–
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	3	6	4	–	–	–	–
Childbirth	0·04	–	0·07	9	–	9	–	–	–	–	–	–	–	–	–	3	4	2	–	–	–	–
Violence	0·48	0·69	0·26	121	88	33	8	5	1	5	2	21	6	3	8	4	15	11	14	15	11	13
OTHER CAUSES	4·19	4·25	4·15	1065	544	521	405	30	7	1	1	504	11	10	8	10	14	15	25	30	95	343

Marriages	–	–	1,777	Annual Rate per 1000 living	Persons Married 14·01
Births	Males	4,434	8,920		Births – – 35·17
	Females	4,486		Deaths from Childbirth and Puerperal Fever	2·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

60.—MILTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·36	†126	–	–	–	–	45·42	4·12	3·23	4·48	6·26	6·66	7·44	11·86	23·00	49·26	142·90
Males	—	Standard 15·79	†141	–	–	–	–	48·35	3·54	3·32	4·29	5·67	6·21	7·69	13·71	22·52	55·87	149·70
Females	—	Population* 14·95	†112	–	–	–	–	42·55	4·70	3·13	4·71	6·88	7·13	7·18	9·88	23·50	42·01	136·26
Mean Population, 1881-91. Persons	Decennial Increase of Population 7·30 per cent.	24,119	753	689	732	696	670	3540	3179	2852	2277	1948	3258	2541	1998	1374	814	338
Males		12,310	377	341	347	359	330	1754	1583	1447	1258	988	1658	1287	1036	706	426	167
Females		11,809	376	348	385	337	340	1786	1596	1405	1019	960	1600	1254	962	668	388	171
Deaths from All Causes, 1881–90. Persons	16·16	3,898	1131	278	85	74	40	1608	131	92	102	122	217	189	237	316	401	483
Males	16·63	2,053	632	127	36	30	23	848	56	48	54	56	103	99	142	159	238	250
Females	15·62	1,845	499	151	49	44	17	760	75	44	48	66	114	90	95	157	163	233

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·02	0·02	5	3	2	1	–	–	–	–	1	–	–	–	1	2	1	–	–	–
Measles	0·16	0·10	0·23	39	12	27	5	15	3	8	1	32	6	–	–	–	1	–	–	–	–
Scarlet Fever	0·23	0·20	0 25	55	25	30	–	8	7	13	2	30	17	5	1	1	1	–	–	–	–
Diphtheria	0·10	0·11	0·10	25	13	12	1	–	5	5	2	13	9	1	–	1	1	–	–	–	–
Whooping-cough	0·38	0·32	0·43	91	40	51	40	31	11	3	2	87	4	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·32	0·35	0·30	78	43	35	–	2	1	1	3	7	4	17	16	11	9	7	3	2	2
Simple Continued Fever	0·05	0·06	0·03	12	8	4	–	–	1	–	–	1	2	2	1	3	1	–	1	1	–
Diarrhœa and Dysentery	0·60	0·57	0·63	144	70	74	128	12	2	–	–	142	–	–	–	–	–	–	1	–	1
Cholera	0·02	0·02	0·03	5	2	3	3	–	–	–	–	3	–	–	–	–	1	–	–	1	–
Cancer	0·46	0·34	0·59	112	42	70	–	–	–	–	–	–	–	–	–	–	2	12	32	35	17	14
Tabes Mesenterica	0·27	0·30	0·24	65	37	28	40	12	2	1	2	57	2	3	–	1	–	1	1	–	–	–
Phthisis	1·36	1·24	1·47	327	153	174	4	7	2	1	–	14	9	20	37	41	92	51	31	20	10	2
Other Tub. & Scrof. Dis.	0·39	0·37	0·41	94	45	49	27	19	6	5	2	59	8	4	5	10	4	3	1	–	–	–
Diseases of Nervous System	1·92	2·03	1·81	464	250	214	191	44	11	7	6	259	14	5	1	3	7	17	26	35	57	40
Diseases of Circulatory „	1·43	1·54	1·32	345	189	156	7	–	1	–	–	8	5	5	3	5	19	20	44	86	82	68
Diseases of Respiratory „	2·44	2·63	2·24	588	324	264	168	81	25	22	13	309	24	6	8	9	11	18	26	50	74	53
Diseases of Digestive „	0·92	0·92	0·91	221	113	108	47	13	2	3	1	66	5	7	8	2	11	13	21	35	42	11
Diseases of Urinary „	0·44	0·60	0·27	106	74	32	–	1	1	–	1	3	1	2	1	5	11	7	15	21	23	17
Diseases of Generative „	0·05	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	–	2	3	6	–	–	–
Puerperal Fever	0·12	–	0·25	30	–	30	–	–	–	–	–	–	–	–	4	11	9	6	–	–	–	–
Childbirth	0·05	–	0 10	12	–	12	–	–	–	–	–	–	–	–	1	4	3	4	–	–	–	–
Violence	0·51	0·77	0·25	124	95	29	6	10	–	4	1	21	10	7	9	8	20	10	10	11	11	7
OTHER CAUSES	3·92	4·17	3·66	944	513	431	463	23	5	1	4	496	11	8	6	6	12	15	18	20	82	270

Marriages - - - 1,756

Births - {Males - 4,495 / Females - 4,456} 8,951

Annual Rate per 1000 living {Persons Married 14·56 / Births - - 37·11

Deaths from Childbirth and Puerperal Fever - - - - - } 4·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

61.—SHEPPEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 15·53	+108	–	–	–	–	42·53	4·30	3·39	4·14	4·25	5·97	9·56	13·83	29·91	57·35	144·76
Males	—	Standard 15·99	+122	–	–	–	–	47·90	5·43	3·20	3·05	3·20	5·02	8·77	14·69	33·52	59·38	167·42
Females	—	Population* 15·09	+93	–	–	–	–	37·03	3·18	3·56	5·61	6·62	7·30	10·54	12·76	27·43	55·23	128·10
Mean Population, 1881-91. Persons	Decennial Increase of Population	18,106	502	467	467	484	426	2356	2117	1916	1764	1836	2899	2165	1526	1052	505	240
Males	Decennial Increase of Population	9,694	254	231	236	261	210	1192	1049	906	1015	1155	1633	1197	844	563	288	89
Females	2·21 per cent.	8,412	248	236	231	223	226	1164	1068	1010	749	681	1266	968	682	486	277	151
Deaths from All Causes, 1881-90. Persons	15·04	2,769	612	211	76	58	45	1002	91	65	73	78	173	207	211	241	324	304
Males	14·92	1,491	352	116	40	33	30	571	57	29	31	37	85	105	124	132	171	149
Females	15·19	1,278	260	95	36	25	15	431	34	36	42	41	88	102	87	109	153	155

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·28	0·18	43	28	15	9	13	10	3	5	40	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·25	0·12	35	25	10	1	4	5	4	6	20	15	–	–	–	–	–	–	–	–	–
Diphtheria	0·08	0·07	0·10	15	7	8	1	–	1	5	1	8	5	–	1	–	1	–	–	–	–	–
Whooping-cough	0·26	0·25	0·27	48	25	23	20	22	1	3	1	47	1	–	–	–	–	–	–	–	–	–
Tetanus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·11	0·27	34	11	23	–	–	–	–	1	1	2	9	6	4	7	4	1	–	–	–
Simple Continued Fever	0·04	0·04	0·04	7	4	3	–	–	–	–	–	–	1	–	–	1	2	1	–	2	–	–
Diarrhœa and Dysentery	0·53	0·56	0·49	97	56	41	63	14	4	2	–	83	–	1	–	1	–	3	–	2	5	2
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·40	0·18	0·65	73	18	55	–	–	–	–	–	–	–	–	–	–	1	10	13	26	11	12
Tabes Mesenterica	0·27	0·30	0·23	49	30	19	28	10	4	3	–	45	1	–	–	–	1	1	–	–	1	–
Phthisis	1·25	1·11	1·42	230	111	119	1	1	–	–	1	3	1	10	25	27	53	58	28	20	5	–
Other Tub. & Scrof. Dis.	0·28	0·34	0·21	52	34	18	12	9	4	2	6	33	4	6	2	1	3	–	1	1	1	–
Nervous System	2·24	2·34	2·13	413	234	179	105	34	10	13	1	163	11	10	9	5	11	18	26	49	64	47
Circulatory	1·36	1·32	1·42	251	132	119	3	–	–	1	1	5	5	6	5	3	12	27	40	37	71	40
Respiratory	2·60	2·45	2·77	478	245	233	116	67	23	9	14	229	20	7	8	7	14	23	33	41	61	33
Digestive	1·12	1·05	1·20	206	105	101	49	17	4	3	2	75	3	7	2	6	13	17	22	25	25	11
Urinary	0·40	0·44	0·34	73	44	29	–	–	1	2	–	3	4	1	2	3	7	10	12	8	17	6
Generative	0·06	0·02	0·08	7	2	5	1	–	–	–	–	1	–	–	1	–	–	1	2	–	1	1
Puerperal Fever	0·06	–	0·18	15	–	15	–	–	–	–	–	–	–	–	1	5	8	1	–	–	–	–
Childbirth	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–	–
Violence	0·74	1·11	0·30	136	111	25	10	3	5	6	1	25	5	3	7	12	23	15	18	16	5	4
Other Causes	2·69	2·69	2·73	498	268	230	193	17	4	2	5	221	10	4	4	1	10	14	15	14	57	148

Marriages	–	1,101	Annual Rate per 1000 living	Persons Married	11·96
Births	Males 2,890 / Females 2,787	5,677		Births	30·84

Deaths from Childbirth and Puerperal Fever – 2·88 per 1000 Births.

* See pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

62.—THANET.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·71	†137	–	–	–	–	49·29	4·64	3·83	4·70	5·76	7·75	11·95	16·64	27·20	57·30	140·45
Males	—					19·29	†147	–	–	–	–	52·77	4·48	4·12	5·25	7·29	9·12	14·15	19·48	31·41	66·55	149·59
Females	—					16·22	†127	–	–	–	–	45·83	4·80	3·52	4·28	4·83	6·79	10·27	14·51	24·20	50·83	134·55
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·83 per cent.			54,335			1269	1142	1233	1246	1265	6155	6337	7071	5829	4719	7455	5874	4512	3298	2143	942
Males				24,507			630	574	616	636	614	3070	3234	3690	2533	1798	3080	2544	1935	1372	882	369
Females				29,828			639	568	617	610	651	3085	3103	3381	3296	2921	4375	3330	2577	1926	1261	573
Deaths from All Causes, 1881–90. Persons	17·71			9,624			1980	521	229	163	141	3034	294	271	274	272	578	702	751	897	1228	1323
Males	19·46			4,769			1077	272	116	83	72	1620	145	152	133	131	281	360	377	431	587	552
Females	16·28			4,855			903	249	113	80	69	1414	149	119	141	141	297	342	374	466	641	771
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·02	0·01	6	4	2	1	–	–	–	–	1	–	–	–	3	–	–	1	–	1	–
Measles	0·26	0·33	0·21	143	80	63	24	51	20	18	12	125	14	1	3	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·09	0·06	38	21	17	1	3	6	5	7	22	9	4	1	–	2	–	–	–	–	–
Diphtheria	0·20	0·21	0·18	107	52	55	4	4	16	18	14	56	36	8	1	1	2	1	1	1	–	–
Whooping-cough	0·42	0·47	0·37	227	116	111	127	48	23	10	6	214	8	4	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	3	2	1	–	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–
Enteric Fever	0·25	0·22	0·26	134	55	79	–	1	7	3	4	15	18	17	20	17	26	5	10	4	2	–
Simple Continued Fever	0·01	0·01	0·01	6	2	4	–	–	–	2	–	2	1	–	–	–	–	–	–	2	1	–
Diarrhœa and Dysentery	0·65	0·77	0·54	351	189	162	271	39	5	2	2	319	1	1	–	–	–	1	1	7	18	3
Cholera	0·00	–	0·01	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·81	0·55	1·03	442	136	306	1	1	–	–	1	3	–	2	2	6	16	42	82	119	124	46
Tabes Mesenterica	0·19	0·19	0·19	104	47	57	41	14	7	5	3	70	9	14	3	–	4	2	1	–	1	–
Phthisis	1·65	1·94	1·40	894	476	418	12	9	4	3	4	32	26	41	75	99	225	194	124	48	25	5
Other Tub. & Scrof. Dis.	0·63	0·76	0·53	344	185	159	90	67	28	16	22	223	36	33	20	8	11	4	6	2	1	–
Diseases of Nervous System	2·17	2·41	1·97	1179	590	589	243	50	20	12	9	334	34	15	15	11	30	66	101	157	282	184
Circulatory	1·78	1·81	1·75	966	443	523	10	1	–	1	1	13	10	18	20	25	43	91	120	188	274	164
Respiratory	2·71	2·93	2·53	1473	718	755	326	162	67	49	38	642	41	18	18	10	31	74	78	111	209	241
Digestive	1·18	1·28	1·10	641	313	328	114	31	8	3	4	160	12	13	15	12	37	66	81	90	90	65
Urinary	0·50	0·66	0·37	270	161	109	1	2	2	2	1	8	5	3	4	7	16	24	39	52	59	53
Generative	0·08	0·02	0·12	41	6	35	1	–	–	–	–	1	–	2	2	1	9	6	6	5	5	4
Puerperal Fever	0·06	–	0·10	30	–	30	–	–	–	–	–	–	–	–	–	2	6	12	10	–	–	–
Childbirth	0·05	–	0·09	27	–	27	–	–	–	–	–	–	–	–	–	–	5	11	11	–	–	–
Violence	0·60	0·96	0·30	325	235	90	30	6	8	6	5	55	9	14	23	28	46	46	36	35	17	16
OTHER CAUSES	3·42	3·82	3·15	1871	988	933	682	32	8	7	8	737	25	62	49	33	56	59	64	75	169	542

Marriages - - 3,409

Births - {Males - 7,319 / Females - 7,120} 14,439

Annual Rate per 1000 living {Persons Married 12·55 / Births - - 26·57}

Deaths from Childbirth and Puerperal Fever - - - - - } 3·98 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

63.—EASTRY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
Annual Deaths at { Persons	—	In 14·24	†108	–	–	–	–	28·39	3·83	3·35	3·40	5·32	5·63	8·65	13·47	24·18	55·44	144·65
Males	—	Standard 14·98	†120	–	–	–	–	40·42	3·77	2·24	3·72	6·45	5·62	8·54	14·45	25·86	50·08	176·80
Females	—	Population* 13·33	†90	–	–	–	–	32·58	3·90	4·46	2·89	4·26	5·63	8·76	12·61	22·88	52·19	134·29
Mean Population, 1881-91. { Persons	Decennial Increase of Population 3·41 per cent.	28,853	359	685	668	680	689	3081	3750	3107	2880	2735	3571	3698	2457	2045	1387	607
Males		14,256	239	335	331	330	350	1675	1908	1460	1395	1386	1780	1864	1196	992	655	305
Females		14,597	330	350	337	350	339	1406	1842	1547	1485	1349	1971	1834	1261	1053	732	387
Deaths from All Causes, 1881-90. { Persons	16·29	4,951	360	198	66	62	37	1223	128	104	108	119	211	292	331	447	769	920
Males	16·75	2,388	186	109	32	20	24	677	64	35	72	70	100	126	167	246	387	448
Females	15·86	2,263	374	89	34	36	13	546	64	69	36	49	111	167	164	201	382	481

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·18	0·20	53	25	28	13	18	6	5	1	42	8	1	–	–	1	–	–	1	–	–	–
Scarlet Fever	0·07	0·08	0·05	19	12	7	–	1	2	6	2	11	1	2	–	–	1	1	–	–	–	–	–
Diphtheria	0·17	0·19	0·23	49	16	33	1	3	2	6	3	15	20	8	1	–	2	–	1	2	–	–	–
Whooping-cough	0·27	0·24	0·30	77	34	43	45	26	5	2	–	78	5	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Enteric Fever	0·13	0·17	0·25	75	39	36	1	1	4	1	2	9	7	16	12	8	10	3	6	1	1	–	2
Simple Continued Fever	0·01	0·01	0·02	3	–	3	–	–	–	–	1	1	–	–	–	–	–	–	3	1	–	3	–
Diarrhœa and Dysentery	0·14	0·13	0·14	127	68	59	81	12	1	–	–	94	3	1	–	–	2	1	–	2	9	15	–
Cholera	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–
Cancer	0·08	0·06	0·09	188	65	123	–	–	1	–	–	1	–	–	1	1	3	14	38	49	55	26	–
Tabes Mesenterica	0·04	0·05	0·04	40	16	24	36	7	5	2	1	51	3	3	1	2	2	1	–	–	1	–	–
Phthisis	1·23	1·25	1·20	350	178	172	6	2	1	–	1	10	2	18	31	46	85	75	41	23	10	1	–
Other Tub. & Scrof. Dia.	0·25	0·26	0·23	70	37	33	34	13	1	1	1	49	10	8	2	3	3	2	1	–	1	–	–
Diseases of Nervous System	2·47	2·35	2·59	709	393	316	136	25	9	9	4	183	17	8	8	9	8	25	61	89	163	145	4
Organs of Circulation	2·03	2·16	1·91	587	309	278	1	–	–	–	1	2	6	9	10	4	15	44	53	117	188	139	4
Respiratory	2·30	2·81	1·76	664	401	263	183	68	21	20	9	301	15	6	10	8	14	28	36	57	134	154	24
Digestive	1·04	0·97	1·11	297	138	159	48	14	1	2	2	67	4	7	9	4	14	20	31	33	64	32	4
Urinary	0·43	0·53	0·31	119	75	44	1	–	–	2	2	5	1	2	2	2	8	9	10	25	35	25	1
Generative	0·05	0·01	0·19	15	1	14	–	–	–	–	–	–	–	–	–	–	–	4	7	2	2	–	–
Puerperal Fever	0·04	–	0·08	11	–	11	–	–	–	–	–	–	–	–	–	2	8	1	–	–	–	–	–
Childbirth	0·04	–	0·07	10	–	10	–	–	–	–	–	–	–	–	–	1	6	3	–	–	–	–	–
Violence	0·11	0·16	0·08	175	135	40	19	4	4	2	4	33	9	5	11	14	22	14	19	16	21	11	–
Other Causes	3·15	3·20	3·11	903	450	453	287	10	–	4	3	304	7	9	16	15	12	22	92	36	86	380	–

Marriages	–	6,891	Annual Rate per 1000 living	Persons Married	12·62
Births { Males	4,061	7,977		Births	27·94
Females	3,916				

Deaths from Childbirth and Puerperal Fever – 2·63 per 1000 Births.

* See figure cover version

† The death-rates under one year of age are per 1000 Births.

64.—DOVER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·59	†120	–	–	–	–	44·98	3·67	1·89	3·72	5·56	6·26	10·81	14·70	25·40	48·16	137·85
Males	—	16·74	†129	–	–	–	–	48·14	3·76	1·57	3·94	6·61	7·17	12·73	17·06	28·41	50·23	146·36
Females	—	14·51	†111	–	–	–	–	41·75	3·58	2·20	3·48	4·32	5·36	9·05	12·63	22·82	46·55	131·75
Mean Population, 1881-91. Persons	Decennial Increase of Population, 9·92 per cent.	38,639	975	891	944	919	897	4626	4444	4076	4006	3883	5610	4153	3258	2339	1520	724
Males		19,098	502	441	463	470	465	2341	2210	2032	2081	2102	2776	1988	1524	1077	665	302
Females		19,541	473	450	481	449	432	2285	2234	2044	1925	1781	2834	2165	1734	1262	855	422
Deaths from All Causes, 1881-90. Persons	16·28	6,289	1365	406	146	91	73	2081	163	77	149	216	351	449	479	594	732	998
Males	17·05	3,257	757	219	67	49	35	1127	83	32	82	139	199	253	260	306	334	442
Females	15·52	3,032	608	187	79	42	38	954	80	45	67	77	152	196	219	288	398	556

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	0·02	5	2	3	–	–	–	1	1	2	–	–	–	1	–	2	–	–	–
Measles	0·40	0·46	0·35	156	87	69	38	63	23	15	7	146	6	1	–	1	–	1	–	–	1
Scarlet Fever	0·10	0·10	0·11	40	19	21	2	4	4	5	6	21	16	2	–	1	–	–	–	–	–
Diphtheria	0·05	0·03	0·06	18	6	12	–	3	1	1	2	7	5	1	1	–	1	–	1	1	–
Whooping-cough	0·35	0·33	0·37	136	63	73	66	42	13	6	3	130	5	–	–	–	–	–	–	1	–
Typhus	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·14	0·14	0·14	54	27	27	–	–	2	–	–	2	9	9	9	6	8	4	2	3	1
Simple Continued Fever	0·03	0·03	0·04	13	6	7	1	–	–	1	–	2	–	1	3	1	1	2	1	2	–
Diarrhœa and Dysentery	0·55	0·58	0·52	212	110	102	140	31	–	1	3	175	–	–	–	1	6	1	2	4	6
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·52	0·38	0·66	202	73	129	–	3	–	–	–	3	1	–	–	1	11	26	40	48	49
Tabes Mesenterica	0·14	0·14	0·15	56	27	29	32	8	–	2	–	42	5	1	5	–	1	1	–	–	1
Phthisis	1·28	1·41	1·15	494	270	224	5	5	–	3	2	15	10	21	42	74	120	108	66	32	5
Other Tub. & Scrof. Dis.	0·23	0·26	0·20	88	49	39	14	13	7	8	7	49	17	5	5	8	2	1	–	1	–
Diseases of Nervous System	2·31	2·35	2·28	894	449	445	206	40	22	11	8	287	24	6	11	11	32	39	75	116	138
Diseases of Circulatory „	1·55	1·55	1·55	598	296	302	4	2	1	1	1	9	8	8	16	17	21	58	82	111	150
Diseases of Respiratory „	2·73	2·89	2·57	1055	552	503	236	117	47	27	17	444	20	1	9	11	31	57	61	98	140
Diseases of Digestive „	1·20	1·17	1·22	462	224	238	91	34	8	1	6	140	9	4	11	10	21	33	46	69	71
Diseases of Urinary „	0·35	0·48	0·23	137	92	45	2	–	–	1	–	3	3	1	4	3	7	9	14	32	26
Diseases of Generative „	0·04	–	0·08	16	–	16	1	–	–	–	–	1	–	–	1	1	1	2	2	3	3
Puerperal Fever	0·05	–	0·10	19	–	19	–	–	–	–	–	–	–	–	–	6	7	6	–	–	–
Childbirth	0·05	–	0·10	19	–	19	–	–	–	–	–	–	–	–	–	1	7	10	1	–	–
Violence	0·91	1·45	0·38	351	276	75	23	10	9	5	6	53	11	3	17	49	50	63	42	24	22
OTHER CAUSES	3·28	3·28	3·23	1261	627	634	504	31	9	2	4	550	14	13	14	13	23	29	41	50	117

Marriages	3,152	Annual Rate per 1000 living	Persons Married 16·32
Births Males	5,885		Births 29·36
Females	5,458	11,343	

Deaths from Childbirth and Puerperal Fever 3·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

65.—ELHAM.

CAUSES OF DEATH.	CRUDE DEATH RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10	15	20–	25	35	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·70	†117	–	–	–	–	45·54	4·67	2·51	2·71	4·05	5·95	10·15	14·00	24·98	47·92	127·10
Males	—	Standard 16·22	†124	–	–	–	–	47·12	4·47	2·42	3·27	4·61	6·87	11·28	16·34	29·20	51·45	133·70
Females	—	Population* 14·43	†109	–	–	–	–	43·95	4·86	2·60	2·18	3·50	5·18	9·17	12·13	21·47	45·03	121·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 20·84 per cent.	37,349	878	860	853	855	873	4319	4029	3747	3947	4075	5882	4228	3078	2150	1300	594
Males		17,827	447	432	426	428	436	2169	1990	1863	1927	2019	2694	1960	1371	976	585	273
Females		19,522	431	428	427	427	437	2150	2039	1884	2020	2056	3188	2268	1707	1174	715	321
Deaths from All Causes, 1881–90. Persons	15·72	5,946	1246	371	166	115	69	1967	188	94	107	165	350	429	431	537	623	755
Males	16·93	2,893	665	188	74	63	32	1022	89	45	63	93	185	221	224	285	301	365
Females	14·19	2,753	581	183	92	52	37	945	99	49	44	72	165	208	207	252	322	390

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.												
Small-pox	0·01	0·02	–	4	4	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Measles	0·27	0·29	0·25	99	51	48	20	46	9	10	4	89	9	1	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·16	0·16	59	28	31	2	8	10	10	6	36	14	4	3	1	1	–	–	1	–
Diphtheria	0·38	0·31	0·45	143	55	88	2	14	24	25	20	85	46	5	2	1	1	2	–	–	–
Whooping-cough	0·37	0·30	0·43	138	54	84	58	48	18	8	1	133	5	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·13	0·10	42	23	19	–	–	–	2	–	2	3	3	7	6	9	4	4	1	3
Simple Continued Fever	0·01	0·01	0·02	4	1	3	–	–	–	–	–	–	–	1	–	1	–	–	–	3	–
Diarrhœa and Dysentery	0·43	0·47	0·41	168	83	85	124	18	3	1	2	147	–	–	–	2	3	2	2	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·42	0·67	205	75	130	–	–	–	–	–	–	–	–	–	1	7	28	42	54	46	27
Tabes Mesenterica	0·16	0·20	0·13	60	35	25	38	6	1	2	1	48	1	1	4	3	–	1	–	–	2	–
Phthisis	1·42	1·50	1·34	530	268	262	20	7	2	4	2	35	7	20	34	60	123	129	67	35	13	1
Other Tub. & Scrof. Dis.	0·33	0·36	0·30	123	65	58	30	20	13	5	2	70	13	15	7	6	4	3	1	3	1	
Nervous System	1·92	2·12	1·74	717	377	340	179	38	21	12	9	259	25	6	3	10	28	25	49	80	122	110
Circulatory	1·53	1·63	1·44	572	291	281	5	–	–	2	1	8	8	6	6	11	18	52	72	121	140	130
Respiratory	2·61	3·03	2·23	975	540	435	283	121	53	26	11	494	26	6	7	16	43	37	50	80	101	115
Digestive	1·00	1·03	0·96	372	184	188	85	26	3	1	3	118	5	5	7	9	19	33	46	51	47	32
Urinary	0·51	0·68	0·36	192	121	71	3	–	1	1	–	5	1	3	1	7	12	25	26	37	44	31
Generative	0·04	–	0·08	15	–	15	–	–	–	–	–	–	–	–	–	1	–	3	5	4	2	–
Puerperal Fever	0·08	–	0·15	30	–	30	–	–	–	–	–	–	–	–	–	3	18	9	–	–	–	–
Childbirth	0·07	–	0·13	25	–	25	–	–	–	–	–	–	–	–	–	5	11	9	–	–	–	–
Violence	0·52	0·88	0·19	195	157	38	9	4	4	4	4	25	7	5	12	12	31	33	29	19	12	10
OTHER CAUSES	2·62	2·69	2·53	978	481	497	388	15	5	2	3	413	18	13	13	10	21	33	38	49	79	291

Marriages	–	2,672	Annual Rate per 1000 living	Persons Married	14·31
Births	Males – 5,339	10,987		Births – –	28·60
	Females – 5,648				

Deaths from Childbirth and Puerperal Fever – – – – – 5·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

66.—ROMNEY MARSH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·69	†88	–	–	–	–	30·06	4·17	3·03	5·68	6·57	7·56	10·46	13·82	16·12	51·12	131·40
Males	—	Standard 13·89	†88	–	–	–	–	30·86	3·39	3·32	4·38	6·43	7·84	10·84	14·98	21·27	56·62	122·95
Females	—	Population* 13·50	†89	–	–	–	–	29·20	5·01	2·72	7·41	6·76	7·22	10·00	12·55	10·63	45·45	140·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·04 per cent.	6,238	184	169	168	162	172	855	743	692	563	502	847	669	550	428	268	121
Males		3,322	94	86	91	91	82	444	384	361	320	280	459	369	287	221	136	61
Females		2,916	90	83	77	71	90	411	359	331	243	222	388	300	263	207	132	60
Deaths from All Causes, 1881–90. Persons	15·21	949	171	46	21	15	4	257	31	21	32	33	64	70	76	69	137	159
Males	15·41	512	88	25	12	8	4	137	13	12	14	18	36	40	43	47	77	75
Females	14·99	437	83	21	9	7	–	120	18	9	18	15	28	30	33	22	60	84

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·15	0·17	10	5	5	4	3	1	–	–	8	1	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·14	0·18	0·10	9	6	3	–	2	2	2	–	6	1	–	–	–	1	1	–	–	–	–
Diphtheria	0·22	0·18	0·27	14	6	8	–	1	4	1	–	6	5	2	–	–	1	–	–	–	–	–
Whooping-cough	0·30	0·27	0·34	19	9	10	8	5	1	4	–	18	1	–	–	–	1	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·12	0·10	7	4	3	–	–	–	–	–	–	2	1	2	1	1	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·35	0·21	0·51	22	7	15	13	4	1	–	1	19	–	–	–	–	1	–	–	–	–	–
Cholera	0·02	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2
Cancer	0·16	0·12	0·21	10	4	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	0·14	0·15	0·14	9	5	4	8	–	–	–	–	8	1	–	–	–	–	–	2	3	4	1
Phthisis	1·91	1·60	2·26	119	53	66	3	3	–	1	–	7	1	6	16	13	25	16	17	8	9	1
Other Tub. & Scrof. Dis.	0·27	0·27	0·27	17	9	8	5	2	–	2	–	9	2	–	–	2	–	2	–	1	–	1
Diseases of Nervous System	2·15	1·99	2·33	134	66	68	27	7	4	1	1	40	3	–	5	–	7	4	8	13	30	24
Diseases of Circulatory „	1·15	1·17	1·13	72	39	33	–	–	–	–	–	–	–	1	–	2	2	11	9	10	23	14
Diseases of Respiratory „	1·78	2·14	1·37	111	71	40	18	7	–	2	1	28	4	2	–	–	2	7	13	8	23	24
Diseases of Digestive „	1·23	1·26	1·20	77	42	35	11	9	3	1	–	24	2	2	2	2	1	7	7	7	14	9
Diseases of Urinary „	0·30	0·42	0·17	19	14	5	–	–	1	–	1	2	1	–	1	1	3	–	1	2	5	3
Diseases of Generative „	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Puerperal Fever	0·03	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Childbirth	0·10	–	0·21	6	–	6	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Violence	0·96	1·57	0·27	60	52	8	1	–	2	1	–	4	4	1	2	8	12	8	3	7	7	4
OTHER CAUSES	3·68	3·58	3·77	228	119	109	73	3	2	–	–	78	3	6	4	3	6	7	14	10	21	76

Marriages 381

Births { Males 1,005 / Females 931 } 1,936

Annual Rate per 1,000 living { Persons Married 12·22 / Births 31·04

Deaths from Childbirth and Puerperal Fever 4·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

67.—RYE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.		
Annual Death-Rate per 1000	Persons	—		In Standard Population*	13·58	
	Males	—			13·45	
	Females	—			13·40	
Mean Population, 1881–91.	Persons	Decennial Decrease of Population 3·74 per cent.		11,815		
	Males			5,849		
	Females			5,966		
Deaths at all Ages, 1881–90.	Persons	15·92		1,869		
	Males	16·07		940		
	Females	15·77		929		

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	–	0·02	1	–	1
Measles	0·08	0·05	0·12	10	3	7
Scarlet Fever	0·03	0·02	0·03	3	1	2
Diphtheria	0·27	0·24	0·30	32	14	18
Whooping-cough	0·23	0·14	0·30	26	8	18
Typhus	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·08	10	5	5
Simple Continued Fever	0·06	0·07	0·05	7	4	3
Diarrhœa and Dysentery	0·28	0·29	0·27	33	17	16
Cholera	–	–	–	–	–	–
Cancer	0·74	0·43	1·05	88	25	63
Tabes Mesenterica	0·19	0·12	0·25	22	7	15
Phthisis	1·50	1·45	1·54	177	85	92
Other Tub. & Scrof. Dis.	0·12	0·14	0·10	14	8	6
Diseases of Nervous System	2·01	1·90	2·13	238	111	127
Circulatory	1·55	1·61	1·49	183	94	89
Respiratory	2·78	3·35	2·23	329	196	133
Digestive	0·87	0·93	0·82	103	54	49
Urinary	0·57	0·72	0·42	67	42	25
Generative	0·03	–	0·07	4	–	4
Puerperal Fever	0·04	–	0·08	5	–	5
Other Accidents	0·08	–	0·15	9	–	9
Violence	0·58	0·96	0·20	68	56	12
OTHER CAUSES	3·73	3·57	3·86	440	210	230

Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
†90	–	–	–	–	30·60	4·54	2·64	3·12	5·13	6·22	8·61	12·42	22·80	50·24	142·75
†92	–	–	–	–	32·19	5·09	2·33	2·36	4·65	6·28	8·36	12·35	22·38	51·64	150·00
†81	–	–	–	–	29·02	4·01	2·95	3·99	5·62	6·18	8·28	12·48	23·20	48·88	135·97
320	289	295	301	321	1526	1476	1401	1027	839	1464	1277	1055	864	617	209
157	138	158	150	158	761	727	688	551	430	703	625	510	420	304	130
163	151	137	151	163	765	749	713	476	409	761	652	545	444	313	139
320	72	31	23	21	467	67	37	32	43	91	110	131	197	310	384
176	34	13	12	10	245	37	16	13	20	44	56	63	94	157	105
144	38	18	11	11	222	30	21	19	23	47	54	68	103	153	189

PERSONS.

–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
–	1	4	2	–	7	2	1	–	–	–	–	–	–	–	–
–	2	–	–	–	2	1	–	–	–	–	–	–	–	–	–
1	–	–	4	4	9	15	5	1	–	1	1	–	–	–	–
16	8	2	–	–	26	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	1	1	2	1	1	–	1	2	2	–	–	–
–	–	–	–	–	–	2	–	–	–	1	1	–	1	–	2
–	–	–	–	–	–	2	–	–	–	1	1	1	–	2	4
16	4	–	1	–	21	3	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	1	4	16	25	23	19
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
9	3	2	–	1	15	1	2	1	–	–	–	–	–	–	–
–	–	–	–	–	–	5	7	14	26	46	31	27	18	3	–
5	3	1	–	1	10	1	2	–	–	–	–	–	1	–	–
37	7	5	2	4	55	9	4	3	7	5	18	10	24	46	57
4	1	–	–	–	5	–	1	2	–	3	12	16	34	57	53
51	20	13	9	7	100	13	3	–	–	7	8	21	38	68	71
20	7	–	1	–	28	1	3	1	–	3	5	9	13	26	14
1	2	–	–	1	4	–	3	–	–	3	3	6	14	21	13
–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
–	–	–	–	–	–	–	–	–	1	5	3	–	–	–	–
3	2	1	–	1	7	6	1	5	3	3	11	4	10	11	7
157	12	3	4	1	177	6	4	4	4	3	8	15	19	51	144

Marriages	738	Annual Rate per 1000 Living	Persons Married	12·49
Births: Males	1,569		Births	29·95
Births: Females	1,770			
Births	3,339			

Deaths from Childbirth and Puerperal Fever 3·96 per 1000 Births.

* See pages xxiv. xxvii.

† The death-rates under one year of age are per 1000 Births.

68.—HASTINGS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·13	†119	–	–	–	–	44·30	3·47	2·56	3·60	5·07	7·44	11·30	15·62	24·90	52·29	129·45
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·29	†133	–	–	–	–	49·46	3·14	2·43	4·30	6·11	9·42	14·47	20·71	29·23	61·67	157·37
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·08	†105	–	–	–	–	39·18	3·81	2·70	3·15	4·50	6·24	9·25	12·46	22·25	46·22	113·72
Mean Population, 1881-91. Persons	Decennial Increase of Population 26·61 per cent.	56,798	1273	1159	1259	1206	1202	6099	5878	5892	5971	5626	8847	6762	5159	3562	2136	866
Mean Population, 1881-91. Males	Decennial Increase of Population 26·61 per cent.	23,751	620	575	637	623	586	3041	2990	2926	2350	1981	3322	2654	1980	1355	840	312
Mean Population, 1881-91. Females	Decennial Increase of Population 26·61 per cent.	33,047	653	584	622	583	616	3058	2888	2966	3621	3645	5525	4108	3179	2207	1296	554
Deaths from All Causes, 1881-90. Persons	15·69	8,910	1692	569	212	135	94	2702	204	151	215	285	654	764	806	887	1117	1121
Deaths from All Causes, 1881-90. Males	18·54	4,403	972	290	117	72	53	1504	94	71	101	121	313	384	410	396	518	491
Deaths from All Causes, 1881-90. Females	13·64	4,507	720	279	95	63	41	1198	110	80	114	164	345	380	396	491	599	630

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·04	0·05	0·02	21	13	8	6	1	–	–	1	8	2	1	–	2	5	1	–	2	–	–
Measles	0·32	0·42	0·25	180	99	81	32	79	29	15	13	168	8	1	–	1	1	1	–	–	–	–
Scarlet Fever	0·04	0·06	0·03	24	14	10	–	3	3	2	5	13	7	–	1	1	2	–	–	–	–	–
Diphtheria	0·15	0·17	0·13	85	41	44	2	4	10	12	10	38	30	7	2	1	4	–	1	1	1	–
Whooping-cough	0·34	0·34	0·35	194	80	114	81	66	25	13	4	189	5	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·08	46	21	25	–	1	–	1	1	3	2	4	5	8	10	4	5	1	4	–
Simple Continued Fever	0·01	–	0·01	4	–	4	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–
Diarrhœa and Dysentery	0·45	0·54	0·38	253	128	125	156	33	6	2	3	200	–	–	–	1	2	2	2	5	15	26
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·80	0·57	0·97	456	136	320	1	1	–	1	–	3	–	1	1	4	18	46	96	115	119	53
Tabes Mesenterica	0·18	0·24	0·13	100	56	44	47	15	7	1	3	73	6	5	6	2	3	2	1	2	–	–
Phthisis	2·14	2·72	1·72	1213	645	568	13	6	7	4	3	33	9	22	89	152	318	302	189	78	19	2
Other Tub. & Scrof. Dis.	0·37	0·43	0·32	208	102	106	45	38	23	14	10	130	23	16	7	9	9	3	4	4	3	–
Diseases of Nervous System	1·91	2·17	1·73	1085	515	570	214	71	33	17	4	339	34	12	11	15	24	56	83	150	193	168
Diseases of Circulatory	1·57	1·87	1·35	889	444	445	10	2	1	2	3	18	12	12	18	11	42	88	112	167	261	148
Diseases of Respiratory	2·35	2·76	2·05	1334	656	678	298	170	43	34	23	568	22	13	12	12	49	66	91	124	183	194
Diseases of Digestive	0·96	1·17	0·82	547	277	270	114	38	12	7	2	173	13	8	14	10	24	48	66	75	74	42
Diseases of Urinary	0·52	0·71	0·39	298	168	130	5	7	–	–	1	13	2	6	3	8	28	33	43	44	72	46
Diseases of Generative	0·07	0·01	0·11	37	2	35	1	–	–	–	–	1	–	2	1	3	4	8	3	6	5	4
Puerperal Fever	0·06	–	0·10	34	–	34	–	–	–	–	–	–	–	–	–	6	19	9	–	–	–	–
Childbirth	0·04	–	0·07	24	–	24	–	–	–	–	–	–	–	–	–	2	11	10	1	–	–	–
Violence	0·44	0·75	0·21	248	178	70	21	5	4	2	6	38	10	12	13	13	35	22	33	27	20	25
Other Causes	2·85	3·47	2·42	1629	827	802	646	29	9	8	2	694	19	29	31	23	50	63	76	85	146	413

Marriages	3,571	Annual Rate per 1000 living Persons Married	12·57
Births Males	7,318	Births	25·00
Births Females	6,880	Deaths from Childbirth and Puerperal Fever	4·09 per 1000 Births.
Births	14,198		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

69.—BATTLE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	—		In Standard Population*	12·88		†93	–	–	–	–	31·23	4·46	2·63	3·46	4·78	5·75	7·36	11·16	20·95	45·89	142·12
	Males	—			12·92		†100	–	–	–	–	35·21	4·83	2·11	2·20	4·14	4·91	7·38	12·92	21·26	42·73	146·67
	Females	—			12·84		†85	–	–	–	–	27·14	4·09	3·18	4·98	5·41	6·49	7·34	9·49	20·64	49·38	137·32
Mean Popn. 1881–90	Persons	Decrease and Increase of Population 19·32 per cent.			15,865		437	399	436	420	412	2104	2017	1862	1416	1256	2174	1712	1335	1036	661	292
	Males				7,920		213	203	215	216	248	1065	1014	950	773	628	1018	827	650	508	337	150
	Females				7,945		224	196	221	204	194	1039	1003	912	643	628	1156	885	685	528	324	142
Deaths from All Causes 1881–90	Persons	14·13			2,241		450	111	43	35	18	657	80	49	49	60	125	126	149	217	304	415
	Males	14·57			1,154		254	71	25	16	9	375	49	20	17	26	50	61	84	108	144	224
	Females	13·68			1,087		196	40	18	19	9	282	41	29	32	34	75	65	65	109	160	191
	Persons.	Males.	Females.	Persons	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·17	0·19	0·15	27	15	12	7	7	5	1	1	21	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·05	0·03	7	5	2	–	1	–	1	1	3	1	–	–	1	–	2	–	–	–	–
Diphtheria	0·25	0·13	0·33	40	10	30	–	1	1	4	1	7	19	10	1	–	1	1	1	–	–	–
Whooping-cough	0·18	0·15	0·21	29	12	17	21	5	3	1	–	29	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·08	0·08	0·09	13	6	7	–	–	–	1	–	1	2	2	2	2	2	–	1	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·30	0·25	44	24	20	19	4	–	–	–	23	–	–	–	1	1	–	1	3	4	11
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·37	0·81	93	29	64	–	–	–	–	–	–	–	–	–	–	–	4	10	32	37	10
Tabes Mesenterica	0·25	0·24	0·26	39	19	20	20	6	1	–	1	28	4	3	2	–	1	–	2	–	–	–
Phthisis	1·41	1·24	1·59	224	98	126	6	3	2	–	–	11	4	11	27	27	58	44	22	14	6	–
Other Tub. & Scrof. Dis.	0·43	0·42	0·44	68	33	35	23	7	5	3	3	41	13	2	1	5	1	2	2	–	1	–
Nervous System	1·76	1·82	1·70	279	144	135	50	10	3	5	6	74	8	5	2	7	9	10	20	27	30	67
Circulatory ,,	1·61	1·67	1·55	255	132	123	–	–	1	–	–	1	2	2	–	1	12	18	25	58	60	76
Respiratory ,,	2·54	2·78	3·30	403	220	183	77	46	15	11	4	153	18	2	5	4	10	15	29	41	66	66
Digestive ,,	0·84	0·97	0·72	134	77	57	22	13	3	2	–	40	8	6	2	3	6	6	9	17	20	17
Urinary ,,	0·28	0·42	0·15	45	33	12	1	–	–	–	–	1	–	1	–	1	2	1	4	5	17	13
Generative ,,	0·05	0·03	0·08	8	2	6	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–
Puerperal Fever	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–
Childbirth	0·07	–	0·14	11	–	11	–	–	–	–	–	–	–	–	–	1	9	1	–	–	–	–
Violence	0·40	0·51	0·29	63	40	23	9	–	1	3	–	13	1	2	4	1	7	9	9	5	4	8
Other Causes	2·83	3·15	2·48	449	251	198	195	8	2	3	1	209	4	3	3	3	5	11	12	10	43	147

Marriages		1,046	Annual Rate per 1000 living	Persons Married	13·20
Births	Males	2,537		Births	30·60
	Females	2,317			
		4,854		Deaths from Childbirth and Puerperal Fever	3·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

70.—EASTBOURNE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·96	†114	–	–	–	–	43·49	5·42	2·45	2·97	3·90	5·90	9·23	13·25	21·04	52·59	127·92
Males	—	16·44	†128	–	–	–	–	49·30	4·63	2·46	2·80	4·26	6·79	10·54	16·67	23·90	57·85	147·54
Females	—	13·56	†98	–	–	–	–	37·85	6·22	2·44	3·19	3·69	5·26	8·20	10·67	18·96	48·62	113·78
Mean Population, 1881-91. Persons	Decennial Increase of Population 48·53 per cent.	34,491	826	762	816	768	746	3918	3673	3756	3939	3637	5608	3869	2747	1825	1082	437
Males		15,371	393	385	408	367	378	1931	1857	1912	1645	1386	2341	1699	1182	770	465	183
Females		19,120	433	377	408	401	368	1987	1816	1844	2294	2251	3267	2170	1565	1055	617	254
Deaths from All Causes, 1881-90. Persons	13·97	4,818	1143	288	121	90	62	1704	199	92	117	142	331	357	364	384	569	559
Males	15·93	2,448	657	151	57	52	35	952	86	47	44	59	159	179	197	184	269	270
Females	12·40	2,370	486	137	64	38	27	752	113	45	71	83	172	178	167	200	300	289

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–
Measles	0·18	0·23	0·14	63	36	27	14	17	8	7	5	51	8	2	2	–	–	–	–	–
Scarlet Fever	0·04	0·05	0·03	13	8	5	1	2	–	1	–	4	3	1	–	2	2	–	1	–
Diphtheria	0·50	0·51	0·49	171	78	93	5	11	20	20	16	72	75	14	6	3	–	1	–	–
Whooping-cough	0·28	0·34	0·24	98	53	45	48	35	6	4	4	97	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·10	35	16	19	2	1	1	2	1	7	1	5	4	2	6	4	4	2
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·61	0·75	0·49	209	115	94	168	12	2	2	–	184	2	–	–	1	2	2	2	2
Cholera	0·01	0·01	–	2	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	0·61	0·57	0·65	211	87	124	1	1	–	–	1	3	–	–	–	2	4	16	46	55
Tabes Mesenterica	0·23	0·27	0·20	79	41	38	42	14	6	2	–	64	4	4	2	1	2	–	1	–
Phthisis	1·37	1·47	1·29	473	226	247	15	4	4	3	–	26	10	11	36	47	139	108	53	32
Other Tub. & Scrof. Dis.	0·39	0·50	0·30	135	77	58	32	32	14	5	8	91	17	9	5	5	3	3	2	–
Diseases of Nervous System	1·55	1·78	1·37	535	273	262	123	27	12	6	3	171	9	7	12	10	14	22	44	61
Diseases of Circulatory „	1·34	1·50	1·20	461	231	230	3	–	–	–	–	3	6	5	6	9	32	41	68	70
Diseases of Respiratory „	2·18	2·53	1·90	752	389	363	196	83	33	23	15	350	35	7	10	9	28	30	33	43
Diseases of Digestive „	1·04	1·12	0·97	357	172	185	91	24	6	6	2	129	9	7	5	8	17	26	28	46
Diseases of Urinary „	0·45	0·68	0·27	155	104	51	3	–	–	–	–	3	1	2	4	4	14	18	19	31
Diseases of Generative „	0·06	0·01	0·11	22	1	21	–	–	–	–	–	–	–	–	–	1	4	8	5	3
Puerperal Fever	0·09	–	0·16	31	–	31	–	–	–	–	–	–	–	–	–	8	10	13	–	–
Childbirth	0·05	–	0·08	16	–	16	–	–	–	–	–	–	–	–	–	2	6	8	–	–
Violence	0·45	0·68	0·26	154	105	49	20	5	5	2	1	33	4	9	8	13	18	17	24	9
OTHER CAUSES	2·43	2·82	2·14	844	433	411	376	20	4	7	6	413	14	9	17	15	30	40	33	30

Marriages	2,255	Annual Rate per 1000 living Persons Married	13·08
Births – Males	5,122	10,066	Births	29·18
Females	4,944		Deaths from Childbirth and Puerperal Fever	4·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

71.—HAILSHAM.

Cause of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons			In Standard Population*		14·55	71·05	–	–	–	–	33·48	4·30	3·77	4·34	6·55	7·90	10·38	9·51	20·52	50·46	162·13
	Males					14·02	71·17	–	–	–	–	37·12	4·47	2·47	2·27	6·27	7·29	8·23	10·73	19·25	56·11	182·14
	Females					14·86	69·93	–	–	–	–	29·82	4·12	5·19	7·06	6·85	8·50	12·47	8·29	21·80	55·52	140·91
Mean Population 1881–90,	Persons	Decennial Increase of Population 4·21 per cent.		13,775			384	363	365	373	376	1861	1838	1620	1243	993	1735	1455	1167	955	646	272
	Males			7,076			178	173	192	191	198	932	940	849	705	526	864	717	578	478	347	140
	Females			6,699			206	190	173	182	178	929	898	771	538	467	871	738	579	477	299	132
Deaths at all Ages 1881–90,	Persons	16·28		2243			457	86	31	29	20	623	79	61	54	65	137	151	110	196	326	441
	Males	16·24		1,149			258	43	17	14	14	346	42	21	16	36	63	59	62	92	160	255
	Females	16·33		1,09			199	43	14	15	6	277	37	40	38	32	74	92	48	104	166	186
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·08	0·08	0·07	11	6	5	2	3	2	–	–	7	1	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·04	0·05	5	3	2	1	1	2	–	–	4	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·23	0·09	0·45	52	21	31	–	1	2	0	4	16	19	9	2	1	3	1	–	–	1	–
Whooping-cough	0·22	0·24	0·22	32	17	15	15	9	2	3	1	30	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·08	0·12	14	6	8	–	–	–	1	–	1	–	1	4	1	–	2	3	1	1	–
Simple Continuous Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·17	0·14	0·21	24	10	14	9	4	–	1	–	14	1	–	–	–	–	1	–	1	3	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·44	0·63	73	31	42	–	–	–	–	–	–	–	–	–	–	1	7	6	22	24	13
Tubercular Diseases	0·15	0·16	0·14	21	11	10	9	1	1	1	–	12	6	1	–	2	–	–	–	–	–	–
Phthisis	0·93	1·11	0·81	128	78	50	12	6	1	–	–	19	8	16	29	33	77	53	20	30	5	1
Other Tub. & Scrof. Dis.	0·25	0·27	0·22	34	19	15	14	2	2	–	2	20	2	3	1	1	2	1	3	–	–	–
Diseases of Nervous System	1·20	1·01	1·38	261	135	126	52	16	3	2	–	73	4	3	3	9	8	9	23	32	45	47
Diseases of Circulatory ,,	1·74	1·76	1·74	240	110	130	4	–	–	–	–	4	3	2	4	3	7	19	16	47	83	54
Diseases of Respiratory ,,	1·44	1·46	1·43	198	188	148	79	28	11	10	9	137	16	2	1	1	10	18	14	22	46	69
Diseases of Digestive ,,	1·13	1·19	1·08	156	84	72	31	7	–	1	2	41	9	1	3	–	3	10	9	30	28	22
Diseases of Urinary ,,	0·31	0·37	0·25	43	26	17	–	1	–	–	–	1	–	–	1	1	–	3	3	3	18	14
Diseases of Generative ,,	0·05	0·01	0·09	7	1	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1
Puerperal Fever	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	1	2	3	2	–	–	–	–
Childbirth	0·13	–	0·27	18	–	18	–	–	–	–	–	–	–	–	3	5	7	5	–	–	–	–
Violence	0·43	0·59	0·25	59	42	17	3	3	1	1	1	9	3	5	1	4	7	6	6	6	6	6
Other Causes	4·13	4·48	3·82	569	314	255	226	4	4	–	1	235	5	9	1	5	8	14	6	11	65	210

Marriages			842	Annual Rate per 1000 living	Persons Married	12·23
Births	Males	2,211	4,362		Births	31·67
	Females	2,151				

Deaths from Childbirth and Puerperal Fever 5·96 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

72.—TICEHURST.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·34	†92	–	–	–	–	30·41	3·53	2·98	3·96	5·94	5·42	8·71	11·60	23·21	48·69	151·38
Annual Death-Rate per 1000. Males	—	In Standard Population.* 13·61	†110	–	–	–	–	35·27	2·95	3·15	3·45	7·17	4·61	7·94	10·75	26·36	46·67	159·74
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·08	†74	–	–	–	–	25·61	4·13	2·82	4·53	4·94	6·12	9·37	12·39	20·25	50·81	143·86
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·74 per cent.	17,162	439	440	415	441	452	2187	2207	1978	1591	1363	2289	1883	1474	1103	762	325
Mean Population, 1881–91. Males	Decennial Decrease of Population 0·74 per cent.	8,360	230	211	207	217	221	1086	1117	985	840	614	1063	869	707	535	390	154
Mean Population, 1881–91. Females	Decennial Decrease of Population 0·74 per cent.	8,802	209	229	208	224	231	1101	1090	993	751	749	1226	1014	767	568	372	171
Deaths from All Causes. 1881–90. Persons	14·71	2,524	458	113	43	26	25	665	78	59	63	81	124	164	171	256	371	492
Deaths from All Causes. 1881–90. Males	15·35	1,283	279	52	24	13	15	383	33	31	29	44	49	69	76	141	182	246
Deaths from All Causes. 1881–90. Females	14·10	1,241	179	61	19	13	10	282	45	28	34	37	75	95	95	115	189	246

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·05	0·01	5	4	1	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–
Measles	0·08	0·07	0·08	13	6	7	1	7	1	–	1	10	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·08	0·20	25	7	18	1	2	1	3	2	9	7	5	1	–	1	1	–	1	–
Diphtheria	0·24	0·19	0·30	42	16	26	2	3	3	5	5	18	13	8	–	1	1	1	–	–	–
Whooping-cough	0·17	0·17	0·18	30	14	16	17	10	3	–	–	30	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·06	0·07	11	5	6	–	–	–	–	–	–	2	2	1	–	1	2	1	1	1
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·38	0·17	47	32	15	21	9	1	1	1	33	1	–	–	2	–	–	–	2	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·57	0·80	118	48	70	–	–	–	–	–	–	–	1	–	–	1	2	28	21	39
Tabes Mesenterica	0·19	0·19	0·18	32	16	16	12	2	3	–	1	18	1	4	1	3	1	2	–	1	1
Phthisis	1·59	1·58	1·59	272	132	140	2	2	1	–	1	6	6	8	33	45	61	51	26	22	13
Other Tub. & Scrof. Dis.	0·31	0·31	0·31	53	26	27	18	9	3	3	1	34	5	–	1	4	2	1	2	4	–
Diseases of Nervous System	1·68	1·84	1·53	289	154	135	50	15	4	2	1	72	4	6	3	4	8	16	24	34	50
Diseases of Circulatory „	1·80	1·65	1·94	309	138	171	–	–	–	–	–	–	3	2	6	5	2	16	24	72	86
Diseases of Respiratory „	2·13	2·30	1·97	365	192	173	76	33	12	7	10	138	11	5	4	3	8	12	23	30	65
Diseases of Digestive „	1·12	1·05	1·18	192	88	104	47	12	5	2	–	66	7	6	3	4	9	14	14	18	30
Diseases of Urinary „	0·50	0·74	0·26	85	62	23	–	–	–	1	–	1	3	–	1	3	7	9	6	10	27
Diseases of Generative „	0·02	–	0·03	3	–	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Puerperal Fever	0·10	–	0·19	17	–	17	–	–	–	–	–	–	–	–	–	–	–	5	11	1	–
Childbirth	0·06	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	–	–	6	4	1	–
Violence	0·39	0·62	0·17	67	52	15	2	3	2	1	1	9	6	2	2	3	5	6	6	13	8
OTHER CAUSES	3·12	3·50	2·80	537	291	246	209	6	3	1	1	220	7	9	6	3	6	14	13	26	48

Marriages	1,097	Annual Rate per 1000 living	Persons Married	12·78	Deaths from Childbirth and Puerperal Fever 5·63 per 1000 Births.
Births Males	2,537		Births	28·97	
Births Females	2,434				
Births	4,971				

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

73.—UCKFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000.	Persons			In Standard Population*		12·78	†82	–	–	–	–	28·49	3·83	2·55	3·55	4·72	5·99	7·73	11·00	21·16	50·17	149·19
	Males					12·35	†96	–	–	–	–	32·69	3·54	2·22	2·69	3·62	3·82	7·32	11·02	21·64	50·64	146·68
	Females					13·20	†65	–	–	–	–	24·40	4·11	2·87	4·62	5·83	8·02	8·13	10·98	21·29	49·65	155·61
Mean Population, 1887-91.	Persons	Decennial Increase of Population 9·85 per cent.		20,988			586	585	594	547	553	2815	2771	2630	2092	1590	2654	2185	1755	1323	893	370
	Males			10,522			291	256	285	268	280	1389	1383	1304	1114	801	1282	1065	844	676	466	204
	Females			10,466			295	279	309	279	264	1426	1388	1326	888	789	1372	1120	911	653	427	166
Deaths from All Causes, 1887-90.	Persons	13·93		2,922			529	164	58	30	21	802	106	67	71	75	159	169	193	289	448	552
	Males	14·13		1,486			314	91	29	11	9	454	49	29	30	29	49	78	93	141	235	298
	Females	13·73		1,436			215	73	29	19	12	348	57	38	41	46	110	91	100	139	212	254

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·10	0·17	·28	10	18	5	9	7	1	1	23	2	1	–	–	–	1	1	–	–	–
Scarlet Fever	0·05	0·05	0·05	10	5	5	1	–	2	–	–	3	2	2	1	–	1	–	–	1	–	–
Diphtheria	0·23	0·23	0·23	48	24	24	2	3	2	2	4	13	21	8	–	–	2	1	1	–	2	–
Whooping-cough	0·22	0·21	0·24	47	22	25	26	12	7	1	–	46	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·09	0·17	27	9	18	–	–	1	1	–	2	7	3	4	3	3	2	1	–	1	1
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·14	0·24	40	15	25	18	7	2	–	1	26	1	–	–	1	2	–	–	1	1	–
Cholera	0·00	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	2	6	–
Cancer	0·63	0·45	0·81	132	47	85	–	–	–	–	–	–	–	–	–	–	2	9	25	33	38	25
Tabes Mesenterica	0·13	0·12	0·13	27	13	14	10	3	1	–	1	15	4	2	3	1	1	–	–	1	–	–
Phthisis	1·51	1·45	1·58	318	153	165	4	3	–	1	1	9	5	13	29	39	71	57	44	30	18	3
Other Tub. & Scrof. Dis.	0·32	0·29	0·35	67	30	37	10	14	2	5	2	33	12	8	2	2	2	2	3	–	3	–
Diseases of: Nervous System	1·73	1·96	1·50	363	206	157	53	25	7	2	3	89	7	7	6	4	5	13	21	52	72	80
Circulatory "	1·66	1·50	1·83	348	158	190	–	2	–	–	–	2	3	4	5	3	10	18	32	50	117	104
Respiratory "	2·62	2·91	2·32	549	306	243	132	64	21	11	5	233	25	3	4	7	10	18	24	40	91	95
Digestive "	0·74	0·69	0·78	155	73	82	16	7	3	1	2	29	6	1	3	2	6	11	15	22	33	27
Urinary "	0·41	0·48	0·34	87	51	36	1	–	–	–	–	1	1	2	3	–	7	6	7	21	17	22
Generative "	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	1	–	1	2	3	2	1
Puerperal Fever	0·07	–	0·13	14	–	14	–	–	–	–	–	–	–	–	–	4	7	3	–	–	–	–
Childbirth	0·11	–	0·23	24	–	24	–	–	–	–	–	–	–	–	–	2	13	8	1	–	–	–
Violence	0·37	0·51	0·22	77	54	23	42	4	3	1	1	21	3	3	5	1	5	9	7	13	4	6
Other Causes	2·62	2·66	2·59	549	309	240	238	11	2	2	1	254	6	11	6	5	12	10	9	15	39	182

Marriages	1,272	Annual Rate per 1000 living	Persons Married	11·17	Deaths from Childbirth and Puerperal Fever 5·90 per 1000 Births.
Births — Males 3,256			Births	30·67	
Births — Females 3,170	6,426				

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

74.—EAST GRINSTEAD.

CAUSES OF DEATH.	CRUDE DEATH-RATE per 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·85	†92	–	–	–	–	30·11	4·94	2·22	3·44	4·34	5·99	8·47	11·16	21·06	50·27	133·64
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·83	†107	–	–	–	–	34·91	5·41	2·47	3·05	4·48	6·53	9·16	13·44	22·55	49·61	142·86
Annual Death-Rate per 1000. Females	—	In Standard Population* 11·92	†75	–	–	–	–	25·30	4·47	1·99	3·88	4·21	5·45	7·79	8·82	19·52	50·94	123·03
Mean Population, 1881-91. Persons	Decennial Increase of Population 7·06 per cent.	19,237	494	488	488	508	516	2494	2450	2251	1774	1519	2671	2148	1657	1192	754	327
Mean Population, 1881-91. Males	Decennial Increase of Population 7·06 per cent.	9,696	248	250	239	247	265	1249	1220	1093	950	782	1332	1070	841	603	381	175
Mean Population, 1881-91. Females	Decennial Increase of Population 7·06 per cent.	9,541	246	238	249	261	251	1245	1230	1158	824	737	1339	1078	816	589	373	152
Deaths from All Causes, 1881-90. Persons	13·74	2,643	502	122	57	52	18	751	121	50	61	66	160	182	185	251	379	437
Deaths from All Causes, 1881-90. Males	15·12	1,466	300	67	32	31	6	436	66	27	29	35	87	98	113	136	189	250
Deaths from All Causes, 1881-90. Females	12·34	1,177	202	55	25	21	12	315	55	23	32	31	73	84	72	115	190	187

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·03	–	3	3	–	–	–	–	–	–	–	2	–	–	1	–	–
Measles	0·25	0·28	0·22	48	27	21	8	12	7	5	1	33	13	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·04	0·06	0·02	8	6	2	2	2	1	–	–	5	3	–	–	–	–	–	–	–	–	–
Diphtheria	0·26	0·31	0·21	50	30	20	1	3	4	7	4	19	20	6	2	–	2	–	1	–	–	–
Whooping-cough	0·25	0·28	0·22	48	27	21	22	10	9	4	–	45	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·12	0·13	0·12	24	13	11	–	–	–	–	–	–	2	2	2	2	5	7	1	1	1	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·26	0·19	43	25	18	13	4	2	4	1	24	4	–	–	–	–	–	–	1	7	7
Cholera	0·01	0·02	–	2	2	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·57	0·83	134	55	79	–	–	2	–	–	2	1	–	2	–	5	12	26	37	33	16
Tabes Mesenterica	0·09	0·08	0·10	18	8	10	9	5	–	–	–	14	1	–	2	–	–	1	–	–	–	–
Phthisis	1·31	1·58	1·04	252	153	99	2	3	3	–	–	8	12	7	26	27	71	49	34	13	4	1
Other Tub. & Scrof. Dis.	0·40	0·34	0·46	77	33	44	18	11	3	4	2	38	13	9	5	4	1	3	1	1	1	1
Diseases of Nervous System	1·47	1·66	1·28	283	161	122	47	8	2	8	–	65	9	4	4	1	4	11	11	34	70	70
Diseases of Circulatory „	1·58	1·65	1·50	303	160	143	3	1	–	–	–	4	1	4	7	5	12	19	27	54	91	79
Diseases of Respiratory „	2·77	3·02	2·52	533	293	240	121	42	14	10	7	194	18	4	4	6	5	21	29	52	80	120
Diseases of Digestive „	0·85	0·91	0·79	163	88	75	31	11	4	4	3	53	7	1	1	–	2	15	15	19	30	20
Diseases of Urinary „	0·33	0·56	0·20	73	54	19	–	–	–	–	–	–	1	1	1	1	7	7	9	13	13	20
Diseases of Generative „	0·05	0·02	0·07	9	2	7	–	–	–	–	–	–	–	–	–	–	1	1	5	–	1	1
Puerperal Fever	0·11	–	0·23	22	–	22	–	–	–	–	–	–	–	–	–	4	9	9	–	–	–	–
Childbirth	0·03	–	0·05	5	–	5	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–
Violence	0·51	0·72	0·30	99	70	29	15	2	2	5	–	24	5	4	2	5	15	6	13	11	10	4
OTHER CAUSES	2·31	2·63	1·99	445	255	190	209	8	4	1	–	222	7	7	3	11	14	20	12	14	38	97

Marriages - - 1,054

Births - { Males - 2,805 / Females - 2,677 } 5,482

Annual Rate per 1000 living { Persons Married 10·96 / Births - - 28·50

Deaths from Childbirth and Puerperal Fever - - - - } 4·93 per 1000 Births.

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

75.—CUCKFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons —	In 12·24	†88	–	–	–	–	29·59	3·41	2·38	2·72	4·93	5·95	7·27	9·31	20·14	46·67	141·12
	Males —	Standard 12·60	†100	–	–	–	–	32·82	3·17	2·47	2·38	4·72	5·16	7·57	9·72	22·33	48·15	153·09
	Females —	Population* 11·90	†76	–	–	–	–	26·41	3·64	2·26	3·11	5·12	6·68	6·98	8·92	18·04	45·12	129·50
Mean Popn. Estim. 1884-86.	Persons	Decennial Increase of Population 4·98 per cent.	23,852															
	Males		11,909	594	578	543	599	592	2876	2907	3031	2352	1867	3242	2729	2063	1524	947	384
	Females		11,923	303	280	271	285	287	1426	1450	1658	1260	890	1561	1268	898	748	486	194
				291	298	272	314	275	1450	1457	1373	1092	977	1711	1361	1065	776	461	200
Deaths from All Causes 1884-86.	Persons	12·84	3,059	598	159	49	39	36	871	99	72	64	92	193	191	192	307	442	556
	Males	13·41	1,597	327	73	24	19	25	468	46	41	30	42	79	96	97	167	234	297
	Females	12·26	1,462	241	86	25	20	11	385	53	31	34	50	114	95	95	140	208	259

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Measles	0·14	0·12	0·15	32	14	18	2	7	7	2	2	20	8	1	–	1	1	1	–	–	–
Scarlet Fever	0·05	0·08	0·03	13	10	3	–	1	3	–	1	5	2	4	–	–	1	–	–	1	–
Diphtheria	0·15	0·13	0·17	35	15	20	–	2	2	5	8	17	10	6	–	–	–	1	1	–	–
Whooping-cough	0·32	0·29	0·36	77	34	43	37	28	8	2	1	76	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·10	0·13	27	12	15	1	1	–	–	–	2	4	1	5	4	4	4	–	2	1
Simple Continued Fever	0·02	0·02	0·03	5	2	3	–	–	–	–	–	–	–	3	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·24	0·23	0·25	56	26	30	32	12	–	–	1	45	–	–	–	–	–	–	–	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
Cancer	0·55	0·43	0·69	132	50	82	–	–	1	–	–	1	–	–	–	1	1	7	29	32	31	27
Tabes Mesenterica	0·09	0·11	0·08	22	13	9	9	1	1	2	2	15	3	–	1	–	2	1	–	–	–	–
Phthisis	1·26	1·26	1·26	300	150	150	3	3	–	1	1	8	4	8	31	45	76	62	33	29	11	3
Other Tub. & Scrof. Dis.	0·35	0·34	0·37	84	40	44	16	17	2	9	3	47	14	9	–	4	3	4	–	2	1	–
Diseases of Nervous System	1·56	1·64	1·49	372	195	177	80	16	3	2	4	105	11	7	4	5	11	12	28	33	33	73
" Circulatory	1·68	1·69	1·68	401	201	200	2	–	–	1	–	3	3	8	7	6	17	27	28	66	136	140
" Respiratory	2·17	2·54	1·79	516	303	213	108	58	14	11	11	202	17	6	8	5	13	13	19	58	70	105
" Digestive	0·62	0·73	0·51	147	86	61	25	6	–	–	–	31	4	8	3	3	6	11	15	20	27	19
" Urinary	0·48	0·61	0·34	114	73	41	1	–	–	–	–	1	3	3	3	1	6	12	13	16	23	33
" Generative	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	–	–	3	–	1	3	2	–
Puerperal Fever	0·09	–	0·18	21	–	21	–	–	–	–	–	–	–	–	1	4	12	4	–	–	–	–
Childbirth	0·06	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	2	7	6	–	–	–	–
Violence	0·43	0·58	0·28	102	69	33	9	2	3	1	2	17	7	2	2	5	16	24	10	13	7	9
Other Causes	2·43	2·53	2·25	577	303	274	245	5	5	3	–	256	7	6	9	5	13	12	14	30	46	179

Marriages		1,209	Annual Rate per 1000 living	Persons Married	10·07
Births	Males 3,256	6,434		Births	27·00
	Females 3,178		Deaths from Childbirth and Puerperal Fever		5·60 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

76.—LEWES.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 16·13	†103	–	–	–	–	35·07	3·64	2·29	3·81	6·58	8·39	12·78	17·17	29·51	59·78	161·90
Annual Death-Rate per 1000. Males	—	In Standard Population.* 17·07	†116	–	–	–	–	38·89	3·79	2·09	3·59	6·38	8·75	15·25	17·86	32·37	64·71	170·67
Annual Death-Rate per 1000. Females	—	In Standard Population.* 15·24	†89	–	–	–	–	31·21	3·49	2·52	4·09	6·82	8·03	10·36	16·49	26·67	55·16	153·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·99 per cent.	33,223	831	798	761	815	830	4035	4064	3839	3043	2749	4636	3803	2941	2155	1370	588
Mean Population, 1881–91. Males	Decennial Increase of Population 1·99 per cent.	16,951	418	395	384	414	418	2029	2056	2012	1673	1473	2344	1882	1461	1075	663	283
Mean Population, 1881–91. Females	Decennial Increase of Population 1·99 per cent.	16,272	413	403	377	401	412	2006	2008	1827	1370	1276	2292	1921	1480	1080	707	305
Deaths from All Causes, 1881–90. Persons	17·26	5,735	930	245	103	68	69	1415	148	88	116	181	389	486	505	636	819	952
Deaths from All Causes, 1881–90. Males	18·15	3,076	531	133	56	38	31	789	78	42	60	94	205	287	261	348	429	483
Deaths from All Causes, 1881–90. Females	16·34	2,659	399	112	47	30	38	626	70	46	56	87	184	199	244	288	390	469

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·02	0·02	7	4	3	1	1	–	–	–	2	–	–	1	1	1	2	–	–	–	–
Measles	0·16	0·19	0·12	52	32	20	13	17	8	3	5	46	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·06	0·06	21	11	10	3	7	1	1	5	17	4	–	–	–	–	–	–	–	–	–
Diphtheria	0·18	0·19	0·18	61	32	29	2	2	5	6	5	20	26	9	4	–	–	1	1	–	–	–
Whooping-cough	0·29	0·23	0·34	95	39	56	45	23	15	8	–	91	3	1	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·10	0·07	28	17	11	–	–	–	–	–	–	–	2	3	4	6	4	3	2	4	–
Simple Continued Fever	0·02	0·01	0·02	5	2	3	–	–	–	–	–	–	2	–	–	1	–	–	1	1	–	–
Diarrhœa and Dysentery	0·31	0·28	0·34	103	47	56	53	7	1	2	1	64	1	2	–	1	3	1	4	4	8	15
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·47	0·75	201	79	122	1	1	–	1	–	3	1	–	–	1	8	21	38	44	62	23
Tabes Mesenterica	0·30	0·31	0·30	101	53	48	56	16	11	2	1	86	8	2	–	1	1	1	2	–	–	–
Phthisis	1·93	1·88	1·99	641	318	323	11	7	1	2	1	22	8	12	44	76	165	127	91	69	24	3
Other Tub. & Scrof. Dis.	0·54	0·55	0·52	178	94	84	53	34	4	8	9	108	17	12	6	7	11	5	2	7	3	–
Diseases of Nervous System	3·21	3·68	2·78	1076	623	453	137	38	12	9	6	202	18	9	16	14	52	130	133	147	179	176
Diseases of Circulatory	1·81	1·69	1·94	601	286	315	–	–	–	–	–	–	6	3	9	10	24	41	71	126	191	120
Diseases of Respiratory	2·52	2·77	2·26	836	469	367	163	65	31	16	22	297	26	9	5	11	23	36	44	76	142	167
Diseases of Digestive	0·94	0·97	0·90	312	165	147	34	12	4	1	4	55	5	2	4	10	17	23	22	53	63	58
Diseases of Urinary	0·45	0·53	0·37	150	90	60	1	1	–	–	1	3	2	4	3	4	10	25	26	26	23	24
Diseases of Generative	0·05	0·01	0·10	18	2	16	1	–	–	–	–	1	–	1	–	2	1	1	1	7	1	3
Puerperal Fever	0·04	–	0·09	14	–	14	–	–	–	–	–	–	–	–	–	4	8	2	–	–	–	–
Childbirth	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	–	2	11	6	1	–	–	–
Violence	0·73	1·17	0·26	241	199	42	14	4	5	4	4	31	7	4	13	21	24	37	35	36	24	9
Other Causes	2·95	3·03	2·80	972	513	459	342	10	5	5	5	367	8	14	8	11	24	23	30	38	95	354

Marriages 1,830

Births { Males 4,561 / Females 4,480 } 9,041

Annual Rate per 1000 living { Persons Married 11·02 / Births 27·21

Deaths from Childbirth and Puerperal Fever 3·76 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

77.—BRIGHTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65	75 and upwds.
Annual Death-Rate per 1000.	Persons			In Standard Population*		19·08																
	Males					20·04																
	Females					17·32																
Mean Population 1881-90.	Persons	Decennial Increase of Population 3·66 per cent.			100,344																	
	Males				44,184																	
	Females				56,720																	
Deaths from All Causes 1881-90.	Persons				18,892																	
	Males				9,340																	
	Females				9,552																	
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.														
Small-pox		0·01	0·01	0·01	8	4	4	–	1	–	1	–	2	2	1	–	2	1	–	–	–	–
Measles		0·43	0·50	0·38	427	221	216	74	172	80	52	24	411	22	2	1	–	–	1	–	–	–
Scarlet Fever		0·22	0·25	0·19	215	109	106	13	33	24	42	26	137	59	6	4	2	2	4	1	–	–
Diphtheria		0·14	0·16	0·12	140	71	69	10	6	18	25	19	78	44	7	3	2	1	–	3	2	–
Whooping-cough		0·54	0·54	0·53	540	238	302	313	167	67	43	26	616	23	1	–	–	–	–	–	–	–
Typhus		0·00	0·00	0·00	3	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
Enteric Fever		0·14	0·19	0·11	145	82	63	–	4	3	1	2	10	15	16	26	17	23	18	11	8	1
Simple Continued Fever		0·01	0·01	0·00	6	4	2	–	1	–	–	–	1	–	–	1	–	1	1	2	–	–
Diarrhœa and Dysentery		0·75	0·93	0·61	754	409	345	574	94	11	6	3	686	4	–	–	2	–	3	5	3	19
Cholera		0·01	0·01	0·01	11	4	7	8	2	–	–	–	10	1	–	–	–	–	–	–	–	–
Cancer		0·87	0·58	1·10	882	256	626	1	2	2	1	1	7	1	2	4	7	24	106	196	253	190
Tabes Mesenterica		0·24	0·26	0·22	238	114	124	113	46	20	8	4	191	15	11	5	6	3	3	4	1	–
Phthisis		1·93	2·43	1·55	1952	1075	877	14	25	12	6	8	65	27	47	116	195	455	497	357	170	48
Other Tub. & Scrof. Dis.		0·52	0·69	0·39	528	306	222	127	113	49	43	19	351	54	31	19	16	21	16	8	9	2
Diseases of the Nervous System		2·21	2·58	1·93	2235	1140	1095	555	141	37	15	17	765	34	25	24	19	56	99	181	254	488
Circulatory		1·63	1·69	1·59	1649	747	902	1	2	2	1	1	6	16	19	45	40	74	180	253	320	423
Respiratory		3·30	3·64	3·03	3328	1607	1721	731	407	152	91	58	1439	51	8	27	29	86	145	246	331	451
Digestive		1·10	1·18	1·05	1116	621	595	198	69	19	6	11	303	18	15	19	15	64	103	160	182	148
Urinary		0·55	0·77	0·37	550	341	209	6	5	5	2	3	21	16	6	11	12	39	63	88	113	114
Generative		0·08	0·01	0·13	76	5	73	2	–	1	–	–	3	–	–	2	–	13	20	20	9	7
Puerperal Fever		0·04	–	0·08	45	–	45	–	–	–	–	–	–	–	–	2	12	20	11	–	–	–
Childbirth		0·04	–	0·08	43	–	43	–	–	–	–	–	–	–	–	1	5	22	15	–	–	–
Violence		0·55	0·83	0·34	559	367	192	91	15	12	11	12	141	22	19	25	25	61	63	68	63	39
OTHER CAUSES		3·46	3·88	3·09	3470	1718	1752	1382	102	22	13	13	1532	38	43	52	29	102	114	128	142	303

Marriages -		8,429		Persons Married	16·11		
Births	Males - 14,953		Annual Rate per 1000 living	Births - -	27·19	Deaths from Childbirth and Puerperal Fever - - - - -	3·21 per 1000 Births.
	Females 13,485	27,438					

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

78.—STEYNING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·38	†112	–	–	–	–	42·29	4·03	2·30	2·93	3·45	5·52	7·90	11·94	21·96	50·68	137·12
Males	—	Standard 15·75	†122	–	–	–	–	47·10	3·84	2·15	3·32	4·25	6·33	8·75	14·24	25·35	59·22	150·44
Females	—	Population* 13·09	†100	–	–	–	–	37·41	4·22	2·44	2·63	2·94	4·97	7·28	10·34	19·54	44·79	128·32
Mean Population, 1881–91. Persons	Decennial Increase of Population 25·81 per cent.	55,423	1303	1166	1250	1247	1208	6174	5908	5658	5704	5399	8786	6535	4815	3457	2125	862
Males		24,322	631	599	617	643	618	3108	2996	2790	2439	2069	3537	2755	1981	1436	868	343
Females		31,101	672	567	633	604	590	3066	2912	2868	3265	3330	5249	3780	2834	2021	1257	519
Deaths from All Causes, 1881–90. Persons	14·30	7,926	1646	531	186	138	110	2611	238	130	167	186	485	516	575	759	1077	1182
Males	16·24	3,949	930	293	102	78	61	1464	115	60	81	88	224	241	282	364	514	516
Females	12·79	3,977	716	238	84	60	49	1147	123	70	86	98	261	275	293	395	563	666

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·07	0·10	0·05	41	25	16	3	–	–	1	1	5	2	4	4	4	8	8	1	3	1	1
Measles	0·23	0·29	0·18	125	70	55	25	37	25	13	6	106	13	3	–	–	2	1	–	–	–	–
Scarlet Fever	0·24	0·29	0·19	131	71	60	5	15	20	21	14	75	37	6	2	1	6	2	1	1	–	–
Diphtheria	0·20	0·21	0·19	109	50	59	–	10	15	13	15	53	39	7	4	2	1	3	–	–	–	–
Whooping-cough	0·40	0·38	0·41	221	93	128	106	65	24	12	8	215	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	6	2	4	–	–	–	–	–	–	–	–	1	–	2	1	–	2	–	–
Enteric Fever	0·22	0·25	0·19	120	62	58	1	2	1	1	2	7	8	15	19	13	30	18	6	1	1	2
Simple Continued Fever	0·03	0·03	0·03	16	8	8	–	–	–	–	–	–	6	1	3	1	1	–	–	2	2	–
Diarrhœa and Dysentery	0·57	0·70	0·47	317	170	147	226	37	4	5	2	274	2	2	1	1	3	1	5	3	9	16
Cholera	0·01	0·01	0·00	4	3	1	2	1	–	–	–	3	–	–	–	–	–	–	–	–	1	–
Cancer	0·78	0·56	0·94	430	137	293	–	–	–	–	–	–	–	1	1	1	10	44	85	110	123	55
Tabes Mesenterica	0·14	0·17	0·11	76	41	35	36	18	7	1	2	64	1	2	3	1	1	1	1	2	–	–
Phthisis	1·28	1·43	1·17	712	348	364	3	4	3	2	3	15	10	21	62	74	189	156	90	59	30	6
Other Tub. & Scrof. Dis.	0·38	0·46	0·32	210	111	99	68	38	14	15	10	145	26	11	8	4	10	2	1	–	2	1
Diseases of Nervous System	1·74	2·08	1·48	964	505	459	192	64	19	10	7	292	20	9	7	8	33	48	75	118	178	176
Diseases of Circulatory „	1·40	1·50	1·32	775	364	411	10	1	1	1	2	15	11	10	8	8	29	59	85	148	242	160
Diseases of Respiratory „	2·06	2·50	1·71	1142	609	533	261	143	35	26	24	489	27	8	7	12	31	39	55	106	180	188
Diseases of Digestive „	0·96	1·05	0·89	533	255	278	100	44	7	6	2	159	8	10	5	9	18	47	58	69	97	53
Diseases of Urinary „	0·40	0·55	0·28	220	134	86	3	5	2	1	2	13	5	2	3	3	25	16	32	35	51	35
Diseases of Generative „	0·07	0·02	0·11	38	4	34	–	–	–	–	–	–	–	–	–	1	3	5	12	8	4	5
Puerperal Fever	0·06	–	0·10	31	–	31	–	–	–	–	–	–	–	–	1	10	17	3	–	–	–	–
Childbirth	0·05	–	0·10	30	–	30	–	–	–	–	–	–	–	–	–	5	11	13	1	–	–	–
Violence	0·37	0·61	0·19	206	148	58	35	7	2	3	4	51	2	8	11	11	24	15	28	24	18	14
Other Causes	2·63	3·04	2·35	1469	739	730	570	40	7	7	6	630	15	10	17	17	31	34	39	68	138	470

Marriages - - - 3,218

Births - Males - 7,620 / Females - 7,137 = 14,757

Annual Rates per 1000 living: Persons Married 11·61; Births - - 26·63

Deaths from Childbirth and Puerperal Fever - - - - - 4·13 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

79.—HORSHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4	Total under 5 Years	5–	10	15	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons – Males – Females –	In Standard Population* 13·34 14·41 12·30	†68 †142 †73	– – –	– – –	– – –	– – –	2·28 5·71 3·98	4·54 5·98 3·98	2·24 2·24 2·24	3·74 3·66 3·84	4·92 4·59 5·25	6·27 6·48 6·07	7·55 7·66 7·68	11·89 14·12 9·76	21·16 24·31 21·21	41·28 52·83 32·70	86·89 117 82 1·56 62
Mean Population, 1885–91.	Persons – Males – Females –	Decennial Increase of Population 11·59 per cent.	2,553 1,305 1,248	583 282 301	614 299 315	598 313 285	599 309 290	3,329 1,511 1,518	3018 1,536 1482	2810 1428 1382	2192 1176 1016	1787 872 915	2036 1408 1308	2542 1291 1855	2086 1090 996	1545 767 778	970 473 497	495 205 290
Deaths from All Causes, 1881–90.	Persons – Males – Females –	14·50 15·77 13·24	3,421 1,804 1,617	649 401 248	185 102 83	103 56 47	42 25 17	37 13 24	1,008 650 408	137 78 59	63 32 31	82 43 39	88 40 48	194 97 97	206 96 103	248 144 104	339 193 146	592 347 245	369 267

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4	Total under 5 Years	5–	10	15	20–	25–	35–	45–	55–	65–	75 and upwards
	Persons.																					
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	0·22	0·25	0·20	53	29	24	8	18	10	4	2	42	8	2	–	–	–	–	1	–	–	–
Scarlet Fever	0·08	0·09	0·10	22	10	13	3	3	1	–	1	8	11	3	–	–	–	–	–	–	–	–
Diphtheria	0·22	0·26	0·19	53	30	23	5	3	9	3	5	25	20	6	1	–	–	–	–	–	–	–
Whooping-cough	0·38	0·43	0·32	89	51	38	33	23	14	7	3	85	4	–	–	–	–	–	1	–	–	–
Typhus	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	0·08	0·10	0·06	19	12	7	–	–	–	–	–	–	2	2	2	5	4	–	2	–	–	–
Simple Continued Fever	0·03	0·04	0·03	8	5	3	–	–	–	–	1	1	–	–	1	1	–	–	–	3	–	–
Diarrhœa and Dysentery	0·30	0·37	0·22	70	44	26	29	5	1	–	2	37	–	1	–	–	1	1	–	4	3	–
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	7	19
Cancer	0·63	0·54	0·79	156	62	96	–	–	–	–	–	–	1	–	–	1	4	16	30	47	42	15
Tabes Mesenterica	0·10	0·14	0·06	23	16	7	9	5	3	1	1	19	2	1	–	1	–	–	–	–	–	–
Phthisis	1·52	1·63	1·41	358	191	167	1	3	1	1	–	6	9	14	34	43	39	68	47	35	11	2
Other Tubercular Dis.	0·30	0·51	0·29	94	69	34	29	17	12	3	–	60	13	4	4	2	–	2	5	3	–	1
Diseases of Nervous System	1·86	1·76	1·86	439	219	220	85	22	9	3	4	123	10	10	4	4	9	10	23	59	99	88
" Circulatory	1·38	1·29	1·38	326	163	163	2	–	1	1	–	4	4	7	7	4	15	24	36	68	112	45
" Respiratory	2·24	2·60	1·99	529	294	235	112	47	31	10	7	207	24	4	5	8	18	22	31	37	87	32
" Digestive	0·75	1·03	0·91	228	120	108	44	18	5	3	–	69	8	1	5	3	15	10	20	34	52	24
" Urinary	0·39	0·50	0·28	92	59	33	3	1	3	–	–	7	3	–	2	3	3	6	14	9	36	20
" Generative	0·04	0·01	0·07	9	1	8	1	–	–	–	–	1	–	–	–	–	1	2	1	1	3	–
Puerperal Fever	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	1	1	5	4	–	–	–	–
Childbirth	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–
Violence	0·53	0·77	0·30	125	90	35	9	4	2	7	3	25	7	3	9	4	9	11	12	13	17	16
Other Causes	2·39	3·36	2·89	704	395	309	271	14	1	1	3	289	10	5	6	6	13	18	26	15	65	250

Marriages – – – 1,379

Births – {Males – 3,574} {Females – 3,410} 6,984

Annual Rate per 1000 living {Persons Married 11·69 / Births – – 29·69}

Deaths from Childbirth and Puerperal Fever – – – – 2·86 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

80.—PETWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·25	†80	–	–	–	–	26·99	3·40	2·33	4·73	5·64	6·50	9·91	12·07	22·41	55·47	143·36
Males	—	Standard 13·95	†90	–	–	–	–	30·27	3·30	1·91	4·34	5·85	7·61	11·38	14·60	21·86	57·89	149·15
Females	—	Population* 12·59	†70	–	–	–	–	23·93	3·49	2·77	5·19	5·41	5·43	8·49	9·53	22·99	53·04	137·04
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·70 per cent.	9,513	222	235	230	245	239	1171	1176	1118	846	692	1154	1019	903	714	494	226
Males		4,785	111	109	107	119	119	565	575	576	461	359	565	501	452	366	247	118
Females		4,728	111	126	123	126	120	606	601	542	385	333	589	518	451	348	247	108
Deaths from All Causes, 1881–90. Persons	15·81	1,504	211	58	20	18	9	316	40	26	40	39	75	101	109	160	274	324
Males	16·87	807	117	36	7	7	4	171	19	11	20	21	43	57	66	80	143	176
Females	14·74	697	94	22	13	11	5	145	21	15	20	18	32	44	43	80	131	148

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·02	0·11	6	1	5	2	1	1	–	–	4	1	–	1	–	–	–	–	–
Scarlet Fever	0·03	0·02	0·04	3	1	2	1	1	–	1	–	3	–	–	–	–	–	–	–	–
Diphtheria	0·27	0·21	0·34	26	10	16	1	1	2	4	4	12	10	3	1	–	–	–	–	–
Whooping-cough	0·21	0·23	0·19	20	11	9	13	3	1	1	–	18	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·10	0·17	13	5	8	–	–	–	–	–	–	–	2	2	1	2	1	3	–	2	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·21	0·17	18	10	8	5	3	1	–	1	10	–	–	–	–	–	2	–	–	2	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·59	0·89	69	28	41	–	–	–	–	–	–	–	–	–	–	1	3	10	14	28	13
Tabes Mesenterica	0·04	0·04	0·04	4	2	2	–	–	–	2	–	2	–	1	–	–	–	–	1	–	–	–
Phthisis	1·59	1·84	1·33	151	88	63	2	1	–	–	–	3	1	8	14	20	36	30	21	9	4	5
Other Tub. & Scrof. Dis.	0·34	0·42	0·25	32	20	12	4	6	2	1	–	13	1	3	2	2	2	2	6	–	1	–
Diseases of Nervous System	2·26	2·26	2·23	216	108	108	35	12	4	2	1	54	8	2	3	2	1	7	9	28	45	57
Diseases of Circulatory ,,	1·87	1·86	1·88	178	89	89	1	–	–	–	1	2	3	–	3	2	9	14	14	32	64	35
Diseases of Respiratory ,,	2·57	2·86	2·26	244	137	107	37	20	4	6	–	67	9	2	3	5	11	16	14	25	44	48
Diseases of Digestive ,,	0·97	1·05	0·89	92	50	42	16	3	1	–	1	21	2	2	1	–	4	1	14	16	21	10
Diseases of Urinary ,,	0·53	0·71	0·34	50	34	16	–	–	–	–	–	–	–	–	1	1	1	6	4	14	15	8
Diseases of Generative ,,	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Puerperal Fever	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Childbirth	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Violence	0·56	0·77	0·34	53	37	16	3	3	3	1	–	10	2	1	4	3	4	8	3	7	7	4
Other Causes	3·38	3·68	3·08	322	176	146	91	4	1	–	1	97	1	2	4	2	4	7	10	14	41	140

Marriages – – – 499

Births – {Males – 1,306} {Females – 1,345} 2,651

Annual Rate per 1000 living {Persons Married 10·49 / Births – – 27·87}

Deaths from Childbirth and Puerperal Fever – – – – – 1·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

81.—THAKEHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE per 1000.	ALL AGES.	Under 1 Year.	1–	2	3–	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	In Standard Population* 12·17	†70	–	–	–	–	26·17	3·35	1·92	3·44	5·09	6·07	8·91	10·33	21·78	49·62	137·37
	Males	12·16	†79	–	–	–	–	28·39	2·06	2·27	2·25	4·01	6·24	8·99	11·56	23·40	55·28	120·00
	Females	12·17	†60	–	–	–	–	23·78	4·71	1·54	5·14	6·21	5·91	8·84	9·04	20·00	43·75	134·83
Mean Population, 1881–91	Persons	Decennial Decrease of Population 2·85 per cent. 8,167	217	217	191	227	214	1066	1045	938	756	589	1005	875	726	597	391	179
	Males	4,220	119	111	104	116	103	553	535	484	445	299	497	434	372	312	199	90
	Females	3,947	98	106	87	111	111	513	510	454	311	290	508	441	354	285	192	89
Deaths from All Causes, 1881–90.	Persons	14·14 1,154	164	64	18	14	19	279	35	18	26	30	61	78	75	130	194	228
	Males	14·34 595	97	31	12	8	9	157	11	11	10	12	31	39	43	73	110	108
	Females	13·91 549	67	33	6	6	10	122	24	7	16	18	30	39	32	57	84	120

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·05	0·05	0·05	4	2	2	1	1	–	1	1	4	–	–	–	–	–	–
Scarlet Fever	0·16	0·17	0·15	13	7	6	2	1	1	4	1	9	–	1	–	–	1	–
Diphtheria	0·34	0·43	0·35	28	14	14	2	1	2	3	3	11	8	5	3	–	–	1
Whooping-cough	0·25	0·21	0·25	19	9	10	8	6	1	2	1	18	1	–	–	–	–	1
Typhus	0·04	0·07	–	3	3	–	–	–	–	–	–	–	–	1	–	1	–	–
Enteric Fever	0·13	0·17	0·10	11	7	4	–	–	–	–	–	–	–	2	–	2	1	3	1	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·19	0·25	18	8	10	1	5	–	1	–	7	1	–	1	–	–	–	4	1	–	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·47	0·76	50	20	30	–	–	–	–	–	–	–	–	–	1	–	2	10	15	13	10
Tabes Mesenterica	0·07	0·07	0·08	6	3	3	2	–	–	–	1	3	1	–	–	–	1	1	–	–	–	–
Phthisis	1·41	1·45	1·37	115	61	54	–	–	–	–	–	–	1	2	8	13	23	31	14	14	7	2
Other Tub. & Scrof. Dis.	0·29	0·28	0·30	24	13	12	4	4	1	–	2	11	4	1	2	2	1	1	1	–	1	–
Diseases of Nervous System	1·81	1·92	1·70	148	81	67	29	7	2	–	–	38	4	1	–	2	5	6	7	21	31	33
Circulatory ,,	1·40	1·16	1·65	114	49	65	1	–	–	–	–	1	1	–	–	1	4	4	9	21	39	34
Respiratory ,,	2·73	3·08	2·35	223	130	93	36	32	8	2	7	85	5	–	1	1	4	5	11	20	37	54
Digestive ,,	1·04	0·95	1·14	85	40	45	14	2	1	–	1	18	3	–	4	1	3	1	5	9	28	13
Urinary ,,	0·28	0·33	0·25	23	14	9	–	–	–	–	–	–	–	–	–	–	4	1	1	3	8	6
Generative ,,	0·07	–	0·15	6	–	6	–	–	–	–	–	–	–	1	–	1	1	1	–	1	1	–
Puerperal Fever	0·12	–	0·25	10	–	10	–	–	–	–	–	–	–	–	–	1	2	7	–	–	–	–
Childbirth	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
Violence	0·73	1·21	0·25	60	51	9	2	1	2	–	–	5	5	4	3	3	2	5	8	10	5	4
OTHER CAUSES	2·34	2·21	2·45	189	93	96	62	4	–	1	2	69	1		7	3	2	8	6	10	23	67

Marriages		454	Annual Rate per 1000 living	Persons Married	11·12	Deaths from Childbirth and Puerperal Fever 5·94 per 1000 Births.
Births	Males	252		Births	28·87	
	Females	242				
		2,438				

* *See* pages xxxv. xxxvi.

† The death-rates under one year of age are per 1000 Births.

82.—EAST PRESTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·68	†94	–	–	–	–	33·40	3·51	2·30	3·90	4·36	6·62	9·36	13·79	22·94	51·17	120·68
Males	—	Standard 14·82	†104	–	–	–	–	37·10	3·50	2·20	4·18	5·56	7·90	11·47	14·63	26·48	54·86	125·95
Females	—	Population.* 12·59	†83	–	–	–	–	29·79	3·52	2·39	3·66	3·57	5·68	7·79	13·15	20·15	48·28	116·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 22·87 per cent.	29,379	685	660	681	697	690	3413	3420	3398	2924	2521	4003	3312	2610	1918	1241	619
Males		13,401	341	336	342	347	340	1706	1770	1681	1339	1008	1697	1412	1135	846	545	262
Females		15,978	344	324	339	350	350	1707	1650	1717	1585	1513	2306	1900	1475	1072	696	357
Deaths from All Causes, 1881–90. Persons	14·70	4,319	716	210	97	62	55	1140	120	78	114	110	265	310	360	440	635	747
Males	16·11	2,159	409	111	45	40	28	633	62	37	56	56	134	162	166	224	299	330
Females	13·52	2,160	307	99	52	22	27	507	58	41	58	54	131	148	194	216	336	417

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·15	0·19	0·12	45	26	19	9	13	6	6	2	36	4	2	–	–	2	–	1	–	–	–
Scarlet Fever	0·16	0·18	0·14	46	24	22	3	4	10	5	4	26	12	2	2	1	1	2	–	–	–	–
Diphtheria	0·20	0·19	0·20	58	26	32	1	4	2	5	10	22	25	4	2	1	1	–	–	1	2	–
Whooping-cough	0·36	0·33	0·38	105	44	61	46	31	17	7	2	103	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·16	0·09	36	22	14	–	–	1	–	1	2	2	5	7	4	7	3	5	–	1	–
Simple Continued Fever	0·01	0·01	0·01	3	2	1	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·37	0·49	0·27	108	65	43	76	12	3	2	1	94	2	–	–	–	1	–	1	1	3	6
Cholera	0·00.	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·60	0 92	227	80	147	–	–	1	–	–	1	2	–	1	1	2	25	50	59	53	33
Tabes Mesenterica	0·12	0·12	0·12	35	16	19	11	5	5	1	–	22	1	2	2	1	3	1	–	1	2	–
Phthisis	1·67	1·90	1·48	490	254	236	15	12	6	2	1	36	5	16	42	52	136	83	75	33	11	1
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	82	39	43	17	9	10	6	4	46	9	8	4	3	2	6	–	2	2	–
Diseases of Nervous System	1·89	2·10	1·72	555	281	274	128	28	8	5	5	174	21	10	3	6	9	28	35	63	114	92
Diseases of Circulatory „	1·82	1·72	1·90	535	231	304	7	1	1	–	–	9	1	7	11	8	18	39	64	110	153	115
Diseases of Respiratory „	1·97	2·43	1·60	580	325	255	127	55	20	15	13	230	17	3	12	5	21	28	38	49	94	83
Diseases of Digestive „	1·02	1·06	0·98	299	142	157	46	25	3	1	4	79	7	6	5	4	8	26	31	40	58	35
Diseases of Urinary „	0·37	0·53	0·24	110	71	39	1	–	–	1	–	2	1	1	2	4	7	13	13	21	29	17
Diseases of Generative „	0·04	0·01	0·06	11	1	10	–	–	–	–	–	–	–	–	–	–	1	–	6	–	2	2
Puerperal Fever	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	–	4	5	3	–	–	–	–
Childbirth	0·08	–	0·14	23	–	23	–	–	–	–	–	–	–	–	–	2	9	11	1	–	–	–
Violence	0·49	0·76	0·26	143	102	41	17	–	3	3	6	29	5	6	12	6	14	15	16	19	9	12
Other Causes	2·77	3·03	2·53	814	407	407	211	10	1	3	2	227	5	4	9	7	18	26	24	41	102	351

Marriages 1,663

Births { Males 3,942 / Females 3,681 } 7,623

Annual Rate per 1000 living { Persons Married 11·32 / Births 25·95

Deaths from Childbirth and Puerperal Fever 4·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

53.—WESTHAMPNETT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate { Persons / Males / Females } per 1000	—			In 12 Standard 13·89 Population.* 11·95			136	–	–	–	–	29·85	4·35	2·87	3·15	5·74	5·55	8·34	12·01	21·32	18·70	150·74
	—						†97	–	–	–	–	52·73	4·86	3·52	3·51	5·92	6·18	9·23	14·60	24·48	23·48	144·19
	—						†74	–	–	–	–	26·96	4·23	2·96	2·78	6·17	4·89	7·58	10·24	18·44	14·48	149·06
Mean Popn. { Persons / Males / Females }	Deaths at Different Ages in proportion to 1000 Deaths at all Ages.			20,643			500	488	510	520	521	2539	2504	2331	1840	1463	9884	2291	1966	1496	1074	544
				10,029			239	250	262	263	260	1274	1276	1169	941	670	1262	1085	880	715	503	236
				10,614			261	238	248	257	261	1265	1228	1162	899	794	1422	1208	1086	781	571	278
Deaths from { Persons / All Causes. / Males / Females }	15·83			3,164			485	141	56	43	33	758	114	67	58	84	149	191	220	319	523	672
	16·94			1,699			283	60	31	24	22	447	62	33	33	36	78	100	126	175	269	341
	14·90			1,465			202	81	25	22	11	341	52	34	25	49	71	91	103	144	254	331
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·08	0·15	0·01	16	15	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	8	5
Measles	0·07	0·11	0·03	14	11	3	5	4	3	–	–	12	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·08	17	9	8	1	2	1	–	3	7	5	3	1	–	–	–	–	1	–	–
Diphtheria	0·16	0·20	0·12	33	20	13	2	4	5	10	7	28	27	12	2	1	1	1	–	1	–	–
Whooping-cough	0·24	0·21	0·26	49	21	28	27	14	3	1	1	46	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·17	0·23	41	17	24	–	1	2	1	–	4	4	7	5	6	5	6	4	–	–	–
Simple Continued Fever	0·06	0·08	0·04	12	8	4	–	–	–	1	–	1	–	1	–	–	2	1	1	1	2	3
Diarrhœa and Dysentery	0·22	0·27	0·17	45	27	18	22	3	1	2	–	28	1	–	–	2	1	–	–	3	4	1
Cholera	0·00	0·01	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·59	0·72	135	59	76	–	–	–	1	–	1	–	–	–	–	2	4	30	30	59	18
Tabes Mesenterica	0·12	0·19	0·05	24	19	5	6	8	3	–	–	17	3	1	–	1	1	1	–	–	–	–
Phthisis	1·47	1·73	1·26	304	173	131	1	1	1	–	–	3	3	7	28	41	62	69	45	32	11	3
Other Tub. & Scrof. Dis.	0·26	0·20	0·23	53	20	24	14	7	1	2	2	26	10	4	4	2	3	1	1	1	1	–
Nervous System	2·23	2·35	2·23	463	236	227	72	25	12	8	6	123	13	6	3	5	11	12	25	45	149	100
Circulatory	1·55	1·59	1·55	327	159	168	2	–	–	1	–	3	3	2	2	5	10	20	34	63	92	86
Respiratory	2·45	2·74	2·17	505	275	230	103	53	16	13	8	192	22	2	4	6	14	18	24	45	78	100
Digestive	1·13	1·13	1·13	232	112	120	36	11	1	1	1	50	6	4	2	2	8	17	26	32	43	52
Urinary	0·43	0·66	0·25	93	66	26	1	–	–	–	–	1	–	3	–	2	2	6	12	12	32	23
Generative	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	–	–	1	3	1	2	1	3
Puerperal Fever	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–
Childbirth	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	1	1	2	7	–	–	–	–
Violence	0·96	0·93	0·97	191	92	99	10	1	6	–	3	20	3	11	3	6	9	15	13	20	11	10
Other Causes	2·57	3·07	2·32	530	310	320	189	8	1	1	2	199	6	4	3	3	10	7	16	24	56	205

Marriages 1,163

Births { Males 2,929 / Females 2,736 } 5,665

Annual Rate per 1000 living { Persons Married 11·72 / Births 27·44

Deaths from Childbirth and Puerperal Fever 5 — 3·18 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

84.—CHICHESTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·54	†109	–	–	–	–	39·21	4·28	3·28	5·08	4·79	9·66	14·91	19·32	30·75	64·59	142·86
Males	—	19·44	†126	–	–	–	–	42·27	5·52	2·24	4·60	5·78	11·38	17·58	27·36	34·85	79·17	137·31
Females	—	15·74	†92	–	–	–	–	36·13	3·05	4·33	5·57	3·98	8·26	12·40	12·72	27·54	54·55	146·30
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·96 per cent.	8,228	180	183	183	190	195	931	912	885	945	731	1097	939	730	530	353	175
Males		3,900	85	93	96	98	94	466	453	446	478	329	492	455	329	241	144	67
Females		4,328	95	90	87	92	101	465	459	439	467	402	605	484	401	289	209	108
Deaths from All Causes, 1881–90. Persons	18·77	1,544	238	65	29	15	18	365	39	29	48	35	106	140	141	163	228	250
Males	20·23	789	140	29	13	8	7	197	25	10	22	19	56	80	90	84	114	92
Females	17·44	755	98	36	16	7	11	168	14	19	26	16	50	60	51	79	114	158

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·03	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·22	0·21	0·23	18	8	10	1	5	5	2	2	15	1	–	2	–	–	–	–	–
Scarlet Fever	0·05	–	0·09	4	–	4	–	–	1	–	–	1	1	–	–	1	1	–	–	–
Diphtheria	0·21	0·18	0·23	17	7	10	–	2	1	–	7	10	4	1	1	–	–	–	1	–
Whooping-cough	0·50	0·51	0·49	41	20	21	26	11	1	2	1	41	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·40	0·49	0·32	33	19	14	–	1	–	–	2	3	3	5	3	4	9	2	1	2	1	–
Simple Continued Fever	0·02	0·03	0·02	2	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·45	0·46	0·44	37	18	19	27	1	1	–	–	29	–	–	–	–	2	–	1	–	–	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1·18	0·95	1·39	97	37	60	–	–	–	1	–	1	–	1	1	–	2	11	26	18	25	12
Tabes Mesenterica	0·11	0·08	0·14	9	3	6	4	2	–	1	–	7	1	1	–	–	–	–	–	–	–	–
Phthisis	2·24	2·85	1·69	184	111	73	3	1	–	1	1	6	5	5	15	10	47	43	22	19	9	3
Other Tub. & Scrof. Dis.	0·38	0·44	0·32	31	17	14	8	5	5	–	–	18	4	1	3	–	3	2	–	–	–	–
Diseases of Nervous System	2·24	2·23	2·24	184	87	97	23	9	2	–	2	36	1	2	3	–	6	9	15	24	46	42
Diseases of Circulatory „	1·48	1·59	1·39	122	62	60	3	–	–	–	–	3	1	4	1	4	6	14	18	17	34	20
Diseases of Respiratory „	3·04	3·21	2·89	250	125	125	50	19	7	6	2	84	6	1	2	3	7	16	17	28	36	50
Diseases of Digestive „	1·37	1·51	1·25	113	59	54	16	2	–	2	–	20	–	2	3	2	4	9	14	20	26	13
Diseases of Urinary „	0·73	1·08	0·42	60	42	18	2	–	–	–	–	2	1	–	3	2	3	5	7	11	11	15
Diseases of Generative „	0·11	0·03	0·18	9	1	8	–	–	–	–	–	–	–	–	1	–	1	3	–	1	3	–
Puerperal Fever	0·10	–	0·18	8	–	8	–	–	–	–	–	–	–	–	–	2	2	4	–	–	–	–
Childbirth	0·04	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Violence	0·73	1·00	0·49	60	39	21	3	–	4	–	–	7	5	3	4	5	2	7	6	9	5	7
OTHER CAUSES	3·16	3·35	2·97	261	132	129	71	6	2	–	1	80	6	3	6	2	9	14	13	14	31	83

Marriages - - - 552

Births - { Males - 1,114 / Females - 1,070 } 2,184

Aunual Rate per 1000 living { Persons Married 13·42 / Births - - 26·54

Deaths from Childbirth and Puerperal Fever - - - - - } 5·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

85.—MIDHURST.

Causes of Death.	Crude Death-rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
[illegible]	[illegible]	In Standard Population* 17·04 / 13·23 / 13·86	†85	-	-	-	-	29·57	4·07	2·15	1·18	·49	6·26	7·78	12·56	26·14	59·76	141·14
[illegible]	[illegible]		†98	-	-	-	-	33·63	5·83	3·00	1·06	3·04	5·98	8·21	13·25	30·48	49·28	130·87
[illegible]	[illegible]		†71	-	-	-	-	25·47	4·32	2·41	1·32	3·35	6·55	7·24	11·87	25·25	52·38	142·47
[illegible]	[illegible]	14,085 / 7,193 / 6,892	370	359	359	372	346	1806	1770	1673	1244	1057	1788	1527	1236	998	662	269
			174	180	188	183	173	907	913	850	689	636	887	767	634	510	347	123
			196	179	171	189	173	899	857	823	555	421	901	760	632	488	315	146
[illegible]	[illegible]	2,099 / 1,104 / 995	335	108	41	29	21	534	72	36	52	58	113	118	159	200	336	422
			199	57	23	16	10	305	55	17	28	27	53	65	84	107	171	244
			136	51	18	13	11	229	37	19	24	31	59	55	75	93	165	208

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
[illegible]	0·04	0·04	0·04	6	3	3	-	-	-	-	-	-	1	-	2	-	1	-	1	1	-
[illegible]	0·13	0·13	0·15	19	9	10	7	1	3	2	-	16	3	-	-	-	-	-	-	-	-
[illegible]	0·18	0·18	0·17	25	13	12	-	2	2	4	3	11	14	3	-	1	-	-	-	-	-
[illegible]	0·28	0·25	0·32	40	18	22	1	2	4	3	5	15	15	6	1	-	1	1	1	-	-
[illegible]	0·29	0·31	0·28	41	23	19	21	5	6	4	1	38	2	-	1	-	-	-	-	-	-
[illegible]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
[illegible]	0·16	0·14	0·19	23	10	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
[illegible]	0·02	0·01	0·03	3	1	2	-	-	-	-	-	-	-	3	2	6	3	2	4	3	1
[illegible]	0·16	0·13	0·20	23	9	14	5	2	1	-	1	9	2	-	-	1	-	-	1	1	4
[illegible]	0·01	0·01	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
[illegible]	0·50	0·43	0·57	70	31	39	-	-	-	-	-	-	-	-	-	-	-	5	15	19	19
[illegible]	0·18	0·23	0·15	26	16	10	13	7	1	-	-	21	2	1	1	-	-	1	-	-	-
[illegible]	1·42	1·40	1·44	200	101	99	1	-	-	-	-	1	3	4	2	30	58	31	30	19	4
[illegible]	0·34	0·35	0·33	48	25	23	10	11	4	1	2	28	3	3	1	1	4		2	1	-
[illegible]	1·82	1·78	1·86	256	128	128	41	17	1	-	2	61	6	4	3	5	5	12	18	8	1
[illegible]	1·72	1·67	1·77	242	120	122	1	-	-	-		1	1	1	3	3	4	12	25	7	1
[illegible]	2·15	2·40	1·79	302	179	123	67	25	11	10	1	117	12	-	3	3	6	11	11	2	-
[illegible]	1·00	0·99	1·02	141	71	70	24	14	-	3	-	40	2	2	-	1	5	-	18	3	1
[illegible]	0·30	0·50	0·22	51	36	15	-	-	1	-	-	1	-	1	-	2	3	1	8	1	-
[illegible]	0·05	-	0·10	7	-	7	-	-	-	-		-	-	-	-	-	-	-	2	2	1
[illegible]	0·06	-	0·12	8	-	8	-	-	-	-		-	-	-	-	2	4	-	-	-	-
[illegible]	0·09	-	0·17	13	-	13	-	-	-	-		-	-	-	-	-	7	-	-	-	-
[illegible]	0·43	0·64	0·22	61	46	15	4	1	3	2	3	13	3	1	2	3	2	13	4	2	5
[illegible]	3·51	3·68	3·30	494	265	229	140	11	4	1	3	159	3	3	7	1	10	11	16	17	59

Marriages	-	750	Annual Rate per 1000 living	Persons Married	10·65
Births	Males 2,037 / Females 1,916	3,953		Births	28·07

Deaths from Childbirth and Puerperal Fever - 5·06 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

86.—WESTBOURNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 12·11	†84	–	–	–	–	27·70	3·71	1·82	2·89	5·94	4·72	7·53	11·44	23·01	45·48	130·93
Males	—	Standard 12·38	†87	–	–	–	–	27·91	3·63	1·42	2·81	5·81	3·75	8·97	14·29	24·70	44·56	152·22
Females	—	Population* 11·86	†82	–	–	–	–	27·49	3·79	2·24	3·01	6·06	5·62	6·19	8·67	21·25	46·58	112·50
Mean Population, 1881-91. Persons	Decennial Decrease of Population 4·53 per cent.	7,252	200	186	182	205	191	964	916	824	622	505	890	810	682	491	354	194
Males		3,647	99	92	80	105	97	473	468	422	356	241	427	390	336	251	193	90
Females		3,605	101	94	102	100	94	491	448	402	266	264	463	420	346	240	161	104
Deaths from All Causes, 1881-90. Persons	14·80	1,073	179	50	25	4	9	267	34	15	18	30	42	61	78	113	161	254
Males	15·44	563	93	22	14	–	3	132	17	6	10	14	16	35	48	62	86	137
Females	14·15	510	86	28	11	4	6	135	17	9	8	16	26	26	30	51	75	117

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·11	0·11	8	4	4	2	4	1	–	–	7	1	–	–	–	–	–
Scarlet Fever	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Diphtheria	0·32	0·19	0·44	23	7	16	–	1	5	1	4	11	3	3	–	–	1	–	–	–
Whooping-cough	0·39	0·41	0·36	28	15	13	18	6	2	–	–	26	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·28	0·27	0·28	20	10	10	–	1	–	–	–	1	3	2	5	3	1	3	–	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·16	0·19	13	6	7	7	2	–	–	–	9	1	–	–	–	–	–	–	–	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·77	0·89	60	28	32	–	1	–	–	–	1	–	–	–	–	–	3	8	13	24	11
Tabes Mesenterica	0·06	0·03	0·08	4	1	3	2	1	–	–	–	3	–	–	1	–	–	–	–	–	–	–
Phthisis	1·39	1·54	1·25	101	56	45	1	–	–	–	–	1	1	2	5	12	20	16	22	13	8	1
Other Tub. & Scrof. Dis.	0·22	0·22	0·22	16	8	8	7	3	4	–	–	14	1	1	–	–	–	–	–	–	–	–
Diseases of Nervous System	2·11	2·14	2·08	153	78	75	28	3	4	1	–	36	2	2	1	1	2	3	5	15	28	53
Diseases of Circulatory „	1·37	1·29	1·44	99	47	52	1	–	–	–	–	1	–	1	1	4	4	8	12	18	22	28
Diseases of Respiratory „	2·83	3·26	2·39	205	119	86	33	16	5	1	3	58	9	2	–	1	4	6	11	18	33	63
Diseases of Digestive „	1·19	1·18	1·19	86	43	43	17	4	–	1	–	22	2	–	1	2	–	3	14	13	19	10
Diseases of Urinary „	0·36	0·58	0·14	26	21	5	–	–	–	–	–	–	–	–	–	–	2	3	2	8	5	6
Diseases of Generative „	0·06	–	0·11	4	–	4	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–
Puerperal Fever	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Childbirth	0·06	–	0·11	4	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
Violence	0·46	0·63	0·28	33	23	10	2	4	3	–	2	11	–	–	1	1	–	2	3	7	2	6
Other Causes	2·50	2·66	2·42	184	97	87	61	4	1	–	–	66	4	1	3	4	2	6	1	5	19	73

Marriages - - - 403

Births { Males - 1,074 / Females - 1,048 } 2,122

Annual Rate per 1000 living { Persons Married 11·11 / Births - - 29·26

Deaths from Childbirth and Puerperal Fever - - - - - 4·24 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

87.—HAVANT.

Causes of Death	Crude Death Rate per 1000	All Ages	Under 1 Year	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Average Annual Deaths (Persons)	—	In Standard Population*	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	138·53
Average Annual Deaths (Males)	—		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	151·16
Average Annual Deaths (Females)	—		187	—	—	—	—	37·30	5·61	5·04	4·01	4·50	6·46	8·28	11·21	25·30	49·56	128·83
Mean Population (Persons)	Decennial Estimates as Enumerated in 1881, 1891	9,267	244	246	234	208	245	1164	1057	1121	871	695	1198	1031	826	642	425	197
Mean Population (Males)		4,417	120	104	114	106	125	579	542	595	397	308	532	474	389	314	204	86
Mean Population (Females)		4,850	124	142	120	102	120	585	555	526	474	387	666	557	437	328	224	111
Deaths (Persons)	16·42	1,522	47	40	28	31	29	184	63	27	33	30	74	95	110	147	225	273
Deaths (Males)	17·03	757	141	34	13	33	13	224	35	11	14	23	33	49	61	64	115	150
Deaths (Females)	15·77	765	114	46	15	18	17	210	30	16	19	17	41	46	49	83	111	143

Causes of Death	Persons	Males	Females	All Ages: Persons	All Ages: Males	All Ages: Females	Persons: Under 1 Year	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·06	0·10	15	10	5	2	5	1	2	1	11	3	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·06	0·07	0·04	5	3	2	—	2	1	—	1	4	—	1	—	—	—	—	—	—	—	—
Diphtheria	0·38	0·32	0·44	54	23	31	1	3	7	7	12	30	20	—	—	—	2	—	—	—	—	—
Whooping-cough	0·19	0·14	0·25	18	6	12	10	4	2	2	—	18	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·32	0·36	0·29	30	16	14	—	2	1	—	—	3	7	2	7	4	1	2	—	2	2	3
Simple Continued Fever	0·05	0·02	0·08	5	1	4	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Dysentery and Diarrhœa	0·35	0·41	0·29	32	18	14	18	1	1	2	—	22	2	—	1	—	—	—	—	—	3	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·82	1·13	0·49	76	28	48	—	1	—	—	—	1	—	—	—	—	1	6	13	13	28	9
Tabes Mesenterica	0·14	0·16	0·12	13	7	6	3	5	1	—	—	9	—	3	—	—	—	1	—	—	—	—
Phthisis	1·72	1·92	1·53	159	85	74	5	1	—	1	—	7	4	4	14	20	28	27	30	17	7	1
Other Tub. & Scrof. Dis.	0·32	0·32	0·32	48	23	25	14	10	5	—	1	30	6	3	—	—	2	1	2	—	2	—
Nervous System	2·05	2·17	1·94	190	96	94	45	10	—	—	3	58	4	2	1	3	—	10	8	24	32	48
Circulatory	1·89	1·79	1·84	167	79	88	1	—	—	—	—	1	2	—	1	1	1	10	17	33	54	44
Respiratory	2·72	3·06	2·40	250	134	121	53	27	6	8	10	105	6	—	3	1	3	11	14	21	24	60
Digestive	1·26	1·25	1·27	117	56	61	7	10	1	1	—	19	4	1	1	—	—	2	6	13	24	20
Urinary	0·71	0·45	0·96	66	20	46	32	1	—	—	—	33	1	2	—	—	4	3	1	2	11	7
Generative	0·04	—	0·08	4	—	4	—	1	—	1	—	2	—	—	—	—	—	—	2	—	—	—
Parturition	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Childbirth	0·03	—	0·06	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Violence	0·47	0·36	0·57	44	19	25	4	—	2	4	1	11	2	3	2	7	2	4	2	3	1	3
Other Causes	2·63	2·48	2·78	244	109	135	91	7	—	3	1	102	1	1	3	1	3	12	8	15	25	70

Marriages		329	Annual Rate per 1000 living	Persons Married	11·22	Deaths from Childbirth and Puerperal Fever 6·04 per 1000 Births.
Births	Males 1,396 / Females 1,255	2,651		Births	28·61	

* See page xxxv. ARMY.

† The death rates under one year of age are per 1000 Births.

88.—PORTSEA ISLAND.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 19·07	†139	–	–	–	–	57·61	5·52	2·86	4·25	5·38	7·84	11·84	17·96	29·55	61·77	148·33
Annual Death-Rate per 1000. Males	—	Standard 20·20	†152	–	–	–	–	62·70	5·31	2·81	3·89	5·63	8·16	12·72	20·17	33·70	66·30	154·32
Annual Death-Rate per 1000. Females	—	Population* 18·01	†125	–	–	–	–	52·55	5·74	2·90	4·59	5·15	7·55	11·03	15·89	25·99	58·33	144·46
Mean Population, 1881–91. Persons	Decennial Increase of Population 24·41 per cent.	143,650	3950	3557	3659	3626	3574	18366	16405	14709	14108	13800	22502	16906	12238	8277	4690	1649
Mean Population, 1881–91. Males		69,486	1944	1786	1852	1811	1772	9165	8264	7219	6963	6639	10734	8084	5924	3822	2024	648
Mean Population, 1881–91. Females		74,164	2006	1771	1807	1815	1802	9201	8141	7490	7145	7161	11768	8822	6314	4455	2666	1001
Deaths from All Causes, 1881–90. Persons	18·80	27,002	6592	2120	885	563	421	10581	906	420	599	743	1765	2001	2198	2446	2897	2446
Deaths from All Causes, 1881–90. Males	19·81	13,762	3678	1089	464	297	218	5746	439	203	271	374	876	1028	1195	1288	1342	1000
Deaths from All Causes, 1881–90. Females	17·85	13,240	2914	1031	421	266	203	4835	467	217	328	369	889	973	1003	1158	1555	1446

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	0·01	0·00	7	4	3	–	–	–	–	–	–	–	–	5	1	1	–	–	–	–
Measles	0·44	0·47	0·40	625	325	300	109	267	92	68	33	569	52	2	–	–	2	–	–	–	–
Scarlet Fever	0·13	0·13	0·13	184	89	95	10	28	31	27	24	120	45	11	–	2	4	2	–	–	–
Diphtheria	0·44	0·46	0·42	630	321	309	18	68	81	98	89	354	218	30	10	3	5	5	2	1	2
Whooping-cough	0 37	0·35	0·39	526	240	286	214	180	74	32	15	515	11	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·44	0·43	0·46	636	298	338	13	19	35	22	25	114	74	69	69	71	112	53	32	25	15
Simple Continued Fever	0·05	0·05	0·05	71	32	39	3	6	7	4	10	30	12	2	–	4	1	5	5	7	5
Diarrhœa and Dysentery	0·83	0·90	0·76	1190	627	563	856	146	23	1	5	1031	5	2	2	9	21	9	15	16	45
Cholera	0·01	0·01	0·01	12	6	6	6	3	–	–	–	9	1	–	–	–	1	–	–	–	1
Cancer	0·66	0·47	0·85	953	324	629	–	1	1	1	–	3	–	2	5	8	30	109	216	257	233
Tabes Mesenterica	0·44	0·54	0·35	630	373	257	412	115	35	13	8	583	17	11	10	4	4	–	1	–	–
Phthisis	1·97	2·15	1·79	2822	1497	1325	28	22	11	14	11	86	55	69	210	303	689	651	448	224	78
Other Tub. & Scrof. Dis.	0·37	0·43	0·31	532	299	233	156	93	58	32	33	372	64	33	12	12	12	9	6	8	2
Diseases of Nervous System	2·63	2·89	2·38	3774	2006	1768	1052	236	92	48	32	1460	78	43	60	42	153	251	322	412	585
Diseases of Circulatory „	1·57	1·67	1·47	2249	1160	1089	15	6	3	2	3	29	28	33	51	47	149	244	361	457	534
Diseases of Respiratory „	3·42	3·55	3·29	4905	2465	2440	1313	689	245	137	97	2481	127	33	36	49	126	209	285	444	646
Diseases of Digestive „	1·02	1 02	1·03	1471	706	765	346	105	26	13	6	496	27	23	19	36	96	141	188	194	165
Diseases of Urinary „	0·43	0·55	0·31	615	382	233	3	7	6	3	3	22	9	2	8	18	56	72	100	136	132
Diseases of Generative „	0·05	0·01	0·08	67	7	60	2	–	–	1	–	3	–	–	2	5	10	7	17	5	14
Puerperal Fever	0·08	–	0·16	119	–	119	–	–	–	–	–	–	–	–	8	23	62	25	1	–	–
Childbirth	0·04	–	0·09	64	–	64	–	–	–	–	–	–	–	–	2	12	26	24	–	–	–
Violence	0·55	0·78	0·33	783	542	241	137	32	31	26	13	239	29	17	38	46	89	72	86	71	51
Other Causes	2·86	2·94	2·79	4137	2059	2078	1899	97	34	21	14	2065	54	38	57	44	116	112	113	189	389

Marriages - - - 13,518

Births - { Males - 24,146 / Females - 23,376 } 47,522

Annual Rate per 1000 living { Persons Married 18·82 / Births - - 33·08

Deaths from Childbirth and Puerperal Fever - - - - - } 3·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

89.—ALVERSTOKE.

CAUSES OF DEATH	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 { Persons / Males / Females	— / — / —	In Standard Population* 19·22 / 22·07 / 16·33	+123 / +127 / +119	– / – / –	– / – / –	– / – / –		49·47 / 52·35 / 46·67	4·76 / 5·09 / 4·41	2·12 / 1·79 / 2·54	6·76 / 7·82 / 5·62	8·66 / 11·15 / 4·33	11·72 / 16·02 / 6·44	15·23 / 19·93 / 10·02	21·17 / 26·37 / 16·02	30·64 / 35·90 / 25·58	60·44 / 60·01 / 55·74	140·23 / 145·81 / 135·64
Mean Population in 1885-90 { Persons / Males / Females	Decennial Increase of Population 17·85 per cent.	23,518 / 12,881 / 10,637	649 / 327 / 322	592 / 304 / 288	609 / 292 / 317	606 / 291 / 315	578 / 288 / 290	3034 / 1502 / 1532	2711 / 1374 / 1337	2260 / 1119 / 1141	2367 / 1471 / 896	2539 / 1615 / 924	3807 / 2098 / 1709	2613 / 1375 / 1238	1800 / 895 / 905	1273 / 624 / 649	771 / 353 / 418	343 / 155 / 188
Deaths from All Causes in 1885-90 { Persons / Males / Females	19·64 / 21·45 / 17·56	4,620 / 2,759 / 1,921	952 / 505 / 447	297 / 154 / 143	120 / 57 / 63	75 / 42 / 33	57 / 28 / 29	1501 / 786 / 715	129 / 70 / 59	48 / 19 / 29	160 / 115 / 45	220 / 180 / 40	446 / 336 / 110	398 / 274 / 124	381 / 236 / 145	390 / 224 / 166	466 / 233 / 233	481 / 226 / 255

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	0·02	4	2	2	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–
Measles	0·48	0·52	0·42	112	66	46	25	43	20	7	4	99	11	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·15	0·16	0·14	35	20	15	2	7	3	6	5	23	11	–	–	1	–	–	–	–	–	–
Diphtheria	0·17	0·11	0·23	39	14	25	–	1	4	4	6	15	15	2	4	1	–	1	1	–	–	–
Whooping-cough	0·29	0·21	0·37	68	27	41	35	14	5	4	2	63	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Enteric Fever	0·33	0·50	0·13	77	63	14	–	2	–	2	1	5	2	3	12	23	19	5	3	–	–	–
Simple Continued Fever	0·05	0·05	0·07	14	6	8	–	–	1	4	–	5	4	–	3	1	–	–	2	–	–	–
Remittent and Undetermined Dysentery	0·68	0·69	0·66	159	87	73	108	16	4	–	3	131	1	–	–	5	4	7	–	3	5	3
Cholera	0·01	0·01	0·02	3	1	2	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·34	0·32	0·36	80	42	38	1	–	–	–	–	1	–	–	–	–	3	12	29	43	44	18
Tabes Mesenterica	0·43	0·46	0·38	100	58	42	61	25	4	2	–	92	4	–	1	–	1	–	1	–	1	–
Phthisis	2·36	3·07	1·54	554	386	168	10	2	1	–	4	17	6	10	50	64	177	135	58	29	7	1
Other Tub. & Scrof. Dis.	0·34	0·41	0·26	80	52	28	26	17	7	3	–	54	5	7	1	3	4	4	–	1	–	1
Diseases of Nervous System	2·48	2·70	2·24	584	339	245	153	43	10	11	2	228	16	5	17	14	23	25	54	56	80	64
" Circulatory	1·73	1·82	1·63	407	229	178	1	1	–	1	1	4	–	3	8	9	33	54	70	85	78	58
" Respiratory	3·29	3·64	2·75	769	458	311	185	85	34	23	20	348	24	2	22	31	57	47	39	49	77	63
" Digestive	1·22	1·23	1·23	288	154	134	40	24	6	–	2	78	8	3	7	10	23	28	39	44	30	18
" Urinary	0·53	0·81	0·45	140	102	47	4	–	1	–	2	7	2	1	4	3	16	23	28	29	22	14
" Generative	0·07	0·03	0·12	17	4	13				–	–	–	–	–	1	1	4	3	4	2	2	–
Puerperal Fever	0·08		0·17	19	–	19				–	–	–	–	–	–	4	10	4	1	–	–	–
Childbirth	0·03		0·07	8	–	8				–	–	–	–	–	2	–	2	1	–	–	–	–
Violence	0·84	0·98	0·68	151	119	31	18	1	3	5	2	29	4	2	9	17	35	16	13	9	13	5
OTHER CAUSES	3·58	3·43	3·63	841	445	396	450	19	4	3	3	299	11	4	18	25	35	26	39	41	107	236

Marriages – 1,893

Births { Males – 3,761 / Females – 3,711 } 7,472

Annual Rate per 1000 living { Persons Married 15·41 / Births – 32·85

Deaths from Childbirth and Puerperal Fever } 3·50 per 1000 Births.

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

90.—FAREHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 17·71 19·16 16·33	†97	–	–	–	–	36·69	4·52	2·96	5·03	6·83	9·41	17·30	21·76	30·85	59·93	150·51
Males	—		†111	–	–	–	–	41·22	4·72	2·12	4·22	6·70	9·97	22·30	26·42	36·57	60·84	150·83
Females	—		†81	–	–	–	–	32·23	4·32	3·88	5·98	6·96	8·89	12·64	17·67	25·50	59·20	150·23
Mean Population, 1881-91. Persons	Decennial Increase of Population 13·33 per cent.	17,943	434	417	432	435	430	2148	1992	1990	1630	1464	2433	2000	1691	1342	857	396
Males		8,895	213	204	222	215	211	1065	996	1037	877	746	1184	964	791	648	406	181
Females		9,048	221	213	210	220	219	1083	996	953	753	718	1249	1036	900	694	451	215
Deaths from All Causes, 1881-90. Persons	19·99	3,586	500	156	55	42	35	788	90	59	82	100	229	346	368	414	514	596
Males	21·29	1,894	293	81	29	18	18	439	47	22	37	50	118	215	209	237	247	273
Females	18·70	1,692	207	75	26	24	17	349	43	37	45	50	111	131	159	177	267	323

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·04	–	4	4	–	1	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–
Measles	0·13	0·13	0·12	23	12	11	3	11	1	4	2	21	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·03	0·07	9	3	6	–	5	–	3	–	8	–	–	1	–	–	–	–	–	–	–
Diphtheria	0·28	0·28	0·29	51	25	26	1	6	6	3	5	21	21	7	–	1	–	1	–	–	–	–
Whooping-cough	0·27	0·24	0·30	48	21	27	23	10	9	–	3	45	2	–	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·46	0·44	0·48	82	39	43	–	1	1	5	–	7	6	14	14	12	12	8	5	3	1	–
Simple Continued Fever	0·03	0·03	0·02	5	3	2	–	–	–	1	1	2	–	1	1	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·38	0·45	0·31	68	40	28	33	9	1	–	–	43	–	–	3	–	–	2	5	6	5	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·71	0·53	0·90	128	47	81	–	–	1	–	–	1	–	–	–	–	5	10	26	37	35	14
Tabes Mesenterica	0·21	0·22	0·20	38	20	18	19	8	1	–	1	29	1	3	1	1	–	1	–	2	–	–
Phthisis	2·03	2·02	2·03	364	180	184	3	3	–	1	2	9	6	9	23	42	78	74	70	40	12	1
Other Tub. & Scrof. Dis.	0·25	0·27	0·22	44	24	20	10	13	5	1	3	32	5	–	2	–	2	–	1	2	–	–
Diseases of Nervous System	4·93	5·74	4·14	885	510	375	89	21	8	6	3	127	15	6	14	21	68	144	114	115	168	93
Diseases of Circulatory „	2·11	2·10	2·11	378	187	191	2	1	–	–	–	3	2	3	3	3	12	31	51	76	117	77
Diseases of Respiratory „	2·49	2·78	2·20	446	247	199	87	45	18	12	7	169	20	3	3	2	15	22	39	46	69	58
Diseases of Digestive „	0·73	0·74	0·72	131	66	65	16	8	1	2	2	32	–	2	2	5	6	11	17	29	12	15
Diseases of Urinary „	0·38	0·47	0·30	69	42	27	–	–	1	–	–	1	–	–	2	2	2	7	8	23	11	13
Diseases of Generative „	0·03	–	0·07	6	–	6	–	–	–	–	–	–	1	–	–	–	–	1	2	–	2	–
Puerperal Fever	0·06	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	2	4	3	1	–	–	–
Childbirth	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	3	–	3	1	–	–	–	–
Violence	0·58	0·92	0·24	104	82	22	8	4	–	2	3	17	6	4	–	5	13	12	16	13	11	7
OTHER CAUSES	3·82	3·86	3·79	686	342	344	202	11	2	2	3	220	4	6	10	3	9	16	13	21	71	313

Marriages 973

Births { Males 2,635 / Females 2,540 } 5,175

Annual Rate per 1000 living { Persons Married 10·85 / Births 28·84

Deaths from Childbirth and Puerperal Fever 3·29 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

91.—ISLE OF WIGHT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·28	†89	–	–	–	–	32·05	3·78	2·46	4·46	6·49	8·63	10·39	12·43	22·96	50·22	138·43
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·58	†100	–	–	–	–	35·44	3·49	2·03	5·01	8·55	10·64	12·85	15·50	25·45	51·78	140·87
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·06	†78	–	–	–	–	28·67	4·07	2·89	4·01	4·95	7·00	8·30	9·84	20·82	48·85	136·42
Mean Population 1881-90. Persons	Decennial Increase of Population 6·84 per cent.	76,125	1762	1687	1800	1737	1770	8756	8471	8017	7371	6057	11037	8971	7121	5130	3188	1374
Mean Population 1881-90. Males	Decennial Increase of Population 6·84 per cent.	38,597	896	814	893	875	890	4368	4218	3999	3454	2812	4972	4118	3250	2373	1485	649
Mean Population 1881-90. Females	Decennial Increase of Population 6·84 per cent.	40,446	866	873	907	862	880	4388	4253	4018	3917	3245	6125	4853	3872	2757	1703	755
Deaths from All Causes, 1881-90. Persons	15·16	11,541	1770	497	276	167	136	2846	320	197	330	432	958	932	885	1178	1491	1969
Deaths from All Causes, 1881-90. Males	16·80	6,000	1004	271	127	80	66	1348	147	81	173	243	529	529	565	604	768	872
Deaths from All Causes, 1881-90. Females	13·70	5,541	766	226	109	87	70	1258	173	116	157	189	429	403	320	574	832	1030

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·00	0·01	–	2	2	–
Measles	0·20	0·24	0·17	154	86	68
Scarlet Fever	0·07	0·07	0·08	55	24	31
Diphtheria	0·24	0·25	0·24	181	82	99
Whooping-cough	0·25	0·25	0·24	190	91	99
Typhus	–	–	–	–	–	–
Enteric Fever	0·15	0·17	0·13	112	59	53
Simple Continued Fever	0·05	0·04	0·02	22	13	9
Diarrhœa and Dysentery	0·20	0·21	0·19	150	74	76
Cholera	0·01	0·00	0·01	4	1	3
Cancer	0·63	0·45	0·79	483	162	321
Tabes Mesenterica	0·12	0·14	0·10	88	49	39
Phthisis	2·17	2·72	1·68	1650	971	679
Other Tub. & Scrof. Dis.	0·41	0·42	0·39	310	151	159
Nervous System	1·90	2·13	1·70	1446	760	686
Circulatory	1·69	1·76	1·62	1286	639	656
Respiratory	2·35	2·66	2·07	1787	950	837
Digestive	0·91	0·99	0·84	695	355	340
Urinary	0·12	0·04	0·23	522	227	95
Generative	0·06	0·01	0·10	44	4	40
Puerperal Fever	0·06	–	0·11	43	–	43
Childbirth	0·06	–	0·11	43	–	43
Accidents	0·40	0·80	0·22	305	285	20
Other Causes	2·74	2·86	2·66	2099	1024	1075

	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Persons.																
Small-pox	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Measles	30	49	21	21	13	134	17	–	2	–	1	–	–	–	1	–
Scarlet Fever	2	8	9	6	4	29	19	3	–	2	1	–	–	–	–	–
Diphtheria	4	13	26	24	19	86	57	19	6	–	5	1	3	2	–	–
Whooping-cough	98	46	21	18	6	184	6	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	4	–	3	9	8	14	17	15	26	16	5	2	–	–
Simple Continued Fever	3	–	1	–	1	5	1	2	3	2	3	1	2	–	1	2
Diarrhœa and Dysentery	76	17	7	2	1	103	2	–	2	3	5	3	1	2	7	27
Cholera	2	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–
Cancer	1	1	2	–	1	5	–	–	2	3	15	46	90	144	117	61
Tabes Mesenterica	36	13	6	2	–	57	11	2	3	4	8	1	1	–	–	1
Phthisis	5	6	2	3	–	16	17	36	140	241	522	357	188	94	30	9
Other Tub. & Scrof. Dis.	63	33	16	22	24	158	40	27	28	12	20	3	8	8	2	4
Nervous System	261	66	29	14	6	367	28	16	20	11	54	69	113	194	294	280
Circulatory	9	–	1	–	3	13	6	9	17	21	58	98	154	244	399	267
Respiratory	401	165	69	44	26	705	55	11	20	20	52	75	69	103	286	346
Digestive	78	32	9	5	11	135	17	10	6	13	28	71	71	117	192	95
Urinary	1	1	1	1	1	5	6	6	2	7	23	33	40	47	85	70
Generative	–	–	–	–	–	–	–	–	–	2	2	9	10	7	10	4
Puerperal Fever	–	–	–	–	–	–	–	–	1	16	15	11	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	2	5	20	16	–	–	–	–
Accidents	20	9	10	3	6	48	10	10	23	29	50	56	46	44	27	32
Other Causes	679	37	11	7	11	745	20	32	33	26	48	66	84	105	230	710

Marriages	–	4,09	
Births	Males 10,042	19,863	
	Females 9,821		

Annual Rate per 1000 living { Persons Married 12·10 / Births 25·06

Deaths from Childbirth and Puerperal Fever 4·33 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

92.—LYMINGTON.

Causes of Deaths.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·22	†82	–	–	–	–	28·80	2·71	2·31	4·16	5·70	6·51	8·98	12·86	21·49	51·21	150·18
Males	—	Standard 13·39	†87	–	–	–	–	29·32	2·56	2·33	4·05	5·49	6·07	10·03	15·21	23·94	49·31	161·31
Females	—	Population* 13·06	†78	–	–	–	–	28·24	2·86	2·30	4·28	5·88	6·87	8·08	10·86	19·39	52·87	139·44
Mean Population, 1881-91. Persons	Decennial Increase of Population 9·68 per cent.	13,264	350	301	333	333	308	1625	1549	1556	1249	1071	1752	1381	1213	968	621	279
Males		6,381	184	152	171	178	154	839	780	772	618	510	791	638	559	447	290	137
Females		6,883	166	149	162	155	154	786	769	784	631	561	961	743	654	521	331	142
Deaths from All Causes, 1881-90. Persons	15·06	1,998	203	111	33	20	11	468	42	36	52	61	114	124	156	208	318	419
Males	15·75	1,005	158	51	23	10	4	246	20	18	25	28	48	64	85	107	143	231
Females	14·43	993	135	60	10	10	7	222	22	18	27	33	66	69	71	101	175	198

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·27	0·19	30	17	13	5	8	5	3	2	23	3	1	1	–	1	1	–	–	–	–
Scarlet Fever	0·02	0·02	0·03	3	1	2	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·11	0·07	12	7	5	–	–	1	2	–	3	5	2	1	–	–	1	–	–	–	–
Whooping-cough	0·29	0·25	0·33	39	16	23	21	12	5	1	–	39	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·05	0·13	12	3	9	–	–	1	–	–	1	–	1	–	3	2	3	2	–	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·20	0·13	0·28	27	8	19	7	2	1	–	–	10	–	–	–	1	–	–	–	1	4	11
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·53	0·80	89	34	55	–	–	–	–	–	–	–	–	–	–	1	10	16	19	30	13
Tabes Mesenterica	0·06	0·02	0·10	8	1	7	2	1	–	–	–	3	2	2	1	–	–	–	–	–	–	–
Phthisis	1·41	1·49	1·34	187	95	92	1	1	–	–	–	2	3	9	18	28	55	31	19	13	6	3
Other Tub. & Scrof. Dis.	0·21	0·25	0·17	28	16	12	10	6	1	1	–	18	2	–	4	2	–	–	1	–	1	–
Diseases of Nervous System	2·09	1·94	2·22	277	124	153	41	13	3	3	2	62	6	7	6	4	6	9	24	45	60	48
Diseases of Circulatory „	1·67	1·72	1·63	222	110	112	–	–	–	–	–	–	1	1	1	1	6	13	21	42	60	76
Diseases of Respiratory „	3·08	3·48	2·69	407	222	185	84	49	11	7	6	157	8	5	3	2	8	16	27	35	60	86
Diseases of Digestive „	1·05	1·16	0·94	139	74	65	22	7	2	–	–	31	–	1	2	4	4	6	17	18	30	26
Diseases of Urinary „	0·38	0·61	0·17	51	39	12	1	1	–	–	–	2	2	1	1	1	2	3	6	10	12	11
Diseases of Generative „	0·06	–	0·10	7	–	7	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	–
Puerperal Fever	0·10	–	0·19	13	–	13	–	–	–	–	–	–	–	–	1	2	5	5	–	–	–	–
Childbirth	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	1	–	4	4	–	–	–	–
Violence	0·52	0·86	0·20	69	55	14	4	3	–	1	1	9	2	3	9	6	12	9	6	5	6	2
Other Causes	2·76	2·86	2·70	368	183	185	95	8	3	–	–	106	7	3	2	5	7	13	15	19	48	143

Marriages - - - 866

Births - Males - 1,820, Females - 1,741 — 3,561

Annual Rate per 1000 living: Persons Married 13·06; Births - - 26·85

Deaths from Childbirth and Puerperal Fever - - - - - 6·18 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

93.—CHRISTCHURCH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Deaths { Persons	—	In Christchurch 15·02	†111	–	–	–	–	39·05	4·03	2·81	4·77	6·71	10·11	11·51	13·53	22·67	51·84	120·20
Annual Deaths { Males	—	In Suburbs 16·42	†128	–	–	–	–	45·22	3·32	2·61	5·58	10·19	14·42	15·72	17·55	24·81	59·03	130·00
Annual Deaths { Females	—	In Registration District 13·57	†94	–	–	–	–	32·61	4·73	3·01	3·97	3·32	7·49	8·48	9·30	20·18	46·36	109·09
Mean Population, 1881–90. { Persons	Decennial Increase of Population 41·07 per cent.	41,832	981	901	905	956	902	4,645	4,148	3879	4122	4695	7781	5004	3549	1499	1385	550
Mean Population, 1881–90. { Males		17,634	505	446	444	461	466	2322	2106	1918	1794	1614	2859	2416	1707	677	565	205
Mean Population, 1881–90. { Females		24,198	476	455	461	495	436	2323	2042	1961	2328	3081	4922	2588	1842	822	820	345
Deaths under One Year, All Causes, 1881–90. { Persons	13·07	5,477	1,026	837	1.45	87	65	1859	169	109	211	309	736	577	479	546	718	675
Deaths under One Year, All Causes, 1881–90. { Males	15·03	3,077	718	173	72	49	36	1047	79	50	95	165	505	346	256	289	365	330
Deaths under One Year, All Causes, 1881–90. { Females	12·51	3,023	497	164	65	47	29	802	90	59	116	144	331	260	233	289	365	330

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·19	0·19	82	36	46	17	21	14	4	1	57	9	–	1	–	2	–	–	–	–
Scarlet Fever	0·05	0·05	0·05	22	9	13	1	4	2	2	3	12	4	4	2	–	–	–	–	–	–
Diphtheria	0·19	0·19	0·19	79	34	45	1	7	13	9	9	39	24	7	5	1	2	1	–	–	–
Whooping-cough	0·33	0·14	0·20	140	59	81	86	24	14	5	4	140	6	2	–	–	–	–	–	–	–
Typhus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Typhoid Fever	0·10	0·12	0·08	41	21	20	–	–	–	1	2	3	4	4	5	7	8	4	1	1	1
Simple Continued Fever	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–
Diarrhœa and Dysentery	0·25	0·30	0·21	109	55	55	76	11	4	–	1	92	2	–	1	1	1	2	2	2	–
Cholera	0·02	0·02	0·01	7	4	3	5	–	–	–	–	5	–	–	–	–	1	–	–	–	–
Cancer	0·60	0·47	0·70	262	82	170	–	1	1	–	–	2	–	–	–	2	6	22	51	69	74	26
Tumour, Malignant	0·04	0·02	0·05	15	3	12	–	2	3	2	2	9	3	5	3	1	2	2	–	–	–	–
Phthisis	3·69	4·47	2·97	1552	788	764	17	4	3	5	2	31	5	23	110	211	480	284	121	59	25	1
Other Tub. & Scrof. Dis.	0·42	0·55	0·35	177	98	79	51	27	15	12	9	114	28	11	5	5	12	1	–	1	–	–
Nervous System	1·54	1·58	1·50	645	331	314	147	50	13	10	7	228	13	16	13	10	18	11	15	17	10	4
Organs of Circulation	1·58	1·46	1·68	661	258	403	5	–	–	–	2	7	5	6	11	13	31	45	78	124	137	146
Organs of Respiration	2·13	2·74	1·73	895	484	411	212	115	41	27	15	410	37	5	10	8	41	30	55	74	102	77
Digestive Organs	0·75	1·26	0·37	315	223	92	98	39	3	3	2	145	10	6	7	5	23	32	40	32	24	10
Urinary Organs	0·20	0·70	0·20	165	124	41	4	–	–	–	–	4	–	2	3	3	15	21	36	34	28	9
Generative Organs	0·03	–	0·05	11	–	11	–	–	–	–	–	–	–	–	–	–	2	2	3	1	2	1
Puerperal Fever	0·09	–	0·15	37	–	37	–	–	–	–	–	–	–	–	1	6	20	9	1	–	–	–
Accidents	0·55	–	0·93	229	–	229	22	–	–	–	–	–	–	–	1	2	11	8	–	–	–	–
Violence	0·37	0·63	0·18	156	110	46	29	7	5	3	1	45	5	7	12	13	1	17	13	12	10	4
Other Causes	2·21	2·67	1·87	918	473	445	439	17	6	4	4	470	14	11	17	14	41	25	30	69	54	172

Marriages	–	2,747	
Births { Males	5,813	10,655	
Births { Females	5,218		

Annual Rate per 1000 living { Persons Married 13·13 / Births – 26·11

Deaths from Childbirth and Puerperal Fever – – – – – 5·40 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·94	†91	–	–	–	–	28·06	2·44	2·22	4·44	5·54	5·12	8·10	12·20	26·20	52·06	143·08
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·85	†100	–	–	–	–	29·25	2·68	1·89	3·40	5·64	4·50	6·42	14·59	29·69	52·67	146·38
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·02	†81	–	–	–	–	26·79	2·22	2·55	5·63	5·45	5·70	9·71	10·11	22·93	51·47	139·34
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·04 per cent.	5,517	136	136	132	158	133	695	697	631	496	415	684	605	500	397	267	130
Mean Population, 1881-91. Males	Decennial Increase of Population 1·04 per cent.	2,726	75	74	69	76	65	359	336	317	265	195	333	296	233	192	131	69
Mean Population, 1881-91. Females	Decennial Increase of Population 1·04 per cent.	2,791	61	62	63	82	68	336	361	314	231	220	351	309	267	205	136	61
Death from All Causes, 1881-90. Persons	15·32	845	139	30	11	12	3	195	17	14	22	23	35	49	61	104	139	186
Death from All Causes, 1881-90. Males	15·96	435	79	14	6	4	2	105	9	6	9	11	15	19	34	57	69	101
Death from All Causes, 1881-90. Females	14·69	410	60	16	5	8	1	90	8	8	13	12	20	30	27	47	70	85

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·11	0·15	0·07	6	4	2
Scarlet Fever	0·02	0·04	–	1	1	–
Diphtheria	0·07	0·07	0·07	4	2	2
Whooping-cough	0·34	0·26	0·43	19	7	12
Typhus	0·02	0·04	–	1	1	–
Enteric Fever	0·04	0·07	–	2	2	–
Simple Continued Fever	0·02	–	0·04	1	–	1
Diarrhœa and Dysentery	0·08	0·07	0·07	4	2	2
Cholera	–	–	–	–	–	–
Cancer	0·63	0·51	0·75	35	14	21
Tabes Mesenterica	0·08	0·04	0·11	4	1	3
Phthisis	1·49	1·39	1·58	82	38	44
Other Tub. & Scrof. Dis.	0·33	0·22	0·43	18	6	12
Diseases of Nervous System	1·76	1·72	1·79	97	47	50
Diseases of Circulatory „	2·48	2·20	2·65	134	60	74
Diseases of Respiratory „	2·25	2·46	2·04	124	67	57
Diseases of Digestive „	0·98	1·03	0·93	54	28	26
Diseases of Urinary „	0·25	0·29	0·21	14	8	6
Diseases of Generative „	0·04	–	0·07	2	–	2
Puerperal Fever	0·05	–	0·11	3	–	3
Childbirth	0·05	–	0·11	3	–	3
Violence	0·40	0·70	0·11	22	19	3
OTHER CAUSES	3·88	4·70	3·12	215	128	87

PERSONS.

Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	1	2	–	5	–	–	–	1	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	13	4	1	1	–	19	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	1	1	4	14	8	7	–
Tabes Mesenterica	–	–	–	2	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis	–	–	–	–	–	–	1	1	10	13	21	12	9	10	4	1	–	–
Other Tub. & Scrof. Dis.	5	–	–	1	1	7	2	1	4	2	–	2	–	–	–	–	–	–
Diseases of Nervous System	14	4	1	–	–	19	3	2	1	1	4	3	5	18	21	20	–	–
Diseases of Circulatory „	–	–	1	–	–	1	2	2	3	1	–	9	13	29	46	28	–	–
Diseases of Respiratory „	39	18	3	3	1	64	4	1	–	–	2	2	12	7	22	10	–	–
Diseases of Digestive „	5	–	1	1	–	7	1	4	–	2	1	6	6	12	9	6	–	–
Diseases of Urinary „	–	–	–	1	–	1	–	–	–	–	–	6	6	2	2	–	–	–
Diseases of Generative „	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Violence	–	1	1	–	1	3	–	–	2	1	3	2	3	3	3	2	–	–
OTHER CAUSES	58	1	2	1	–	62	–	1	1	1	1	4	3	9	21	112	–	–

Marriages - - 340

Births { Males 787 / Females 741 } 1,528

Annual Rate per 1000 living { Persons Married 12·33 / Births 27·70 }

Deaths from Childbirth and Puerperal Fever 3·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

95.—FORDINGBRIDGE.

Causes of Death.	Crude Death-Rate per 10 0.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
All Causes { Persons / Males / Females	—	In 14·61	†150	–	–	–	–	35·76	2·20	3·10	3·03	4·00	6·06	7·57	10·00	21·77	58·07	168·66
Death-Rate { Males / Females	—	Since 1881 14·08	†116	–	–	–	–	39·74	2·20	2·65	2·79	2·62	5·11	8·36	11·16	23·53	49·67	164·79
per 1000 { Persons	—	Population* 15·24	†265	–	–	–	–	31·94	2·20	3·61	3·31	3·45	6·06	6·83	10·68	20·08	55·62	175·02
Mean Population { Persons / Males / Females	Decennial Increase of Population 0·11 per cent.	1,878	157	152	165	163	160	797	785	709	595	450	775	624	502	487	363	154
Estimated to Middle of 1881-90 { Males / Females		3,118	75	80	87	84	74	396	393	377	323	229	372	299	261	268	178	71
		3,230	82	72	88	79	86	407	392	332	272	221	403	322	241	219	178	83
Deaths { Persons	15·87	1,070	180	5	20	12	10	285	18	22	18	18	47	47	58	183	200	206
At Ages { Males	17·32	540	102	28	10	8	7	155	9	10	9	6	19	25	28	56	106	117
1881-90 { Females	14·46	530	84	28	11	4	3	130	9	12	9	12	28	24	30	30	30	109

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·32	0·16	0·29	14	5	9	6	4	–	1	–	11	–	1	–	–	1	1	–	–	–	–
Scarlet Fever	0·02	0·03		1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·06	0·13	6	2	4	–	–	–	1	1	2	1	3	–	–	–	–	–	–	–	–
Whooping-cough	0·46	0·51	0·42	29	16	13	16	7	4	–	1	28	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·03		1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Continued Fever	0·03	0·03	0·03	2	1	1	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·29	0·22	0·35	18	7	11	7	2	1	2	–	12	–	–	–	–	–	–	1	–	2	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·46	0·26	0·67	21	5	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	0·10	0·06	0·13	6	2	4	–	3	–	–	–	3	1	1	–	–	1	–	–	–	–	–
Phthisis	1·07	0·90	1·25	67	28	39	–	2	–	–	–	2	–	1	2	7	9	15	11	12	8	–
Other Tubercular Diseases	0·51	0·51	0·51	32	16	16	6	7	4	2	1	20	1	2	2	–	2	1	4	–	–	–
Diseases of Nervous System, &c.	2·16	2·60	1·73	135	81	54	19	10	4	3	–	36	5	5	1	1	4	5	7	3	35	30
Diseases of Circulatory System	1·62	1·64	1·61	101	51	50	–	–	–	–	–	–	–	–	1	4	3	9	9	23	38	17
Diseases of Respiratory System	2·36	2·18	2·53	147	68	79	37	16	5	1	3	61	4	–	3	3	6	6	13	11	31	21
Diseases of Digestive System	0·87	1·06	0·67	54	33	21	13	3	1	1	1	17	–	1	–	4	3	4	1	1	11	1
Diseases of Urinary System	0·24	0·38	0·11	15	12	3	–	–	–	1	1	2	–	–	–	1	1	1	–	1	6	1
Diseases of Generative System	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Puerperal Fever	0·02	–	0·05	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Childbirth	0·10	–	0·21	6	–	6	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–
Violence	0·51	0·71	0·30	32	22	10	1	1	3	3	–	8	3	2	–	2	3	3	3	4	5	1
Other Causes	5·62	5·98	5·20	354	187	167	81	2	3	–	2	88	2	2	2	2	7	5	6	21	67	140

Marriages	–	200	Annual Rate per 1000 living	Persons Married	12·63
Births { Males	98	1,866		Births	29·91
Births { Females	98		Deaths from Childbirth and Puerperal Fever		3·75 per 1000 Births.

* *See pages* xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 12·57	†80	–	–	–	–	28·77	2·19	1·90	2·76	4·66	5·45	7·66	13·31	24·01	51·73	136·27
Males	—	13·04	†88	–	–	–	–	31·50	1·99	1·40	2·93	5·31	5·99	7·15	14·44	25·43	56·63	141·30
Females	—	12·13	†72	–	–	–	–	26·16	2·39	2·41	2·53	4·02	4·93	8·13	12·28	22·69	47·09	131·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·83 per cent.	13,607	323	326	335	356	339	1679	1691	1529	1270	1030	1836	1488	1195	958	636	295
Males		6,771	165	158	158	166	172	819	855	783	716	508	902	713	568	460	309	138
Females		6,836	158	168	177	190	167	860	836	746	554	522	934	775	627	498	327	157
Deaths from All Causes, 1881–90. Persons	14·45	1,966	306	95	47	17	18	483	37	29	35	48	100	114	159	230	329	402
Males	14·89	1,008	168	46	25	9	10	258	17	11	21	27	54	51	82	117	175	195
Females	14·01	958	138	49	22	8	8	225	20	18	14	21	46	63	77	113	154	207

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·15	0·20	24	10	14	2	11	4	2	3	22	1	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·08	0·01	0·15	11	1	10	3	1	1	4	1	10	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·04	0·03	0·04	5	2	3	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–
Whooping-cough	0·16	0·15	0·18	22	10	12	10	7	3	–	1	21	–	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·06	0·12	12	4	8	–	1	–	–	–	1	1	1	1	1	3	–	2	1	1	–
Simple Continued Fever	0·03	0·01	0·04	4	1	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·11	0·12	0·10	15	8	7	4	3	1	–	–	8	1	–	–	2	–	2	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3
Cancer	0·66	0·38	0·94	90	26	64	–	–	–	–	–	–	–	–	–	2	1	7	20	28	20	12
Tabes Mesenterica	0·08	0·06	0·10	11	4	7	4	2	1	–	–	7	2	1	1	–	–	–	–	–	–	–
Phthisis	1·26	1·14	1·39	172	77	95	11	6	1	1	–	19	3	6	15	20	41	30	26	11	1	–
Other Tub. & Scrof. Dis.	0·21	0·31	0·12	29	21	8	7	10	2	2	2	23	2	2	1	–	–	1	–	–	–	–
Diseases of Nervous System	2·16	2·14	2·18	294	145	149	61	14	9	–	2	86	3	1	4	5	9	15	29	49	50	43
Diseases of Circulatory „	1·61	1·61	1·61	219	109	110	–	–	–	–	–	–	2	1	1	3	7	14	24	54	72	41
Diseases of Respiratory „	2·59	2·72	2·47	353	184	169	60	23	12	7	6	108	8	3	2	2	14	16	16	29	74	81
Diseases of Digestive „	0·96	1·11	0·82	131	75	56	20	11	3	–	–	34	7	2	2	2	6	7	17	18	27	9
Diseases of Urinary „	0·33	0·53	0·13	45	36	9	1	–	2	–	–	3	–	1	1	–	3	4	7	10	10	6
Diseases of Generative „	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
Puerperal Fever	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	2	5	–	–	–	–
Violence	0·51	0·86	0·16	69	58	11	7	–	3	–	1	11	1	2	4	6	7	5	12	9	12	–
Other Causes	3·27	3·49	3·04	444	236	208	116	6	5	1	2	130	2	4	2	4	3	7	5	19	61	207

Marriages – – 753

Births – Males 1,919 / Females 1,911 — 3,830

Annual Rate per 1000 living: Persons Married 11·07; Births 28·15

Deaths from Childbirth and Puerperal Fever – 2·87 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

97.—SOUTHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons			In Standard Population*		18·89	†135	–	–	–	–	53·69	3·77	2·53	4·03	5·32	7·98	12·83	19·61	32·32	61·02	154·44
	Males					20·48	†147	–	–	–	–	57·69	3·51	2·73	4·20	6·11	8·26	15·65	24·33	38·10	69·38	167·01
	Females					17·22	†123	–	–	–	–	49·46	4·02	2·34	3·88	4·66	7·75	10·34	16·26	27·37	54·86	147·03
Mean Population 1881–91.	Persons	Decennial Increase of Population 4·67 per cent.		54,226			1415	1317	1349	1341	1295	6717	6180	5727	5241	4926	8157	6950	4957	3363	1911	777
	Males			25,780			711	671	669	670	652	3373	3078	2819	2477	2243	3813	2984	2349	1551	810	288
	Females			28,446			704	646	680	671	643	3344	3057	2908	2764	2683	4344	3566	2608	1812	1101	489
Deaths from All Causes, 1881–90.	Persons	19·07		10,339			2308	715	263	194	120	3600	231	145	210	202	651	815	972	1087	1166	1200
	Males	20·70		5,336			1289	370	139	99	49	1946	108	77	101	137	315	467	548	591	562	481
	Females	17·59		5,003			1019	345	124	95	71	1654	123	68	106	125	336	348	424	496	604	719
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	5	2	3	2	–	–	–	–	2	–	–	–	1	2	–	–	–	–	–
Measles	0·38	0·40	0·36	206	103	103	35	84	28	27	20	194	9	2	–	–	–	1	–	–	–	–
Scarlet Fever	0·18	0·17	0·19	98	44	54	5	13	16	19	7	60	21	9	3	1	4	–	–	–	–	–
Diphtheria	0·09	0·07	0·11	49	17	32	1	3	8	6	4	22	18	–	1	3	4	–	1	–	–	–
Whooping-cough	0·44	0·39	0·49	239	100	139	92	81	28	19	15	235	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·13	0·16	0·11	72	43	29	1	–	2	–	1	4	4	20	10	11	10	7	3	1	1	1
Simple Continued Fever	0·04	0·04	0·04	21	10	11	–	1	1	1	1	4	3	2	2	–	1	4	2	–	3	–
Diarrhœa and Dysentery	0·54	0·60	0·49	293	154	140	132	35	5	1	–	223	1	1	1	1	4	7	6	14	14	22
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·46	0·73	327	119	208	–	–	2	–	–	2	–	–	2	2	17	29	70	96	73	36
Tabes Mesenterica	0·21	0·22	0·18	100	58	51	57	23	6	2	–	87	6	5	2	2	1	–	–	3	1	–
Phthisis	1·90	2·16	1·67	1031	556	475	25	18	9	5	1	58	14	17	35	126	241	229	172	63	25	1
Other Tub. & Scrof. Dis.	0·33	0·41	0·26	181	106	75	52	45	14	16	6	133	23	4	3	4	9	1	2	2	1	–
Nervous System	2·65	2·84	2·49	1438	731	707	350	85	30	19	13	497	32	19	11	16	41	93	134	197	243	155
Circulatory	1·59	1·78	1·41	860	459	401	4	–	–	2	1	7	3	10	32	13	55	89	147	185	187	141
Respiratory	3·60	3·90	3·33	1950	1004	946	457	216	91	54	36	854	36	4	8	16	60	93	161	227	255	236
Digestive	1·25	1·23	1·26	676	318	358	111	54	9	2	2	178	13	8	8	8	43	68	76	107	110	58
Urinary	0·60	0·82	0·39	324	212	112	6	–	–	2	–	8	6	–	9	5	27	57	60	59	62	31
Generative	0·07	0·01	0·12	35	2	33	–	–	–	–	–	–	1	–	–	–	6	10	9	7	2	–
Puerperal Fever	0·09	–	0·18	51	–	51	–	–	–	–	–	–	–	–	2	12	25	11	1	–	–	–
Convulsions	0·06	–	0·12	33	–	33	–	–	–	–	–	–	–	–	1	4	14	14	–	–	–	–
Violence	0·72	1·15	0·32	388	297	91	40	14	7	12	9	82	21	18	28	20	46	47	45	41	22	18
Other Causes	3·29	3·88	3·33	1951	1001	950	888	44	7	7	4	950	16	26	11	17	41	55	85	84	167	501

Marriages	5,204	Annual Rate per 1,000 living	Persons Married	19·19	Deaths from Childbirth and Puerperal Fever 4·92 per 1000 Births.
Births – Males	8,774		Births	31·81	
Females	8,314				
	17,088				

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·53	†95	–	–	–	–	35·59	3·51	1·72	3·78	7·68	7·66	9·62	12·41	22·57	51·91	145·31
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·01	†104	–	–	–	–	38·80	3·05	1·49	3·94	11·30	10·54	10·71	14·60	24·51	57·86	155·24
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·12	†86	–	–	–	–	32·38	3·99	1·93	3·63	4·47	5·15	8·69	10·56	20·94	46·91	137·92
Mean Population, 1881-91. Persons	Decennial Increase of Population, 23·86 per cent.	46,199	1280	1174	1246	1223	1203	6126	5776	5188	4286	3969	6579	5228	3899	2778	1699	671
Mean Population, 1881-91. Males	Decennial Increase of Population, 23·86 per cent.	22,108	635	595	603	619	610	3062	2946	2550	2080	1868	3064	2419	1788	1269	776	286
Mean Population, 1881-91. Females	Decennial Increase of Population, 23·86 per cent.	24,091	645	579	643	604	593	3064	2830	2638	2206	2101	3515	2809	2111	1509	923	385
Deaths from All Causes 1881-90. Persons	14·97	6,914	1350	455	173	111	91	2180	203	89	162	305	504	503	484	627	882	975
Deaths from All Causes 1881-90. Males	16·54	3,656	754	234	96	56	48	1188	90	38	82	211	323	259	261	311	449	444
Deaths from All Causes 1881-90. Females	13·52	3,258	596	221	77	55	43	992	113	51	80	94	181	244	223	316	433	531

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·26	0·24	115	57	58	25	35	19	10	9	98	15	–	–	–	1	1	–	–	–
Scarlet Fever	0·11	0·09	0·13	51	20	31	5	8	8	5	5	31	13	3	1	–	1	2	–	–	–
Diphtheria	0·10	0·07	0·13	46	15	31	3	2	6	6	8	25	16	4	–	–	–	–	–	1	–
Whooping-cough	0·37	0·37	0·37	170	82	88	78	54	22	6	6	166	4	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·16	0·14	69	36	33	–	–	2	2	1	5	8	6	12	19	11	5	–	1	2
Simple Continued Fever	0·02	0·02	0·01	8	5	3	–	–	1	1	1	3	–	–	–	–	1	–	1	–	1
Diarrhœa and Dysentery	0·42	0·54	0·32	196	119	77	89	28	5	–	1	123	–	1	–	11	20	10	2	6	5
Cholera	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·66	0·48	0·84	307	105	202	1	1	–	–	1	3	1	–	2	2	13	35	48	77	80
Tabes Mesenterica	0·18	0·18	0·17	81	40	41	30	16	11	4	1	62	12	1	2	1	2	–	1	–	–
Phthisis	1·71	2·08	1·37	791	460	331	6	9	2	2	1	20	12	10	61	149	232	148	96	38	23
Other Tub. & Scrof. Dis.	0·26	0·30	0·22	120	66	54	31	27	5	10	6	79	10	6	4	7	5	2	2	1	4
Diseases of Nervous System	2·10	2·37	1·85	971	525	446	224	63	22	9	11	329	22	18	15	17	28	44	65	128	164
Diseases of Circulatory „	1·57	1·68	1·47	725	372	353	5	–	–	2	–	7	9	7	13	18	33	63	80	129	223
Diseases of Respiratory „	2·36	2·56	2·18	1091	565	526	262	142	44	39	25	512	48	4	11	12	31	51	46	85	127
Diseases of Digestive „	1·00	1·17	0·84	462	259	203	91	33	5	4	4	137	4	6	11	17	35	37	49	58	65
Diseases of Urinary „	0·43	0·57	0·31	199	125	74	5	1	3	1	1	11	3	1	3	5	13	32	33	29	44
Diseases of Generative „	0·05	0·00	0·09	23	1	22	–	–	–	–	–	–	–	1	–	2	–	2	6	7	4
Puerperal Fever	0·05	–	0·10	23	–	23	–	–	–	–	–	–	–	–	–	4	12	7	–	–	–
Childbirth	0·06	–	0·12	29	–	29	–	–	–	–	–	–	–	–	–	3	11	14	1	–	–
Violence	0·46	0·69	0·22	207	153	54	30	9	7	5	3	54	8	8	16	19	15	20	22	20	17
Other Causes	2·67	2·95	2·40	1229	651	578	465	27	11	5	7	515	18	13	11	19	40	30	31	47	123

Marriages	2,671	Annual Rate per 1000 living	Persons Married	11·56	Deaths from Childbirth and Puerperal Fever 3·67 per 1000 Births.
Births — Males	7,232		Births	30·68	
Births — Females	6,940				
	14,172				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

99.—ROMSEY.

Causes of Death.	Crude Death-Rate per 1,000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
All Causes	Persons	In Standard Population* 15·44	†90	–	–	–	–	23·14	4·02	2·00	3·04	4·75	6·29	7·49	13·97	22·78	37·55	130·94
	Males	15·31	†97	–	–	–	–	36·48	4·29	1·71	2·77	4·43	6·36	8·47	15·06	27·47	52·18	140·20
	Females	15·38	†83	–	–	–	–	31·40	3·82	2·31	3·58	5·05	5·89	6·43	12·89	18·19	30·32	123·14
Mean Population	Persons	Decennial Increase of Population 1·43 per cent.	10,691															
	Males		5,350															
	Females		5,341															
Deaths from All Causes	Persons	15·97	1,643	278	280	279	270	279	1387	1329	1248	986	821	1354	1168	964	799	430	223
	Males	15·91	835	139	141	151	141	143	695	666	643	542	405	658	531	466	396	245	102
	Females	15·13	808	148	140	128	129	137	691	654	605	444	416	696	577	498	403	245	121
Deaths from Zymotic Diseases	Persons		288	79	39	26	18	150	53	25	30	30	34	82	126	180	280	292
	Males		156	37	21	16	9	283	28	11	15	18	43	45	65	89	135	143
	Females		132	42	18	16	9	217	25	14	15	21	41	37	61	91	157	149

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·36	0·39	0·39	37	16	21	3	12	6	4	3	28	8	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·13	0·15	0·09	13	8	5	1	1	1	2	–	5	5	1	1	–	–	1	–	–	–	–
Diphtheria	0·10	0·09	0·11	11	5	6	–	1	1	1	–	3	4	–	1	1	2	–	–	–	–	–
Whooping-cough	0·35	0·37	0·32	37	20	17	18	15	2	1	1	37	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·04	0·08	6	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·04	0·02	0·05	4	1	3	–	–	–	1	–	1	–	1	2	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·41	0·45	0·39	44	23	21	24	6	3	–	1	34	1	–	–	–	–	1	–	–	–	–
Cholera	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	6	1	–
Other	0·09	0·17	0·02	57	25	33	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–
Tabes Mesenterica	0·03	0·02	0·04	3	1	2	1	–	–	–	–	1	–	–	1	–	–	2	12	18	19	6
Hydrocele	1·25	1·18	1·32	121	63	58	2	–	–	1	1	4	3	3	7	13	37	26	16	7	5	1
Other Diseases & Scarf. Dis.	0·31	0·34	0·28	33	18	15	7	6	2	3	1	19	3	6	1	1	–	–	–	–	3	–
Diseases of Nervous System	2·17	2·24	2·10	232	120	112	43	10	7	4	1	65	5	3	5	–	6	5	17	37	45	44
" Circulatory "	1·91	1·42	2·40	204	76	128	–	–	–	–	–	–	1	2	2	6	8	10	26	47	72	33
" Respiratory "	2·32	2·71	1·95	248	145	103	58	15	7	5	4	89	6	–	2	3	10	8	11	17	45	36
" Digestive "	0·93	0·95	0·93	99	51	48	14	3	3	–	3	23	5	3	1	–	5	11	16	9	20	7
" Urinary "	0·48	0·49	0·46	51	37	14	–	–	–	1	–	1	1	–	1	2	3	5	2	13	12	4
" Generative "	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Puerperal Fever	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Childbirth	0·07	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accident	0·61	0·81	0·39	65	46	19	7	2	4	3	1	17	6	2	3	3	2	3	–	7	9	3
Other Causes	3·35	3·45	3·24	361	178	183	110	8	2	–	3	122	3	4	3	5	3	6	12	23	41	130

Marriages		682			
Births	Males 1,466	3,116	Annual Rate per 1000 living	Persons Married 14·76	Deaths from Childbirth and Puerperal Fever 3·75 per 1000 Births.
	Females 1,650			Births 29·89	

* See pages xxxv. xxxviii.

† The death rates under one year of age are per 1000 Births.

100.—STOCKBRIDGE. ‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·19	†84	–	–	–	–	30·94	2·69	1·41	2·70	3·44	6·05	6·64	13·60	22·14	56·93	158·94
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·44	†97	–	–	–	–	37·19	3·77	1·24	1·37	3·15	5·55	6·38	14·65	23·13	55·23	150·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·96	†71	–	–	–	–	24·82	1·67	1·60	4·53	3·75	6·54	6·89	12·61	21·13	58·75	169·01
Mean Population, 1881–91.‡ Persons	Decennial Decrease of Population 1·64 per cent.	6,738	161	163	165	163	169	821	817	779	629	494	827	708	647	533	332	151
Mean Population, 1881–91.‡ Males	Decennial Decrease of Population 1·64 per cent.	3,418	77	84	83	80	82	406	398	403	364	254	414	345	314	268	172	80
Mean Population, 1881–91.‡ Females	Decennial Decrease of Population 1·64 per cent.	3,320	84	79	82	83	87	415	419	376	265	240	413	363	333	265	160	71
Deaths from All Causes, 1881–90. Persons	15·63	1,053	158	57	18	8	13	254	22	11	17	17	50	47	88	118	189	240
Deaths from All Causes, 1881–90. Males	16·15	552	92	34	10	8	7	151	15	5	5	8	23	22	46	62	95	120
Deaths from All Causes, 1881–90. Females	15·09	501	66	23	8	–	6	103	7	6	12	9	27	25	42	56	94	120

	Persons.	Males.	Females.	Persons.	Males	Females	Persons.											
Small-pox	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·40	0·12	0·09	7	4	3	2	2	2	–	–	6	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·01	0·03	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·12	0·09	7	4	3	–	–	–	–	3	3	4	–	–	–	–	–	–	–	–	–
Whooping-cough	0·25	0·23	0·27	17	8	9	6	7	3	–	1	17	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	0·03	0·03	2	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·18	0·27	15	6	9	3	4	1	1	–	9	–	–	–	–	–	1	–	1	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·49	0·29	0·69	33	10	23	–	–	–	–	–	–	–	–	–	–	1	3	6	11	7	5
Tabes Mesenterica	0·12	0·09	0·15	8	3	5	5	1	1	–	–	7	–	–	–	–	1	–	–	–	–	–
Phthisis	1·26	1·20	1·33	85	41	44	1	2	–	–	1	4	2	3	5	9	24	15	14	6	3	–
Other Tub. & Scrof. Dis.	0·21	0·29	0·12	14	10	4	4	4	–	–	–	8	2	1	–	–	2	1	–	–	–	–
Diseases of Nervous System	2·40	2·57	2·23	162	88	74	27	10	–	1	–	38	1	–	3	3	5	4	24	23	33	28
Diseases of Circulatory ,,	1·69	1·67	1·72	114	57	57	–	–	–	–	–	–	–	–	1	1	2	9	9	34	42	16
Diseases of Respiratory ,,	2·43	2·96	1·90	164	101	63	38	18	9	1	3	69	5	1	–	1	3	3	11	14	28	29
Diseases of Digestive ,,	0·79	0·91	0·66	53	31	22	5	2	–	1	1	9	–	–	1	–	2	3	8	10	14	6
Diseases of Urinary ,,	0·31	0·47	0·15	21	16	5	–	–	–	–	–	–	1	2	2	–	–	3	2	2	9	–
Diseases of Generative ,,	0·06	–	0·12	4	–	4	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–
Puerperal Fever	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	0·10	–	0·21	7	–	7	–	–	–	–	–	–	–	–	2	1	4	–	–	–	–	–
Violence	0·39	0·56	0·21	26	19	7	3	4	–	2	–	9	3	–	1	–	2	1	3	3	2	2
Other Causes	4·65	4·43	4·79	311	152	159	63	3	2	2	4	74	2	4	–	–	2	4	11	14	49	151

Marriages - - - 421

Births - Males - 951; Females - 929; 1,880

Annual Rate per 1000 living: Persons Married 12·50; Births - - 27·90

Deaths from Childbirth and Puerperal Fever - - - - - 4·26 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 730.

101.—WINCHESTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate (Persons - Males - Females - 1881-1890.	—	In Standard 17·61	*111	–	–	–	–	40·92	3·28	1·88	3·67	4·96	6·96	10·86	14·05	27·80	56·44	147·10
	—	Standard 16·57	*119	–	–	–	–	44·65	3·06	1·46	2·84	5·08	8·43	12·07	16·88	30·94	62·06	148·41
	—	Population* 14·70	*104	–	–	–	–	37·35	3·51	2·35	4·77	4·84	5·64	9·73	11·48	25·18	51·84	146·06
Mean Popn. (Persons - Males - Females - 1881-91.	Decennial Increase of Population 7·88 per cent.	32,895	799	731	768	747	743	3788	3596	3618	3628	2824	4585	3564	2797	2105	1382	569
		16,113	382	351	386	363	370	1892	1800	1914	2076	1397	2171	1767	1393	989	692	252
		16,282	417	380	382	384	373	1936	1756	1704	1552	1427	2413	1857	1464	1116	760	317
Deaths from All Causes - Males - Females - 1881-90.	16·39	5,310	1001	202	128	66	63	1550	116	68	133	140	319	387	393	587	780	837
	16·88	2,720	541	103	70	27	26	827	55	28	59	71	183	206	225	306	386	371
	15·91	2,590	460	129	58	39	37	723	61	40	74	69	136	181	168	281	394	465

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox - - -	0·01	0·01	0·01	4	2	2	1	2	–	–	–	3	–	–	–	1	–	–
Measles - - -	0·15	0·40	0·29	113	65	48	17	38	27	12	7	101	9	–	1	–	1	–
Scarlet Fever - - -	0·05	0·07	0·03	15	11	4	1	2	1	2	2	8	3	1	1	–	–	–
Diphtheria - - -	0·13	0·11	0·15	41	17	24	1	4	4	3	3	15	16	2	3	–	1	1
Whooping-cough - -	0·28	0·25	0·29	90	42	48	44	20	7	9	2	82	8	–	–	–	–	–
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	0·10	0·09	0·09	31	15	16	–	–	–	–	–	–	2	3	5	4	6	6
Simple Continued Fever	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·38	0·35	0·41	124	57	67	77	13	6	–	1	96	1	–	1	–	1	–
Cholera - - -	0·01	0·01	0·01	3	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Cancer - - -	0·65	0·47	0·84	212	75	137	–	–	–	–	–	–	1	1	–	3	20	43
Tabes Mesenterica -	0·12	0·13	0·11	39	21	18	13	8	1	1	2	25	6	1	2	2	3	–
Tubercle - - -	1·23	1·72	1·35	407	277	220	12	3	4	2	3	24	3	11	45	52	133	101
Other Tub. & Scrof. Dis.	0·33	0·36	0·29	106	58	48	19	19	12	4	5	59	7	7	7	8	7	5
Diseases of: Nervous System -	2·46	2·52	2·40	797	406	391	186	46	14	7	7	260	12	7	11	9	23	25
Circulatory " -	2·12	2·14	2·10	686	344	342	1	–	–	–	1	2	–	1	1	1	1	1
Respiratory " -	2·82	2·98	2·65	913	481	432	194	84	35	18	18	349	16	5	9	15	25	45
Digestive " -	1·06	1·02	1·08	340	164	176	56	23	5	2	4	93	6	3	9	3	15	24
Urinary " -	0·36	0·28	0·34	140	90	50	1	–	1	–	–	2	1	4	6	6	10	14
Generative " -	0·05	0·01	0·08	15	2	13	1	1	–	–	–	2	–	–	–	–	2	4
Puerperal Fever - -	0·08	–	0·17	27	–	27	–	–	–	–	–	–	–	–	1	5	16	5
Casualties - -	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	1	3	7	3
Accident - -	0·32	0·76	0·22	108	102	46	11	4	3	5	3	39	9	5	6	9	26	24
Other Causes - -	2·46	2·80	2·32	820	466	454	302	25	4	1	3	335	13	10	13	14	24	31

Marriages		2·43																
Births (Males - 4,586 / Females - 4,431)		8,996	Annual Rate per 1000 living (Persons Married 15·85 / Births - 27·77)															

Deaths from Childbirth and Puerperal Fever - - - - - 5·22 per 1000 Births.

* *See pages* XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

102.—DROXFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·87	†89	–	–	–	–	31·29	4·11	2·39	3·02	4·33	5·91	8·10	9·77	22·16	49·59	138·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·66	†103	–	–	–	–	38·13	4·23	2·82	2·44	4·70	6·02	8·28	10·32	20·45	53·97	139·19
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·13	†75	–	–	–	–	24·79	3·93	1·98	3·67	3·97	5·80	7·93	9·25	23·91	44·90	138·52
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·74 per cent.	11,295	275	265	283	264	297	1384	1364	1295	995	832	1456	1173	1024	880	609	283
Mean Population, 1881–91. Males	Decennial Increase of Population 1·74 per cent.	5,605	134	134	144	117	145	674	677	638	532	404	698	580	494	445	315	148
Mean Population, 1881–91. Females	Decennial Increase of Population 1·74 per cent.	5,690	141	131	139	147	152	710	687	657	463	428	758	593	530	435	294	135
Deaths from All Causes, 1881–90. Persons	15·56	1,757	283	85	28	19	18	433	56	31	30	36	86	95	100	195	302	393
Deaths from All Causes, 1881–90. Males	16·84	944	168	49	18	12	10	257	29	18	13	19	42	48	51	91	170	206
Deaths from All Causes, 1881–90. Females	14·29	813	115	36	10	7	8	176	27	13	17	17	44	47	49	104	132	187

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·25	0·29	0·21	28	16	12	1	10	2	3	2	18	7	1	–	1	–	1	–	–	–	–
Scarlet Fever	0·13	0·16	0·11	15	9	6	1	2	2	4	1	10	4	–	–	–	1	–	–	–	–	–
Diphtheria	0·29	0·36	0·23	33	20	13	2	1	2	3	3	11	14	5	–	2	1	–	–	–	–	–
Whooping-cough	0·23	0·20	0·26	26	11	15	13	8	3	–	–	24	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·05	0·09	8	3	5	–	–	–	–	–	–	–	1	–	–	1	3	2	1	–	–
Simple Continued Fever	0·04	0·02	0·05	4	1	3	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–
Diarrhœa and Dysentery	0·16	0·18	0·14	18	10	8	5	1	–	–	–	6	2	1	–	–	–	1	–	1	–	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·52	0·63	65	29	36	–	–	–	–	–	–	–	–	–	1	1	7	10	15	22	9
Tabes Mesenterica	0·08	0·12	0·04	9	7	2	6	1	–	–	–	7	1	–	1	–	–	–	–	–	–	–
Phthisis	1·27	1·21	1·32	143	68	75	3	1	2	–	–	6	3	7	13	16	33	26	15	18	4	2
Other Tub. & Scrof. Dis.	0·32	0·37	0·26	36	21	15	9	9	2	–	3	23	2	3	3	–	–	2	1	1	–	1
Diseases of Nervous System	2·42	2·72	2·13	273	152	121	47	11	6	2	4	70	4	3	2	5	11	9	13	35	59	62
Diseases of Circulatory	2·22	2·23	2·21	251	125	126	–	–	–	–	–	–	2	1	–	1	7	12	26	43	76	89
Diseases of Respiratory	2·53	2·94	2·13	286	165	121	66	26	5	7	3	107	9	2	2	3	2	6	7	32	46	70
Diseases of Digestive	1·08	1·20	0·97	122	67	55	17	4	2	–	2	25	1	3	2	1	8	4	11	23	29	15
Diseases of Urinary	0·65	0·77	0·53	73	43	30	–	–	–	–	–	–	–	–	1	1	2	7	3	14	28	17
Diseases of Generative	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1
Puerperal Fever	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	1	–	4	2	–	–	–	–
Childbirth	0·04	–	0·07	4	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Violence	0·41	0·68	0·14	46	38	8	–	2	2	–	–	4	3	2	1	3	7	6	6	3	9	2
Other Causes	2·69	2·80	2·60	306	158	148	113	9	–	–	–	122	1	2	4	1	3	6	6	9	34	118

Marriages 610

Births — Males 1,637; Females 1,536; 3,173

Annual Rate per 1000 living — Persons Married 10·80; Births 28·09

Deaths from Childbirth and Puerperal Fever 3·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

103.—CATHERINGTON

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	–	In Standard Population* 12·80	†103	–	–	–	–	32·19	3·54	0·90	3·87	4·80	4·42	7·72	14·02	13·90	48·15	168·75
Annual Death-Rate per 1000. Males	–	In Standard Population* 12·78	†110	–	–	–	–	30·81	2·96	0·62	1·97	6·48	5·53	10·14	15·75	14·02	49·28	190·91
Annual Death-Rate per 1000. Females	–	In Standard Population* 12·80	†97	–	–	–	–	33·52	4·12	1·17	6·06	3·31	5·21	5·44	12·41	13·79	48·07	145·16
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·85 per cent.	2,868	77	65	75	60	74	351	339	332	284	229	302	285	264	223	135	64
Mean Population, 1881–91. Males	Decennial Increase of Population 8·85 per cent.	1,466	36	33	39	25	39	172	169	161	152	108	170	138	127	107	69	33
Mean Population, 1881–91. Females	Decennial Increase of Population 8·85 per cent.	1,402	41	32	36	35	35	179	170	171	132	121	132	147	137	116	66	31
Deaths from All Causes, 1881–90. Persons	14·98	429	78	18	6	5	6	113	12	3	11	11	16	23	37	31	65	108
Deaths from All Causes, 1881–90. Males	15·72	221	40	7	1	3	2	53	5	1	3	7	6	14	20	15	34	63
Deaths from All Causes, 1881–90. Females	14·23	208	38	11	5	2	4	60	7	2	8	4	10	8	17	16	31	45

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·03	–	0·07	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·07	0·21	4	1	3	–	1	1	1	1	4	–	–	–	–	–	–	–	–
Diphtheria	0·21	0·00	0·07	6	5	1	–	–	–	1	–	1	5	–	–	–	–	–	–	–
Whooping-cough	0·31	0·28	0·34	9	4	5	7	2	–	–	–	9	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·24	0·43	0·07	7	6	1	–	–	–	–	–	–	1	1	1	1	2	1	–	–
Simple Continued Fever	0·03	–	0·07	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·17	0·14	0·21	5	2	3	2	2	1	–	–	5	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·57	0·62	17	8	9	–	–	–	–	–	–	–	–	–	–	1	1	4	1	8	2
Tabes Mesenterica	0·07	0·07	0·07	2	1	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Phthisis	1·26	1·07	1·44	36	15	21	–	–	–	–	–	–	–	1	3	4	8	5	9	4	2	–
Other Tub. & Scrof. Dis.	0·56	0·50	0·63	16	7	9	6	2	–	1	1	10	1	–	2	1	–	–	1	–	1	–
Nervous System	1·60	1·85	1·37	46	26	20	12	4	–	–	1	17	1	–	–	2	–	2	2	4	5	13
Circulatory ,,	1·85	2·05	1·64	53	29	24	–	–	–	–	–	–	1	–	–	1	1	2	7	3	19	19
Respiratory ,,	3·51	2·40	2·53	72	35	37	17	4	3	1	1	26	1	–	1	–	–	1	3	3	10	21
Digestive ,,	1·13	1·14	1·09	32	16	16	9	1	–	–	1	11	2	–	–	–	1	–	3	3	7	5
Urinary ,,	0·24	0·43	0·07	7	6	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–
Generative ,,	0·03	–	0·07	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Fever	0·03	–	0·07	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth	0·03	–	0·07	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violence	0·66	1·00	0·34	19	14	5	2	–	–	1	–	3	–	–	–	1	1	5	2	–	2	5
Other Causes	3·28	3·29	3·19	93	46	47	21	2	1	–	–	24	–	–	3	–	2	4	6	4	10	40

Marriages	–	16	Annual Rate per 1000 living	Persons Married	11·16
Births	Males 36	75		Births	29·29
	Females 39				

Deaths from Childbirth and Puerperal Fever – 1·85 per 1000 Births.

* See page xxxv of Introduction.

† The death-rates under one year of age are per 1000 Births.

104.—PETERSFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·41	†88	–	–	–	–	32·40	4·54	3·06	3·11	5·33	5·59	8·42	11·57	21·55	53·17	137·12
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·36	†99	–	–	–	–	35·11	4·51	3·53	2·48	5·65	6·65	10·16	13·94	22·89	56·23	146·61
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·51	†76	–	–	–	–	29·73	4·56	2·61	3·85	5·05	4·63	6·83	9·32	20·26	49·80	127·03
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·00 per cent.	10,768	300	273	270	297	258	1398	1366	1209	965	788	1412	1176	942	747	536	229
Mean Population, 1881-91. Males	Decennial Increase of Population 10·00 per cent.	5,314	155	132	129	146	133	695	665	595	524	372	677	561	459	367	281	118
Mean Population, 1881-91. Females	Decennial Increase of Population 10·00 per cent.	5,454	145	141	141	151	125	703	701	614	441	416	735	615	483	380	255	111
Deaths from All Causes, 1881-90. Persons	15·52	1,671	278	94	34	26	21	453	62	37	30	42	79	99	109	161	285	314
Deaths from All Causes, 1881-90. Males	17·12	910	161	42	15	16	10	244	30	21	13	21	45	57	64	84	158	173
Deaths from All Causes, 1881-90. Females	13·95	761	117	52	19	10	11	209	32	16	17	21	34	42	45	77	127	141

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·16	0·23	0·09	17	12	5	1	6	2	3	–	12	3	2	–	–	–	–	–
Scarlet Fever	0·02	0·02	0·02	2	1	1	–	–	1	–	1	2	–	–	–	–	–	–	–
Diphtheria	0·65	0·56	0·73	70	30	40	–	5	4	11	9	29	23	13	–	1	–	2	–	–	2
Whooping-cough	0·35	0·18	0·51	38	10	28	19	8	6	2	2	37	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·13	0·07	11	7	4	–	–	–	–	–	–	2	2	3	–	2	–	–	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·11	0·11	0·11	12	6	6	6	–	1	–	–	7	1	–	–	–	–	–	–	–	1
Cholera	0·01	0·02	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·76	0·68	0·84	82	36	46	–	–	–	–	–	–	–	–	–	–	1	5	12	17	30	17
Tabes Mesenterica	0·12	0·15	0·09	13	8	5	4	1	–	–	–	5	3	1	3	–	–	1	–	–	–	–
Phthisis	1·18	1·24	1·12	127	66	61	–	2	1	–	–	3	–	2	9	13	34	34	11	13	6	2
Other Tub. & Scrof. Dis.	0·34	0·40	0·29	37	21	16	6	11	5	1	1	24	6	2	4	–	–	1	–	–	–	–
Diseases of: Nervous System	2·15	2·30	2·02	232	122	110	41	14	1	4	3	63	4	1	1	5	7	8	17	27	52	47
Diseases of: Circulatory „	1·91	1·98	1·85	206	105	101	–	1	–	–	–	1	2	1	5	2	4	15	19	25	73	59
Diseases of: Respiratory „	2·55	3·14	1·98	275	167	108	66	29	7	2	3	107	8	2	–	2	7	7	18	27	43	54
Diseases of: Digestive „	0·64	0·73	0·55	69	39	30	7	4	2	–	–	13	3	3	–	1	3	3	7	11	14	11
Diseases of: Urinary „	0·63	0·85	0·42	68	45	23	1	–	–	–	1	2	–	2	4	2	5	5	5	8	19	16
Diseases of: Generative „	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–
Puerperal Fever	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Childbirth	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–
Violence	0·44	0·64	0·24	47	34	13	5	1	3	2	–	11	1	1	–	6	3	4	5	10	4	2
Other Causes	3·24	3·74	2·75	348	199	149	121	12	1	1	1	136	5	5	1	8	9	9	13	22	38	102

Marriages 615

Births { Males 1,619 / Females 1,543 } 3,162

Annual Rate per 1000 living { Persons Married 11·42 / Births 29·36

Deaths from Childbirth and Puerperal Fever 3·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

105.—ALRESFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Average Death-Rate per 1000. Persons	—	In Standard Population* 12·74	†86	–	–	–	–	32·40	2·36	1·87	3·45	6·06	4·11	6·99	11·59	21·13	51·74	146·41
Males	—	13·89	†120	–	–	–	–	39·14	2·49	1·27	2·82	4·96	4·46	7·30	12·70	24·81	52·54	171·62
Females	—	11·64	†69	–	–	–	–	25·43	2·21	2·45	4·14	7·11	3·79	6·68	10·51	17·15	50·99	122·78
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·45 per cent.	6,798	178	156	167	162	161	824	849	801	699	495	875	730	621	497	344	153
Males		3,413	86	75	88	80	81	449	442	393	319	242	426	356	307	258	177	74
Females		3,385	92	81	79	73	80	405	407	408	380	253	449	374	314	239	167	79
Deaths from All Causes, 1881–90. Persons	14·89	1,019	183	49	18	11	6	267	20	15	21	30	36	51	72	105	178	224
Males	16·67	569	120	27	11	2	4	164	11	5	9	12	19	26	39	64	93	127
Females	13·29	450	63	22	7	9	2	103	9	10	12	18	17	25	33	41	85	97

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	0·03	–	1	1	–
Measles	0·18	0·15	0·12	9	5	4
Scarlet Fever	0·04	0·06	0·03	3	2	1
Diphtheria	0·25	0·35	0·15	17	12	5
Whooping-cough	0·22	0·21	0·24	15	7	8
Typhus	–	–	–	–	–	–
Enteric Fever	0·04	0·06	0·03	3	2	1
Simple Continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	0·12	0·15	0·09	8	5	3
Cholera	–	–	–	–	–	–
Cancer	0·53	0·47	0·59	36	16	20
Tabes Mesenterica	0·12	0·06	0·18	8	2	6
Phthisis	1·09	1·14	1·03	74	39	35
Other Tub. & Scrof. Dis.	0·13	0·06	0·21	9	2	7
Nervous System	2·27	2·49	2·04	154	85	69
Circulatory	2·15	1·93	2·36	146	66	80
Respiratory	2·63	3·20	2·04	179	110	69
Digestive	1·04	1·26	0·83	71	43	28
Urinary	0·35	0·44	0·27	24	15	9
Generative	0·04	–	0·09	3	–	3
Puerperal Fever	0·06	–	0·13	4	–	4
Childbirth	0·09	–	0·18	6	–	6
Violence	0·43	0·70	0·15	29	24	5
Other Causes	3·25	3·91	2·54	220	133	87

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	3	–	–	2	1	6	2	–	–	1	–	–	–	–	–	–
Scarlet Fever	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Diphtheria	1	2	2	1	3	9	5	3	–	–	–	–	1	–	–	–
Whooping-cough	7	7	–	1	–	15	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	4	1	–	–	–	5	–	–	–	–	–	–	–	–	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	1	2	3	13	13	5
Tabes Mesenterica	2	3	–	–	–	5	–	–	–	2	–	1	–	–	–	–
Phthisis	1	1	–	–	–	2	1	2	8	15	13	16	9	7	1	–
Other Tub. & Scrof. Dis.	2	2	–	1	–	5	1	2	1	–	–	–	–	–	–	–
Nervous System	27	13	3	3	–	44	–	1	3	1	3	5	9	21	30	30
Circulatory	–	1	–	–	–	1	1	–	2	1	4	7	19	21	51	38
Respiratory	41	15	9	2	1	68	3	–	3	–	6	7	10	13	30	41
Digestive	16	2	1	–	–	19	4	3	1	3	–	5	11	8	9	3
Urinary	1	–	–	–	–	1	1	1	–	1	1	2	–	5	9	3
Generative	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–
Violence	3	–	–	–	–	3	1	–	–	1	2	3	3	7	6	4
Other Causes	75	3	2	2	1	83	–	2	1	2	3	1	5	9	29	85

Marriages - 378

Births - Males 997, Females 910 } 1,907

Annual Rate per 1000 living: Persons Married 10·97; Births - - 26·05

Deaths from Childbirth and Puerperal Fever - - - - - 5·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

106.—ALTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·09	†91	–	–	–	–	31·13	3·12	2·25	4·18	4·73	6·38	7·40	11·79	21·16	53·79	139·05
Males	—	Standard 13·36	†103	–	–	–	–	33·09	2·89	2·01	3·56	5·14	6·42	7·38	12·80	22·99	57·10	145·27
Females	—	Population* 12·84	†78	–	–	–	–	29·18	3·33	2·49	4·92	4·36	6·35	7·42	10·76	19·36	50·57	133·53
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·34 per cent.	15,172	382	391	385	387	411	1956	1894	1870	1436	1056	1817	1689	1399	1054	686	315
Males		7,536	186	201	195	187	207	976	933	946	786	506	857	813	711	522	338	148
Females		7,636	196	190	190	200	204	980	961	924	650	550	960	876	688	532	348	167
Deaths from All Causes 1881–90. Persons	14·87	2,256	392	118	39	34	26	609	59	42	60	50	116	125	165	223	369	438
Males	15·35	1,157	226	53	17	15	12	323	27	19	28	26	55	60	91	120	193	215
Females	14·39	1,099	166	65	22	19	14	286	32	23	32	24	61	65	74	103	176	223

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·12	0·28	30	9	21	5	9	4	4	2	24	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·17	0·20	28	13	15	2	1	4	6	4	17	6	2	–	2	–	–	–	–	1	–
Diphtheria	0·08	0·03	0·13	12	2	10	–	1	–	5	–	6	4	1	–	–	–	1	–	–	–	–
Whooping-cough	0·20	0·16	0·25	31	12	19	16	7	2	1	2	28	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·08	0·04	9	6	3	–	–	–	–	–	–	1	–	3	2	–	1	1	–	1	–
Simple Continued Fever	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·28	0·29	0·26	42	22	20	19	7	1	2	2	31	4	–	–	–	1	–	–	–	–	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·53	0·68	92	40	52	–	–	–	–	–	–	–	–	–	–	1	3	15	26	38	9
Tabes Mesenterica	0·17	0·17	0·17	26	13	13	13	7	2	1	–	23	3	–	–	–	–	–	–	–	–	–
Phthisis	1·56	1·62	1·51	237	122	115	4	–	2	–	1	7	–	11	25	19	59	45	35	27	7	2
Other Tub. & Scrof. Dis.	0·34	0·35	0·35	53	26	27	12	11	3	1	3	30	7	5	3	1	3	2	2	–	–	–
Diseases of Nervous System	2·06	2·21	1·91	312	166	146	70	22	2	1	2	97	6	5	6	5	3	9	20	35	74	52
Diseases of Circulatory „	2·02	2·23	1·81	306	168	138	1	–	–	–	1	2	2	1	5	3	9	15	33	53	97	86
Diseases of Respiratory „	2·35	2·30	2·40	356	173	183	77	37	14	12	6	146	6	2	3	3	6	15	17	28	63	67
Diseases of Digestive „	0·81	0·82	0·80	123	62	61	16	8	2	1	2	29	2	5	–	3	3	11	12	12	24	22
Diseases of Urinary „	0·52	0·58	0·46	79	44	35	–	–	–	–	–	–	1	2	1	1	7	4	11	24	19	9
Diseases of Generative „	0·03	0·01	0·04	4	1	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–
Puerperal Fever	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	1	1	4	2	–	–	–	–
Childbirth	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	1	1	3	4	–	–	–	–
Violence	0·44	0·65	0·22	66	49	17	5	2	1	–	–	8	5	3	5	4	7	7	8	8	8	3
OTHER CAUSES	2·84	3·03	2·63	431	229	202	152	6	2	–	1	161	4	4	6	5	9	5	10	9	36	182

Marriages 898

Births { Males 2,195 / Females 2,117 } 4,312

Annual Rate per 1,000 living { Persons Married 11·84 / Births 28·42

Deaths from Childbirth and Puerperal Fever 3·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

107.—HARTLEY WINTNEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000. Persons	—	In 13·26	†105	–	–	–	–	34·74	4·21	2·28	3·03	3·94	5·04	7·95	11·75	21·66	51·14	135·59
Annual Death-Rate per 1000. Males	—	Standard 14·05	†117	–	–	–	–	38·39	4·61	2·49	2·97	3·66	5·01	8·37	14·43	23·65	52·66	141·85
Annual Death-Rate per 1000. Females	—	Population* 12·52	†94	–	–	–	–	31·07	3·80	2·04	3·14	4·30	5·08	7·52	9·18	19·45	49·65	128·82
Mean Population, 1881-91. Persons	Decennial Increase of Population 14·98 per cent.	22,924	570	529	535	525	515	2654	2568	2412	2477	2824	3314	2239	1813	1392	837	354
Mean Population, 1881-91. Males	Decennial Increase of Population 14·98 per cent.	12,713	293	282	267	250	249	1331	1280	1285	1350	2022	1857	1136	887	668	444	184
Mean Population, 1881-91. Females	Decennial Increase of Population 14·98 per cent.	10,211	277	247	268	265	266	1323	1288	1127	827	872	1457	1104	926	694	423	170
Deaths from All Causes, 1881-90. Persons	13·24	3,035	639	151	60	45	37	922	108	55	75	114	167	178	213	295	428	480
Deaths from All Causes, 1881-90. Males	12·21	1,680	354	88	26	25	18	511	59	32	40	74	93	95	128	160	248	261
Deaths from All Causes, 1881-90. Females	13·27	1,355	276	63	34	20	18	411	49	23	26	40	74	83	85	135	240	219

	Persons.	Males.	Females.	Persons	Males.	Females.	PERSONS.											
Small-pox	0·02	0·03	0·02	5	3	2	–	–	–	–	–	–	–	2	–	3	–	–	–	–
Measles	0·20	0·20	0·19	45	26	19	5	16	2	4	2	29	10	1	1	2	–	1	1	–
Scarlet Fever	0·10	0·07	0·13	22	9	13	1	–	2	5	–	8	7	1	2	2	2	–	–	–
Diphtheria	0·26	0·24	0·27	59	31	28	3	2	4	5	12	26	16	10	5	1	–	–	1	–
Whooping-cough	0·24	0·13	0·38	56	17	39	27	18	4	1	3	53	3	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·11	0·06	20	14	6	–	–	1	–	–	1	3	3	3	3	1	2	3	1
Simple Continued Fever	0·05	0·03	0·03	6	3	3	–	1	–	–	–	1	–	–	1	1	1	–	–	–
Diarrhœa and Dysentery	0·26	0·28	0·23	59	36	23	35	7	–	1	–	43	1	–	–	1	–	2	–	–
Cholera	0·01	0·02	0·01	3	2	1	1	1	1	–	–	3	–	–	–	–	–	–	–	–
Cancer	0·43	0·35	0·53	98	44	54	–	–	–	–	–	–	2	–	–	1	–	6	22	28
Tabes Mesenterica	0·11	0·12	0·10	25	15	10	10	9	3	–	–	22	1	1	–	–	1	–	–	–
Phthisis	1·26	1·25	1·27	289	159	130	6	2	1	1	–	10	9	7	19	43	71	51	44	21
Other Tub. & Scrof. Dis.	0·38	0·34	0·44	88	43	45	31	9	5	4	2	51	10	8	5	4	7	1	1	–
Diseases of Nervous System	1·71	1·77	1·65	393	225	168	78	10	7	3	3	100	6	6	5	8	8	18	19	60
Diseases of Circulatory System	1·23	1·09	1·40	282	139	143	2	–	–	–	–	2	3	2	8	3	7	24	33	62
Diseases of Respiratory System	2·36	2·48	2·21	541	315	226	127	45	24	12	6	214	20	5	10	17	16	16	26	37
Diseases of Digestive System	0·87	0·95	0·77	200	121	79	39	11	2	3	3	58	4	3	1	5	3	11	19	32
Diseases of Urinary System	0·42	0·45	0·39	97	57	40	1	–	1	2	1	5	2	1	5	3	4	9	7	20
Diseases of Generative System	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	3	–	–	2
Puerperal Fever	0·05	–	0·11	11	–	11	–	–	–	–	–	–	–	–	1	1	3	6	–	–
Childbirth	0·05	–	0·12	12	–	12	–	–	–	–	–	–	–	–	–	3	5	4	–	–
Violence	0·39	0·53	0·22	90	68	22	5	7	1	2	1	16	2	2	4	5	14	9	14	9
OTHER CAUSES	2·74	2·77	2·67	627	353	274	259	13	2	3	3	280	9	5	5	10	16	10	21	21

Marriages	1,233	Annual Rate per 1000 living	Persons Married	10·76	Deaths from Childbirth and Puerperal Fever 3·85 per 1000 Births.
Births Males	3,032		Births	26·08	
Births Females	2,947				
Births	5,979				

* *See* pages XXXVI–XXXVII.

† The death-rates under one year of age are per 1000 Births.

108.—BASINGSTOKE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·57	†94	–	–	–	–	33·31	3·49	2·17	3·12	4·62	6·28	8·49	10·73	24·67	52·27	145·50
Males	—	13·95	†109	–	–	–	–	38·10	2·55	1·93	2·14	3·45	5·78	8·70	13·22	25·82	55·86	151·55
Females	—	13·20	†79	–	–	–	–	28·66	4·42	2·42	4·29	5·74	6·74	8·30	8·34	23·56	48·94	139·81
Mean Population, 1881-91. Persons	Decennial Increase of Population 6·99 per cent.	19,948	532	472	534	513	519	2570	2524	2306	1889	1492	2613	2202	1742	1305	905	400
Males		9,922	273	210	258	266	258	1265	1256	1191	1026	725	1263	1069	855	643	435	194
Females		10,026	259	262	276	247	261	1305	1268	1115	863	767	1350	1133	887	662	470	206
Deaths from All Causes, 1881-90. Persons	15·22	3,037	578	134	69	39	36	856	88	50	59	69	164	187	187	322	473	582
Males	15·78	1,566	341	65	38	23	15	482	32	23	22	25	73	93	113	166	243	294
Females	14·67	1,471	237	69	31	16	21	374	56	27	37	44	91	94	74	156	230	288

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·03	–	3	3	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	1
Measles	0·15	0·16	0·14	30	16	14	3	6	6	4	4	23	3	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·12	0·19	31	12	19	–	5	5	3	5	18	9	1	–	1	1	1	–	–	–	–
Diphtheria	0·08	0·04	0·11	15	4	11	–	–	–	1	1	2	8	2	1	2	–	–	–	–	–	–
Whooping-cough	0·24	0·25	0·23	48	25	23	26	15	2	1	2	46	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·03	0·07	10	3	7	–	–	–	1	–	1	–	1	3	1	2	1	–	–	1	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·28	0·18	46	28	18	21	3	2	–	3	29	–	–	–	–	2	1	2	1	5	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·52	0·40	0·63	103	40	63	–	–	–	–	–	–	–	–	–	–	2	10	16	30	31	14
Tabes Mesenterica	0·15	0·10	0·20	30	10	20	12	4	6	–	1	23	5	1	–	–	1	–	–	–	–	–
Phthisis	1·34	1·32	1·37	268	131	137	1	2	1	1	–	5	3	6	17	29	64	68	31	25	18	2
Other Tub. & Scrof. Dis.	0·30	0·32	0·27	59	32	27	14	14	7	3	2	40	7	4	1	1	3	2	–	1	–	–
Diseases of Nervous System	1·86	1·85	1·86	371	184	187	64	16	2	5	4	91	8	2	3	7	11	13	31	44	82	79
Diseases of Circulatory „	2·08	1·92	2·25	415	189	226	3	1	–	2	–	6	5	6	4	12	14	20	30	94	125	99
Diseases of Respiratory „	2·33	2·65	2·01	465	263	202	127	42	25	10	8	212	20	4	3	2	14	13	25	42	69	61
Diseases of Digestive „	0·88	1·01	0·75	175	100	75	20	6	4	–	1	31	5	7	4	1	9	14	19	37	27	21
Diseases of Urinary „	0·34	0·46	0·22	68	46	22	1	–	–	2	1	4	4	1	7	1	3	5	2	13	17	11
Diseases of Generative „	0·03	–	0·06	6	–	6	–	–	–	–	–	–	–	1	1	–	–	1	2	1	–	–
Puerperal Fever	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	–	1	9	4	–	–	–	–
Childbirth	0·09	–	0·18	18	–	18	–	–	–	–	–	–	–	–	–	–	11	7	–	–	–	–
Violence	0·46	0·65	0·28	92	64	28	9	3	3	1	2	18	5	1	5	4	9	13	12	7	13	5
OTHER CAUSES	3·83	4·18	3·52	768	415	353	277	17	6	3		305	3	10	10	7	8	13	17	26	86	283

Marriages - - - 1,152

Births - Males - 3,128 } 6,117
Females - 2,989 }

Annual Rate per 1000 living { Persons Married 11·55 / Births - - 30·66

Deaths from Childbirth and Puerperal Fever - - - - - } 5·23 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

109.—WHITCHURCH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65	75 and upwards
Annual Death-Rate per 1000.	Persons	—		In Standard Population*	15·02		†112	–	–	–	–	39·89	3·91	2·10	5·35	4·78	7·71	10·20	11·51	24·40	47·16	142·27
	Males	—			14·18		†114	–	–	–	–	38·07	4·09	1·62	4·01	3·56	7·08	10·45	12·80	24·73	45·71	140·68
	Females	—			15·81		†111	–	–	–	–	41·69	3·72	2·59	6·63	5·96	8·33	9·96	10·08	24·06	48·50	151·67
Mean Population, 1885-91.	Persons	Decennial Increase of Population 3·61 per cent.		5,557			157	153	147	152	145	752	691	618	505	460	739	549	469	373	282	119
	Males			2,774			79	73	72	75	74	373	342	309	274	225	367	268	231	186	140	59
	Females			2,783			78	80	75	77	69	379	349	309	231	235	372	281	238	187	142	60
Deaths from All Causes, 1881-90.	Persons	17·17		954			248	52	23	15	7	300	27	13	27	22	57	56	54	91	133	174
	Males	16·47		457			86	21	15	8	2	142	14	5	11	8	26	28	30	46	64	86
	Females	17·85		497			107	31	8	7	5	158	13	8	16	14	31	28	24	45	69	91
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·22	0·11	9	6	3	3	2	–	1	–	6	1	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·11	0·11	0·11	6	3	3	–	–	2	–	–	2	3	–	–	–	1	–	–	–	–	–
Diphtheria	0·27	0·18	0·36	15	5	10	–	–	2	1	2	5	7	2	1	–	–	–	–	–	–	–
Whooping-cough	0·58	0·54	0·61	32	15	17	12	14	–	2	3	31	1	–	–	–	–	–	–	–	–	–
Typhus	0·04	0·07	–	2	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Enteric Fever	0·05	0·04	0·07	3	1	2	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–
Simple Continued Fever	0·04	0·04	0·04	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Diarrhœa and Dysentery	0·40	0·43	0·36	22	12	10	19	–	–	–	–	19	–	–	–	–	–	–	–	1	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·68	0·61	36	19	17	–	–	–	–	–	–	–	–	–	–	1	4	5	12	11	3
Tabes Mesenterica	0·02	0·04	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	1·69	1·35	2·05	94	37	57	3	1	–	–	–	4	1	3	8	14	25	17	11	9	2	–
Other Tub. & Scrof. Dis.	0·25	0·25	0·22	13	7	6	2	3	1	1	–	7	1	–	3	1	1	–	–	–	–	–
Diseases of: Nervous System	2·20	2·02	2·37	122	56	66	28	6	3	2	1	40	1	1	3	1	3	8	4	8	23	30
Circulatory „	3·56	2·38	2·34	131	66	65	–	–	–	–	–	–	1	3	2	1	5	12	10	22	41	34
Respiratory „	3·83	2·59	3·05	157	72	85	36	18	11	6	–	71	4	1	1	2	3	5	6	17	19	33
Digestive „	1·13	1·08	1·19	63	30	33	10	3	1	–	–	14	3	–	1	–	6	3	3	7	14	12
Urinary „	0·41	0·61	0·22	23	17	6	–	–	–	–	–	–	–	–	–	–	2	2	6	4	6	4
Generative „	0·05	0·04	0·07	3	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·07	–	0·14	4	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
Violence	0·34	0·47	0·22	19	13	6	5	–	2	1	1	9	–	–	1	1	3	1	3	1	–	–
OTHER CAUSES	3·54	3·35	3·73	197	93	104	84	4	1	–	–	89	3	3	4	1	4	1	6	9	16	61

Marriages	–	–	393	Annual Rate per 1000 living	Persons Married 12·70
Births	Males	845	1,813		Births – – 32·63
	Females	968			

Deaths from Childbirth and Puerperal Fever – – – – 2·21 per 1000 Births.

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

110.—ANDOVER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·18	†91	–	–	–	–	32·26	3·81	1·68	3·51	3·90	6·71	8·23	14·14	24·96	63·99	151·46
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·45	†89	–	–	–	–	32·34	4·53	1·55	3·72	3·21	7·05	9·48	16·62	26·38	64·88	155·41
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·92	†93	–	–	–	–	32·18	3·08	1·80	3·25	4·56	6·40	7·07	11·68	23·56	63·09	147·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·89 per cent.	15,631	387	400	406	387	376	1956	1890	1789	1455	1205	1981	1640	1464	1206	736	309
Mean Population, 1881–91. Males	Decennial Decrease of Population 0·89 per cent.	7,802	198	200	207	188	184	977	949	902	779	591	965	791	728	599	373	148
Mean Population, 1881–91. Females	Decennial Decrease of Population 0·89 per cent.	7,829	189	200	199	199	192	979	941	887	676	614	1016	849	736	607	363	161
Deaths from All Causes, 1881–90. Persons	16·29	2,546	413	118	47	30	23	631	72	30	51	47	133	135	207	301	471	468
Deaths from All Causes, 1881–90. Males	16·85	1,315	203	64	23	16	10	316	43	14	29	19	68	75	121	158	242	230
Deaths from All Causes, 1881–90. Females	15·72	1,231	210	54	24	14	13	315	29	16	22	28	65	60	86	143	229	238

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·21	0·27	0·15	33	21	12	5	13	2	3	1	24	7	1	–	–	–	–	–	1	–	–
Scarlet Fever	0·07	0·09	0·05	11	7	4	–	1	3	2	–	6	4	1	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·09	0·09	14	7	7	–	1	–	2	2	5	6	1	–	–	1	–	–	1	–	–
Whooping-cough	0·33	0·32	0·33	51	25	26	23	14	6	4	2	49	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·13	0·08	16	10	6	–	–	–	2	1	3	–	–	–	5	–	1	1	2	3	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·26	0·26	0·27	41	20	21	11	5	3	1	1	21	–	–	–	–	1	–	–	1	6	11
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·78	0·59	0·97	122	46	76	–	–	–	–	–	–	–	–	–	–	4	9	22	34	39	14
Tabes Mesenterica	0·11	0·10	0·11	17	8	9	4	3	3	–	–	10	–	4	1	1	–	–	1	–	–	–
Phthisis	1·20	1·27	1·12	187	99	88	–	2	–	1	–	3	5	5	12	26	49	38	27	11	9	2
Other Tub. & Scrof. Dis.	0·29	0·26	0·32	45	20	25	15	7	3	1	2	28	5	3	1	1	4	2	1	–	–	–
Diseases of Nervous System	1·86	1·82	1·89	290	142	148	42	13	4	–	7	66	9	3	2	–	7	15	21	47	65	55
Diseases of Circulatory „	2·27	2·23	2·31	355	174	181	1	3	–	1	–	5	2	3	7	1	17	12	37	72	127	72
Diseases of Respiratory „	2·90	3·13	2·67	453	244	209	76	33	16	11	5	141	12	3	4	4	11	18	32	52	84	92
Diseases of Digestive „	0·96	1·00	0·92	150	78	72	26	12	–	–	1	39	4	1	3	1	8	8	17	31	32	6
Diseases of Urinary „	0·58	0·88	0·27	90	69	21	–	1	–	–	–	1	1	–	–	2	7	9	16	13	29	12
Diseases of Generative „	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Puerperal Fever	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Childbirth	0·10	–	0·19	15	–	15	–	–	–	–	–	–	–	–	1	4	6	4	–	–	–	–
Violence	0·47	0·70	0·24	74	55	19	6	–	3	–	–	9	5	3	8	3	5	5	6	13	9	10
OTHER CAUSES	3·65	3·70	3·64	573	289	284	204	10	4	2	1	221	9	2	7	2	13	11	24	20	70	194

Marriages - - - 971

Births - { Males - 2,287 / Femal - 2,248 } 4,535

Annual Rate per 1000 living { Persons Married 12·42 / Births - - 29·01

Deaths from Childbirth and Puerperal Fever - - - - - 4·19 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

111.—KINGSCLERE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate { Persons	—	In Standard Population* 12·49	†101	–	–	–	–	33·13	3·09	1·40	3·27	4·61	6·82	7·23	9·01	19·61	41·31	140·20
per 1000 { Males	—	12·41	†111	–	–	–	–	36·07	2·23	0·99	3·15	3·25	7·04	5·98	10·62	19·89	40·79	148·98
living. { Females	—	12·56	†91	–	–	–	–	30·31	3·91	1·83	3·44	6·00	6·63	8·41	7·42	20·12	41·86	131·68
Mean Popu- { Persons	Decennial Increase of Population 1·44 per cent.	8,586	239	203	230	215	236	1123	1102	997	764	608	1011	886	777	693	443	199
lation, { Males		4,303	110	108	101	110	120	549	539	503	444	308	483	435	386	330	228	98
1881-91. { Females		4,283	129	95	129	105	116	574	563	494	320	300	528	451	391	333	215	101
Deaths from { Persons	14·78	1,269	260	54	30	13	15	372	34	14	25	28	69	65	70	130	184	279
All Causes, { Males	14·92	642	142	29	15	6	6	198	12	5	14	10	34	26	41	63	93	146
1881-90. { Females	14·64	627	118	25	15	7	9	174	22	9	11	18	35	39	29	67	90	133

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	0·16	0·28	19	7	12	2	4	6	3	–	15	3	–	–	–	1	–	–	–	–
Scarlet Fever	0·09	0·05	0·14	8	2	6	1	1	1	–	1	4	2	–	–	–	–	2	–	–	–
Diphtheria	0·16	0·12	0·21	14	5	9	–	1	2	–	5	8	6	–	–	–	–	–	–	–	–
Whooping-cough	0·27	0·21	0·33	23	9	14	14	6	1	–	1	22	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·12	0·30	18	5	13	–	–	–	1	1	2	2	1	2	2	1	2	3	1	–
Simple Continued Fever	0·03	0·05	0·02	3	2	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·14	0·12	0·16	12	5	7	3	–	–	–	–	3	1	–	–	1	–	1	1	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·04	0·42	0·26	35	18	37	–	–	–	–	–	–	–	–	–	1	3	13	18	15	6
Tabes Mesenterica	0·10	0·12	0·09	9	5	4	3	3	1	–	1	7	–	1	–	–	–	–	1	–	–
Phthisis	1·06	1·07	1·05	91	46	45	3	–	1	–	–	4	2	2	6	11	25	20	7	10	4
Other Tub. & Scrof. Dis.	0·26	0·30	0·21	22	13	9	6	3	2	–	1	12	2	–	–	3	1	1	1	1	1
Diseases of Nervous System	1·02	1·70	1·54	139	73	66	34	8	1	2	1	46	2	2	3	2	3	1	3	19	24	20
Circulatory	1·13	1·35	1·10	101	54	47	–	–	–	–	–	–	–	–	–	1	5	10	13	18	36	19
Respiratory	3·06	3·14	2·99	263	135	128	51	11	9	3	3	76	4	2	3	2	11	10	9	22	53	71
Digestive	0·78	0·91	0·65	67	39	28	13	10	1	1	1	25	–	1	2	1	2	3	5	7	12	9
Urinary	0·31	0·40	0·23	27	17	10	–	1	–	–	–	1	1	–	–	–	1	1	1	5	8	2
Generative	0·07	–	0·14	6	–	6	–	–	–	–	–	–	–	–	–	–	3	–	3	–	–	2
Puerperal Fever	0·07	–	0·14	6	–	6	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–
Childbirth	0·09	–	0·19	8	–	8	–	–	–	–	–	–	–	–	1	3	1	3	–	–	–	–
Violence	0·47	0·58	0·35	40	25	15	7	3	4	–	–	14	3	1	2	1	3	3	3	2	2	5
Other Causes	3·95	4·29	3·66	338	183	156	124	4	1	3	1	133	5	3	5	1	7	5	5	21	26	127

Marriages	–	518	Annual Rate per 1000 living { Persons Married	12·07	Deaths from Childbirth and Puerperal Fever 5·44 per 1000 Births.
Births { Males	1,283	2,574	Births	29·98	
{ Females	1,291				

* See page 3 above Table.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·87	†112	–	–	–	–	41·36	3·87	2·53	3·45	5·15	6·80	8·93	12·93	23·28	49·68	141·93
Males	—					15·66	†122	–	–	–	–	44·64	4·79	2·15	2·53	5·06	7·38	10·09	13·85	23·99	54·77	155·46
Females	—					14·12	†101	–	–	–	–	38·16	2·97	2·89	4·34	5·23	6·31	7·90	12·16	22·61	45·09	130·82
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·64 per cent.			21,502			522	502	528	504	509	2565	2584	2493	2087	1631	2721	2308	1949	1551	1105	508
Males				10,242			258	265	249	235	261	1268	1273	1211	1026	751	1246	1080	888	746	524	229
Females				11,260			264	237	279	269	248	1297	1311	1282	1061	880	1475	1228	1061	805	581	279
Deaths from All Causes, 1881–90. Persons	16·99			3,654			692	179	72	62	56	1061	100	63	72	84	185	206	252	361	549	721
Males	18·19			1,863			387	84	36	36	23	566	61	26	26	38	92	109	123	179	287	356
Females	15·91			1,791			305	95	36	26	33	495	39	37	46	46	93	97	129	182	262	365
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·19	0·17	38	19	19	5	18	5	2	4	34	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·22	0·18	43	23	20	–	5	4	3	8	20	17	5	1	–	–	–	–	–	–	–
Diphtheria	0·20	0·20	0·20	42	20	22	1	6	4	7	3	21	12	7	–	–	1	–	–	–	–	1
Whooping-cough	0·21	0·19	0·24	46	19	27	29	10	4	1	2	46	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·14	0·17	33	14	19	–	–	1	1	2	4	2	3	7	4	5	4	1	2	1	–
Simple Continued Fever	0·02	–	0·04	4	–	4	–	–	–	2	–	2	–	2	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·32	0·37	0·27	68	38	30	38	7	1	–	3	49	–	–	–	–	–	1	–	1	5	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·78	0·57	0·98	168	58	110	–	–	–	–	–	–	1	–	–	1	4	6	35	52	45	24
Tabes Mesenterica	0·07	0·10	0·05	16	10	6	8	1	–	1	1	11	2	2	1	–	–	–	–	–	–	–
Phthisis	1·52	1·65	1·40	327	169	158	5	5	1	1	2	14	2	10	30	31	77	63	45	36	15	4
Other Tub. & Scrof. Dis.	0·36	0·46	0·28	78	47	31	21	9	6	4	7	47	13	3	4	3	3	1	2	1	–	1
Diseases of Nervous System	2·24	2·47	2·02	481	253	228	130	32	5	5	5	177	8	4	6	3	12	14	30	46	95	86
Diseases of Circulatory „	1·89	1·84	1·94	407	188	219	1	–	–	–	–	1	3	3	4	4	19	29	43	76	118	107
Diseases of Respiratory „	3·01	3·43	2·66	650	351	299	144	51	29	22	12	258	20	5	1	2	10	18	28	62	107	139
Diseases of Digestive „	0·89	0·91	0·87	191	93	98	27	12	3	3	2	47	6	4	1	7	9	14	22	24	35	22
Diseases of Urinary „	0·41	0·56	0·28	89	57	32	–	–	–	–	–	–	1	1	–	4	8	7	12	12	27	17
Diseases of Generative „	0·05	0·02	0·07	10	2	8	1	–	–	–	–	1	–	–	2	–	1	2	1	–	3	–
Puerperal Fever	0·04	–	0·07	8	–	8	–	–	–	–	–	–	–	–	–	5	1	2	–	–	–	–
Childbirth	0·09	–	0·18	20	–	20	–	–	–	–	–	–	–	–	–	5	8	7	–	–	–	–
Violence	0·56	0·81	0·33	120	83	37	10	3	5	3	3	24	4	7	4	5	11	16	12	14	9	14
OTHER CAUSES	3·80	4·06	3·51	815	419	396	272	20	4	7	2	305	6	6	11	10	16	22	21	35	89	204

Marriages 1,380

Births { Males 3,163 / Females 3,009 } 6,172

Annual Rate per 1000 living { Persons Married 12·84 / Births 28·70

Deaths from Childbirth and Puerperal Fever } 4·54 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

113.—HUNGERFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 { Persons	—	In Standard Population* 13·77	†89	–	–	–	–	34·27	4·19	2·43	2·99	5·69	5·40	6·61	12·52	23·66	52·62	151·86
Males	—	13·56	†107	–	–	–	–	36·89	3·53	1·59	2·22	5·84	4·94	6·73	12·55	24·55	51·51	157·89
Females	—	13·96	†62	–	–	–	–	31·69	5·25	3·31	4·04	5·54	5·87	6·49	12·48	22·81	53·67	146·15
Mean Population living at { Persons	Decennial Decrease of Population 4·41 per cent.	17,469	452	445	448	438	429	2212	2181	1978	1640	1265	2074	1741	1574	1365	954	430
Males		8,772	224	215	230	207	219	1095	1077	1005	947	651	1052	847	757	668	464	209
Females		8,697	228	230	218	231	210	1117	1104	973	693	614	1023	894	817	697	490	221
Deaths from All Causes { Persons	16·80	2,925	507	131	54	38	28	758	97	48	49	72	112	115	197	323	502	653
Males	16·58	1,454	270	68	27	21	18	404	38	16	21	38	53	57	95	164	239	330
Females	17·03	1,471	237	63	27	17	10	354	58	32	28	34	60	58	102	159	263	323

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Small-pox	0·01	0·02	–	2	2	–	– – – – – – – – – – 1 – – – – 1 –
Measles	0·18	0·22	0·15	32	19	13	8 9 2 4 1 24 4 2 1 – 1 – – – – – 1
Scarlet Fever	0·20	0·16	0·24	35	14	21	– 6 2 1 2 11 16 6 – 1 – 1 – – – – –
Diphtheria	0·13	0·10	0·15	22	9	13	1 2 4 4 – 11 11 – – – – – – – – –
Whooping-cough	0·26	0·22	0·30	45	19	26	25 13 3 2 – 43 2 – – – – – – – – –
Typhus	–	–	–	–	–	–	– – – – – – – – – – – – – – – –
Enteric Fever	0·11	0·09	0·13	19	8	11	– – – – – – 1 1 3 5 5 2 1 – – 1 –
Simple Continued Fever	0·02	0·02	0·01	3	2	1	– – – – – – – 1 – – – – – – 2 –
Diarrhœa and Dysentery	0·24	0·25	0·23	42	22	20	17 5 4 1 – 27 1 1 – – – – 1 1 – 5
Cholera	–	–	–	–	–	–	– – – – – – – – – – – – – – – –
Cancer	0·53	0·40	0·66	92	35	57	– – – – – – – – – – 5 16 26 31 14
Tabes Mesenterica	0·23	0·22	0·24	40	19	21	13 10 3 2 1 29 3 2 – – 2 1 2 1 – –
Phthisis	1·14	0·95	1·34	199	83	116	3 1 – – – 4 5 7 13 43 43 28 30 20 6 2
Other Tub. & Scrof. Dis.	0·17	0·15	0·20	30	13	17	14 3 2 – 2 21 6 2 – – 1 – – – – –
Deaths of Persons of { Nervous System	2·25	2·00	2·50	391	175	216	73 19 3 5 3 103 5 9 10 4 5 13 19 32 81 96
Circulating ,,	2·00	2·04	1·97	349	179	170	6 .. .. 6 2 3 4 1 3 11 35 70 132 97
Respiratory ,,	3·11	3·23	3·00	542	283	259	87 34 15 11 14 161 20 5 5 4 9 10 35 64 93 135
Digestive ,,	1·34	1·41	1·26	233	124	109	39 16 2 1 1 59 11 2 2 6 8 19 16 30 38 29
Urinary ,,	0·56	0·73	0·39	98	64	34	– – 1 – – 1 – 3 – – 4 8 14 19 23 30
Generative ,,	0·06	–	0·11	10	–	10	– – – – – – – – – – 1 1 3 5 1 –
Puerperal Fever	0·02	–	0·05	4	–	4	– – – – – – – – – – 3 1 – – – –
Childbirth	0·07	–	0·14	12	–	12	– – – – – – – – – 1 10 1 – – – –
Violence	0·49	0·68	0·29	85	60	25	10 2 8 2 2 24 6 1 6 4 9 5 7 5 7 11
Other Causes	3·68	3·69	3·67	640	324	316	241 14 5 3 2 265 3 3 5 3 9 9 19 30 39 240

Marriages		1,146	Annual Rate per 1000 living { Persons Married	13·17	Deaths from Childbirth and Puerperal Fever 3·13 per 1000 Births.
Births { Males	2,534	5,110	Births	29·35	
Females	2,576				

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

114.—FARINGDON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·57	†103	–	–	–	–	36·19	4·94	2·45	3·35	5·26	7·01	9·08	12·96	22·16	53·20	152·91
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·94	†119	–	–	–	–	39·91	4·88	3·02	2·85	4·38	6·97	9·66	13·17	24·39	52·82	157·69
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·21	†87	–	–	–	–	32·36	5·00	1·87	3·97	6·16	7·05	8·54	12·76	20·08	53·56	148·54
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·12 per cent.	13,610	340	342	339	367	350	1738	1720	1630	1255	951	1583	1409	1289	1020	688	327
Mean Population, 1881-91. Males	Decennial Decrease of Population 1·12 per cent.	6,773	166	172	178	188	178	882	840	827	701	480	760	683	615	492	337	156
Mean Population, 1881-91. Females	Decennial Decrease of Population 1·12 per cent.	6,837	174	170	161	179	172	856	880	803	554	471	823	726	674	528	351	171
Deaths from All Causes, 1881-90. Persons	17·22	2,344	405	108	53	30	33	629	85	40	42	50	111	128	167	226	366	500
Deaths from All Causes, 1881-90. Males	17·76	1,203	254	52	28	19	19	352	41	25	20	21	53	66	81	120	178	246
Deaths from All Causes, 1881-90. Females	16·69	1,141	171	56	25	11	14	277	44	15	22	29	58	62	86	106	188	254

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·21	0·24	0·19	29	16	13	2	11	8	–	4	25	3	1	–	–	–	–	–	–
Scarlet Fever	0·42	0·49	0·37	58	33	25	5	6	10	8	10	39	16	2	–	1	–	–	–	–	–	–
Diphtheria	0·04	0·06	0·02	5	4	1	1	1	–	–	–	2	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·18	0·12	0·25	25	8	17	12	5	4	2	1	24	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·24	0·28	0·19	32	19	13	–	1	–	1	3	5	8	3	4	1	4	3	2	1	–	1
Simple Continued Fever	0·02	0·03	0·02	3	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·31	0·13	30	21	9	16	1	–	1	–	18	–	–	1	–	–	1	–	2	2	–
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6
Cancer	0·56	0·49	0·63	76	33	43	–	1	–	–	–	1	–	–	–	–	1	5	11	27	14	17
Tabes Mesenterica	0·43	0·43	0·44	59	29	30	34	10	3	–	2	49	3	1	1	1	–	1	2	–	1	–
Phthisis	1·45	1·43	1·46	197	97	100	15	4	–	1	1	21	7	8	11	25	43	38	27	12	5	–
Other Tub. & Scrof. Dis.	0·30	0·34	0·26	41	23	18	10	5	1	3	2	21	7	2	3	2	2	–	3	1	–	–
Diseases of Nervous System	2·47	2·44	2·50	336	165	171	44	12	8	3	2	69	5	4	2	–	9	10	18	35	92	92
Diseases of Circulatory „	1·97	1·76	2·18	268	149	149	1	–	–	–	–	1	2	3	4	1	11	15	27	55	83	66
Diseases of Respiratory „	2·88	3·03	2·73	392	205	187	66	29	12	6	5	118	11	2	4	3	5	14	30	34	64	107
Diseases of Digestive „	1·23	1·25	1·20	167	85	82	28	9	1	2	–	40	3	–	2	1	5	10	18	29	32	27
Diseases of Urinary „	0·42	0·63	0·20	57	43	14	–	1	–	–	–	1	1	1	1	2	4	3	6	5	18	15
Diseases of Generative „	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3
Puerperal Fever	0·04	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–
Childbirth	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	–	4	3	3	1	–	–	–
Violence	0·54	0·80	0·29	74	54	20	5	2	4	1	1	13	9	8	3	3	9	6	5	4	7	7
OTHER CAUSES	3·44	3·61	3·26	469	246	223	165	10	2	2	2	181	6	5	5	4	12	19	15	19	45	158

Marriages	868	Annual Rate per 1000 living	Persons Married	12·76
Births — Males	1,963		Births	28·90
Births — Females	1,970			
Births	3,933			

Deaths from Childbirth and Puerperal Fever — 4·07 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

115.—ABINGDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	—	In Standard Population* 14·18 / 14·87 / 14·11	†106 / †117 / †95	–	–	–	–	38·10 / 41·91 / 34·26	3·63 / 3·87 / 3·40	2·41 / 1·92 / 2·95	3·03 / 2·48 / 3·70	5·58 / 4·83 / 6·28	6·74 / 6·85 / 6·63	8·09 / 7·72 / 8·41	12·29 / 13·49 / 11·22	21·94 / 24·26 / 19·83	55·77 / 54·73 / 56·73	150·13 / 168·93 / 138·32
Mean Popn. 1884-91.	Decennial Decrease of Population 2·24 per cent.	12,983 / 9,848 / 10,135	520 / 258 / 262	512 / 262 / 250	513 / 257 / 256	540 / 273 / 267	521 / 260 / 261	2606 / 1310 / 1296	2532 / 1267 / 1265	2370 / 1250 / 1120	1982 / 1090 / 892	1565 / 725 / 780	2552 / 1180 / 1372	2077 / 959 / 1118	1668 / 786 / 882	1349 / 643 / 706	945 / 455 / 490	397 / 183 / 214
Deaths from All Causes. 1881-90.	16·26 / 16·75 / 15·79	3,250 / 1,650 / 1,600	644 / 359 / 285	197 / 106 / 91	65 / 30 / 35	43 / 25 / 18	44 / 29 / 15	993 / 549 / 444	92 / 49 / 43	57 / 24 / 33	66 / 27 / 33	84 / 35 / 49	172 / 81 / 91	168 / 74 / 94	205 / 106 / 99	286 / 156 / 140	527 / 249 / 278	506 / 300 / 206

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–		
Measles	0·21	0·24	0·17	41	24	17	6	13	9	2	4	34	4	2	–	–	–	1	–	–
Scarlet Fever	0·37	0·35	0·38	73	34	39	3	15	10	15	10	53	12	8	–	–	–	–	–	–
Diphtheria	0·11	0·07	0·14	21	7	14	–	–	2	2	4	8	10	–	2	–	1	–	–	–
Whooping-cough	0·32	0·32	0·32	64	33	32	36	20	3	2	2	63	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	0·03	0·03	6	3	3	–	–	1	–	2	3	–	1	–	–	2	–	–	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·40	0·44	0·36	79	45	36	49	9	3	–	1	62	1	–	–	–	–	2	4	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·42	0·88	130	41	89	–	–	–	–	–	–	–	–	–	2	7	24	38	43	16
Tabes Mesenterica	0·13	0·13	0·13	23	13	10	6	6	–	–	1	13	2	3	2	1	2	–	–	–	–
Tubercular	1·40	1·44	1·35	279	142	137	10	9	1	–	–	20	8	10	22	27	75	45	36	22	14	2
Other Tub. & Scrof. Dis.	0·41	0·46	0·37	83	45	37	11	10	6	5	11	43	14	5	4	3	3	3	–	2	4	1
Diseases of Nervous System	1·69	1·62	1·74	339	163	176	69	16	8	2	–	95	4	7	4	8	8	21	21	34	67	70
" Circulatory	1·80	1·56	2·02	369	154	205	–	2	–	–	1	3	4	2	5	4	5	16	34	62	130	94
" Respiratory	2·55	2·87	2·24	510	283	227	124	58	12	9	3	206	8	3	4	9	16	15	24	42	88	95
" Digestive	0·94	0·91	0·96	187	90	97	31	14	3	–	2	50	5	2	2	5	8	8	15	24	40	28
" Urinary	0·68	0·80	0·56	136	89	47	–	–	1	1	1	3	1	–	1	2	10	9	17	22	47	24
" Generative	0·06	0·02	0·09	11	2	9	–	–	–	–	–	–	–	–	1	–	1	2	3	–	4	1
Puerperal Fever	0·10	–	0·19	19	–	19	–	–	–	–	–	–	–	–	–	6	9	4	–	–	–	–
Convulsions	0·06	–	0·12	12	–	12	–	–	–	–	–	–	–	–	–	1	3	7	1	–	–	–
Violence	0·64	1·09	0·20	128	98	30	4	3	2	2	1	12	14	7	7	10	15	13	14	12	14	11
Other Causes	3·70	3·91	3·56	743	385	363	295	22	4	3	1	325	4	7	6	7	14	19	16	35	72	243

Marriages	–	1,164	Annual Rate per 1000 living	Persons Married 11·65
Births	Males 3,072 / Females 3,005	6,077		Births – – 30·41

Deaths from Childbirth and Puerperal Fever – – – – 5·10 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

116.—WANTAGE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·22	†98	–	–	–	–	35·01	4·11	1·74	4·18	5·88	6·69	7·10	12·26	22·96	56·63	154·25
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·61	†111	–	–	–	–	39·55	3·80	1·88	3·54	5·48	5·17	8·19	13·79	25·04	56·67	161·45
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·85	†84	–	–	–	–	30·32	4·45	1·59	5·04	6·34	8·25	6·02	10·81	20·88	56·59	147·31
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·61 per cent.	16,855	448	434	436	434	410	2162	2139	2009	1626	1225	2093	1689	1493	1224	830	365
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·61 per cent.	8,696	229	218	230	211	212	1100	1105	1063	931	657	1053	842	725	611	420	179
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·61 per cent.	8,159	219	216	206	223	198	1062	1034	946	695	568	1030	847	768	613	410	186
Deaths from All Causes, 1881–90. Persons	16·48	2,777	502	143	49	33	30	757	88	35	68	72	140	120	183	281	470	563
Deaths from All Causes, 1881–90. Males	16·90	1,470	297	77	30	15	16	435	42	20	33	36	55	69	100	153	238	289
Deaths from All Causes, 1881–90. Females	16·02	1,307	205	66	19	18	14	322	46	15	35	36	85	51	83	128	232	274

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·04	0·04	0·05	7	3	4	–	–	–	–	–	–	–	1	1	–	1	–	2	1	–	1
Measles	0·20	0·18	0·22	34	16	18	4	12	7	1	2	26	5	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·13	0·21	28	11	17	2	3	–	5	5	15	13	–	–	–	–	–	–	–	–	–
Diphtheria	0·07	0·08	0·06	12	7	5	–	–	1	2	1	4	2	1	1	1	1	–	1	–	–	1
Whooping-cough	0·36	0·37	0·34	60	32	28	29	19	3	4	2	57	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·15	0·15	0·15	25	13	12	–	–	–	–	–	–	10	1	4	–	2	2	3	1	2	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·54	0·55	0·53	91	48	43	40	8	6	1	3	58	2	1	–	2	1	–	2	2	6	17
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·37	0·81	98	32	66	–	–	–	–	–	–	1	–	–	–	1	9	16	30	30	11
Tabes Mesenterica	0·09	0·07	0·12	16	6	10	5	3	3	–	–	11	3	–	1	–	1	–	–	–	–	–
Phthisis	1·43	1·38	1·48	241	120	121	3	4	5	2	–	14	5	5	21	44	52	36	25	22	15	2
Other Tub. & Scrof. Dis.	0·36	0·36	0·37	61	31	30	13	13	5	2	1	34	10	4	–	3	3	3	2	2	–	–
Diseases of Nervous System	1·94	2·09	1·78	327	182	145	57	14	4	1	1	77	8	2	8	1	11	8	24	43	71	74
Diseases of Circulatory „	2·36	2·13	2·57	398	188	210	5	–	–	–	1	6	2	2	7	3	7	10	35	64	144	118
Diseases of Respiratory „	2·55	2·71	2·38	430	236	194	112	38	8	12	7	177	7	1	7	5	10	11	16	37	71	88
Diseases of Digestive „	1·13	1·22	1·04	191	106	85	37	14	2	1	3	57	5	1	6	2	9	9	23	27	32	20
Diseases of Urinary „	0·85	0·56	0·12	59	49	10	–	–	–	1	–	1	1	–	–	–	5	3	7	7	18	17
Diseases of Generative „	0·08	–	0·17	14	–	14	–	–	–	–	–	–	–	–	1	–	5	3	2	3	–	–
Puerperal Fever	0·05	–	0·11	9	–	9	–	–	–	–	–	–	–	–	–	1	7	–	1	–	–	–
Childbirth	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	3	4	2	2	–	–	–
Violence	0·52	0·66	0·38	88	57	31	6	3	4	–	1	14	6	7	6	3	7	8	5	15	11	6
OTHER CAUSES	3·41	3·85	2·97	574	333	241	189	11	1	1	3	205	4	6	5	4	13	16	16	27	70	208

Marriages 1,036

Births – Males 2,678; Females 2,429; 5,107

Annual Rate per 1000 living: Persons Married 12·29; Births 30·30

Deaths from Childbirth and Puerperal Fever 3·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

117.—WALLINGFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20	25—	35—	45	55—	65	75 and upwards
Average Annual Death-Rate per 1000 { Persons / Males / Females	— / — / —	In Standard Population* 16·72 / 16·23 / 15·54	·97 / ·100 / ·84	– / – / –	– / – / –	– / – / –	– / – / –	23·30 / 33·76 / 37·28	3·38 / 3·12 / 3·83	2·34 / 2·98 / 1·63	4·30 / 4·45 / 4·31	6·05 / 4·33 / 8·05	8·89 / 10·31 / 7·54	15·20 / 15·06 / 11·46	17·45 / 19·23 / 15·30	35·30 / 27·79 / 24·03	42·82 / 48·04 / 37·38	102·97 / 176·79 / 103·92
Mean Population { Persons / Males / Females	Decennial Increase 1 Population 1·47 per cent.	13,600 / 7,205 / 7,206	354 / 179 / 175	341 / 171 / 170	367 / 189 / 177	340 / 164 / 176	377 / 195 / 182	1749 / 889 / 860	1705 / 875 / 888	1741 / 913 / 788	1276 / 696 / 580	1022 / 508 / 514	1788 / 873 / 915	1652 / 797 / 855	1449 / 702 / 747	1129 / 529 / 591	745 / 356 / 389	323 / 165 / 158
Inmates of Workhouse { Persons / Males / Females	18·80 / 19·78 / 17·82	2,715 / 1,445 / 1,270	380 / 215 / 165	115 / 48 / 67	40 / 23 / 17	27 / 13 / 14	28 / 10 / 18	584 / 309 / 275	64 / 30 / 34	40 / 27 / 13	56 / 31 / 25	68 / 22 / 46	159 / 90 / 69	248 / 120 / 98	230 / 135 / 115	289 / 147 / 142	468 / 244 / 224	540 / 290 / 250

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	–	–	–	–	–	–
Measles	0·35	0·32	0·39	34	16	18
Scarlet Fever	0·03	0·04	0·01	4	1	3
Diphtheria	0·13	0·13	0·14	18	9	9
Whooping-cough	0·34	0·25	0·38	45	18	28
Typhus	–	–	–	–	–	–
Enteric Fever	0·06	0·03	0·10	8	1	7
Simple continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	0·56	0·64	0·49	76	47	29
Cholera	0·01	0·01	–	1	1	–
Plague	–	–	–	–	–	–
Erysipelas	0·25	0·40	0·05	33	26	07
Typhoid Malaria	0·05	0·04	0·06	13	3	7
Phthisis	1·43	1·43	1·43	227	128	104
Other Tubercular Diseases	0·40	0·43	0·42	57	26	31
Diseases of the Nervous System	2·41	2·81	3·02	408	278	220
Organs of Circulation	2·15	2·05	2·17	307	149	158
Diseases of the Respiratory Organs	2·74	2·89	2·62	403	211	189
Diseases of the Digestive Organs	0·99	1·01	0·97	145	74	71
Diseases of the Urinary Organs	0·34	0·44	0·23	49	32	17
Diseases of the Generative Organs	0·04	0·01	0·07	6	1	5
Puerperal Fever	0·07	–	0·14	10	–	10
Accidents	0·05	0·04	0·06	7	–	7
Old Age	0·17	0·18	0·16	25	27	21
Other Causes	4·64	4·46	4·78	681	327	354

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	–	–	–	–	–	–
Measles	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–
Simple continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–
Cholera	–	–	–	–	–	–
Plague	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–
Typhoid Malaria	–	–	–	–	–	–
Phthisis	7	10	5	3	3	28
Other Tubercular Diseases	–	–	–	–	1	1
Diseases of the Nervous System	–	1	–	1	2	4
Organs of Circulation	–	–	–	–	–	–
Diseases of the Respiratory Organs	24	10	6	3	2	45
Diseases of the Digestive Organs	–	–	–	–	–	–
Diseases of the Urinary Organs	–	–	–	–	–	–
Diseases of the Generative Organs	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–
Accidents	–	–	–	–	–	–
Old Age	–	–	–	–	–	–
Other Causes	1	7	3	1	1	14
	174	12	7	6	1	200

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	–	–	–	–	–	–
Measles	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–
Simple continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–
Cholera	–	–	–	–	–	–
Plague	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–
Typhoid Malaria	–	–	–	–	–	–
Phthisis	28	4	1	1	–	–
Other Tubercular Diseases	1	2	–	–	–	–
Diseases of the Nervous System	4	7	4	2	–	–
Organs of Circulation	–	1	–	–	1	–
Diseases of the Respiratory Organs	45	1	–	–	–	–
Diseases of the Digestive Organs	–	–	–	–	–	–
Diseases of the Urinary Organs	–	–	–	–	–	–
Diseases of the Generative Organs	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–
Accidents	–	–	–	–	–	–
Old Age	–	–	–	–	–	–
Other Causes	14	6	7	6	4	9
	200	8	6	12	5	10

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	–	–	–	–	–	–
Measles	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–
Simple continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–
Cholera	–	–	–	–	–	–
Plague	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–
Typhoid Malaria	–	–	–	–	–	–
Phthisis	3	3	28	4	1	–
Other Tubercular Diseases	1	1	–	2	–	–
Diseases of the Nervous System	1	1	4	7	4	2
Organs of Circulation	–	–	–	–	–	–
Diseases of the Respiratory Organs	–	–	1	–	–	–
Diseases of the Digestive Organs	–	–	–	–	–	–
Diseases of the Urinary Organs	–	–	–	–	–	–
Diseases of the Generative Organs	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–
Accidents	–	–	–	–	–	–
Old Age	–	–	–	–	–	–
Other Causes	6	4	9	8	4	9
	12	7	6	12	5	10

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	–	–	–	–	–	–
Measles	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–
Simple continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–
Cholera	–	–	–	–	–	–
Plague	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–
Typhoid Malaria	–	–	–	–	–	–
Phthisis	–	–	–	–	–	–
Other Tubercular Diseases	–	–	–	–	–	–
Diseases of the Nervous System	–	–	–	–	–	–
Organs of Circulation	–	–	–	–	–	–
Diseases of the Respiratory Organs	–	–	–	–	–	–
Diseases of the Digestive Organs	–	–	–	–	–	–
Diseases of the Urinary Organs	–	–	–	–	–	–
Diseases of the Generative Organs	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–
Accidents	–	–	–	–	–	–
Old Age	–	–	–	–	–	–
Other Causes	11	8	4	9	10	11
	11	8	6	12	5	10

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	–	–	–	–	–	–
Measles	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–
Simple continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–
Cholera	–	–	–	–	–	–
Plague	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–
Typhoid Malaria	–	–	–	–	–	–
Phthisis	–	–	–	–	–	–
Other Tubercular Diseases	–	–	–	–	–	–
Diseases of the Nervous System	–	–	–	–	–	–
Organs of Circulation	–	–	–	–	–	–
Diseases of the Respiratory Organs	–	–	–	–	–	–
Diseases of the Digestive Organs	–	–	–	–	–	–
Diseases of the Urinary Organs	–	–	–	–	–	–
Diseases of the Generative Organs	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–
Accidents	–	–	–	–	–	–
Old Age	–	–	–	–	–	–
Other Causes	34	33	34	30	18	16
	34	33	34	30	18	16

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	–	–	–	–	–	–
Measles	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–
Simple continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–
Cholera	–	–	–	–	–	–
Plague	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–
Typhoid Malaria	–	–	–	–	–	–
Phthisis	–	–	–	–	–	–
Other Tubercular Diseases	–	–	–	–	–	–
Diseases of the Nervous System	–	–	–	–	–	–
Organs of Circulation	–	–	–	–	–	–
Diseases of the Respiratory Organs	–	–	–	–	–	–
Diseases of the Digestive Organs	–	–	–	–	–	–
Diseases of the Urinary Organs	–	–	–	–	–	–
Diseases of the Generative Organs	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–
Accidents	–	–	–	–	–	–
Old Age	–	–	–	–	–	–
Other Causes	18	18	16	16	9	7
	18	18	16	16	9	7

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	–	–	–	–	–	–
Measles	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–
Simple continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–
Cholera	–	–	–	–	–	–
Plague	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–
Typhoid Malaria	–	–	–	–	–	–
Phthisis	–	–	–	–	–	–
Other Tubercular Diseases	–	–	–	–	–	–
Diseases of the Nervous System	–	–	–	–	–	–
Organs of Circulation	–	–	–	–	–	–
Diseases of the Respiratory Organs	–	–	–	–	–	–
Diseases of the Digestive Organs	–	–	–	–	–	–
Diseases of the Urinary Organs	–	–	–	–	–	–
Diseases of the Generative Organs	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–
Accidents	–	–	–	–	–	–
Old Age	–	–	–	–	–	–
Other Causes	80	80	80	80	80	80
	270	270	270	270	270	270

Persons. Males. Females.

Marriages - - 797

Births { Males - 1,906 / Females - 1,950 } 3,925

Annual Rate per 1000 living { Persons Married 10·92 / Births - - 26·88

Deaths from Childbirth and Puerperal Fever - - } 4·33 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

118.—BRADFIELD. ‡

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·42		†96	–	–	–	–	34·87	3·90	2·27	2·34	4·38	5·35	7·68	10·47	23·07	51·96	150·88
Males	—				13·89		†105	–	–	–	–	37·81	4·26	2·39	1·68	4·29	5·55	7·67	11·88	22·13	58·31	157·86
Females	—				12·98		†88	–	–	–	–	31·85	3·56	2·13	3·29	4·47	5·16	7·70	9·08	24·02	45·36	144·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·05 per cent.			17,835			462	466	454	488	450	2320	2255	2074	1709	1370	2319	1939	1537	1179	791	342
Males				9,085			241	244	237	247	208	1177	1102	1089	1010	699	1136	952	766	592	403	159
Females				8,750			221	222	217	241	242	1143	1153	985	699	671	1183	987	771	587	388	183
Deaths from All Causes, 1881–90. Persons	15·01			2,677			545	131	60	38	35	809	88	47	40	60	124	149	161	272	411	516
Males	15·51			1,409			300	70	29	25	21	445	47	26	17	30	63	73	91	131	235	251
Females	14·49			1,268			245	61	31	13	14	364	41	21	23	30	61	76	70	141	176	265
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·22	0·24	0·21	40	22	18	7	13	4	7	5	36	2	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·12	0·10	0·15	22	9	13	–	2	2	1	7	12	6	4	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·17	0·11	25	15	10	–	2	2	2	4	10	11	3	1	–	–	–	–	–	–	–
Whooping-cough	0·23	0·23	0·23	41	21	20	22	11	3	1	2	39	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·06	0·11	15	5	10	–	–	1	1	–	2	2	1	1	2	2	2	1	1	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·35	0·35	0·35	63	32	31	31	8	3	1	2	45	3	–	–	–	1	2	1	1	3	7
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·61	0·34	0·88	108	31	77	–	–	–	–	–	–	–	–	–	–	2	7	25	25	34	15
Tabes Mesenterica	0·11	0·14	0·07	19	13	6	12	4	1	1	–	18	–	–	1	–	–	–	–	–	–	–
Phthisis	1·12	1·13	1·10	199	103	96	9	4	–	–	–	13	1	5	13	31	43	37	27	22	6	1
Other Tub. & Scrof. Dis.	0·29	0·35	0·23	52	32	20	13	9	5	3	4	34	6	2	1	3	3	1	2	–	–	–
Diseases of Nervous System	1·70	1·78	1·62	304	162	142	61	15	10	1	3	90	8	5	5	4	7	10	10	39	54	72
Diseases of Circulatory „	1·81	1·82	1·81	323	165	158	2	–	1	–	–	3	5	1	–	3	10	20	25	74	118	64
Diseases of Respiratory „	2·66	2·72	2·59	474	247	227	115	41	19	11	4	190	20	5	1	3	15	27	20	39	78	76
Diseases of Digestive „	0·87	0·95	0·80	156	86	70	43	11	1	3	1	59	6	3	1	1	12	6	11	21	23	13
Diseases of Urinary „	0·32	0·40	0·24	57	36	21	–	–	1	–	–	1	2	3	1	1	1	5	4	16	16	7
Diseases of Generative „	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	2	3	4	–	–	–	–
Childbirth	0·06	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	–	6	5	–	–	–	–
Violence	0·59	0·91	0·25	105	83	22	7	2	4	2	2	17	9	6	10	5	11	9	15	6	9	8
OTHER CAUSES	3·62	3·81	3·43	646	346	300	223	9	3	4	1	240	4	8	4	5	7	12	19	27	67	253

Marriages - - - 954

Births - { Males - 2,866 / Females - 2,787 } 5,653

Annual Rate per 1000 living { Persons Married 10·70 / Births - - 31·70

Deaths from Childbirth and Puerperal Fever - - - - } 3·54 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary under the Divided Parishes Acts.

119.—READING. ‡

Causes of Death.	Crude Death Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons			To Standard		16·14	†122	–	–	–	–	14·77	4·21	2·61	3·28	4·09	6·28	10·20	15·19	29·32	67·87	139·56
	Males			Standard		17·22	†109	–	–	–	–	15·34	4·63	2·27	3·74	5·18	6·42	11·32	18·43	31·85	65·66	141·80
	Females			Population.*		15·11	†100	–	–	–	–	14·12	3·76	2·94	2·86	4·21	6·15	9·32	12·23	27·21	53·32	138·68
Mean Population, 1881-90.‡	Persons	Decennial Increase 21,736 or 23·27 per cent.		52,036			1566	1381	1096	1418	1339	7026	6221	5503	5278	4852	8482	6192	4267	2650	1576	642
	Males			25,843			747	709	565	727	664	3553	3080	2774	2568	2474	4015	2887	2037	1302	672	306
	Females			26,793			796	672	531	686	666	3473	3141	2819	2645	2448	4154	3305	2230	1448	904	336
Deaths from All Causes, 1881-90	Persons	15·88		8,312			1068	637	241	175	133	3144	262	129	171	226	514	636	648	777	812	866
	Males	16·79		4,284			1145	353	131	79	68	1776	143	65	97	126	258	398	375	383	470	375
	Females	15·02		4,023			853	304	110	96	65	1428	119	66	74	100	256	238	273	394	482	534

	Persons	Males	Females	Persons	Males.	Females	Persons.															
Small-pox	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Measles	0·43	0·46	0·40	224	118	106	48	69	34	26	20	197	23	1	2	–	–	1	–	–	–	–
Scarlet Fever	0·13	0·14	0·10	64	36	28	4	12	11	6	5	40	16	3	1	2	–	2	–	–	–	–
Diphtheria	0·14	0·16	0·13	71	40	31	1	6	11	12	16	46	19	3	2	–	–	–	1	–	–	–
Whooping-cough	0·35	0·31	0·38	183	80	103	65	56	23	21	9	174	9	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·20	0·13	90	51	39	–	–	3	2	2	7	11	8	14	7	15	12	8	2	4	2
Simple Continued Fever	0·01	0·01	0·01	5	3	2	1	–	1	–	1	3	1	–	–	–	1	–	–	–	–	1
Diarrhœa and Dysentery	0·54	0·52	0·56	284	159	125	207	29	4	3	2	245	3	1	–	1	1	4	2	2	7	18
Cholera	0·01	0·02	0·00	6	5	1	3	1	–	–	–	4	–	–	–	–	–	–	1	1	–	–
Cancer	0·72	0·73	0·84	375	150	225	5	1	1	–	–	7	–	2	2	2	10	48	80	136	78	37
Tabes Mesenterica	0·18	0·17	0·18	93	44	49	34	22	7	5	4	72	8	2	5	1	2	1	–	–	–	–
Phthisis	1·57	1·83	1·30	805	474	331	31	19	6	4	2	62	11	18	51	92	139	175	169	63	32	4
Other Tub. & Scrof. Dis.	0·37	0·38	0·35	195	98	97	56	44	10	16	6	132	31	5	3	6	8	4	2	3	–	1
Diseases of Nervous System	1·36	2·01	1·08	1025	521	505	262	74	26	7	9	380	21	22	11	6	33	38	68	178	171	143
Circulatory	1·46	1·43	1·51	757	370	387	5	1	3	1	–	10	6	15	16	13	31	71	119	178	211	145
Respiratory	2·98	3·32	2·72	1544	894	700	379	292	92	45	11	774	48	6	13	15	54	66	74	135	211	176
Digestive	0·82	0·88	0·84	427	224	225	104	24	3	1	5	137	4	2	2	4	2	13	13	20	14	28
Urinary	0·46	0·54	0·39	240	151	89	4	3	1	2	1	11	6	–	4	2	2	21	31	43	48	21
Generative	0·09	0·01	0·16	45	2	43	1	1	–	–	–	2	–	–	1	2	8	10	3	8	4	1
Puerperal Fever	0·11	–	0·22	59	–	59	–	–	–	–	–	–	–	–	1	14	31	13	–	–	–	–
Childbirth	0·04	–	0·08	21	–	21	–	–	–	–	–	–	–	–	–	–	2	3	3	6	4	2
Violence	0·72	0·85	0·59	374	220	54	17	5	4	15	7	48	22	8	12	23	24	18	8	35	37	19
Other Causes	2·84	3·08	2·64	1480	787	702	731	38	10	12	3	794	18	21	24	24	48	30	21	28	30	24

Marriages	1092	Annual Rate per 1000 living { Persons Married	17·45
Births { Males	1,178 } 2,383 { Females	1205 } 10·05	Births	50·59
		Deaths from Childbirth and Puerperal Fever	1·20 per 100 Births.

* Standard [illegible]

† The high rate is partly due to [illegible] Rate per 100 Births.

‡ Mean Population of the years [illegible] Census was retained because the changes of boundary under the Divided Parishes Acts.

120.—WOKINGHAM. ‡

CAUSES OF DEATH.	CRUDE DEATH RATE PER 1,000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·22	†103	–	–	–	–	40·85	5·50	2·64	3·52	4·90	5·94	9·30	13·21	23·11	52·08	157·58
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·35	†116	–	–	–	–	48·32	4·73	2·28	3·64	4·53	6·62	10·55	14·85	25·51	54·82	157·40
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·16	†89	–	–	–	–	33·70	6·29	3·01	3·38	5·25	5·33	8·15	11·77	20·86	49·50	157·76
Mean Population, 1881-91.‡ Persons	Decennial Increase of Population 8·45 per cent.	18,281	474	445	468	467	462	2316	2307	2081	1647	1409	2457	2075	1680	1216	763	330
Mean Population, 1881-91.‡ Males	Decennial Increase of Population 8·45 per cent.	8,976	248	215	231	222	216	1132	1163	1052	878	685	1163	995	788	588	363	169
Mean Population, 1881-91.‡ Females	Decennial Increase of Population 8·45 per cent.	9,305	226	230	237	245	246	1184	1144	1029	769	724	1294	1080	892	628	400	161
Deaths from All Causes, 1881-90. Persons	16·49	3,014	607	158	79	56	46	946	127	55	58	69	146	193	222	281	397	520
Deaths from All Causes, 1881-90. Males	17·86	1,603	352	87	42	36	30	547	55	24	32	31	77	105	117	150	199	266
Deaths from All Causes, 1881-90. Females	15·16	1,411	255	71	37	20	16	399	72	31	26	38	69	88	105	131	198	254

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·69	0·13	0·04	16	12	4	1	–	–	2	–	3	–	–	–	3	4	2	2	2	–	–
Measles	0·25	0·27	0·24	46	24	22	15	10	7	3	5	40	3	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·09	0·03	0·15	17	3	14	1	1	2	2	–	6	7	2	–	–	1	1	–	–	–	–
Diphtheria	0·42	0·36	0·47	76	32	44	3	4	7	14	7	35	32	5	2	–	–	2	–	–	–	–
Whooping-cough	0·26	0·19	0·33	48	17	31	25	15	5	3	–	48	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·06	0·06	0·06	11	5	6	–	2	–	–	–	2	–	1	1	–	4	2	1	–	–	–
Simple Continued Fever	0·03	0·02	0·03	5	2	3	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–
Diarrhœa and Dysentery	0·42	0·50	0·33	76	45	31	47	9	4	–	–	60	3	–	–	–	1	2	–	5	4	1
Cholera	0·01	0·02	–	2	2	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	6·50	0·36	0·64	92	32	60	–	–	–	–	–	–	1	–	–	1	2	5	12	25	30	16
Tabes Mesenterica	0·11	0·14	0·08	20	13	7	12	2	2	–	1	17	1	1	–	1	–	–	–	–	–	–
Phthisis	1·33	1·39	1·27	243	125	118	7	6	2	–	–	15	3	6	15	25	57	59	35	21	5	2
Other Tub. & Scrof. Dis.	0·30	0·30	0·29	54	27	27	16	8	7	1	1	33	11	3	3	3	1	–	–	–	–	–
Diseases of Nervous System	2·48	2·79	2·18	453	250	203	99	23	11	5	8	146	20	3	3	3	12	19	36	35	39	37
Diseases of Circulatory „	1·65	1·65	1·66	302	148	154	1	–	1	–	–	2	1	8	4	5	10	22	26	56	93	75
Diseases of Respiratory „	2·90	3·17	2·64	530	284	246	103	60	22	19	17	221	30	5	6	2	14	22	35	51	70	74
Diseases of Digestive „	1·03	1·04	1·03	189	93	96	27	10	1	1	2	41	8	7	2	6	5	12	21	29	29	29
Diseases of Urinary „	0·40	0·56	0·25	73	50	23	2	–	–	–	–	2	1	1	4	–	3	9	12	7	15	19
Diseases of Generative „	0·02	0·01	0·03	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–
Puerperal Fever	0·07	–	0·14	13	–	13	–	–	–	–	–	–	–	–	–	1	3	4	5	–	–	–
Childbirth	0·08	–	0·16	15	–	15	–	–	–	–	–	–	–	–	–	4	5	6	–	–	–	–
Violence	0·46	0·74	0·20	85	66	19	6	1	–	5	1	13	2	2	5	4	8	11	17	10	4	9
OTHER CAUSES	3·52	4·12	2·94	643	371	272	241	7	7	1	4	260	3	9	12	9	14	14	22	38	54	208

Marriages - - 1,063

Births - {Males - 3,028} {Females - 2,868} 5,896

Annual Rate per 1000 living {Persons Married 11·63; Births - - 32·25}

Deaths from Childbirth and Puerperal Fever - - - - - 4·75 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary under the Divided Parishes Acts.

121.—COOKHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Subdistrict	225	—	—	—	—	24·09	4·68	2·45	3·56	4·01	5·42	9·66	12·49	24·70	54·06	150·83
Males	—	14·76	191	—	—	—	—	20·55	4·31	2·08	3·20	5·07	5·79	11·72	15·07	35·76	58·74	175·37
Females	—	In Registered Population* 13·57	188	—	—	—	—	21·80	5·05	2·88	3·94	4·26	5·19	7·80	12·02	23·29	50·00	131·36
Mean Population in 1890. Persons	Decennial Increase of Population 20·79 per cent.	15,797	450	463	477	467	466	2322	2544	2151	1742	1502	2053	2132	1633	1174	761	303
Males		7,985	254	267	239	237	211	1178	1136	1108	879	710	1061	1007	768	565	349	134
Females		7,812	216	226	238	230	244	1154	1108	1043	863	892	1432	1125	865	609	412	169
Deaths from All Causes, in 1890. Persons	14·73	2,793	506	143	82	92	51	706	105	53	62	72	146	205	204	288	166	457
Males	14·71	1,420	282	68	31	35	22	428	49	23	28	36	73	118	100	154	76	235
Females	14·19	1,391	244	65	22	27	19	367	56	30	34	36	73	87	104	154	241	222

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small pox	0·04	0·07	0·00	8	6	2	1	–	–	–	–	1	–	–	–	–	2	1	1	–	3	–
Measles	0·29	0·31	0·27	54	28	26	9	16	9	3	3	40	9	3	–	–	–	2	–	–	–	–
Scarlet Fever	0·06	0·06	0·06	11	5	6	–	4	1	2	1	8	3	–	–	–	–	–	–	–	–	–
Diphtheria	0·38	0·41	0·35	71	37	34	–	1	4	11	19	35	31	5	–	–	–	–	–	–	–	–
Whooping cough	0·28	0·26	0·29	52	24	28	32	10	2	3	1	48	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·08	0·09	16	7	9	–	–	–	–	–	–	–	1	3	2	3	4	2	–	1	–
Simple Continued Fever	0·02	0·01	0·03	4	1	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·29	0·30	0·28	54	27	27	29	3	–	2	1	35	–	–	–	–	–	1	2	–	3	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·54	0·80	126	49	77	–	–	–	–	–	–	–	1	–	1	1	3	15	23	32	34
Tabes Mesenterica	0·07	0·07	0·08	14	6	8	2	1	2	3	–	8	2	–	–	2	–	–	1	1	–	–
Phthisis	1·30	1·34	1·26	243	122	121	2	2	–	1	1	6	6	6	14	25	60	60	32	19	11	4
Other Tub. & Scrof. Dis.	0·51	0·57	0·45	95	53	43	18	17	5	5	1	76	6	7	3	1	–	2	–	–	–	–
Diseases of Nervous System	2·35	2·67	2·03	440	243	197	109	11	5	3	3	131	5	2	6	4	13	14	30	54	85	36
Circulatory	1·81	1·63	1·99	339	148	191	1	–	–	1	–	2	4	5	5	6	8	27	58	33	104	71
Respiratory	2·28	2·52	2·04	426	229	197	87	18	15	12	7	139	14	2	1	6	13	18	24	33	42	14
Digestive	0·79	0·76	0·83	148	69	79	25	4	–	–	2	31	5	–	4	3	4	12	11	25	31	21
Urinary	0·37	0·47	0·27	69	43	26	–	1	1	3	1	6	1	1	2	3	4	7	13	8	13	11
Generative	0·05	–	0·09	9	–	9	–	1	–	–	–	1	1	–	–	–	–	1	4	1	1	–
Puerperal Fever	0·04	–	0·08	8	–	8	–	–	–	–	–	–	–	–	–	3	1	4	–	–	–	–
Childbirth	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
Violence	0·49	0·77	0·22	91	70	21	4	2	2	1	–	9	4	8	5	9	11	13	16	6	4	6
Other Causes	2·73	2·87	2·60	511	263	248	107	12	7	2	1	129	8	10	16	8	19	22	15	32	51	141

Marriages	1,163	Annual Rate per 1000 living	Persons Married	12·43
Births Males	2,779		Births	29·04
Births Females	2,656			
Births	5,435			

Deaths from Childbirth and Puerperal Fever 2·21 per 1000 Births.

* *See* PREFACE, xxxvii.

† The death-rates under one year of age are per 1000 Births.

122.—EASTHAMPSTEAD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—		In Standard Population*	13·94		†88	–	–	–	–	33·25	4·51	0·92	3·07	4·75	6·08	8·24	15·27	23·87	54·20	154·89
	Males	—			14·99		†91	–	–	–	–	36·14	5·35	0·86	3·11	3·11	7·29	8·63	20·31	26·76	59·07	155·56
	Females	—			12·95		†84	–	–	–	–	30·40	3·70	1·00	3·01	6·32	4·89	7·84	10·13	20·65	48·39	154·12
Mean Population, 1881-91.	Persons	Decennial Increase of Population 8·25 per cent.			13,182		304	314	305	328	304	1555	1530	1516	1336	1052	1860	1578	1257	838	476	184
	Males				6,808		154	151	144	166	157	772	747	817	805	514	919	800	635	441	259	99
	Females				6,374		150	163	161	162	147	783	783	699	531	538	941	778	622	397	217	85
Deaths from All Causes, 1881-90.	Persons	14·18			1,869		318	103	48	26	22	517	69	14	41	50	113	130	192	200	258	285
	Males	15·53			1,057		169	53	27	17	13	279	40	7	25	16	67	69	129	118	153	154
	Females	12·74			812		149	50	21	9	9	238	29	7	16	34	46	61	63	82	105	131

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·31	0·24	36	21	15	6	15	6	2	1	30	4	–	2	–	–	–	–	–
Scarlet Fever	0·06	0·07	0·05	8	5	3	–	1	1	1	2	5	2	–	–	–	1	–	–	–
Diphtheria	0·21	0·24	0·19	28	16	12	1	3	4	3	3	14	12	1	1	–	–	–	–	–
Whooping-cough	0·27	0·28	0·25	35	19	16	21	6	7	1	–	35	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·09	0·13	14	6	8	–	–	–	–	–	–	2	1	2	6	3	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·18	0·19	24	12	12	12	2	–	–	–	14	1	–	–	1	1	–	–	1
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	0·64	0·57	0·71	84	39	45	–	–	–	–	–	–	–	–	1	–	1	11	15	21
Tabes Mesenterica	0·17	0·13	0·20	22	9	13	11	3	1	–	–	15	2	1	–	–	1	1	1	1
Phthisis	1·39	1·73	1·02	183	118	65	3	–	2	1	1	7	–	3	12	23	45	34	37	19
Other Tub. & Scrof. Dis.	0·24	0·22	0·27	32	15	17	7	6	2	1	2	18	4	–	3	1	2	2	1	–
Diseases of Nervous System	2·18	2·39	1·95	287	163	124	50	14	6	4	4	78	6	1	5	1	15	21	34	33
Diseases of Circulatory	1·72	1·81	1·63	227	123	104	–	–	1	–	–	1	2	3	1	4	8	14	24	48
Diseases of Respiratory	2·44	2·79	2·04	321	190	131	67	34	13	10	7	131	21	1	5	2	6	11	25	31
Diseases of Digestive	0·80	0·82	0·77	105	56	49	16	10	2	1	–	29	1	1	–	–	7	6	20	14
Diseases of Urinary	0·32	0·40	0·24	42	27	15	–	–	–	–	–	–	2	–	–	2	2	6	6	9
Diseases of Generative	0·06	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	–	–	1	4	–
Puerperal Fever	0·09	–	0·19	12	–	12	–	–	–	–	–	–	–	–	–	3	5	4	–	–
Childbirth	0·08	–	0·17	11	–	11	–	–	–	–	–	–	–	–	–	1	3	6	1	–
Violence	0·33	0·54	0·09	43	37	6	2	2	2	1	1	8	3	–	2	–	6	3	11	9
OTHER CAUSES	2·61	2·95	2·28	346	200	146	122	7	1	1	1	132	6	2	7	6	7	10	13	14

Marriages	563	Annual Rate per 1000 living	Persons Married	8·54	Deaths from Childbirth and Puerperal Fever	6·35 per 1000 Births.
Births — Males 1,855 / Females 1,765	3,620		Births	27·46		

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

123.—WINDSOR.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·32	†101	–	–	–	–	41·34	4·67	2·19	4·08	4·17	6·40	10·57	16·16	29·79	68·15	138·79
Males	—	17·91	†111	–	–	–	–	45·21	4·52	2·16	3·85	3·92	7·24	13·16	19·72	33·52	79·66	150·52
Females	—	14·83	†90	–	–	–	–	37·58	4·82	2·22	4·31	4·44	5·60	8·31	13·26	26·69	59·82	127·03
Mean Population 1881-90. Persons	Decennial Increase of Population 11·47 per cent.	33,827	813	754	795	780	777	3919	3703	3563	3259	3407	5437	4659	2970	1947	1099	464
Males		16,472	405	387	399	383	408	1982	1857	1855	1611	1762	2651	1892	1334	883	477	168
Females		17,355	408	367	396	397	369	1937	1846	1708	1648	1645	2786	2467	1636	1064	622	296
Deaths from Accidents 1881-90. Persons	15·80	5,376	956	345	148	104	67	1620	173	78	133	142	348	429	480	580	749	644
Males	16·60	2,760	543	175	82	63	33	896	84	40	62	69	192	249	263	286	380	268
Females	14·85	2,577	413	170	66	41	34	724	89	38	71	73	156	180	217	294	369	376

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·03	0·06	0·01	11	9	2	1	–	1	–	1	3	–	–	1	–	2	3	1	1	–	–
Measles	0·32	0·33	0·31	108	54	54	16	34	15	13	10	88	18	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·08	0·06	0·09	26	10	16	2	3	3	4	4	16	9	1	–	–	–	–	–	–	–	–
Diphtheria	0·30	0·27	0·34	103	44	59	4	9	17	13	12	55	37	4	1	1	1	–	–	2	2	–
Whooping-cough	0·32	0·35	0·28	107	58	49	46	33	16	6	3	104	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·15	0·06	35	24	11	1	–	1	1	–	3	6	3	1	5	10	5	1	–	1	–
Simple Continued Fever	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·44	0·46	0·40	148	79	69	103	24	1	2	–	130	–	–	–	–	–	1	1	1	7	8
Cholera	0·00	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·31	0·94	247	84	163	–	–	–	–	–	–	–	2	2	–	8	26	53	69	63	26
Tabes Mesenterica	0·12	0·15	0·10	42	24	18	24	5	2	2	–	33	4	–	2	–	1	1	–	1	–	–
Phthisis	1·90	2·19	1·62	642	361	281	13	18	7	3	2	43	15	11	55	64	133	139	91	57	31	3
Other Tub. & Scrof. Dis.	0·38	0·46	0·31	128	75	53	27	20	12	9	3	71	18	8	9	5	9	5	3	–	–	–
Diseases of Nervous System	2·04	2·32	1·78	691	382	309	118	28	21	7	4	178	16	9	7	13	26	41	73	96	140	93
" Circulatory	1·69	1·70	1·69	573	280	293	6	–	–	–	1	7	3	9	11	9	29	55	74	127	159	99
" Respiratory	2·73	2·90	2·57	924	478	446	217	117	36	29	18	417	20	3	5	12	36	44	54	71	138	124
" Digestive	0·85	0·90	0·80	287	148	139	54	17	4	2	3	80	1	1	13	4	18	17	38	48	47	29
" Urinary	0·57	0·70	0·45	192	116	76	1	–	1	1	2	5	1	4	1	9	12	17	36	42	40	25
" Generative	0·03	0·01	0·06	11	1	10	–	–	–	–	–	–	–	–	–	–	4	4	–	2	–	1
Puerperal Fever	0·03	–	0·06	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–
Childbirth	0·05	–	0·10	17	–	17	–	–	–	–	–	–	–	–	2	–	5	10	–	–	–	–
Violence	0·52	0·77	0·28	175	126	49	12	5	5	5	1	28	3	6	11	8	23	25	26	17	20	8
Other Causes	2·66	2·67	2·59	895	445	450	310	32	6	7	3	358	18	16	12	9	25	32	31	47	101	246

Marriages 2,020

Births { Males 4,896 / Females 4,596 } 9,492

Annual Rate per 1000 living { Persons Married 12·22 / Births 28·06

Deaths from Childbirth and Puerperal Fever 2·95 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·36	†116	–	–	–	–	41·69	4·35	2·68	4·09	4·32	5·63	9·55	14·04	26·26	55·28	146·15
Annual Death-Rate per 1000. Males	—	Standard 16·52	†132	–	–	–	–	46·28	4·39	2·49	4·22	4·42	6·37	11·30	15·82	27·71	59·58	158·13
Annual Death-Rate per 1000. Females	—	Population* 14·26	†100	–	–	–	–	36·85	4·31	2·96	3·94	4·24	5·00	7·91	12·40	24·90	51·03	137·33
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·12 per cent.	25,333	633	586	635	650	665	3169	3335	3768	2324	1967	3266	2732	2080	1443	872	377
Mean Population, 1881–91. Males	Decennial Increase of Population 13·12 per cent.	12,850	338	298	336	328	325	1625	1710	2249	1233	906	1507	1328	999	700	433	160
Mean Population, 1881–91. Females	Decennial Increase of Population 13·12 per cent.	12,483	295	288	299	322	340	1544	1625	1519	1091	1061	1759	1404	1081	743	439	217
Deaths from All Causes, 1881–90. Persons	15·38	3,896	861	231	107	68	54	1321	145	101	95	85	184	261	292	379	482	551
Deaths from All Causes, 1881–90. Males	16·22	2,084	505	129	52	35	31	752	75	56	52	40	96	150	158	194	258	253
Deaths from All Causes, 1881–90. Females	14·52	1,812	356	102	55	33	23	569	70	45	43	45	88	111	134	185	224	298

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·05	0·06	0·03	12	8	4	–	1	–	–	–	1	1	–	1	4	1	2	1	1	–	–
Measles	0·35	0·35	0·34	88	45	43	18	20	11	11	8	68	17	1	1	–	–	1	–	–	–	–
Scarlet Fever	0·09	0·05	0·13	23	7	16	–	3	4	5	2	14	7	2	–	–	–	–	–	–	–	–
Diphtheria	0·17	0·16	0·18	44	21	23	–	1	10	7	6	24	14	4	–	1	–	–	1	–	–	–
Whooping-cough	0·40	0·39	0·40	101	51	50	40	31	12	7	5	95	5	–	–	–	1	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Enteric Fever	0·32	0·31	0·32	80	40	40	–	1	2	2	2	7	13	22	12	5	7	6	4	3	1	–
Simple Continued Fever	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·50	0·63	0·38	128	81	47	93	19	2	–	–	114	1	–	1	–	–	–	1	1	4	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·43	0·84	160	55	105	–	–	–	–	–	–	–	–	1	1	1	17	41	44	32	23
Tabes Mesenterica	0·25	0·26	0·24	64	34	30	42	6	3	–	2	53	6	2	1	–	2	–	–	–	–	–
Phthisis	1·44	1·74	1·14	365	223	142	14	6	3	–	–	23	8	14	27	34	62	84	49	40	21	3
Other Tub. & Scrof. Dis.	0·34	0·39	0·28	86	51	35	31	13	6	4	2	56	11	4	6	1	1	2	1	1	3	–
Diseases of Nervous System	1·90	1·95	1·86	483	251	232	98	19	7	11	5	140	15	9	4	7	12	19	40	66	91	80
Diseases of Circulatory „	1·45	1·37	1·54	368	176	192	3	1	–	–	–	4	1	5	6	3	15	34	37	67	112	84
Diseases of Respiratory „	2·93	3·15	2·70	742	405	337	182	78	32	18	15	325	22	7	5	2	21	28	40	61	101	130
Diseases of Digestive „	1·00	0·96	1·03	253	124	129	45	12	4	1	3	65	8	7	4	5	8	20	35	34	44	23
Diseases of Urinary „	0·40	0·51	0·29	101	65	36	3	1	–	–	–	4	1	–	2	2	6	13	13	23	19	18
Diseases of Generative „	0·04	–	0·08	10	–	10	–	–	–	–	–	–	–	–	–	1	–	1	2	3	3	–
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	–	4	6	4	–	–	–	–
Childbirth	0·05	–	0·10	13	–	13	–	–	–	–	–	–	–	–	1	1	7	4	–	–	–	–
Violence	0·47	0·69	0·24	119	89	30	11	5	5	1	2	24	5	11	12	7	13	11	9	9	10	8
Other Causes	2·52	2·80	2·26	637	356	281	281	14	6	1	2	304	9	12	10	7	19	15	18	26	41	176

Marriages 1,441

Births — Males 3,838; Females 3,566; 7,404

Annual Rate per 1000 living — Persons Married 11·38; Births 29·23

Deaths from Childbirth and Puerperal Fever 3·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

125.—UXBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000	Persons —	In 18·55	139·0	—	—	—	—	45·49	4·23	1·99	3·49	7·59	8·05	17·34	31·46	44·71	61·17	153·76
	Males —	Standard 20·67	83·4	—	—	—	—	39·78	4·11	1·87	2·81	5·35	4·54	13·00	30·82	46·78	59·33	163·78
	Females —	Population* 16·84	196·5	—	—	—	—	49·24	4·35	2·11	4·32	9·83	7·80	12·79	1·42	42·82	54·80	150·54
Mean Population, 1881-91.	Persons	Decennial Increase of Population 10·02 per cent.		743	685	704	733	709	3,614	3,455	3,021	2,458	2,267	4,[illegible]	3,015	2,745	1,944	1,[illegible]	486
	Males			379	[illegible]	[illegible]	378	[illegible]	[illegible]	1,[illegible]	1,[illegible]	1,[illegible]	1,106	2,[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	180
	Females			364	[illegible]	365	355	364	1,874	1,745	1,563	1,123	1,161	1,[illegible]	1,795	1,449	1,[illegible]	[illegible]	306
Deaths from All Causes, 1881-90.	Persons	19·88		1,[illegible]	[illegible]	1,[illegible]	1,[illegible]	1,[illegible]	1,844	161	454	480	1,[illegible]	1,[illegible]	2,[illegible]	2,[illegible]	2,[illegible]	2,[illegible]	1,[illegible]
	Males	21·35		611	1,[illegible]	1,[illegible]	1,[illegible]	1,[illegible]	1,[illegible]	72	81	87	89	291	1,[illegible]	1,[illegible]	1,[illegible]	1,[illegible]	1,[illegible]
	Females	18·48		442	1,[illegible]	1,[illegible]	1,[illegible]	1,[illegible]	1,[illegible]	89	73	93	53	68	1,[illegible]	1,[illegible]	1,[illegible]	1,[illegible]	1,[illegible]

	Persons.	Males.	Females.	Persons.	Females.	Males.
Small-pox	0·01	0·02	—	3	3	—
[illegible]	0·37	0·[illegible]	0·39	106	49	57
[illegible] Fever	0·13	0·12	0·14	38	17	21
[illegible]	0·23	0·[illegible]	0·23	67	33	34
[illegible] Cough	0·38	0·40	0·36	110	56	54
Typhus	0·01	0·01	0·01	2	1	1
[illegible] Fever	0·13	0·[illegible]	0·11	39	23	16
[illegible] and Fever	0·01	-	0·02	3	-	3
[illegible] and Dysentery	0·43	0·47	0·37	121	66	55
Cancer	0·01	0·01	0·01	4	2	2
[illegible]	0·80	0·57	1·01	230	81	140
Tabes Mesenterica	0·10	0·11	0·10	30	15	15
[illegible]	1·89	1·98	1·70	531	279	252
Other Tub. & Scrof. Dis.	0·31	0·28	0·33	89	40	49
Nervous System	3·99	4·48	3·43	1153	646	507
Circulatory "	1·84	1·86	1·85	532	258	274
Respiratory "	3·59	3·18	4·23	1039	561	478
Digestive "	1·25	1·05	1·90	276	143	133
Urinary "	0·44	0·40	0·48	155	84	71
Generative "	0·04	-	0·07	11	-	11
Puerperal Fever	0·11	-	0·21	31	-	31
[illegible]	0·04	-	0·08	12	-	12
[illegible]	0·83	1·14	0·49	239	158	72
[illegible] Causes	3·48	3·42	3·56	935	498	437

Marriages	—	1,[illegible]	Annual Rate per 1000 living	Persons Married 20·83
Births	Males —	2,[illegible]		Births 30·29
	Females 4,[illegible]	8,[illegible]		

Deaths from Childbirth and Puerperal Fever 4·91 per 1·40 Births.

* [illegible]

† The death-rates under one year of age are per 1000 Births.

126.—BRENTFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·70	†136	–	–	–	–	51·90	4·25	2·73	2·80	3·76	5·80	9·41	14·33	27·30	58·31	140·63
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·89	†148	–	–	–	–	55·94	4·34	2·94	3·09	4·41	6·19	10·44	15·76	32·06	66·04	145·44
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·58	†123	–	–	–	–	47·87	4·17	2·50	2·57	3·31	5·51	8·55	13·17	23·82	52·91	137·65
Mean Population, 1881-91. Persons	Decennial Increase of Population 30·71 per cent.	117,345	3090	2886	2936	2884	2877	14673	14245	13164	11815	11096	18071	13480	9551	6113	3643	1489
Mean Population, 1881-91. Males	Decennial Increase of Population 30·71 per cent.	53,904	1511	1456	1478	1417	1478	7340	7239	6693	5244	4517	7813	6103	4303	2783	1499	570
Mean Population, 1881-91. Females	Decennial Increase of Population 30·71 per cent.	63,441	1579	1430	1458	1467	1399	7333	7006	6471	6571	6579	10258	7377	5248	3330	2149	919
Deaths from All Causes, 1881-90. Persons	16·11	18,905	5012	1383	579	374	268	7616	606	359	331	417	1049	1268	1369	1669	2127	2094
Deaths from All Causes, 1881-90. Males	17·48	9,424	2771	732	270	193	140	4106	314	197	162	199	484	637	678	823	990	829
Deaths from All Causes, 1881-90. Females	14·94	9,481	2241	651	309	181	128	3510	292	162	169	218	565	631	691	841	1137	1265

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·03	0·02	26	15	11	4	–	–	–	–	4	1	1	2	3	6	3	4	1	1	–
Measles	0·36	0·45	0·28	418	242	176	86	159	68	32	28	373	41	1	–	–	2	–	–	–	–	1
Scarlet Fever	0·20	0·22	0·19	237	119	118	7	30	32	42	26	137	71	22	5	–	1	1	–	–	–	–
Diphtheria	0·13	0·17	0·19	207	89	118	6	17	31	30	26	110	73	13	2	3	2	2	1	–	1	–
Whooping-cough	0·40	0·35	0·44	469	191	278	211	121	61	33	20	446	22	–	–	–	–	–	–	1	–	–
Typhus	0·01	0·01	0·00	8	6	2	–	–	–	–	–	–	1	1	2	–	–	2	2	–	–	–
Enteric Fever	0·13	0·15	0·12	157	79	78	–	2	4	1	4	11	15	17	21	24	18	25	13	6	6	1
Simple Continued Fever	0·02	0·03	0·01	23	15	8	–	1	–	3	3	7	5	6	1	1	–	–	1	2	–	–
Diarrhœa and Dysentery	0·66	0·77	0·57	774	413	361	575	93	15	1	3	687	1	2	2	3	2	3	5	14	23	32
Cholera	0·01	0·01	0·00	6	4	2	–	3	–	–	–	3	1	–	1	–	–	1	–	–	–	–
Cancer	0·55	0·38	0·70	649	207	442	3	–	1	–	–	4	1	1	–	2	21	52	139	194	157	78
Tabes Mesenterica	0·26	0·32	0·20	301	175	126	183	47	17	11	9	267	10	14	3	4	1	1	–	1	–	–
Phthisis	1·45	1·62	1·32	1699	872	827	58	22	19	6	10	115	36	58	102	160	454	368	229	118	52	7
Other Tub. & Scrof. Dis.	0·48	0·58	0·40	566	315	251	200	109	38	23	24	394	52	34	17	12	14	20	15	6	1	1
Diseases of Nervous System	2·09	2·29	1·92	2456	1237	1219	674	156	53	30	13	926	67	29	29	30	64	115	167	279	423	327
Diseases of Circulatory „	1·44	1·37	1·49	1687	741	946	33	6	2	1	5	47	19	37	31	36	85	170	224	313	441	284
Diseases of Respiratory „	2·97	3·32	2·67	3437	1792	1695	925	410	172	105	65	1677	83	23	22	32	95	158	213	286	448	450
Diseases of Digestive „	1·02	1·08	0·98	1201	582	619	308	105	17	14	12	456	20	20	14	16	59	77	109	174	182	74
Diseases of Urinary „	0·35	0·46	0·26	415	250	165	10	3	3	1	–	17	11	4	5	5	22	59	54	89	83	64
Diseases of Generative „	0·06	0·00	0·10	65	1	64	–	–	–	–	–	–	–	1	1	4	10	14	17	10	5	3
Puerperal Fever	0·07	–	0·12	76	–	76	–	–	–	–	–	–	–	–	–	17	35	23	1	–	–	–
Childbirth	0·05	–	0·09	55	–	55	–	–	–	–	–	–	–	–	–	6	33	14	2	–	–	–
Violence	0·55	0·84	0·30	649	453	196	119	17	22	18	7	183	37	33	33	30	59	76	73	50	46	29
Other Causes	2·78	3·03	2·57	3274	1626	1648	1610	82	24	23	13	1752	39	42	38	29	66	84	100	125	256	743

Marriages 7,261

Births { Males 18,750 / Females 18,188 } 36,938

Annual Rate per 1000 living { Persons Married 12·38 / Births 31·48

Deaths from Childbirth and Puerperal Fever 3·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

127.—HENDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard	*145	–	–	–	–	53·37	4·29	2·33	2·48	2·96	1·88	7·86	13·21	27·08	57·47	143·22
	Males	17·7	*150	–	–	–	–	58·74	4·60	1·88	2·14	2·76	5·29	8·88	15·06	26·39	64·79	160·53
	Females	14·09	*130	–	–	–	–	48·10	3·97	2·74	2·76	2·99	4·55	6·96	11·65	27·23	52·16	132·69
Mean Population	Persons	Increase of Population 7·40 per cent.	5·42	1954	2039	1992	1996	10138	9357	8422	7379	7059	12235	9693	5471	3515	1888	664
	Males		5·45	992	1022	996	1002	5017	4369	4085	3562	2976	6485	4249	2487	1561	796	251
	Females		5·77	962	1017	996	994	5121	4988	4337	3817	4084	6750	5815	3184	1954	1092	413
Estimated Population	Persons	15·15		3513	3605	393	252	177	5940	401	136	183	188	597	769	781	959	1085	951
At Census,	Males	16·73		1967	2005	194	126	94	3387	215	77	72	82	260	374	419	498	611	403
1890	Females	13·77		1546	1600	199	126	83	2553	186	119	111	106	337	395	362	461	474	548

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·03	0·03	18	7	11	3	1	1	1	1	7	4	1	–	2	3	–	1	–	–	–
Measles	0·44	0·49	0·41	336	173	164	81	122	59	38	12	312	20	1	1	–	–	2	–	–	–	–
Scarlet Fever	0·15	0·19	0·13	118	67	51	6	18	18	16	13	71	39	6	1	–	1	–	–	–	–	–
Diphtheria	0·28	0·30	0·26	213	106	107	8	25	31	34	33	131	62	12	1	1	2	3	–	1	–	–
Whooping-cough	0·52	0·50	0·54	393	174	219	153	138	47	30	15	378	18	1	–	–	–	–	1	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·15	0·14	107	53	55	4	4	2	3	3	16	9	15	13	12	15	11	8	5	2	1
Erysipelas and Puerperal Fever	0·01	0·01	–	6	6	–	1	–	1	–	2	4	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·34	0·33	0·67	561	290	271	442	64	2	1	2	511	1	1	1	–	4	1	2	7	11	32
Cholera	0·02	0·03	0·00	14	12	2	9	1	–	–	–	10	1	–	–	–	1	–	–	1	–	1
Cancer	0·30	0·30	0·30	376	133	243	–	–	1	–	–	1	1	2	1	2	12	40	86	93	88	40
Tabes Mesenterica	0·21	0·25	0·27	233	124	109	164	41	10	4	2	221	6	2	1	–	–	1	–	1	–	1
Tubercle	1·03	1·12	1·06	950	500	450	37	17	6	3	5	68	17	25	53	69	222	218	153	72	25	7
Other Tub. & Scrof. Dis.	0·45	0·38	0·34	343	205	138	98	30	25	25	15	243	42	22	15	3	7	5	3	2	–	1
Nervous System	1·68	1·86	1·50	1270	662	608	368	103	38	16	14	539	33	16	15	11	29	50	103	147	182	145
Circulatory	1·25	1·22	1·23	928	439	490	23	2	1	6	2	33	19	24	16	12	52	95	97	190	240	168
Respiratory	2·88	3·04	2·51	2177	1163	1014	662	315	126	63	40	1206	55	16	18	8	60	82	125	154	340	190
Digestive	1·00	1·06	0·93	755	377	378	223	74	11	6	9	323	30	10	9	8	37	52	72	81	90	37
Urinary	0·37	0·43	0·31	276	150	126	8	3	–	1	1	13	5	7	6	9	17	28	40	63	76	33
Generative	0·04	–	0·07	28	–	28	–	–	1	–	–	1	–	–	–	1	4	5	8	5	3	1
Parturition	0·08	–	0·15	63	–	63	–	–	–	–	–	–	–	–	1	10	34	17	–	–	–	–
Childbirth	0·05	–	0·10	41	–	41	–	–	–	–	–	–	–	–	1	6	15	18	1	–	–	–
Violence	0·48	0·74	0·25	362	231	131	83	12	4	11	3	113	19	12	16	17	37	32	31	41	37	17
Other Causes	2·92	2·82	2·97	1899	989	910	1136	48	9	4	5	1202	25	23	14	17	45	49	50	63	134	287

Marriages	4,150	Annual Rate per 1000 Living	Persons Married	10·28
Births: Males	12,333		Births	32·07
Females	11,906	24,239		

Deaths from Childbirth and Puerperal Fever 4·25 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

128.—BARNET.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·84	†100	–	–	–	–	36·37	4·05	2·35	2·83	4·81	10·24	17·99	21·81	35·07	64·70	144·18
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·47	†115	–	–	–	–	40·06	3·80	1·98	3·22	5·43	13·79	23·53	29·61	40·75	74·46	166·14
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·36	†86	–	–	–	–	32·64	4·29	2·76	2·50	4·41	7·55	13·33	15·34	30·60	57·81	132·69
Mean Population, 1881–91. Persons	Decennial Increase of Population 35·12 per cent.	40,085	994	935	928	977	967	4801	4442	4292	3853	3638	6287	5047	3577	2244	1354	550
Mean Population, 1881–91. Males	Decennial Increase of Population 35·12 per cent.	18,351	503	475	472	492	472	2414	2159	2225	1737	1436	2713	2308	1621	989	560	189
Mean Population, 1881–91. Females	Decennial Increase of Population 35·12 per cent.	21,734	491	460	456	485	495	2387	2283	2067	2116	2202	3574	2739	1956	1255	794	361
Deaths from All Causes, 1881–90. Persons	17·71	7,099	1151	327	128	70	70	1746	180	101	109	175	644	908	780	787	876	793
Deaths from All Causes, 1881–90. Males	20·48	3,758	664	171	66	36	30	967	82	44	56	78	374	543	480	403	417	314
Deaths from All Causes, 1881–90. Females	15·37	3,341	487	156	62	34	40	779	98	57	53	97	270	365	300	384	459	479

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·06	0·09	0·04	25	17	8	1	–	–	–	–	1	2	2	2	2	9	3	1	2	1	–
Measles	0·23	0·27	0·21	94	49	45	22	33	11	4	8	78	13	1	–	–	–	1	–	–	1	–
Scarlet Fever	0·11	0·08	0·13	44	15	29	6	7	7	2	5	27	10	6	1	–	–	–	–	–	–	–
Diphtheria	0·21	0·21	0·22	85	38	47	8	4	8	7	15	42	31	4	1	1	3	2	–	1	–	–
Whooping-cough	0·39	0·41	0·38	157	75	82	77	52	11	7	6	153	3	–	–	–	1	–	–	–	–	–
Typhus	0·00	0·01	–	2	2	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·06	0·08	0·05	25	15	10	–	–	1	1	–	2	2	2	3	2	6	5	1	1	1	–
Simple Continued Fever	0·01	0·01	0·02	5	1	4	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	1
Diarrhœa and Dysentery	0·45	0·54	0·37	180	99	81	101	25	5	2	1	134	2	–	–	–	2	9	11	7	7	8
Cholera	0·02	0·02	0·02	8	3	5	2	2	–	–	–	4	–	–	–	1	–	1	–	2	–	–
Cancer	0·67	0·48	0·84	270	88	182	–	1	1	–	–	2	1	–	1	–	6	27	57	68	75	33
Tabes Mesenterica	0·15	0·14	0·16	60	26	34	29	15	4	1	3	52	2	–	2	–	4	–	–	–	–	–
Phthisis	1·64	1·78	1·52	657	326	331	8	–	5	–	1	14	6	21	35	63	201	147	103	52	12	3
Other Tub. & Scrof. Dis.	0·31	0·35	0·28	125	65	60	37	30	10	5	1	83	21	6	3	4	4	4	–	–	–	–
Diseases of Nervous System	4·87	6·61	3·40	1953	1214	739	144	33	14	4	4	199	15	10	24	44	235	438	310	242	260	176
Diseases of Circulatory „	1·54	1·63	1·46	617	300	317	5	2	–	–	2	9	3	9	5	10	39	53	79	135	158	117
Diseases of Respiratory „	2·63	2·92	2·39	1056	536	520	206	82	34	19	15	356	35	7	5	10	49	60	89	114	161	170
Diseases of Digestive „	0·99	0·98	0·99	395	179	216	69	20	6	2	3	100	9	6	10	8	14	38	34	69	69	38
Diseases of Urinary „	0·32	0·46	0·20	128	85	43	1	–	1	–	–	2	1	2	2	–	11	21	24	24	25	16
Diseases of Generative „	0·03	0·01	0·05	12	1	11	–	–	–	–	–	–	1	–	–	1	–	4	–	2	4	–
Puerperal Fever	0·07	–	0·13	28	–	28	–	–	–	–	–	–	–	–	–	8	16	10	–	–	–	–
Childbirth	0·06	–	0·11	23	–	23	–	–	–	–	–	–	–	–	–	3	8	12	–	–	–	–
Violence	0·50	0·81	0·24	200	148	52	26	5	4	9	3	47	12	4	5	7	24	31	21	24	12	13
Other Causes	2·39	2·59	2·16	950	476	474	409	16	5	7	3	440	10	20	9	11	18	41	49	44	90	218

Marriages – – – 1,935

Births – {Males – 5,791} 11,485 {Females – 5,694}

Annual Rate per 1000 living {Persons Married 9·65 / Births – – 28·65}

Deaths from Childbirth and Puerperal Fever – – – – – 4·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

129.—EDMONTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45	55	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 1891 16·21	†125	–	–	–	–	49·10	5·02	2·66	3·06	3·57	5·24	8·35	14·60	26·76	59·77	142·27
Males	—	Standard Population* 17·36	†139	–	–	–	–	55·27	4·84	2·86	3·30	4·04	5·19	8·75	16·69	30·84	68·47	158·15
Females	—	15·13	†110	–	–	–	–	44·87	5·20	2·47	2·86	3·21	5·29	8·00	12·11	23·43	55·00	132·42
Mean Estimated Persons	Decennial Increase of Population 73·93 per cent.	190,657	5438	5102	5289	5238	5135	26202	24492	20939	18672	17018	29687	29545	14683	8953	5447	2179
1881–90. Males		99,344	2766	2515	2650	2650	2555	13136	12318	10532	8267	7480	13852	13880	6381	4024	2210	834
Females		100,313	2672	2587	2639	2588	2580	13066	12144	10547	10305	9538	15835	15665	7702	4929	3107	1345
Estimated Persons	15·73	29,996	8012	2486	1087	688	591	12864	1227	567	571	608	1556	1883	2056	2896	3178	3100
Average Males	16·04	15,302	4553	1248	572	341	305	7019	626	297	276	302	710	950	1123	1241	1469	1319
1881–90. Females	14·65	14,694	3459	1238	515	347	286	5845	601	260	295	306	846	933	933	1655	1709	1781

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·07	0·08	0·05	129	74	55	19	4	4	3	1	31	10	7	10	13	24	16	10	5	1	5
Measles	0·46	0·47	0·39	819	424	395	169	299	132	77	66	735	77	5	–	–	1	1	–	–	–	–
Scarlet Fever	0·26	0·26	0·26	493	232	261	19	52	77	80	69	297	152	22	9	4	7	2	–	–	–	–
Diphtheria	0·39	0·38	0·40	739	345	394	28	77	106	99	106	416	247	39	7	6	6	9	5	2	2	–
Whooping-cough	0·58	0·58	0·57	1103	528	575	470	322	148	63	46	1049	48	2	1	1	1	–	–	–	–	1
Typhus	0·00	0·00	–	2	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Enteric Fever	0·19	0·20	0·19	370	181	189	9	15	6	7	9	46	30	58	44	52	61	37	28	12	6	1
Simple, Continued Fever	0·01	0·01	0·01	25	12	13	2	–	1	1	2	6	5	1	–	1	3	4	1	2	2	–
Diarrhœa and Dysentery	0·69	0·78	0·61	1314	705	609	999	137	26	2	5	1169	11	4	–	2	2	7	10	17	26	66
Cholera	0·02	0·02	0·02	43	20	23	27	6	–	2	1	36	1	–	–	–	–	1	–	4	–	1
Croup	0·49	0·33	0·63	931	300	631	3	1	2	–	1	7	–	3	1	1	23	45	209	259	256	97
Tabes Mesenterica	0·30	0·36	0·24	565	321	244	339	108	31	17	9	504	19	13	9	3	4	5	3	3	2	–
Phthisis	1·27	1·43	1·09	2392	1296	1096	43	33	17	12	7	112	56	79	184	234	581	532	377	157	66	14
Other Tub. & Scrof. Dis.	0·45	0·52	0·39	864	469	395	208	171	78	44	43	539	96	31	26	15	17	16	12	7	4	1
Deaths of Nervous System	1·85	2·06	1·66	3508	1848	1660	934	220	80	59	34	1327	93	48	38	29	85	155	251	380	492	490
Circulatory "	1·15	1·05	1·24	2184	936	1248	38	8	8	2	3	59	28	48	46	46	128	127	286	412	582	352
Respiratory "	2·87	3·18	2·60	5471	2868	2603	1373	723	296	162	116	2670	139	46	66	41	140	263	319	503	740	619
Digestive "	0·46	0·42	0·48	886	418	887	504	153	29	20	17	723	50	23	25	25	77	128	190	225	229	110
Urinary "	0·36	0·45	0·28	681	404	277	8	5	8	3	3	27	9	9	17	11	48	96	104	130	145	85
Generative "	0·04	0·01	0·08	85	7	78	4	1	–	–	–	5	–	–	2	2	13	20	13	14	15	4
Puerperal Fever	0·08	–	0·16	161	–	161	–	–	–	–	–	–	–	–	3	16	95	47	–	–	–	–
Childbirth	0·05	–	0·10	104	–	104	–	–	–	–	–	–	–	–	3	12	42	43	4	–	–	–
Violence	0·42	0·73	0·27	801	691	270	151	39	26	20	29	265	67	51	51	49	93	93	94	82	51	35
Other Causes	2·75	3·04	2·53	5277	2751	2526	2575	120	42	15	19	2771	88	79	58	45	108	151	141	182	431	1229

Marriages - - 2,646

Births - { Males 32,707 / Females 31,325 } 64,032

Annual Rate per 1000 living { Persons Married 10·12 / Births - - 33·58

Deaths from Childbirth and Puerperal fever - - - 4·14 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

130.—WARE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·75	†102	–	–	–	–	37·66	5·59	2·94	3·13	4·90	5·01	8·73	12·13	23·91	57·46	159·09
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·60	†115	–	–	–	–	40·67	6·17	2·84	2·99	3·99	4·81	10·32	14·78	26·20	63·73	167·72
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·95	†88	–	–	–	–	34·69	5·02	3·05	3·34	5·78	5·19	7·28	9·75	21·73	51·76	152·78
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·25 per cent.	19,124	486	466	479	469	495	2395	2326	2315	2013	1470	2475	2050	1657	1238	811	374
Mean Population, 1881–91. Males	Decennial Increase of Population 5·25 per cent.	9,613	240	223	229	242	256	1190	1151	1267	1204	726	1164	979	785	603	386	158
Mean Population, 1881–91. Females	Decennial Increase of Population 5·25 per cent.	9,511	246	243	250	227	239	1205	1175	1048	809	744	1311	1071	872	635	425	216
Deaths from All Causes, 1881–90. Persons	16·19	3,096	569	173	75	45	40	902	130	68	63	72	124	179	201	296	466	595
Deaths from All Causes, 1881–90. Males	16·62	1,598	332	80	36	19	17	484	71	36	36	29	56	101	116	158	246	265
Deaths from All Causes, 1881–90. Females	15·75	1,498	237	93	39	26	23	418	59	32	27	43	68	78	85	138	220	330

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Measles	0·30	0·31	0·28	57	30	27	12	26	9	1	3	51	2	2	–	–	1	–	1	–	–	–
Scarlet Fever	0·31	0·30	0·32	59	29	30	2	5	9	8	5	29	18	6	4	–	–	1	1	–	–	–
Diphtheria	0·17	0·18	0·16	32	17	15	–	1	3	1	6	11	16	5	–	–	–	–	–	–	–	–
Whooping-cough	0·47	0·45	0·48	89	43	46	26	28	16	5	6	81	7	–	–	–	–	1	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·12	0·09	21	12	9	–	–	–	–	–	–	5	2	3	1	5	2	1	–	2	–
Simple Continued Fever	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
Diarrhœa and Dysentery	0·50	0·55	0·44	95	53	42	60	12	2	1	–	75	–	1	–	2	–	1	1	2	8	5
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	0·41	0·74	109	39	70	–	–	–	–	–	–	–	–	–	1	4	8	21	34	26	15
Tabes Mesenterica	0·08	0·09	0·06	15	9	6	5	2	2	1	–	10	2	–	–	–	–	2	–	1	–	–
Phthisis	1·20	1·31	1·09	230	126	104	4	2	2	–	–	8	3	4	27	29	44	44	40	19	9	3
Other Tub. & Scrof. Dis.	0·22	0·22	0·22	42	21	21	9	3	5	1	3	21	6	9	2	1	2	1	–	–	–	–
Diseases of Nervous System	2·32	2·31	2·33	443	222	221	85	18	7	8	1	119	15	6	3	7	13	21	30	49	89	91
Diseases of Circulatory „	1·48	1·50	1·46	283	144	139	1	–	–	–	–	1	2	2	3	4	10	23	33	59	89	57
Diseases of Respiratory „	2·95	3·32	2·58	564	319	245	106	47	8	14	11	186	23	6	4	3	10	22	22	53	117	118
Diseases of Digestive „	0·87	0·84	0·89	166	81	85	29	13	4	1	1	48	4	4	4	5	3	8	10	26	33	21
Diseases of Urinary „	0·42	0·55	0·28	80	53	27	1	1	–	1	2	5	5	1	1	3	3	7	8	10	22	15
Diseases of Generative „	0·09	–	0·18	17	–	17	–	–	–	–	–	–	–	1	1	–	–	4	4	1	1	5
Puerperal Fever	0·05	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	5	3	2	–	–	–	–
Childbirth	0·03	–	0·06	6	–	6	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–
Violence	0·54	0·82	0·26	104	79	25	9	3	3	1	–	16	13	6	5	7	9	13	9	16	5	5
OTHER CAUSES	3·46	3·30	3·67	665	317	348	220	12	5	2	1	240	9	10	6	2	13	13	21	26	65	260

Marriages 821

Births { Males 2,875 / Females 2,687 } 5,562

Annual Rate per 1000 living { Persons Married 8·59 / Births 29·08 }

Deaths from Childbirth and Puerperal Fever 2·88 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

131.—BISHOP STORTFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons - —	In Standard Population* 14·18	†92	–	–	–	–	34·09	4·47	3·56	3·22	5·33	5·83	7·44	12·61	23·69	52·70	166·51
	Males - —	15·21	†105	–	–	–	–	38·04	5·04	3·63	2·76	5·62	5·97	7·89	14·51	27·65	56·07	182·74
	Females - —	13·20	†78	–	–	–	–	30·02	3·90	3·05	3·80	5·16	5·75	7·03	10·85	20·62	49·55	153·31
Mean Population in 1885–90.	Persons - Decennial Decrease of Population 1·30 per cent.	21,659	539	494	555	537	508	2693	2708	2020	2020	1598	2629	2339	1990	1549	1074	439
	Males -	10,789	273	244	293	273	284	1367	1349	1376	1125	765	1272	1116	958	745	519	197
	Females -	10,870	266	250	262	264	224	1326	1359	1244	895	833	1357	1223	1032	804	555	242
Deaths in 1885–90.	Persons - 16·26	3,521	550	181	76	68	43	918	121	88	65	86	154	174	251	367	566	731
Average Annual Number.	Males - 17·35	1,872	318	100	34	45	23	520	68	50	31	43	76	88	139	206	291	380
	Females - 15·17	1,649	232	81	42	23	20	398	53	38	34	43	78	86	112	161	275	371

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox - -	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles - -	0·24	0·31	0·17	52	33	19	11	15	7	5	6	44	8	–	–	–	–	–	–	–
Scarlet Fever - -	0·12	0·14	0·10	26	15	11	–	2	4	2	2	10	12	3	1	–	–	–	–	–
Diphtheria - -	0·31	0·25	0·39	68	36	32	3	3	4	7	7	24	26	13	1	–	3	1	–	–	–	–
Whooping-cough - -	0·45	0·38	0·48	93	41	52	46	27	9	6	1	89	4	–	–	–	–	–	–	–	–	–
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	0·12	0·11	0·13	26	12	14	–	–	1	1	1	3	3	4	3	2	4	1	4	2	–	–
Simple Continued Fever -	0·03	0·02	0·04	7	3	4	–	–	1	–	–	1	1	1	–	–	–	1	2	–	1	–
Diarrhœa and Dysentery -	0·38	0·47	0·30	82	51	31	35	11	–	–	–	46	1	–	–	–	–	–	–	5	9	21
Cholera - - -	0·01	–	0·03	3	–	3	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–
Cancer - - -	0·79	0·63	0·94	171	69	102	–	–	–	–	–	–	–	–	–	–	5	5	33	46	51	25
Tubercular Meningitis -	0·14	0·15	0·13	30	16	14	11	8	–	2	–	21	3	1	2	–	–	1	2	–	–	–
Phthisis - - -	1·47	1·62	1·32	319	175	144	10	4	3	2	–	18	4	20	34	44	62	53	38	31	11	4
Other Tubercular Diseases	0·28	0·27	0·29	61	29	32	13	11	8	3	1	36	9	2	1	3	3	2	4	1	–	–
Diseases of Nervous System -	2·66	2·91	2·41	576	314	262	92	35	6	4	6	143	13	7	4	4	11	17	40	59	129	149
Organs of Circulation -	1·28	1·35	1·21	342	165	177	1	–	–	–	–	1	3	5	1	7	10	13	28	58	118	98
Bronchitis - -	2·05	2·01	2·07	505	308	247	97	46	22	19	11	195	16	5	4	5	7	19	31	59	107	136
Pneumonia - -	1·00	1·08	0·97	216	111	105	27	10	4	3	2	46	5	–	2	2	8	12	27	45	36	33
Pleurisy - -	0·52	0·67	0·37	112	72	40	1	–	–	2	–	3	1	1	1	2	4	4	10	16	27	43
Other Diseases of Respiratory Organs -	0·67	0·61	0·74	16	1	15	–	–	–	–	–	–	–	–	1	–	1	4	2	4	4	–
Puerperal Fever - -	0·06		0·12	13	–	13	–	–	–	–	–	–	–	–	–	3	5	5	–	–	–	–
Other Puerperal Causes -	0·05		0·09	10	–	10	–	–	–	–	–	–	–	–	–	3	4	3	–	–	–	–
Violence - - -	1·00	0·72	0·28	148	78	30	5	1	1	6	4	17	2	10	4	2	13	14	5	20	11	10
Other Causes - -	2·85	2·98	2·68	614	322	292	197	8	7	6	2	220	10	16	5	9	14	18	19	39	61	212

Marriages - - - 1,076

Births - { Males - 3,040 / Females - 2,967 } 5,907

Annual Rate per 1000 living { Persons Married 9·94 / Births - - 27·69

Deaths from Childbirth and Puerperal Fever - - - - - } 3·84 per 1000 Births.

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

132.—ROYSTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·33	†95	–	–	–	–	32·48	4·29	2·22	3·61	6·07	6·24	7·18	9·89	20·28	50·41	154·33
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·30	†108	–	–	–	–	35·47	3·83	1·49	2·47	3·99	6·00	7·24	10·21	23·03	52·86	163·53
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·36	†81	–	–	–	–	29·43	4·76	3·03	5·19	8·25	6·47	7·12	9·58	17·60	48·05	146·47
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·83 per cent.	23,936	610	572	589	622	606	2999	3097	2929	2218	1566	2708	2549	2255	1829	1208	578
Mean Population, 1881–91. Males	Decennial Decrease of Population 5·83 per cent.	12,133	300	290	305	303	316	1514	1542	1542	1293	802	1317	1243	1117	903	594	266
Mean Population, 1881–91. Females	Decennial Decrease of Population 5·83 per cent.	11,803	310	282	284	319	290	1485	1555	1387	925	764	1391	1306	1138	926	614	312
Deaths from All Causes, 1881–90. Persons	15·85	3,794	619	173	84	59	39	974	133	65	80	95	169	183	223	371	609	892
Deaths from All Causes, 1881–90. Males	15·85	1,923	359	80	50	31	17	537	59	23	32	32	79	90	114	208	314	435
Deaths from All Causes, 1881–90. Females	15·85	1,871	260	93	34	28	22	437	74	42	48	63	90	93	109	163	295	457

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	3	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Measles	0·25	0·21	0·29	60	26	34	8	20	8	4	1	41	14	1	1	–	1	2	–	–	–	–
Scarlet Fever	0·17	0·13	0·20	40	16	24	–	7	8	8	4	27	10	2	–	1	–	–	–	–	–	–
Diphtheria	0·33	0·28	0·39	80	34	46	2	3	9	5	12	31	35	9	1	1	–	2	–	1	–	–
Whooping-cough	0·25	0·22	0·28	60	27	33	25	18	7	4	5	59	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·07	0·05	15	9	6	–	–	–	1	–	1	3	2	4	–	1	2	1	–	1	–
Simple Continued Fever	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·28	0·29	0·26	66	35	31	28	10	1	1	–	40	3	–	–	–	1	–	1	1	9	11
Cholera	0·02	0·01	0·03	4	1	3	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–
Cancer	0·74	0·56	0·92	176	68	108	–	–	–	1	–	1	–	–	–	1	2	8	32	48	59	25
Tabes Mesenterica	0·13	0·14	0·11	30	17	13	14	9	1	–	–	24	2	1	2	1	–	–	–	–	–	–
Phthisis	1·39	1·21	1·58	333	147	186	1	2	1	4	1	9	5	16	33	49	77	56	42	29	16	1
Other Tub. & Scrof. Dis.	0·22	0·26	0·18	53	32	21	9	11	5	7	4	36	7	3	2	1	3	–	1	–	–	–
Diseases of Nervous System	2·11	2·14	2·08	504	259	245	55	22	8	4	1	90	9	4	4	9	9	11	34	68	121	145
Diseases of Circulatory „	1·75	1·69	1·80	418	205	213	3	–	–	1	–	4	4	4	6	3	11	29	25	83	126	123
Diseases of Respiratory „	2·78	3·07	2·49	666	372	294	161	50	23	11	7	252	25	3	5	8	19	14	19	51	119	151
Diseases of Digestive „	0·95	0·88	1·02	227	107	120	40	4	4	2	–	50	4	3	8	4	9	12	19	33	39	46
Diseases of Urinary „	0·49	0·63	0·35	118	77	41	1	–	1	1	–	3	–	2	4	1	4	10	14	16	38	26
Diseases of Generative „	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	–	–	–	2	1	–	6	2
Puerperal Fever	0·03	–	0·06	7	–	7	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–	–
Childbirth	0·10	–	0·20	24	–	24	–	–	–	–	–	–	–	–	2	2	7	12	1	–	–	–
Violence	0·43	0·64	0·21	103	78	25	7	7	4	2	3	23	4	7	5	1	8	6	13	9	14	13
OTHER CAUSES	3·30	3·39	3·24	793	409	384	264	10	4	3	1	282	6	7	2	9	14	16	19	31	58	349

Marriages 1,224

Births Males 3,320 / Females 3,227 — 6,547

Annual Rate per 1000 living: Persons Married 10·23; Births 27·35

Deaths from Childbirth and Puerperal Fever 4·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

133.—HITCHIN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard Population* 15·48	†120	–	–	–	–	43·42	4·33	2·78	3·86	4·48	6·72	7·92	12·21	25·38	53·87	158·73
	Males	16·32	†139	–	–	–	–	48·46	4·85	2·72	3·63	4·55	6·79	7·72	13·14	29·17	58·84	163·71
	Females	14·62	†101	–	–	–	–	38·37	3·81	2·84	4·08	4·43	6·66	8·07	11·30	22·03	49·54	154·58
Mean Population 1881–90.	Persons	Decennial Increase of Population 0·60 per cent.	27,499	735	675	722	703	723	3558	3507	3273	2616	2076	3454	2918	2458	1891	1227	521
	Males		13,039	359	336	359	364	365	1783	1773	1653	1284	991	1532	1283	1134	888	571	237
	Females		14,459	376	339	363	339	358	1775	1734	1620	1332	1175	1922	1635	1324	1003	656	284
Deaths during Ten Years 1881–90.	Persons	17·14	4,713	1021	251	133	82	58	1545	152	91	101	93	252	251	300	480	661	327
	Males	18·36	2,418	508	127	70	37	32	804	86	45	47	41	104	99	149	259	336	388
	Females	15·88	2,295	423	124	63	45	26	681	66	46	54	52	128	132	151	221	325	439

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·02	0·02	0·01	5	3	2
Measles	0·35	0·42	0·28	96	55	41
Scarlet Fever	0·23	0·32	0·19	69	42	27
Diphtheria	0·21	0·21	0·21	57	27	30
Whooping-cough	0·43	0·38	0·47	118	50	68
Typhus	–	–	–	–	–	–
Enteric Fever	0·10	0·11	0·09	28	15	13
Simple Continued Fever	0·01	0·02	0·01	4	2	2
Diarrhœa and Dysentery	0·56	0·67	0·46	154	88	66
Cholera	–	–	–	–	–	–
Cancer	0·52	0·43	0·60	142	56	86
Tabes Mesenterica	0·12	0·21	0·25	61	28	33
Phthisis	1·20	1·22	1·18	329	159	170
Other Forms of Disease	0·28	0·28	0·28	76	36	40
Diseases of Nervous System	2·28	2·35	2·21	627	307	320
" Circulatory "	1·77	1·89	1·67	487	246	241
" Respiratory "	3·01	3·21	2·82	827	419	408
" Digestive "	1·07	1·11	1·04	295	145	150
" Urinary "	0·35	0·53	0·18	96	69	26
" Generative "	0·06	0·02	0·08	14	3	11
Puerperal Fever	0·08	–	0·16	23	–	23
Convulsions	0·08	–	0·15	21	–	21
Violence	0·43	0·67	0·31	119	88	31
Ill-defined Causes	3·87	4·46	3·35	1066	580	486

	Persons.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Small-pox	–	–	–	–	–	–	–	1	–	2	1	–	–	–	1	–	–
Measles	25	22	14	14	11	86	9	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	6	8	17	11	7	49	15	4	1	–	–	–	–	–	–	–	–
Diphtheria	2	3	8	5	7	25	23	5	1	–	–	–	1	–	–	1	–
Whooping-cough	56	33	17	6	4	116	2	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	–	–	1	4	3	4	5	4	2	4	1	–	–	–
Simple Continued Fever	1	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	95	22	4	2	–	123	1	–	–	–	3	–	–	1	8	18	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	1	1	4	17	32	38	31	18	–
Tabes Mesenterica	27	14	5	1	2	49	3	2	2	1	2	1	1	–	–	–	–
Phthisis	–	–	1	2	–	3	9	10	34	42	92	63	44	27	5	–	–
Other Forms of Disease	11	10	2	4	3	30	10	8	11	1	8	1	3	3	1	–	–
Diseases of Nervous System	150	25	11	6	3	195	15	13	5	9	13	19	37	70	103	118	–
" Circulatory "	1	2	1	–	1	5	8	4	6	7	23	27	58	126	142	87	–
" Respiratory "	173	75	32	19	16	315	21	12	6	6	19	19	40	85	178	157	–
" Digestive "	50	16	7	3	1	77	7	5	8	2	17	17	36	48	48	33	–
" Urinary "	–	–	1	2	1	4	2	3	1	–	3	11	10	15	20	20	–
" Generative "	1	–	–	–	–	1	–	–	1	3	3	2	1	3	1	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	1	3	6	12	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	3	–	10	8	–	–	–	–	–
Violence	9	3	3	–	2	17	6	9	4	3	11	12	11	19	18	9	–
Ill-defined Causes	414	17	9	7	–	447	16	11	11	8	15	19	22	48	125	344	–

Annual Rate per 1000 living { Persons Married 11·15 / Births - - 30·92 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·17 per 1000 Births.

* See pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

134.—HERTFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·99	†102	–	–	–	–	37·76	3·54	2·82	3·29	4·95	7·31	9·35	14·04	27·60	53·19	144·64
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·88	†111	–	–	–	–	41·08	3·28	2·36	2·51	5·14	7·70	10·90	15·59	31·96	58·38	155·70
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·16	†92	–	–	–	–	34·41	3·85	3·36	4·23	4·77	6·94	7·94	12·61	23·65	48·77	135·83
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·64 per cent.	16,965	403	382	403	405	404	1997	2203	2201	1672	1272	2094	1851	1460	1127	752	336
Mean Population, 1881–91. Males	Decennial Increase of Population 2·64 per cent.	8,540	202	196	209	196	199	1002	1189	1188	915	622	1013	881	699	535	346	149
Mean Population, 1881–91. Females	Decennial Increase of Population 2·64 per cent.	8,425	201	186	194	209	205	995	1014	1013	757	650	1081	970	761	592	406	187
Deaths from All Causes 1881–90. Persons	16·15	2,740	465	154	61	45	29	754	78	62	55	63	153	173	205	311	400	486
Deaths from All Causes 1881–90. Males	16·65	1,422	259	82	34	16	21	412	39	28	23	32	78	96	109	171	202	232
Deaths from All Causes 1881–90. Females	15·64	1,318	206	72	27	29	8	342	39	34	32	31	75	77	96	140	198	254

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·33	0·34	0·32	56	29	27	6	21	9	8	3	47	3	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·07	0·08	0·06	12	7	5	1	1	1	1	1	5	5	1	1	–	–	–	–	–	–	–
Diphtheria	0·12	0·06	0·19	21	5	16	–	2	3	3	3	11	7	2	–	1	–	–	–	–	–	–
Whooping-cough	0·35	0·39	0·32	60	33	27	20	20	7	5	2	54	5	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·13	0·09	19	11	8	–	–	–	1	–	1	–	2	1	4	3	1	2	3	1	1
Simple Continued Fever	0·04	0·05	0·04	7	4	3	–	–	–	–	1	1	2	–	–	–	–	–	–	–	4	–
Diarrhœa and Dysentery	0·43	0·50	0·36	73	43	30	28	11	3	3	2	47	–	–	–	–	–	1	–	3	11	11
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·68	0·62	0·74	115	53	62	–	–	–	–	1	1	1	–	–	–	6	9	20	28	35	15
Tabes Mesenterica	0·05	0·06	0·04	8	5	3	3	3	–	–	–	6	1	–	–	–	1	–	–	–	–	–
Phthisis	1·31	1·36	1·26	222	116	106	2	3	–	2	–	7	3	8	14	23	60	53	30	19	4	1
Other Tub. & Scrof. Dis.	0·25	0·28	0·23	43	24	19	16	3	2	–	2	23	6	3	4	–	4	2	–	–	–	1
Diseases of Nervous System	1·89	2·04	1·73	320	174	146	70	5	3	4	1	83	7	4	7	5	8	8	36	45	58	39
Diseases of Circulatory „	1·51	1·41	1·63	257	120	137	1	–	–	–	–	1	2	8	3	5	15	16	25	47	84	51
Diseases of Respiratory „	3·25	3·17	3·34	552	271	281	104	54	16	14	6	194	12	5	9	7	11	22	36	67	97	92
Diseases of Digestive „	1·07	1·12	1·02	182	96	86	35	17	5	1	1	59	2	8	4	2	11	12	11	29	22	22
Diseases of Urinary „	0·38	0·50	0·25	64	43	21	–	–	–	–	2	2	–	–	–	3	5	10	9	11	14	10
Diseases of Generative „	0·03	0·02	0·04	5	2	3	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–
Puerperal Fever	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	2	3	7	1	–	–	–	–
Childbirth	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–
Violence	0·73	0·99	0·47	124	81	40	6	5	2	3	4	20	9	6	3	2	7	16	14	19	12	16
OTHER CAUSES	3·41	3·53	3·26	578	302	276	173	9	10	–	–	192	8	14	7	7	10	17	21	38	57	207

Marriages - - 904

Births - { Males - 2,325 / Females - 2,234 } 4,559

Annual Rate per 1000 living { Persons Married 10·66 / Births - - 26·87

Deaths from Childbirth and Puerperal Fever - - - - - 4·61 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

135.—HATFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15	20	25–	35	45–	55	65	75 and upwards.
Annual Death-Rate per 1000.	Persons	In Standard Population*		13·70	†100	–	–	–	–	34·63	3·53	2·44	4·68	1·28	4·28	7·70	13·16	23·73	54·29	142·17
	Males			14·42	†117	–	–	–	–	38·15	5·40	2·73	2·71	2·56	4·37	9·48	15·72	27·68	52·46	150·00
	Females			13·02	†83	–	–	–	–	31·20	1·95	2·16	6·89	0·06	4·20	6·16	10·73	19·72	56·18	134·88
Mean Population, 1881-91.	Persons	Decennial Increase of Population 5·76 per cent.		9,056	245	228	242	244	245	1204	1132	1023	854	681	1284	1000	798	573	361	166
	Males			4,492	115	110	124	118	108	585	569	513	442	351	618	464	388	289	183	80
	Females			4,564	130	118	118	126	117	609	563	510	352	330	666	536	410	284	178	86
Deaths from All Causes, 1881-90.	Persons	14·96		1,355	272	73	26	26	20	417	40	24	39	29	55	77	105	136	186	236
	Males	16·01		719	162	37	9	9	10	227	29	14	12	9	27	44	61	80	96	120
	Females	13·94		636	110	36	17	17	10	190	11	11	27	20	28	33	44	56	100	116

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Measles	0·24	0·24	0·24	23	11	11	3	6	3	2	1	15	7	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·07	0·02	4	3	1	1	–	–	–	–	2	1	–	1	–	–	–	–	–
Diphtheria	0·23	0·31	0·15	21	14	7	1	2	1	2	5	11	7	2	–	–	–	–	1	–
Whooping-cough	0·32	0·33	0·31	29	15	14	13	6	6	3	–	28	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·07	6	3	3	–	–	–	–	–	–	1	–	2	1	–	1	1	–
Simple continued Fever	0·04	0·02	0·07	4	1	3	–	–	1	1	–	2	–	1	–	–	–	–	–	1
Diarrhœa and Dysentery	0·39	0·29	0·48	35	13	22	22	3	–	–	–	25	1	–	–	–	–	1	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·55	0·49	0·61	50	22	28	–	–	–	–	–	–	1	–	–	–	1	5	15	13	12	3
Tabes Mesenterica	0·02	0·02	0·02	2	1	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Tubercle	1·31	1·22	1·41	119	55	64	1	2	–	–	1	4	–	–	3	21	15	26	27	14	8	1
Other Tubercular Diseases	0·41	0·51	0·31	37	23	14	7	3	2	3	4	19	6	5	–	1	1	–	3	1	1	–
Diseases of Nervous System	1·88	2·03	1·73	170	91	79	40	11	2	4	2	68	3	2	1	3	1	7	7	20	31	27
" Circulatory "	1·56	1·54	1·58	141	69	72	1	–	–	–	–	1	–	4	3	2	4	5	15	25	45	37
" Respiratory "	2·83	2·98	2·67	256	134	122	60	23	8	8	4	103	8	1	4	1	6	5	18	28	45	37
" Digestive "	0·85	0·91	0·79	77	41	36	18	7	–	2	2	29	1	1	–	2	2	7	8	13	9	6
" Urinary "	0·47	0·73	0·22	43	33	10	–	1	–	1	–	2	–	1	1	–	3	2	5	8	16	6
" Generative "	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Fever	0·06	–	0·11	5	–	5	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–
Convulsions	0·08	–	0·15	7	–	7	–	–	–	–	–	–	–	–	2	1	1	3	–	–	–	–
Violence	0·49	0·76	0·22	44	34	10	5	2	2	–	–	9	2	1	–	1	3	4	11	6	3	5
Other Causes	3·09	3·47	2·74	280	155	125	80	7	–	–	1	97	1	4	4	2	5	8	7	13	31	108

Marriages		420	Annual Rate per 1000 living	Persons Married 9·28
Births	Males	1,280		Births 29·01
	Females	1,329		
		2,709		

Deaths from Childbirth and Puerperal Fever 4·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·93 Standard 15·43 Population* 14·46	†114	–	–	–	–	40·81	4·02	2·33	3·61	4·77	6·09	9·05	13·19	25·60	52·07	141·20
Annual Death-Rate per 1000. Males	—		†122	–	–	–	–	43·62	3·77	2·07	3·04	4·24	6·20	10·62	15·94	26·91	53·81	144·00
Annual Death-Rate per 1000. Females	—		†106	–	–	–	–	38·06	4·27	2·58	4·17	5·19	6·00	7·74	10·88	24·51	50·60	138·96
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·35 per cent.	25,084	654	633	680	627	67	3264	3160	2793	2325	1949	3432	2863	2199	1586	1064	449
Mean Population, 1881–91. Males		11,829	324	307	349	294	340	1614	1592	1398	1150	850	1515	1300	1004	721	485	200
Mean Population, 1881–91. Females		13,255	330	326	331	333	330	1650	1568	1395	1175	1099	1917	1563	1195	865	579	249
Deaths from All Causes, 1881–90. Persons	16·16	4,053	890	211	109	65	57	1332	127	65	84	93	209	259	290	406	554	634
Deaths from All Causes, 1881–90. Males	16·90	1,999	478	112	54	32	28	704	60	29	35	36	94	138	160	194	261	288
Deaths from All Causes, 1881–90. Females	15·50	2,054	412	99	55	33	29	628	67	36	49	57	115	121	130	212	293	346

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·27	0·29	0·25	67	34	33	14	17	13	12	5	61	6	–	–	–	–	–
Scarlet Fever	0·16	0·15	0·17	41	18	23	3	1	6	7	4	21	17	2	1	–	–	–
Diphtheria	0·13	0·15	0·11	32	18	14	–	–	6	2	8	16	8	6	1	1	–	–
Whooping-cough	0·37	0·36	0·39	94	42	52	47	26	12	3	4	92	2	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·14	0·25	50	17	33	–	–	4	–	–	4	4	7	7	5	10	5
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·46	0·52	0·41	116	61	55	91	9	4	–	–	104	–	–	–	–	1	1
Cholera	0·03	0·05	0·01	7	6	1	5	–	–	–	–	5	–	–	–	–	–	–
Cancer	0·71	0·53	0·87	178	63	115	1	–	–	–	–	1	1	2	–	–	5	11
Tabes Mesenterica	0·13	0·14	0·11	32	17	15	10	7	3	–	1	21	3	1	4	P	2	–
Phthisis	1·37	1·39	1·35	343	164	179	8	2	–	–	2	12	7	15	24	38	85	70
Other Tub. & Scrof. Dis.	0·46	0·52	0·40	115	62	53	31	21	9	4	4	69	19	4	9	3	3	3
Diseases of Nervous System	2·40	2·50	2·30	601	296	305	136	30	10	11	6	193	16	9	8	6	13	17
Diseases of Circulatory "	1·81	1·67	1·92	453	198	255	5	–	–	–	1	6	2	3	12	7	13	40
Diseases of Respiratory "	2·94	3·32	2·59	738	394	344	158	76	31	18	15	298	25	1	2	9	15	29
Diseases of Digestive "	0·98	1·08	0·88	245	128	117	60	9	2	–	–	71	5	6	2	2	11	15
Diseases of Urinary "	0·39	0·46	0·32	98	55	43	1	–	–	–	1	2	2	–	4	4	6	12
Diseases of Generative "	0·06	–	0·11	14	–	14	1	–	–	–	–	1	–	–	–	1	–	2
Puerperal Fever	0·06	–	0·11	15	–	15	–	–	–	–	–	–	–	–	–	5	6	4
Childbirth	0·10	–	0·19	25	–	25	–	–	–	–	–	–	–	–	1	–	9	14
Violence	0·48	0·66	0·32	120	78	42	12	5	8	4	2	31	6	4	4	3	18	13
OTHER CAUSES	2·65	2·96	2·44	668	347	321	307	8	1	4	4	324	4	5	5	8	13	23

Marriages	1,565	Annual Rate per 1000 living	Persons Married	12·48	Deaths from Childbirth and Puerperal Fever 5·11 per 1000 Births.
Births Males	3,929		Births	31·18	
Births Females	3,892				
Births	7,821				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

137.—WATFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons			In Standard Population*		18·61	†109	–	–	–	–	40·37	4·98	2·29	4·15	6·56	8·56	14·16	20·47	37·16	74·66	170·40
	Males					20·19	†122	–	–	–	–	44·51	5·15	2·12	3·63	7·87	10·48	16·76	24·28	41·38	81·52	178·38
	Females					17·11	†95	–	–	–	–	36·31	4·80	2·47	4·67	5·38	6·97	11·89	17·10	33·57	69·54	164·91
Mean Population 1881–90.	Persons			25,121			878	817	846	852	818	4211	4238	4235	3084	2807	4912	4104	3243	2286	1417	544
	Males			16,866			449	400	417	414	405	2085	2135	2217	1542	1321	2273	1909	1524	1032	606	222
	Females			18,255			429	417	429	438	413	2126	2103	2028	1542	1486	2639	2195	1719	1254	811	322
Deaths from All Causes, 1881–90.	Persons	19·42		6,821			1046	321	140	101	92	1700	211	97	128	184	423	581	604	848	1058	927
	Males	20·69		3,489			592	172	68	52	44	928	110	47	56	104	237	320	370	427	494	396
	Females	18·25		3,332			454	149	72	49	48	772	101	50	72	80	186	261	234	421	564	531
Increase of Population 24·21 per cent.																						
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·03	0·02	8	5	3	–	–	–	–	–	–	–	1	–	1	2	3	–	1	–	–
Measles	0·32	0·37	0·27	113	63	50	13	44	13	13	11	99	10	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·12	0·13	0·12	43	22	21	3	3	6	10	7	29	9	4	–	–	1	–	–	–	–	–
Diphtheria	0·35	0·39	0·32	124	65	59	3	7	16	16	21	63	48	7	3	1	2	–	–	–	–	–
Whooping-cough	0·29	0·29	0·28	101	49	52	50	27	12	6	1	96	5	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·11	0·11	0·10	37	18	19	–	–	–	1	–	1	2	9	6	7	7	2	3	–	–	–
Simple Continued Fever	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·33	0·26	104	56	48	63	8	–	–	2	72	2	–	–	–	1	1	3	5	13	5
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·68	0·53	0·82	239	90	149	1	1	–	–	–	2	–	–	–	2	3	23	47	68	75	19
Tabes Mesenterica	0·23	0·25	0·20	78	43	36	50	7	4	3	–	64	5	4	–	2	–	2	–	1	–	–
Phthisis	1·92	2·48	1·41	675	418	257	7	9	3	2	2	22	8	15	43	68	161	177	101	51	26	3
Other Tub. & Scrof. Dis.	0·33	0·38	0·28	115	64	51	33	15	7	2	8	65	24	8	3	1	6	4	3	–	1	–
Diseases of Nervous System	4·90	5·09	4·73	1722	859	863	130	43	22	8	11	214	22	8	28	40	101	166	220	302	358	263
Circulatory	2·21	1·89	2·51	778	319	459	5	4	–	–	1	10	7	9	11	16	27	51	101	174	218	154
Respiratory	2·77	3·12	2·45	974	526	448	201	113	46	36	22	417	33	5	6	9	26	37	53	94	149	146
Digestive	0·91	0·91	0·90	318	154	164	53	16	1	1	4	75	11	7	6	4	21	27	39	40	54	25
Urinary	0·58	0·75	0·43	204	126	78	3	2	2	1	–	8	6	2	2	2	5	13	33	40	47	41
Generative	0·05	0·01	0·09	19	2	17	–	–	–	–	–	–	–	–	–	2	4	–	4	4	5	–
Puerperal Fever	0·05	–	0·09	17	–	17	–	–	–	–	–	–	–	–	–	4	5	6	–	–	–	–
Childbirth	0·05	–	0·09	16	–	16	–	–	–	–	–	–	–	–	–	2	8	6	–	–	–	–
Violence	0·49	0·76	0·25	173	128	45	14	3	5	1	1	24	6	6	8	12	18	27	28	17	16	11
OTHER CAUSES	2·73	2·84	2·61	967	490	477	413	19	4	1	1	438	13	8	11	10	24	28	29	41	97	258

Marriages	–	–	1,813	Annual Rate per 1000 living	Persons Married 10·55
Births	Males	4,836	9,601		Births – – 27·34
	Females	4,765			

Deaths from Childbirth and Puerperal Fever – – – – 3·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

138.—HEMEL HEMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·99	†117	–	–	–	–	43·30	2·87	2·24	3·90	7·29	6·91	9·11	14·55	26·00	62·61	142·19
Annual Death-Rate per 1000. Males	—	Standard 17·22	†125	–	–	–	–	46·60	3·53	2·58	4·12	7·09	7·91	10·62	17·25	29·52	67·73	150·00
Annual Death-Rate per 1000. Females	—	Population* 14·82	†108	–	–	–	–	39·98	2·20	1·88	3·70	7·45	6·10	7·81	12·37	23·09	58·07	134·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·49 per cent.	14,861	387	361	383	360	382	1873	1815	1740	1383	1139	1925	1713	1347	1004	666	256
Mean Population, 1881–91. Males		7,070	190	187	204	176	183	940	907	890	680	508	860	791	603	454	313	124
Mean Population, 1881–91. Females		7,791	197	174	179	184	199	933	908	850	703	631	1065	922	744	550	353	132
Deaths from All Causes, 1881–90. Persons	17·27	2,566	528	149	55	46	33	811	52	39	54	83	133	156	196	261	417	364
Deaths from All Causes, 1881–90. Males	19·02	1,345	288	74	32	27	17	438	32	23	28	36	68	84	104	134	212	186
Deaths from All Causes, 1881–90. Females	15·67	1,221	240	75	23	19	16	373	20	16	26	47	65	72	92	127	205	178

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·23	0·27	0·19	34	19	15	5	11	4	8	6	34	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·08	14	8	6	–	3	4	2	2	11	2	–	1	–	–	–	–	–	–
Diphtheria	0·17	0·18	0·15	25	13	12	5	3	4	2	5	19	6	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·28	0·24	39	20	19	20	10	3	4	1	38	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·14	0·15	22	10	12	–	–	–	1	–	1	1	–	5	7	4	3	–	–	–
Simple Continued Fever	0·02	–	0·04	3	–	3	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
Diarrhœa and Dysentery	0·50	0·61	0·40	74	43	31	51	14	–	–	–	65	1	–	–	–	–	2	–	1	2	3
Cholera	0·01	–	0·03	2	–	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·48	1·04	115	34	81	–	–	–	–	–	–	–	–	1	2	3	7	21	31	31	19
Tabes Mesenterica	0·20	0·25	0·14	29	18	11	12	6	2	–	1	21	1	3	1	–	–	1	1	1	–	–
Phthisis	1·49	1·71	1·30	222	121	101	–	3	2	1	–	6	2	8	9	33	60	51	31	16	6	–
Other Tub. & Scrof. Dis.	0·32	0·34	0·31	48	24	24	7	8	5	5	5	30	4	2	3	2	2	1	2	1	1	–
Diseases of Nervous System	1·90	2·45	1·40	282	173	109	54	11	6	1	3	75	4	4	4	1	5	14	21	37	78	39
Diseases of Circulatory „	2·41	2·48	2·35	358	175	183	2	–	–	–	–	2	–	5	2	7	5	18	35	77	122	85
Diseases of Respiratory „	2·67	2·97	2·39	396	210	186	102	58	17	13	4	194	16	2	2	6	10	20	21	32	45	48
Diseases of Digestive „	0·98	0·96	1·00	146	68	78	35	9	3	3	2	52	3	4	3	3	3	7	22	15	22	12
Diseases of Urinary „	0·61	0·81	0·42	90	57	33	–	–	–	–	–	–	1	–	–	3	7	5	20	23	18	13
Diseases of Generative „	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	1	–	3	–	1	3	1
Puerperal Fever	0·11	–	0·22	17	–	17	–	–	–	–	–	–	–	–	2	3	7	5	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–
Violence	0·60	1·00	0·23	89	71	18	9	1	4	5	1	20	3	6	6	5	13	9	12	9	6	–
Other Causes	3·67	3·98	3·38	545	281	264	224	12	1	1	3	241	7	5	14	9	10	7	10	17	81	144

Marriages - - - 896

Births - {Males - 2,312 / Females - 2,214} 4,526

Annual Rate per 1000 living {Persons Married 12·06 / Births - - - 30·46}

Deaths from Childbirth and Puerperal Fever - - - - - 5·08 per 1000 Births.

* *See* pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

139.—BERKHAMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate and Total Deaths	Persons —	In Standard Population*		15·69	†127	–	–	–	–	47·84	3·29	1·86	3·07	4·66	5·84	8·33	12·75	26·63	54·29	149·07
	Males —			16·58	†140	–	–	–	–	51·55	3·85	1·94	3·06	4·84	5·35	10·10	13·80	27·87	60·00	162·69
	Females —			14·85	†113	–	–	–	–	44·24	2·71	1·77	3·09	4·53	6·23	6·89	12·30	25·55	49·87	145·56
Mean Population	Persons	Decennial Increase of Population 4·56 per cent.		15,473	405	402	379	367	412	1965	1945	1831	1496	1179	2629	1740	1349	1014	695	269
at each Age.	Males			7,364	189	194	194	188	201	966	986	928	785	517	897	782	639	470	290	134
	Females			8,109	216	208	185	179	211	999	959	903	711	662	1123	958	710	544	375	135
Death-Rates at each Age.	Persons	16·84		2,606	008	175	84	47	26	940	64	34	46	55	118	145	172	270	361	401
All Causes.	Males	18·12		1,334	338	79	42	22	17	498	38	18	24	25	48	79	81	131	174	218
	Females	15·69		1,272	270	96	42	25	9	442	26	16	22	30	70	66	91	139	187	183

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·58	0·62	0·53	89	46	43	16	26	19	16	6	83	4	1	–	1	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·15	21	9	12	1	3	6	1	3	14	6	–	–	–	1	–	–	–	–
Diphtheria	0·08	0·11	0·05	12	8	4	1	1	2	1	2	7	2	–	2	1	–	–	–	–	–
Whooping-cough	0·43	0·46	0·41	67	34	33	31	22	7	2	1	63	4	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·08	0·04	9	6	3	–	–	–	–	–	–	2	–	2	1	2	–	1	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·81	0·91	0·72	125	67	58	30	18	2	–	1	101	–	–	–	–	1	1	4	3	12
Cholera	0·02	0·03	0·01	3	2	1	–	2	–	–	–	2	–	–	–	–	–	–	1	–	–
Cancer	0·63	0·35	0·90	99	26	73	–	–	–	–	–	–	–	–	–	–	1	11	19	20	30	9
Tabes Mesenterica	0·12	0·15	0·10	19	11	8	13	2	1	–	–	16	1	2	–	–	–	–	–	–	–	–
Phthisis	1·30	1·25	1·34	201	92	109	1	1	–	2	1	5	3	8	16	26	52	40	28	18	5	–
Other Tub. & Scrof. Dis.	0·23	0·29	0·17	35	21	14	5	7	4	1	1	18	4	–	6	–	1	4	–	1	1	–
Diseases of Nervous System	1·88	2·11	1·67	290	155	135	53	15	7	4	–	79	3	3	4	3	6	12	24	43	39	34
Circulatory ,,	1·77	1·87	1·67	273	138	135	1	–	1	–	–	2	3	7	5	2	12	20	39	50	70	63
Respiratory ,,	3·51	3·67	3·37	543	270	273	106	57	26	15	8	212	15	3	3	11	17	23	28	65	88	78
Digestive ,,	0·70	0·65	0·75	109	48	61	22	10	1	2	1	36	4	1	–	2	1	7	5	20	24	9
Urinary ,,	0·45	0·68	0·25	70	50	20	1	–	–	1	–	2	–	1	–	2	6	5	4	9	17	20
Generative ,,	0·06	–	0·11	9	–	9	–	–	–	–	–	–	–	–	–	–	3	1	2	2	1	–
Puerperal Fever	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–
Childbirth	0·02	–	0·04	3	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Violence	0·58	0·83	0·36	90	61	29	17	3	5	1	1	27	7	4	–	2	7	7	10	10	3	–
Other Causes	3·43	3·94	2·98	533	290	243	260	8	3	1	1	273	6	4	8	3	4	5	11	20	52	147

Marriages	916	Annual Rate per 1000 living	Persons Married	11·84	Deaths from Childbirth and Puerperal Fever 1·87 per 1000 Births.
Births Males	2,413		Births	31·03	
Births Females	2,388				
Births	4,801				

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

140.—AMERSHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·09	†108	–	–	–	–	38·44	3·73	1·34	3·32	4·60	5·10	8·79	11·47	22·64	55·00	148·48
Males	—	14·62	†121	–	–	–	–	40·49	3·57	1·62	3·14	5·73	5·16	7·74	13·45	26·50	56·26	158·90
Females	—	13·60	†95	–	–	–	–	36·43	3·87	1·06	3·53	3·50	5·05	9·74	9·56	18·98	53·88	139·90
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·65 per cent.	19,387	519	504	517	521	509	2570	2496	2313	1775	1457	2490	2026	1665	1334	900	361
Males		9,548	266	250	256	254	251	1277	1231	1176	925	715	1202	969	818	649	423	163
Females		9,839	253	254	261	267	258	1293	1265	1137	850	742	1288	1057	847	685	477	198
Deaths from All Causes, 1881–90. Persons	15·82	3,067	643	185	77	48	35	988	93	31	59	67	127	178	191	302	495	536
Males	16·40	1,566	362	80	37	21	17	517	44	19	29	41	62	75	110	172	238	259
Females	15·26	1,501	281	105	40	27	18	471	49	12	30	26	65	103	81	130	257	277

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·33	0·32	0·34	64	31	33	15	16	9	8	4	52	12	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·10	17	7	10	1	1	3	2	3	10	5	1	1	–	–	–	–	–
Diphtheria	0·10	0·10	0·09	19	10	9	1	2	4	2	3	12	5	1	–	1	–	–	–	–
Whooping-cough	0·34	0·29	0·38	65	28	37	33	19	3	6	1	62	3	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Enteric Fever	0·07	0·09	0·05	14	9	5	–	–	–	–	1	1	1	–	–	–	4	2	2	1
Simple Continued Fever	0·03	0·04	0·02	6	4	2	–	1	1	–	–	2	–	–	–	1	1	–	1	–
Diarrhœa and Dysentery	0·45	0·50	0·40	87	48	39	42	17	6	1	1	67	–	–	–	–	1	3	–	1
Cholera	0·02	0·03	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1
Cancer	0·57	0·43	0·71	111	41	70	–	–	–	–	–	–	–	1	–	–	4	12	19	29
Tabes Mesenterica	0·14	0·16	0·12	27	15	12	15	–	1	–	–	16	7	1	1	–	–	–	1	–
Phthisis	1·07	0·93	1·20	207	89	118	3	2	1	2	–	8	3	3	15	23	50	58	30	12
Other Tub. & Scrof. Dis.	0·38	0·47	0·29	74	45	29	30	15	5	3	–	53	6	2	3	3	2	–	2	2
Diseases of Nervous System	2·33	2·33	2·33	451	222	229	77	16	7	4	2	106	6	5	3	9	11	16	31	44
Diseases of Circulatory „	1·70	1·82	1·59	330	174	156	2	–	–	–	–	2	5	2	1	4	7	14	30	65
Diseases of Respiratory „	3·19	3·48	2·92	619	332	287	144	66	29	17	15	271	18	3	5	7	8	18	34	54
Diseases of Digestive „	0·92	0·96	0·87	178	92	86	32	15	2	1	2	52	5	1	1	–	10	8	16	29
Diseases of Urinary „	0·44	0·61	0·27	85	58	27	1	1	1	–	–	3	–	–	3	4	3	11	7	18
Diseases of Generative „	0·05	0·01	0·09	10	1	9	–	–	–	–	–	–	–	–	–	–	1	3	1	3
Puerperal Fever	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	1	3	5	8	–	–
Childbirth	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	1	4	5	–	–
Violence	0·51	0·70	0·32	98	67	31	9	3	3	2	2	19	8	4	7	4	9	7	8	13
Other Causes	2·93	3·03	2·90	572	287	285	238	11	2	–	1	252	9	7	15	7	6	12	10	27

Marriages	1,102	Annual Rate per 1000 living	Persons Married 11·37	Deaths from Childbirth and Puerperal Fever	4·52 per 1000 Births.
Births Males	3,002		Births 30·80		
Females	2,970				
	5,972				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

141.—ETON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000. Persons	—	In Standard Population* 14·81	999	–	–	–	–	37·37	3·83	2·05	3·27	4·46	5·50	8·83	12·35	21·69	63·25	161·63
Annual Death Rate per 1000. Males	—	In Standard Population* 16·20	1111	–	–	–	–	41·74	3·95	1·80	2·71	5·26	6·96	10·82	14·17	27·72	66·38	191·26
Annual Death Rate per 1000. Females	—	In Standard Population* 13·51	888	–	–	–	–	33·06	3·71	2·35	4·03	3·74	4·25	7·09	10·69	22·07	60·53	145·17
Mean Population, 1881-91. Persons	Decennial Increase of Population 5·07 per cent.	28,423	708	691	682	689	678	3388	3418	3567	2934	2285	3784	3195	2015	1782	1015	419
Mean Population, 1881-91. Males	Decennial Increase of Population 5·07 per cent.	14,083	369	346	319	343	335	1682	1720	1947	1740	1083	1748	1488	1249	826	473	183
Mean Population, 1881-91. Females	Decennial Increase of Population 5·07 per cent.	14,374	339	345	363	346	343	1706	1698	1620	1264	1202	2036	1707	1366	956	542	227
Deaths from All Causes, 1881-90. Persons	14·91	4,239	784	250	98	73	61	1266	131	73	97	102	208	282	323	440	843	675
Deaths from All Causes, 1881-90. Males	16·04	2,260	445	131	50	41	35	702	68	35	46	57	121	161	177	229	314	350
Deaths from All Causes, 1881-90. Females	13·81	1,979	339	119	48	32	26	564	63	38	51	45	87	121	146	211	329	325

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Smallpox	0·04	0·06	0·02	11	3	3	2	–	–	–	–	2	–	1	2	1	–	1	–	2	3	–
Measles	0·19	0·16	0·20	54	22	32	7	28	6	8	4	46	6	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·18	0·18	48	25	18	5	9	7	4	5	30	9	4	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·11	0·14	35	15	20	1	3	3	6	4	17	10	1	–	1	1	4	–	1	–	–
Whooping-cough	0·31	0·27	0·35	88	38	50	35	31	11	7	1	85	2	–	–	–	–	–	–	–	–	1
Typhus	0·01	–	0·02	3	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Enteric Fever	0·29	0·24	0·35	56	34	22	2	1	2	1	–	6	8	8	6	2	2	4	5	4	7	4
Simple Continued Fever	0·04	0·02	0·04	9	3	6	1	1	1	–	–	3	2	–	1	–	–	–	1	–	3	–
Diarrhœa and Dysentery	0·28	0·31	0·26	80	43	37	54	11	1	1	–	67	3	–	1	–	–	–	–	–	3	7
Cholera	0·01	–	0·02	3	–	3	2	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·40	0·70	156	56	100	–	–	1	–	–	1	–	–	–	–	2	17	31	44	37	24
Tabes Mesenterica	0·14	0·13	0·14	39	19	20	18	7	1	1	2	29	2	3	–	–	–	2	2	1	–	–
Phthisis	1·26	1·38	1·14	357	194	163	6	4	4	2	2	18	7	5	23	35	84	77	60	29	17	2
Other Tub. & Scrof. Dis.	0·30	0·33	0·26	84	47	37	20	14	3	4	5	46	9	5	3	3	4	4	–	3	3	–
1 Nervous System	2·02	2·24	1·78	570	315	255	97	27	9	6	6	145	17	5	8	8	16	31	40	71	125	104
2 Circulatory „	1·58	1·60	1·56	448	225	223	8	–	–	–	2	10	2	3	7	6	17	36	45	96	135	91
3 Respiratory „	2·76	3·05	2·47	784	430	354	151	86	33	23	20	313	20	9	6	6	17	33	45	63	138	134
4 Digestive „	0·42	0·87	0·97	261	122	139	40	14	5	2	2	63	3	2	7	3	10	10	25	47	61	30
5 Urinary „	0·41	0·51	0·31	116	72	44	2	1	1	2	1	7	3	2	2	4	3	12	14	19	24	26
6 Generative „	0·07	0·01	0·13	19	1	18	–	–	–	–	–	–	–	1	–	–	2	3	3	2	7	1
Puerperal Fever	0·05	–	0·10	14	–	14	–	–	–	–	–	–	–	–	–	6	4	4	–	–	–	–
Childbirth	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	1	1	5	4	4	2	–	–	–
Violence	0·62	1·03	0·22	177	145	32	15	2	3	3	4	26	13	10	9	18	21	23	21	23	10	3
Other Causes	2·84	3·14	2·56	815	446	369	320	16	6	4	3	349	15	12	14	4	20	16	20	35	73	248

Marriages	1,636	Annual Rate per 1000 living	Persons Married 11·53
Births — Males 4,021			Births 27·73
Births — Females 3,861	7,882		

Deaths from Childbirth and Puerperal Fever 3·96 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

142.—WYCOMBE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·58	†129	–	–	–	–	46·87	3·57	2·15	3·11	5·02	5·97	7·97	13·21	24·35	52·71	155·49
Males	—	Standard 15·93	†140	–	–	–	–	50·89	3·38	2·08	2·69	4·70	5·79	7·75	14·31	24·96	56·05	156·18
Females	—	Population* 15·25	†116	–	–	–	–	42·80	3·77	2·21	3·58	5·33	6·14	8·18	12·16	23·78	49·59	154·83
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·21 per cent.	42,335	1156	1089	1135	1169	1152	5701	5483	5081	4086	3286	5458	4517	3687	2682	1662	692
Males		20,960	576	541	572	604	574	2867	2751	2549	2158	1597	2642	2169	1796	1290	801	340
Females		21,375	580	548	563	565	578	2834	2732	2532	1928	1689	2816	2348	1891	1392	861	352
Deaths from All Causes, 1881-90. Persons	16·65	7,047	1765	495	193	138	81	2672	196	109	127	165	326	360	487	653	876	1076
Males	17·26	3,618	992	254	104	71	38	1459	93	53	58	75	153	168	257	322	449	531
Females	16·04	3,429	773	241	89	67	43	1213	103	56	69	90	173	192	230	331	427	545

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·02	0·02	10	5	5	2	–	1	–	–	3	–	–	2	1	2	1	–	1	–	–
Measles	0·42	0·47	0·38	179	98	81	23	52	43	23	13	154	26	4	–	–	1	–	–	–	–	–
Scarlet Fever	0·18	0·21	0·16	78	43	35	3	18	7	7	14	49	20	5	2	2	–	–	–	–	–	–
Diphtheria	0·08	0·06	0·10	34	12	22	1	4	4	2	3	14	11	4	–	1	1	1	–	1	1	–
Whooping-cough	0·32	0·27	0·36	134	56	78	64	39	17	8	3	131	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	—	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·13	0·15	0·10	53	32	21	–	–	–	1	1	2	3	6	5	10	10	11	1	2	2	1
Simple Continued Fever	0·03	0·02	0·03	11	4	7	–	1	–	–	2	3	2	1	–	–	–	1	2	1	1	–
Diarrhœa and Dysentery	0·49	0·52	0·45	206	110	96	128	36	4	3	–	171	–	–	–	–	1	4	1	5	9	15
Cholera	0·00	0·00	0·00	2	1	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Cancer	0·45	0·35	0·56	192	73	119	–	–	–	–	1	1	–	1	1	–	6	21	48	48	49	17
Tabes Mesenterica	0·26	0·31	0·21	110	66	44	67	27	5	3	1	103	2	2	1	1	–	1	–	–	–	–
Phthisis	1·30	1·29	1·32	552	270	282	12	5	6	4	1	28	14	19	40	70	135	96	85	50	13	2
Other Tub. & Scrof. Dis.	0·32	0·37	0·27	135	78	57	45	25	6	3	2	81	21	7	9	5	5	3	2	2	–	–
Diseases of Nervous System	2·01	2·03	1·98	849	425	424	179	50	16	11	5	261	23	10	23	15	27	28	61	104	143	154
Diseases of Circulatory „	1·44	1·39	1·48	609	292	317	4	1	1	1	–	7	7	16	11	14	21	40	79	130	162	122
Diseases of Respiratory „	3·09	3·27	2·91	1308	686	622	329	155	51	48	23	606	30	5	11	13	27	51	81	145	170	169
Diseases of Digestive „	1·04	1·10	0·98	441	231	210	109	27	7	9	6	158	9	7	6	5	17	23	46	60	67	43
Diseases of Urinary „	0·30	0·44	0·16	127	92	35	3	3	–	4	1	11	–	3	3	2	4	10	14	18	41	21
Diseases of Generative „	0·06	—	0·13	27	–	27	1	–	–	–	–	1	–	–	–	1	4	3	5	8	4	1
Puerperal Fever	0·06	—	0·13	27	–	27	–	–	–	–	–	–	–	–	2	6	11	8	–	–	–	–
Childbirth	0·09	—	0·17	37	–	37	–	–	–	–	–	–	–	–	1	2	13	20	1	–	–	–
Violence	0·48	0·69	0·28	204	144	60	23	11	11	4	3	52	12	6	6	8	11	14	24	27	24	20
Other Causes	4·08	4·30	3·86	1721	900	821	771	41	14	7	2	835	19	13	4	9	29	23	37	51	190	511

Marriages - - - 2,830

Births - { Males - 7,069 / Females - 6,649 } 13,718

Annual Rate per 1000 living { Persons Married 13·37 / Births - - 32·40

Deaths from Childbirth and Puerperal Fever - - - - - 4·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rate under one year of age are per 1000 Births.

143.—AYLESBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Deaths { Persons / Males / Females } per 1000.	—	In Standard Population* 18·64	†119	–	–	–	–	42·54	4·72	2·47	4·24	5·97	7·63	10·14	13·76	26·97	67·71	154·58
			†134	–	–	–	–	48·56	4·85	2·34	3·14	6·47	7·47	10·25	13·81	27·82	72·06	164·26
			†102	–	–	–	–	36·84	4·59	2·61	5·46	5·51	8·16	10·05	13·71	26·19	63·28	149·26
Mean Population, 1881-90. { Persons / Males / Females }	Decennial Increase of Population 3·99 per cent.	24,696 / 12,408 / 12,288	621	644	626	646	662	3199	3093	2794	2310	1859	2220	2780	2348	1806	1155	532
			299	325	306	331	322	1583	1547	1413	1212	897	1553	1337	1101	859	545	260
			322	319	320	315	340	1615	1546	1381	1098	962	1067	1443	1247	947	610	272
Deaths from All causes, 1881-90. { Persons / Males / Females }	18·90 / 19·80 / 18·04	4,744 / 2,457 / 2,287	890	226	106	76	63	1361	146	69	98	111	252	282	323	487	782	855
			513	128	59	37	29	766	75	33	38	58	116	137	152	252	396	427
			377	98	47	39	34	595	71	36	60	53	136	145	171	235	386	428

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·03	0·02	6	3	3	–	–	–	–	–	–	–	–	2	–	2	2	–	–	–
Measles	0·36	0·38	0·34	91	47	44	16	30	11	4	12	73	15	3	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·30	0·23	67	37	30	1	8	16	8	7	40	18	5	1	1	1	1	–	–	–
Diphtheria	0·36	0·37	0·35	90	45	45		7	9	16	11	43	35	2	–	–	–	1	1	–	–
Whooping-cough	0·37	0·37	0·37	93	46	47	54	18	9	4	7	92	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·10	0·16	32	12	20	–	–	–	1	–	1	5	5	8	1	2	3	4	1	2	–
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·46	0·50	0·43	116	61	55	44	9	6	1	1	61	–	1	–	2	4	5	3	7	17	16
Cholera	0·00	–	0·01	1	–	1		–	–	–	–	–	–	–	–	–	–	–	1	–		
Cancer	0·63	0·36	0·87	158	47	111	–	–	–	1	–	1	1	–	1	–	3	16	24	43	51	18
Tabes Mesenterica	0·18	0·16	0·19	44	20	24	15	6	3	2	–	26	4	1	4	3	3	1	1	1		
Phthisis	1·55	1·45	1·64	388	178	210	9	1	2	2	–	14	1	2	31	44	110	77	52	33	15	2
Other Tub. & Scrof. Dis.	0·31	0·32	0·30	77	39	38	21	14	4	3	1	43	11	4	5	2	5	4	1	2	–	
Nervous System	2·79	3·13	2·46	700	385	315	93	18	9	4	3	127	10	6	15	8	31	40	64	91	173	126
Circulatory	1·03	1·07	1·01	256	133	123	1	–	–	1	1	3	2	2	4	7	15	23	42	86	147	116
Respiratory	3·38	3·85	3·22	846	477	402	196	74	26	10	13	328	23	5	5	4	19	32	48	82	154	157
Digestive	1·06	0·98	1·14	267	121	146	42	14	3	5	1	65	8	7	5	5	9	14	30	42	60	20
Urinary	0·47	0·72	0·24	119	88	31	2	–	–	1	–	3	1	–	1	1	5	7	9	22	36	14
Generative	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	2	2	2	5	1	–	1
Puerperal Fever	0·05	–	0·10	13	–	13	–	–	–	–	–	–	–	–	–	4	7	1	–	–	–	
Childbirth	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	1	5	7	–	–	–	
Violence	0·57	0·81	0·34	144	100	44	15	8	4	2	2	31	6	6	4	14	9	15	18	15	14	12
Other Causes	4·00	4·89	3·43	1004	605	438	381	19	4	2	4	410	5	7	7	12	22	23	30	42	148	83

Marriages	1,618	Annual Rate per 1000 living { Persons Married	12·89	Deaths from Childbirth and Puerperal Fever 3·46 per 1000 Births.
Births { Males / Females }	3,807 / 3,681 = 7,488	Births	29·92	

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

144.—WINSLOW.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·89	†120	–	–	–	–	40·41	3·37	2·75	2·44	3·79	7·08	9·95	9·30	22·72	61·89	153·09
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·85	†139	–	–	–	–	47·24	2·90	1·26	1·52	2·97	7·14	8·88	9·52	21·86	59·72	153·16
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·92	†100	–	–	–	–	33·83	3·82	4·27	3·37	4·56	7·02	10·90	9·09	23·57	64·29	153·01
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·05 per cent.	7,822	177	182	180	186	198	923	979	945	780	554	918	814	710	625	412	162
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·05 per cent.	3,834	94	91	84	90	94	453	482	477	394	269	434	383	336	311	216	79
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·05 per cent.	3,988	83	91	96	96	104	470	497	468	386	285	484	431	374	314	196	83
Deaths from All Causes, 1881–90. Persons	16·99	1,329	267	58	27	11	10	373	33	26	19	21	65	81	66	142	255	248
Deaths from All Causes, 1881–90. Males	17·29	663	156	30	19	6	3	214	14	6	6	8	31	34	32	68	129	121
Deaths from All Causes, 1881–90. Females	16·70	666	111	28	8	5	7	159	19	20	13	13	34	47	34	74	126	127

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·05	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·12	0·13	0·10	9	5	4	1	4	3	–	1	9	–	–	–	–	–	1	–
Scarlet Fever	0·23	0·29	0·18	18	11	7	3	3	3	2	2	13	3	1	–	1	–	–	–
Diphtheria	0·12	0·05	0·18	9	2	7	–	–	1	1	–	2	4	1	1	–	–	–	–
Whooping-cough	0·29	0·21	0·38	23	8	15	11	8	2	–	–	21	2	–	–	–	1	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·08	0·08	6	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1
Diarrhœa and Dysentery	0·28	0·31	0·25	22	12	10	12	4	–	–	–	16	–	–	–	2	1	–	1
Cholera	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1
Cancer	0·56	0·42	0·70	44	16	28	–	–	–	–	–	–	–	–	–	–	1	–	–
Tabes Mesenterica	0·31	0·39	0·23	24	15	9	14	3	–	1	–	18	1	2	2	–	1	7	8	17	8	3
Phthisis	1·30	0·91	1·68	102	35	67	2	1	–	–	–	3	2	6	7	6	26	25	6	15	5	1
Other Tub. & Scrof. Dis.	0·29	0·13	0·28	16	5	11	3	1	2	–	–	6	3	3	1	1	2	–	–	–	–	–
Diseases of Nervous System	1·85	2·11	1·60	145	81	64	29	4	1	2	–	36	4	–	3	1	5	7	8	19	43	19
Diseases of Circulatory ,,	1·62	1·70	1·55	127	65	62	–	1	–	1	–	2	2	1	3	1	3	8	10	25	50	22
Diseases of Respiratory ,,	2·47	2·63	2·31	193	101	92	40	22	9	2	6	79	4	5	1	2	8	10	13	22	35	14
Diseases of Digestive ,,	0·95	0·99	0·90	74	38	36	8	2	1	2	–	13	2	2	1	2	2	6	10	12	20	4
Diseases of Urinary ,,	0·40	0·55	0·25	31	21	10	–	–	–	–	–	–	1	–	–	1	2	1	2	7	12	5
Diseases of Generative ,,	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–
Puerperal Fever	0·04	–	0·08	3	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Childbirth	0·10	–	0·20	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Violence	0·31	0·42	0·20	24	16	8	2	–	–	–	1	3	1	–	–	–	4	2	3	6	4	1
Other Causes	5·67	5·92	5·42	444	227	217	142	5	5	–	–	152	4	3	–	2	3	7	4	18	74	177

Marriages 441

Births { Males 1,123 / Females 1,108 } 2,231

Annual Rate per 1000 living { Persons Married 11·28 / Births 28·52

Deaths from Childbirth and Puerperal Fever 4·93 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

145.—NEWPORT PAGNELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·84	†114	–	–	–	–	41·15	4·14	2·65	4·07	5·08	5·95	8·13	11·29	20·38	55·79	141·94
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·12	†126	–	–	–	–	45·62	4·32	2·69	3·87	4·79	5·14	7·56	12·05	22·89	58·08	153·49
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·58	†102	–	–	–	–	37·49	3·96	2·62	4·30	5·36	6·69	8·65	10·25	18·74	52·76	139·57
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·59 per cent.	25·018	693	653	713	634	670	3363	3191	2845	2397	1829	3755	2681	2186	1758	1467	512
Mean Population, 1881–91. Males	Decennial Increase of Population 4·59 per cent.	12·214	357	313	336	322	329	1648	1550	1415	1213	897	1557	1070	1075	843	571	234
Mean Population, 1881–91. Females	Decennial Increase of Population 4·59 per cent.	12·804	349	340	377	312	370	1718	1641	1411	1094	932	1748	1441	1151	914	616	278
Deaths from All Causes, 1881–90. Persons	16·20	4·242	911	232	103	60	71	1386	132	75	94	93	195	238	249	411	650	749
Deaths from All Causes, 1881–90. Males	17·31	2,114	505	125	48	33	33	742	67	38	47	46	80	96	141	254	325	391
Deaths from All Causes, 1881–90. Females	16·92	2,128	406	109	55	36	38	644	65	37	47	50	115	122	118	217	325	388

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·29	0·28	0·30	73	34	39
Scarlet Fever	0·14	0·13	0·15	35	16	19
Diphtheria	0·20	0·17	0·23	50	21	29
Whooping-cough	0·41	0·44	0·39	104	54	50
Typhus	0·02	0·03	0·02	6	4	2
Enteric Fever	0·20	0·21	0·19	51	26	25
Simple continued Fever	0·01	–	0·02	3	–	3
Epidemic Diarrhœa and Dysentery	0·44	0·39	0·48	110	48	62
Cholera	0·01	0·01	0·02	3	1	2
Erysipelas	0·63	0·51	0·75	158	62	96
Phthisis	0·27	0·31	0·23	68	38	30
Diseases of the Lungs	1·25	1·15	1·33	311	140	171
Other Diseases of the Respiratory Organs	0·29	0·29	0·29	74	36	38
Diseases of the Nervous System	2·30	2·47	2·14	577	301	276
Diseases of the Circulatory System	1·54	1·45	1·62	386	177	209
Diseases of the Digestive System	2·67	2·88	2·48	670	351	319
Diseases of the Urinary System	1·18	1·09	1·27	296	133	163
Diseases of the Generative System	0·52	0·60	0·43	130	74	56
Childbirth, Accidents of	0·08	–	0·16	20	–	20
Diseases of the Skin	0·07	–	0·13	17	–	17
Diseases of the Bones, Joints, &c.	0·07	–	0·13	17	–	17
Violence	0·59	0·97	0·23	148	118	30
All other Causes	3·73	3·93	3·53	935	480	455

Persons.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	16	21	13	7	7	64	6	1	1	–	–	–	–	1	–	–
Scarlet Fever	–	5	10	5	2	22	6	5	2	–	–	–	–	–	–	–
Diphtheria	1	3	1	3	13	21	17	6	1	1	1	–	–	–	3	–
Whooping-cough	63	25	8	2	5	103	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	1	1	1	1	1	1	1	–	–
Enteric Fever	–	1	1	1	1	4	10	5	6	5	7	4	6	3	1	–
Simple continued Fever	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
Epidemic Diarrhœa and Dysentery	69	10	2	1	1	74	3	–	–	–	2	–	1	3	10	16
Cholera	1	–	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	1	1	4	10	33	40	53	17
Phthisis	43	4	3	3	2	59	4	1	–	–	–	1	1	–	–	–	–
Diseases of the Lungs	9	4	3	2	–	22	5	12	28	40	84	56	36	21	6	1	–
Other Diseases of the Respiratory Organs	18	10	7	5	9	49	13	4	2	2	3	1	1	–	–	–	–
Diseases of the Nervous System	104	26	5	8	6	149	13	8	8	5	6	23	24	73	137	131	35
Diseases of the Circulatory System	4	–	–	–	1	5	4	4	11	8	11	22	45	66	125	95	96
Diseases of the Digestive System	153	74	34	21	18	301	22	6	2	6	15	19	32	56	115	96	41
Diseases of the Urinary System	43	18	3	3	2	69	9	7	5	5	15	20	23	45	60	41	27
Diseases of the Generative System	1	4	1	1	–	7	–	3	2	3	4	8	11	28	22	27	3
Childbirth, Accidents of	–	–	–	–	–	–	–	–	3	1	3	4	3	3	3	3	3
Diseases of the Skin	–	–	–	–	–	–	–	–	1	4	3	4	–	–	–	–	–
Diseases of the Bones, Joints, &c.	–	–	–	–	–	–	–	–	–	5	3	10	–	–	–	–	–
Violence	9	3	5	5	3	25	10	6	11	8	17	12	14	16	18	14	3
All other Causes	386	16	6	1	3	412	8	7	9	–	13	21	20	44	93	308	3

Marriages		1,566	
Births	Males	3,966	7,966
	Females	3,956	

Annual Rate per 1000 living { Persons Married 12·48 / Births - - 31·74 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

146.—BUCKINGHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·32	†108	–	–	–	–	39·76	3·70	2·34	4·87	6·29	7·88	8·58	12·74	19·75	62·43	152·29
Males	—	15·38	†117	–	–	–	–	42·97	4·25	1·98	4·50	5·64	8·61	7·74	13·74	17·26	63·66	153·06
Females	—	15·26	†99	–	–	–	–	36·36	3·13	2·71	5·28	6·89	7·27	9·33	11·82	21·98	61·25	151·57
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·82 per cent.	11,995	269	277	282	302	296	1426	1432	1370	1108	858	1485	1293	1091	942	684	306
Males		5,886	135	149	150	156	143	733	730	706	578	408	674	607	524	446	333	147
Females		6,109	134	128	132	146	153	693	702	664	530	450	811	686	567	496	351	159
Deaths from All Causes, 1881–90. Persons	18·39	2,206	363	87	56	32	29	567	53	32	54	54	117	111	139	186	427	406
Males	18·69	1,100	203	46	24	23	19	315	31	14	26	23	58	47	72	77	212	225
Females	18·10	1,106	160	41	32	9	10	252	22	18	28	31	59	64	67	109	215	241

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·29	0·39	0·20	35	23	12	7	10	7	6	3	33	2	–	–	–	–	–
Scarlet Fever	0·23	0·25	0·21	28	15	13	3	2	4	3	5	17	4	5	–	1	1	–
Diphtheria	0·16	0·20	0·11	19	12	7	1	4	1	3	6	15	2	–	1	–	–	1
Whooping-cough	0·25	0·25	0·25	30	15	15	16	8	4	1	–	29	1	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·21	0·22	0·20	25	13	12	–	–	–	1	–	1	–	2	4	4	5	2
Simple Continued Fever	0·02	–	0·03	2	–	2	–	–	1	–	–	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·37	0·25	0·47	44	15	29	21	6	1	1	–	29	–	1	–	1	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·94	0·68	1·20	113	40	73	–	–	–	–	–	–	–	–	–	2	5	22
Tabes Mesenterica	0·21	0·20	0·21	25	12	13	11	1	1	–	–	13	1	2	2	1	3	1
Phthisis	1·31	1·38	1·24	157	81	76	4	2	–	–	1	7	2	4	19	24	35	32
Other Tub. & Scrof. Dis.	0·46	0·49	0·43	55	29	26	10	5	8	1	3	27	10	3	9	1	1	3
Diseases of Nervous System	2·41	2·55	2·28	289	150	139	34	10	3	1	3	51	8	2	4	3	11	8
Diseases of Circulatory ,,	1·65	1·34	1·95	198	79	119	–	–	–	–	–	–	–	4	6	3	9	8
Diseases of Respiratory ,,	2·37	2·74	2·01	284	161	123	64	24	19	12	5	124	12	–	2	3	9	12
Diseases of Digestive ,,	0·81	0·87	0·75	97	51	46	10	2	2	2	–	16	3	4	–	1	7	9
Diseases of Urinary ,,	0·49	0·63	0·36	59	37	22	–	1	–	–	1	2	1	–	1	4	2	5
Diseases of Generative ,,	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	–	1	1
Puerperal Fever	0·08	–	0·16	10	–	10	–	–	–	–	–	–	–	–	–	1	5	4
Childbirth	0·07	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	–	5	3
Violence	0·53	0·75	0·31	63	44	19	3	1	1	1	–	6	4	1	4	4	5	4
Other Causes	5·46	5·48	5·48	657	322	335	179	11	4	–	2	196	3	2	2	3	16	12

147.—HENLEY.

Causes of Death	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons			In Standard Populations*		15·95																
	Males					15·32																
	Females					15·48																
Mean Population in 1881	Persons	Decennial Increase				21,262	569	560	540	563	535	2,767	2736	2481	2080	1648	2860	2329	1843	1371	967	365
	Males					10,755	277	283	252	286	287	1,385	1399	1259	1171	789	1382	1122	885	649	449	179
	Females					10,507	292	276	288	277	248	1,382	1337	1222	909	859	1478	1207	958	722	518	186
Deaths from Diseases of Nervous System	Persons	14·01			3,191			187	76	50	30	396	116	61	62	62	153	182	247	286	318	558
All Causes	Males	15·42			1,660			97	39	27	15	227	65	29	34	28	72	88	124	135	201	774
	Females	14·55			1,706			90	37	23	15	169	53	32	28	34	81	94	123	151	267	784

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	0·17	0·15	0·19	36	16	20	10	7	4	–	–	21	3	2	–	–	1	–	–	–	–	–
	0·15	0·16	0·14	32	17	15	3	5	2	7	5	22	5	–	2	1	1	–	–	–	–	–
	0·26	0·25	0·28	55	27	28	–	4	5	2	3	14	24	2	1	–	1	–	–	1	–	–
	0·30	0·23	0·36	63	25	38	24	19	7	2	3	55	5	1	–	–	–	–	–	–	–	–
	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	0·04	0·04	0·05	8	4	4	1	–	–	–	–	1	–	–	–	2	–	1	2	1	1	–
	0·01	–	0·03	3	–	3	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	–
	0·31	0·33	0·29	65	35	30	32	7	2	2	–	43	2	–	–	–	1	–	–	2	5	13
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	0·63	0·48	0·77	133	51	82	–	–	–	1	–	1	–	–	1	–	1	5	27	36	52	10
	0·12	0·15	0·09	25	16	9	10	5	1	1	–	17	6	1	1	1	–	–	–	–	–	–
	1·25	1·19	1·31	263	125	138	6	3	2	1	2	14	3	11	18	26	61	64	37	16	13	3
	0·30	0·42	0·19	64	44	20	17	15	5	3	1	41	11	4	–	6	1	–	1	–	–	–
	2·09	2·35	1·83	441	248	193	–	20	10	2	2	97	14	3	8	2	14	14	40	58	86	108
	1·97	1·89	2·05	415	200	215	5	–	–	–	–	5	4	6	3	1	12	26	48	73	150	99
	2·61	2·97	2·26	551	314	237	159	66	23	12	1	266	15	5	1	1	14	21	31	35	72	94
	0·69	0·94	1·04	146	99	47	40	12	1	1	–	64	8	2	3	6	5	13	25	25	34	23
	0·43	0·62	0·25	91	65	26	1	–	–	–	–	1	3	1	4	3	3	7	8	14	29	17
	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–
	0·07	–	0·14	15	–	15	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–
	0·08	–	0·16	17	–	17	–	–	–	–	–	–	–	–	1	4	3	1	1	3	14	7
	0·45	0·64	0·23	96	68	28	2	5	2	4	2	15	3	3	1	5	11	1	1	3	14	7
	2·76	1·86	2·62	584	393	191	220	13	7	5	2	247	17	11	26	4	10	10	10	21	59	184

Average Number of Persons to an Inhabited House: 1,207

Number of Inhabited Houses: 6,049

Average Rate per 1000 living: Persons Married 11·35; Births – 28·03

Deaths from Childbirth and Puerperal Fever – 5·25 per 1000 Births.

* *See pages* xxxv, xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·85	†107	–	–	–	–	35·23	4·56	2·14	3·26	4·52	5·46	7·86	11·60	24·14	52·28	149·38
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·87	†119	–	–	–	–	39·03	5·37	1·70	3·18	3·57	5·68	7·55	12·23	20·53	51·25	153·70
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·83	†94	–	–	–	–	31·46	3·75	2·62	3·37	5·47	5·26	8·14	11·02	27·44	53·30	145·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·41 per cent.	13,625	338	349	333	349	371	1740	1754	1684	1226	951	1630	1386	1190	1019	723	322
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·41 per cent.	6,787	159	171	178	174	184	866	875	882	692	476	775	649	564	487	359	162
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·41 per cent.	6,838	179	178	155	175	187	874	879	802	534	475	855	737	626	532	364	160
Deaths from All Causes, 1881–90. Persons	16·54	2,253	428	100	34	29	22	613	80	36	40	43	89	109	138	246	378	481
Deaths from All Causes, 1881–90. Males	16·71	1,134	241	51	21	12	13	338	47	15	22	17	44	49	69	100	184	249
Deaths from All Causes, 1881–90. Females	16·36	1,119	187	49	13	17	9	275	33	21	18	26	45	60	69	146	194	232

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·16	0·13	0·19	22	9	13	3	7	2	3	2	17	5	–	–	–	–	–	–	–
Scarlet Fever	0·01	–	0·03	2	–	2	–	2	–	–	–	2	–	–	–	–	–	–	–	–
Diphtheria	0·16	0·15	0·18	22	10	12	–	1	1	4	3	9	9	3	1	–	–	–	–	–
Whooping-cough	0·22	0·16	0·28	30	11	19	15	9	2	1	–	27	3	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·15	0·04	13	10	3	–	–	–	–	–	–	2	2	3	1	2	1	2	–
Simple Continued Fever	0·01	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·22	0·16	26	15	11	11	2	–	–	–	13	–	–	–	2	–	–	2	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·40	0·89	88	27	61	–	–	–	–	–	–	–	–	–	–	9	11	28	31
Tabes Mesenterica	0·11	0·13	0·09	15	9	6	9	2	–	1	–	12	2	–	1	–	–	–	–	–
Phthisis	1·20	1·12	1·29	164	76	88	5	1	–	–	–	6	7	8	14	16	36	31	21	16
Other Tub. & Scrof. Dis.	0·35	0·37	0·34	48	25	23	14	4	3	–	1	22	12	3	1	1	3	2	2	2
Diseases of Nervous System	2·10	2·30	1·90	286	156	130	65	8	3	–	2	78	5	4	3	3	8	8	25	40
Diseases of Circulatory „	1·73	1·68	1·77	235	114	121	1	–	–	1	–	2	–	–	4	3	10	14	22	51
Diseases of Respiratory „	2·69	2·68	2·69	366	182	184	77	47	16	12	9	161	17	3	2	1	5	10	17	33
Diseases of Digestive „	1·21	0·99	1·43	165	67	98	19	6	4	2	3	34	2	5	3	1	8	14	13	34
Diseases of Urinary „	0·32	0·41	0·22	43	28	15	–	–	–	–	–	–	3	1	1	1	2	8	6	7
Diseases of Generative „	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	–	–	2	1
Puerperal Fever	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	1	2	5	–	–
Childbirth	0·04	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–
Violence	0·45	0·62	0·28	61	42	19	4	5	1	2	2	14	6	4	4	3	5	2	3	6
Other Causes	4·72	5·19	4·28	645	352	293	204	6	2	3	–	215	7	3	3	7	6	4	14	25

Marriages	788	Annual Rate per 1000 living	Persons Married	11·57	Deaths from Childbirth and Puerperal Fever 3·24 per 1000 Births.
Births Males	2,020		Births	29·46	
Births Females	1,994				
Births	4,014				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

149.—HEADINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
Annual Death-Rate per 1000				In Standard Population* 18·39			†122	–	–	–	–	45·25	4·00	2·98	4·14	5·91	8·26	13·47	17·44	31·93	72·23	172·37
	Persons	–					†131	–	–	–	–	50·05	4·24	2·77	4·60	7·17	9·78	16·68	20·64	37·77	85·94	186·13
	Males	–		Standard Population* 20·54			†112	–	–	–	–	40·41	3·77	3·18	3·77	4·97	7·12	10·32	14·88	27·41	62·67	154·67
	Females	–		Females 16·37																		
Mean Population 1881–90.	Persons	Decennial Increase of Population 20·40 per cent.			31,665		822	731	784	748	791	3876	3621	3561	3239	2776	4576	3555	2735	1929	1243	571
	Males				14,596		420	371	395	366	394	1946	1818	1767	1425	1189	1904	1577	1216	842	512	244
	Females				17,159		402	360	389	382	397	1930	1803	1794	1804	1590	2612	1978	1519	1087	734	308
Deaths from All Causes 1881–90.	Persons	19·18			6,073		1152	324	130	82	66	1754	145	106	134	164	378	479	477	616	990	925
	Males	21·84			3,188		638	188	72	42	34	974	77	49	66	85	192	263	251	318	440	425
	Females	16·93			2,895		514	136	58	40	32	780	68	57	68	79	186	216	226	298	550	497

	Persons	Males	Females	Persons.	Males.	Females.	PERSONS.												
Small-pox	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Measles	0·27	0·29	0·26	86	52	34	15	30	21	5	3	80	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·23	0·16	60	33	27	2	7	7	10	12	38	13	2	2	5	–	–	–	–	–	–
Diphtheria	0·06	0·07	0·05	20	10	10	–	2	3	1	2	8	7	2	1	–	2	–	–	–	–	–
Whooping-cough	0·29	0·31	0·27	92	45	47	35	27	11	12	4	89	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Enteric Fever	0·12	0·17	0·08	38	24	14	–	–	–	–	1	1	5	1	6	10	6	5	–	1	3	–
Simple Continued Fever	0·03	0·05	0·01	9	7	2	–	–	–	–	–	–	–	5	2	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·40	0·48	0·33	127	71	56	78	12	1	–	1	92	2	–	1	–	4	1	1	4	12	10
Cholera	0·02	0·02	0·01	5	3	2	5	–	–	–	–	5	–		–	–	–	–				
Cancer	0·91	0·75	1·04	287	109	178	–	–	–	–	–	–	1	–	2	2	8	34	53	77	77	33
Tabes Mesenterica	0·10	0·12	0·08	31	17	14	13	3	2	–	–	18	3	2	3	–	1	–	3			
Phthisis	1·89	2·21	1·61	597	321	276	2	5	2	2	–	11	6	20	42	62	143	135	87	58	29	4
Other Tub. & Scrof. Dis.	0·74	0·83	0·67	235	120	115	68	51	17	7	11	154	31	12	8	8	10	8	2	1	1	
Nervous System	3·00	3·22	2·81	949	467	482	135	25	14	6	5	183	8	7	15	10	35	84	91	148	244	154
Circulatory	1·74	1·80	1·69	551	261	290	5	–	1	–	1	7	5	7	13	8	25	43	60	120	170	103
Respiratory	2·78	3·37	2·27	879	489	390	191	103	32	25	14	365	20	8	2	13	40	29	40	71	135	115
Digestive	1·09	1·32	0·90	346	191	155	37	22	4	1	1	85	5	4	5	11	23	33	46	56	51	25
Urinary	0·75	0·89	0·63	237	128	79	3		1	1	1	6	3	3	2	6	13	22	29	31	57	35
Generative	0·09	0·01	0·16	30	2	28	1	1	–	–	–	2	–	–	–	2	5	7	5	6	1	2
Puerperal Fever	0·08	–	0·15	26	–	26	–	–	–	–	–	–	–	–	–	5	11	9	1			
Childbirth	0·11		0·12	30		30	–	–	–	–	–	–	–	–	–	1	3	8	7	1		
Violence	0·38	0·46	0·33	184	124	60	11	9	9	7	5	41	13	11	8	4	18	24	19	19	11	16
OTHER CAUSES	4·07	4·75	3·48	1239	691	598	551	24	5	5	5	589	15	21	21	14	26	32	39	54	143	385

Marriages - - - 1,356

Births - { Males 4,874 / Females 4,605 } 9,479

Annual Rate per 1000 living { Persons Married 12·35 / Births - - 29·94

Deaths from Childbirth and Puerperal Fever - - - - - } 4·85 per 1000 Births.

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

150.—OXFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·41	†147	–	–	–	–	55·24	4·28	2·09	2·81	3·89	4·85	9·02	13·57	24·89	51·30	133·30
Males	—	Standard 17·18	†161	–	–	–	–	60·44	4·19	1·88	2·90	4·31	4·84	9·60	14·33	26·80	55·78	135·14
Females	—	Population* 15·68	†131	–	–	–	–	50·00	4·38	2·29	2·74	3·48	4·86	8·52	12·92	23·27	48·12	132·95
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·68 per cent.	21,858	537	542	521	489	516	2605	2405	2298	2418	2160	3258	2461	1931	1306	729	287
Males		10,397	273	282	256	241	255	1307	1218	1120	1103	1068	1549	1135	896	597	303	111
Females		11,461	264	260	265	248	261	1298	1187	1178	1315	1092	1709	1326	1045	709	426	176
Deaths from All Causes, 1881–90. Persons	15·86	3,467	954	271	115	49	50	1439	103	48	68	84	158	222	262	325	374	384
Males	16·64	1,730	544	132	67	23	24	790	51	21	32	46	75	109	127	160	189	150
Females	15·16	1,737	410	139	48	26	26	649	52	27	36	38	83	113	135	165	205	234

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·43	0·42	0·43	93	44	49	17	34	23	7	6	87	6	–	–	–	–	–	–	–	–
Scarlet Fever	0·35	0·38	0·31	76	40	36	3	13	15	12	9	52	21	2	–	1	–	–	–	–	–
Diphtheria	0·07	0·07	0·07	15	7	8	–	1	1	1	2	5	3	1	–	2	–	–	4	–	–
Whooping-cough	0·33	0·35	0·31	72	36	36	38	17	12	2	3	72	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·17	0·14	34	18	16	–	–	1	–	3	4	5	6	4	7	5	2	–	1	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·75	0·82	0·70	165	85	80	119	22	5	2	1	149	–	1	1	1	–	1	1	3	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·56	0·28	0·81	122	29	93	–	–	–	–	–	–	–	–	–	1	4	15	28	36	27
Tabes Mesenterica	0·12	0·13	0·10	26	14	12	13	2	1	1	1	18	1	1	4	2	–	–	–	–	–
Phthisis	1·54	1·82	1·28	336	189	147	8	10	–	–	2	20	7	6	24	30	64	73	67	32	11
Other Tub. & Scrof. Dis.	0·38	0·36	0·41	84	37	47	24	15	10	3	5	57	13	3	4	2	1	2	–	1	–
Diseases of Nervous System	1·91	2·04	1·80	418	212	206	123	18	10	6	5	162	7	3	1	3	5	14	23	53	76
Diseases of Circulatory „	1·28	0·99	1·54	279	103	176	3	1	1	–	1	6	3	7	4	4	18	24	34	58	68
Diseases of Respiratory „	2·84	3·00	2·69	620	312	308	163	87	24	11	6	291	14	–	5	3	18	27	29	63	92
Diseases of Digestive „	0·93	0·98	0·89	204	102	102	37	16	5	1	1	60	1	3	6	7	5	17	33	35	23
Diseases of Urinary „	0·27	0·38	0·16	58	40	18	1	–	1	–	1	3	–	1	1	1	1	7	8	10	13
Diseases of Generative „	0·02	–	0·03	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–
Puerperal Fever	0·08	–	0·16	18	–	18	–	–	–	–	–	–	–	–	1	5	8	4	–	–	–
Childbirth	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	–	1	5	4	–	–	–
Violence	0·51	0·76	0·29	112	79	33	6	4	2	2	3	17	11	3	5	11	13	11	14	11	8
OTHER CAUSES	3·27	3·67	2·94	718	381	337	399	31	3	1	1	435	11	11	8	3	10	21	18	20	52

Marriages - - - 1,721

Births - Males - 3,372 / Females - 3,126 — 6,498

Annual Rate per 1000 living: Persons Married 15·75; Births - - 29·73

Deaths from Childbirth and Puerperal Fever - - - - - 4·31 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

151.—BICESTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	—		In Standard Population*		13·57	†89	–	–	–	–	32·27	3·59	2·03	3·82	4·57	7·04	8·03	11·32	23·24	51·31	149·23
	Males	—				13·73	†85	–	–	–	–	30·74	3·32	2·44	4·29	4·54	6·88	7·32	11·55	26·67	54·79	172·97
	Females	—				13·42	†82	–	–	–	–	31·78	3·85	2·81	3·24	4·60	7·19	8·23	11·11	22·80	47·95	129·14
Mean Population 1881–90.	Persons	Decennial Decrease of Population 1·26 per cent.		14,070			363	328	360	351	352	1754	1726	1600	1309	1094	1761	1407	1263	1067	795	323
	Males			7,044			178	171	184	183	182	898	844	818	723	551	857	678	666	545	376	148
	Females			7,026			185	157	176	168	170	856	882	782	586	543	904	729	597	522	390	175
Deaths from All Causes. 1881–90.	Persons	16·15		2,273			370	108	45	23	20	566	63	42	50	50	124	113	143	248	393	482
	Males	16·02		1,171			200	52	19	13	10	294	28	20	31	25	59	53	70	129	206	256
	Females	15·98		1,102			170	56	26	10	10	272	34	22	19	25	65	60	73	119	187	226
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·16	0·17	0·14	22	12	10	4	11	4	–	2	21	–	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·2	0·23	0·20	30	16	14	3	4	6	5	4	22	8	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·10	0·10	14	7	7	1	–	1	1	1	4	6	1	1	–	–	1	–	1	–	–
Whooping-cough	0·14	0·13	0·16	20	9	11	8	8	1	1	2	20	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·14	0·14	20	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·03	0·03	–	4	4	–	–	–	–	2	1	3	3	3	5	3	2	1	–	–	–	–
Diarrœa and Dysentery	0·24	0·24	0·24	34	17	17	14	2	2	–	1	19	2	–	1	1	1	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·78	0·71	0·85	110	43	67	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	6
Tabes Mesentorica	0·16	0·17	0·14	22	12	10	10	4	2	1	–	17	3	1	–	1	1	9	17	35	30	18
Phthisis	1·31	1·32	1·28	183	93	90	4	1	1	1	–	7	1	6	17	25	44	28	30	17	8	–
Other Tub. & Scrof. Dis.	0·28	0·28	0·27	39	20	19	10	6	1	–	1	18	6	2	1	3	1	–	1	1	–	–
Nervous System	2·32	2·47	2·16	326	174	152	44	13	3	2	1	63	7	7	1	3	3	8	16	40	92	86
Circulatory	1·57	1·43	1·71	221	101	120	1	–	–	–	–	1	2	2	2	2	9	13	17	49	66	58
Respiratory	2·80	3·08	2·52	394	217	177	95	38	15	7	3	158	7	4	3	5	15	12	21	37	59	73
Digestive	1·14	1·14	1·15	161	80	81	27	7	3	2	2	41	6	3	5	1	6	11	15	26	30	17
Urinary	0·44	0·64	0·24	62	45	17	–	1	1	–	–	2	1	–	–	1	6	2	5	15	17	13
Generative	0·06	–	0·13	9	–	9	–	–	–	–	–	–	–	1	–	1	2	3	1	–	1	–
Puerperal Fever	0·09	–	0·17	12	–	12	–	–	–	–	–	–	–	–	1	1	4	5	1	–	–	–
Childbirth	0·11	–	0·23	16	–	16	–	–	–	–	–	–	–	–	1	3	9	3	–	–	–	–
Violence	0·48	0·75	0·21	68	53	15	3	1	1	–	1	6	4	2	5	1	7	10	8	3	14	8
OTHER CAUSES	3·58	3·66	3·53	505	258	247	146	13	4	1	1	164	4	6	5	1	11	5	12	21	73	203

Marriages - - 385

Births - { Males - 2,095 / Females - 2,074 } 4,169

Annual Rate per 1000 living { Persons Married 12·30 / Births - 29·63

Deaths from Childbirth and Puerperal Fever - - - - } 6·72 per 1000 Births.

* See pages XXXVI–XXXVII.

† The death-rates under one year of age are per 1000 Births.

152.—WOODSTOCK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·52	†108	–	–	–	–	35·63	4·21	2·51	3·20	6·38	5·57	7·59	12·56	22·58	59·63	168·44
Annual Death-Rate per 1000. Males	—	Standard 14·65	†118	–	–	–	–	38·76	3·73	2·89	2·50	6·15	6·20	5·98	13·78	22·86	58·62	182·93
Annual Death-Rate per 1000. Females	—	Population* 14·40	†98	–	–	–	–	32·51	4·70	2·11	4·01	6·58	5·04	9·02	11·49	22·31	60·60	155·71
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·79 per cent.	13,201	368	315	346	336	344	1709	1661	1552	1189	972	1615	1384	1210	992	654	263
Mean Population, 1881–91. Males		6,468	189	162	169	166	168	854	832	795	640	455	742	652	566	490	319	123
Mean Population, 1881–91. Females		6,733	179	153	177	170	176	855	829	757	549	517	873	732	644	502	335	140
Deaths from All Causes, 1881–90. Persons	16·83	2,222	423	97	36	30	23	609	70	39	38	62	90	105	152	224	390	443
Deaths from All Causes, 1881–90. Males	17·25	1,116	238	52	15	16	10	331	31	23	16	28	46	39	78	112	187	225
Deaths from All Causes, 1881–90. Females	16·43	1,106	185	45	21	14	13	278	39	16	22	34	44	66	74	112	203	218

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·35	0·42	0·28	46	27	19	10	19	4	2	2	37	8	1	–	–	–	–	–	–
Scarlet Fever	0·26	0·25	0·27	34	16	18	2	2	6	3	6	19	11	4	–	–	–	–	–	–
Diphtheria	0·05	0·09	0·01	7	6	1	–	–	2	–	1	3	3	1	–	–	–	–	–	–
Whooping-cough	0·24	0·25	0·24	32	16	16	16	6	4	3	2	31	1	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·17	0·17	0·18	23	11	12	–	–	–	1	–	1	1	6	3	3	6	–	3	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·32	0·28	40	21	19	21	3	–	–	–	24	2	–	1	–	1	1	2	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·45	0·77	81	29	52	–	–	–	–	–	–	–	–	–	3	6	17	18	24
Tabes Mesenterica	0·17	0·19	0·15	22	12	10	12	6	–	–	–	18	1	2	–	1	–	–	–	–
Phthisis	1·24	1·07	1·41	164	69	95	–	–	2	1	1	4	6	3	13	27	38	32	19	15
Other Tub. & Scrof. Dis.	0·14	0·17	0·12	19	11	8	7	1	–	2	1	11	5	1	–	1	–	–	–	1
Diseases of Nervous System	2·33	2·46	2·20	307	159	148	57	8	3	3	3	74	6	3	7	4	6	11	17	39
Diseases of Circulatory „	1·66	1·36	1·95	219	88	131	1	–	–	–	–	1	1	1	3	3	3	8	33	42
Diseases of Respiratory „	3·02	3·39	2·67	399	219	180	99	35	10	6	2	152	11	1	–	2	4	10	21	45
Diseases of Digestive „	0·96	0·91	1·01	127	59	68	19	9	3	1	2	34	4	2	3	1	4	5	14	23
Diseases of Urinary „	0·47	0·65	0·30	62	42	20	–	–	–	1	–	1	–	2	–	2	8	8	7	9
Diseases of Generative „	0·02	–	0·03	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1
Puerperal Fever	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	–	4	2	3	–	–
Childbirth	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	–	1	3	5	–	–
Violence	0·57	0·82	0·33	75	53	22	3	1	1	4	2	11	8	7	2	7	5	3	9	8
Other Causes	4·12	4·28	3·96	544	278	266	175	7	1	3	1	187	2	5	5	6	7	13	10	23

Marriages	820	Annual Rate per 1000 living	Persons Married	12·42	Deaths from Childbirth and Puerperal Fever 4·61 per 1000 Births.
Births Males	2,016		Births	29·55	
Births Females	1,885				
Births	3,901				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

153.—WITNEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15	20–	25–	35–	45–	55–	65–	75 and upwards.
Zymotic Diseases	—	In Standard Population* 14·46	4·00	-	-	-	-	38·67	4·36	2·40	3·91	5·70	5·48	8·66	11·39	20·70	56·18	158·52
Diseases of Lungs and Pleura	—	1·07	1·24	-	-	-	-	45·54	3·85	2·42	3·16	6·15	5·35	7·73	15·47	24·46	57·77	174·16
Phthisis	—	18·89	0·83	-	-	-	-	37·84	4·87	2·40	4·78	5·28	5·30	8·46	16·27	14·76	4·12	3·17
Measles	Deaths of Persons	21 575	566	524	549	572	581	2797	2728	2534	1947	1709	2416	2201	1458	1065	1127	646
Scarlet Fever	Males 10·63	1·08	285	274	276	279	302	1371	1342	1264	1077	732	1177	1056	986	789	596	345
Diphtheria	Females 10·44	1·47	281	275	273	293	279	1426	1386	1270	870	977	1239	1145	1092	810	531	301
Diarrhœa	17·49	3·748	701	185	91	58	51	1086	119	65	78	86	134	176	227	308	624	806
Whooping-Cough	18·38	1·046	407	136	41	27	16	587	82	28	34	45	63	80	141	168	287	670
Fever	16·44	1·788	294	59	50	51	15	469	67	38	44	41	71	96	105	149	305	586

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·35	0·39	0·30	74	41	33	14	25	8	4	6	58	13	2	-	-	-	1	-	-	-
Scarlet Fever	0·20	0·14	0·25	43	15	28	2	3	8	8	5	26	11	3	2	-	-	1	-	-	-
Diphtheria	0·04	0·02	0·06	9	2	7	-	-	-	1	-	1	3	4	-	1	-	-	-	-	-
Whooping-Cough	0·27	0·26	0·29	58	27	31	24	18	8	6	-	56	1	1	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·14	0·15	0·13	30	16	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	0·02	0·02	0·02	4	2	2	-	-	-	1	-	1	1	7	4	3	3	5	1	2	3
Diarrhœa and Dysentery	0·25	0·28	0·23	54	29	25	18	5	1	1	-	25	1	1	-	1	1	-	-	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	12	10
Cancer	0·58	0·41	0·75	123	43	81	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica	0·12	0·08	0·16	25	8	17	4	2	2	2	1	11	5	2	3	2	-	3	11	24	37	35	13
Diabetes	1·14	1·50	1·37	307	158	149	-	1	3	4	-	8	15	7	28	47	63	56	41	31	9	2	-
Other Tum., & Scrof. Dis.	0·26	0·28	0·24	55	30	25	11	13	1	2	2	29	11	4	3	3	1	2	1	-	2	1	-
Diseases of Nervous System	2·20	2·41	2·14	469	237	232	30	22	13	5	3	143	10	7	2	1	5	16	31	55	115	97	20
Diseases of Circulatory System	1·08	1·20	1·06	228	139	149	4	-	-	-	1	5	2	5	2	2	2	8	15	33	71	141	57	14
Diseases of Respiratory System	2·85	3·11	2·61	607	326	281	144	53	31	16	9	253	20	3	3	6	15	15	35	51	102	95	16
Diseases of Digestive System	0·70	0·80	0·63	149	89	97	35	4	4	1	2	46	8	5	2	4	4	12	23	33	41	16	3
Diseases of Urinary System	0·42	0·61	0·34	90	63	27	-	1	-	1	-	2	4	2	-	-	2	2	7	14	16	22	11	1
Diseases of Generative System	0·03	0·01	0·05	7	1	6	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	-
Puerperal Fever	0·03	-	0·06	7	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	0·07	-	0·13	14	-	14	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-
Violence	0·40	0·64	0·17	88	67	18	1	2	1	2	-	6	6	2	1	5	5	4	-	-	-	-	-	-
Other Causes	5·05	5·32	4·78	1080	565	519	354	25	7	4	2	392	8	5	7	9	7	14	13	20	124	485	93	10

Marriages		1·395		
Births	Males 1,280	0·59	Annual Rate per 1000 living { Persons Married 12·40 / Births 30·22	Deaths from Childbirth and Puerperal Fever 3·25 per 1000 Births.
	Females 1,170			

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

154.—CHIPPING NORTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·17	†99	–	–	–	–	33·94	3·43	2·06	3·59	4·62	4·71	7·27	9·91	20·88	55·92	147·09
Males	—	Standard 13·32	†113	–	–	–	–	38·74	3·93	2·63	2·03	2·95	5·32	6·53	9·23	20·89	57·74	146·67
Females	—	Population* 13·04	†84	–	–	–	–	29·26	2·93	1·48	5·36	6·14	4·15	7·96	10·59	20·87	54·05	147·51
Mean Population, 1881-91. Persons	Decennial Increase of Population 0·81 per cent.	18,031	479	471	465	503	457	2375	2330	2188	1671	1278	2210	1871	1644	1250	853	361
Males		8,934	235	227	230	246	234	1172	1171	1104	887	610	1052	904	813	608	433	180
Females		9,097	244	244	235	257	223	1203	1159	1084	784	668	1158	967	831	642	420	181
Deaths from All Causes, 1881-90. Persons	15·10	2,722	544	142	53	38	29	806	80	45	60	59	104	136	163	261	477	531
Males	15·63	1,396	318	78	24	20	14	454	46	29	18	18	56	59	75	127	250	264
Females	14·58	1,326	226	64	29	18	15	352	34	16	42	41	48	77	88	134	227	267

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·07	–	6	6	–	–	–	–	–	–	–	1	–	1	–	–	–	1	3	–
Measles	0·32	0·31	0·33	58	28	30	10	25	7	3	1	46	10	–	–	2	–	–	–	–	–
Scarlet Fever	0·14	0·16	0·12	25	14	11	1	5	3	3	4	16	8	1	–	–	–	–	–	–	–
Diphtheria	0·04	0·02	0·07	8	2	6	–	–	–	1	1	2	5	–	–	1	–	–	–	–	–
Whooping-cough	0·29	0·27	0·32	53	24	29	33	13	2	–	1	49	4	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·10	0·11	19	9	10	–	–	–	–	1	1	1	3	4	3	2	1	2	1	1	–
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1
Diarrhœa and Dysentery	0·26	0·28	0·23	46	25	21	13	6	–	3	–	22	1	–	1	–	1	1	1	3	2	14
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·49	0·77	114	44	70	–	–	–	–	–	–	–	1	–	1	1	13	17	33	30	18
Tabes Mesenterica	0·13	0·19	0·08	24	17	7	11	1	1	2	1	16	3	1	2	–	1	1	–	–	–	–
Phthisis	0·98	0·91	1·04	176	81	95	1	–	–	2	–	3	6	8	25	19	36	35	25	12	6	1
Other Tub. & Scrof. Dis.	0·39	0·48	0·31	71	43	28	32	12	5	3	3	55	4	3	2	1	2	–	1	3	–	–
Diseases of Nervous System	2·09	2·21	1·98	377	197	180	61	14	8	2	2	87	9	6	6	4	4	8	19	43	114	77
Circulatory „	1·96	1·86	2·07	354	166	188	4	2	1	–	–	7	2	1	3	4	9	16	31	59	122	100
Respiratory „	2·36	2·62	2·10	425	234	191	94	38	18	11	5	166	9	6	–	4	10	18	23	31	72	86
Digestive „	0·97	0·94	0·99	174	84	90	35	10	1	4	4	54	2	3	8	2	5	6	13	26	39	16
Urinary „	0·61	0·69	0·53	110	62	48	2	–	–	1	2	5	1	1	–	4	5	10	17	21	26	20
Generative „	0·03	–	0·05	5	–	5	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–	–
Childbirth	0·07	–	0·14	13	–	13	–	–	–	–	–	–	–	–	1	2	2	8	–	–	–	–
Violence	0·45	0·63	0·27	81	56	25	10	1	1	2	1	15	5	7	2	4	13	5	6	10	8	6
OTHER CAUSES	3·17	3·39	2·95	571	303	268	237	15	6	1	3	262	10	3	6	7	6	7	7	18	53	192

Marriages 1,074

Births { Males 2,806 / Females 2,698 } 5,504

Annual Rate per 1000 living { Persons Married 11·91 / Births 30·53

Deaths from Childbirth and Puerperal Fever 4·00 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

155.—BANBURY

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15	20–	25	35	45	55	65	75 and upwards.
Annual Deaths	–			In Standard Population*	15·43		1115	–	–	–	–	11·79	3·77	1·94	3·72	3·94	7·16	9·79	12·49	21	5·6	5·8
Death-rate	–				16·07		1125	–	–	–	–	13·14	4·01	1·81	4·43	4·63	7·29	11·44	14·77	23·49	17·6	15·4
Ditto	–				14·65		1104	–	–	–	–	9·95	3·55	2·07	2·95	3·83	7·06	8·16	10·49	21·07	34·05	18·11
Mean Population, 1881-91.	Persons	Decennial Decrease of Population 2·17 per cent.			14,892		745	679	717	744	784	3649	3605	3565	2847	2220	3672	5154	2731	2022	1450	574
	Males				14,552		378	351	344	370	384	1807	1820	1824	1491	1084	1742	1464	1344	1106	684	276
	Females				15,176		367	328	373	374	400	1842	1785	1741	1356	1136	1930	3690	1387	1336	785	298
Registered Births	Persons	17·92			5,182		993	246	155	70	45	1509	136	69	106	89	203	593	342	515	886	401
All Deaths	Males	18·39			2,677		552	127	62	38	23	803	73	33	66	44	127	168	181	269	469	402
Deaths at	Females	16·97			2,485		441	139	73	32	21	706	63	36	40	45	136	185	168	278	417	473

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	0·01	7	6	1	1	–	–	–	–	1	–	–	–	–	1	1	1	2	1	–
Measles	0·35	0·39	0·27	98	57	41	18	36	16	12	3	85	10	1	1	–	–	1	–	–	–	–
Scarlet Fever	0·24	0·14	0·15	46	20	23	3	6	10	7	4	30	9	3	1	–	–	–	–	–	–	–
Diphtheria	0·03	0·01	0·04	7	1	6	–	1	1	–	1	3	2	1	–	–	1	–	–	–	–	–
Whooping-cough	0·34	0·23	0·43	100	54	66	48	26	11	6	2	93	7	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·08	0·06	0·09	25	12	13	–	–	1	1	1	3	1	4	3	2	5	3	1	2	1	–
Simple Continued Fever	0·01	0·01	–	2	2	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·24	0·32	85	39	46	32	9	3	3	1	48	–	1	–	–	1	–	1	5	18	9
Cholera	0·01	0·01	0·01	3	1	2	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·47	0·73	179	69	110	–	–	–	–	–	–	–	1	–	–	4	15	27	50	61	21
Tabes Mesenterica	0·21	0·21	0·20	62	31	31	23	11	5	4	–	43	7	5	3	–	2	–	–	1	–	–
Phthisis	1·18	1·35	1·16	354	198	176	14	4	4	1	1	24	11	13	35	37	89	67	55	28	18	2
Other Tub. & Scrof. Dis.	0·20	0·16	0·23	59	24	35	12	8	4	3	1	28	6	4	7	5	3	2	1	1	2	–
Deaths of Persons aged Nervous System	2·48	2·63	2·35	740	384	356	113	36	15	10	2	183	14	7	15	2	22	36	40	98	165	140
Circulating "	1·63	1·59	1·79	486	215	271	2	1	–	–	–	3	1	2	8	7	22	38	49	94	180	96
Respiratory "	3·07	3·57	2·60	916	532	384	217	85	49	13	15	379	33	5	5	10	27	41	45	87	110	157
Digestive "	1·06	1·13	0·98	316	168	148	35	15	4	–	2	56	7	1	6	8	13	26	39	58	62	40
Urinary "	0·56	0·72	0·42	168	105	63	2	1	1	–	–	4	4	2	2	4	6	11	19	36	48	35
Generative "	0·06	–	0·12	18		18	–	–	–	–	–	–	–	–	–	–	–	7	4	3	2	2
Puerperal Fever	0·07	–	0·10	15		15	–	–	–	–	–	–	–	–	–	2	9	4	–	–	–	–
Childbirth	0·16	–	0·16	24		24						–	–	–	–	4	13	7	–	–	–	–
Violence	0·42	0·88	0·37	134	108	56	20	8	4	6	2	35	16	12	12	2	13	21	15	16	24	18
Other Causes	4·17	4·44	3·84	1,337	650	587	109	24	6	4	3	147	8	7	7	6	32	23	42	42	144	132

Marriages		2,066	Annual Rate per 1000 living	Persons Married	13·47
Births	Males	4,431		Births	29·08
	Females	4,257	Deaths from Childbirth and Puerperal Fever		4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

156.—BRACKLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·19	†108	–	–	–	–	36·62	4·01	2·85	4·12	5·83	6·76	7·79	10·86	20·71	58·38	136·73
Males	—					14·31	†114	–	–	–	–	37·92	4·70	3·32	3·13	6·56	6·65	7·21	12·01	21·67	56·83	145·26
Females	—					14·08	†101	–	–	–	–	35·19	3·29	2·32	5·30	5·12	6·86	8·32	9·83	19·80	59·88	129·30
Mean Population, 1881-91. Persons	Decennial Decrease of Population 5·51 per cent.			11,985			294	282	301	288	307	1472	1423	1369	1117	857	1435	1283	1123	956	656	294
Males				5,997			151	158	151	154	156	770	724	723	608	427	677	610	533	466	322	137
Females				5,988			143	124	150	134	151	702	699	646	509	430	758	673	590	490	334	157
Deaths from All Causes, 1881-90. Persons	16·96			2,033			361	87	39	31	21	539	57	39	46	50	97	100	122	198	383	402
Males	17·23			1,033			197	43	28	16	8	292	34	24	19	28	45	44	64	101	183	199
Females	16·70			1,000			164	44	11	15	13	247	23	15	27	22	52	56	58	97	200	203
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Measles	0·38	0·43	0·32	45	26	19	10	14	8	3	2	37	7	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·22	0·23	27	13	14	1	4	3	5	3	16	6	4	–	–	1	–	–	–	–	–
Diphtheria	0·14	0·13	0·15	17	8	9	–	–	3	2	2	7	5	1	–	2	2	–	–	–	–	–
Whooping-cough	0·24	0·23	0·25	29	14	15	14	7	2	3	1	27	1	1	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	–	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	0·17	0·15	0·18	20	9	11	1	–	–	2	–	3	2	2	5	2	2	2	2	–	–	–
Simple Continued Fever	0·04	0·07	0·02	5	4	1	–	–	–	–	–	–	1	–	–	–	–	1	3	–	–	–
Diarrhœa and Dysentery	0·41	0·32	0·50	49	19	30	16	–	1	–	–	17	–	1	–	–	2	1	–	2	12	14
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·57	0·38	0·75	68	23	45	–	–	–	–	–	–	–	–	–	–	–	4	11	22	26	5
Tabes Mesenterica	0·18	0·23	0·13	22	14	8	12	1	2	1	1	17	3	2	1	–	–	–	1	–	1	–
Phthisis	1·20	1·28	1·12	144	77	67	4	1	1	–	–	6	3	5	13	18	44	24	12	11	6	2
Other Tub. & Scrof. Dis.	0·45	0·53	0·37	54	32	22	10	9	3	–	1	23	6	5	7	3	3	3	2	–	2	–
Diseases of Nervous System	2·53	2·50	2·56	303	150	153	50	4	3	1	4	62	5	2	–	–	5	9	12	28	85	95
Diseases of Circulatory „	2·14	2·05	2·22	256	123	133	2	–	–	1	–	3	3	5	7	7	5	11	22	37	87	69
Diseases of Respiratory „	2·65	2·70	2·59	317	162	155	84	31	6	7	3	131	5	–	2	4	5	8	14	25	62	61
Diseases of Digestive „	1·09	1·18	1·00	131	71	60	21	8	3	1	1	34	3	1	1	2	5	6	17	24	22	16
Diseases of Urinary „	0·61	0·72	0·50	73	43	30	1	–	–	1	–	2	2	–	1	3	5	4	6	7	26	17
Diseases of Generative „	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–
Puerperal Fever	0·08	–	0·17	10	–	10	–	–	–	–	–	–	–	–	1	2	4	3	–	–	–	–
Childbirth	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–
Violence	0·46	0·70	0·22	55	42	13	1	1	3	1	1	7	3	3	2	2	6	5	5	10	6	6
Other Causes	3·27	3·34	3·26	394	199	195	134	7	1	3	2	147	5	6	4	4	5	18	14	27	47	117

Marriages - - - 734

Births - { Males - 1,727 / Females - 1,626 } 3,353

Annual Rate per 1000 living { Persons Married 12·25 / Births - - 27·98

Deaths from Childbirth and Puerperal Fever - - - - } 4·47 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

157 TOWCESTER.

CAUSES OF DEATHS.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons —	In Standard Population.* 14·64	115	-	-	-	-	30·36	4·02	1·94	4·28	4·90	5·63	8·36	10·24	22·33	53·97	164·68
	Males —	14·70	121	-	-	-	-	43·79	3·98	2·12	3·72	4·02	5·78	8·96	10·80	22·68	52·58	155·92
	Females —	14·57	108	-	-	-	-	34·98	4·07	1·75	4·86	5·73	5·53	8·86	9·72	22·00	55·26	174·07
Mean Population in 1881	Persons Decennial Decrease of Population 4·96 per cent.	12,052	391	286	318	309	336	1570	1491	1393	1122	877	1493	1269	1182	963	643	269
	Males	6,058	198	145	152	146	170	781	754	709	618	423	698	603	595	463	310	124
	Females	6,234	193	141	166	163	166	789	737	684	504	454	795	666	617	500	333	145
Deaths from All Causes in 1881–90	Persons 17·27	2,119	412	99	52	36	19	618	60	27	48	43	84	113	121	215	347	443
	Males 17·46	1,058	220	52	33	20	8	333	30	15	23	17	40	54	61	105	193	268
	Females 17·07	1,061	183	47	19	16	11	276	30	12	25	26	44	59	60	110	154	235

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·24	0·23	0·24	29	14	15	11	11	3	2	1	28	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·18	0·20	0·16	22	12	10	-	5	4	3	4	16	4	-	2	-	-	-	-	-	-
Diphtheria	0·05	0·07	0·03	6	4	2	-	-	-	-	2	2	2	1	-	-	-	-	-	1	-
Whooping-cough	0·26	0·30	0·23	32	18	14	12	11	3	3	1	30	2	-	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·11	0·12	0·11	14	7	7	1	1	-	-	-	2	4	2	1	2	1	1	-	1	-
Simple Continued Fever	0·03	0·02	0·05	4	1	3	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-
Diarrhœa and Dysentery	0·35	0·30	0·40	43	18	25	10	4	1	1	-	16	1	-	1	-	2	-	3	1	10	9
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·65	0·40	0·90	80	24	56	-	-	-	-	-	-	-	-	-	1	-	5	12	25	23	14
Tabes Mesenterica	0·22	0·23	0·21	27	14	13	12	3	4	2	1	22	2	-	-	-	2	1	-	-	-	-
Phthisis	1·25	1·32	1·17	153	80	73	3	1	1	-	1	6	4	7	28	13	28	27	18	14	7	1
Other Tub. & Scrof. Dis.	0·34	0·41	0·27	42	25	17	16	5	4	3	-	28	6	2	3	-	1	-	-	-	2	-
Diseases of Nervous System	2·07	2·31	1·83	254	140	114	41	7	1	2	1	52	6	2	3	1	6	11	14	31	68	60
" Circulatory "	1·92	1·82	2·03	236	110	126	1	-	-	-	-	1	2	2	3	6	4	14	25	47	70	43
" Respiratory "	2·62	2·48	2·75	321	150	171	84	26	17	9	4	140	14	3	-	6	6	7	15	25	47	58
" Digestive "	1·31	1·34	1·29	161	81	80	33	11	2	3	-	49	3	3	2	1	3	9	13	27	32	19
" Urinary "	0·37	0·50	0·24	45	30	15	-	-	-	-	-		1	-	1	3	4	6	4	11	10	5
" Generative "	0·08	0·02	0·10	7	1	6	-	-	-	-	-		-	-	-	1	1	1	1	-	2	1
Puerperal Fever	0·07	-	0·14	9		9	-	-	-	-	-		-	-	-	1	3	4	1	-	-	-
Childbirth	0·09	-	0·18	11		11	-	-	-	-	-		-	-	-	2	5	4	-	-	-	-
Violence	0·55	0·76	0·34	67	46	21	5	2	5	3	-	15	5	1	2	4	4	10	5	6	9	6
OTHER CAUSES	4·53	4·63	4·40	556	286	270	183	12	7	5	3	210	2	4	1	3	14	12	10	27	66	207

Marriages - - -	817	Annual Rate per 1000 living	Persons Married	13·31	Deaths from Childbirth and Puerperal Fever - - - - - 5·59 per 1000 Births.
Births Males 1,885			Births -	29·17	
Females 1,695	3,580				

* See page xxxvi.

† The death-rates under one year of age are per 1000 Births.

158.—POTTERSPURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·92	†119	–	–	–	–	40·08	5·86	2·82	4·23	5·56	5·45	7·26	10·18	23·58	56·81	157·48
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·25	†137	–	–	–	–	44·53	5·57	2·15	3·96	5·95	5·05	6·71	11·45	26·72	56·06	157·28
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·61	†100	–	–	–	–	35·55	6·15	3·54	4·57	5·14	5·83	7·78	9·01	20·79	57·49	157·66
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·28 per cent.	12,493	322	298	321	333	303	1577	1536	1452	1207	990	1689	1322	1090	865	551	214
Mean Population, 1881–91. Males	Decennial Increase of Population 4·28 per cent.	6,269	172	144	159	172	148	795	772	745	682	504	831	641	524	408	264	103
Mean Population, 1881–91. Females	Decennial Increase of Population 4·28 per cent.	6,224	150	154	162	161	155	782	764	707	525	486	858	681	566	457	287	111
Deaths from All Causes, 1881–90. Persons	16·19	2,022	431	110	39	30	22	632	90	41	51	55	92	96	111	204	313	337
Deaths from All Causes, 1881–90. Males	16·49	1,034	256	60	19	10	9	354	43	16	27	30	42	43	60	109	148	162
Deaths from All Causes, 1881–90. Females	15·87	988	175	50	20	20	13	278	47	25	24	25	50	53	51	95	165	175

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons											
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·15	0·13	0·18	19	8	11	3	6	–	3	2	14	4	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·06	0·05	0·08	8	3	5	–	–	2	1	–	3	3	2	–	–	–	–	–	–	–	–
Diphtheria	0·24	0·18	0·31	30	11	19	1	1	7	2	4	15	11	2	–	–	2	–	–	–	–	–
Whooping-cough	0·32	0·24	0·40	40	15	25	20	14	1	4	1	40	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·39	0·40	0·39	49	25	24	–	1	–	2	–	3	6	3	12	3	10	5	4	2	–	1
Simple Continued Fever	0·02	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·17	0·19	0·14	21	12	9	13	–	–	1	–	14	1	–	–	–	–	–	–	1	3	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·81	0·65	0·96	101	41	60	–	–	–	–	–	–	1	–	–	–	1	6	18	26	38	11
Tabes Mesenterica	0·20	0·19	0·21	25	12	13	15	4	2	–	–	21	2	–	1	–	–	1	–	–	–	–
Phthisis	1·17	1·08	1·25	146	63	78	3	1	–	1	–	5	5	7	13	23	39	22	14	13	3	2
Other Tub. & Scrof. Dis.	0·32	0·32	0·32	40	20	20	7	7	2	2	–	18	12	5	3	1	–	–	1	–	–	–
Diseases of Nervous System	2·19	2·35	2·04	274	147	127	56	12	4	3	2	77	7	6	3	4	4	10	13	34	57	59
Diseases of Circulatory „	1·57	1·42	1·72	196	89	107	–	–	–	–	–	–	2	4	3	5	4	11	17	47	73	80
Diseases of Respiratory „	2·01	2·23	1·78	251	140	111	56	30	8	8	6	108	16	–	5	4	6	7	6	26	40	33
Diseases of Digestive „	1·05	1·02	1·08	131	64	67	25	16	6	1	2	50	6	4	3	2	3	4	12	23	21	8
Diseases of Urinary „	0·43	0·56	0·31	54	35	19	–	1	–	–	–	1	1	2	4	2	3	4	6	8	18	5
Diseases of Generative „	0·02	0·02	0·03	3	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Puerperal Fever	0·06	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Childbirth	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–
Violence	0·53	0·85	0·21	66	53	13	2	2	4	–	4	12	7	2	3	1	9	6	8	9	6	3
Other Causes	4·42	4·56	4·23	551	287	264	229	15	3	2	1	250	6	4	2	6	6	13	11	17	53	183

Marriages - - - 758

Births - {Males - 1,870 / Females - 1,753} 3,623

Annual Rate per 1000 living {Persons Married 12·13 / Births - - 29·00}

Deaths from Childbirth and Puerperal Fever - - - - - 3·86 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

159.—HARDINGSTONE.

Cause of Death.	Crude Death-Rate per 1000.	All Causes.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Rate per 1000 Living in Registration Period	Persons	In Standard Population* 14·67	†118	–	–	–	–	41·99	4·30	3·39	4·16	5·25	4·72	8·08	11·80	21·34	55·61	134·16
	Males	15·14	†130	–	–	–	–	48·97	4·33	3·63	3·84	4·79	3·45	8·03	9·68	25·97	57·60	136·15
	Females	14·23	†106	–	–	–	–	35·46	4·27	3·14	4·57	5·75	5·97	8·13	13·94	18·85	52·89	131·96
Mean Population in 1885 (Estimated)	Persons	Decennial Increase of Population 1·12 per cent.	299	273	285	280	277	1405	1302	1179	937	838	1398	1126	924	745	489	202
	Males		146	131	138	132	133	680	646	566	521	438	695	568	465	393	247	105
	Females		144	142	147	148	144	725	656	573	416	400	703	578	459	382	242	97
Deaths from All Causes, 1881–90.	Persons	16·44	381	112	47	34	16	590	56	40	39	44	66	91	109	159	289	271
	Males	17·09	226	63	20	17	7	333	28	22	20	21	24	44	45	87	141	143
	Females	15·79	155	49	27	17	9	257	28	18	19	23	42	47	64	72	148	128

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·39	0·55	0·23	41	29	12	3	17	4	7	1	32	6	–	1	–	–	–	–	–	–	–
Scarlatina Fever	0·28	0·23	0·34	30	12	18	2	1	7	6	4	20	6	2 2 2	1	–	1	–	–	–	–	–
Diphtheria	0·13	0·06	0·21	14	3	11	–	1	1	3	3	8	4		–	–	–	–	–	–	–	–
Whooping-cough	0·25	0·21	0·29	26	11	15	10	7	7	1	1	26	–		–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·15	0·11	14	8	6	–	1	–	–	–	1	1	3	2	3	3	1	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·57	0·60	0·54	60	32	28	28	5	2	2	–	37	1	–	1	1	–	–	3	1	9	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·49	0·51	0·48	52	27	25	–	–	–	–	–	–	–	–	–	–	4	6	15	21	6	–
Tabes Mesenterica	0·26	0·21	0·31	27	11	16	13	5	4	1	–	23	1	1	–	–	1	1	–	–	–	–
Phthisis	1·22	1·07	1·38	129	57	72	–	2	–	–	–	2	3	8	18	16	27	21	20	10	4	–
Other Tuberculous Diseases	0·31	0·41	0·21	33	23	11	15	5	2	–	1	23	5	3 2	1	1	1	–	–	–	–	–
Nervous System	2·18	2·33	2·03	230	124	106	48	8	6	2	1	65	6	3	2	2	2	16	11	27	49	53
Circulatory ,,	1·69	1·28	2·10	178	68	110	1	–	–	–	–	1	1	2 2 2	4	2	4	9	25	33	63	34
Respiratory ,,	2·95	3·31	2·58	311	176	135	73	39	19	10	4	145	8		4	6	4	12	16	28	71	48
Digestive ,,	0·84	0·64	1·05	89	34	55	20	13	1	–	–	34	2		–	1	2	4	7	16	12	7
Urinary ,,	0·46	0·64	0·27	48	34	14	5	–	–	–	–	5	2		1	2	3	5	2	7	13	4
Generative ,,	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–		–	–	–	–	1	1	1	–
Puerperal Fever	0·06	–	0·11	6	–	6	–	–	–	–	–	–	–		–	–	1	5	–	–	–	–
Childbirth	0·10	–	0·21	11	–	11	–	–	–	–	–	–	–		–	–	1	2	–	–	–	–
Violence	0·63	1·09	0·15	66	58	8	1	1	1	1	1	5	2		6	3	4	2	6	15	6	2
Other Causes	3·47	3·80	3·13	366	202	164	102	7	2	1	–	172	7		2	3	7	7	7	8	38	110

Marriages	761	Annual Rate per 1000 living	Persons Married 14·81
Births { Males 1,628 / Females 1,614 }	3,242		Births 30·74

Deaths from Childbirth and Puerperal Fever 5·24 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

160.—NORTHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 20·02	†156	–	–	–	–	60·78	4·71	3·05	4·10	4·99	7·78	12·09	16·57	31·34	71·79	175·32
Annual Death-Rate per 1000. Males	—	Standard 21·13	†169	–	–	–	–	65·33	5·15	2·85	4·24	5·06	8·27	12·98	18·19	33·78	79·90	180·47
Annual Death-Rate per 1000. Females	—	Population* 18·98	†142	–	–	–	–	56·39	4·28	3·23	3·96	4·93	7·30	11·21	14·98	29·04	64·69	171·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·46 per cent.	71,780	2081	1860	1911	1915	1880	9647	8741	8010	7493	6488	10778	8047	5940	3883	2656	697
Mean Population, 1881–91. Males		35,127	1036	907	936	922	927	4728	4348	3896	3581	3140	5357	3998	2936	1886	960	297
Mean Population, 1881–91. Females		36,653	1045	953	975	993	953	4919	4393	4114	3912	3348	5421	4049	3004	1997	1096	400
Deaths from All Causes, 1881–90. Persons	19·31	13,861	3782	1105	459	309	208	5863	412	244	307	324	839	973	984	1217	1476	1222
Deaths from All Causes, 1881–90. Males	20·41	7,171	2087	545	219	149	89	3089	224	111	152	159	443	519	534	637	767	536
Deaths from All Causes, 1881–90. Females	18·25	6,690	1695	560	240	160	119	2774	188	133	155	165	3.6	454	450	580	709	686

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·04	0·00	14	13	1	1	–	–	–	1	2	–	–	–	–	2	1	2	1	2	4
Measles	0·62	0·60	0·64	445	212	233	78	150	81	60	43	412	28	3	1	–	–	1	–	–	–	–
Scarlet Fever	0·32	0·31	0·33	232	110	122	13	25	44	31	33	146	68	12	4	1	–	1	–	–	–	–
Diphtheria	0·06	0·05	0·07	43	17	26	3	1	3	3	12	22	16	3	2	–	–	–	–	–	–	–
Whooping-cough	0·50	0·45	0·54	357	158	199	136	123	41	33	15	348	9	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·09	0·10	0·09	68	35	33	–	2	1	–	3	6	4	10	10	7	16	6	5	3	1	–
Simple Continued Fever	0·02	0·01	0·03	14	4	10	1	–	2	1	1	5	2	2	1	–	1	1	2	–	–	–
Diarrhœa and Dysentery	0·95	1·04	0·87	684	364	320	507	77	11	2	6	603	3	–	1	–	3	4	9	12	23	26
Cholera	0·00	0·01	–	3	3	–	1	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–
Cancer	0·61	0·45	0·77	439	157	282	2	–	–	–	–	2	–	2	4	3	20	65	111	134	78	20
Tabes Mesenterica	0·15	0·15	0·15	108	54	54	54	17	11	3	2	87	4	7	4	1	3	2	–	–	–	–
Phthisis	1·84	2·02	1·66	1319	709	610	62	35	20	15	4	136	20	30	106	135	344	283	159	78	26	2
Other Tub. & Scrof. Dis.	0·48	0·57	0·39	344	201	143	136	68	25	22	8	259	21	17	16	6	14	4	3	3	1	–
Diseases of Nervous System	3·13	3·53	2·74	2245	1239	1006	654	103	34	22	18	831	51	36	37	29	93	167	188	259	336	218
Diseases of Circulatory	1·31	1·24	1·38	940	435	505	2	–	–	1	–	3	12	22	19	20	68	88	134	181	251	142
Diseases of Respiratory	3·51	3·65	3·38	2519	1282	1237	667	350	140	84	40	1281	83	18	11	20	50	101	126	245	319	265
Diseases of Digestive	1·15	1·18	1·12	825	416	409	224	76	16	6	5	327	21	16	15	20	42	63	77	99	100	45
Diseases of Urinary	0·44	0·60	0·28	313	210	103	14	8	5	7	5	39	9	10	11	13	26	35	31	51	64	24
Diseases of Generative	0·06	0·01	0·11	41	2	39	1	–	–	–	–	1	–	–	1	2	5	11	9	2	9	1
Puerperal Fever	0·10	–	0·19	71	–	71	–	–	–	–	–	–	–	–	4	13	33	20	1	–	–	–
Childbirth	0·05	–	0·10	36	–	36	–	–	–	–	–	–	–	–	1	5	14	16	–	–	–	–
Violence	0·62	0·92	0·34	447	324	123	43	21	11	14	5	94	31	18	29	16	44	43	43	47	45	37
Other Causes	3·28	3·48	3·07	2353	1226	1127	1183	49	14	5	6	1257	30	38	30	33	61	61	84	100	221	438

Marriages – – – 5,566

Births – {Males – 12,323} 24,271 {Females – 11,948}

Annual Rate per 1000 living {Persons Married 15·51 / Births – – 33·81}

Deaths from Childbirth and Puerperal Fever – – – – – } 4·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

161.—DAVENTRY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·87	†106	–	–	–	–	36·67	2·80	1·53	3·24	5·45	5·72	8·41	10·14	21·79	52·25	103·68
Males	—	14·10	†117	–	–	–	–	39·44	2·86	1·04	2·39	4·04	6·10	8·76	11·38	23·63	54·58	103·86
Females	—	13·64	†95	–	–	–	–	33·84	2·73	2·03	4·30	6·45	5·32	8·05	8·34	20·03	50·09	103·43
Mean Population 1885-91. Persons	Decennial Decrease of Population 4·66 per cent.	18,081	424	415	435	474	433	2141	2074	1902	1667	1486	2309	1926	1686	1455	1022	413
Males		9,185	217	206	230	244	213	1080	1049	960	922	819	1163	970	835	689	491	197
Females		8,896	207	209	205	220	220	1061	1025	942	745	667	1146	956	851	766	531	216
Deaths from All Causes, 1881-90. Persons	16·59	2,999	531	150	51	30	23	785	58	29	54	81	132	162	171	317	534	676
Males	16·70	1,534	300	79	20	12	15	426	30	10	22	38	71	85	100	161	268	323
Females	16·47	1,465	241	71	31	18	8	359	28	19	32	43	61	77	71	156	266	353

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·02	0·01	0·02	3	1	2
Measles	0·14	0·16	0·12	26	15	11
Scarlet Fever	0·05	0·02	0·08	9	2	7
Diphtheria	0·03	0·02	0·03	5	2	3
Whooping-cough	0·19	0·15	0·23	34	14	20
Typhus	–	–	–	–	–	–
Enteric Fever	0·07	0·05	0·08	12	5	7
Simple Continued Fever	0·02	0·01	0·02	3	1	2
Diarrhœa and Dysentery	0·39	0·36	0·43	71	35	38
Cholera	0·01	0·01	0·01	2	1	1
Cancer	0·63	0·54	0·71	113	50	63
Tabes Mesenterica	0·20	0·17	0·23	36	16	20
Phthisis	1·24	1·15	1·33	224	106	118
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	34	17	17
Diseases of Nervous System	2·24	2·11	2·37	405	194	211
" Circulatory "	2·49	2·22	2·77	450	204	246
" Respiratory "	2·58	2·36	2·16	466	274	192
" Digestive "	1·37	1·48	1·25	247	136	111
" Urinary "	0·48	0·66	0·29	87	61	26
" Generative "	0·08	0·01	0·16	15	1	14
Puerperal Fever	0·09	–	0·19	17		17
Childbirth	1·07	–	0·13	12		12
Violence	0·73	0·90	0·27	107	83	24
Other Causes	3·42	3·50	3·42	621	318	303

	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Small-pox	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Measles	0·14	0·16	0·12	26	15	11	3	7	4	3	2	19	6	1	–	–	–	–	–	1	–
Scarlet Fever	0·05	0·02	0·08	9	2	7	–	2	–	2	2	6	–	3	–	–	–	–	–	–	–
Diphtheria	0·03	0·02	0·03	5	2	3	1	–	1	1	1	4	1	–	–	–	–	–	–	–	–
Whooping-cough	0·19	0·15	0·23	34	14	20	16	8	5	3	–	32	1	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·05	0·08	12	5	7	–	–	–	–	–	–	2	1	1	3	2	–	1	–	1
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·39	0·36	0·43	71	35	38	24	9	3	–	–	36	1	–	–	–	–	5	–	5	10
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Cancer	0·63	0·54	0·71	113	50	63	–	–	–	–	–	–	–	–	–	1	6	3	21	30	31
Tabes Mesenterica	0·20	0·17	0·23	36	16	20	21	8	1	1	–	31	2	–	–	2	–	1	–	–	–
Phthisis	1·24	1·15	1·33	224	106	118	7	4	1	2	1	15	7	7	23	30	41	44	24	16	14
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	34	17	17	6	8	2	1	1	18	7	2	1	2	1	1	1	–	1
Diseases of Nervous System	2·24	2·11	2·37	405	194	211	64	24	5	3	3	99	7	3	5	4	5	14	22	53	97
" Circulatory "	2·49	2·22	2·77	450	204	246	4	1	–	–	1	6	2	1	3	6	13	17	22	77	109
" Respiratory "	2·58	2·36	2·16	466	274	192	109	37	17	10	8	181	2	3	2	7	14	21	27	44	74
" Digestive "	1·37	1·48	1·25	247	136	111	60	28	6	–	2	96	9	4	–	4	8	12	20	28	36
" Urinary "	0·48	0·66	0·29	87	61	26	1	–	–	–	–	1	–	–	1	1	5	8	3	17	36
" Generative "	0·08	0·01	0·16	15	1	14	1	–	–	–	–	1	–	–	1	3	3	1	3	2	–
Puerperal Fever	0·09	–	0·19	17		17	–	–	–	–	–	–	–	–	2	5	5	3	–	–	–
Childbirth	1·07	–	0·13	12		12	–	–	–	–	–	–	–	–	1	–	4	6	1	–	–
Violence	0·73	0·90	0·27	107	83	24	3	3	3	1	1	11	6	2	4	5	10	14	14	14	17
Other Causes	3·42	3·50	3·42	621	318	303	210	13	3	3	1	230	3	2	9	7	11	14	13	30	32

Marriages		1,174	Annual Rate per 1000 living	Persons Married	12·99
Births	Males	2,567		Births	27·64
	Females	2,431			
		4,998			

Deaths from Childbirth and Puerperal Fever 5·80 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

162.—BRIXWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·15	†117	–	–	–	–	40·09	3·82	3·21	4·06	5·64	6·04	6·64	8·39	20·57	50·14	151·03
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·01	†125	–	–	–	–	44·46	4·11	3·06	2·58	5·23	5·40	5·50	7·45	21·17	54·27	143·15
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·28	†109	–	–	–	–	35·96	3·53	3·38	6·05	6·10	6·67	7·74	9·27	20·00	46·05	159·03
Mean Population, 1881-91. Persons	Decennial Decrease of Population 8·62 per cent.	12,761	313	281	293	321	296	1504	1494	1431	1084	975	1573	1340	1251	1089	730	290
Mean Population, 1881-91. Males	Decennial Decrease of Population 8·62 per cent.	6,424	150	132	140	157	152	731	730	751	621	516	778	655	604	529	363	146
Mean Population, 1881-91. Females	Decennial Decrease of Population 8·62 per cent.	6,337	163	149	153	164	144	773	764	680	463	459	795	685	647	560	367	144
Deaths from All Causes, 1881-90. Persons	16·63	2,122	409	89	49	33	23	603	57	46	44	55	95	89	105	224	366	438
Deaths from All Causes, 1881-90. Males	16·53	1,062	219	51	25	17	13	325	30	23	16	27	42	36	45	112	197	209
Deaths from All Causes, 1881-90. Females	16·73	1,060	190	38	24	16	10	278	27	23	28	28	53	53	60	112	169	229

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·28	0·36	0·21	36	23	13	9	9	5	3	3	29	7	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·20	0 21	26	13	13	4	1	5	4	2	16	6	3	1	–	–	–	–	–
Diphtheria	0·38	0·37	0·39	49	24	25	–	2	3	10	5	20	15	11	1	1	–	–	–	1
Whooping-cough	0·28	0·30	0·27	36	19	17	24	6	4	2	–	36	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Simple Continued Fever	0·03	–	0·06	4	–	4	–	–	1	–	–	1	–	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·27	0·34	0·21	35	22	13	17	3	–	1	1	22	1	–	–	–	–	1	–	1	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·47	0·88	86	30	56	–	–	–	–	1	1	–	–	–	1	1	1	17	26	29	10
Tabes Mesenterica	0·09	0·08	0·11	12	5	7	6	1	–	–	–	7	2	2	1	–	–	–	–	–	–	–
Phthisis	1·13	1·17	1·09	144	75	69	1	5	–	–	–	6	2	3	15	24	37	18	10	15	13	1
Other Tub. & Scrof. Dis.	0·31	0·23	0·38	39	15	24	6	8	4	3	1	22	4	2	3	3	1	2	1	1	–	–
Diseases of Nervous System	2·70	2·88	2·51	344	185	159	45	6	3	2	3	59	3	9	6	2	9	8	18	49	90	91
Diseases of Circulatory „	1·67	1·46	1·88	213	94	119	1	–	–	–	1	2	1	–	1	–	10	17	24	40	67	51
Diseases of Respiratory „	2·83	2·94	2·71	361	189	172	106	39	19	7	5	176	8	2	3	4	12	9	6	30	49	62
Diseases of Digestive „	1·18	1·14	1·23	151	73	78	27	7	2	1	–	37	3	3	4	–	2	10	9	22	40	21
Diseases of Urinary „	0·44	0·59	0·28	56	38	18	–	–	–	–	–	–	–	1	–	2	6	1	4	14	17	11
Diseases of Generative „	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	–
Puerperal Fever	0·08	–	0·16	10	–	10	–	–	–	–	–	–	–	–	1	3	1	5	–	–	–	–
Childbirth	0·08	–	0·16	10	–	10	–	–	–	–	–	–	–	–	–	1	4	5	–	–	–	–
Violence	0·45	0·70	0·19	57	45	12	3	1	2	–	–	6	1	3	2	8	4	4	7	4	12	6
Other Causes	3·49	3·28	3·69	445	211	234	160	1	1	–	1	163	3	7	5	6	7	5	6	20	45	178

Marriages – – – 800

Births – { Males – 1,753 / Females – 1,748 } 3,501

Annual Rate per 1000 living { Persons Married 12·54 / Births – – 27·44

Deaths from Childbirth and Puerperal Fever – – – – – 5·71 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

163.—WELLINGBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Deaths (Persons / Males / Females) per 1000.	—	In Standard Population* 26·64 / 16·72 / 15·43	†135 / †148 / †121	–	–	–	–	49·31 / 53·33 / 44·91	3·90 / 3·33 / 4·28	3·01 / 2·86 / 3·17	3·35 / 2·92 / 3·80	5·55 / 5·05 / 5·75	5·51 / 4·84 / 6·18	8·02 / 7·76 / 8·29	12·06 / 12·88 / 11·26	23·16 / 24·83 / 21·80	58·19 / 63·35 / 53·29	155·15 / 178·16 / 136·32
Mean Population (Persons / Males / Females)	Decennial Increase of Population 18·17 per cent.	40,297 / 20,780 / 20,217	1185 / 574 / 611	1042 / 518 / 544	1075 / 530 / 545	1092 / 540 / 552	1057 / 583 / 568	5471 / 2701 / 2770	5123 / 2550 / 2573	4512 / 2238 / 2274	4354 / 2225 / 2129	3567 / 1812 / 1755	3811 / 2013 / 1797	4262 / 2114 / 2148	3261 / 1676 / 1585	2260 / 1357 / 1143	1270 / 637 / 633	466 / 206 / 260
Deaths (Persons / Males / Females)	15·91 / 16·48 / 15·33	6410 / 3,310 / 3,100	1810 / 1013 / 797	471 / 240 / 231	182 / 91 / 91	147 / 72 / 75	88 / 38 / 50	2608 / 1434 / 1244	200 / 90 / 110	136 / 64 / 72	146 / 65 / 81	198 / 97 / 101	320 / 141 / 179	342 / 164 / 178	386 / 203 / 183	322 / 274 / 248	749 / 391 / 358	786 / 397 / 389

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·03	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Measles	0·34	0·38	0·31	138	75	63	30	40	25	18	9	122	11	1	–	1	–	–	–	–	–
Scarlet Fever	0·21	0·24	0·26	87	47	53	9	13	14	21	9	66	22	4	3	2	1	1	–	–	–
Diphtheria	0·09	0·08	0·10	36	13	23	1	3	–	10	6	13	10	1	2	–	–	2	–	1	–	1
Whooping-cough	0·59	0·46	0·59	241	92	149	97	61	24	16	9	207	7	–	–	–	–	–	–	–	–	–
Typhus	0·07	–	0·01	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Enteric Fever	0·24	0·23	0·22	91	46	45	–	–	1	1	2	4	11	20	19	12	10	9	6	–	–	–
Simple Continued Fever	0·02	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·38	0·44	0·33	155	89	66	108	17	1	–	1	127	–	2	–	1	2	–	–	1	–	14
Cholera	0·01	0·01	0·01	4	2	2	1	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–
Cancer	0·69	0·46	0·72	288	93	195	–	–	–	1	1	2	–	–	1	–	7	17	53	81	76	18
Tabes Mesenterica	0·25	0·29	0·24	106	58	48	61	20	7	3	–	91	5	2	4	2	2	–	–	–	–	–
Premature Birth	1·39	1·45	1·34	560	291	269	19	8	3	2	3	35	6	24	52	84	126	114	67	36	12	1
Other Diseases	0·29	0·61	0·56	236	122	114	78	42	11	10	12	153	30	23	6	7	7	6	4	1	1	1
Diseases of Nervous System	1·34	1·84	1·68	718	369	349	144	34	20	6	9	213	10	12	9	10	15	20	42	87	170	101
Circulatory	1·46	1·39	1·42	587	280	307	1	1	–	–	–	2	9	14	16	15	19	46	66	132	189	84
Respiratory	3·11	3·41	2·87	1264	684	580	414	174	50	45	20	703	35	9	15	25	31	48	85	132	159	
Digestive	0·83	0·83	0·85	358	167	171	99	24	5	4	1	133	11	6	3	7	16	24	31	47	18	
Urinary	0·28	0·33	0·22	114	67	44	1	2	1	2	2	8	3	1	1	5	12	5	17	21	26	13
Generative	0·02	–	0·04	9	–	9	–	–	–	–	–	–	–	–	1	–	2	2	1	–	2	1
Puerperal Fever	0·08	–	0·16	33	–	33	–	–	–	–	–	–	–	–	1	7	14	10	1	–	–	–
Childbirth	0·06	–	0·11	24	–	24	–	–	–	–	–	–	–	–	1	3	8	11	–	–	–	–
Violence	0·22	0·27	0·23	91	55	46	16	9	6	6	1	38	13	9	12	14	24	20	25	19	22	7
Other Causes	3·15	3·26	3·05	1253	633	618	659	23	7	1	4	694	16	11	6	12	36	22	27	25	87	307

Marriages		2,980	Annual Rate per 1000 living	Persons Married	14·29
Births	Males	6,823		Births	33·34
	Females	6,611			
		13,434			

Deaths from Childbirth and Puerperal Fever 6·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

The death-rates under one year of age are per 1000 Births.

164.—KETTERING.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	15·60		†138	–	–	–	–	50·83	3·54	2·51	3·41	3·91	5·51	7·13	11·32	22·08	54·95	151·54
Males	—				16·43		†159	–	–	–	–	56·81	3·52	2·56	2·87	3·43	4·92	7·13	13·06	23·14	59·13	160·62
Females	—				14·82		†116	–	–	–	–	44·84	3·55	2·46	3·97	4·44	6·13	7·13	9·58	21·02	50·87	142·64
Mean Population, 1881–91. Persons	Decennial Increase of Population 38·89 per cent.			30,580			928	844	878	825	828	4303	3902	3384	3111	2787	4432	3197	2359	1694	1021	390
Males				15,480			459	430	431	405	426	2151	1961	1677	1601	1459	2296	1612	1179	847	504	193
Females				15,100			469	414	447	420	402	2152	1941	1707	1510	1328	2136	1585	1180	847	517	197
Deaths from All Causes, 1881–90. Persons	15·99			4,890			1476	414	138	92	67	2187	138	85	106	109	244	228	267	374	561	591
Males	16·90			2,616			866	213	66	45	32	1222	69	43	46	50	¶13	115	154	196	298	310
Females	15·06			2,274			610	201	72	47	35	965	69	42	60	59	131	113	113	178	263	281
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·03	0·01	5	4	1	–	–	1	–	–	1	–	–	–	1	3	–	–	–	–	–
Measles	0·53	0·54	0·52	161	83	78	32	64	27	14	12	149	9	1	–	2	–	–	–	–	–	–
Scarlet Fever	0·18	0·21	0·15	55	33	22	4	8	8	10	6	36	11	3	3	1	–	–	–	1	–	–
Diphtheria	0·08	0·10	0·05	23	15	8	1	6	3	2	2	14	8	1	–	–	–	–	–	–	–	–
Whooping-cough	0·33	0·27	0·38	100	42	58	50	29	12	4	2	97	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·31	0·31	0·31	95	48	47	–	2	2	2	2	8	16	18	15	7	14	11	2	3	1	–
Simple Continued Fever	0·03	0·03	0·02	8	5	3	1	1	–	–	–	2	1	2	1	–	–	1	–	–	1	–
Diarrhœa and Dysentery	0·48	0·52	0·44	147	81	66	93	18	1	–	1	113	1	–	–	–	2	–	3	8	8	12
Cholera	0·01	0·01	0·01	3	1	2	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Cancer	0·49	0·40	0·58	150	62	88	–	–	–	–	–	–	–	–	–	2	6	11	29	49	39	14
Tabes Mesenterica	0·20	0·21	0·19	60	32	28	37	9	3	2	1	52	3	1	1	2	1	–	–	–	–	–
Phthisis	1·06	1·11	1·01	325	172	153	2	4	1	1	–	8	9	11	29	45	87	66	43	19	7	1
Other Tub. & Scrof. Dis.	0·39	0·34	0·44	118	52	66	48	21	3	9	4	85	14	6	4	2	4	1	2	–	–	–
Diseases of Nervous System	2·01	2·25	1·76	614	348	266	156	36	14	7	8	221	17	4	12	3	15	20	32	78	123	89
Diseases of Circulatory „	1·27	1·31	1·23	389	203	186	7	1	–	1	–	9	2	8	10	8	25	33	38	73	120	63
Diseases of Respiratory „	2·96	3·25	2·66	904	503	401	287	125	41	28	20	501	24	4	6	8	19	22	36	58	97	129
Diseases of Digestive „	1·00	0·95	1·05	306	147	159	84	37	5	3	1	130	4	5	7	5	12	18	32	30	49	14
Diseases of Urinary „	0·23	0·32	0·15	71	49	22	1	–	1	1	2	5	1	1	2	4	4	3	9	7	21	14
Diseases of Generative „	0·02	–	0·03	5	–	5	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–
Puerperal Fever	0·08	–	0·15	23	–	23	–	–	–	–	–	–	–	–	1	7	9	6	–	–	–	–
Childbirth	0·07	–	0·15	22	–	22	–	–	–	–	–	–	–	–	–	3	11	6	2	–	–	–
Violence	0·46	0·67	0·25	141	103	38	15	12	3	3	4	37	7	7	5	7	11	12	16	19	16	4
OTHER CAUSES	3·78	4·06	3·52	1164	632	532	657	41	13	5	2	718	8	13	9	2	20	16	22	27	78	251

Marriages 2,102

Births { Males 5,459 / Females 5,240 } 10,699

Annual Rate per 1000 living { Persons Married 13·75 / Births 34·99

Deaths from Childbirth and Puerperal Fever 4·21 per 1000 Births.

* *See* pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

165.—THRAPSTON.

Causes of Death	Annual Death-Rate per 1000 Living.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-rate per 1000.	Persons	In Standard Population* 15·38	†132	–	–	–	–	41·39	5·97	3·79	5·45	5·73	6·85	9·23	9·76	23·64	51·20	143·86
	Males	15·98	†134	–	–	–	–	46·55	5·83	3·42	4·95	5·86	5·88	8·21	11·55	24·23	56·41	164·00
	Females	14·83	†109	–	–	–	–	36·47	6·11	4·15	6·04	5·60	7·82	10·23	8·01	24·07	46·01	138·13
Mean Population, 1881–90.	Persons	Decennial Decrease of Population 3·25 per cent.	14,848					1920	1942	1743	1414	1099	1840	1603	1383	934	625	285
	Males		7,429					922	960	876	768	563	919	792	684	508	312	125
	Females		7,419					998	982	867	646	536	921	811	699	486	343	160
Deaths registered, 1881–90.	Persons	15·76	2,489					793	116	66	77	63	126	148	135	235	320	410
	Males	17·37	1,283					408	56	30	38	33	54	65	79	118	176	205
	Females	16·26	1,206					385	60	36	39	30	72	83	56	117	144	205

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·28	0·36	0·20	84	19	15	7	4	6	1	24	7	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·08	0·08	0·09	14	6	7	1	1	1	2	–	5	5	2	1	–	–	–	–	–	–	–
Diphtheria	0·22	0·27	0·18	36	23	13	1	1	–	5	5	12	11	1	1	–	1	–	–	–	–	–
Whooping-cough	0·53	0·51	0·55	79	38	41	35	26	7	6	2	76	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·42	0·42	0·42	67	36	31	–	1	2	1	1	5	10	11	12	7	6	6	3	1	1	–
Simple Continued Fever	0·03	–	0·03	2	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·20	0·40	49	19	30	20	4	2	1	–	27	1	–	–	–	–	2	1	3	10	–
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·55	0·45	0·69	79	35	44	–	–	–	–	–	–	–	–	–	–	4	4	17	29	17	8
Tabes Mesenterica	0·18	0·09	0·27	31	11	20	24	2	1	2	–	29	3	1	2	2	1	2	1	–	–	–
Phthisis	1·51	1·44	1·59	179	72	107	9	2	–	–	2	13	13	14	24	23	44	41	12	19	4	–
Other Tub. & Scrof. Dis.	0·26	0·37	0·24	38	20	18	8	5	3	3	1	20	6	1	2	2	3	1	–	2	1	–
Diseases of Nervous System	1·78	1·71	1·78	260	127	133	54	16	6	4	4	84	12	5	4	3	3	7	16	36	55	34
Circulatory	1·78	1·67	1·80	255	144	111	–	–	–	–	–	–	1	2	5	5	9	21	24	51	72	15
Respiratory	2·85	3·34	2·37	417	241	176	105	49	9	5	6	165	16	2	6	6	16	23	26	35	51	20
Digestive	1·43	1·47	1·69	168	87	81	27	12	–	3	–	42	7	–	4	1	8	10	13	33	30	16
Urinary	0·44	0·53	0·23	56	39	17	–	–	–	1	–	1	3	1	1	2	4	3	5	7	17	13
Generative	0·05	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	–	2	1	3	1	–	–
Puerperal Fever	0·08		0·16	12		12	–	–	–	–	–	–	–	–	1	1	5	4	1	–	–	–
Childbirth	0·09		0·18	13		13	–	–	–	–	–	–	–	–	–	1	4	8	–	–	–	–
Violence	0·40	0·71	0·27	78	58	20	2	1	2	1	–	6	12	6	6	2	8	6	4	7	9	7
Other Causes	4·06	3·17	4·78	619	310	309	260	15	3	2	1	284	4	6	6	9	8	7	9	21	33	242

Marriages		1,064	Annual Rate per 1000 living	Persons Married	13·51
Births	Males	1,283		Births	30·54
	Females	1,206		Deaths from Childbirth and Puerperal Fever	5·51 per 1000 Births.

* See page xxxvi (xxxvi).

† The death-rates under one year of age are per 1000 Births.

166.—OUNDLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·36	†99	–	–	–	–	32·44	2·96	2·49	4·47	5·83	6·30	7·47	10·61	21·63	50·26	149·39
Males	—	13·83	†112	–	–	–	–	37·01	2·58	1·93	3·94	5·00	6·56	7·85	10·31	24·72	51·58	161·69
Females	—	12·90	†85	–	–	–	–	28·05	3·34	3·13	5·13	6·68	6·04	7·12	10·89	18·60	48·95	138·64
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·55 per cent.	13,484	309	333	324	320	323	1609	1653	1646	1276	939	1588	1352	1254	1077	760	330
Males		6,761	141	168	164	149	167	789	815	880	711	460	777	650	611	534	380	154
Females		6,723	168	165	160	171	156	820	838	766	565	479	811	702	643	543	380	176
Deaths from All Causes, 1881–90. Persons	16·06	2,166	364	85	33	20	20	522	49	41	57	55	100	101	133	233	382	493
Males	16·61	1,123	211	50	14	9	8	292	21	17	28	23	51	51	63	132	196	249
Females	15·51	1,043	153	35	19	11	12	230	28	24	29	32	49	50	70	101	186	244

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·04	–	3	3	–	–	–	–	–	–	–	–	2	–	–	1	–	–	
Measles	0 09	0·10	0·07	12	7	5	3	5	1	–	1	10	2	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·09	0·16	17	6	11	1	1	4	2	3	11	3	2	–	–	–	1	–	–	–	–
Diphtheria	0·07	0·09	0·06	10	6	4	–	–	1	1	1	3	4	1	1	–	–	1	–	–	–	–
Whooping-cough	0·30	0·33	0·28	41	22	19	22	13	1	4	–	40	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	
Enteric Fever	0·17	0·16	0·18	23	11	12	–	–	–	1	–	1	4	2	3	5	4	2	–	1	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·46	0·27	49	31	18	18	7	–	–	–	25	1	–	–	–	1	–	–	1	9	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·87	0·79	112	59	53	–	–	–	–	–	–	1	–	–	–	4	4	16	41	37	9
Tabes Mesenterica	0·05	0·06	0·04	7	4	3	2	–	–	–	1	3	1	2	1	–	–	–	–	–	–	–
Phthisis	1·34	1·33	1·35	180	89	91	7	2	–	–	1	10	4	9	18	28	33	29	23	17	8	1
Other Tub. & Scrof. Dis.	0·24	0·24	0·24	32	16	16	6	7	5	2	1	21	2	2	3	1	1	–	–	2	–	–
Diseases of Nervous System	2·34	2·41	2·26	315	163	152	77	12	4	3	1	97	4	6	4	1	6	12	25	33	72	55
Circulatory „	1·88	2·01	1·76	254	136	118	2	–	–	–	1	3	1	4	3	3	7	12	20	54	99	48
Respiratory „	2 11	2·28	1·95	285	154	131	79	28	10	2	8	127	11	3	4	2	7	14	12	23	43	39
Digestive „	0·83	0·83	0·83	112	56	56	12	5	2	2	1	22	3	1	4	2	4	5	16	29	21	5
Urinary „	0·30	0·43	0·16	40	29	11	–	–	–	–	–	–	1	–	2	1	2	3	4	6	15	6
Generative „	0·04	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1
Puerperal Fever	0·13	–	0·27	18	–	18	–	–	–	–	–	–	–	–	–	4	8	6	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–	–
Violence	0·57	0·89	0·25	77	60	17	7	1	4	2	1	15	4	4	10	4	9	6	4	6	8	7
Other Causes	4·19	3·98	4·40	564	270	294	128	3	1	1	–	133	2	5	3	3	9	3	13	18	65	310

Marriages - - 857

Births - Males - 1,877 / Females - 1,790 = 3,667

Annual Rate per 1000 living: Persons Married 12·71; Births - - 27·20

Deaths from Childbirth and Puerperal Fever - - - - - 6·82 per 1000 Births.

* *See* pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

167.—PETERBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Average Death-Rate per 1000 { Persons / Males / Females	— / — / —	In Standard Population* 15·95 / 16·00 / 14·96	†122 / †137 / †107	– / – / –	– / – / –	– / – / –	– / – / –	44·01 / 49·28 / 38·77	4·55 / 4·51 / 4·60	3·03 / 2·64 / 3·42	4·73 / 4·27 / 5·20	5·37 / 5·12 / 5·62	5·85 / 5·54 / 6·14	8·13 / 7·42 / 8·81	12·14 / 13·40 / 10·97	23·71 / 24·83 / 25·03	54·86 / 57·68 / 52·29	147·69 / 157·05 / 140·45
Mean Population, 1881-90 { Persons / Males / Females	Decennial Increase of Population 9·30 per cent.	13,428 / 24,259 / 22,940	1187 / 576 / 611	1161 / 595 / 566	1142 / 575 / 567	1137 / 565 / 572	1118 / 565 / 553	5715 / 2847 / 2868	5424 / 2729 / 2695	5044 / 2489 / 2555	4294 / 2179 / 2115	3446 / 1719 / 1727	5934 / 2888 / 3046	4745 / 2292 / 2453	3690 / 1784 / 1906	2704 / 1310 / 1394	1717 / 820 / 897	715 / 312 / 403
Deaths from All Causes, 1881-90. { Persons / Males / Females	16·49 / 16·96 / 15·86	7,123 / 3,695 / 3,428	1071 / 559 / 512	431 / 223 / 208	156 / 72 / 84	140 / 81 / 59	117 / 68 / 49	2515 / 1403 / 1112	247 / 123 / 124	153 / 66 / 87	203 / 93 / 110	185 / 88 / 97	347 / 160 / 187	386 / 170 / 216	448 / 239 / 209	641 / 320 / 321	942 / 473 / 469	1076 / 490 / 586

	Persons	Males.	Females.	Persons	Males.	Females.
Small-pox	0·01	0·00	0·01	4	1	3
Measles	0·20	0·22	0·18	85	46	39
Scarlet Fever	0·50	0·46	0·46	215	114	101
Diphtheria	0·21	0·17	0·24	90	56	34
Whooping-cough	0·35	0·33	0·36	150	70	80
Typhus	0·00	0·00	0·00	2	1	1
Enteric Fever	0·18	0·18	0·19	79	38	41
Simple Continued Fever	0·01	0·01	0·01	4	2	2
Diarrhœa and Dysentery	0·63	0·64	0·62	273	137	136
Cholera	0·00	0·00	–	1	1	–
Cancer	0·87	0·80	0·95	374	170	204
Tabes Mesenterica	0·11	0·13	0·10	49	27	22
Fever[s]	1·16	1·32	1·48	499	285	326
Other Diseases	0·54	0·55	0·48	235	117	106
Nervous System	2·09	2·10	2·08	906	448	458
Circulatory ,,	1·47	1·33	1·61	635	284	354
Respiratory ,,	2·60	2·89	2·42	1127	617	556
Digestive ,,	0·79	0·86	0·71	341	184	157
Urinary ,,	0·31	0·45	0·18	136	97	39
Generative ,,	0·05	0·01	0·10	23	2	21
Puerperal Fever	0·09	–	0·17	37	–	37
Childbirth	0·05	–	0·10	22	–	22
Violence	0·91	0·91	0·93	393	195	198
Ill-defined Causes	3·26	3·53	3·01	1422	755	667

Persons.																		
1	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–
24	28	11	13	6	79	5	1	–	–	–	–	–	–	–	–	–	–	–
15	30	31	51	39	167	56	14	4	–	2	2	–	–	–	–	–	–	–
4	4	4	15	12	43	27	11	4	1	2	–	–	–	1	1	–	–	–
85	46	10	6	1	148	2	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
2	–	–	2	3	7	10	9	21	6	6	8	3	3	5	1	–	–	–
–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–
186	26	7	3	2	224	–	–	1	–	–	2	1	4	17	24	–	–	–
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
1	–	1	–	–	2	–	2	3	–	6	36	32	36	117	46	–	–	–
15	6	3	1	1	28	8	5	5	1	1	1	–	–	–	–	–	–	–
7	7	2	3	3	22	8	20	71	87	144	101	86	43	22	5	–	–	–
52	37	12	16	15	132	39	19	14	5	8	3	2	1	–	–	–	–	–
178	41	14	8	5	246	16	16	11	12	23	31	43	120	200	188	–	–	–
4	1	–	–	–	5	4	6	16	10	22	48	61	124	196	146	–	–	–
348	103	40	26	23	560	29	4	9	8	26	46	48	91	170	167	–	–	–
77	26	3	5	2	113	6	5	6	9	11	19	35	49	53	35	–	–	–
–	1	1	1	1	4	6	2	1	2	13	16	12	26	24	30	–	–	–
1	–	–	–	–	1	–	–	–	4	5	3	4	3	1	2	–	–	–
–	–	–	–	–	–	–	–	3	9	14	11	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	3	1	10	9	–	–	–	–	–	–	–
25	5	3	6	5	47	17	20	18	10	28	18	35	28	29	18	–	–	–
652	36	6	4	4	702	13	18	14	18	23	29	36	62	107	86	–	–	–

Marriages . . . 3,065

Births { Males . 6,894 / Females . 6,578 } 13,472

Annual Rate per 1000 Pers. { Persons Married 17·98 / Births . . . 39·47 }

Deaths from Childbirth and Puerperal Fever . . . . } 4·32 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

168.—HUNTINGDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·36	†113	–	–	–	–	38·27	3·86	2·82	4·05	5·83	6·06	7·75	12·44	21·09	57·40	132·97
Males	—	14·78	†118	–	–	–	–	41·01	3·69	2·38	3·38	4·81	4·89	9·02	14·05	25·49	59·12	146·23
Females	—	13·96	†107	–	–	–	–	35·47	4·02	3·30	4·77	6·93	7·18	6·57	10·93	17·12	55·80	122·90
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·53 per cent.	19,327	462	461	493	488	487	2391	2332	2267	1950	1476	2378	2000	1737	1389	946	461
Males		9,583	232	228	254	252	241	1207	1139	1177	1007	769	1166	965	840	659	455	199
Females		9,744	230	233	239	236	246	1184	1193	1090	943	707	1212	1035	897	730	491	262
Deaths from All Causes, 1881–90. Persons	16·55	3,198	615	154	51	55	40	915	90	64	79	86	144	155	216	293	543	613
Males	16·97	1,626	329	90	27	28	21	495	42	28	34	37	57	87	118	168	269	291
Females	16·13	1,572	286	64	24	27	19	420	48	36	45	49	87	68	98	125	274	322

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·16	0·15	0·17	31	14	17	8	15	1	3	1	28	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·14	0·08	21	13	8	2	5	–	3	4	14	5	2	–	–	–	–	–	–	–
Diphtheria	0·25	0·18	0·33	49	17	32	1	1	2	10	8	22	17	5	5	–	–	–	–	–	–
Whooping-cough	0·27	0·27	0·27	52	26	26	35	8	4	2	3	52	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·17	0·15	0·18	32	14	18	–	–	–	–	–	–	2	3	2	7	7	4	4	2	1	–
Simple Continued Fever	0·19	0·15	0·24	37	14	23	–	–	1	2	1	4	9	6	5	–	2	–	1	4	2	4
Diarrhœa and Dysentery	0·44	0·52	0·37	86	50	36	46	11	4	3	1	65	1	2	1	–	–	–	1	–	2	14
Cholera	0·04	0·05	0·03	8	5	3	1	–	–	–	–	1	1	1	–	–	1	–	–	3	–	1
Cancer	1·06	0·82	1·28	204	79	125	–	–	–	–	1	1	–	–	–	1	6	14	39	49	73	21
Tabes Mesenterica	0·05	0·05	0·04	9	5	4	2	1	–	1	–	4	2	1	1	–	–	–	–	1	–	–
Phthisis	1·41	1·38	1·44	272	132	140	2	2	–	1	–	5	6	6	21	50	63	46	44	18	11	2
Other Tub. & Scrof. Dis.	0·26	0·27	0·26	51	26	25	7	11	4	7	4	33	5	2	5	1	1	–	2	2	–	–
Diseases of Nervous System	1·96	2·00	1·91	378	192	186	71	23	4	4	2	107	7	4	3	5	9	13	26	38	87	79
Diseases of Circulatory „	1·67	1·78	1·55	322	171	151	–	–	–	–	–	–	2	7	7	2	9	17	31	63	104	80
Diseases of Respiratory „	2·53	2·79	2·28	489	267	222	132	46	21	12	10	221	13	3	6	3	11	13	18	41	84	76
Diseases of Digestive „	0·64	0·72	0·56	124	69	55	13	7	2	1	–	23	2	1	6	–	8	11	14	21	23	15
Diseases of Urinary „	0·42	0·56	0·29	82	54	28	1	–	1	–	1	3	1	–	1	2	3	6	17	14	18	17
Diseases of Generative „	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Puerperal Fever	0·04	–	0·08	8	–	8	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–
Childbirth	0·05	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	–	7	2	–	–	–	–
Violence	0·62	0·90	0·34	119	86	33	9	4	4	4	1	22	12	13	7	3	7	13	4	15	11	12
Other Causes	4·18	4·05	4·33	810	388	422	285	17	3	2	3	310	3	7	8	10	5	13	14	22	127	291

Marriages 1,205

Births { Males 2,779 / Females 2,676 } 5,455

Annual Rate per 1000 living { Persons Married 12·47 / Births 28·22

Deaths from Childbirth and Puerperal Fever 3·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

169.—ST IVES.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death Rate per 1000.	Persons –	In Standard Population.* 14·28	†106	–	–	–	–	38·43	4·56	3·12	4·11	5·87	6·31	7·28	9·86	21·93	50·23	198·79
	Males –	14·90	†118	–	–	–	–	43·47	5·28	2·56	2·97	5·28	5·45	7·13	10·68	28·36	57·70	141·33
	Females –	13·68	†94	–	–	–	–	33·60	3·84	3·66	5·45	6·39	7·12	7·42	9·05	19·54	43·36	256·39
Mean Population, 1881–91.	Persons –	Decrease [illegible] of Population 4·61 per cent.	410	361	382	403	385	1941	1904	1921	1558	1128	1887	1717	1580	1283	888	457
	Males –		196	184	186	163	191	950	1004	988	842	549	918	844	764	616	408	211
	Females –		214	177	196	240	194	991	900	933	716	579	969	873	818	667	480	246
Deaths from All Causes, 1881–90.	Persons –	17·20	476	146	57	46	21	746	91	60	64	66	119	125	156	307	446	634
	Males –	17·92	270	82	31	18	12	413	53	24	25	29	50	58	77	174	245	298
	Females –	16·53	206	64	26	28	9	333	38	36	39	37	69	67	79	133	211	336

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.										
Small-pox –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles –	0·27	0·32	0·21	44	26	18	10	13	7	4	2	36	7	1	–	–	–	–	–	–	–
Scarlet Fever –	0·12	0·11	0·12	19	9	10	–	4	3	2	3	12	5	–	1	–	–	1	–	–	–	–
Diphtheria –	0·10	0·12	0·08	17	10	7	–	1	1	2	2	6	6	4	1	–	–	–	–	–	–	–
Whooping-cough –	0·26	0·19	0·34	43	15	28	17	13	8	4	1	43	–	–	–	–	–	–	–	–	–	–
Typhus –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever –	0·09	0·10	0·08	15	8	7	–	–	–	–	–	–	1	2	4	3	3	1	–	–	1	1
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0·32	0·35	55	26	29	23	6	1	–	1	31	1	–	–	–	1	–	–	4	9	9
Cholera –	0·01	0·01	0·01	2	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–
Cancer –	0·88	0·77	0·98	144	62	82	–	–	–	–	–	–	–	–	–	2	5	18	52	46	21	–
Tabes Mesenterica	0·28	0·25	0·31	46	20	26	19	10	3	2	–	34	5	3	3	1	–	–	–	–	–	–
Phthisis –	1·89	1·77	2·00	309	112	197	18	2	1	–	–	28	9	16	35	33	71	42	30	34	10	1
Other Tub. & Scrof. Dis.	0·32	0·39	0·25	52	31	21	13	6	3	2	1	25	9	6	4	3	–	2	2	1	–	–
Nervous System	2·07	2·01	2·12	338	161	177	47	15	9	10	2	83	15	8	4	6	3	11	18	32	84	68
Circulatory	1·46	1·76	1·17	239	141	98	1	–	–	–	–	1	2	1	3	5	5	7	28	50	74	64
Respiratory	2·84	3·01	2·69	465	241	224	101	18	11	15	4	179	13	2	3	1	8	16	18	47	93	85
Digestive	1·00	1·15	0·85	163	92	71	34	13	3	–	1	51	5	1	2	2	6	7	10	35	31	23
Urinary	0·34	0·42	0·25	55	34	21	2	–	–	–	1	3	1	–	1	–	2	3	10	14	11	10
Generative	0·07	0·01	0·12	11	1	10	–	1	–	–	–	1	–	–	–	–	1	1	4	1	2	1
Puerperal Fever –	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–
Childbirth –	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Violence –	0·85	0·77	0·84	90	62	28	5	1	5	3	1	15	8	7	2	4	6	11	4	13	9	9
OTHER CAUSES –	4·21	4·48	4·09	632	353	279	186	6	2	1	2	197	4	8		7	5	14	14	22	76	315

Marriages – – – 991

Births – Males – 2,269 } 4,483
Females – 2,214 }

Annual Rate per 1000 living { Persons Married 12·12 / Births – – 27·41

Deaths from Childbirth and Puerperal Fever – – – – – 2·68 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

170.—ST. NEOTS

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·15	†100	–	–	–	–	33·11	2·97	1·98	3·25	7·20	6·06	7·12	9·78	20·48	52·15	142·08
Annual Death-Rate per 1000. Males	—	Standard 13·82	†114	–	–	–	–	35·96	2·81	2·71	1·72	5·24	6·11	8·29	12·83	22·85	60·30	148·39
Annual Death-Rate per 1000. Females	—	Population* 12·51	†85	–	–	–	–	30·27	3·13	1·26	5·02	8·81	6·01	6·11	7·05	18·25	44·96	137·44
Mean Population, 1881–91. Persons	Decennial Decrease of Population 9·87 per cent.	16,073	397	376	403	385	396	1957	2022	1916	1509	1139	1882	1644	1534	1245	859	366
Mean Population, 1881–91. Males		7,812	193	192	207	187	200	979	1032	960	812	515	867	760	725	604	403	155
Mean Population, 1881–91. Females		8,261	204	184	196	198	196	978	990	956	697	624	1015	884	809	641	456	211
Deaths from All Causes, 1881–90. Persons	15·44	2,481	454	112	33	30	19	648	60	38	49	82	114	117	150	255	448	520
Deaths from All Causes, 1881–90. Males	16·23	1,268	261	58	16	10	7	352	29	26	14	27	53	63	93	138	243	230
Deaths from All Causes, 1881–90. Females	14·68	1,213	193	54	17	20	12	296	31	12	35	55	61	54	57	117	205	290

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·08	0·09	0·06	12	7	5	6	5	–	–	–	11	1	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·14	0·23	30	11	19	3	3	2	6	2	16	12	2	–	–	–	–	–	–
Diphtheria	0·17	0·17	0·18	28	13	15	1	2	–	2	4	9	7	4	2	4	1	1	–	–
Whooping-cough	0·24	0·18	0·30	39	14	25	21	10	3	3	–	37	2	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·11	0·15	0·07	18	12	6	–	–	–	–	–	–	–	2	6	4	3	–	–	3
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·32	0·37	0·28	52	29	23	24	6	1	–	–	31	–	–	–	–	–	–	1	1
Cholera	0·03	0·04	0·01	4	3	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	0·78	0·78	0·79	126	61	65	–	–	–	–	–	–	–	–	1	1	4	5	24	45
Tabes Mesenterica	0·12	0·14	0·10	19	11	8	7	2	3	1	–	13	–	2	1	–	2	1	–	–
Phthisis	1·33	1·27	1·39	214	99	115	13	5	–	3	1	22	1	2	20	35	54	31	17	18
Other Tub. & Scrof. Dis.	0·39	0·38	0·39	62	30	32	13	11	4	2	2	32	7	4	4	3	9	2	1	–
Diseases of Nervous System	1·99	2·33	1·67	320	182	138	40	9	9	2	2	62	5	7	2	3	5	12	13	39
Diseases of Circulatory „	1·53	1·64	1·43	246	128	118	1	–	–	1	–	2	1	3	1	5	8	14	21	41
Diseases of Respiratory „	2·86	2·85	2·87	460	223	237	92	34	8	5	7	146	7	2	3	6	13	17	26	45
Diseases of Digestive „	0·83	0·96	0·70	133	75	58	15	8	1	1	–	25	1	2	1	1	4	9	15	21
Diseases of Urinary „	0·45	0·69	0·30	72	47	25	–	–	–	–	–	–	1	1	–	2	1	2	5	16
Diseases of Generative „	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	1	–	1	1	1
Puerperal Fever	0·06	–	0·11	9	–	9	–	–	–	–	–	–	–	–	1	3	2	3	–	–
Childbirth	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	3	1	5	1	–
Violence	0·58	0·77	0·40	93	60	33	5	4	1	3	1	14	2	5	4	5	3	8	4	6
Other Causes	3·26	3·37	3·19	526	263	263	212	12	1	1	–	226	5	2	3	5	4	6	21	19

Marriages	1,071	Annual Rate per 1000 living	Persons Married	13·33	Deaths from Childbirth and Puerperal Fever 4·17 per 1000 Births.
Births Males	2,294		Births	28·33	
Births Females	2,259				
Births	4,553				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

171.—BEDFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.																		
Persons	–	In Standard Population* 16·74	4·18	–	–	–	–	41·61	4·73	2·56	3·09	4·19	5·26	7·25	12·89	22·61	37·75	148·20
Males	–		4·27	–	–	–	–	44·87	4·87	2·47	2·99	4·14	4·79	8·13	14·05	24·85	45·74	158·49
Females	–		4·09	–	–	–	–	37·17	4·59	2·67	3·19	4·22	5·63	7·09	11·45	20·62	32·67	140·31
Mean Population	Persons –	Decennial Increase of Population 19·84 per cent. 47,192	1112	1038	1082	1116	1138	5486	5581	5016	5235	4013	4177	3588	1443	3865	1066	422
	Males –		571	504	538	571	565	2739	2815	2518	2612	1979	2115	2459	1879	1411	829	365
	Females –		541	534	544	545	583	2,47	2765	2498	2623	2034	2062	2849	2254	1654	1067	450
Deaths from Small Pox, All Causes	Persons –	15·20 7,208	1·84	365	164	96	91	2356	264	144	165	108	385	384	321	693	1143	1149
	Males –	12·46 5,914	855	198	75	49	54	1229	147	72	79	79	130	1	205	3.2	2	371
	Females –	14·44 3,094	681	167	89	47	37	1021	127	72	86	48	1	2	2	3	1	1

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small Pox	0·00	0·00	0·00	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·24	0·25	0·23	112	63	49	21	40	12	8	8	89	14	3	3	–	–	–	–	–
Scarlet Fever	0·16	0·11	0·21	76	37	39	5	9	9	7	7	35	33	4	2	1	1	–	–	–
Diphtheria	0·32	0·32	0·31	149	72	77	6	13	17	26	22	84	50	9	1	1	3	–	1	–
Whooping-cough	0·39	0·38	0·40	185	84	101	105	45	13	11	5	177	8	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Enteric Fever	0·09	0·07	0·11	43	15	28	1	–	–	–	–	1	7	4	12	3	5	7	–	1	2	1
Simple Continued Fever	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·45	0·54	0·37	212	120	92	130	19	5	–	3	159	2	1	–	–	2	1	1	2	15	29
Cholera	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Cancer	0·69	0·58	0·80	326	126	200	–	1	1	–	–	2	1	1	1	1	6	23	71	82	92	41
Tabes Mesenterica	0·08	0·09	0·08	38	19	19	15	4	4	–	–	25	3	2	3	1	2	3	1	–	–	–
Phthisis	1·19	1·12	1·25	562	240	322	18	7	4	1	5	35	11	25	46	67	130	100	76	38	33	1
Other Tub. & Scrof. Dis.	0·71	0·21	0·20	99	48	51	20	12	7	3	4	46	16	11	10	4	3	4	4	–	1	1
Nervous System	2·14	2·19	2·08	1007	487	520	180	47	18	5	5	255	17	16	11	11	25	32	61	127	240	203
Circulatory ,,	1·39	1·43	1·35	655	319	336	3	1	1	–	1	6	10	12	16	7	20	44	72	140	198	130
Respiratory ,,	2·64	2·83	2·50	1244	647	597	277	115	52	26	24	494	31	7	12	7	32	41	68	96	223	233
Digestive ,,	0·96	1·05	0·87	454	237	217	80	23	4	1	–	114	11	10	11	9	14	31	37	74	85	58
Urinary ,,	0·40	0·29	0·54	191	131	60	1	–	1	1	–	3	5	5	4	3	7	15	25	37	55	34
Generative ,,	0·07	0·01	0·13	35	2	33	–	1	–	–	–	1	–	–	–	–	4	6	8	8	8	–
Puerperal Fever	0·05		0·10	25	–	25	–	–	–	–	–	–	–	–	–	5	11	9	–	–	–	–
Childbirth	0·06		0·12	30	–	30	–	–	–	–	–	–	–	–	–	9	8	12	1	–	–	–
Violence	0·84	1·08	0·64	301	240	61	14	9	11	6	5	45	25	14	19	30	20	23	9	30	29	18
Other Causes	3·22	3·46	3·00	1007	764	703	648	19	5	2	2	676	19	19	14	8	13	27	31	58	153	490

Marriages – Males 0·87 } Females 1·07 } 1·97

Annual Rate per 1000 living { Persons Married 12·72 / Births – 27·46

Deaths from Childbirth and Puerperal Fever – 4·24 per 1000 Births.

* See page xxiv. ante.

† The death-rates under one year of age are per 1000 Births.

172.—BIGGLESWADE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000. Persons	—	In 17·85	†126	–	–	–	–	44·86	4·80	3·55	4·20	7·24	9·39	11·82	15·95	28·01	64·62	164·60
Annual Death Rate per 1000. Males	—	Standard 18·74	†140	–	–	–	–	50·15	5·18	3·45	3·62	6·22	9·82	12·38	18·47	29·57	68·78	172·40
Annual Death Rate per 1000. Females	—	Population* 17·01	†110	–	–	–	–	39·53	4·41	3·65	4·89	8·16	9·02	11·34	13·82	26·65	60·88	157·65
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·09 per cent.	27,093	692	650	676	698	686	3402	3376	3159	2500	1934	3441	2944	2539	1967	1300	531
Mean Population, 1881–91. Males		13,193	358	310	351	343	345	1707	1699	1625	1355	917	1589	1357	1164	920	615	250
Mean Population, 1881–91. Females		13,395	334	340	325	355	341	1695	1677	1534	1145	1017	1852	1587	1375	1047	685	281
Deaths from All Causes, 1881–90. Persons	19·88	5,386	1042	258	107	59	60	1526	162	112	105	140	323	348	405	551	840	874
Deaths from All Causes, 1881–90. Males	21·00	2,771	596	149	57	26	28	856	88	56	49	57	156	168	215	272	423	431
Deaths from All Causes, 1881–90. Females	18·82	2,615	446	109	50	33	32	670	74	56	56	83	167	180	190	279	417	443

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·06	–	0·11	15	–	15	–	1	–	–	1	2	–	–	–	2	5	3	1	–	1	1
Measles	0·32	0·41	0·24	87	54	33	18	35	11	9	8	81	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·30	0·30	81	40	41	6	5	18	7	7	43	32	5	–	–	1	–	–	–	–	–
Diphtheria	0·23	0·24	0·22	63	32	31	1	2	7	7	7	24	31	7	–	1	–	–	–	–	–	–
Whooping-cough	0·39	0·33	0·44	105	44	61	56	27	9	6	4	102	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Enteric Fever	0·09	0·09	0·09	25	12	13	1	–	1	–	1	3	2	2	7	4	3	–	1	3	–	–
Simple Continued Fever	0·02	0·03	0·01	6	4	2	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0 35	0·34	93	46	47	52	12	3	1	–	68	1	–	–	–	–	–	–	4	2	2
Cholera	0·01	0·01	0·01	2	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	9	11
Cancer	0·58	0·40	0·75	157	53	104	–	–	–	–	–	–	–	–	1	–	4	10	32	57	41	12
Tabes Mesenterica	0·25	0·27	0·22	67	36	31	36	18	3	1	2	60	2	2	–	–	–	–	1	2	–	–
Phthisis	2·07	1·86	2·27	560	245	315	1	–	–	1	1	3	10	24	42	71	145	112	89	44	19	1
Other Tub. & Scrof. Dis.	0·41	0·50	0·32	111	66	45	43	13	3	2	3	64	16	12	2	4	6	2	2	1	2	–
Diseases of Nervous System	3·26	3·84	2·70	882	507	375	110	16	4	4	3	137	13	23	15	15	69	97	95	108	166	144
Diseases of Circulatory „	1·89	1·94	1·85	513	256	257	1	1	–	–	–	2	4	8	6	5	16	30	57	108	166	111
Diseases of Respiratory „	2·94	3·23	2·66	796	426	370	189	72	34	17	13	325	19	3	2	8	16	23	36	79	127	158
Diseases of Digestive „	1·33	1·47	1·19	360	194	166	67	28	3	3	1	102	5	6	7	6	11	20	44	53	68	38
Diseases of Urinary „	0·62	0·67	0·58	169	88	81	2	–	1	–	–	3	4	1	5	5	9	12	17	29	49	35
Diseases of Generative „	0·04	–	0·07	10	–	10	–	–	–	–	–	–	–	–	1	1	2	1	1	2	2	–
Puerperal Fever	0·04	–	0·08	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–
Childbirth	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	–	1	3	6	7	–	–	–	–
Violence	0·37	0·52	0·22	100	69	31	11	4	4	–	7	26	6	8	3	1	6	9	7	9	11	14
OTHER CAUSES	4·25	4·52	4·03	1154	596	558	447	23	5	1	2	478	8	9	13	12	19	17	22	52	177	347

Marriages - - - 1,691

Births - { Males - 4,252 } 8,290 { Females - 4,038 }

Annual Rate per 1000 living { Persons Married 12·48 / Births - - 30·60 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·38 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

173.—AMPTHILL.

Causes of Death.	Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Deaths to 1000 Persons, 1881–90.																		
Persons	—	In 15·13	†123	–	–	–	–	44·12	3·87	2·89	4·05	6·30	6·84	7·97	9·15	23·49	59·57	134·92
Males	—	Standard 14·52	†128	–	–	–	–	45·29	3·20	2·07	2·13	6·22	4·87	7·82	10·15	22·37	55·81	156·30
Females	—	Population* 15·71	†117	–	–	–	–	43·01	4·54	3·72	6·24	6·37	8·41	8·08	8·30	20·19	57·44	133·74
Mean Population, 1881–91. Persons	Decrease of Population 7·75 per cent.	17,924	398	388	408	398	407	1999	2013	1831	1407	1095	1856	1632	1475	1205	799	342
Males		7,482	190	180	208	194	204	976	1009	916	750	498	821	729	680	506	381	165
Females		8,142	208	208	200	204	203	1023	1013	915	657	597	1035	903	795	699	418	147
Deaths from All Causes, 1881–90. Persons	17·18	2,084	586	134	67	52	43	882	78	53	57	69	127	139	135	259	470	474
Males	17·25	1,289	363	61	29	29	20	442	32	19	16	34	40	57	69	159	265	248
Females	17·13	1,395	283	73	38	23	23	440	46	34	41	38	87	73	66	129	215	226

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·12	0·17	0·07	19	13	6	1	–	–	–	–	1	–	–	–	2	3	5	2	2	1	3
Measles	0·17	0·13	0·20	26	10	16	3	10	4	2	3	22	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·23	0·31	42	17	25	1	5	10	7	6	29	8	4	1	–	–	–	–	–	–	–
Diphtheria	0·16	0·20	0·12	25	15	10	1	–	3	4	5	13	10	–	–	–	–	–	1	1	–	–
Whooping-cough	0·38	0·33	0·43	60	25	35	31	18	8	2	–	59	–	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·09	0·10	15	7	8	–	–	–	–	1	1	2	3	3	2	2	–	–	–	2	–
Simple continued Fever	0·03	–	0·06	5	–	5	–	–	–	–	1	1	3	1	1	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·33	0·37	0·28	51	28	23	27	5	1	3	1	37	2	–	–	–	–	–	–	4	3	5
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·60	0·56	0·64	94	42	52	–	–	–	–	–	–	–	–	–	–	4	6	15	26	35	10
Tabes Mesenterica	0·12	0·07	0·16	18	5	13	6	3	2	1	1	13	3	–	–	–	1	1	–	–	–	–
Phthisis	1·40	1·08	1·70	219	81	138	1	1	–	–	–	2	4	9	29	38	60	35	20	17	4	1
Other Tub. & Scrof. Dis.	0·18	0·20	0·16	28	15	13	6	1	1	4	3	15	2	3	3	1	3	–	1	–	–	–
Nervous System	2·39	2·19	2·58	358	164	194	79	12	8	3	7	109	16	4	4	6	7	15	21	36	79	61
Circulatory ,,	1·88	1·90	1·87	294	142	152	–	–	–	–	–	–	2	4	2	2	10	21	15	59	111	68
Respiratory ,,	2·66	2·94	2·41	416	220	196	115	43	24	18	12	212	9	6	1	1	5	10	19	38	67	45
Digestive ,,	1·18	1·03	1·31	184	77	107	32	13	1	1	1	48	4	7	1	6	4	13	18	30	40	13
Urinary ,,	0·33	0·52	0·16	52	39	13	1	–	–	1	–	2	–	1	–	2	2	1	5	15	17	7
Generative ,,	0·04	0·01	0·06	6	1	5	–	1	–	–	–	1	–	–	–	–	–	–	1	1	1	2
Puerperal Fever	0·08	–	0·16	13	–	13	–	–	–	–	–	–	–	–	–	3	3	1	6	1	–	–
Convulsions	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Violence	0·36	0·43	0·29	56	32	24	1	–	1	1	–	3	5	4	5	1	4	3	7	8	8	7
Other Causes	4·45	4·77	4·19	696	355	341	281	22	4	5	2	314	5	6	5	5	17	12	9	21	54	248

Marriages	–	202	Annual Rate per 1000 living	Persons Married	12·40
Births	Males 246 / Females 244	490		Births – –	30·59

Deaths from Childbirth and Puerperal Fever – – – – – 3·97 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

174.—WOBURN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—			In Standard Population*		14·88 15·50 14·30	†112	–	–	–	–	40·74	4·34	3·01	4·35	5·17	6·24	9·17	11·41	20·62	55·37	147·56
Annual Death Rate per 1000. Males	—						†127	–	–	–	–	45·23	5·03	2·22	3·60	4·65	6·13	10·39	9·25	23·36	57·69	167·57
Annual Death Rate per 1000. Females	—						†95	–	–	–	–	36·04	3·60	3·82	5·18	5·57	6·33	8·23	13·16	18·16	53·21	131·11
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·81 per cent.			9,588			225	221	216	214	231	1107	1152	1064	897	696	1169	992	920	805	540	246
Mean Population, 1881–91. Males				4,577			119	110	114	111	112	566	596	540	472	301	506	433	411	381	260	111
Mean Population, 1881–91. Females				5,011			106	111	102	103	119	541	556	524	425	395	663	559	509	424	280	135
Deaths from All Causes, 1881–90. Persons	17·78			1,705			290	73	40	30	18	451	50	32	39	36	73	91	105	166	299	363
Deaths from All Causes, 1881–90. Males	18·96			868			175	39	13	17	12	256	30	12	17	14	31	45	38	89	150	186
Deaths from All Causes, 1881–90. Females	16·70			837			115	34	27	13	6	195	20	20	22	22	42	46	67	77	149	177
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·20	0·12	15	9	6	1	9	–	3	–	13	1	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·23	0·28	0·18	22	13	9	1	1	4	6	2	14	6	–	–	1	–	1	–	–	–	–
Diphtheria	0·31	0·44	0·20	30	20	10	–	2	4	6	3	15	13	2	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·33	0·20	25	15	10	12	5	4	3	1	25	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·02	0·12	7	1	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–
Diarrhœa and Dysentery	0·32	0·31	0·34	31	14	17	18	3	1	–	1	23	1	–	–	–	–	–	–	1	–	–
Cholera	0·04	0·04	0·04	4	2	2	1	1	–	–	–	2	–	–	–	–	–	–	1	–	2	5
Cancer	0·84	0·59	1·08	81	27	54	–	–	–	–	–	–	–	–	–	–	–	6	16	22	24	13
Tabes Mesenterica	0·09	0·07	0·12	9	3	6	5	–	1	–	1	7	–	–	–	–	1	1	–	–	–	–
Phthisis	1·15	0·81	1·46	110	37	73	–	–	–	–	–	–	2	7	12	14	26	27	15	6	–	1
Other Tub. & Scrof. Dis.	0·53	0·72	0·36	51	33	18	12	9	4	3	2	30	4	4	1	3	5	1	–	3	–	–
Diseases of Nervous System	2·34	2·69	2·02	224	123	101	26	7	4	2	1	40	1	2	5	1	6	6	12	25	72	54
Diseases of Circulatory „	2·32	2·40	2·24	222	110	112	7	–	–	–	–	7	6	2	4	2	7	10	19	32	68	65
Diseases of Respiratory „	2·88	2·99	2·77	276	137	139	55	22	11	3	7	98	8	2	2	1	7	9	13	25	53	57
Diseases of Digestive „	1·12	1·14	1·10	107	52	55	18	4	5	2	–	29	1	4	2	4	–	8	9	21	17	12
Diseases of Urinary „	0·58	0·83	0·36	56	38	18	2	–	–	–	–	2	2	1	–	–	2	1	3	13	16	16
Diseases of Generative „	0·09	–	0·18	9	–	9	–	–	1	–	–	1	–	–	–	1	1	3	1	2	–	–
Puerperal Fever	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Childbirth	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	1	–	5	1	–	–	–	–
Violence	0·40	0·57	0·24	38	26	12	2	1	1	2	–	6	4	5	3	–	2	7	3	2	4	2
OTHER CAUSES	3·92	4·51	3·33	375	207	168	130	9	–	–	–	159	1	1	9	7	7	8	11	13	41	138

Marriages 645

Births { Males 1,382 / Females 1,207 } 2,589

Annual Rate per 1000 living { Persons Married 13·45 / Births 27·09

Deaths from Childbirth and Puerperal Fever 4·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

175.—LEIGHTON BUZZARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Deaths (Persons)	—	In Standard 15·25	†121	–	–	–	–	43·98	4·83	2·42	2·78	4·40	5·56	8·07	10·43	27·83	59·47	157·64
Deaths (Males) per 1000 (Females)	—	Standard Population* 14·89	†136	–	–	–	–	45·84	5·21	2·44	1·46	3·86	4·64	9·40	10·56	22·96	66·76	155·63
	—		†106	–	–	–	–	39·44	4·46	2·40	4·12	4·86	6·40	8·03	10·32	32·72	53·18	159·59
Mean Population (Persons)	Decennial Increase of Population 1·90 per cent.	18,484	485	469	496	474	493	2417	2360	2149	1763	1408	2409	2065	1582	1222	792	288
1881–91. (Males)		8,819	241	226	248	237	254	1206	1171	1065	889	647	1080	957	729	575	367	142
(Females)		9,635	244	243	248	237	239	1211	1189	1084	873	761	1329	1108	862	647	435	146
Deaths from All Causes (Persons)	16·88	3,092	718	175	73	56	41	1063	114	52	49	62	134	179	165	279	471	454
1881–90. (Males)	17·81	1,527	409	89	37	34	20	589	61	26	13	25	49	90	76	132	245	221
(Females)	15·52	1,495	309	86	36	22	21	474	53	26	36	37	85	89	89	147	226	233

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.											
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·48	0·55	0·53	79	47	32	16	23	13	8	6	66	10	3	–	–	1	–	–	–	–	–
Scarlet Fever	0·17	0·13	0·17	27	11	16	1	4	7	4	3	19	7	–	–	1	–	–	–	–	–	–
Diphtheria	0·10	0·10	0·09	18	9	9	–	–	1	2	–	3	12	1	–	2	–	–	–	–	–	–
Whooping-cough	0·28	0·28	0·28	52	25	27	28	11	3	2	4	48	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·17	0·10	25	15	10	–	–	–	2	–	2	5	5	2	1	2	–	4	–	3	1	–	1
Simple Continued Fever	0·02	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	16
Diarrhœa and Dysentery	0·41	0·41	0·40	75	36	39	36	19	1	–	–	47	1	1	–	–	–	–	–	–	4	5	–	–
Cholera	0·02	0·01	0·02	3	1	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
Cancer	0·54	0·40	0·66	99	35	64	1	–	–	–	–	1	–	–	1	–	1	9	18	33	23	13	–	–
Tabes Mesenterica	0·43	0·54	0·42	88	48	40	67	9	3	3	3	85	2	1	–	–	–	–	–	–	–	–	–	–
Phthisis	1·33	1·10	1·55	246	97	149	3	2	1	1	1	8	7	9	18	29	53	54	37	20	10	1	1	–
Other Tub. & Scrof. Dis.	0·43	0·54	0·32	79	48	31	30	10	4	7	1	52	8	5	4	–	1	5	1	–	2	1	1	–
Diseases of Nervous System	2·36	2·44	2·28	435	215	220	69	20	7	5	1	102	11	2	3	2	14	13	20	54	115	90	29	5
Circulatory	1·26	1·18	1·37	232	109	132	6	–	–	–	1	7	–	3	5	5	10	13	16	46	76	53	19	3
Respiratory	3·04	3·56	2·55	559	344	246	125	55	23	17	12	238	17	3	4	5	14	23	22	45	103	90	29	5
Digestive	0·48	1·01	0·04	180	89	91	27	7	2	3	2	41	6	5	4	2	6	13	18	18	43	25	9	2
Urinary	0·18	0·34	0·30	77	48	29	1	–	–	–	–	1	5	1	–	2	3	7	3	13	21	22	6	1
Generative	0·03	0·01	0·05	6	1	5	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	1	–	–
Puerperal Fever	0·08	–	0·15	14	–	14	–	–	–	–	–	–	–	–	–	4	5	2	–	–	–	–	–	–
Childbirth	0·07	–	0·14	13	–	13	–	–	–	–	–	–	–	–	2	1	3	7	7	11	10	4	–	–
Violence	0·40	0·57	0·17	74	57	17	6	3	2	2	–	13	5	7	–	2	7	7	7	11	10	4	–	–
Other Causes	3·41	3·72	3·44	637	326	311	361	91	6	–	1	339	14	6	6	5	11	21	23	32	61	129	29	5

Marriages - - - 1185

Births (Males - 3,008) (Females - 2,911) 5919

Annual Rate per 1000 living { Persons Married 12·84 / Births - 32·07

Deaths from Childbirth and Puerperal Fever - - - - } 4·56 per 1000 Births.

* See page xxxvi [illegible].

† The death-rates under one year of age are per 1000 Births.

176.—LUTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·33	†154	–	–	–	–	61·06	4·26	2·41	2·87	4·45	6·33	9·46	14·40	26·29	65·03	156·22
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·33	†172	–	–	–	–	66·88	4·40	2·25	2·65	4·27	6·25	10·28	15·94	27·79	70·00	165·42
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·38	†134	–	–	–	–	55·20	4·12	2·56	3·05	4·56	6·38	8·86	13·23	25·14	61·22	149·30
Mean Population, 1881-91. Persons	Decennial Increase of Population 13·56 per cent.	42,178	1147	1047	1076	1071	1026	5367	5025	4689	4349	3755	6039	4787	3667	2552	1450	498
Mean Population, 1881-91. Males	Decennial Increase of Population 13·56 per cent.	18,967	588	529	538	520	518	2693	2498	2265	1923	1498	2510	2043	1581	1112	630	214
Mean Population, 1881-91. Females	Decennial Increase of Population 13·56 per cent.	23,211	559	518	538	551	508	2674	2527	2424	2426	2257	3529	2744	2086	1440	820	284
Deaths from All Causes, 1881-90. Persons	18·14	7,651	2240	542	225	154	116	3277	214	113	125	167	382	453	528	671	943	778
Deaths from All Causes, 1881-90. Males	20·03	3,800	1278	286	98	75	64	1801	110	51	51	64	157	210	252	309	441	354
Deaths from All Causes, 1881-90. Females	16·59	3,851	962	256	127	79	52	1476	104	62	74	103	225	243	276	362	502	424

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.												
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·26	0·30	0·23	110	56	54	16	43	18	15	10	102	7	1	–	–	–	–	–	–	–
Scarlet Fever	0·45	0·49	0·41	188	93	95	9	26	33	30	29	127	50	5	2	1	2	1	–	–	–
Diphtheria	0·13	0·16	0·11	55	30	25	3	6	10	8	10	37	12	3	2	1	–	–	–	–	–
Whooping-cough	0·39	0·35	0·43	166	66	100	73	55	19	10	4	161	5	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·09	0·05	0·12	37	10	27	–	–	1	1	–	2	1	6	10	6	6	4	1	1	–
Simple, Continued Fever	0·02	0·04	0·01	10	7	3	–	–	1	–	1	2	–	1	1	–	3	1	–	1	1
Diarrhœa and Dysentery	0·92	1·08	0·80	389	204	185	315	47	4	1	–	367	2	–	–	–	2	1	–	3	4
Cholera	0·00	0·01	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·42	0·91	292	80	212	–	–	–	–	1	1	1	–	1	1	11	38	62	70	76
Tabes Mesenterica	0·19	0·25	0·13	79	48	31	53	10	2	2	1	68	5	1	–	2	1	2	–	–	–
Phthisis	1·70	1·77	1·64	716	336	380	46	14	5	1	–	66	11	22	56	70	176	140	95	49	26
Other Tub. & Scrof. Dis.	0·39	0·49	0·31	165	93	72	66	31	15	5	4	121	15	10	2	5	6	2	4	–	–
Diseases of Nervous System	2·44	2·72	2·20	1027	516	511	271	53	23	13	10	370	23	6	5	14	23	37	73	141	201
Diseases of Circulatory „	1·55	1·44	1·63	652	273	379	–	–	–	–	1	1	9	16	11	10	32	61	88	145	183
Diseases of Respiratory „	3·01	3·42	2·68	1269	648	621	351	175	65	54	36	681	40	8	3	14	30	46	62	89	184
Diseases of Digestive „	0·86	0·96	0·78	364	182	182	65	25	4	2	3	99	10	4	5	5	12	40	48	60	62
Diseases of Urinary „	0·39	0·56	0·25	163	106	57	2	3	1	–	2	8	4	4	2	9	15	10	26	30	40
Diseases of Generative „	0·03	0·01	0·04	11	1	10	1	–	–	–	–	1	–	–	–	–	3	1	2	2	2
Puerperal Fever	0·06	–	0·11	26	–	26	–	–	–	–	–	–	–	–	1	6	7	12	–	–	–
Childbirth	0·07	–	0·12	28	–	28	–	–	–	–	–	–	–	–	3	5	13	7	–	–	–
Violence	0·32	0·54	0·14	135	103	32	16	3	5	6	2	32	5	6	8	4	11	9	16	20	15
OTHER CAUSES	4·18	4·96	3·54	1766	946	820	953	50	19	6	2	1030	14	20	13	13	29	40	51	60	149

Marriages	3,296	Annual Rate per 1000 living	Persons Married	15·63	Deaths from Childbirth and Puerperal Fever 3·71 per 1000 Births.
Births Males	7,409		Births	34·53	
Births Females	7,155				
Births	14,564				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

177.—CAXTON

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons —	In Standard Population.* 13·11	†101	–	–	–	–	34·60	3·36	2·15	3·36	7·77	6·44	7·70	8·17	17·36	45·99	142·86
	Males —	12·79	†113	–	–	–	–	37·76	4·11	2·09	2·96	4·47	4·28	6·76	7·06	19·26	47·27	159·65
	Females —	13·41	† 99	–	–	–	–	31·50	2·60	2·31	3·96	11·74	8·56	8·49	9·27	15·38	44·78	128·39
Mean Population, 1881–91.	Persons —	Decennial Decrease of Population, 9·16 per cent. 9,883	262	242	245	244	270	1263	1739	1211	862	656	1087	1040	906	743	524	262
	Males —	5,013	138	125	123	119	135	625	882	649	506	358	568	563	453	379	266	114
	Females —	4,870	139	117	122	125	135	638	707	562	356	298	549	537	453	364	268	148
Deaths from All Causes, 1881–90.	Persons — 15·98	1,540	293	70	34	25	15	437	45	26	29	51	70	78	74	129	211	369
	Males — 15·38	771	158	39	22	10	7	236	26	13	15	16	23	34	32	75	124	182
	Females — 15·79	769	135	31	12	15	8	201	19	13	14	35	47	44	42	56	129	178

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·16	0·08	12	8	4	4	3	1	1	1	10	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·17	0·08	0·27	17	4	13	–	4	3	2	2	11	5	–	1	1	–	–	–	–	–
Diphtheria	0·17	0·26	0·08	17	13	4	3	–	2	2	2	9	6	–	1	1	–	–	–	–	–
Whooping cough	0·30	0·22	0·39	30	11	19	19	6	2	2	1	30	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·10	10	5	5	–	1	–	–	–	1	1	1	–	2	2	2	–	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·26	0·23	24	13	11	8	3	–	–	–	11	–	–	–	–	–	1	1	4	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·40	0·82	60	20	40	–	–	–	–	–	–	–	–	–	–	1	7	9	11	26	6
Tabes Mesenterica	0·20	0·24	0·16	20	12	8	11	2	1	–	1	15	2	–	–	–	–	1	1	1	1	–
Phthisis	1·43	1·06	1·81	141	53	88	–	1	3	–	–	4	3	6	8	30	36	23	18	7	5	1
Other Tub. & Scrof. Dis.	0·18	0·26	0·10	18	13	5	3	1	1	1	–	6	2	1	1	–	–	3	–	3	2	–
Diseases of — Nervous System	1·77	1·64	1·91	175	82	93	25	6	4	3	–	38	6	2	5	2	3	3	12	19	38	33
Circulatory	1·43	1·48	1·38	141	74	67	2	–	–	–	2	4	3	–	2	4	6	5	9	26	44	36
Respiratory	2·58	2·97	2·18	255	149	106	63	25	9	3	4	104	7	7	2	2	2	10	7	19	44	47
[illegible]	0·99	1·04	0·94	98	52	46	11	11	–	2	–	24	3	1	2	3	–	7	3	17	19	19
[illegible]	0·48	0·54	0·41	47	27	20	–	–	1	–	–	1	–	–	–	1	1	1	5	12	16	10
Generative	0·05	0·02	0·08	5	1	4	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–
Puerperal Fever	0·13	–	0·27	13	–	13	–	–	–	–	–	–	–	–	2	–	7	4	–	–	–	–
Childbirth	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–	–
Violence	0·50	0·60	0·39	49	30	19	8	2	3	4	1	18	3	3	3	1	5	4	4	2	6	1
Other Causes	4·06	4·05	4·05	401	204	197	137	5	4	–	1	147	3	3	1	2	5	7	3	13	37	180

Marriages	512	Annual Rate per 1000 living	Persons Married	10·36
Births — Males 1,338 / Females 1,505	2,843		Births	29·37
		Deaths from Childbirth and Puerperal Fever		6·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

178.—CHESTERTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·51	†107	–	–	–	–	37·65	5·09	2·76	3·49	6·49	6·88	9·28	12·73	21·97	48·44	134·61
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·03	†120	–	–	–	–	41·21	5·29	2·72	2·54	6·05	6·34	9·49	13·19	24·60	55·25	141·43
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·02	† 94	–	–	–	–	34·10	4·89	2·80	4·65	6·90	7·39	9·09	12·31	19·52	42·54	128·91
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·68 per cent.	30,019	728	735	766	748	763	3740	3734	3405	2780	2234	3869	3350	2694	2094	1414	705
Mean Population, 1881–91. Males	Decennial Increase of Population 6·68 per cent.	14,856	379	351	388	365	383	1866	1873	1725	1533	1075	1894	1623	1281	1008	657	321
Mean Population, 1881–91. Females	Decennial Increase of Population 6·68 per cent.	15,163	349	384	378	383	380	1874	1861	1680	1247	1159	1975	1727	1413	1086	757	384
Deaths from All Causes, 1881–90. Persons	16·48	4,948	915	236	100	89	68	1408	190	94	97	145	266	311	343	460	685	949
Deaths from All Causes, 1881–90. Males	17·01	2,527	513	123	56	46	31	769	99	47	39	65	120	154	169	248	363	454
Deaths from All Causes, 1881–90. Females	15·97	2,421	402	113	44	43	37	639	91	47	58	80	146	157	174	212	322	495

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·22	0·24	0·19	65	36	29	14	16	15	5	4	54	11	–	–	–	–	–	–
Scarlet Fever	0·14	0·13	0·14	41	20	21	2	5	9	6	5	27	12	1	–	–	1	–	–
Diphtheria	0·45	0·46	0·45	136	68	68	11	7	16	12	18	64	47	10	3	2	2	2	1
Whooping-cough	0·40	0·35	0·45	120	52	68	49	45	7	11	3	115	4	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·13	0·21	52	20	32	1	–	–	1	1	3	7	4	7	8	13	3	1
Simple Continued Fever	0·01	0·01	0·01	3	1	2	–	–	–	1	–	1	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·40	0·48	0·33	121	71	50	69	7	1	2	–	79	1	–	–	–	2	4	1
Cholera	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·77	0·65	0·89	232	97	135	–	–	–	–	–	–	–	–	1	–	1	19	39
Tabes Mesenterica	0·11	0·12	0·10	32	17	15	14	1	–	1	2	18	4	3	2	–	3	–	–
Phthisis	1·87	1·78	1·97	562	264	298	30	4	–	1	1	36	11	19	41	80	114	96	85
Other Tub. & Scrof. Dis.	0·48	0·49	0·47	145	73	72	32	17	6	11	6	72	27	16	8	6	2	7	4
Diseases of: Nervous System	2·24	2·46	2·04	674	365	309	87	10	9	9	3	118	12	11	4	10	24	53	56
Diseases of: Circulatory „	1·56	1·66	1·47	469	246	223	4	3	–	–	1	8	2	5	3	5	17	27	41
Diseases of: Respiratory „	2·71	3·13	2·30	814	465	349	183	77	27	19	15	321	26	3	10	5	22	22	42
Diseases of: Digestive „	1·01	0·96	1·07	304	142	162	63	17	3	4	5	92	5	4	6	2	10	12	30
Diseases of: Urinary „	0·37	0·44	0·30	112	66	46	–	1	1	1	–	3	4	2	–	1	7	11	18
Diseases of: Generative „	0·04	0·01	0·07	11	1	10	–	–	–	–	–	–	–	–	–	–	2	2	2
Puerperal Fever	0·06	–	0·12	18	–	18	–	–	–	–	–	–	–	–	–	7	5	6	–
Childbirth	0·07	–	0·14	21	–	21	–	–	–	–	–	–	–	–	1	4	11	5	–
Violence	0·51	0·74	0·29	154	110	44	14	6	2	5	1	28	7	12	5	10	10	20	11
Other Causes	2·88	2·76	2·94	857	411	446	342	20	4	–	3	369	10	4	5	5	20	21	11

Marriages	1,776	Annual Rate per 1000 living	Persons Married	11·83	Deaths from Childbirth and Puerperal Fever 4·55 per 1000 Births.
Births Males	4,285		Births	28·58	
Births Females	4,293				
Births	8,578				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

179.—CAMBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·10	†133	–	–	–	–	30·37	4·82	2·50	3·76	4·13	7·56	11·68	18·07	31·84	58·19	151·55
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·78	†139	–	–	–	–	31·58	4·74	2·57	4·31	4·17	9·16	14·70	22·81	39·66	71·23	168·10
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·51	†126	–	–	–	–	30·34	4·90	2·43	3·29	4·09	6·27	9·23	14·40	26·23	49·94	142·16
Mean Population 1881-91. Persons	Decennial Increase of Population 4·58 per cent.	36,173	883	766	823	840	813	4124	3922	3959	4123	3705	5198	4119	3605	2120	1318	590
Mean Population 1881-91. Males	Decennial Increase of Population 4·58 per cent.	16,724	441	399	417	414	430	2062	1941	1903	1902	1799	2326	1844	1311	885	511	210
Mean Population 1881-91. Females	Decennial Increase of Population 4·58 per cent.	19,449	441	376	406	426	383	2062	1981	2056	2221	1906	2872	2275	1694	1235	807	370
Deaths from All Causes, 1881-90. Persons	17·79	6,436	1329	395	175	123	81	2102	189	99	155	153	393	481	543	675	767	879
Deaths from All Causes, 1881-90. Males	19·30	3,223	716	192	79	61	31	1079	92	49	82	75	213	271	299	351	364	353
Deaths from All Causes, 1881-90. Females	16·49	3,208	613	203	96	61	50	1023	97	50	73	78	180	210	244	324	403	526

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Measles	0·28	0·26	0·30	101	43	58	15	41	19	11	7	93	6	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·16	0·16	0·16	58	27	31	1	8	10	12	5	36	15	5	1	–	–	1	–	–	–	–
Diphtheria	0·22	0·22	0·23	80	36	44	1	5	11	14	15	46	22	6	2	–	1	–	1	2	–	–
Whooping-cough	0·46	0·47	0·45	166	79	87	76	48	21	12	5	162	3	–	1	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·11	0·14	46	19	27	–	2	–	1	2	5	2	6	7	4	11	5	4	1	–	–
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	1	–	1	–	2	–	1	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·61	0·65	0·58	220	108	112	168	23	3	–	1	195	3	–	–	–	–	1	1	4	4	12
Cholera	0·01	0·01	0·01	3	2	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
Cancer	0·95	0·87	1·02	343	145	198	–	–	–	–	–	–	4	–	3	2	8	42	46	122	81	35
Tabes Mesenterica	0·24	0·27	0·22	88	45	43	51	15	3	1	–	70	3	2	3	–	4	4	2	–	–	–
Phthisis	2·01	2·51	1·53	727	419	308	17	15	7	4	2	45	9	18	50	77	172	159	117	67	21	2
Other Tub. & Scrof. Dis.	0·49	0·56	0·44	178	93	85	40	38	13	10	10	111	24	11	9	5	5	4	6	2	1	–
Nervous System	1·89	1·91	1·87	682	319	363	111	33	13	8	7	172	15	10	17	8	14	32	62	85	136	131
Circulatory	1·54	1·50	1·57	557	251	306	8	2	–	1	1	12	9	6	12	9	26	48	69	102	131	133
Respiratory	3·19	3·44	2·97	1154	576	578	279	111	55	32	16	493	27	6	8	7	30	47	68	117	176	175
Digestive	1·01	1·15	0·89	366	193	173	81	15	3	5	2	106	11	5	2	7	17	36	37	53	44	41
Urinary	0·69	0·84	0·57	251	140	111	4	1	2	–	2	9	4	3	3	5	18	28	45	45	60	31
Generative	0·10	0·01	0·17	36	2	34	1	–	–	–	–	1	–	–	–	4	7	5	5	6	8	–
Puerperal Fever	0·06	–	0·11	21	–	21	–	–	–	–	–	–	–	–	1	4	6	10	–	–	–	–
Childbirth	0·04	–	0·08	16	–	16	–	–	–	–	–	–	–	–	–	1	8	5	2	–	–	–
Violence	0·62	0·95	0·34	225	159	66	25	7	5	6	3	46	12	7	7	3	31	16	31	26	25	21
Other Causes	3·07	3·39	2·76	1111	569	542	450	30	9	4	3	496	19	12	22	16	32	39	46	53	79	207

Marriages - - - 2,497

Births - {Males - 5,155 / Females - 4,862} 10,017

Annual Rate per 1000 living {Persons Married 13·56 / Births - - 27·69}

Deaths from Childbirth and Puerperal Fever - - - - - 3·69 per 1000 Births.

* Add-persons living-census.

† The death rates under one year of age are per 1000 Births.

180.—LINTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·44	†100	–	–	–	–	32·36	4·74	1·92	3·68	5·87	5·88	7·92	11·35	22·49	48·80	147·01
Males	—	Standard 13·75	†107	–	–	–	–	34·52	4·17	1·42	3·28	6·33	5·05	8·80	11·38	25·39	56·07	153·52
Females	—	Population* 13·14	† 94	–	–	–	–	30·18	5·31	2·41	4·21	5·42	6·68	7·10	11·32	19·65	42·62	142·19
Mean Population, 1881-91. Persons	Decennial Decrease of Population 2·67 per cent.	12,870	329	317	345	340	350	1681	1687	1563	1224	903	1496	1301	1119	898	664	334
Males		6,400	163	167	173	162	181	846	840	775	702	442	733	625	545	445	305	142
Females		6,470	166	150	172	178	169	835	847	788	522	461	763	676	574	453	359	192
Deaths from All Causes, 1881-90. Persons	16·22	2,087	384	83	37	18	22	544	80	30	45	53	88	103	127	202	324	491
Males	16·33	1,045	209	43	19	9	12	292	35	11	23	28	37	55	62	113	171	218
Females	16·11	1,042	175	40	18	9	10	252	45	19	22	25	51	48	65	89	153	273

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Measles	0·28	0·23	0·32	36	15	21	8	10	4	2	2	26	9	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·23	0·15	25	15	10	4	5	3	4	4	20	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·15	0·17	0·12	19	11	8	1	2	2	–	3	8	7	3	–	–	–	–	–	–	–	1
Whooping-cough	0·29	0·22	0·36	37	14	23	23	6	4	2	1	36	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·29	0·25	0·32	37	16	21	1	–	–	1	–	2	6	3	5	5	8	4	3	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·36	0·31	43	23	20	19	7	2	1	2	31	–	–	–	–	–	1	–	–	3	8
Cholera	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Cancer	0·68	0·56	0·79	87	36	51	–	–	–	–	–	–	–	1	–	–	1	5	13	24	35	8
Tabes Mesenterica	0·14	0·13	0·15	18	8	10	5	6	2	–	–	13	3	–	–	–	–	1	1	–	–	–
Phthisis	1·46	1·39	1·53	188	89	99	5	4	1	1	1	12	10	4	23	26	42	27	24	14	5	1
Other Tub. & Scrof. Dis.	0·33	0·28	0·37	42	18	24	15	10	3	1	1	30	6	2	1	1	–	–	1	–	1	–
Diseases of Nervous System	2·22	2·13	2·32	286	136	150	47	1	4	1	2	55	7	2	2	5	9	6	16	34	66	84
Diseases of Circulatory „	1·90	1·97	1·84	245	126	119	1	–	–	–	–	1	1	4	2	3	3	14	21	52	77	67
Diseases of Respiratory „	2·24	2·44	2·06	289	156	133	66	23	4	5	5	103	14	1	2	3	3	13	13	30	46	61
Diseases of Digestive „	0·76	0·73	0·79	98	47	51	13	3	3	–	–	19	3	1	–	1	3	9	11	18	17	16
Diseases of Urinary „	0·37	0·47	0·28	48	30	18	1	–	–	–	–	1	–	1	2	2	1	3	6	7	20	5
Diseases of Generative „	0·02	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Puerperal Fever	0·05	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–
Childbirth	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–
Violence	0·47	0·75	0·19	60	48	12	6	–	4	–	1	11	6	3	1	2	4	6	4	9	5	9
OTHER CAUSES	3·95	3·98	3·92	509	255	254	169	6	1	–	–	176	2	3	6	2	8	10	11	14	46	231

Marriages - - - 722

Births - Males - 1,951 / Females - 1,870 = 3,821

Average Rate per 1000 living: Persons Married 11·22; Births - - 29·69

Deaths from Childbirth and Puerperal Fever - - - - - 3·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

181.—NEWMARKET.

Causes of Death.	Crude Death Rate per 1000	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000. Persons	—	In 14·92	120	–	–	–	–	42·31	1·09	2·39	3·72	5·28	7·09	7·39	12·55	22·49	52·44	144·40
Annual Death Rate per 1000. Males	—	Steventon 15·92	134	–	–	–	–	47·17	1·17	2·14	3·25	5·46	6·83	8·19	12·57	25·55	60·33	150·14
Annual Death Rate per 1000. Females	—	Population* 13·97	106	–	–	–	–	37·91	1·03	2·68	3·87	5·08	7·18	6·69	12·53	19·61	44·96	138·16
Mean Population, 1881–91. Persons	Decennial Increase of Population, 7·82 per cent.	20,330	763	678	756	761	743	3731	3549	3269	2849	2253	3771	3138	2582	2068	1573	896
Mean Population, 1881–91. Males	Decennial Increase of Population, 7·82 per cent.	11,891	387	352	373	368	373	1853	1773	1731	1600	1139	1904	1582	1357	1092	668	501
Mean Population, 1881–91. Females	Decennial Increase of Population, 7·82 per cent.	14,438	406	325	383	393	370	1878	1776	1538	1239	1103	1867	1576	1225	1026	705	395
Deaths from All Causes, 1881–90. Persons	17·17	5,068	1082	287	199	64	44	1586	142	79	100	121	264	232	324	465	720	1005
Deaths from All Causes, 1881–90. Males	17·39	2,093	605	150	57	38	24	874	74	37	52	65	130	128	158	256	403	479
Deaths from All Causes, 1881–90. Females	16·44	2,585	477	137	52	26	20	712	68	42	48	56	134	104	166	209	317	526

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	–	5	5	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–
Measles	0·24	0·24	0·23	69	35	34	18	26	13	6	–	63	6	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·17	0·17	49	25	24	3	5	7	6	4	25	13	6	2	1	2	–	–	–
Diphtheria	0·18	0·14	0·22	54	21	32	1	4	2	5	5	17	25	8	2	1	–	–	–	–
Whooping-cough	0·27	0·28	0·26	80	43	38	46	17	7	5	3	78	2	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Enteric Fever	0·15	0·18	0·13	42	26	19	1	1	1	–	–	3	8	5	7	6	8	2	5	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Diarrhœa and Dysentery	0·41	0·40	0·43	121	59	62	78	11	2	2	–	93	3	–	–	1	1	–	–	5	4	14
Cholera	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Cancer	0·65	0·47	0·83	191	70	121	–	–	–	–	–	–	–	–	–	1	6	9	39	54	59	23
Tabes Mesenterica	0·36	0·34	0·37	105	51	54	49	20	5	3	–	77	7	5	5	1	4	2	1	1	1	1
Phthisis	1·60	1·70	1·50	470	252	218	8	7	22	2	–	19	6	15	41	60	122	84	60	37	23	3
Other Tub. & Scrof. Dis.	0·23	0·23	0·23	67	34	33	11	4	8	6	3	32	7	5	1	–	6	3	4	6	1	2
Diseases of Nervous System	2·10	2·20	2·01	617	326	291	90	28	14	6	4	142	18	9	7	9	11	15	44	81	133	148
Diseases of Circulatory „	2·00	1·98	2·03	588	294	294	4	–	–	1	–	5	–	3	7	10	13	23	52	100	183	192
Diseases of Respiratory „	2·48	2·89	2·16	729	416	313	182	92	29	18	15	336	19	4	4	5	16	21	36	56	98	134
Diseases of Digestive „	1·04	1·07	1·01	305	159	146	36	30	7	1	3	77	8	6	4	3	13	15	25	44	72	38
Diseases of Urinary „	0·31	0·42	0·19	90	63	27	1	1	–	–	–	2	3	1	1	2	7	3	12	13	20	20
Diseases of Generative „	0·06	0·01	0·11	17	1	16	–	–	–	–	–	–	–	–	–	1	1	3	3	5	1	
Puerperal Fever	0·05	–	0·11	16	–	16	–	–	–	–	–	–	–	–	–	–	9	7	–	–	–	–
Childbirth	0·07	–	0·15	22	–	22	–	–	–	–	–	–	–	–	–	1	8	9	–	–	–	–
Violence	0·48	0·67	0·28	140	99	41	11	5	5	1	4	26	12	4	13	5	16	15	13	15	8	13
Other Causes	4·28	4·54	4·00	1254	674	580	543	36	7	2	3	591	5	8	5	10	20	19	29	48	112	407

Marriages	1,053	Annual Rate per 1000 living { Persons Married 13·25	Deaths from Childbirth and Puerperal Fever 4·22 per 1000 Births.
Births { Males 4,616 / Females 4,393 }	9,009	Births 30·71 }	

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

182.—ELY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population:* 16·08	†130	–	–	–	–	49·02	4·52	3·82	4·61	7·26	6·77	9·20	10·69	21·68	53·24	129·92
Males	—	16·72	†146	–	–	–	–	53·44	5·26	3·62	3·15	6·29	6·33	9·64	12·36	24·27	58·15	130·58
Females	—	15·48	†112	–	–	–	–	44·58	3·78	4·04	6·34	8·21	7·20	8·77	9·10	19·19	48·47	129·30
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·26 per cent.	20,740	490	486	480	519	520	2495	2611	2406	2041	1583	2511	2174	1843	1545	1033	498
Males		10,377	244	240	253	252	261	1250	1313	1217	1110	779	1233	1068	898	758	509	242
Females		10,363	246	246	227	267	259	1245	1298	1189	931	804	1278	1106	945	787	524	256
Deaths from All Causes, 1881–90. Persons	18·04	3,741	791	235	89	48	60	1223	118	92	94	115	170	200	197	335	550	647
Males	18·82	1,953	461	115	37	25	30	668	69	44	35	49	78	103	111	184	296	316
Females	17·25	1,788	330	120	52	23	30	555	49	48	59	66	92	97	86	151	254	331

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·02	0·03	5	2	3	1	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–
Measles	0·21	0·19	0·22	43	20	23	10	15	8	2	4	39	2	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·14	0·14	30	15	15	1	5	4	3	5	18	5	6	–	1	–	–	–	–	–	–
Diphtheria	0·22	0·20	0·23	45	21	24	–	6	6	5	5	22	19	1	2	1	–	–	–	–	–	–
Whooping-cough	0·54	0·46	0·63	113	48	65	37	47	9	11	6	110	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·22	0·20	0·24	46	21	25	–	–	–	1	1	2	5	5	11	6	6	1	5	2	2	1
Simple Continued Fever	0·03	0·04	0·02	6	4	2	–	–	–	–	–	–	2	1	1	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·26	0·24	0·27	53	25	28	23	4	3	–	–	30	–	–	1	–	–	1	6	1	7	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·81	0·60	1·03	169	62	107	–	–	–	–	–	–	1	–	–	1	4	15	17	53	44	34
Tabes Mesenterica	0·25	0·28	0·21	51	29	22	15	15	4	1	2	37	3	4	3	–	1	–	2	–	1	–
Phthisis	1·82	1·74	1·89	377	181	196	12	6	6	–	3	27	8	17	45	58	67	73	27	39	13	3
Other Tub. & Scrof. Dis.	0·49	0·54	0·44	102	56	46	27	10	4	5	6	52	16	11	5	3	6	3	1	2	3	–
Diseases of Nervous System	1·93	1·99	1·86	400	207	193	80	14	9	4	8	115	7	9	5	4	8	12	13	36	103	88
Diseases of Circulatory „	2·14	2·32	1·96	444	241	203	–	–	–	–	–	–	–	3	5	2	8	26	37	64	166	133
Diseases of Respiratory „	2·40	2·59	2·20	497	269	228	116	57	20	13	15	221	22	6	5	5	7	15	17	47	70	82
Diseases of Digestive „	0·95	1·11	0·80	198	115	83	65	19	2	1	1	88	7	4	4	2	10	13	18	26	16	10
Diseases of Urinary „	0·57	0·74	0·40	118	77	41	3	3	3	–	–	9	–	2	1	3	7	4	14	15	36	27
Diseases of Generative „	0·06	–	0·12	12	–	12	–	1	–	–	–	1	–	–	–	1	–	2	2	3	3	–
Puerperal Fever	0·12	–	0·23	24	–	24	–	–	–	–	–	–	–	–	–	6	12	6	–	–	–	–
Childbirth	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	3	3	4	–	–	–	–
Violence	0·71	1·10	0·33	148	114	34	6	5	3	2	1	22	10	15	4	9	15	10	15	17	18	13
Other Causes	4·10	4·31	3·90	849	445	404	395	28	3	–	3	429	7	6	2	8	14	15	21	30	68	249

Marriages - - 1,364

Births - { Males - 3,161 / Females - 2,936 } 6,097

Annual Rate per 1000 living { Persons Married 13·15 / Births - - 29·40

Deaths from Childbirth and Puerperal Fever - - - - - } 5·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

183.—NORTH WITCHFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000, { Persons	—	In Standard Population* 14·64	†124	–	–	–	–	44·28	3·32	3·00	5·37	5·79	5·20	6·92	10·50	19·76	50·06	143·20
Males	—	15·33	†137	–	–	–	–	51·23	2·88	3·23	4·41	5·65	4·78	6·13	10·90	19·98	54·66	153·42
Females	—	13·98	†110	–	–	–	–	37·58	3·75	2·77	6·42	5·93	5·63	7·70	10·11	19·60	46·64	133·90
Mean Population, 1881–90, { Persons	Decennial Increase of Population 5·37 per cent.	15,927	403	399	405	420	437	2064	1958	1868	1564	1210	1043	1735	1372	1088	787	338
Males		7,951	196	199	198	206	214	1013	971	923	816	620	884	865	670	537	386	161
Females		7,976	207	200	207	214	223	1051	987	940	748	590	959	870	702	551	401	177
Deaths from All Causes, 1881–90, { Persons	16·62	2,647	619	172	59	42	22	914	65	56	84	70	101	120	144	215	394	464
Males	17·43	1,386	352	101	36	21	9	519	28	30	36	35	47	53	73	107	211	247
Females	15·81	1,261	267	71	23	21	13	395	37	26	48	35	54	67	71	108	183	237

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·23	0·30	0·15	36	24	12	10	12	7	3	–	32	4	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·16	0·21	30	13	17	2	5	5	3	3	18	5	5	1	–	1	–	–	–
Diphtheria	0·14	0·16	0·11	22	13	9	1	3	1	4	2	11	7	–	–	–	–	1	2	–	1	–
Whooping-cough	0·36	0·29	0·43	57	23	34	29	17	5	3	1	55	2	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	·01	3	3	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1
Enteric Fever	0·09	0·03	0·11	14	5	9	–	–	–	–	–	–	1	1	4	2	2	–	1	–	3	–
Simple Continued Fever	0·04	0·03	0·05	6	2	4	1	–	–	2	–	3	–	1	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·43	0·42	0·39	64	33	31	40	6	2	1	–	49	–	–	–	–	1	–	–	3	2	9
Cholera	0·09	0·09	0·09	14	7	7	4	3	–	–	1	8	1	–	1	–	–	–	–	1	2	1
Cancer	0·76	0·64	0·88	121	51	70	–	–	–	–	–	–	–	–	1	2	3	8	20	29	39	19
Tabes Mesenterica	0·26	0·32	0·20	42	26	16	20	7	2	1	–	30	2	–	4	2	2	–	1	–	–	–
Phthisis	1·41	1·17	1·66	225	93	132	6	8	–	–	–	14	5	12	34	34	44	38	17	15	10	2
Other Tub. & Scrof. Dis.	0·56	0·60	0·54	90	48	42	23	15	2	7	3	50	9	13	5	1	2	2	3	3	2	1
Diseases of Nervous System	1·72	1·86	1·58	274	148	126	49	15	5	5	3	77	3	4	5	4	3	12	12	35	67	32
Circulatory ,,	1·48	1·53	1·42	235	125	110	4	–	–	1	–	5	1	3	5	5	4	10	24	44	78	58
Respiratory ,,	2·53	2·62	2·45	403	208	195	108	45	14	6	5	178	11	3	5	4	10	15	17	32	74	51
Digestive ,,	0·83	0·80	0·85	132	64	68	15	4	3	2	–	24	–	–	1	1	6	10	13	18	34	25
Urinary ,,	0·35	0·55	0·14	55	44	11	1	–	1	–	–	2	–	–	1	–	2	4	6	9	16	15
Generative ,,	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Puerperal Fever	–	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–
Childbirth	0·08	–	0·15	12	–	12	–	–	–	–	–	–	–	–	1	2	4	4	1	–	–	–
Violence	0·73	1·00	0·45	116	80	36	10	6	10	3	2	31	8	7	10	9	10	7	10	7	8	9
Other Causes	4·36	4·77	3·91	690	378	312	295	26	2	1	2	326	6	4	8	2	5	7	16	18	58	240

Marriages	–	–	1,997	
Births	Males	2,672	5,010	Annual Rate per 1000 living, Persons Married 13·78, Births – 31·46
	Females	2,438		

Deaths from Childbirth and Puerperal Fever – – – – – 3·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

The death-rates under one year of age are per 1000 Births.

184.—WHITTLESEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—		In Standard Population*	14·82		†122	–	–	–	–	42·69	3·56	2·09	5·10	5·58	6·89	7·63	12·48	21·41	53·35	127·53
	Males	—			15·27		†133	–	–	–	–	45·39	4·28	2·01	2·64	4·67	6·76	8·41	16·00	24·28	53·33	134·21
	Females	—			14·39		†110	–	–	–	–	39·73	2·77	2·17	8·01	6·48	7·01	6·96	9·27	18·80	53·37	122·55
Mean Population, 1881-91.	Persons	Decennial Decrease of Population 1·86 per cent.		6,400			151	142	163	171	160	787	758	766	628	430	720	668	577	509	373	178
	Males			3,200			80	65	85	93	89	412	397	398	341	214	355	309	275	243	180	76
	Females			3,200			71	77	78	78	71	375	361	368	287	216	371	359	302	266	193	102
Deaths from All Causes, 1881-90.	Persons	17·86		1,143			215	74	29	10	8	336	27	16	32	24	50	51	72	109	199	227
	Males	18·19		582			122	37	21	4	3	187	17	8	9	10	24	26	44	59	96	102
	Females	17·53		561			93	37	8	6	5	149	10	8	23	14	26	25	28	50	103	125

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.														
Small-pox	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·08	0·09	0·06	5	3	2	1	3	–	–	–	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·34	0·31	0·38	22	10	12	3	7	2	3	2	17	3	1	1	–	–	–	–	–	–
Diphtheria	0·11	0·16	0·06	7	5	2	1	1	–	1	–	3	3	–	1	–	–	–	–	–	–
Whooping-cough	0·25	0·22	0·28	16	7	9	7	8	1	–	–	16	–	–	–	–	–	–	–	–	–
Typhus	0·03	–	0·06	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·03	–	0·06	2	–	2	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Simple Continued Fever	0·09	0·09	0·09	6	3	3	–	2	–	1	–	3	1	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·53	0·44	0·63	34	14	20	14	4	2	–	–	20	1	–	–	–	–	1	–	2	2	8
Cholera	0·02	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·78	0·75	0·81	50	24	26	–	–	–	–	–	–	–	–	1	–	–	3	7	13	21	5
Tabes Mesenterica	0·22	0·18	0·25	14	6	8	7	1	1	–	–	9	1	–	2	–	2	–	–	–	–	–
Phthisis	1·42	1·31	1·53	91	42	49	7	5	1	–	1	14	1	5	15	10	21	14	6	4	1	–
Other Tub. & Scrof. Dis.	0·33	0·18	0·47	21	6	15	7	6	–	–	–	13	2	2	–	–	–	2	1	1	–	–
Diseases of Nervous System	2·45	2·41	2·50	157	77	80	34	4	6	–	3	47	3	–	4	3	4	3	8	11	43	31
Diseases of Circulatory „	1·53	1·34	1·72	98	43	55	1	1	–	–	–	2	–	–	1	2	1	9	13	17	26	27
Diseases of Respiratory „	3·16	3·47	2·84	202	111	91	45	20	10	3	–	78	3	–	–	–	3	6	12	22	36	42
Diseases of Digestive „	1·83	2·09	1·56	117	67	50	17	6	1	–	1	25	2	3	2	2	4	5	12	17	37	8
Diseases of Urinary „	0·33	0·50	0·16	21	16	5	–	–	–	–	–	–	–	–	–	–	1	1	1	3	11	4
Diseases of Generative „	0·03	0·03	0·03	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Puerperal Fever	0·05	–	0·09	3	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Childbirth	0·09	–	0·18	6	–	6	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–
Violence	0·63	0·91	0·34	40	29	11	3	1	1	2	–	7	5	4	2	1	2	3	5	6	4	1
OTHER CAUSES	3·51	3·68	3·40	225	117	108	68	5	4	–	–	77	1	–	1	1	8	2	7	12	15	101

Marriages - - - 436

Births - { Males - 916 / Females - 843 } 1,759

Annual Rate per 1000 living { Persons Married 13·63 / Births - - 27·48

Deaths from Childbirth and Puerperal Fever - - - - - 5·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

185.—WISBECH.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	Persons	In 15·83	†121	–	–	–	–	47·77	5·05	3·50	4·59	5·27	6·81	8·86	11·23	15·29	32·23	120·59
	Males	Standard 16·74	†151	–	–	–	–	53·98	4·92	3·22	4·27	4·81	6·37	8·35	12·40	25·32	56·46	130·92
	Females	Population* 14·97	†111	–	–	–	–	41·51	5·17	3·80	4·94	5·67	7·02	8·80	10·60	23·54	49·33	121·56
Mean Population during 1881–90	Persons	37,541	829	741	797	766	825	3977	3942	3712	3138	2351	3367	5475	2485	2340	1620	844
	Males	18,990	405	370	405	402	419	1999	1951	1897	1641	1081	1846	1656	1405	1082	760	371
	Females	18,552	417	371	392	364	406	1978	1991	1815	1497	1270	2081	1819	1560	1258	860	473
Deaths in Three Years 1881–90	Persons	5,934	1248	369	143	87	83	1999	199	180	144	124	208	308	333	546	807	1093
	Males	3,020	782	185	76	59	38	1079	96	61	70	52	122	148	177	274	425	515
	Females	2,891	516	156	67	37	45	821	103	69	74	72	146	160	156	271	444	575

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·37	0·39	0·35	56	31	25
Scarlet Fever	0·41	0·44	0·37	131	69	62
Diphtheria	0·30	0·26	0·33	86	41	55
Whooping-cough	0·41	0·39	0·41	131	62	69
Typhus	0·01	0·01	0·01	3	2	1
Enteric Fever	0·10	0·09	0·10	31	14	17
Simple Continued Fever	0·03	0·03	0·02	9	5	4
Diarrhœa and Dysentery	0·45	0·53	0·39	142	83	59
Cholera	0·00	–	0·01	1	–	1
Cancer	0·85	0·68	1·02	270	107	163
Tabes Mesenterica	0·14	0·17	0·11	44	26	18
Phthisis	1·38	1·22	1·49	436	193	243
Other Tub. & Scrof. Dis.	0·29	0·29	0·29	94	46	48
Nervous System	2·36	1·46	2·27	765	386	377
Circulatory ,,	1·49	1·61	1·39	479	255	224
Respiratory ,,	3·04	3·47	2·78	984	549	435
Digestive ,,	0·80	1·01	0·63	260	159	101
Urinary ,,	0·46	0·36	0·57	149	88	61
Generative ,,	0·06	0·01	0·11	20	1	19
Puerperal Fever	0·06	–	0·11	18	–	18
Convulsions	0·05	–	0·10	16	–	16
Accidents	0·67	1·03	0·30	218	165	53
Other Causes	4·51	4·87	4·19	1465	768	697

Persons.																		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	19	7	3	5	48	7	1	–	–	–	–	–	–	–	–	–	–	–
5	8	16	12	21	62	46	17	4	1	1	–	–	–	–	–	–	–	–
2	2	18	11	11	30	32	10	6	3	3	2	1	–	–	–	–	–	–
80	34	4	4	6	128	3	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1
1	–	1	–	1	3	3	1	5	4	3	6	1	3	2	–	–	–	–
–	–	1	1	–	2	2	–	–	–	–	3	–	–	–	–	–	–	1
70	16	8	2	2	98	4	1	1	–	–	–	–	5	7	14	19	–	–
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	1	–	1	–	–	3	–	6	23	46	79	76	42	–	–	–
13	9	5	2	–	29	3	3	6	1	3	–	–	–	–	–	–	–	–
6	4	2	2	1	15	5	15	53	58	124	88	48	33	6	1	–	–	–
15	13	6	3	3	40	16	10	11	3	6	4	1	1	2	–	–	–	–
130	54	13	13	11	221	12	25	13	8	15	29	45	82	137	156	–	–	–
2	1	3	–	1	7	4	8	7	6	24	30	76	84	177	110	–	–	–
24	9	4	1	1	40	20	6	4	6	12	37	36	35	140	181	–	–	–
30	29	2	–	2	72	5	5	6	8	11	15	29	50	62	93	–	–	–
6	3	1	2	–	12	3	1	2	4	3	8	13	30	36	37	–	–	–
1	–	–	–	–	1	–	1	–	1	1	7	4	3	1	1	–	–	–
–	–	–	–	–	–	–	–	–	1	4	9	4	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	10	6	–	–	–	–	–	–
8	8	8	8	1	33	21	19	12	8	12	15	20	23	30	26	–	–	–
614	47	11	5	4	681	13	7	10	9	24	33	37	54	124	453	–	–	–

Persons.

Marriages - - - 2,188

Births - { Males - 4,847 / Females - 4,656 } 9,503

Annual Rate per 1000 living { Persons Married 19·93 / Births - - 20·38

Deaths from Childbirth and Puerperal Fever - - - - - 3·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

186.—WEST HAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·94	†142	–	–	–	–	57·74	5·33	2·67	3·67	4·20	5·98	9·70	14·72	28·92	59·07	147·04
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·67	†153	–	–	–	–	61·89	5·41	2·64	3·63	4·26	5·91	10·07	15·37	30·73	63·31	156·83
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·24	†130	–	–	–	–	53·62	5·24	2·71	3·72	4·13	6·05	9·33	14·06	27·27	55·83	140·98
Mean Population, 1881–90. Persons	Decennial Increase of Population 81·70 per cent.	283,046	8916	8313	8565	8526	8335	42655	38902	33426	25859	23169	44040	33925	21066	11869	6088	2047
Mean Population, 1881–90. Males	Decennial Increase of Population 81·70 per cent.	140,282	4389	4133	4257	4274	4187	21240	19560	16876	12855	11388	21655	17060	10586	5646	2633	783
Mean Population, 1881–90. Females	Decennial Increase of Population 81·70 per cent.	142,764	4527	4180	4308	4252	4148	21415	19342	16550	13004	11781	22385	16865	10480	6223	3455	1264
Deaths from All Causes, 1881–90. Persons	17·16	48,581	14870	5162	2198	1416	982	24628	2072	894	950	972	2634	3292	3101	3432	3596	3010
Deaths from All Causes, 1881–90. Males	17·72	24,854	8144	2693	1103	698	507	13145	1059	445	466	485	1279	1718	1627	1735	1667	1228
Deaths from All Causes, 1881–90. Females	16·62	23,727	6726	2469	1095	718	475	11483	1013	449	484	487	1355	1574	1474	1697	1929	1782

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·38	0·43	0·34	1086	597	489	151	52	65	43	37	348	83	67	80	94	210	117	58	22	4	3
Measles	0·55	0·57	0·52	1543	798	745	328	563	268	154	106	1419	115	4	–	3	1	1	–	–	–	–
Scarlet Fever	0·35	0·34	0·35	984	480	504	43	150	179	155	124	651	256	42	13	1	11	7	2	1	–	–
Diphtheria	0·32	0·30	0·33	903	426	477	46	108	133	155	111	553	264	40	12	8	7	8	3	5	2	1
Whooping-cough	0·71	0·64	0·78	2016	896	1120	361	611	233	143	76	1924	86	1	1	–	1	1	1	–	1	–
Typhus	0·01	0·01	0·00	17	11	6	–	–	–	–	–	–	4	2	1	–	4	3	1	–	2	–
Enteric Fever	0·21	0·22	0·21	599	304	295	3	8	20	26	18	75	80	84	72	66	92	62	32	28	6	2
Simple Continued Fever	0·01	0·01	0·01	41	20	21	1	2	2	4	4	13	8	3	2	1	4	–	2	3	5	–
Diarrhœa and Dysentery	0·80	0·86	0·74	2268	1212	1056	1703	304	42	13	9	2071	13	7	3	3	17	16	16	30	34	58
Cholera	0·03	0·04	0·02	87	54	33	51	12	–	–	–	63	5	–	1	1	2	2	5	5	2	1
Cancer	0·40	0·26	0·53	1122	361	761	1	–	3	–	–	4	4	3	4	2	47	152	273	317	228	88
Tabes Mesenterica	0·37	0·41	0·33	1039	574	465	635	207	81	21	13	957	27	23	6	10	5	6	3	2	–	–
Phthisis	1·39	1·49	1·29	3933	2092	1841	97	47	32	20	24	220	89	132	279	341	921	975	572	282	103	19
Other Tub. & Scrof. Dis.	0·49	0·56	0·42	1393	788	605	470	306	152	94	59	1081	154	53	33	17	27	16	11	14	5	2
Diseases of Nervous System	2·23	2·38	2·09	6316	3334	2982	2334	556	224	119	68	3301	191	73	56	57	145	235	378	570	765	545
Diseases of Circulatory „	1·05	0·97	1·13	2972	1360	1612	48	15	7	7	7	84	64	90	98	58	207	405	462	571	610	323
Diseases of Respiratory „	3·50	3·76	3·25	9919	5278	4641	2717	1666	579	355	223	5540	352	53	78	69	272	464	580	813	974	721
Diseases of Digestive „	0·84	0·86	0·83	2385	1201	1184	696	218	44	18	31	1007	61	50	34	36	123	213	241	286	230	101
Diseases of Urinary „	0·26	0·31	0·21	737	441	296	13	9	14	13	9	58	31	9	14	20	57	97	121	129	121	80
Diseases of Generative „	0·03	0·01	0·06	91	11	80	4	1	1	1	–	7	–	–	2	1	11	19	16	15	12	8
Puerperal Fever	0·07	–	0·14	201	–	201	–	–	–	–	–	–	–	–	5	42	108	46	–	–	–	–
Childbirth	0·06	–	0·11	163	–	163	–	–	–	–	–	–	–	–	7	19	67	67	3	–	–	–
Violence	0·42	0·60	0·24	1183	837	346	215	46	39	30	18	348	89	57	68	62	122	149	109	90	52	37
Other Causes	2·68	2·69	2·69	7583	3779	3804	4453	281	80	45	45	4904	113	98	81	61	173	231	212	249	440	1021

Marriages - - - 17,071

Births - {Males - 53,093 / Females - 51,697} 104,790

Annual Rate per 1000 living {Persons Married 12·06 / Births - - 37·02}

Deaths from Childbirth and Puerperal Fever - - - - - 3·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

187.—EPPING.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard Population* 15·31	†110	–	–	–	–	38·84	4·19	1·88	3·31	4·55	5·27	7·03	15·19	22·35	50·24	147·00
	Males	In Standard Population* 15·44	†120	–	–	–	–	41·25	4·73	1·62	3·44	5·02	5·82	8·65	15·36	27·42	61·51	160·64
	Females	In Standard Population* 15·23	†100	–	–	–	–	36·48	3·65	2·14	3·18	4·13	4·78	6·68	14·99	17·69	51·20	136·84
Mean Population, 1881-90.	Persons	Decrease 23,846	605	593	610	599	599	2979	2938	2711	2326	2022	3226	2922	2131	1597	978	416
	Males	Decrease 11,540	300	284	295	290	305	1474	1460	1359	1164	957	1512	1260	1022	766	478	148
	Females	Decrease 12,306	305	282	315	309	294	1505	1478	1352	1162	1065	1714	1662	1149	831	500	228
Deaths from All Causes, 1881-90.	Persons	15·38	754	201	84	59	59	1157	123	51	77	92	170	260	281	357	550	614
	Males	16·74	413	110	38	26	21	608	69	22	40	48	88	169	159	210	294	307
	Females	14·00	341	91	46	33	38	549	54	29	37	44	82	91	122	147	256	312

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·02	0·03	0·02	5	3	2
Measles	0·35	0·40	0·30	83	46	37
Scarlet Fever	0·10	0·06	0·13	23	7	16
Diphtheria	0·34	0·28	0·40	82	33	49
Whooping-cough	0·42	0·41	0·43	101	48	53
Typhus	0·01	0·01	0·01	2	1	1
Enteric Fever	0·14	0·15	0·14	34	17	17
Simple Continued Fever	0·03	0·03	0·04	8	3	5
Diarrhœa and Dysentery	0·42	0·42	0·39	102	54	48
Cholera	0·03	0·02	0·03	6	2	4
Cancer	0·61	0·44	0·77	146	51	95
Tabes Mesenterica	0·15	0·13	0·11	36	22	14
Phthisis	1·06	1·27	0·87	255	148	107
Other Tub. & Scrof. Dis.	0·30	0·46	0·32	93	54	39
Diseases of Nervous System	1·82	1·98	1·67	437	231	206
Diseases of Circulatory ,,	1·60	1·72	1·49	383	200	183
Diseases of Respiratory ,,	2·58	2·92	2·26	618	340	278
Diseases of Digestive ,,	0·95	0·95	0·95	227	110	117
Diseases of Urinary ,,	0·48	0·56	0·41	115	65	50
Diseases of Generative ,,	0·02	–	0·04	5	–	5
Puerperal Fever	0·06	–	0·15	19	–	19
Childbirth	0·03	–	0·05	6	–	6
Violence	0·63	1·00	0·28	150	116	34
Other Causes	3·06	3·40	2·74	736	398	338

	Persons.	1–	2–	3–	4–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Small-pox	1	–	–	–	–	1	–	–	1	–	–	–	3	–	–	–
Measles	17	24	11	8	8	68	13	1	–	1	–	–	–	–	–	–
Scarlet Fever	1	4	1	4	3	13	5	2	1	–	–	2	–	–	–	–
Diphtheria	4	8	8	11	10	41	27	4	4	–	2	–	3	–	1	–
Whooping-cough	61	20	9	4	4	98	2	–	–	–	–	–	1	–	–	–
Typhus	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	1	1	–	–	2	4	4	3	3	6	1	4	1	3	4	1
Simple Continued Fever	–	–	–	–	–	–	1	1	2	–	–	–	–	1	3	–
Diarrhœa and Dysentery	71	6	1	–	–	80	–	–	1	–	1	2	–	2	3	10
Cholera	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	3	6	30	43	50	14
Tabes Mesenterica	21	9	1	1	–	32	–	1	1	1	1	–	–	–	–	–
Phthisis	1	1	1	1	–	4	4	7	18	56	65	49	39	19	16	–
Other Tub. & Scrof. Dis.	24	20	6	5	6	61	14	3	2	4	5	2	1	1	–	–
Diseases of Nervous System	90	18	7	2	3	120	11	2	8	1	14	13	36	67	90	75
Diseases of Circulatory ,,	1	1	–	2	–	4	3	2	5	7	17	24	32	68	135	86
Diseases of Respiratory ,,	136	66	27	15	16	260	33	7	4	5	12	19	27	47	80	124
Diseases of Digestive ,,	39	8	3	1	1	52	5	5	4	4	3	20	29	28	40	52
Diseases of Urinary ,,	–	1	1	–	1	3	1	–	3	3	3	13	13	16	33	32
Diseases of Generative ,,	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	4	9	6	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	–
Violence	15	3	3	1	1	23	5	4	4	12	17	20	33	19	8	7
Other Causes	268	8	5	4	4	289	5	8	15	8	16	18	32	43	53	229

Marriages		1,260	
Births	Males	3,439	Annual Rate per 1000 living: Persons Married 10·52; Births 28·61
	Females	3,411	
		6,850	

Deaths from Childbirth and Puerperal Fever 3·65 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

188.—ONGAR.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·11	† 97	–	–	–	–	31·66	3·46	1·58	3·85	6·84	5·13	8·57	11·46	17·81	53·27	149·59
Annual Death-Rate per 1000. Males	—	Standard 13·79	†104	–	–	–	–	34·24	3·61	1·39	2·76	7·16	5·33	8·99	14·90	18·75	57·19	163·25
Annual Death-Rate per 1000. Females	—	Population* 12·47	† 89	–	–	–	–	29·36	3·30	1·81	5·36	6·50	4·92	8·12	7·87	16·80	48·56	137·01
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·07 per cent.	10,614	276	241	263	273	280	1333	1358	1327	936	731	1306	1109	960	775	535	244
Mean Population, 1881–91. Males		5,501	139	100	123	128	138	628	692	718	544	377	676	567	490	400	292	117
Mean Population, 1881–91. Females		5,113	137	141	140	145	142	705	666	609	392	354	630	542	470	375	243	127
Deaths from All Causes, 1881–90. Persons	15·41	1,636	281	73	28	24	16	422	47	21	36	50	67	95	110	138	285	365
Deaths from All Causes, 1881–90. Males	16·09	885	151	36	9	13	6	215	25	10	15	27	36	51	73	75	167	191
Deaths from All Causes, 1881–90. Females	14·69	751	130	37	19	11	10	207	22	11	21	23	31	44	37	63	118	174

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·09	0·15	0·04	10	8	2	–	–	–	–	–	–	–	–	2	2	–	3	1	1	1
Measles	0·11	0·11	0·12	12	6	6	4	3	1	–	1	9	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·04	0·04	4	2	2	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–
Diphtheria	0·18	0·24	0·14	20	13	7	–	1	1	2	2	6	10	–	1	1	1	–	1	–	–
Whooping-cough	0·41	0·31	0·53	44	17	27	21	14	4	3	1	43	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·11	0·06	9	6	3	–	1	–	–	–	1	–	2	1	2	–	3	–	–	–
Simple Continued Fever	0·02	–	0·04	2	–	2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·41	0·40	0·43	44	22	22	21	4	–	–	–	25	1	–	1	–	2	–	–	2	3	10
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·60	0·47	0·74	64	26	38	–	–	–	–	–	–	–	–	–	1	–	7	16	15	15	10
Tabes Mesenterica	0·09	0·09	0·10	10	5	5	5	3	1	–	–	9	–	–	–	–	1	–	–	–	–	–
Phthisis	1·24	1·33	1·15	132	73	59	8	1	1	–	–	10	1	2	14	23	22	20	14	11	13	2
Other Tub. & Scrof. Dis.	0·23	0·25	0·20	24	14	10	4	4	–	5	1	14	–	–	1	2	2	1	1	2	1	–
Diseases of Nervous System	2·03	2·35	1·68	215	129	86	33	7	2	1	3	46	1	3	3	3	4	10	10	22	55	53
Diseases of Circulatory	1·60	1·53	1·68	170	84	86	1	–	–	–	–	1	3	2	3	3	8	10	12	27	49	52
Diseases of Respiratory	2·89	2·96	2·82	307	163	144	51	21	15	6	5	98	9	1	1	1	3	11	21	22	63	77
Diseases of Digestive	1·17	1·23	1·10	124	68	56	27	5	–	1	–	33	8	4	–	2	7	9	10	13	26	12
Diseases of Urinary	0·26	0·40	0·12	28	22	6	–	–	–	–	–	–	–	–	–	–	–	1	7	1	11	8
Diseases of Generative	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1
Puerperal Fever	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–
Violence	0·57	0·82	0·31	61	45	16	1	5	1	4	2	13	5	–	4	4	5	8	4	9	5	4
OTHER CAUSES	3·24	3·28	3·11	341	181	160	105	4	2	–	1	112	5	5	5	3	7	9	11	11	43	130

Marriages 573

Births { Males 1,453 / Females 1,455 } 2,908

Annual Rate per 1000 living { Persons Married 10·80 / Births 27·40

Deaths from Childbirth and Puerperal Fever 3·09 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

189.—ROMFORD.

Causes of Death	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 15·94	†123	–	–	–	–	40·37	4·32	2·55	3·14	4·45	5·89	9·06	15·09	26·35	55·36	145·39
Annual Death-Rate per 1000. Males	—	In Standard Population.* 17·09	†137	–	–	–	–	51·79	4·07	1·68	2·39	3·86	6·40	9·92	17·07	28·90	64·65	154·72
Annual Death-Rate per 1000. Females	—	In Standard Population.* 14·94	†109	–	–	–	–	40·98	4·55	3·38	3·93	5·05	5·38	8·21	12·98	25·91	49·49	138·01
Mean Population 1881–90. Persons	Increase of Population 31·39 per cent.	17,332	1265	1159	1231	1257	1218	6154	5947	5408	4114	3529	6013	4744	3436	2392	1513	575
Mean Population 1881–90. Males	Increase of Population 31·39 per cent.	2·444	626	580	624	639	606	3072	2876	2655	2160	1787	2984	2408	1690	1121	708	264
Mean Population 1881–90. Females	Increase of Population 31·39 per cent.	22,088	645	619	619	612	615	3092	3071	2853	1984	1742	3029	2376	1734	1171	715	321
Deaths from All Causes, 1881–90. Persons	16·11	7,012	1851	541	217	135	114	2858	257	138	129	157	354	430	515	604	734	836
Deaths from All Causes, 1881–90. Males	17·19	3,687	1059	290	113	64	65	1591	117	43	51	69	191	235	290	324	383	398
Deaths from All Causes, 1881–90. Females	15·05	3,325	792	251	104	71	49	1267	140	95	78	88	163	195	225	280	351	443

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·08	0·07	0·09	36	16	20	9	1	2	–	2	14	1	4	3	2	5	2	1	3	1	–
Measles	0·81	0·80	0·82	136	64	72	26	49	22	12	9	118	16	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·18	0·18	79	39	40	6	14	12	13	7	52	22	2	1	–	1	–	1	–	–	–
Diphtheria	0·27	0·30	0·25	119	64	55	6	9	17	19	24	75	29	5	4	1	–	3	–	1	1	–
Whooping-cough	0·46	0·44	0·48	200	94	106	98	50	21	11	6	186	13	–	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·20	0·18	83	43	40	–	2	3	3	1	9	6	15	11	5	14	11	6	3	3	–
Simple Continued Fever	0·00	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·71	0·81	0·62	310	174	136	215	49	4	2	2	272	–	1	–	1	–	2	1	10	12	11
Cholera	0·00	0·01	–	2	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·35	0·42	0·27	238	91	147	–	–	–	–	–	–	–	–	–	2	8	26	40	72	63	27
Tabes Mesenterica	0·17	0·21	0·14	75	44	31	34	19	4	1	2	60	10	1	–	3	–	–	1	–	–	–
Phthisis	1·26	1·42	1·09	560	284	266	3	4	–	–	1	8	7	30	49	61	122	114	98	39	20	2
Other Tubercular Diseases	0·28	0·20	0·28	124	62	62	35	30	9	6	5	85	17	7	5	–	2	1	1	1	3	2
Nervous System	2·36	2·35	1·78	940	503	437	356	79	21	10	11	477	29	10	8	10	15	27	54	74	101	115
Circulation	1·23	1·15	1·32	542	247	295	3	–	1	–	1	5	9	17	8	10	23	43	85	145	148	84
Respiratory	3·13	3·52	2·74	1391	755	606	344	103	73	43	32	655	51	8	2	9	43	55	86	118	158	176
Digestive	0·82	0·89	0·75	326	190	136	57	32	7	4	3	103	9	7	8	4	12	33	46	38	49	20
Urinary	0·57	0·50	0·65	195	105	90	2	1	–	1	3	7	4	2	1	2	3	14	25	36	43	25
Generative	0·06	–	0·11	28	3	25	–	2	1	1	–	4	–	2	–	2	2	3	2	6	5	2
Puerperal Fever	0·10	–	0·19	42	–	42	–	–	–	–	–	–	–	–	–	11	19	12	–	–	–	–
Childbirth	0·07	–	0·14	30	–	30	–	–	–	–	–	–	–	–	–	5	9	15	1	–	–	–
Accidents	0·23	0·43	0·04	99	78	21	21	6	6	6	2	41	13	5	13	16	35	23	29	27	11	13
Other Causes	1·79	1·40	2·16	773	361	412	264	51	14	5	3	337	21	1	15	15	38	40	39	44	111	348

Marriages		2,495	Annual Rate per 1000 living	Persons Married	11·46	Deaths from Childbirth and Puerperal Fever	4·79 per 1000 Births.
Births	Males 7,742	15,024		Births	34·51		
	Females 7,282						

* See pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 16·14	†127	–	–	–	–	51·26	5·48	2·62	4·52	4·80	5·91	9·72	12·27	24·81	50·00	131·40
Males	—	17·20	†141	–	–	–	–	55·13	4·91	2·79	4·92	4·48	5·95	10·11	12·42	28·07	53·85	156·35
Females	—	15·14	†112	–	–	–	–	47·40	6·03	2·35	3·77	5·27	5·87	9·26	12·08	20·95	45·58	104·31
Mean Population, 1881–91. Persons	Decennial Increase of Population 65·72 per cent.	21,895	674	633	634	631	612	3184	2773	3012	2058	1728	3146	2397	1671	1052	632	242
Males		12,207	326	318	321	323	301	1589	1364	1865	1341	1026	1748	1306	934	570	338	126
Females		9,688	348	315	313	308	311	1595	1409	1147	717	702	1398	1091	737	482	294	116
Deaths from All Causes, 1881–90. Persons	16·25	3,558	1054	295	124	102	57	1632	152	79	93	83	186	233	205	261	316	318
Males	16·37	1,998	591	147	60	53	25	876	67	52	66	46	104	132	116	160	182	197
Females	16·10	1,560	463	148	64	49	32	756	85	27	27	37	82	101	89	101	134	121

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·11	0·15	0·06	24	18	6	3	–	–	–	–	3	–	–	3	2	5	7	1	3	–	–
Measles	0·48	0·46	0·50	104	56	48	21	40	14	13	6	94	8	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·14	0·23	39	17	22	1	5	6	7	3	22	13	2	1	–	–	1	–	–	–	–
Diphtheria	0·43	0·35	0·53	94	43	51	4	9	13	18	14	58	28	3	3	–	1	1	–	–	–	–
Whooping-cough	0·55	0·42	0·72	121	51	70	68	25	9	11	6	119	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·22	0·25	0·20	49	30	19	–	–	3	1	1	5	6	5	10	6	9	2	3	1	2	–
Simple Continued Fever	0·03	0·02	0·05	7	2	5	–	1	2	–	–	3	2	1	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·69	0·62	0·78	152	76	76	106	22	5	1	–	134	2	–	–	–	–	1	–	2	3	10
Cholera	0·02	0·01	0·03	4	1	3	–	1	–	–	–,	1	–	2	–	–	–	1	–	–	–	–
Cancer	0·37	0·29	0·47	81	35	46	–	–	–	–	–	–	2	–	–	–	5	6	15	17	28	8
Tabes Mesenterica	0·22	0·20	0·24	48	25	23	30	8	3	1	–	42	5	–	–	1	–	–	–	–	–	–
Phthisis	1·23	1·08	1·41	269	132	137	4	7	3	1	1	16	7	5	18	28	68	55	29	33	9	1
Other Tub. & Scrof. Dis.	0·38	0·39	0·37	83	47	36	20	25	5	3	4	57	13	6	3	1	1	–	1	1	–	–
Diseases of Nervous System	2·01	2·02	2·00	441	247	194	140	38	8	7	5	198	17	7	10	6	11	20	27	36	55	54
Diseases of Circulatory „	1·19	1·11	1·30	261	135	126	1	–	1	–	1	3	2	4	9	5	14	32	31	55	66	40
Diseases of Respiratory „	2·85	2·93	2·76	625	358	267	196	72	35	25	16	344	19	5	3	6	14	19	40	37	71	67
Diseases of Digestive „	0·93	0·91	0·95	203	111	92	72	19	8	6	–	105	5	1	4	5	4	13	12	18	21	15
Diseases of Urinary „	0·38	0·48	0·26	84	59	25	3	1	–	1	–	5	1	2	3	2	5	8	10	14	22	12
Diseases of Generative „	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	1
Puerperal Fever	0·09	–	0·21	20	–	20	–	–	–	–	–	–	–	–	1	3	8	8	–	–	–	–
Childbirth	0·06	–	0·14	14	–	14	–	–	–	–	–	–	–	–	1	–	6	7	–	–	–	–
Violence	0·81	1·30	0·20	178	159	19	7	4	3	3	–	17	11	19	13	13	25	27	13	28	7	5
Other Causes	2·99	3·24	2·61	649	396	253	378	18	6	4	–	406	9	15	11	5	8	24	21	15	31	104

Marriages - - - 1,202

Births - { Males - 4,177 / Females - 4,129 } 8,306

Annual Rate per 1000 living { Persons Married 10·98 / Births - - 37·24

Deaths from Childbirth and Puerperal Fever - - - - - 4·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

191.—BILLERICAY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000,	Persons	In Standard Population* 19·48 / 21·71 / 17·39	†105	–	–	–	–	39·37	5·01	3·32	3·69	7·83	11·83	19·74	24·22	37·54	69·69	147·97
	Males		†115	–	–	–	–	44·03	4·54	3·61	4·27	8·88	13·51	25·00	28·48	40·38	74·57	157·84
	Females		† 94	–	–	–	–	34·92	5·49	2·99	2·86	6·67	10·18	14·07	18·43	34·71	64·92	148·60
Mean Population, 1881-91.	Persons	Decennial Increase of Population 11·94 per cent.		19,443				2225	2315	2376	1952	1610	2650	2153	1658	1252	828	324
	Males			9,845				1088	1168	1274	1147	845	1325	1023	790	634	409	192
	Females			9,598				1137	1147	1103	805	765	1355	1130	868	618	419	202
Deaths from All Causes, 1881-90.	Persons	20·71		4,026				876	116	79	73	126	317	425	383	470	577	583
	Males	22·58		2,222				479	53	46	49	75	179	266	225	252	305	303
	Females	18·77		1,794				397	63	33	23	51	138	159	158	218	272	280

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small pox	0·07	0·11	0·03	13	11	2	1	–	1	–	–	2	–	–	1	3	3	1	1	1	–	1
Measles	0·23	0·15	0·30	44	15	29	2	15	7	6	6	36	6	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·13	0·11	0·15	25	11	14	3	2	2	3	6	16	3	3	3	–	1	–	–	–	–	–
Diphtheria	0·37	0·38	0·35	71	38	33	2	3	7	9	11	37	21	7	3	–	–	2	1	–	–	–
Whooping-cough	0·41	0·35	0·46	79	35	44	37	21	6	13	1	77	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·17	0·15	31	17	14	2	–	–	1	–	3	1	1	3	7	10	3	3	–	1	–
Simple Continued Fever	0·04	0·07	–	7	7	–	–	–	1	1	–	2	1	–	1	–	–	–	1	1	–	–
Diarrhœa and Dysentery	0·43	0·44	0·41	83	44	39	54	8	3	–	–	64	1	–	–	1	1	1	1	3	6	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·41	0·76	114	41	73	–	–	–	–	–	–	–	–	1	–	3	9	23	33	33	13
Tabes Mesenterica	0·05	0·07	0·03	15	7	8	1	2	1	–	–	4	3	1	2	1	2	–	–	1	1	–
Phthisis	2·05	2·20	1·89	399	218	181	2	3	2	1	4	12	19	13	19	49	85	75	63	38	23	3
Other Tub. & Scrof. Dis.	0·25	0·25	0·24	48	25	23	4	5	5	3	1	18	8	8	4	–	2	3	3	2	–	–
Diseases of Nervous System	4·55	5·35	3·72	885	529	356	67	20	10	6	4	107	17	8	13	19	82	183	123	138	159	65
Circulatory	2·21	2·20	2·22	430	218	212	1	–	1	–	1	3	3	9	4	11	25	35	48	81	135	76
Respiratory	3·02	3·58	2·45	587	354	233	30	45	16	11	7	109	14	8	8	9	43	33	49	72	98	94
Digestive	1·10	1·21	0·98	214	120	94	31	15	5	2	1	57	6	3	1	5	14	18	25	32	29	23
Urinary	0·44	0·58	0·29	85	57	28	–	1	–	–	–	1	2	1	–	1	7	14	9	14	21	15
Generative	0·04	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	–
Puerperal Fever	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–
Childbirth	0·05	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	1	3	4	1	–	–	–
Violence	0·60	0·86	0·33	117	85	32	5	2	2	3	2	14	2	8	3	10	10	22	11	15	12	10
Other Causes	3·84	4·29	3·51	750	429	333	222	22	5	3	2	254	8	7	6	9	15	21	25	36	96	278

Marriages	857	Annual Rate per 1000 living	Persons Married 8·82
Births Males	2,532		Births 25·75
Births Females	2,474		
Births	5,006		

Deaths from Childbirth and Puerperal Fever 3·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

192.—CHELMSFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·62		†100	–	–	–	–	36·72	3·62	2·17	3·61	5·10	5·42	8·50	11·23	20·49	49·82	140·51
Annual Death-Rate per 1000. Males	—			In Standard Population*	14·52		†112	–	–	–	–	40·49	3·95	2·13	3·24	4·88	6·33	9·21	12·69	20·45	56·77	150·83
Annual Death-Rate per 1000. Females	—			In Standard Population*	12·78		† 87	–	–	–	–	32·88	3·29	2·21	4·04	5·31	4·62	7·86	9·90	20·53	43·41	131·67
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·82 per cent.			33,577			838	809	850	798	831	4126	4148	3924	3128	2491	4241	3541	3036	2484	1678	780
Mean Population, 1881-91. Males				16,624			420	411	430	394	427	2082	2078	2068	1669	1230	1991	1683	1450	1208	805	360
Mean Population, 1881-91. Females				16,953			418	398	420	404	404	2044	2070	1856	1459	1261	2250	1858	1586	1276	873	420
Deaths from All Causes, 1881-90. Persons	15·79			5,303			956	304	115	94	46	1515	150	85	113	127	230	301	341	509	836	1096
Deaths from All Causes, 1881-90. Males	16·81			2,795			548	162	58	49	26	843	82	44	54	60	126	155	184	247	457	543
Deaths from All Causes, 1881-90. Females	14·79			2,508			408	142	57	45	20	672	68	41	59	67	104	146	157	262	379	553
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·03	0·04	0·02	9	6	3	–	–	–	–	–	–	–	–	1	–	2	2	2	2	–	–
Measles	0·21	0·18	0·25	72	30	42	18	27	9	3	2	59	11	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·13	0·08	34	21	13	1	1	4	8	4	18	11	3	1	–	–	1	–	–	–	–
Diphtheria	0·24	0·22	0·25	79	37	42	1	3	10	20	8	42	22	6	5	2	–	2	–	–	–	–
Whooping-cough	0·55	0·50	0·60	185	83	102	95	44	23	9	4	175	10	–	–	–	–	–	–	–	–	–
Typhus	0·00	—	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·10	0·10	0·11	34	16	18	–	–	–	–	1	1	3	6	6	9	2	5	1	1	–	–
Simple Continued Fever	0·01	–	0·01	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·34	0·42	0·26	114	70	44	71	15	1	4	1	92	–	1	–	–	1	1	–	2	5	12
Cholera	0·02	0·02	0·01	5	3	2	3	–	–	–	–	3	–	–	–	–	–	–	–	2	–	–
Cancer	0·72	0·55	0·89	242	92	150	–	–	–	–	–	–	–	2	1	2	3	19	44	54	71	46
Tabes Mesenterica	0·14	0·16	0·13	48	26	22	19	10	3	–	1	33	5	3	3	–	–	–	3	–	–	1
Phthisis	1·26	1·35	1·18	424	224	200	5	1	–	3	2	11	5	12	39	58	93	86	54	44	20	2
Other Tub. & Scrof. Dis.	0·38	0·44	0·33	129	73	56	24	24	8	4	6	66	15	10	9	5	10	6	1	5	2	–
Diseases of Nervous System	2·15	2·24	2·07	723	373	350	119	41	10	8	5	183	18	2	6	5	19	18	54	80	165	173
Diseases of Circulatory „	1·90	2·02	1·79	640	336	304	2	–	–	1	1	4	3	10	12	4	20	30	50	117	223	167
Diseases of Respiratory „	2·39	2·76	2·04	804	459	345	176	99	37	25	10	347	17	1	5	6	14	21	32	56	110	195
Diseases of Digestive „	0·99	0·97	1·00	332	162	170	49	12	1	1	1	64	10	9	1	5	14	23	39	52	61	54
Diseases of Urinary „	0·47	0·66	0·30	159	109	50	1	–	–	1	–	2	2	2	4	3	8	11	18	27	47	35
Diseases of Generative „	0·04	–	0·09	15	–	15	–	–	–	–	–	–	–	–	–	2	2	–	4	4	3	–
Puerperal Fever	0·05	–	0·09	16	–	16	–	–	–	–	–	–	–	–	–	1	4	11	–	–	–	–
Childbirth	0·02	–	0·05	8	–	8	–	–	–	–	–	–	–	–	–	3	–	5	–	–	–	–
Violence	0·55	0·77	0·32	183	128	55	7	4	4	4	–	19	10	5	7	13	18	31	15	22	23	20
OTHER CAUSES	3·13	3·28	2·91	1045	547	498	365	23	5	3	–	396	7	12	12	9	20	29	23	41	105	391

Marriages 1,926

Births { Males 4,883 / Females 4,681 } 9,564

Annual Death-rate per 1000 living { Persons Married 11·47 / Births 28·48

Deaths from Childbirth and Puerperal Fever 2·51 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

193.—ROCHFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	Persons	In 14·83	†122	–	–	–	–	41·66	3·77	2·90	4·87	4·82	5·55	8·62	12·71	23·55	55·23	130·91
	Males	Standard 15·47	†134	–	–	–	–	46·03	3·53	2·58	4·76	5·08	5·19	9·20	14·26	24·47	57·58	136·07
	Females	Population* 14·24	†109	–	–	–	–	37·46	4·01	3·18	4·94	4·53	5·94	8·00	11·10	22·59	53·63	125·79
Mean Population, 1881-90.	Persons	Decennial Increase of Population 24·03 per cent.	751	724	736	750	714	3675	3444	3143	2558	2385	3821	3028	2258	1584	1003	440
	Males	13,863	380	360	366	357	358	1801	1699	1509	1423	1260	2004	1505	1150	805	528	219
	Females	13,476	391	364	370	393	356	1874	1745	1634	1235	1125	1817	1493	1108	779	475	221
Deaths from All Causes, 1881-90.	Persons	15·56	1035	256	106	73	61	1531	130	91	124	115	212	261	287	373	554	576
	Males	16·35	578	130	58	32	31	829	60	39	63	64	104	144	164	197	304	288
	Females	14·75	457	126	48	41	30	702	70	52	61	51	108	117	123	176	250	278

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·04	0·01	6	5	1	–	–	–	1	–	1	–	–	–	1	2	2	–	–
Measles	0·15	0·13	0·16	40	18	22	8	11	9	2	1	31	4	1	1	–	–	1	–	–
Scarlet Fever	0·27	0·27	0·28	75	37	38	3	11	10	12	9	45	22	2	2	2	1	–	–	–
Diphtheria	0·11	0·09	0·13	29	12	17	–	6	1	2	2	11	11	4	–	–	1	1	–	–
Whooping-cough	0·44	0·32	0·56	120	45	75	66	32	14	4	3	119	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·33	0·38	0·28	90	52	38	2	1	–	1	1	5	7	12	14	17	21	6	5	–
Simple Continued Fever	0·02	0·01	0·02	5	2	3	–	–	–	1	1	2	–	2	–	–	–	1	–	–
Diarrhœa and Dysentery	0·71	0·75	0·68	193	101	92	142	17	–	2	–	161	1	–	–	–	3	1	2	11
Cholera	0·03	0·04	0·03	7	3	4	3	–	–	–	1	4	–	–	1	–	–	–	1	1
Cancer	0·45	0·34	0·57	123	46	77	–	–	–	–	–	–	–	–	1	1	5	9	15	39
Tabes Mesenterica	0·16	0·17	0·13	41	24	17	25	10	2	1	–	38	1	1	–	1	–	–	–	–
Phthisis	1·20	1·24	1·16	328	172	156	3	6	1	1	6	17	7	25	36	28	65	61	49	21
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	77	40	37	20	15	5	6	3	49	11	6	1	1	2	2	3	1
Diseases of Nervous System	2·04	2·07	2·01	558	287	271	144	28	11	10	5	198	13	6	11	11	11	21	36	37
Diseases of Circulatory ,,	1·54	1·68	1·39	420	233	187	–	–	–	–	–	–	2	6	8	10	15	31	36	82
Diseases of Respiratory ,,	2·63	2·90	2·35	719	402	317	172	88	38	25	19	342	28	6	6	4	19	23	43	47
Diseases of Digestive ,,	0·90	0·84	0·96	246	117	129	57	13	5	3	1	79	6	3	3	2	10	22	29	33
Diseases of Urinary ,,	0·47	0·69	0·24	129	96	33	3	–	–	1	3	7	3	3	3	3	6	14	11	22
Diseases of Generative ,,	0·06	0·01	0·11	16	1	15	–	–	–	–	–	–	–	–	–	1	2	3	3	3
Puerperal Fever	0·09	–	0·18	24	–	24	–	–	–	–	–	–	–	–	2	3	7	7	–	–
Childbirth	0·07	–	0·13	18	–	18	–	–	–	–	–	–	–	–	1	2	3	7	–	–
Violence	0·63	1·00	0·24	171	138	33	6	7	4	1	2	20	10	7	17	16	28	25	22	9
Other Causes	2·97	3·14	2·86	819	435	384	381	11	6	–	4	402	9	6	17	8	10	27	25	32

Marriages	1,362				
Births — Males	4,206	Annual Rate per 1000 living — Persons Married	12·16	Deaths from Childbirth and Puerperal Fever	4·94 per 1000 Births.
Births — Females	4,204	Births	31·13		
Births	8,510				

* *See* pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

79 | 576
79 | 288
79 | 288

194.—MALDON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·53	† 99	–	–	–	–	34·41	3·59	2·87	4·50	5·10	6·67	7·82	10·82	19·30	53·27	139·36
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·65	†105	–	–	–	–	36·47	3·49	2·52	4·45	4·45	6·19	7·67	11·82	19·33	55·47	147·58
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·52	† 94	–	–	–	–	32·33	3·69	3·26	4·57	5·77	7·11	7·96	9·85	19·27	50·85	130·92
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·53 per cent.	23,655	635	623	630	607	655	3150	3150	2892	2156	1549	2729	2417	2098	1746	1237	531
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·53 per cent.	11,997	324	318	313	306	324	1585	1578	1510	1237	786	1308	1174	1032	869	649	269
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·53 per cent.	11,658	311	305	317	301	331	1565	1572	1382	919	763	1421	1243	1066	877	588	262
Deaths from All Causes, 1881–90. Persons	16·02	3,790	712	224	64	40	44	1084	113	83	97	79	182	189	227	337	659	740
Deaths from All Causes, 1881–90. Males	16·50	1,979	384	124	33	15	22	578	55	38	55	35	81	90	122	168	360	397
Deaths from All Causes, 1881–90. Females	15·53	1,811	328	100	31	25	22	506	58	45	42	44	101	99	105	169	299	343

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
Measles	0·15	0·13	0·18	36	15	21	9	11	4	3	2	29	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·04	0·08	14	5	9	–	2	1	3	2	8	3	1	1	1	–	–	–	–	–	–
Diphtheria	0·21	0·17	0·26	50	20	30	–	1	7	4	9	21	20	5	3	–	–	–	–	–	–	–
Whooping-cough	0·35	0·30	0·40	83	36	47	39	27	13	2	1	82	1	–	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·16	0·15	36	19	17	1	–	–	–	1	2	3	6	5	2	7	4	3	4	–	–
Simple Continued Fever	0·03	0·03	0·03	7	4	3	–	–	–	–	–	–	1	–	–	–	–	2	–	1	2	1
Diarrhœa and Dysentery	0·30	0·28	0·31	70	34	36	35	11	–	–	2	48	1	1	–	–	2	–	–	3	2	13
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·61	0·47	0·75	144	56	88	–	–	–	–	–	–	–	–	1	–	2	11	19	44	45	22
Tabes Mesenterica	0·17	0·18	0·16	41	22	19	23	7	1	–	–	31	2	2	1	4	–	–	–	–	1	–
Phthisis	1·49	1·48	1·49	352	178	174	18	8	3	–	1	30	7	25	36	37	81	51	39	30	15	1
Other Tub. & Scrof. Dis.	0·35	0·37	0·33	82	44	38	10	25	4	1	2	42	10	8	3	5	2	2	5	3	2	–
Diseases of Nervous System	2·32	2·45	2·19	549	294	255	97	24	4	8	7	140	17	12	17	6	11	36	33	46	134	97
Diseases of Circulatory „	1·45	1·40	1·51	344	168	176	2	1	–	–	–	3	4	4	2	1	15	25	34	69	117	70
Diseases of Respiratory „	2·19	2·42	1·96	519	290	229	115	63	13	12	12	215	18	4	7	2	19	13	35	46	83	77
Diseases of Digestive „	0·88	0·88	0·88	208	105	103	29	17	4	2	1	53	6	1	1	5	2	5	19	26	63	27
Diseases of Urinary „	0·34	0·48	0·21	81	57	24	–	–	–	–	–	–	1	–	3	1	5	11	3	7	29	21
Diseases of Generative „	0·08	0·01	0·15	18	1	17	–	–	–	–	–	–	–	–	–	–	1	2	5	5	5	–
Puerperal Fever	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	–	3	5	1	–	–	–	–
Childbirth	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	–	–	4	6	1	–	–	–
Violence	0·49	0·68	0·30	116	81	35	10	6	4	4	3	27	8	5	9	6	9	8	9	11	19	5
OTHER CAUSES	4·29	4·54	4·00	1015	547	468	324	21	6	1	1	353	5	8	8	5	17	10	21	42	140	406

Marriages 1,426

Births { Males 3,662 / Females 3,507 } 7,169

Annual Rate per 1000 living { Persons Married 12·06 / Births 30·31

Deaths from Childbirth and Puerperal Fever 2·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

195.—TENDRING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15	20	25–	35–	45	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In 14·43	†117	–	–	–	–	40·97	4·52	2·66	4·71	5·13	5·95	8·48	10·86	19·49	49·24	138·75
	Males	Standard 14·69	†131	–	–	–	–	46·02	4·47	2·39	4·05	4·70	5·03	8·51	11·43	20·89	48·32	141·58
	Females	Population* 14·18	†102	–	–	–	–	36·11	4·57	2·93	5·47	5·63	6·80	8·46	10·31	18·06	50·19	135·95
Mean Population, 1881–90.	Persons	Decennial Increase of Population 17,875	960	869	929	945	915	4618	4491	4063	3186	2707	4053	3773	3121	2448	1641	738
	Males		472	416	455	466	455	2264	2236	2047	1704	1446	2348	1869	1531	1230	832	368
	Females	11·73 per cent. 17,564	488	453	474	479	460	2354	2255	2016	1482	1261	2005	1904	1590	1218	809	370
Deaths from Accidents, 1881–90.	Persons	16·19 5,737	1294	335	113	76	74	1892	203	108	150	139	277	320	339	477	808	1024
	Males	16·56 2,960	735	172	56	40	39	1042	100	49	69	68	118	159	175	257	402	521
	Females	15·81 2,777	559	163	57	36	35	850	103	59	81	71	159	161	164	220	406	503

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	1	1	–	–	–	–	1	–	2	–	–	–
Measles	0·12	0·13	0·11	41	23	18	15	12	5	2	3	37	3	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·09	0·10	0·08	31	17	14	1	2	4	6	1	14	10	6	1	–	–	–	–	–	–	–
Diphtheria	0·21	0·19	0·23	74	34	40	3	4	5	9	12	33	26	8	–	1	3	1	–	–	2	–
Whooping-cough	0·36	0·32	0·40	129	58	71	73	33	12	4	7	128	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·14	0·13	0·14	48	24	24	–	1	–	–	3	4	10	5	5	5	8	6	2	2	1	–
Simple Continued Fever	0·01	0·01	0·01	5	1	4	–	–	–	1	–	1	2	–	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·38	0·37	0·40	135	67	68	83	15	–	2	–	100	2	–	1	2	–	1	1	3	11	14
Cholera	0·01	0·01	0·01	3	2	1	1	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–
Cancer	0·63	0·48	0·80	225	85	140	1	–	–	1	–	2	–	–	–	–	8	15	40	66	63	31
Tabes Mesenterica	0·21	0·22	0·21	76	39	37	42	11	6	–	–	59	5	4	4	1	2	1	–	–	–	–
Phthisis	1·50	1·78	1·22	530	228	302	14	10	3	2	3	32	19	30	62	63	107	103	55	39	16	4
Other Tub. & Scrof. Dis.	0·35	0·36	0·34	123	64	59	44	29	5	5	3	86	17	1	1	5	6	3	2	1	1	–
Diseases of Nervous System	2·04	2·16	1·92	724	386	338	159	55	13	13	9	249	23	16	13	3	15	14	45	78	158	116
Circulatory	1·58	1·52	1·65	560	271	289	12	2	–	–	1	15	6	8	16	10	18	32	51	99	192	113
Respiratory	2·71	2·88	2·53	959	515	444	203	100	40	16	17	376	45	9	9	7	16	30	37	68	146	216
Digestive	1·05	1·05	1·07	372	187	185	81	13	2	3	1	100	11	6	4	6	13	27	41	59	66	18
Urinary	0·31	0·43	0·18	109	77	32	4	1	1	–	–	6	1	2	3	2	3	12	8	22	29	15
Generative	0·04	0·02	0·07	15	3	12	–	1	–	–	–	1	–	–	–	–	1	–	2	1	8	2
Puerperal Fever	0·06	–	0·12	21	–	21	–	–	–	–	–	–	–	–	–	3	14	4	–	–	–	–
Childbirth	0·06	–	0·13	22	–	22	–	–	–	–	–	–	–	–	–	4	5	9	–	–	–	–
Violence	0·65	1·05	0·25	232	188	44	14	4	4	3	8	33	74	13	17	19	22	39	21	20	18	16
Other Causes	3·66	3·85	3·43	1298	688	610	545	42	13	8	5	613	8	6	14	8	23	23	31	27	97	449

Marriages	–	–	2,308	Annual Rate per 1000 living	Persons Married	13·03
Births	Males	5,593	11,048		Births	31·17
	Females	5,455				

Deaths from Childbirth and Puerperal Fever 3·89 per 1000 Births.

* *See pages* xxvi xxxvi.

† The death-rates under one year of age are per 1000 Births.

196.—COLCHESTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 18·00	†131	–	–	–	–	49·76	4·99	4·10	4·99	5·20	6·61	11·35	15·96	27·35	64·85	167·67
Annual Death-Rate per 1000. Males	—	Standard 18·81	†138	–	–	–	–	51·75	4·46	3·56	4·70	5·67	7·98	11·86	17·81	29·62	74·43	179·12
Annual Death-Rate per 1000. Females	—	Population* 17·24	†124	–	–	–	–	47·78	5·49	4·63	5·31	4·62	5·14	10·88	14·32	25·51	57·61	159·36
Mean Population, 1881–91. Persons	Decennial Increase of Population ±1·80 per cent.	31,466	768	743	760	726	735	3732	3450	3240	3671	3482	4884	3356	2425	1766	1027	433
Mean Population, 1881–91. Males		15,723	382	376	379	355	367	1859	1682	1600	1956	1923	2530	1619	1140	790	442	182
Mean Population, 1881–91. Females		15,743	386	367	381	371	368	1873	1768	1640	1715	1559	2354	1737	1285	976	585	251
Deaths from All Causes, 1881–90. Persons	17·45	5,492	1232	367	119	82	57	1857	172	133	183	181	323	381	387	483	666	726
Deaths from All Causes, 1881–90. Males	17·69	2,781	653	180	63	39	27	962	75	57	92	109	202	192	203	234	329	326
Deaths from All Causes, 1881–90. Females	17·22	2,711	579	187	56	43	30	895	97	76	91	72	121	189	184	249	337	400

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·01	0·02	5	2	3	3	–	–	–	–	3	–	–	1	–	–	–	–	–	–	1
Measles	0·27	0·22	0·32	86	35	51	28	18	14	8	6	74	9	–	1	1	–	–	1	–	–	–
Scarlet Fever	0·04	0·04	0·04	13	7	6	–	2	2	2	–	6	3	3	1	–	–	–	–	–	–	–
Diphtheria	0·14	0·09	0·18	43	14	29	–	4	5	5	4	18	18	2	–	1	1	2	–	1	–	–
Whooping-cough	0·42	0·33	0·50	131	52	79	64	45	10	7	1	127	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	2	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Enteric Fever	0·19	0·20	0·18	60	32	28	–	–	1	1	4	6	7	10	5	7	13	3	6	1	1	1
Simple Continued Fever	0·03	0·03	0·03	9	4	5	1	–	–	–	1	2	2	–	–	–	2	–	1	1	1	–
Diarrhœa and Dysentery	0·61	0·55	0·67	192	86	106	113	28	1	1	1	144	2	2	–	1	2	1	–	10	9	21
Cholera	0·00	–	0·01	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·38	0·95	210	60	150	–	–	–	–	–	–	1	2	–	1	3	24	46	52	60	21
Tabes Mesenterica	0·24	0·24	0·24	75	38	37	35	16	4	2	1	58	3	7	2	3	–	–	1	1	–	–
Phthisis	1·96	2·17	1·75	616	341	275	10	11	3	2	3	29	7	32	79	75	124	117	70	55	25	3
Other Tub. & Scrof. Dis.	0·46	0·53	0·39	146	84	62	40	32	9	7	3	91	18	7	9	5	8	3	1	4	–	–
Diseases of Nervous System	2·41	2·52	2·30	758	396	362	166	53	9	11	3	242	22	18	15	16	22	25	44	94	140	120
Diseases of Circulatory	1·71	1·64	1·78	538	258	280	7	2	–	2	–	11	9	11	12	5	29	48	52	100	153	108
Diseases of Respiratory	3·04	3·24	2·85	957	509	448	252	107	42	24	19	444	32	13	12	13	34	39	50	62	119	138
Diseases of Digestive	1·05	1·15	0·95	331	181	150	79	13	4	1	1	98	7	6	12	9	22	35	31	37	46	28
Diseases of Urinary	0·52	0·59	0·44	163	93	70	1	–	1	2	1	5	3	1	6	6	13	24	20	19	43	23
Diseases of Generative	0·06	0·01	0·11	19	1	18	–	–	–	–	–	–	–	–	2	1	3	4	4	1	2	2
Puerperal Fever	0·06	–	0·11	18	–	18	–	–	–	–	–	–	–	–	1	5	5	7	–	–	–	–
Childbirth	0·05	–	0·10	15	–	15	–	–	–	–	–	–	–	–	1	3	4	5	2	–	–	–
Violence	0·54	0·79	0·30	171	124	47	19	5	6	4	5	39	11	6	4	16	19	15	21	19	10	11
OTHER CAUSES	2·95	2·95	3·00	933	462	471	414	31	7	3	4	459	13	13	20	12	19	29	37	25	57	249

Marriages - - - 2,422

Births - Males - 4,749 / Females - 4,653 = 9,402

Annual Rate per 1000 living: Persons Married 15·39; Births - - 29·88

Deaths from Childbirth and Puerperal Fever - - - - 3·51 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

197.—LEXDEN.

Causes of Death.	Crude Death Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	Persons –		In Standard Population*	13·77	†103	–	–	–	–	34·93	4·08	2·96	4·40	4·76	6·16	8·56	11·33	20·34	50·00	145·20
	Males –			13·95	†108	–	–	–	–	37·34	4·90	2·29	3·33	3·78	5·91	8·41	12·38	21·72	55·18	147·27
	Females –			13·60	† 97	–	–	–	–	32·43	3·23	3·70	5·77	5·71	6·39	8·69	10·35	19·00	44·65	143·30
Mean Population, 1881-91.	Persons –	Decennial Decrease of Population 0·73 per cent.		21,682	542	556	555	549	589	2791	2821	2570	1976	1556	2549	2197	1977	1638	1120	517
	Males –			10,905	274	279	283	276	310	1422	1428	1353	1110	768	1249	1035	953	792	569	256
	Females –			10,777	268	277	272	273	279	1369	1393	1217	866	788	1330	1162	1024	816	551	261
Deaths from All Causes, 1881-90.	Persons –	16·39		3,554	659	167	71	38	40	975	115	76	87	74	157	188	224	327	560	751
	Males –	16·85		1,808	354	97	34	25	21	531	70	31	37	29	72	87	118	172	344	377
	Females –	15·74		1,699	305	70	37	13	19	444	45	45	50	45	85	101	106	155	246	374

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox –	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1
Measles –	0·17	0·24	0·10	37	26	11	9	9	2	5	3	28	7	1	1	–	–	–	–	–
Scarlet Fever –	0·09	0·08	0·09	19	9	10	–	1	3	2	3	9	7	1	2	–	–	–	–	–
Diphtheria –	0·24	0·35	0·15	52	36	16	2	4	5	4	2	17	19	7	3	–	1	1	1	2	1	–
Whooping cough –	0·37	0·28	0·45	80	31	49	52	16	6	3	3	80	–	–	–	–	–	–	–	–	–	–
Typhus – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever –	0·07	0·07	0·06	15	8	7	–	–	–	–	–	–	2	3	1	5	1	1	1	1	–	–
Simple Continued Fever	0·04	0·05	0·04	9	5	4	–	–	–	–	–	–	1	1	–	–	–	1	2	1	1	2
Diarrhœa and Dysentery	0·38	0·40	0·36	83	44	39	40	6	2	2	–	50	3	1	–	–	–	1	1	4	8	15
Cholera – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer – –	0·74	0·60	0·89	161	65	96	–	–	–	–	1	1	–	–	1	–	1	12	32	40	48	26
Tabes Mesenterica	0·20	0·20	0·19	43	22	21	30	6	1	–	–	37	1	2	2	–	–	1	–	–	–	–
Phthisis – –	1·62	1·76	1·68	351	170	181	8	8	2	1	3	22	9	16	43	32	80	69	44	23	11	2
Other Tub. & Scrof. Dis.	0·30	0·39	0·29	64	33	31	18	11	3	2	5	39	7	5	3	3	1	3	1	2	–	–
Diseases of Nervous System	2·21	2·38	2·04	480	260	220	81	26	11	4	4	126	15	8	4	6	13	23	24	51	117	93
Circulatory ,,	2·02	1·92	2·12	437	209	228	4	–	–	–	–	4	1	4	6	6	8	20	33	77	148	130
Respiratory ,,	2·80	2·90	2·71	608	316	292	138	50	21	9	12	230	22	8	2	5	11	12	23	46	105	144
Digestive ,,	0·89	0·88	0·91	194	96	98	29	5	4	–	1	39	5	6	4	2	8	10	20	33	40	27
Urinary ,,	0·35	0·53	0·16	75	58	17	2	–	–	1	–	3	–	–	2	–	3	2	8	9	26	22
Generative ,,	0·09	0·03	0·15	19	3	16	–	–	–	–	–	–	–	–	1	2	3	3	1	5	3	1
Puerperal Fever –	0·06	–	0·11	12	–	12	–	–	–	–	–	–	–	–	–	1	6	5	–	–	–	–
Childbirth –	0·06	–	0·13	14	–	14	–	–	–	–	–	–	–	–	1	1	7	5	–	–	–	–
Violence – –	0·45	0·73	0·17	98	80	18	5	7	4	3	1	20	10	4	8	6	2	5	14	12	13	6
Other Causes –	3·13	3·34	2·93	679	364	315	241	18	7	2	2	270	6	9	4	5	11	14	18	21	39	282

Marriages – –	–	1,247	Annual Rate per 1000 living	Persons Married	12·43
Births – { Males –	3,284	6,414		Births –	29·58
Births – { Females –	3,130		Deaths from Childbirth and Puerperal Fever – – – –		4·05 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

198.—HALSTEAD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·21	†112	-	-	-	-	40·75	5·76	2·61	4·76	5·67	6·96	7·62	10·90	23·29	52·41	159·95
Males	—	Standard 15·56	†123	-	-	-	-	44·71	5·70	2·27	4·45	5·47	6·11	8·19	12·17	23·08	53·33	170·24
Females	—	Population.* 14·88	† 99	-	-	-	-	36·58	5·81	2·92	5·05	5·82	7·60	7·19	9·86	23·47	51·56	151·26
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·80 per cent.	16,937	380	392	377	397	410	1956	2033	1996	1638	1270	2082	1771	1597	1357	870	367
Males		7,899	185	200	213	195	209	1002	1000	969	787	548	884	769	715	637	420	168
Females		9,038	195	192	164	202	201	954	1033	1027	851	722	1198	1002	882	720	450	199
Deaths from All Causes, 1881-90. Persons	17·29	2,929	521	137	50	48	41	797	117	52	78	72	145	135	174	316	456	587
Males	18·39	1,453	299	73	28	30	18	448	57	22	35	30	54	63	87	147	224	286
Females	16·33	1,476	222	64	22	18	23	349	60	30	43	42	91	72	87	169	232	301

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·01	0·04	5	1	4	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-
Measles	0·14	0·16	0·12	24	13	11	7	9	4	1	-	21	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·08	0·09	0·08	14	7	7	1	1	2	4	-	8	2	1	2	-	1	-	-	-	-	-
Diphtheria	0·35	0·29	0·41	60	23	37	2	2	2	10	11	27	22	7	1	-	3	-	-	-	-	-
Whooping-cough	0·25	0·25	0·25	43	20	23	29	10	2	1	-	42	1	-	-	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·08	0·05	0·10	13	4	9	-	-	-	1	-	1	3	1	2	-	4	-	-	2	-	-
Simple Continued Fever	0·02	-	0·03	3	-	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Diarrhœa and Dysentery	0·38	0·48	0·30	65	38	27	43	5	-	2	-	50	1	1	1	-	1	2	-	3	1	5
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·83	0·71	0·93	140	56	84	-	-	1	-	-	1	-	1	-	-	5	11	22	38	40	22
Tabes Mesenterica	0·14	0·14	0·14	24	11	13	7	1	1	1	-	10	1	2	2	2	4	1	1	1	-	-
Phthisis	1·75	1·53	1·94	296	121	175	5	3	1	1	1	11	4	10	25	43	69	45	47	24	16	2
Other Tub. & Scrof. Dis.	0·27	0·34	0·21	46	27	19	11	10	-	3	2	26	8	2	2	-	4	1	-	2	1	-
Diseases of Nervous System	2·01	2·30	1·76	341	182	159	51	13	9	4	3	80	15	8	3	2	3	9	17	44	96	64
Diseases of Circulatory „	1·84	1·73	1·94	312	137	175	8	-	-	-	-	8	5	6	9	6	10	13	26	63	92	80
Diseases of Respiratory „	3·24	3·37	3·13	549	266	283	95	61	20	17	19	212	30	4	4	4	9	18	18	48	83	119
Diseases of Digestive „	0·94	1·15	0·75	159	91	68	18	5	1	1	1	26	4	2	8	2	10	8	15	32	32	20
Diseases of Urinary „	0·43	0·70	0·19	72	55	17	1	-	-	1	-	2	1	1	2	1	3	2	9	12	20	19
Diseases of Generative „	0·06	-	0·11	10	-	10	-	-	-	-	-	-	-	-	-	-	-	4	2	1	2	1
Puerperal Fever	0·02	-	0·03	3	-	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Childbirth	0·08	-	0·14	13	-	13	-	-	-	-	-	-	-	-	-	1	7	4	1	-	-	-
Violence	0·43	0·76	0·14	73	60	13	10	3	1	1	1	16	9	3	4	2	5	5	3	7	9	10
OTHER CAUSES	3·92	4·33	3·59	664	341	323	233	14	6	-	3	256	6	3	10	8	4	10	19	39	64	245

Marriages - - - 1,087

Births - { Males - 2,424 / Females - 2,241 } 4,665

Annual Rate per 1000 living { Persons Married 12·84 / Births - - 27·54

Deaths from Childbirth and Puerperal Fever - - - - - 3·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

199.—BRAINTREE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45	55—	65—	75 and upwd
Annual Death-Rate per 1000. Persons	—	In 14·59	† 89	–	–	–	–	36·60	5·68	3·12	3·09	5·09	6·82	8·34	10·75	24·25	56·74	157·55
Males	—	Standard 15·12	†110	–	–	–	–	39·72	3·89	2·91	3·89	4·19	5·82	8·94	11·39	17·82	60·10	163·27
Females	—	Population* 14·08	† 89	–	–	–	–	32·33	3·47	3·33	4·18	5·67	7·66	7·86	9·86	22·01	52·72	153·15
Mean Population, 1881-91. Persons	Decennial Decrease of Population 0·49 per cent.	28,555	698	649	703	703	689	3442	3395	3396	2704	2051	3439	2963	2650	2212	1514	648
Males		13,552	354	316	350	343	344	1707	1746	1686	1341	888	1663	1465	1220	1058	725	285
Females		15,003	344	333	353	360	345	1735	1649	1710	1363	1163	1857	1628	1440	1154	789	365
Deaths from All Causes, 1881-90. Persons	17·12	4,889	788	238	97	66	50	1239	130	106	108	121	234	247	281	543	859	1021
Males	18·03	2,444	447	117	54	34	26	678	68	49	51	35	91	119	139	289	443	603
Females	16·30	2,445	341	121	43	32	24	561	62	57	57	86	143	128	142	254	416	539

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	0·02	0·04	0·01	7	5	2	1	1	–	–	–	2	–	–	1	1	1	2	–	–	–	–
Measles	0·18	0·23	0·14	52	31	21	7	21	5	4	5	42	8	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·18	0·18	0·19	52	24	28	2	8	7	8	3	28	16	5	2	–	1	–	–	–	–	–
Diphtheria	0·18	0·18	0·19	52	24	28	–	1	8	5	4	18	15	14	–	–	2	1	–	–	–	–
Whooping-cough	0·31	0·24	0·37	88	32	56	46	27	3	7	5	87	1	–	–	–	–	–	–	–	2	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·09	0·10	0·08	25	14	12	–	–	–	–	–	–	2	5	6	2	4	1	3	3	–	–
Simple Continued Fever	0·02	0·02	0·02	5	2	3	–	1	1	–	1	3	–	–	–	–	–	–	1	–	1	–
Diarrhœa and Dysentery	0·27	0·26	0·29	78	35	43	31	10	3	1	1	46	2	1	–	–	2	1	–	1	8	17
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·69	0·85	221	93	128	1	–	–	–	–	1	–	1	–	1	3	11	34	64	72	34
Tabes Mesenterica	0·09	0·12	0·06	25	16	9	4	8	4	1	1	18	4	2	–	–	1	–	–	–	–	–
Phthisis	1·53	1·44	1·61	436	195	241	3	2	1	1	1	8	4	18	37	58	103	89	51	49	26	2
Other Tub. & Scrof. Dis.	0·46	0·47	0·45	132	64	68	54	24	9	7	4	98	12	8	4	5	–	1	4	–	–	–
Diseases of Nervous System	2·39	2·77	2·05	683	376	307	101	22	11	4	2	141	14	7	11	4	19	29	32	91	188	147
Circulatory „	1·90	1·98	1·83	542	268	274	4	–	–	–	–	4	2	4	7	7	17	22	30	107	194	189
Respiratory „	2·64	2·85	2·45	753	386	367	139	73	30	17	18	277	19	9	6	4	9	26	37	84	138	144
Digestive „	1·04	1·08	0·99	296	147	149	43	12	–	3	2	60	7	6	3	2	18	16	24	60	68	32
Urinary „	0·35	0·48	0·23	100	65	35	–	–	–	1	–	1	1	4	4	2	5	11	7	16	20	22
Generative „	0·08	0·01	0·14	22	1	21	–	–	–	–	–	–	–	–	–	–	3	2	3	7	4	3
Puerperal Fever	0·05	–	0·09	13	–	13	–	–	–	–	–	–	–	–	1	3	6	3	–	–	–	–
Childbirth	0·05	–	0·10	15	–	15	–	–	–	–	–	–	2	2	9	2	–	–	–	–	–	–
Violence	0·53	0·78	0·31	151	105	46	7	2	3	4	2	23	10	5	8	5	9	14	16	22	21	19
Other Causes	3·39	4·11	3·84	1439	561	578	346	25	7	3	1	382	13	16	16	17	21	26	30	39	117	402

Marriages	1,675	Annual Rate per 1000 living	Persons Married	11·73	Deaths from Childbirth and Puerperal Fever 3·83 per 1000 Births.
Births Males	4,077		Births	27·75	
Females	3,847				
	7,924				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

200.—DUNMOW.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·80	† 92	–	–	–	–	32·48	4·93	3·00	3·47	6·92	6·91	8·07	10·54	22·25	50·35	145·19
Males	—	Standard 14·43	†102	–	–	–	–	37·68	5·52	2·65	2·60	6·12	7·59	8·05	10·86	24·40	53·15	153·10
Females	—	Population* 13·17	† 81	–	–	–	–	27·38	4·34	3·41	4·74	7·85	6·28	8·10	10·23	20·19	47·47	138·40
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·46 per cent.	17,332	424	400	429	430	438	2121	2189	2100	1557	1127	1924	1734	1641	1447	1003	489
Males		8,862	206	206	208	213	218	1051	1105	1131	924	605	936	857	810	709	508	226
Females		8,470	218	194	221	217	220	1070	1084	969	633	522	988	877	831	738	495	263
Deaths from All Causes, 1881–90. Persons	17·16	2,975	437	127	59	38	28	689	108	63	54	78	133	140	173	322	505	710
Males	17·66	1,565	253	73	34	22	14	396	61	30	24	37	71	69	88	173	270	346
Females	16·65	1,410	184	54	25	16	14	293	47	33	30	41	62	71	85	149	235	364

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·03	–	3	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Measles	0·13	0·14	0·13	23	12	11	4	4	5	–	3	16	7	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·07	0·06	11	6	5	–	4	1	2	1	8	2	–	–	1	–	–	–	–	–
Diphtheria	0·31	0·26	0·35	53	23	30	1	1	6	6	2	16	23	12	1	–	1	–	–	–	–
Whooping-cough	0·39	0·42	0·35	67	37	30	31	18	9	2	4	64	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·08	0·08	0·07	13	7	6	–	–	–	–	–	–	3	3	–	4	–	–	3	–	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·26	0·21	41	23	18	16	5	–	1	–	22	1	–	–	–	–	–	1	8	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·88	0 61	1·17	153	54	99	–	–	–	–	–	–	–	–	1	4	9	28	46	43	22
Tabes Mesenterica	0·16	0·16	0·17	28	14	14	8	4	2	–	1	15	5	2	1	1	–	2	1	1	–
Phthisis	1·58	1·68	1·48	274	149	125	1	–	2	2	2	7	7	16	25	40	63	37	39	23	14	3
Other Tub. & Scrof. Dis.	0·31	0·37	0·24	53	33	20	12	9	6	1	1	29	5	5	2	4	1	1	1	2	3	–
Diseases of Nervous System	2·44	2·36	2·53	423	209	214	61	16	6	6	4	93	12	7	4	3	8	11	18	44	101	122
Diseases of Circulatory „	2·38	2·46	2·29	412	218	194	4	–	–	–	1	5	7	1	7	5	11	22	31	78	135	110
Diseases of Respiratory „	2·16	2·45	1·85	374	217	157	81	35	14	12	4	146	14	4	2	1	6	7	13	42	63	76
Diseases of Digestive „	0·91	0·99	0·81	157	88	69	17	8	–	1	1	27	4	1	1	3	5	13	18	28	33	24
Diseases of Urinary „	0·38	0·53	0·21	65	47	18	–	–	–	1	–	1	–	–	2	–	6	8	4	13	18	13
Diseases of Generative „	0·03	0·01	0·05	5	1	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2
Puerperal Fever	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	3	4	3	–	–	–	–
Childbirth	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	3	5	4	1	–	–	–
Violence	0·41	0·56	0·25	71	50	21	4	3	3	1	2	13	4	3	3	5	5	10	4	11	7	6
OTHER CAUSES	4·13	4·21	4·15	724	373	351	197	20	5		2	227	11	8	6	3	13	12	13	28	80	323

Marriages - - - 930

Births { Males - 2,481 / Females - 2,268 } 4,749

Annual Rate per 1000 living { Persons Married 10·73 / Births - - 27·40

Deaths from Childbirth and Puerperal Fever - - - - - } 4·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

201.—SAFFRON WALDEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-rate per 1000. Persons	—	In 13·73	†88	–	–	–	–	31·05	2·98	2·13	3·36	5·15	6·94	8·58	13·02	22·86	59·83	160·17
Males	—	Standard 14·14	†97	–	–	–	–	33·42	2·65	2·20	3·23	4·55	5·92	10·09	15·31	25·81	61·35	160·93
Females	—	Population.* 13·34	†78	–	–	–	–	28·74	3·31	2·06	4·72	5·75	7·89	7·19	10·94	20·03	59·45	159·51
Mean Population, 1881–90. Persons	Decennial Decrease of Population 3·39 per cent.	18,273	468	432	458	448	481	2287	2379	2203	1639	1263	2147	1865	1643	1391	934	462
Males		9,042	224	197	233	234	237	1125	1169	1137	897	667	1031	892	784	682	473	215
Females		9,231	244	235	225	214	244	1162	1210	1066	742	626	1116	973	859	709	521	247
Deaths from All Causes. Persons	16·77	3,064	462	135	43	44	26	710	71	47	55	65	149	160	214	318	535	740
Males	17·33	1,567	260	65	14	24	13	376	31	25	20	29	61	90	120	176	293	346
Females	16·22	1,497	202	70	29	20	13	334	40	22	35	36	88	70	94	142	242	394

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·03	0·01	0·04	5	1	4
Measles	0·38	0·39	0·38	70	35	35
Scarlet Fever	0·09	0·04	0·14	17	4	13
Diphtheria	0·08	0·08	0·08	14	7	7
Whooping-cough	0·23	0·24	0·22	43	23	20
Typhus	0·01	0·01	–	1	1	–
Enteric Fever	0·13	0·11	0·13	23	10	12
Simple Continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·33	0·26	54	30	24
Cholera	0·01	0·01	0·01	2	1	1
Cancer	0·80	0·74	1·24	181	67	114
Tabes Mesenterica	0·10	0·07	0·14	19	6	13
Fatness	1·38	1·29	1·46	252	117	135
Other Tub. & Scrof. Dis.	0·31	0·40	0·22	56	36	20
Nervous System	2·41	2·01	2·24	441	236	205
Circulatory "	2·27	2·54	2·19	414	212	202
Respiratory "	2·52	2·78	2·81	460	247	213
Digestive "	0·78	0·80	0·69	145	81	64
Urinary "	0·59	0·86	0·33	108	78	30
Generative "	0·05	0·01	0·10	10	1	9
Puerperal Fever	0·08	–	0·15	14	–	14
Childbirth	0·07	–	0·14	13	–	13
Violence	0·46	0·69	0·24	84	62	22
Other Causes	3·50	3·47	3·51	640	313	327

Persons.

–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–	–
15	17	8	13	6	59	7	3	–	–	–	1	–	–	–	–	–	–	–
1	2	3	2	2	10	4	1	2	–	–	–	–	–	–	–	–	–	–
–	–	2	1	1	4	8	–	–	1	–	–	–	–	–	–	1	–	–
22	12	2	1	2	39	3	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	1	3	4	3	–	–	3	3	3	2	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	3	2	4	1	25	–	–	–	–	–	3	–	–	3	2	2	21	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
–	1	–	–	1	2	–	1	–	–	5	6	33	56	43	35	–	–	–
–	6	1	1	–	8	2	2	1	1	2	1	–	3	–	–	–	–	–
4	6	4	–	1	15	6	5	20	31	55	49	36	24	7	4	–	–	–
20	2	2	1	1	26	10	6	4	1	2	5	1	–	1	–	–	–	–
39	15	4	1	2	81	4	2	3	3	13	13	26	43	115	138	–	–	–
2	2	–	–	1	5	3	3	7	1	9	16	29	73	155	113	–	–	–
94	45	11	15	6	171	15	4	1	4	14	13	21	43	73	101	–	–	–
19	12	1	–	1	33	3	3	1	2	7	9	15	22	32	21	–	–	–
–	1	–	–	–	1	1	1	–	3	5	8	14	16	35	24	–	–	–
–	–	–	–	–	–	–	–	–	1	1	–	3	3	2	1	–	–	–
–	–	–	–	–	–	–	–	2	1	5	5	1	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	2	9	2	–	–	–	–	–	–	–
2	3	2	1	–	8	1	5	4	1	7	12	14	8	12	12	–	–	–
211	8	1	4	1	225	3	7	5	6	12	17	17	22	56	270	–	–	–

Marriages – – 1,036

Births – Males 2,688 / Females 2,592 – 5,275

Annual Rate per 1000 living: Persons Married 11·36; Births – 28·87

Deaths from Childbirth and Puerperal Fever – 5·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·84	†110	–	–	–	–	39·29	3·65	3·05	3·58	6·98	6·26	9·25	11·74	23·80	52·71	145·43
Annual Death-Rate per 1000. Males	—	In Standard Population.* 15·33	†123	–	–	–	–	44·45	3·57	1·96	2·14	5·63	6·41	7·94	13·68	28·62	54·03	157·46
Annual Death-Rate per 1000. Females	—	In Standard Population.* 14·38	† 96	–	–	–	–	34·26	3·72	4·17	5·19	8·22	6·12	10·42	10·08	19·60	51·36	134·03
Mean Population, 1881-91. Persons	Decennial Increase of Population 0·69 per cent.	17,270	475	429	486	468	481	2339	2276	2100	1676	1303	2046	1676	1439	1231	812	372
Mean Population, 1881-91. Males	Decennial Increase of Population 0·69 per cent.	8,451	247	207	236	232	232	1154	1147	1070	886	622	951	793	665	573	409	181
Mean Population, 1881-91. Females	Decennial Increase of Population 0·69 per cent.	8,819	228	222	250	236	249	1185	1129	1030	790	681	1095	883	774	658	403	191
Deaths from All Causes, 1881-90. Persons	16·97	2,931	612	155	75	44	33	919	83	64	60	91	128	155	169	293	428	541
Deaths from All Causes, 1881-90. Males	17·92	1,514	350	81	44	24	14	513	41	21	19	35	61	63	91	164	221	285
Deaths from All Causes, 1881-90. Females	16·07	1,417	262	74	31	20	19	406	42	43	41	56	67	92	78	129	207	256

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
Measles	0·20	0·21	0·19	35	18	17	7	10	9	4	2	32	3	–	–	–	–	–	–	
Scarlet Fever	0·10	0·09	0·10	17	8	9	1	2	3	3	2	11	3	2	1	–	–	–	–	
Diphtheria	0·20	0·26	0·15	35	22	13	2	3	2	7	3	17	13	3	1	–	1	–	–	
Whooping-cough	0·43	0·38	0·49	75	32	43	39	21	6	5	1	72	3	–	–	–	–	–	–	
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	
Enteric Fever	0·08	0·07	0·08	13	6	7	–	–	–	–	–	–	–	3	2	2	2	1	2	
Simple Continued Fever	0·04	0·02	0·06	7	2	5	–	–	1	–	–	1	3	1	–	–	–	–	2	
Diarrhœa and Dysentery	0·51	0·60	0·42	88	51	37	39	10	2	2	2	55	1	1	–	2	–	–	2	2	11	14
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cancer	0·64	0·62	0·67	111	52	59	–	–	–	–	–	–	–	–	–	–	13	16	25	42	15
Tabes Mesenterica	0·26	0·30	0·23	45	25	20	15	7	4	2	–	28	6	6	2	–	1	1	–	–	1	–
Phthisis	1·69	1·35	2·02	292	114	178	5	2	2	–	1	10	7	12	27	52	65	46	38	24	9	2
Other Tub. & Scrof. Dis.	0·32	0·32	0·33	56	27	29	20	15	2	1	2	40	4	4	2	–	1	3	–	–	1	1
Diseases of Nervous System	1·87	2·11	1·63	322	178	144	59	11	8	3	2	83	6	4	6	3	8	11	24	41	75	61
Diseases of Circulatory „	1·42	1·55	1·29	245	131	114	–	–	–	–	–	–	1	6	6	3	3	19	19	51	81	56
Diseases of Respiratory „	2·97	3·29	2·66	513	278	235	123	49	25	12	15	224	18	5	5	5	9	16	20	48	82	83
Diseases of Digestive „	1·05	1·08	1·02	181	91	90	23	8	2	1	–	34	2	5	2	8	7	13	16	44	34	16
Diseases of Urinary „	0·35	0·46	0·24	60	39	21	1	2	–	–	–	3	1	–	–	3	2	6	7	12	16	10
Diseases of Generative „	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–
Puerperal Fever	0·06	–	0·11	10	–	10	–	–	–	–	–	–	–	–	1	2	5	2	–	–	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	1	2	3	3	–	–	–	–
Violence	0·53	0·80	0·27	92	68	24	7	5	5	2	–	19	3	3	2	3	2	7	7	20	9	10
Other Causes	4·15	4·40	3·94	718	371	347	271	10	4	2	3	290	9	8	2	8	12	11	17	21	67	273

Marriages 1,127

Births { Males 2,851 / Females 2,732 } 5,583

Annual Rate per 1000 living { Persons Married 13·05 / Births 32·33

Deaths from Childbirth and Puerperal Fever 3·40 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

203.—SUDBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons —	In 14·62	†110	–	–	–	–	40·92	3·85	2·71	4·38	5·72	6·21	7·77	10·61	21·44	51·87	149·71
	Males —	Standard 14·90	†122	–	–	–	–	44·39	3·67	2·88	3·64	5·29	5·43	7·73	11·92	24·63	53·93	152·92
	Females —	Population* 14·35	† 98	–	–	–	–	37·50	4·03	2·54	5·21	6·20	6·89	7·81	9·43	19·43	49·87	146·53
Mean Population, 1881–90	Persons	Decennial Decrease of Population 14,610 1·72 per cent.	733	706	749	751	744	3683	3767	3464	2855	2168	3590	3063	2770	2285	1550	688
	Males		364	351	373	359	380	1827	1905	1734	1512	1089	1675	1399	1317	1096	764	342
	Females		369	355	376	392	364	1856	1862	1730	1343	1129	1915	1664	1453	1189	786	346
Deaths from All Causes, 1881–90	Persons 16·98	5,074	969	303	108	66	61	1507	145	94	125	124	223	238	294	490	804	1050
	Males 17·73	2,530	544	159	50	32	26	811	70	50	55	54	91	108	157	259	442	523
	Females 16·26	2,484	425	144	58	34	35	696	75	44	70	70	132	130	137	231	362	507

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·03	0·03	0·03	9	5	4	1	–	–	–	–	1	–	–	–	–	2	1	–	3	2	–
Measles	0·37	0·40	0·34	111	59	52	14	36	21	12	9	92	17	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·16	41	17	24	2	4	3	5	7	21	18	1	1	–	–	–	–	–	–	–
Diphtheria	0·06	0·04	0·09	19	6	13	–	3	–	3	3	9	6	1	–	1	1	1	–	–	–	–
Whooping-cough	0·48	0·43	0·55	144	63	81	60	44	19	8	6	137	6	–	–	–	–	–	1	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–
Enteric Fever	0·09	0·08	0·10	26	11	15	–	2	–	–	1	3	3	2	6	2	4	1	2	2	1	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0·36	0·33	102	52	50	36	13	3	1	2	55	2	1	–	1	–	–	1	3	16	23
Cholera	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
Cancer	0·26	0·21	0·31	77	43	34	–	–	–	1	–	1	–	–	–	2	8	7	26	58	67	26
Tabes Mesenterica	0·29	0·29	0·29	77	43	34	48	13	4	2	1	68	4	3	2	–	–	–	–	–	–	–
Phthisis	1·06	1·02	1·10	406	236	260	6	7	4	1	2	20	11	27	56	70	108	78	60	46	17	1
Other Tub. & Scrof. Dis.	0·36	0·40	0·32	108	59	49	26	19	3	4	7	64	14	8	7	5	5	2	1	2	–	–
Diseases of Nervous System	2·07	2·20	1·96	620	321	299	76	24	7	3	–	110	14	5	11	5	11	19	43	81	165	157
Circulatory "	1·68	1·67	1·70	503	244	259	1	–	–	–	–	1	3	9	9	8	12	28	39	96	159	130
Respiratory "	3·19	3·61	2·78	952	527	425	231	86	29	14	13	373	25	8	5	5	23	23	26	80	177	207
Digestive "	1·01	1·03	1·00	303	150	153	39	10	3	2	3	57	7	3	3	3	10	13	32	55	74	41
Urinary "	0·43	0·63	0·24	128	91	37	3	1	–	2	1	7	1	6	4	4	7	10	13	19	53	24
Generative "	0·06	–	0·11	19	2	17	–	–	–	–	–	–	–	–	1	1	1	3	4	3	4	3
Puerperal Fever	0·05	–	0·10	16	–	16	–	–	–	–	–	–	–	–	1	4	7	3	1	–	–	–
Childbirth	0·05	–	0·10	16	–	16	–	–	–	–	–	–	–	–	–	3	5	7	1	–	–	–
Violence	0·42	0·63	0·28	125	92	33	8	6	5	3	4	26	7	6	4	6	3	13	17	16	16	11
Other Causes	3·54	3·66	3·39	1054	544	510	418	35	2	5	2	462	6	11	13	3	15	24	26	23	72	300

Marriages 1,709

Births { Males 4,473 / Females 4,356 } 8,829

Annual Rate per 1000 living { Persons Married 11·84 / Births 29·55

Deaths from Childbirth and Puerperal Fever 3·63 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

204.—COSFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·29	† 85	–	–	–	–	36·59	4·08	2·46	4·87	5·44	6·76	7·76	10·88	21·88	52·30	155·16
Annual Death-Rate per 1000. Males	—	In Standard Population.* 14·61	†105	–	–	–	–	40·31	3·98	2·72	3·81	4·46	7·56	6·90	10·96	21·96	56·19	166·83
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·98	† 84	–	–	–	–	32·95	4·18	2·20	6·08	6·39	6·01	8·57	10·80	21·80	48·38	143·87
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·55 per cent.	15,706	437	406	413	395	404	2055	1959	1790	1436	1140	1938	1495	1406	1202	868	417
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·55 per cent.	7,758	204	213	204	186	210	1017	955	882	762	561	939	725	684	592	436	205
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·55 per cent.	7,948	233	193	209	209	194	1038	1004	908	674	579	999	770	722	610	432	212
Deaths from All Causes, 1881–90. Persons	17·65	2,772	469	131	77	36	39	752	80	44	70	62	131	116	153	263	454	647
Deaths from All Causes, 1881–90. Males	18·55	1,439	263	70	39	19	19	410	38	24	29	25	71	50	75	130	245	342
Deaths from All Causes, 1881–90. Females	16·77	1,333	206	61	38	17	20	342	42	20	41	37	60	66	78	133	209	305

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·04	0·04	0·04	6	3	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·12	0·14	0·10	19	11	8	2	7	3	3	–	15	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·17	0·15	25	13	12	–	3	3	4	5	15	8	–	–	–	1	1	–	–	–
Diphtheria	0·08	0·10	0·06	13	8	5	–	–	2	3	1	6	3	–	2	–	1	–	–	1	–
Whooping-cough	0·45	0·45	0·45	71	35	36	30	18	15	1	3	67	4	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·05	0·09	11	4	7	–	–	–	–	1	1	4	2	2	–	1	–	–	–	1
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·32	0·40	0·24	50	31	19	16	7	–	3	3	29	1	–	–	–	3	1	1	7	4
Cholera	0·02	0·04	–	3	3	–	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–
Cancer	0·65	0·57	0·73	102	44	58	–	–	–	–	–	–	1	–	–	–	–	8	8	31	39
Tabes Mesenterica	0·16	0·15	0·16	25	12	13	10	2	1	1	–	14	2	2	1	1	2	–	1	1	1
Phthisis	1·68	1·65	1·70	263	128	135	3	–	2	2	1	8	9	18	34	36	72	39	27	19	1
Other Tub. & Scrof. Dis.	0·31	0·27	0·35	49	21	28	9	6	9	1	1	26	6	1	5	3	6	–	1	1	–
Diseases of Nervous System	1·89	2·06	1·72	297	160	137	29	9	6	3	7	54	9	4	3	1	9	9	24	33	83
Diseases of Circulatory „	1·89	1·83	1·94	296	142	154	3	2	1	–	–	6	1	2	4	4	4	15	24	55	100
Diseases of Respiratory „	2·45	2·68	2·23	385	208	177	86	34	17	11	12	160	7	1	1	3	3	16	13	37	66
Diseases of Digestive „	1·13	1·15	1·12	178	89	89	25	20	7	–	2	54	2	5	4	2	6	6	20	27	36
Diseases of Urinary „	0·41	0·59	0·24	65	46	19	4	1	–	–	–	5	–	1	2	–	2	4	8	9	21
Diseases of Generative „	0·06	0·01	0·10	9	1	8	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2
Puerperal Fever	0·02	–	0·04	3	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Childbirth	0·06	–	0·11	9	–	9	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–
Violence	0·45	0·72	0·18	70	56	14	9	3	5	–	1	18	8	4	1	–	7	4	6	9	9
Other Causes	5·22	5·48	5·01	822	424	398	242	19	5	4	2	272	9	5	8	9	10	8	16	28	91

Marriages	1,027		Persons Married	13·08	Deaths from Childbirth and Puerperal Fever 2·43 per 1000 Births.
Births Males	2,500	Annual Rate per 1000 living	Births	31·45	
Births Females	2,439	4,939			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

205.—THINGOE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons —	In Standard Population* 13·39	†100	–	–	–	–	34·86	3·65	1·90	4·05	5·21	6·80	8·82	10·12	21·76	45·33	125·56
	Males —		†109	–	–	–	–	38·73	3·25	1·48	3·21	5·57	7·15	8·02	10·70	22·45	50·76	133·82
	Females —		† 90	–	–	–	–	30·97	4·05	2·35	5·14	4·84	6·46	9·57	9·57	21·09	40·27	118·41
Mean Popn. Living, 1881–91.	Persons	Decennial Decrease of Population 4·00 per cent.	16,064	409	378	398	426	426	2037	2029	1842	1483	1094	1041	1007	1452	1195	878	446
	Males		8,073	204	186	199	217	214	1020	1016	947	841	557	951	810	710	588	426	207
	Females		7,991	205	192	199	209	212	1017	1013	895	642	537	990	857	742	607	452	239
Deaths from All Causes, 1881–90.	Persons 16·06		2,580	461	149	46	25	29	710	74	35	60	57	132	147	147	290	398	560
	Males 16·52		1,334	262	82	20	14	17	395	33	14	27	31	68	65	76	132	213	277
	Females 15·59		1,246	199	67	26	11	12	315	41	21	33	26	64	82	71	128	182	284

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·01	0·04	4	1	3	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–
Measles	0·09	0·11	0·06	14	9	5	–	6	2	–	2	10	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·08	13	7	6	–	1	–	3	2	6	6	–	1	–	–	–	–	–	–
Diphtheria	0·08	0·07	0·09	13	6	7	–	–	–	1	2	3	7	1	1	–	–	1	–	–	–
Whooping-cough	0·28	0·22	0·34	45	18	27	15	14	6	3	3	41	4	–	–	–	–	–	–	–	–
Typhus	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Enteric Fever	0·07	0·09	0·05	11	7	4	–	–	–	–	–	–	2	2	–	3	–	–	2	1	1
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·20	0·19	31	16	15	9	6	–	2	–	17	1	–	–	–	–	1	–	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·72	0·59	0·84	115	48	67	1	–	–	–	–	1	–	–	–	1	11	17	33	34	16
Tabes Mesenterica	0·24	0·22	0·25	38	18	20	19	8	3	2	1	33	4	–	–	–	1	–	–	–	–
Phthisis	1·56	1·47	1·65	251	119	132	6	3	1	–	–	10	4	9	27	32	68	45	32	16	11
Other Tub. & Scrof. Dis.	0·45	0·50	0·40	72	40	32	22	17	6	2	1	48	8	5	1	3	2	4	1	–	–
Diseases of Nervous System	2·09	1·99	2·19	336	161	175	56	24	6	5	4	95	8	3	6	1	7	12	23	25	33
" Circulatory	1·81	1·82	1·79	290	147	143	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
" Respiratory	3·04	3·12	2·97	489	252	237	80	46	12	4	8	156	17	6	3	4	7	16	19	35	30
" Digestive	0·92	0·99	0·85	148	80	68	15	10	3	1	3	32	3	2	3	1	7	9	11	14	33
" Urinary	0·35	0·53	0·19	57	43	15	–	–	–	–	–	–	1	–	1	1	3	3	9	9	18
" Generative	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1
Puerperal Fever	0·06	–	0·13	10	–	10	–	–	–	–	–	–	–	–	1	–	3	3	1	–	–
Childbirth	0·04	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–
Violence	0·47	0·69	0·25	74	56	20	6	3	2	1	3	15	3	1	3	4	4	5	10	9	12
Other Causes	3·44	3·91	3·04	551	308	245	226	10	5	1	–	242	2	5	8	4	11	6	11	18	46

Marriages	–	261	Annual Rate per 1000 living	Persons Married	12·21	Deaths from Childbirth and Puerperal Fever 3·66 per 1000 Births.
Births	Males 2,401	4,631		Births	28·77	
	Females 2,230					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

206.—BURY ST. EDMUNDS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·14	†122	–	–	–	–	49·18	4·32	2·35	3·73	4·70	7·54	11·96	15·84	31·82	67·93	169·33
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·69	†134	–	–	–	–	53·89	4·25	2·65	3·36	4·19	8·94	12·72	20·10	39·29	73·65	182·93
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·68	†110	–	–	–	–	44·55	4·38	2·06	4·11	5·10	6·39	11·31	12·39	25·89	63·38	161·08
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·22 per cent.	16,370	369	380	391	373	380	1893	1877	1874	1903	1382	2189	1814	1389	1012	711	326
Mean Population, 1881-91. Males	Decennial Increase of Population 3·22 per cent.	7,668	188	189	197	184	181	939	941	905	953	597	984	841	622	448	315	123
Mean Population, 1881-91. Females	Decennial Increase of Population 3·22 per cent.	8,702	181	191	194	189	199	954	936	969	950	785	1205	973	767	564	396	203
Deaths from All Causes, 1881-90. Persons	19·25	3,151	574	196	89	50	22	931	81	44	71	65	165	217	220	322	483	552
Deaths from All Causes, 1881-90. Males	20 60	1,580	320	104	46	28	8	506	40	24	32	25	88	107	125	176	232	225
Deaths from All Causes, 1881-90. Females	18·05	1,571	254	92	43	22	14	425	41	20	39	40	77	110	95	146	251	327

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·38	0·46	0·32	63	35	28	10	23	16	5	2	56	4	1	–	1	–	–	–	1	–	–
Scarlet Fever	0·13	0·16	0·11	22	12	10	1	1	3	4	1	10	8	2	–	–	1	–	–	1	–	–
Diphtheria	0·10	0·10	0·09	16	8	8	1	1	3	1	1	7	7	1	–	1	–	–	–	–	–	–
Whooping-cough	0·40	0·37	0·43	65	28	37	25	21	13	2	2	63	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·10	0·02	10	8	2	–	–	–	–	1	1	1	3	3	1	1	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·22	0·21	35	17	18	22	4	–	–	–	26	1	–	–	–	–	3	–	–	–	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·90	0·59	1·17	147	45	102	–	–	–	–	–	–	–	–	–	1	5	14	26	37	42	22
Tabes Mesenterica	0·35	0·40	0·31	58	31	27	29	10	5	–	1	45	3	3	5	–	2	–	–	–	–	–
Phthisis	2·27	2·67	1·91	371	205	166	7	8	4	2	3	24	12	4	34	37	71	74	57	41	17	–
Other Tub. & Scrof. Dis.	0·72	0·82	0·62	117	63	54	53	32	11	1	1	98	5	1	2	2	2	4	–	2	1	–
Diseases of Nervous System	2·47	2·63	2·32	404	202	202	55	12	5	8	4	84	7	7	7	1	12	24	28	53	94	87
Diseases of Circulatory „	1·91	1·96	1·87	313	150	163	3	–	–	–	2	5	2	3	3	3	13	21	21	46	115	81
Diseases of Respiratory „	3·00	3·38	2·67	491	259	232	100	59	18	20	2	199	14	3	4	5	22	12	21	53	74	84
Diseases of Digestive „	1·11	1·27	0·98	182	97	85	31	6	2	1	1	41	1	2	1	2	6	15	23	37	34	20
Diseases of Urinary „	0·48	0·64	0·33	78	49	29	–	–	–	–	1	1	1	–	1	1	7	14	12	6	25	10
Diseases of Generative „	0·05	0·01	0·09	9	1	8	1	–	–	–	–	1	–	–	–	1	–	2	2	1	1	1
Puerperal Fever	0·09	–	0·16	14	–	14	–	–	–	–	–	–	–	–	1	2	6	5	–	–	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	2	3	4	–	–	–	–
Violence	0·57	0·85	0·33	94	65	29	7	2	4	3	–	16	8	5	–	2	6	13	8	14	13	9
OTHER CAUSES	4·00	3·97	4·01	653	305	348	229	17	5	3	–	254	5	9	10	3	8	12	22	30	67	233

Marriages - - 983

Births - Males - 2,397; Females - 2,305; 4,702

Annual Rate per 1000 living: Persons Married 12·01; Births - - 28·72

Deaths from Childbirth and Puerperal Fever - - - - - 4·89 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

207.—MILDENHALL.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
Annual Death-Rate per 1000 living	In 16·50		†116	–	–	–	–	43·33	4·48	3·76	5·26	8·26	8·60	11·09	11·42	22·04	54·18	159·45
	Standard 16·51		+128	–	–	–	–	46·59	5·53	2·77	4·36	7·94	7·21	11·96	12·00	21·67	57·76	164·49
	Population* 16·48		+103	–	–	–	–	40·27	3·40	4·71	6·34	8·62	9·96	11·11	10·85	22·39	50·81	154·55
Males living at all Ages, 1881–90	Decennial Decrease of Population 4·44 per cent.	8,758	238	214	228	243	231	1154	1138	1097	799	695	1035	875	762	638	478	247
Males living at all Ages, 1891		4,389	121	105	108	118	107	558	579	566	436	325	513	425	375	323	242	107
Females living at all Ages, 1891		4,389	117	109	120	125	125	596	559	531	363	370	522	450	387	315	236	140
Deaths from Zymotic Diseases, All Causes, 1881–90	19·47	1,705	318	108	40	16	18	500	51	39	48	50	80	97	87	145	259	346
Males	19·06	859	177	47	18	11	7	260	32	14	19	25	37	47	45	70	134	176
Females	19·28	846	141	61	22	5	11	240	19	25	29	25	52	50	42	75	125	170

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·41	0·18	26	18	8	5	8	–	–	3	16	5	3	1	1	–	–	–	–	–
Scarlet Fever	0·31	0·34	0·27	27	15	12	2	3	4	4	3	16	9	–	1	1	–	–	–	–	–
Diphtheria	0·15	0·11	0·18	13	5	8	–	–	2	–	1	3	3	4	2	–	–	–	1	–	–
Whooping-cough	0·33	0·34	0·32	29	15	14	12	13	4	–	–	29	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·18	0·14	14	8	6	–	–	–	–	–	–	–	1	3	–	2	2	1	5	–
Simple Continued Fever	0·09	0·09	0·09	8	4	4	–	1	1	–	–	2	1	–	–	1	–	–	–	–	2
Diarrhœa and Dysentery	0·43	0·41	0·46	38	18	20	15	1	1	1	–	18	–	–	–	–	–	–	1	2	9
Cholera	0·01	–	0·02	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·79	0·52	1·05	69	23	46	–	–	–	–	–	–	–	–	–	–	1	6	8	19	20
Tabes Mesenterica	0·27	0·32	0·23	24	14	10	8	9	–	–	–	17	2	–	1	–	–	–	–	1	3
Phthisis	1·86	1·74	1·98	163	76	87	1	–	2	1	–	4	1	0	17	23	59	23	22	8	4
Other Tub. & Scrof. Dis.	0·50	0·56	0·43	44	23	21	9	3	6	–	1	19	3	10	–	2	4	2	1	2	1
Deaths of Persons of all Ages classified according to Diseases	Nervous System	2·23	2·13	2·32	195	93	102	22	16	3	2	–	43	5	4	8	6	3	6	10	21	40
	Circulating "	1·68	1·62	1·73	147	71	76	1	2	–	–	–	3	1	1	3	1	5	3	9	23	44
	Respiratory "	3·20	3·36	3·03	280	147	133	53	32	9	3	8	105	7	–	1	3	6	14	12	24	56
	Digestive "	1·34	1·30	1·37	117	57	60	15	4	2	1	–	22	4	4	–	4	5	7	10	15	23	18
	Urinary "	0·34	0·41	0·23	28	18	10	–	–	–	–	–	–	1	–	–	–	–	2	–	5	12	8
	Generative "	0·10	–	0·21	9	–	9	–	–	–	–	–	–	–	–	–	1	1	2	1	–	2	2
Puerperal Fever	0·09	–	0·18	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Childbirth	0·07	–	0·14	6	–	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Violence	0·85	0·80	0·90	48	35	13	2	3	1	2	–	7	3	3	1	2	–	2	1	2	11	4
Other Causes	4·60	5·45	4·37	411	219	192	173	14	5	1	2	195	6	–	4	3	5	16	7	11	19	151

Marriages - - - 540

Births { Males - 1,380 / Females - 1,366 } 2,746

Annual Rate per 1000 living { Persons Married 12·33 / Births - - 31·35

Deaths from Childbirth and Puerperal Fever - - - - } 5·10 per 1000 Births.

* See pages xxxvi–xxxvii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·24	†112	–	–	–	–	38·84	2·88	2·80	4·11	6·05	6·47	9·07	9·82	22·18	49·95	141·50
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·28	†125	–	–	–	–	43·11	2·97	1·98	2·28	5·44	5·87	8·01	10·16	21·45	54·72	153·11
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·19	† 98	–	–	–	–	34·64	2·79	3·60	6·18	6·63	7·04	10·05	9·50	22·88	45·22	130·94
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·81 per cent.	20,063	496	540	499	550	505	2590	2536	2353	1899	1437	2425	2029	1793	1474	1021	506
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·81 per cent.	9,870	238	275	246	275	251	1285	1247	1159	1009	698	1175	974	856	718	508	241
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·81 per cent.	10,193	258	265	253	275	254	1305	1289	1194	890	739	1250	1055	937	756	513	265
Deaths from All Causes, 1881–90. Persons	16·85	3,380	666	189	69	48	34	1006	73	66	78	87	157	184	176	327	510	716
Deaths from All Causes, 1881–90. Males	17·33	1,710	378	98	36	24	18	554	37	23	23	38	69	78	87	154	278	369
Deaths from All Causes, 1881–90. Females	16·38	1,670	288	91	33	24	16	452	36	43	55	49	88	106	89	173	232	347

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·04	0·02	6	4	2	1	–	–	–	–	1	–	–	1	–	–	1	–	1	2	–
Measles	0·18	0·18	0·18	36	18	18	5	10	7	4	4	30	4	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·15	0·11	26	15	11	1	7	2	6	2	18	4	3	–	–	1	–	–	–	–	–
Diphtheria	0·14	0·11	0·18	29	11	18	–	3	–	3	4	10	9	4	5	1	–	–	–	–	–	–
Whooping-cough	0·46	0·41	0·51	92	40	52	47	28	4	5	4	88	1	2	1	–	–	–	–	–	–	–
Typhus	0·60	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·05	0·14	19	5	14	–	–	–	–	–	–	1	3	2	3	3	3	–	3	1	–
Simple Continued Fever	0·03	0·05	0·01	6	5	1	–	–	–	–	–	–	–	1	1	–	–	–	–	2	1	1
Diarrhœa and Dysentery	0·31	0·37	0·26	63	37	26	27	8	1	1	1	38	1	–	–	–	–	1	–	5	7	11
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cancer	0·60	0·42	0·78	120	41	79	–	–	–	–	–	–	–	–	–	1	3	10	20	34	33	19
Tabes Mesenterica	0·20	0·22	0·18	40	22	18	23	6	1	2	1	33	4	1	1	–	1	–	–	–	–	–
Phthisis	1·55	1·34	1·75	310	132	178	5	4	5	3	1	18	9	12	38	44	57	60	29	25	12	6
Other Tub. & Scrof. Dis.	0·45	0·40	0·51	91	39	52	22	10	8	1	5	46	9	9	4	3	6	6	3	4	1	–
Diseases of Nervous System	1·80	2·01	1·61	362	198	164	50	23	7	4	1	85	4	5	6	9	15	15	19	48	83	73
Diseases of Circulatory „	1·75	1·99	1·52	351	196	155	2	–	–	–	–	2	1	2	1	3	17	15	22	78	122	88
Diseases of Respiratory „	2·54	2·87	2·23	510	283	227	128	55	17	14	8	222	9	5	3	3	16	15	19	39	90	89
Diseases of Digestive „	1·09	1·12	1·05	218	111	107	29	8	4	1	–	42	7	2	6	2	6	11	24	32	42	44
Diseases of Urinary „	0·40	0·51	0·29	80	50	30	3	2	1	–	–	6	1	2	–	1	1	7	9	12	25	16
Diseases of Generative „	0·08	–	0·16	16	–	16	–	–	–	–	–	–	–	–	1	1	2	2	2	5	3	–
Puerperal Fever	0·06	–	0·13	13	–	13	–	–	–	–	–	–	–	–	–	–	6	6	1	–	–	–
Childbirth	0·09	–	0·18	18	–	18	–	–	–	–	–	–	–	–	–	2	10	5	1	–	–	–
Violence	0·48	0·59	0·37	96	58	38	7	3	7	3	2	22	2	1	2	5	4	8	11	13	12	16
OTHER CAUSES	4·38	4·48	4·20	875	443	432	316	21	5	1	1	344	7	11	6	8	9	19	16	26	76	353

Marriages 1,247

Births { Males 3,016 / Females 2,952 } 5,968

Annual Rate per 1000 living { Persons Married 12·43 / Births 29·75

Deaths from Childbirth and Puerperal Fever 5·19 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

209.—HARTISMERE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 { Persons / Males / Females	—	In Standard Population* 13·42 / 13·11 / 13·71	197 / 120 / 145	– / – / –	– / – / –	– / – / –	– / – / –	33·77 / 35·14 / 32·29	3·42 / 3·81 / 3·04	2·65 / 1·63 / 3·81	4·51 / 4·15 / 4·96	4·62 / 3·91 / 5·31	7·25 / 3·94 / 6·48	7·40 / 7·79 / 7·04	8·43 / 9·32 / 7·54	21·66 / 22·65 / 20·67	51·90 / 53·24 / 50·49	159·23 / 163·50 / 156·54
Mean Population during 1881–91. { Persons / Males / Females	Decennial Decrease of Population 6·97 per cent.	15,241 / 7,713 / 7,528	404 / 209 / 195	398 / 208 / 190	393 / 204 / 189	392 / 245 / 177	403 / 280 / 203	1990 / 1036 / 954	1958 / 972 / 986	1851 / 984 / 867	1397 / 772 / 625	1039 / 542 / 527	1733 / 898 / 895	1473 / 706 / 767	1325 / 644 / 681	1196 / 596 / 600	844 / 432 / 412	435 / 221 / 214
Deaths from All Causes, 1881–90 { Persons / Males / Females	17·18 / 17·43 / 16·92	2,618 / 1,344 / 1,274	453 / 239 / 214	118 / 67 / 51	48 / 33 / 15	34 / 17 / 17	19 / 8 / 11	672 / 364 / 308	67 / 37 / 30	49 / 16 / 33	63 / 32 / 31	48 / 20 / 28	91 / 33 / 58	109 / 55 / 54	125 / 60 / 65	259 / 135 / 124	458 / 250 / 208	697 / 362 / 335

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·07	0·09	0·04	10	7	3
Scarlet Fever	0·09	0·08	0·11	14	6	8
Diphtheria	0·23	0·19	0·27	35	15	20
Whooping-cough	0·31	0·31	0·31	47	24	23
Typhus	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·09	15	8	7
Simple Continued Fever	0·02	0·03	0·01	3	2	1
Diarrhœa and Dysentery	0·39	0·41	0·36	59	32	27
Cholera	–	–	–	–	–	–
Cancer	0·71	0·48	0·94	108	37	71
Tabes Mesenterica	0·06	0·06	0·05	9	5	4
Phthisis	1·49	1·22	1·59	214	94	120
Other Tub. & Scrof. Dis.	0·32	0·41	0·23	49	32	17
Diseases of Nervous System	2·47	2·48	2·47	377	191	186
" Circulatory "	1·65	1·54	1·77	252	119	133
" Respiratory "	2·45	2·76	2·13	373	213	160
" Digestive "	0·86	1·08	0·64	146	83	63
" Urinary "	0·42	0·65	0·29	73	50	22
" Generative "	0·07	0·01	0·13	10	1	9
Puerperal Fever	0·02	–	0·11	3	–	3
Childbirth	0·06	–	0·13	9	–	9
Violence	0·55	0·73	0·37	84	56	28
Other Causes	4·75	4·80	4·70	724	369	355

	Persons.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	3	1	2	–	8	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	4	3	1	1	10	2	1	–	1	–	–	–	–	–	–
Diphtheria	–	3	1	4	3	11	18	5	1	–	–	–	–	–	–	–
Whooping-cough	22	18	–	5	1	46	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	1	2	3	2	3	2	1	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Diarrhœa and Dysentery	15	2	3	2	1	23	–	1	–	–	2	–	–	7	9	17
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	1	–	–	1	2	5	10	41	30	18
Tabes Mesenterica	6	2	–	1	–	9	–	–	–	–	–	–	–	–	–	–
Phthisis	3	2	–	–	–	5	3	11	26	22	37	37	34	24	14	1
Other Tub. & Scrof. Dis.	15	10	3	2	–	30	5	3	3	1	–	1	1	2	2	1
Diseases of Nervous System	45	15	6	4	4	74	10	5	8	6	10	10	17	43	97	97
" Circulatory "	3	–	–	1	–	4	–	5	4	2	4	12	16	48	82	75
" Respiratory "	69	31	21	9	4	134	8	3	6	–	4	9	12	36	71	90
" Digestive "	24	9	2	1	2	38	2	3	2	–	5	9	12	19	35	21
" Urinary "	–	1	–	–	–	1	2	1	1	–	6	3	7	15	21	15
" Generative "	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	3
Puerperal Fever	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	3	6	–	–	–	–
Violence	8	3	1	2	–	14	7	3	4	6	5	5	4	11	15	10
Other Causes	249	15	7	–	3	265	5	6	5	5	6	6	10	9	58	349

Persons. — Males 2,466 / Females 2,256 = 4,722

Births — Males 2,466 / Females 2,256 = 4,722

Annual Rate per 1000 living { Persons Married 12·55 / Births 30·50

Deaths from Childbirth and Puerperal Fever 3·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

210.—HOXNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·66	†102	–	–	–	–	33·82	2·47	2·19	3·53	6·08	6·13	8·03	9·80	18·55	40·92	131·55
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·32	†115	–	–	–	–	37·47	2·22	2·35	2·11	4·22	4·88	7·56	9·38	17·46	39·94	144·26
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·98	† 89	–	–	–	–	30·20	2·72	2·02	5·43	8·15	7·43	8·46	10·18	19·59	41·95	119·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·20 per cent.	12,031	332	288	317	310	323	1570	1539	1415	1077	855	1403	1121	1051	949	677	374
Mean Population, 1881–91. Males	Decennial Decrease of Population 7·20 per cent.	6,093	169	138	150	162	163	782	767	722	617	450	717	542	501	464	348	183
Mean Population, 1881–91. Females	Decennial Decrease of Population 7·20 per cent.	5,938	163	150	167	148	160	788	772	693	460	405	686	579	550	485	329	191
Deaths from All Causes, 1881–90. Persons	15·91	1,914	368	95	33	20	15	531	38	31	38	52	86	90	103	176	277	492
Deaths from All Causes, 1881–90. Males	15·85	966	208	51	15	11	8	293	17	17	13	19	35	41	47	81	139	264
Deaths from All Causes, 1881–90. Females	15·96	948	160	44	18	9	7	238	21	14	25	33	51	49	56	95	138	228

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·08	0·10	11	5	6	3	3	–	2	–	8	3	–	–	–	–	–	–
Scarlet Fever	0·07	0·11	0·03	9	7	2	–	2	2	–	3	7	1	–	–	1	–	–	–
Diphtheria	0·06	0·04	0·07	7	3	4	1	–	1	–	–	2	4	–	–	–	1	–	–
Whooping-cough	0·31	0·25	0·37	37	15	22	20	13	3	1	–	37	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	1	–	–	–
Enteric Fever	0·09	0·08	0·10	11	5	6	–	–	–	–	–	–	1	1	1	3	2	3	–
Simple Continued Fever	0·04	0·07	0·01	5	4	1	–	–	1	–	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·25	0·25	0·25	30	15	15	20	1	–	1	1	23	1	–	–	–	–	1	1
Cholera	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Cancer	0·71	0·46	0·98	86	28	58	–	–	1	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	0·12	0·11	0·13	15	7	8	3	5	–	–	–	8	2	1	1	–	1	–	–
Phthisis	1·61	1·31	1·92	194	80	114	6	6	–	1	1	14	4	8	17	30	41	26	24
Other Tub. & Scrof. Dis.	0·39	0·46	0·32	47	28	19	10	11	3	2	2	28	6	4	2	1	1	2	–
Diseases of Nervous System	1·99	1·82	2·16	239	111	128	36	8	4	5	1	54	4	4	5	1	7	7	9
Diseases of Circulatory „	1·85	1·72	1·99	223	105	118	7	–	–	–	–	7	–	6	2	2	7	12	16
Diseases of Respiratory „	1·95	2·10	1·79	234	128	106	51	24	9	4	4	92	4	1	2	2	4	10	10
Diseases of Digestive „	1·03	0·97	1·09	124	59	65	28	7	–	1	1	37	2	1	–	2	–	4	8
Diseases of Urinary „	0·55	0·74	0·35	66	45	21	–	–	–	–	–	–	–	–	–	–	3	2	3
Diseases of Generative „	0·03	–	0·07	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever	0·07	–	0·15	9	–	9	–	–	–	–	–	–	–	–	1	3	2	3	–
Childbirth	0·07	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	–	6	2	–
Violence	0·54	0·74	0·34	65	45	20	7	1	5	3	1	17	1*	2	1	3	7	3	5
Other Causes	4·07	4·53	3·57	486	275	211	176	13	4	–	1	194	5	3	5	3	4	8	9

Marriages	809	Annual Rate per 1000 living	Persons Married	13·45	Deaths from Childbirth and Puerperal Fever 4·71 per 1000 Births.
Births Males	1,809		Births	29·98	
Births Females	1,798				
Births	3,607				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

211.—BOSMERE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons —	In Standard Population* 13·54	*169	–	–	–	–	35·95	3·44	1·81	3·71	6·26	6·12	6·50	9·86	21·39	48·88	144·53
	Males —		†169	–	–	–	–	38·35	4·02	1·76	2·45	5·65	7·09	6·12	8·61	20·05	50·87	148·39
	Females —		† 89	–	–	–	–	33·60	2·95	1·86	5 33	6·93	5·86	6·86	11·08	23·42	41·07	141·06
Mean Population, 1884-90.	Persons —	Decennial Decrease of Population 2·32 per cent.	15,924					1964	1952	1770	1374	1118	1791	1539	1389	1134	800	393
	Males —		7,704	397	408	390	398	370	969	911	774	584	886	752	685	579	458	186
	Females —		7,820	191	203	188	207	181	983	859	600	534	905	787	704	555	332	207
Deaths from All Causes, 1884-90.	Persons —	16·32	2,484	206	205	202	191	100	994									
	Males —	16·42	1,268	482	139	45	18	22	704	68	32	51	70	115	100	137	246	393	508
	Females —	16·17	1,216	261	71	24	6	10	372	39	16	19	33	62	46	59	116	230	276
				221	68	21	12	12	334	29	16	32	37	53	54	78	130	161	232

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·05	0·03	0·05	6	2	4
Measles	0·12	0·12	0·12	13	9	9
Scarlet Fever	0·16	0·19	0·21	24	8	16
Diphtheria	0·07	0·09	0·04	10	7	3
Whooping-cough	0·49	0·44	0·55	75	34	41
Typhus	–	–	–	–	–	–
Enteric Fever	0·10	0·05	0·15	15	4	11
Simple Continued Fever	0·01	0·01	0·01	2	1	1
Diarrhœa and Dysentery	0·27	0·26	0·27	41	21	20
Cholera	0·02	0·03	0·01	3	2	1
Cancer	0·54	0·30	0·69	82	30	52
Tabes Mesenterica	0·24	0·19	0·29	37	15	22
Phthisis	1·41	1·29	1·53	214	99	115
Other Tub. & Scrof. Dis.	0·35	0·35	0·35	53	27	26
Diseases of Nervous System	1·88	1·99	1·77	286	153	133
" Circulatory	2·06	2·00	2·06	314	159	155
" Respiratory	2·28	2·54	1·93	340	195	145
" Digestive	0·91	0·85	0·97	139	66	73
" Urinary	0·33	0·40	0·16	50	38	12
" Generative	0·06	0·01	0·08	7	1	6
Puerperal Fever	0·04	–	0·08	6	–	6
Childbirth	0·04	–	0·08	6	–	6
Violence	0·33	0·77	0·27	30	59	21
Other Causes	4·42	4·40	4·50	676	338	338

Persons.

											1	2				1	1	1
1	7	1	3	1	13	5												
–	5	3	2	5	15	7	2											
–	1	1	–	1	3	6						1						
42	27	4	1	–	74	1												
1	–	1	1	1	4	1	3	1	2	1	2				1			
–	–	–	1	–	1	–				1								
15	6	–	–	–	21	2								3	1	7	7	
–	–	–	–	–	–									2		1		
											2	4		17	23	26	8	
14	3	1	–	–	18	2	1					3		1	7	5		
1	4	2	–	–	7	4	7	21	33	59	37	1		21	23	12	2	
11	11	7	3	1	33	3	3	1	5	3	1	–			3	1		
30	12	4	1	1	57	8	2	7	3	6	12	25	35	65	69			
2	–	1	–	–	3	2	4	2	4	5	7	17	50	114	106			
67	37	12	2	6	124	14	2	3	4	6	9	12	36	48	24			
17	2	1	1	3	23	–	2	2	3	7	8	16	33	25	21			
1	–	1	–	1	3	–	–	1	–	4	2	4	4	16	16			
–	–	–	–	–	–	–	–	–	2	–	–	2	3	–	–			
								1	–	5	–	–	–	–	–			
–	–	–	–	–	–	–	–	–	1	1	3	1	7	3	6			
–	–	–	–	–	–	–	–	–	–	1	3	7	9	19	60	259		
11	3	3	–	3	19	6	–	6	3	3	9	9						
260	24	4	2	1	288	7	6	5	4	7	13							

Marriages — 899

Births — Males 2,390 / Females 2,289 — 4,679

Annual Rate per 1000 living — Persons Married 11·81 / Births 30·47

Deaths from Childbirth and Puerperal Fever — 2·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and under.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 13·71 14·10 13·34			†105	–	–	–	–	34·75	4·64	2·83	4·55	6·67	4·98	8·10	9·36	21·82	48·17	153·90
Males	—						†119	–	–	–	–	38·57	4·56	2·18	4·28	6·52	4·39	7·80	9·21	22·77	54·43	166·41
Females	—						† 91	–	–	–	–	30·85	4·71	3·51	4·93	6·82	5·51	8·37	9·52	20·86	41·85	143·05
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·85 per cent.			11,808			326	293	305	315	309	1548	1445	1343	1010	810	1427	1247	1132	935	629	282
Males				5,935			159	148	155	169	152	783	723	687	584	414	683	590	554	470	316	131
Females				5,873			167	145	150	146	157	765	722	656	426	396	744	657	578	465	313	151
Deaths from All Causes, 1881–90. Persons	16·62			1,962			369	105	28	17	19	538	67	38	46	54	71	101	106	204	303	434
Males	17·29			1,026			212	67	12	4	7	302	33	15	25	27	30	46	51	107	172	218
Females	15·94			936			157	38	16	13	12	236	34	23	21	27	41	55	55	97	131	216
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·12	0·14	15	7	8	5	5	2	–	1	13	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·05	0·15	12	3	9	–	–	–	1	2	3	6	3	–	–	–	–	–	–	–	–
Diphtheria	0·22	0·24	0·20	26	14	12	–	–	–	1	4	5	14	3	–	1	1	1	–	–	–	1
Whooping-cough	0·32	0·30	0·34	38	18	20	26	6	2	1	1	36	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·13	0·12	15	8	7	–	–	–	–	1	1	4	1	2	1	–	2	1	2	1	–
Simple Continued Fever	0·04	0·03	0·05	5	2	3	–	–	–	–	1	1	–	1	–	–	–	–	–	2	1	–
Diarrhœa and Dysentery	0·53	0·66	0·39	62	39	23	23	7	2	–	1	33	–	–	–	1	–	1	1	3	9	14
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·50	0·40	0·60	59	24	35	–	–	–	–	–	–	–	–	–	–	2	3	12	17	15	10
Tabes Mesenterica	0·13	0·13	0·12	15	8	7	8	3	–	–	–	11	2	–	–	–	–	2	–	–	–	–
Phthisis	1·58	1·42	1·75	187	84	103	2	4	2	–	1	9	–	11	24	25	36	35	20	15	9	3
Other Tub. & Scrof. Dis.	0·40	0·40	0·39	47	24	23	11	11	2	2	–	26	7	5	–	2	2	–	–	4	1	–
Diseases of Nervous System	2·30	2·06	2·54	271	122	149	43	12	4	2	2	63	8	3	2	3	4	11	14	30	55	78
Diseases of Circulatory „	1·41	1·55	1·26	166	92	74	1	1	–	–	–	2	–	1	–	2	4	4	14	39	61	39
Diseases of Respiratory „	2·77	3·05	2·49	327	181	146	53	36	10	4	5	108	11	1	5	6	6	7	16	31	65	71
Diseases of Digestive „	1·13	1·28	0·99	134	76	58	27	6	2	2	–	37	5	1	1	2	1	3	12	29	26	17
Diseases of Urinary „	0·39	0·56	0·22	46	33	13	1	–	–	–	–	1	1	1	1	–	2	5	9	8	8	10
Diseases of Generative „	0·04	0·02	0·07	5	1	4	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1
Puerperal Fever	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–
Childbirth	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–
Violence	0·63	0·89	0·36	74	53	21	2	4	–	3	–	9	1	2	8	2	8	11	3	10	13	7
OTHER CAUSES	3·76	3·98	3·56	445	236	209	167	10	2	1	–	180	3	5	3	6	4	5	3	14	39	183

Marriages - - - 748

Births - Males - 1,783 / Females - 1,724 — 3,507

Annual Rate per 1000 living: Persons Married 12·67; Births - - 29·70

Deaths from Childbirth and Puerperal Fever - - - - - 3·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rate under one year of age are per 1000 Births.

213.—IPSWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons –	In Standard Population.* 18·84 20·17 17·58	†137	–	–	–	–	56·62	4·44	3·29	4·40	5·91	7·83	11·38	15·59	29·41	64·91	177·34
	Males –		+154	–	–	–	–	62·24	5·45	2·86	4·40	6·62	7·65	12·11	17·70	33·49	71·28	172·01
	Females –		+121	–	–	–	–	51·06	4·42	3·54	4·39	5·36	7·44	10·76	13·84	26·10	59·08	144·67
Mean Population living, 1881–91.	Persons –	Decennial Increase of Population 13·14 per cent. 33,761	1400	1369	1276	1321	1294	6660	6267	5867	5551	4756	7705	5984	4630	3414	2052	815
	Males –	32,861	681	648	633	662	650	3284	3077	2930	2523	2069	3587	2767	2102	1520	895	318
	Females –	28,650	719	661	643	659	644	3376	3190	2937	3028	2687	4118	3217	2928	1895	1157	497
Deaths from All Causes 1881–90.	Persons –	19·21	2350	775	396	176	150	3737	278	188	244	281	585	681	722	1004	1332	1256
	Males –	20·71	1329	403	153	89	70	2044	137	83	111	137	275	335	379	512	698	547
	Females –	17·89	1021	372	153	87	69	1693	141	105	133	144	310	346	350	492	634	709

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Measles	0·33	0·41	0·23	195	103	92	31	60	38	22	12	172	19	4	–	–	–	–	–
Scarlet Fever	0·07	0·08	0·07	40	19	21	–	2	7	8	3	20	12	4	–	–	3	1	–
Diphtheria	0·20	0·20	0·20	107	49	58	4	14	14	19	17	68	27	4	2	1	–	3	–
Whooping-cough	0·47	0·44	0·49	280	140	140	127	71	27	14	6	245	5	–	–	–	–	–	–
Typhus	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Enteric Fever	0·13	0·14	0·13	70	34	36	–	1	–	–	2	3	7	7	15	8	7	10	5
Simple Continued Fever	0·01	0·01	0·01	7	4	3	–	–	1	–	–	1	2	–	1	–	1	–	1
Diarrhœa and Dysentery	0·79	0·85	0·74	425	214	212	248	52	14	2	2	318	2	3	1	2	1	4	7
Cholera	0·01	0·02	0·00	5	4	1	3	–	–	–	–	3	–	–	–	–	–	1	–
Cancer	0·71	0·51	0·88	382	129	253	–	1	1	–	–	2	–	1	–	3	9	40	74
Tabes Mesenterica	0·24	0·28	0·20	130	72	58	66	27	7	1	–	101	5	6	5	2	4	1	1
Phthisis	2·15	2·26	2·05	1,153	566	587	14	8	4	5	5	36	19	37	108	146	272	240	104
Other Tub. & Scrof. Dis.	0·51	0·55	0·48	276	138	138	64	47	17	14	10	152	46	25	12	11	9	7	9
Nervous System	2·19	2·08	2·16	1,290	672	618	243	102	33	21	9	408	29	19	19	14	50	84	93
Circulatory „	1·53	1·62	1·45	821	405	416	5	1	1	1	2	10	8	16	16	22	34	62	77
Respiratory „	3·25	3·72	2·85	1,747	952	815	300	240	112	51	37	850	42	10	10	9	35	61	96
Digestive „	1·00	0·89	1·02	538	247	291	91	47	6	3	2	149	15	11	12	12	26	43	63
Urinary „	0·50	0·62	0·34	270	173	97	4	2	3	2	1	12	5	5	4	5	23	29	43
Generative „	0·06	0·01	0·11	34	3	31	–	–	–	–	–	–	–	–	–	–	5	9	8
Puerperal Fever	0·08	–	0·14	41	–	41	–	–	–	–	–	–	–	–	1	9	23	8	–
Childbirth	0·05	–	0·09	26	–	26	–	–	–	–	–	–	–	–	–	3	13	10	–
Violence	0·43	0·85	0·28	224	213	81	31	7	6	7	9	60	18	11	14	16	38	22	34
Other Causes	4·14	4·36	3·89	2,212	1,100	1,112	1,029	64	15	6	13	1,127	19	25	24	17	36	36	47

Marriages	4,456	Annual Rate per 1,000 living	Persons Married	13·47
Births – Males	8,684		Births	31·84
Females	8,453			
	17,097			

Deaths from Childbirth and Puerperal Fever 3·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·51	†107	–	–	–	–	36·97	3·59	2·83	4·29	6·63	9·16	11·09	16·18	24·39	51·08	142·83
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·39	†115	–	–	–	–	40·65	3·39	2·44	3·82	7·21	10·34	11·41	18·20	29·68	52·66	145·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·68	†100	–	–	–	–	33·24	3·80	3·25	4·83	6·12	8·13	10·81	14·40	19·44	49·55	140·68
Mean Population, 1881-91. Persons	Decennial Increase of Population, 4·28 per cent.	23,232	579	584	567	559	592	2881	2785	2653	2099	1674	2859	2408	2139	1792	1300	642
Mean Population, 1881-91. Males	Decennial Increase of Population, 4·28 per cent.	11,464	299	285	281	284	300	1449	1417	1391	1125	791	1334	1131	1000	866	640	320
Mean Population, 1881-91. Females	Decennial Increase of Population, 4·28 per cent.	11,768	280	299	286	275	292	1432	1368	1262	974	883	1525	1277	1139	926	660	322
Deaths from All Causes, 1881-90. Persons	18·66	4,334	698	230	66	35	36	1065	100	75	90	111	262	267	346	437	664	917
Deaths from All Causes, 1881-90. Males	19·87	2,278	382	139	35	16	17	589	48	34	43	57	138	129	182	257	337	464
Deaths from All Causes, 1881-90. Females	17·47	2,056	316	91	31	19	19	476	52	41	47	54	124	138	164	180	327	453

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·10	0·14	29	12	17	2	13	5	1	2	23	4	1	–	–	–	–	1	–	–	–
Scarlet Fever	0·08	0·04	0·11	18	5	13	1	3	1	3	4	12	2	2	1	–	–	–	1	–	–	–
Diphtheria	0·11	0·11	0·10	25	13	12	2	1	1	3	2	9	6	6	1	2	1	–	–	–	–	–
Whooping-cough	0·42	0·42	0·42	97	48	49	50	35	4	4	1	94	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·12	0·19	36	14	22	–	–	–	–	1	1	3	4	3	3	8	2	5	3	3	1
Simple Continued Fever	0·03	0·03	0·03	6	3	3	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–
Diarrhœa and Dysentery	0·48	0·47	0·48	111	54	57	35	4	1	2	2	44	2	1	–	1	–	2	7	17	12	25
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·67	0·55	0·78	155	63	92	–	–	–	–	–	–	–	–	–	–	3	16	34	42	36	24
Tabes Mesenterica	0·21	0·21	0·20	48	24	24	15	7	3	2	1	28	7	4	–	–	2	2	3	1	1	–
Phthisis	1·94	1·90	1·97	450	218	232	3	2	2	2	–	9	7	12	36	59	115	80	63	49	18	2
Other Tub. & Scrof. Dis.	0·40	0·46	0·35	94	53	41	15	20	7	5	5	52	16	9	5	2	5	2	3	–	–	–
Diseases of Nervous System	2·80	3·18	2·42	650	365	285	44	26	5	2	6	83	14	10	12	10	46	59	66	95	120	135
Diseases of Circulatory „	1·59	1·58	1·61	370	181	189	–	1	1	–	–	2	–	2	2	4	10	20	36	63	136	95
Diseases of Respiratory „	2·45	2·74	2·18	570	314	256	128	50	12	4	6	200	16	1	3	6	13	27	37	58	117	92
Diseases of Digestive „	1·20	1·31	1·10	279	150	129	36	30	6	2	2	76	4	3	4	4	14	15	27	43	47	40
Diseases of Urinary „	0·51	0·71	0·31	118	82	36	2	1	–	–	–	3	1	–	–	1	7	6	12	19	46	23
Diseases of Generative „	0·08	0·02	0·14	18	2	16	–	–	–	–	–	–	–	–	4	1	3	2	3	–	4	1
Puerperal Fever	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	2	1	6	1	2	–	–	–
Childbirth	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	–	2	7	3	–	–	–	–
Violence	0·50	0·73	0·27	116	84	32	4	1	5	2	1	13	6	8	4	5	13	10	12	15	14	16
Other Causes	4·82	5·19	4·46	1118	592	526	361	36	13	3	3	416	9	10	13	9	9	17	32	31	109	463

Marriages 1,337

Births { Males 3,330 / Females 3,173 } 6,503

Annual Rate per 1000 living { Persons Married 11·51 / Births 27·99

Deaths from Childbirth and Puerperal Fever 3·69 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

215.—PLOMESGATE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·49	†106	–	–	–	–	35·91	3·58	2·43	3·50	6·30	7·12	7·81	10·34	18·49	46·67	147·82
Males	—	Standard 13·92	†118	–	–	–	–	39·48	3·17	1·77	3·85	6·75	6·86	7·92	11·36	19·89	47·99	144·68
Females	—	Population* 13·08	† 94	–	–	–	–	32·28	3·99	3·24	3·11	5·86	7·36	7·71	9·44	17·20	45·30	151·63
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·84 per cent.	20,595	489	484	513	542	512	2540	2573	2471	1971	1492	2458	2028	1818	1514	1110	595
Males		10,238	261	238	259	266	255	1279	1295	1359	1039	741	1167	947	854	729	546	282
Females		10,357	228	246	254	276	257	1261	1278	1112	932	751	1291	1076	964	785	564	313
Deaths from All Causes, 1881–90. Persons	16·37	3,366	625	170	58	43	17	912	92	60	69	94	175	158	188	280	518	820
Males	16·87	1,727	356	83	36	18	12	505	41	24	40	50	80	75	97	145	262	408
Females	15·87	1,639	269	87	22	24	5	407	51	36	29	44	95	83	91	135	256	412

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·12	0·07	19	12	7	8	4	3	3	1	17	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·05	0·08	13	5	8	2	–	4	1	2	9	2	2	–	–	–	–	–	–	–
Diphtheria	0·17	0·17	0·17	35	17	18	–	2	3	3	1	9	16	5	–	–	2	3	–	–	–
Whooping-cough	0·31	0·28	0·34	64	29	35	38	12	6	7	–	63	1	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·13	0·11	0·15	27	11	16	–	–	–	–	–	–	3	2	2	3	5	4	1	4	3	–	–
Simple Continued Fever	0·03	0·03	0·04	7	3	4	1	–	1	–	–	2	–	–	–	1	–	–	1	1	2	–	–
Diarrhœa and Dysentery	0·28	0·19	0·37	58	20	38	14	5	3	2	1	25	–	1	–	1	2	3	3	3	3	17	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·39	0·83	126	40	86	–	–	–	–	–	–	–	–	–	–	4	8	23	30	41	21	–
Tabes Mesenterica	0·24	0·23	0·25	50	24	26	21	15	4	3	–	43	3	–	2	2	–	–	–	–	–	–	–
Phthisis	1·61	1·63	1·61	332	166	166	2	4	1	–	–	7	17	18	29	54	82	42	43	21	10	4	–
Other Tub. & Scrof. Dis.	0·31	0·33	0·29	63	33	30	19	19	2	1	–	41	6	3	5	1	1	2	2	1	–	1	–
Diseases of Nervous System	2·01	2·06	1·97	414	211	203	55	13	8	3	2	76	10	10	5	5	7	16	23	44	100	118	1
Circulatory	1·75	1·63	1·87	359	166	193	–	–	–	1	–	1	3	3	4	1	9	7	28	56	108	130	–
Respiratory	2·54	2·67	2·43	523	273	250	101	57	12	11	7	188	13	1	4	3	10	13	23	48	84	142	6
Digestive	1·01	1·01	1·01	207	103	104	43	19	2	2	–	66	4	2	2	3	6	13	14	27	41	30	–
Urinary	0·35	0·54	0·16	72	55	17	2	–	–	–	–	2	–	–	2	–	–	4	5	7	23	29	1
Generative	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	–
Puerperal Fever	0·04	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–	–	–
Childbirth	0·01	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	–	5	3	–	–	–	–	–
Violence	0·59	1·08	0·16	123	105	17	10	–	6	2	2	20	5	5	7	9	19	14	10	9	11	18	–
Other Causes	4·17	4·33	3·93	849	444	405	309	20	9	4	1	343	8	7	7	10	17	18	14	26	84	315	1

Marriages 1,217

Births Males 3,029 / Females 2,806 — 5,835

Annual Rate per 1000 living: Persons Married 11·84; Births 28·67

Deaths from Childbirth and Puerperal Fever 3·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

216.—BLYTHING.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·31	† 98	–	–	–	–	34·31	3·61	2·84	4·53	5·82	6·31	7·73	9·92	18·29	48·77	139·92
Annual Death-Rate per 1000. Males	—	13·59	†115	–	–	–	–	38·50	3·34	2·13	4·07	5·31	6·69	7·58	10·16	18·39	49·70	147·83
Annual Death-Rate per 1000. Females	—	13·05	† 80	–	–	–	–	30·11	3·88	3·58	5·02	6·30	5·97	7·86	9·69	18·21	47·91	132·18
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·64 per cent.	25,606	699	658	648	658	671	3334	3294	2957	2253	1803	3088	2626	2239	1886	1382	744
Mean Population, 1881–91. Males		12,552	337	331	329	348	325	1670	1618	1503	1178	866	1480	1240	1073	892	664	368
Mean Population, 1881–91. Females		13,054	362	327	319	310	346	1664	1676	1454	1075	937	1608	1386	1166	994	718	376
Deaths from All Causes, 1881–90. Persons	16·54	4,234	771	197	84	49	43	1144	119	84	102	105	195	203	222	345	674	1041
Deaths from All Causes, 1881–90. Males	17·23	2,163	460	98	39	27	19	643	54	32	48	46	99	94	109	164	330	544
Deaths from All Causes, 1881–90. Females	15·86	2,071	311	99	45	22	24	501	65	52	54	59	96	109	113	181	344	497

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.										
Small-pox	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	–	1	–	1	1
Measles	0·07	0·06	0·08	17	7	10	3	7	2	2	–	14	1	2	–	–	–	–	–	–	–
Scarlet Fever	0·03	0·03	0·03	8	4	4	2	–	2	–	1	5	2	1	–	–	–	–	–	–	–
Diphtheria	0·18	0·15	0·21	47	19	28	2	3	7	5	3	20	16	6	3	–	–	1	1	–	–
Whooping-cough	0·44	0·46	0·42	113	58	55	59	33	10	4	5	111	2	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·10	25	12	13	–	1	1	1	1	4	1	3	8	1	2	2	1	2	1
Simple Continued Fever	0·02	0·02	0·02	5	2	3	–	–	1	–	–	1	2	–	–	–	–	2	–	–	–
Diarrhœa and Dysentery	0·32	0·36	0·29	83	45	38	46	6	–	2	1	55	1	–	–	1	1	–	1	1	11
Cholera	0·01	0·02	–	2	2	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–
Cancer	0·68	0·45	0·89	173	57	116	–	–	–	–	–	–	1	1	–	–	2	17	29	38	58
Tabes Mesenterica	0·10	0·10	0·10	26	13	13	12	4	2	–	–	18	3	3	1	–	–	1	–	–	–
Phthisis	1·62	1·52	1·72	415	191	224	12	9	4	1	2	28	6	21	46	46	115	63	39	32	16
Other Tub. & Scrof. Dis.	0·30	0·29	0·32	78	36	42	16	14	4	5	3	42	9	13	1	5	3	4	–	–	1
Diseases of Nervous System	1·87	2·01	1·73	478	252	226	97	19	10	4	2	132	17	12	9	8	7	16	32	52	96
Diseases of Circulatory „	1·57	1·53	1·60	401	192	209	1	–	1	–	–	2	2	1	4	7	8	18	29	63	152
Diseases of Respiratory „	2·64	2·84	2·45	677	357	320	129	64	21	17	15	246	26	2	4	12	13	22	31	59	117
Diseases of Digestive „	1·01	0·96	1·06	259	121	138	42	22	4	2	2	72	3	6	3	7	7	14	16	36	51
Diseases of Urinary „	0·37	0·51	0·23	94	64	30	–	–	1	–	–	1	5	–	2	1	3	3	9	12	28
Diseases of Generative „	0·06	–	0·11	15	–	15	–	–	–	–	–	–	–	–	–	–	3	–	4	3	3
Puerperal Fever	0·04	–	0·08	10	–	10	–	–	–	–	–	–	–	–	–	2	3	5	–	–	–
Childbirth	0·05	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	1	5	7	–	–	–
Violence	0·60	0·85	0·35	153	107	46	8	4	7	2	3	24	13	7	13	9	15	14	15	12	9
OTHER CAUSES	4·45	4·95	3·94	1137	622	515	342	11	7	4	4	368	9	6	6	5	8	14	14	34	130

Marriages 1,569

Births { Males 3,993 / Females 3,907 } 7,900

Annual Rate per 1000 living { Persons Married 12·25 / Births 30·85

Deaths from Childbirth and Puerperal Fever 3·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

217.—WANGFORD.

Causes of Death.	Crude Death Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65	75 and upwards
Annual Death-Rate per 1000	Persons			In Standard Population.*		14·10	†108	–	–	–	–	37·77	4·44	2·59	4·42	5·53	5·87	6·73	10·97	21·33	53·33	144·35
	Males					14·74	†115	–	–	–	–	41·13	4·22	2·26	4·52	4·83	7·22	6·06	13·39	21·13	58·00	154·09
	Females					13·50	†101	–	–	–	–	34·43	4·67	2·96	4·32	6·20	4·63	7·32	8·64	21·51	49·25	137·69
Mean Population, 1881–90.	Persons	Decennial Increase of Population 5·85 per cent.		14,879			392	371	380	394	409	1946	1847	1773	1426	1121	1823	1546	1267	1093	750	372
	Males			7,274			198	182	201	186	203	970	947	928	708	540	872	726	596	478	350	159
	Females			7,605			194	189	188	208	197	976	900	845	718	581	951	820	671	580	400	213
Deaths from All Causes, 1881–90.	Persons	16·73		2,490			497	124	45	41	28	735	83	46	63	62	107	104	139	215	400	337
	Males	17·25		1,255			269	67	25	21	17	399	40	21	32	26	63	44	81	161	203	345
	Females	16·24		1,235			228	57	20	20	11	336	43	25	31	36	44	60	58	114	197	292

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·01	3	3	1	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–
Measles	0·20	0·23	0·17	30	17	13	6	8	4	5	–	23	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·12	0·07	14	9	5	1	1	3	2	1	8	5	–	1	–	–	–	–	–	–	–
Diphtheria	0·19	0·18	0·21	29	13	16	1	2	2	4	7	16	9	2	–	1	1	–	–	–	–	–
Whooping-cough	0·36	0·34	0·37	53	25	28	25	16	5	2	3	50	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·11	0·12	0·11	17	9	8	–	–	–	–	–	–	–	2	4	2	4	2	1	2	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·32	0·39	0·28	48	28	20	36	3	–	–	–	39	1	–	–	1	–	–	–	–	3	4
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·78	0·56	0·99	116	41	75	–	–	–	1	–	1	1	1	–	1	1	10	18	33	34	21
Tabes Mesenterica	0·36	0·35	0·39	54	26	30	38	8	–	–	–	46	3	1	1	–	–	–	1	1	1	1
Phthisis	1·73	1·79	1·67	257	130	127	6	8	1	1	1	17	6	9	32	32	53	30	34	20	13	3
Other Tub. & Scrof. Dis.	0·49	0·62	0·37	73	45	28	21	9	4	2	1	37	15	8	2	2	3	1	2	–	3	–
Diseases of Nervous System	2·30	2·48	2·30	355	180	175	72	12	3	4	4	95	6	6	5	5	10	13	16	20	68	72
Circulatory	1·91	1·90	1·92	284	138	146	1	–	–	–	–	1	2	–	3	1	8	15	19	32	95	98
Respiratory	2·75	2·76	2·74	409	201	208	89	50	16	18	9	182	13	3	–	5	8	15	16	18	61	39
Digestive	0·85	0·87	0·84	127	63	64	16	1	1	1	1	20	1	4	4	3	1	4	14	17	36	24
Urinary	0·39	0·58	0·21	58	42	16	1	–	–	–	–	1	–	–	–	–	2	3	4	13	20	16
Generative	0·03	0·03	0·04	5	2	3	–	1	–	–	–	1	–	–	–	–	–	–	2	1	–	1
Puerperal Fever	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Childbirth	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Violence	0·50	0·67	0·33	74	49	25	7	2	5	1	1	16	4	3	6	5	4	5	6	7	13	5
Other Causes	3·17	3·24	3·12	473	236	237	177	3	1	–	–	181	7	6	3	2	7	5	6	9	34	211

Marriages	–	951	Annual Rate per 1000 living	Persons Married	13·73	Deaths from Childbirth and Puerperal Fever – – – – 1·74 per 1000 Births.
Births – Males	2,542	4,892		Births – –	30·86	
Females	2,350					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 15·18	†130	–	–	–	–	46·03	3·11	1·96	3·92	5·09	6·56	8·02	11·97	22·52	50·97	137·43
Annual Death-Rate per 1000. Males	—	In Standard Population.* 16·48	†144	–	–	–	–	51·44	3·34	2·09	4·37	6·82	7·07	8·47	12·67	25·01	58·53	148·53
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·94	†114	–	–	–	–	41·71	2·89	1·83	3·51	3·71	6·16	7·65	11·41	20·39	44·61	129·95
Mean Population, 1881–91. Persons	Decennial Increase of Population 18·20 per cent.	43,119	1270	1204	1248	1233	1228	6183	5755	4952	4162	3538	5776	4514	3467	2491	1605	676
Mean Population, 1881–91. Males	Decennial Increase of Population 18·20 per cent.	20,228	634	611	638	607	636	3126	2845	2439	1968	1568	2545	2043	1547	1142	733	272
Mean Population, 1881–91. Females	Decennial Increase of Population 18·20 per cent.	22,891	636	593	610	626	592	3057	2910	2513	2194	1970	3231	2471	1920	1349	872	404
Deaths from All Causes, 1881–90. Persons	16·16	6,966	2051	448	198	103	83	2883	179	97	163	180	379	362	415	561	818	929
Deaths from All Causes, 1881–90. Males	17·87	3,615	1160	236	114	56	42	1608	95	51	86	107	180	173	196	286	429	404
Deaths from All Causes, 1881–90. Females	14·64	3,351	891	212	84	47	41	1275	84	46	77	73	199	189	219	275	389	525

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·31	0·22	112	62	50	27	39	23	11	9	109	3	–	–	–	–	–
Scarlet Fever	0·06	0·05	0·07	26	11	15	3	5	7	4	2	21	2	2	–	–	1	–
Diphtheria	0·12	0·14	0·10	52	29	23	–	5	8	10	6	29	18	4	–	–	–	1
Whooping-cough	0·36	0·38	0·34	155	77	78	79	41	22	7	5	154	1	–	–	–	–	–
Typhus	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	–	1	2	–	–	–
Enteric Fever	0·21	0·22	0·20	91	45	46	–	1	–	2	2	5	9	9	14	13	19	7
Simple Continued Fever	0 01	0·01	0·01	5	2	3	–	–	–	–	1	1	1	1	–	–	–	1
Diarrhœa and Dysentery	0·66	0·79	0·55	285	160	125	201	36	3	1	–	241	–	–	1	–	1	–
Cholera	0·01	0·01	0·01	4	2	2	1	1	–	–	–	2	–	–	–	–	1	–
Cancer	0·70	0·43	0·94	302	86	216	–	–	2	–	–	2	–	–	2	2	8	36
Tabes Mesenterica	0·32	0·38	0·27	138	76	62	101	20	4	3	1	129	5	–	1	1	1	–
Phthisis	1·10	1·13	1·07	474	229	245	11	7	5	1	4	28	8	13	39	67	126	87
Other Tub. & Scrof. Dis.	0·51	0·62	0·41	220	125	95	78	41	16	11	11	157	30	10	10	2	7	2
Diseases of Nervous System	1·85	2·02	1·70	798	409	389	201	33	19	4	7	264	22	10	10	9	27	31
Diseases of Circulatory „	1·44	1·52	1·38	622	307	315	4	1	2	–	1	8	6	6	13	7	37	53
Diseases of Respiratory „	2·49	2·89	2·13	1,073	585	488	308	133	62	41	23	567	33	7	9	8	26	39
Diseases of Digestive „	0·83	0·89	0·77	358	181	177	88	22	5	1	3	119	6	10	15	9	17	21
Diseases of Urinary „	0·30	0·44	0·18	130	89	41	–	–	–	–	–	–	3	1	1	5	5	6
Diseases of Generative „	0·05	–	0·10	22	–	22	–	–	–	–	–	–	–	–	–	–	3	7
Puerperal Fever	0·09	–	0·17	40	–	40	–	–	–	–	–	–	–	–	–	8	25	7
Childbirth	0·06	–	0·12	27	–	27	–	–	–	–	–	–	–	–	1	7	9	9
Violence	0·69	1·13	0·31	298	228	70	38	7	8	6	6	65	20	10	26	29	39	21
OTHER CAUSES	4·03	4·50	3·59	1,731	910	821	611	56	12	1	2	982	12	13	19	13	28	34

Marriages	3,058	Annual Rate per 1000 living	Persons Married	14·18	Deaths from Childbirth and Puerperal Fever 4·23 per 1000 Births.
Births Males	8,049		Births	36·73	
Births Females	7,788				
Births	15,837				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons —	In 20·47	†177	-	-	-	-	67·02	4·55	2·71	4·19	6·04	8·46	15·13	16·42	28·20	61·67	154·86
	Males —	Standard 23·22	†189	-	-	-	-	73·83	4·24	2·35	4·50	6·89	9·20	15·46	20·21	31·84	71·23	158·30
	Females —	Population* 18·82	†164	-	-	-	-	61·41	4·85	3·09	3·92	5·36	7·85	14·17	13·76	25·39	54·84	152·20
Mean Popn. annually, 1881-90.	Persons —	Decennial Decrease of Population 0·41 per cent.	925	820	932	869	867	4413	4136	3872	3844	3992	5080	4298	3430	2648	1360	702
	Males —		457	445	484	449	440	2265	2052	1969	1777	1895	2651	1967	1549	1096	650	271
	Females —		468	405	448	450	437	2208	2084	1912	2067	1827	2429	2301	1941	1452	910	431
Deaths from All Causes, 1881-90.	Persons —	21·44	2135	695	189	112	82	2984	188	105	161	199	430	555	570	710	902	1085
	Males —	23·26	1172	248	100	69	39	628	87	46	80	101	207	208	307	349	463	429
	Females —	19·87	963	218	89	43	43	1356	101	59	81	98	223	257	263	361	439	656

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·02	0·02	8	3	5	2	-	-	-	-	2	-	-	1	-	1	1	3	-	-	-
Measles	0·30	0·30	0·28	106	53	56	18	37	22	13	11	101	7	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·16	0·19	0·15	62	32	30	4	4	16	10	10	44	14	2	1	-	1	-	-	-	-	-
Diphtheria	0·09	0·10	0·09	35	17	18	2	2	7	5	7	23	7	1	1	-	1	-	1	1	-	-
Whooping-cough	0·28	0·25	0·31	104	43	61	50	35	8	6	1	100	4	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	0·01	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·66	0·70	0·62	170	67	103	-	3	2	5	3	13	18	22	22	23	28	31	14	5	4	-
Simple Continued Fever	0·05	0·03	0·06	14	5	9	-	-	1	1	1	3	-	-	-	-	1	1	3	-	4	2
Diarrhœa and Dysentery	1·37	1·55	1·03	469	243	226	376	45	3	2	1	427	-	1	2	-	1	3	3	3	12	17
Cholera	0·02	0·04	0·01	9	7	2	3	2	-	-	-	5	-	-	-	-	2	-	-	1	1	-
Cancer	0·86	0·56	1·11	317	97	220	-	-	1	-	-	1	1	1	-	-	3	31	68	101	78	28
Tabes Mesenterica	0·42	0·55	0·30	154	95	59	125	16	4	1	1	147	3	2	1	-	1	-	-	-	-	-
Phthisis	1·58	1·56	1·60	567	268	299	18	7	3	3	3	34	9	12	39	73	125	109	91	41	30	4
Other Tub. & Scrof. Dis.	0·41	0·52	0·32	153	89	64	64	33	10	5	4	116	8	5	5	2	6	1	4	3	3	-
Diseases of Nervous System	2·91	3·33	2·55	1079	571	508	231	50	13	12	5	311	25	12	14	9	48	102	75	134	102	157
" Circulatory "	1·59	1·69	1·50	591	291	300	2	3	-	1	-	13	6	9	12	11	33	60	83	118	142	104
" Respiratory "	3·63	4·03	3·30	1340	693	657	396	113	67	33	27	576	44	5	11	17	34	59	74	134	224	171
" Digestive "	1·15	1·19	1·12	426	204	222	141	21	6	4	-	172	7	11	7	9	20	34	45	60	63	25
" Urinary "	0·37	0·53	0·26	136	91	45	5	1	1	1	1	9	5	3	3	4	11	22	18	19	25	19
" Generative "	0·06	0·01	0·11	23	2	21	1	-	-	-	-	1	-	1	-	1	4	2	4	5	2	3
Puerperal Fever	0·08	-	0·14	28	-	28	-	-	-	-	-	-	-	-	-	6	12	9	1	-	-	-
Childbirth	0·09	-	0·17	33	-	33	-	-	-	-	-	-	-	-	3	3	11	5	1	-	-	-
Accidents	0·81	1·33	0·36	300	278	22	21	7	6	4	1	39	15	10	22	31	42	53	35	26	16	11
OTHER CAUSES	4·91	5·11	4·77	1823	878	945	791	57	19	6	6	879	14	8	17	10	40	42	47	59	163	544

Marriages	-	5·75	Annual Rate per 1000 living	Persons Married 19·29
Births	Males — 0·07, Females — 0·07	12·07		Births - - 32·37

Deaths from Childbirth and Puerperal Fever - - - - - 4·23 per 1000 Births.

* *See* pages XXXVI-XXXVIII.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	14·91		†145	–	–	–	–	47·88	3·81	3·35	4·26	5·13	6·85	7·11	9·44	19·03	43·76	138·66
Males	—				15·82		†167	–	–	–	–	54·98	3·68	3·34	3·65	4·95	7·93	7·07	10·17	20·00	40·15	150·45
Females	—				14·05		†123	–	–	–	–	40·97	3·94	3·35	4·91	5·28	5·95	7·16	8·76	18·13	47·56	128·35
Mean Population, 1881–91. Persons	Decennial Increase of Population, 1·84 per cent.			9,762			279	249	267	267	281	1343	1287	1106	845	702	1211	984	837	704	505	238
Males				4,779			138	122	136	129	137	662	652	569	438	323	555	467	403	340	259	111
Females				4,983			141	127	131	138	144	681	635	537	407	379	656	517	434	364	246	127
Deaths from All Causes, 1881–90. Persons	17·60			1,718			488	73	38	20	24	643	49	37	36	36	83	70	79	134	221	330
Males	18·75			896			285	43	15	10	11	364	24	19	16	16	44	33	41	69	104	167
Females	16·50			822			203	30	23	10	13	279	25	18	20	20	39	37	38	66	117	163
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·13	0·14	13	6	7	2	3	3	3	1	12	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·06	0·04	5	3	2	1	1	1	1	1	5	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·10	0·10	10	5	5	–	–	2	1	1	4	5	1	–	–	–	–	–	–	–	–
Whooping-cough	0·16	0·06	0·26	16	3	13	6	5	2	–	2	15	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Enteric Fever	0·22	0·21	0·22	21	10	11	–	–	–	–	1	1	1	3	3	1	5	3	2	2	–	–
Simple Continued Fever	0·04	0·04	0·04	4	2	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–
Diarrhœa and Dysentery	0·61	0·73	0·50	60	35	25	44	4	1	–	–	49	–	–	–	–	–	–	2	1	3	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·54	0·50	0·58	53	24	29	–	–	–	–	–	–	–	–	–	–	–	3	9	18	17	6
Tabes Mesenterica	0·40	0·42	0·38	39	20	19	26	2	2	1	1	32	2	2	1	1	–	–	–	–	1	–
Phthisis	1·19	1·09	1·28	116	52	64	1	1	–	–	1	3	4	11	19	12	31	15	11	9	1	–
Other Tub. & Scrof. Dis.	0·13	0·21	0·06	13	10	3	4	2	–	–	1	7	–	2	–	2	1	–	–	1	–	–
Diseases of Nervous System	2·24	2·62	1·89	219	125	94	45	13	1	3	5	67	4	3	5	2	7	6	9	18	47	51
Circulatory	1·33	1·46	1·20	130	70	60	–	–	–	–	–	–	2	3	–	2	5	7	9	21	47	34
Respiratory	3·40	3·41	3·39	332	163	169	78	26	16	11	9	140	21	6	3	6	2	8	11	26	44	65
Digestive	0·75	0·84	0·66	73	40	33	9	–	1	–	–	10	1	1	1	1	4	2	7	10	18	18
Urinary	0·32	0·50	0·14	31	24	7	1	–	1	–	–	2	–	–	–	–	4	3	3	3	7	9
Generative	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	1
Puerperal Fever	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–	–
Violence	0 62	1·03	0·24	61	49	12	3	1	1	–	–	5	3	2	2	3	7	9	10	12	5	3
OTHER CAUSES	5·16	5·34	4·96	501	255	246	268	15	7	–	1	291	4	2	1	3	10	7	6	10	23	139

Marriages - - - 582

Births - Males - 1,709 } 3,365
Females - 1,656 }

Annual Rate per 1000 living { Persons Married 11·92
Births - - 34·47

Deaths from Childbirth and Puerperal Fever - - - - - } 3·57 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

221.—SMALLBURGH.‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000	Persons	—		In Standard Population*		14·41	†121	–	–	–	–	35·83	4·13	3·45	4·52	7·32	6·39	8·37	9·91	19·93	45·18	146·29
	Males	—				15·01	†132	–	–	–	–	43·51	4·53	2·67	4·18	7·07	5·75	8·28	10·97	23·46	50·71	153·49
	Females	—				13·84	†110	–	–	–	–	28·14	3·74	4·29	4·91	7·58	6·99	8·45	8·89	16·67	39·91	139·84
Mean Population (Calculated) 1885-95.	Persons	Decennial Decrease of Population, 0·08 per cent.		16,497			429	414	418	430	402	2094	2057	1883	1566	1177	2026	1790	1523	1179	861	461
	Males			8,168			210	204	212	228	194	1048	1045	973	813	541	991	821	711	567	420	215
	Females			8,329			220	210	206	202	208	1046	1042	910	753	583	1045	969	812	612	441	246
Deaths (Actual) 1885-95.	Persons	17·34		2,860			681	140	41	24	28	834	85	65	68	85	139	144	151	235	389	674
	Males	18·16		1,483			337	70	19	13	17	476	46	26	34	42	57	68	78	134	218	330
	Females	16·53		1,377			264	70	22	11	11	378	39	39	34	43	73	76	73	102	176	344

	Persons	Males	Females	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·13	0·05	15	11	4	2	6	3	2	1	14	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·12	0·12	0·11	19	10	9	1	2	2	4	–	11	5	2	–	1	–	–	–	–	–
Diphtheria	0·12	0·12	0·11	19	10	9	–	–	1	1	3	5	5	5	2	–	1	–	1	–	–
Whooping-cough	0·33	0·26	0·40	54	21	33	34	13	5	–	–	52	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·21	0·19	33	17	16	–	1	–	–	1	2	2	6	3	6	4	4	2	3	3
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·41	0·47	0·36	68	38	30	28	4	1	–	2	35	3	–	1	–	–	–	1	1	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·42	0·76	97	34	63	–	–	–	–	–	–	1	–	–	1	–	10	19	22	37
Tabes Mesenterica	0·27	0·26	0·29	45	21	24	21	9	1	2	3	36	3	–	–	–	–	–	1	1	4
Tumours	1·68	1·53	1·83	277	125	152	4	2	2	–	–	8	9	20	36	43	62	45	26	13	9
Other Local & Scrof. Dis.	0·39	0·47	0·31	64	38	26	28	11	3	–	–	42	9	4	1	1	2	2	2	1	–
Nervous System	2·27	2·46	2·09	375	201	174	54	23	8	5	1	89	19	7	8	4	6	6	25	39	78
Circulatory ,,	1·90	2·06	1·75	314	168	146	–	–	–	–	–	–	2	2	4	6	6	19	19	52	107
Respiratory ,,	2·22	2·35	2·09	366	192	174	104	41	13	8	7	173	11	4	1	5	8	11	14	31	44
Digestive ,,	1·05	1·21	0·90	174	99	75	24	7	–	–	2	33	3	6	1	3	4	11	12	30	37
Urinary ,,	0·45	0·69	0·22	74	56	18	3	1	–	2	–	6	1	–	1	4	2	5	7	9	11
Generative ,,	0·10	0·01	0·18	16	1	15	–	–	–	–	–	–	–	–	–	1	2	3	3	2	4
Puerperal Fever	0·08	–	0·16	13	–	13	–	–	–	–	–	–	–	–	–	1	6	6	–	–	–
Childbirth	0·07	–	0·14	12	–	12	–	–	–	–	–	–	–	–	–	1	5	6	–	–	–
Violence	0·45	0·64	0·28	75	52	23	3	3	–	1	1	8	3	4	5	3	2	7	8	4	2
Other Causes	4·54	4·73	4·31	748	387	361	295	19	2	1	3	320	5	6	5	5	3	15	11	27	47

Marriages	–	1,023	Annual Rate per 1000 living	Persons Married	18·40
Births	Males	2,558		Births	30·11
	Females	2,439			
		4,998		Deaths from Childbirth and Puerperal Fever	5·03 per 1000 Births.

* *See pages* xxvi, xxviii.

† The deathrates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 732.

222.—ERPINGHAM.‡

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·21	†102	–	–	–	–	34·29	4·18	1·79	4·69	5·23	6·54	7·60	8·73	20·38	47·58	139·55
Males	—	Standard 13·86	†113	–	–	–	–	37·82	4·70	1·78	5·14	5·19	6·18	7·11	10·38	21·67	48·41	156·45
Females	—	Population* 12·60	† 90	–	–	–	–	30·77	3·64	1·80	4·19	5·28	6·89	8·02	7·32	19·19	46·79	124·73
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·39 per cent.	18,967	477	444	465	491	459	2336	2226	2122	1768	1452	2430	1869	1729	1472	1032	531
Males		9,317	234	221	239	245	227	1166	1127	1069	933	713	1181	872	800	706	502	248
Females		9,650	243	223	226	246	232	1170	1099	1053	835	739	1249	997	929	766	530	283
Deaths from All Causes, 1881–90. Persons	16·21	3,075	567	110	55	41	28	801	93	38	83	76	159	142	151	300	491	741
Males	17·17	1,600	321	61	24	22	13	441	53	19	48	37	73	62	83	153	243	388
Females	15·28	1,475	246	49	31	19	15	360	40	19	35	39	86	80	68	147	248	353

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·12	0·12	23	11	12	6	2	3	4	2	17	4	–	1	–	1	–	–	–	–	–
Scarlet Fever	0·11	0·15	0·07	21	14	7	1	3	4	4	1	13	6	–	1	–	1	–	–	–	–	–
Diphtheria	0·23	0·20	0·25	43	19	24	–	–	2	4	4	10	15	3	6	1	2	2	1	1	2	–
Whooping cough	0·28	0·27	0·29	53	25	28	32	11	7	1	–	51	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·13	0·09	21	12	9	–	–	–	1	–	1	4	3	3	4	3	2	–	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·30	0·33	0·27	57	31	26	21	–	–	1	–	22	2	–	1	–	–	–	1	2	13	16
Cholera	0·02	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–
Cancer	0·71	0·58	0·84	135	54	81	–	–	1	–	–	1	–	1	–	–	2	10	20	48	37	16
Tabes Mesenterica	0·27	0·30	0·24	51	28	23	18	10	5	4	3	40	2	1	2	1	1	–	3	–	–	1
Phthisis	1·32	1·27	1·38	251	118	133	11	5	3	1	1	21	8	5	22	31	63	40	30	21	10	–
Other Tub. & Scrof. Dis.	0·36	0·41	0·32	69	38	31	11	8	8	3	4	34	5	9	7	4	4	4	–	1	1	–
Diseases of Nervous System	1·87	2·15	1·61	355	200	155	43	16	5	5	3	72	8	3	6	5	9	11	17	43	92	89
Diseases of Circulatory „	1·79	1·77	1·81	340	165	175	3	–	–	–	–	3	2	3	5	3	13	16	18	59	110	108
Diseases of Respiratory „	2·32	2·60	2·05	440	242	198	89	36	14	11	5	155	17	–	4	4	8	8	14	46	80	104
Diseases of Digestive „	0·85	0·92	0·78	161	86	75	22	7	–	1	2	32	6	1	5	2	5	8	21	18	38	25
Diseases of Urinary „	0·44	0·57	0·31	83	53	30	2	–	–	–	–	2	1	–	1	3	3	1	5	12	31	24
Diseases of Generative „	0·05	0·02	0·08	10	2	8	2	–	–	–	–	2	–	–	–	–	2	–	2	2	1	1
Puerperal Fever	0·07	–	0·15	14	–	14	–	–	–	–	–	–	–	–	–	4	8	2	–	–	–	–
Childbirth	0·06	–	0·12	12	–	12	–	–	–	–	–	–	–	–	–	1	5	6	–	–	–	–
Violence	0·54	0·78	0·30	102	73	29	8	2	1	1	1	13	7	4	12	5	13	11	4	11	9	13
OTHER CAUSES	4·37	4·56	4·18	828	425	403	298	10	2	–	2	312	4	5	7	8	15	19	15	33	66	344

Marriages 1,174

Births { Males 2,841 / Females 2,745 } 5,586

Annual Rate per 1000 living { Persons Married 12·38 / Births 29·45

Deaths from Childbirth and Puerperal Fever 4·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 732.

223.—AYLSHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·37	†110	–	–	–	–	36·62	4·88	2·44	3·36	5·18	6·91	6·66	9·82	16·98	42·96	147·81
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·01	†126	–	–	–	–	43·28	4·13	1·81	2·64	4·60	5·02	6·95	11·51	17·79	51·40	158·16
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·76	† 93	–	–	–	–	30·13	5·64	3·06	4·32	5·82	8·74	6·41	8·28	16·23	35·78	139·16
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·35 per cent.	17,755	448	416	458	440	436	2198	2153	1971	1666	1314	2443	1786	1589	1402	1008	525
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·35 per cent.	8,833	230	206	211	229	210	1086	1090	996	948	695	1056	895	756	669	463	289
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·35 per cent.	8,922	218	210	247	211	226	1112	1063	975	718	619	1087	951	833	733	545	286
Deaths from All Causes, 1881–90. Persons	16·63	2,952	582	121	53	24	25	805	105	48	56	68	148	119	156	238	443	776
Deaths from All Causes, 1881–90. Males	17·24	1,523	340	77	30	7	16	470	45	18	25	32	53	58	87	119	268	378
Deaths from All Causes, 1881–90. Females	16·02	1,429	242	44	23	17	9	335	60	30	31	36	95	61	69	119	195	398

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Measles	0·12	0·12	0·11	21	11	10	5	4	5	2	–	16	4	–	–	–	1	–	–	–
Scarlet Fever	0·23	0·22	0·24	40	19	21	1	1	5	4	5	16	17	5	1	–	–	1	–	–
Diphtheria	0·15	0·09	0·20	26	8	18	1	1	2	1	2	7	12	5	–	–	1	1	–	–
Whooping-cough	0·31	0·24	0·38	55	21	34	35	13	5	1	–	54	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·17	0·17	30	15	15	–	–	–	–	–	–	4	4	5	6	4	1	1	3	2	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·26	0·33	0·19	46	29	17	10	7	–	–	1	27	–	1	–	–	1	–	1	2	2	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·49	0·82	116	43	73	–	–	–	–	–	–	–	–	1	4	4	20	25	40	22	–
Tabes Mesenterica	0·26	0·35	0·27	46	22	24	22	7	2	2	–	33	6	4	–	–	1	1	1	–	–	–
Phthisis	1·32	1·02	1·63	235	90	145	1	3	1	1	1	7	5	13	21	32	71	36	27	19	4	1
Other Tub. & Scrof. Dis.	0·23	0·31	0·16	41	27	14	15	5	5	–	2	27	4	4	2	–	2	–	1	1	–	–
Diseases of Nervous System	2·11	2·15	2·07	375	190	185	61	14	7	2	4	88	10	8	4	2	4	13	19	35	77	120
Diseases of Circulatory „	1·98	2·02	1·94	351	178	173	1	–	1	–	–	2	1	–	3	1	8	12	20	56	118	130
Diseases of Respiratory „	2·55	3·00	2·10	453	265	188	107	41	15	7	7	177	20	1	5	6	7	17	16	32	65	107
Diseases of Digestive „	0·92	1·03	0·82	164	91	73	33	2	1	–	2	38	9	4	4	5	7	7	17	16	36	21
Diseases of Urinary „	0·41	0·52	0·29	72	46	26	1	–	–	–	–	1	2	–	–	3	7	5	4	10	19	21
Diseases of Generative „	0·06	0·01	0·10	10	1	9	–	–	–	–	–	–	–	–	–	–	3	1	2	2	–	2
Puerperal Fever	0·08	–	0·16	14	–	14	–	–	–	–	–	–	–	–	1	1	7	5	–	–	–	–
Childbirth	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Violence	0·43	0·55	0·30	76	49	27	5	3	1	3	–	12	4	1	3	5	5	3	15	13	8	7
Other Causes	4·32	4·68	3·98	769	414	355	275	20	3	1	1	300	6	4	7	4	13	9	12	22	61	331

Marriages	–	–	1,063	Annual Rate per 1000 living	Persons Married 11·96
Births	Males – 2,704	Females – 2,596	5,300		Births – – 29·85

Deaths from Childbirth and Puerperal Fever – – – – – 4·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

224.—ST. FAITHS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·77	†128	–	–	–	–	41·81	2·79	2·08	4·03	3·53	7·54	10·87	11·90	21·11	50·95	138·41
Males	—	14·86	†128	–	–	–	–	42·71	2·43	1·93	4·75	3·46	7·99	10·10	12·48	24·04	52·88	135·21
Females	—	14·68	†127	–	–	–	–	40·86	3·14	2·25	3·19	3·59	7·13	11·57	11·38	18·49	49·16	141·25
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·70 per cent.	11,801	311	273	294	300	293	1471	1432	1295	1092	935	1473	1251	1092	881	577	302
Males		5,817	146	141	153	166	148	754	700	672	590	462	688	594	521	416	278	142
Females		5,984	165	132	141	134	145	717	732	623	502	473	785	657	571	465	299	160
Deaths from All Causes, 1881–90. Persons	17·24	2,034	460	103	26	18	8	615	40	27	44	33	111	136	130	186	294	418
Males	17·45	1,015	236	58	14	9	5	322	17	13	28	16	55	60	65	100	147	192
Females	17·03	1,019	224	45	12	9	3	293	23	14	16	17	56	76	65	86	147	226

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·14	0·10	14	8	6	4	6	3	–	–	13	–	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·07	0·03	6	4	2	–	1	1	1	1	4	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·17	0·15	0·18	20	9	11	–	1	2	3	2	8	6	4	–	–	–	1	1	–	–	–
Whooping-cough	0·29	0·22	0·35	34	13	21	16	11	4	2	1	34	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·12	0·17	0·07	14	10	4	–	–	–	–	–	–	3	1	4	2	2	1	–	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·41	0·45	0·37	48	26	22	33	4	1	–	–	38	–	–	–	–	–	–	–	2	6	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·43	0·64	63	25	38	–	–	–	–	–	–	–	1	–	–	1	10	12	16	17	6
Tabes Mesenterica	0·16	0·19	0·13	19	11	8	9	4	1	2	–	16	2	–	–	–	–	1	–	–	–	–
Phthisis	1·42	1·48	1·37	168	86	82	3	2	–	–	–	5	6	7	16	20	42	29	21	9	12	1
Other Tub. & Scrof. Dis.	0·13	0·17	0·08	15	10	5	2	5	2	–	1	10	–	1	2	–	–	2	–	–	–	–
Diseases of Nervous System	3·13	3·09	3·16	369	180	189	54	16	4	3	–	77	2	2	6	1	26	40	42	55	62	56
Diseases of Circulatory „	1·69	1·63	1·69	199	98	101	–	1	1	–	–	2	–	1	–	3	5	14	10	38	62	64
Diseases of Respiratory „	2·59	2·65	2·54	306	154	152	71	32	4	4	3	114	8	1	1	1	12	10	12	21	46	80
Diseases of Digestive „	0·97	0·91	1·02	114	53	61	20	8	1	1	–	30	3	3	–	1	1	10	15	20	18	13
Diseases of Urinary „	0·30	0·50	0·10	35	29	6	–	–	–	–	–	–	2	–	1	–	2	2	3	5	13	7
Diseases of Generative „	0·04	–	0·08	5	–	5	–	1	–	–	–	1	–	–	–	–	2	–	1	1	–	–
Puerperal Fever	0·08	–	0·17	10	–	10	–	–	–	–	–	–	–	–	1	–	5	4	–	–	–	–
Childbirth	0·08	–	0·15	9	–	9	–	–	–	–	–	–	–	–	–	2	5	2	–	–	–	–
Violence	0·40	0·53	0·27	47	31	16	3	1	1	1	–	6	2	4	6	–	4	1	4	3	10	7
OTHER CAUSES	4·55	4·62	4·51	538	268	270	245	10	1	1	–	257	5	–	7	3	4	8	9	16	47	182

Marriages 696

Births { Males 1,844 / Females 1,762 } 3,606

Annual Rate per 1000 living { Persons Married 11·80 / Births 30·56

Deaths from Childbirth and Puerperal Fever 5·27 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

225.—NORWICH.

CAUSES OF DEATH.	CRUDE DEATH RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	—	In 1881 18·81 Standard 20·20 Population* 17·51	†166	–	–	–	–	54·04	4·01	2·39	3·68	5·31	6·68	9·63	14·88	27·92	59·28	149·86
			†186	–	–	–	–	70·58	3·82	2·23	3·64	5·71	7·24	14·12	27·36	59·69	65·32	161·39
			†149	–	–	–	–	37·67	4·19	2·55	3·72	5·01	6·21	9·21	12·89	25·81	54·89	142·18
Mean Population, 1881–91.	Decennial Increase of Population 13·95 per cent.	94,406	2568	2277	2331	2289	2251	11716	10627	10067	9630	8544	13598	10262	8188	6140	3851	1763
		46,455	1260	1126	1165	1107	1123	5779	5261	4932	4335	3980	6202	4675	3635	2699	1586	653
		50,951	1308	1151	1168	1182	1128	5937	5366	5135	5355	4834	7396	5580	4553	3441	2265	1030
Deaths from All Causes, 1881–90.	19·83	18,717	5170	1333	476	398	196	7563	426	241	357	452	908	988	1218	1744	2983	2627
	21·39	9,934	2882	696	257	172	98	4079	261	110	158	210	449	473	631	826	1443	1071
	18·37	9,963	2288	643	239	156	98	3424	225	131	199	242	459	515	587	888	1240	1556

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·42	0·52	0·33	397	227	170	80	153	61	56	22	372	22	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·18	0·18	0·18	169	77	92	8	17	31	30	28	114	41	6	2	1	3	2	–	–	–	–
Diphtheria	0·15	0·15	0·15	143	67	76	9	14	23	25	22	93	39	5	–	1	2	3	–	–	–	–
Whooping-cough	0·43	0·39	0·46	406	170	236	172	140	43	51	10	396	10	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	2	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·30	0·35	0·25	283	154	129	8	6	8	14	7	38	39	30	40	29	54	20	16	11	5	1
Simple Continued Fever	0·01	0·01	0·01	9	5	4	–	2	–	1	–	3	–	–	–	1	–	–	3	1	1	–
Diarrhœa and Dysentery	1·03	1·21	0·85	956	524	432	742	101	15	4	4	866	7	–	–	–	5	6	5	13	16	38
Cholera	0·01	0·01	0·02	14	6	8	3	2	–	–	–	4	1	1	–	–	2	1	–	3	1	1
Cancer	0·73	0·49	0·93	688	215	473	–	2	–	2	–	4	3	–	2	3	15	33	107	197	157	57
Tabes Mesenterica	0·13	0·15	0·11	120	64	56	45	27	8	7	1	88	12	7	5	2	1	1	1	2	–	1
Phthisis	1·71	1·82	1·61	1611	789	822	27	23	8	12	6	76	30	32	153	223	305	285	240	153	49	5
Other Tub. & Scrof. Dis.	0·34	0·41	0·28	321	179	142	81	65	35	20	14	215	48	19	9	11	9	7	5	2	2	–
Diseases of Nervous System	2·33	2·57	2·12	2196	1118	1078	563	136	31	23	9	762	40	19	21	20	53	33	126	239	445	358
" Circulatory "	1·37	1·36	1·37	1290	591	699	1	1	–	–	2	4	8	18	23	28	69	101	150	321	383	225
" Respiratory "	2·88	3·13	2·67	2722	1362	1360	733	368	135	71	39	1346	55	12	19	17	64	94	194	282	399	240
" Digestive "	1·04	1·14	0·95	978	496	482	222	92	13	6	9	342	16	21	18	15	44	68	103	147	146	58
" Urinary "	0·35	0·50	0·23	332	217	115	9	3	2	1	1	15	6	6	6	12	23	30	30	67	75	48
" Generative "	0·08	0·01	0·13	74	6	68	1	1	–	–	–	2	–	1	2	3	7	12	18	16	8	5
Puerperal Fever	0·09	–	0·16	81	–	81	–	–	–	–	–	–	–	–	–	4	16	40	21	–	–	–
Childbirth	0·07	–	0·12	62	–	62	–	–	–	–	–	–	–	–	–	9	23	30	–	–	–	–
Violence	0·52	0·78	0·29	488	339	149	31	11	20	11	10	83	21	16	22	29	47	36	55	55	75	34
Certain Causes	5·66	6·12	5·35	5374	2648	2726	2442	169	43	14	12	2680	34	45	30	32	76	88	120	226	519	1515

Marriages - - - 7,083

Births - { Males - 15,788 / Females - 16,307 } 32,095

Annual Rate per 1000 living { Persons Married 16·28 / Births - - 32·94 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·60 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·23	†108	–	–	–	–	36·41	3·67	2·64	4·19	5·32	4·81	6·86	9·55	19·55	46·48	145·18
Males	—	12·94	†115	–	–	–	–	39·64	4·37	1·91	2·85	4·62	3·84	5·56	9·14	20·36	47·99	144·32
Females	—	13·50	†100	–	–	–	–	33·24	2·93	3·41	5·79	6·03	5·71	8·02	9·91	18·83	45 02	145·19
Mean Population, 1881-91. Persons	Decennial Increase of Population 0·14 per cent.	11,980	295	277	295	299	306	1472	1473	1325	1098	864	1456	1224	1110	941	654	363
Males		5,945	143	135	154	149	148	729	756	680	597	433	703	576	525	447	323	176
Females		6,035	152	142	141	150	158	743	717	645	501	431	753	648	585	494	331	187
Deaths from All Causes, 1881-90. Persons	16·63	1,992	367	96	29	20	24	536	54	35	46	46	70	84	106	184	304	527
Males	16·47	979	202	47	14	11	15	289	33	13	17	20	27	32	48	91	155	254
Females	16·79	1,013	165	49	15	9	9	247	21	22	29	26	43	52	58	93	149	273

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Measles	0·15	0·15	0·15	18	9	9	6	5	1	–	5	17	1	–	–	–	–	–	–
Scarlet Fever	0·06	0·08	0·03	7	5	2	–	2	1	–	2	5	2	–	–	–	–	–	–
Diphtheria	0·24	0·20	0·28	29	12	17	1	1	1	–	6	9	11	5	1	1	1	–	–
Whooping-cough	0·18	0·12	0·25	22	7	15	6	11	3	1	–	21	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·03	0·12	9	2	7	–	–	1	–	–	1	2	1	3	–	–	1	1
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1
Diarrhœa and Dysentery	0·42	0·39	0·45	50	23	27	28	4	–	1	1	34	–	–	1	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·42	0·83	75	25	50	–	–	–	–	–	–	–	–	–	2	2	8	13
Tabes Mesenterica	0·10	0·10	0·10	12	6	6	4	–	–	1	–	5	2	4	–	–	–	1	1
Phthisis	1·29	1·06	1·52	155	63	92	2	4	–	2	–	8	5	6	19	24	29	21	19
Other Tub. & Scrof. Dis.	0·20	0·25	0·15	24	15	9	7	8	2	–	–	17	3	2	–	2	–	–	–
Diseases of Nervous System	2·28	2·39	2·20	275	142	133	44	12	5	4	1	66	9	5	2	1	4	10	15
Diseases of Circulatory „	2·00	2·14	1·87	240	127	113	–	–	–	–	–	–	1	1	4	3	5	9	20
Diseases of Respiratory „	2·69	2·57	2·80	322	153	169	62	26	10	8	7	113	7	2	1	4	5	9	12
Diseases of Digestive „	0·83	0·81	0·85	99	48	51	15	10	1	1	–	27	1	3	1	–	8	6	9
Diseases of Urinary „	0·45	0·57	0·33	54	34	20	–	1	1	–	–	2	1	–	3	1	2	1	3
Diseases of Generative „	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	2	–	1
Puerperal Fever	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	–	1	5	1	–
Childbirth	0·02	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
Violence	0·48	0·74	0 23	58	44	14	3	–	2	2	–	7	4	3	7	1	4	5	2
Other Causes	4·40	4·41	4·39	527	262	265	18	12	1	–	2	204	4	3	4	4	3	13	7

Marriages	702	Annual Rate per 1000 living	Persons Married	11·72	Deaths from Childbirth and Puerperal Fever 2·64 per 1000 Births.
Births Males	1,751		Births	28·46	
Females	1,658	3,409			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

227.—HENSTEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons —	In Standard Population* 13·21	†114	–	–	–	–	37·26	3·63	2·14	3·36	5·33	7·85	6·75	9·57	15·37	44·65	137·23
	Males —		†136	–	–	–	–	45·61	2·98	2·17	2·65	5·67	7·99	6·04	10·84	18·75	45·02	149·67
	Females —	14·35	†92	–	–	–	–	29·18	4·30	2·10	4·19	4·99	7·78	7·38	8·46	12·24	44·30	125·90
Mean Population in 1885, '91.	Persons Decennial Increase of Population 10,785	12·14	266	274	260	276	266	1342	1266	1169	982	844	1337	1036	951	833	598	317
	Males 1·86 per cent.	5,284	140	132	121	128	139	660	638	568	529	423	638	518	453	400	291	151
	Females	5,451	126	142	139	148	127	682	628	571	453	421	699	583	508	435	307	166
Deaths from All Causes, 1886-'90.	Persons 16·29	1,749	366	73	26	24	14	503	46	25	33	45	105	74	91	128	267	435
	Males 17·66	933	222	48	10	11	8	301	19	13	14	24	51	31	48	75	131	226
	Females 14·97	816	144	25	16	13	6	199	27	12	19	21	54	43	43	53	136	209

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·08	0·04	6	4	2	1	3	–	–	–	4	1	1	–	–	–	–
Scarlet Fever	0·08	0·09	0·07	9	5	4	–	1	1	1	1	4	2	1	–	1	1	–
Diphtheria	0·18	0·23	0·13	19	12	7	2	–	1	2	3	8	9	1	–	–	1	–
Whooping-cough	0·15	0·15	0·15	16	8	8	10	2	2	1	1	16	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·21	0·13	18	11	7	–	–	–	2	–	2	1	–	1	2	2	1	1
Simple Continued Fever	0·07	0·13	–	7	7	–	–	–	–	–	1	1	–	1	1	1	1	–	–
Diarrhœa and Dysentery	0·38	0·47	0·29	41	25	16	20	3	2	1	–	26	3	1	–	–	2	5	4
Cholera	0·02	0·04	–	2	2	–	–	–	1	–	–	1	–	–	–	–	–	1	–
Cancer	0·62	0·49	0·75	67	26	41	–	–	–	–	–	–	–	–	1	–	3	4	10	13	22	14	–
Tabes Mesenterica	0·11	0·09	0·13	12	5	7	4	5	–	2	–	11	–	–	–	1	–	–	–	–	–	–	–
Phthisis	1·37	1·15	1·58	147	61	86	16	5	2	1	1	25	4	4	14	17	36	20	13	9	4	1	–
Other Tub. & Scrof. Dis.	0·21	0·26	0·15	22	14	8	5	7	–	–	–	12	4	1	–	–	1	1	–	2	1	–	–
Diseases of Nervous System	2·08	2·16	2·00	223	114	109	45	9	8	–	–	62	1	2	1	1	4	5	13	22	54	39	–
Circulatory ,,	1·76	1·55	1·50	164	82	82	1	–	–	–	–	1	1	2	3	1	9	6	15	17	59	30	–
Respiratory ,,	2·55	2·71	2·39	273	143	130	64	23	6	7	6	106	10	1	1	6	14	11	7	15	32	63	–
Digestive ,,	0·81	0·79	0·83	87	42	45	17	3	1	1	–	22	2	3	4	1	4	7	8	14	16	6	–
Urinary ,,	0·40	0·51	0·29	43	27	16	1	–	–	–	–	1	1	–	–	–	3	3	5	10	10	10	–
Generative ,,	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Puerperal Fever	0·09	–	0·18	10	–	10	–	–	–	–	–	–	–	–	–	1	7	2	–	–	–	–	–
Childbirth	0·11	–	0·22	12	–	12	–	–	–	–	–	–	–	–	–	2	7	3	–	–	–	–	–
Violence	0·25	0·35	0·28	60	45	15	2	1	–	2	1	6	3	2	4	5	8	6	5	8	8	5	–
Other Causes	4·71	5·70	3·80	508	300	208	178	11	2	1	–	192	4	5	3	3	5	2	13	13	47	222	–

Marriages – – – 658

Births { Males – 1,636 / Females – 1,568 } 3,204

Annual Rate per 1000 living { Persons Married 13·26 / Births – 29·85

Deaths from Childbirth and Puerperal Fever – 6·67 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·22	†115	–	–	–	–	40·48	4·79	3·04	5·34	9·57	9·87	14·79	19·02	28·32	66·31	157·45
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·19	†125	–	–	–	–	44·73	4·93	3·06	4·79	8·97	11·11	17·33	20·85	27·79	71·71	167·10
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·30	†104	–	–	–	–	36·42	4·63	3·02	5·94	10·13	8·77	12·55	17·46	28·80	61·52	148·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·50 per cent.	11,822	291	280	307	283	294	1455	1379	1186	993	899	1561	1291	1125	964	647	322
Mean Population, 1881–91. Males	Decennial Increase of Population 3·50 per cent.	5,736	136	146	164	130	135	711	710	589	522	435	729	606	518	457	304	155
Mean Population, 1881–91. Females	Decennial Increase of Population 3·50 per cent.	6,086	155	134	143	153	159	744	669	597	471	464	832	685	607	507	343	167
Deaths from All Causes, 1881–90. Persons	21·98	2,598	424	85	37	23	20	589	66	36	53	86	154	191	214	273	429	507
Deaths from All Causes, 1881–90. Males	23·24	1,333	237	45	16	13	7	318	35	18	25	39	81	105	108	127	218	259
Deaths from All Causes, 1881–90. Females	20·79	1,265	187	40	21	10	13	271	31	18	28	47	73	86	106	146	211	248

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·23	0·10	19	13	6	3	8	4	–	1	16	2	1	–	–	–	–	–	–
Scarlet Fever	0·24	0·28	0·20	28	16	12	3	2	3	6	4	18	9	1	–	–	–	–	–	–
Diphtheria	0·17	0·19	0·15	20	11	9	–	2	–	4	3	9	8	3	–	–	–	–	–	–
Whooping-cough	0·32	0·30	0·35	38	17	21	23	11	2	–	–	36	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·17	0·08	15	10	5	–	–	–	–	–	–	–	3	1	3	3	1	3	1	–	–
Simple Continued Fever	0·06	0·02	0·10	7	1	6	2	–	–	1	–	3	2	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·34	0·37	0·31	40	21	19	20	1	3	1	–	25	–	–	–	–	–	–	2	4	9	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·37	0·72	65	21	44	–	–	–	–	–	–	–	–	–	2	7	14	14	22	6	–
Tabes Mesenterica	0·17	0·17	0·16	20	10	10	10	3	1	–	–	14	1	2	1	1	–	–	1	–	–	–
Phthisis	1·73	1·41	2·02	204	81	123	2	2	–	–	–	4	5	7	21	29	48	39	29	14	8	–
Other Tub. & Scrof. Dis.	0·47	0·44	0·49	55	25	30	11	7	1	3	1	23	4	3	5	3	9	5	2	1	–	–
Diseases of Nervous System	4·29	4·62	3·98	507	265	242	43	12	5	1	–	61	6	2	3	15	37	62	65	80	101	75
Diseases of Circulatory „	1·93	1·73	2·12	228	99	129	3	–	–	–	–	3	1	1	2	5	5	10	22	47	74	58
Diseases of Respiratory „	3·39	3·91	2·91	401	224	177	59	22	8	6	6	101	11	3	3	8	15	25	28	46	65	96
Diseases of Digestive „	1·48	1·41	1·55	175	81	94	31	3	1	1	3	39	3	2	3	4	5	13	14	21	40	31
Diseases of Urinary „	0·60	0·91	0·31	71	52	19	–	–	1	–	–	1	2	–	–	–	1	4	6	7	30	20
Diseases of Generative „	0·07	0·02	0·12	8	1	7	–	–	–	–	–	–	–	–	–	1	–	1	2	3	1	–
Puerperal Fever	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–
Childbirth	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–
Violence	0·73	1·20	0·28	86	69	17	6	3	2	–	2	13	6	3	6	8	8	6	8	9	11	8
OTHER CAUSES	5·02	5·49	4·58	595	316	279	208	9	6	–	–	223	4	5	7	6	12	14	21	26	73	204

Marriages 640

Births { Males 1,890 / Females 1,800 } 3,690

Annual Rate per 1000 living { Persons Married 10·83 / Births 31·21

Deaths from Childbirth and Puerperal Fever 4·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

229.—LODDON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons	—		In Standard Population*	13·36		†109	–	–	–	–	34·80	2·86	2·46	5·47	6·22	6·36	7·72	10·13	21·25	43·70	147·34
	Males	—			13·27		†115	–	–	–	–	36·93	2·72	2·45	4·13	5·87	5·57	7·66	9·93	21·97	45·31	146·39
	Females	—			13·44		†101	–	–	–	–	32·59	3·00	2·46	6·95	6·55	7·08	7·78	10·30	20·55	42·09	150·46
Mean Population, 1881–90.	Persons	Decennial Decrease of Population 3·63 per cent.		13,453			363	378	343	346	363	1793	1714	1506	1152	993	1587	1347	1254	1067	743	395
	Males			6,636			185	164	169	174	188	880	847	775	605	460	754	627	584	537	375	195
	Females			6,817			178	154	174	172	175	853	867	731	547	473	833	720	670	550	378	200
Deaths from All Causes, 1881–90.	Persons	16·66		2,241			437	95	33	16	22	603	49	37	63	58	101	104	127	231	328	542
	Males	17·15		1,138			240	51	19	4	11	325	23	19	25	27	42	46	58	118	160	284
	Females	16·18		1,103			197	44	14	12	11	278	26	18	38	31	59	56	69	113	167	258
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·02	0·03	0·01	3	2	1	1	1	–	1	–	3	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·21	0·24	0·18	28	16	12	3	–	3	4	5	15	10	–	2	1	–	–	–	–	–	–
Diphtheria	0·11	0·14	0·09	15	9	6	–	1	1	–	3	5	4	1	1	–	1	–	1	1	1	–
Whooping-cough	0·20	0·17	0·23	27	11	16	15	4	3	2	1	25	1	–	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·12	0·13	17	8	9	–	–	1	–	–	1	2	1	2	3	1	1	3	1	1	1
Simple Continued Fever	0·01	0·02	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·30	0·38	0·23	41	25	16	20	3	1	–	1	25	2	–	–	–	–	1	1	2	2	8
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·80	0·51	1·09	108	34	74	–	–	–	–	–	–	–	–	1	–	1	5	23	38	27	13
Tabes Mesenterica	0·30	0·35	0·26	41	23	18	25	10	1	–	–	36	1	1	–	1	–	1	–	–	1	–
Phthisis	1·39	1·31	1·47	187	87	100	1	1	–	–	–	2	3	7	31	29	46	33	23	8	3	2
Other Tub. & Scrof. Dis.	0·30	0·24	0·35	40	16	24	12	8	2	2	–	24	5	2	2	1	1	3	–	1	1	–
Diseases of Nervous System	1·89	1·87	1·91	254	124	130	55	13	3	2	3	76	6	3	4	7	9	8	12	36	40	53
Circulatory	1·08	1·61	1·75	226	107	119	1	–	–	1	2	4	–	9	4	2	3	10	13	46	75	60
Respiratory	2·45	2·74	2·17	330	182	148	60	28	13	4	7	112	7	2	1	2	9	13	17	35	61	71
Digestive	0·82	0·77	0·87	110	51	59	17	5	–	–	–	22	4	3	1	3	5	6	9	12	20	18
Urinary	0·48	0·69	0·26	64	46	18	–	2	–	–	–	2	–	–	1	2	3	2	5	6	25	17
Generative	0·05	0·03	0·07	7	2	5	1	–	–	–	–	1	–	–	–	–	–	2	–	2	2	–
Puerperal Fever	0·07	–	0·15	10	–	10	–	–	–	–	–	–	–	–	1	1	6	1	1	–	–	–
Childbirth	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	1	1	4	3	–	–	–	–
Violence	0·51	0·72	0·31	69	48	21	7	6	2	–	–	15	3	2	2	3	3	6	8	11	14	5
OTHER CAUSES	4·86	5·21	4·50	652	346	306	219	13	3	–	–	235	1	6	8	2	9	9	11	23	55	293

Marriages	–	822	Annual Rate per 1000 living	Persons Married	12·22
Births	Males – 2,068	4,035		Births – –	29·79
	Females – 1,967		Deaths from Childbirth and Puerperal Fever		4·71 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

230.—DEPWADE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·45	†111	–	–	–	–	36·32	3·94	2·25	4·24	5·23	6·14	8·06	10·60	18·22	45·64	142·20
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·00	†125	–	–	–	–	41·32	4·21	1·92	3·95	5·22	5·50	7·72	11·06	19·25	49·16	150·16
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·94	† 96	–	–	–	–	31·40	3·69	2·56	4·54	5·24	6·74	8·35	10·19	17·27	42·37	135·47
Mean Population, 1881-91. Persons	Decennial Decrease of Population 2·30 per cent.	23,434	579	560	589	576	598	2902	2868	2758	2195	1644	2768	2333	2114	1795	1365	692
Mean Population, 1881-91. Males	Decennial Decrease of Population 2·30 per cent.	11,382	282	281	300	282	295	1440	1403	1354	1138	805	1328	1088	995	857	657	317
Mean Population, 1881-91. Females	Decennial Decrease of Population 2·30 per cent.	12,052	297	279	289	294	303	1462	1465	1404	1057	839	1440	1245	1119	938	708	375
Deaths from All Causes, 1881-90. Persons	16·74	3,924	752	164	57	49	32	1054	113	62	93	86	170	188	224	327	623	984
Deaths from All Causes, 1881-90. Males	17·55	1,998	433	97	24	29	12	595	59	26	45	42	73	84	110	165	323	476
Deaths from All Causes, 1881-90. Females	15·98	1,926	319	67	33	20	20	459	54	36	48	44	97	104	114	162	300	508

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Measles	0·09	0·10	0·08	21	11	10	3	6	5	–	2	16	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·11	21	8	13	1	1	3	3	1	9	8	3	1	–	–	–	–	–	–	–
Diphtheria	0·15	0·17	0·14	36	19	17	1	–	4	5	4	14	11	4	2	1	1	1	1	–	1	–
Whooping-cough	0·18	0·17	0·20	43	19	24	28	6	6	2	–	42	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·10	0·11	0·08	23	13	10	–	1	–	–	–	1	2	5	2	3	5	2	1	2	–	–
Simple Continued Fever	0·02	0·02	0·02	4	2	2	–	–	–	1	–	1	–	–	–	–	–	1	–	1	1	–
Diarrhœa and Dysentery	0·35	0·40	0·29	81	46	35	23	8	1	3	–	35	2	–	–	–	–	1	2	3	9	29
Cholera	0·03	0·03	0·03	7	3	4	–	–	–	–	–	–	2	1	–	–	1	1	–	2	–	–
Cancer	0·86	0·66	1·05	201	75	126	–	–	–	–	–	–	–	–	–	2	7	18	25	53	60	36
Tabes Mesenterica	0·14	0·11	0·16	32	13	19	18	6	2	–	1	27	1	1	1	–	–	1	1	–	–	–
Phthisis	1·43	1·40	1·46	335	159	176	7	8	2	2	2	21	10	19	42	45	64	61	38	21	13	1
Other Tub. & Scrof. Dis.	0·28	0·28	0·28	66	32	34	21	11	4	1	2	39	11	4	3	–	2	4	2	1	–	–
Diseases of Nervous System	2·21	2·38	2·04	517	271	246	82	18	4	3	4	111	7	6	8	3	8	19	30	46	119	160
Diseases of Circulatory „	1·72	1·71	1·73	403	195	208	–	1	–	–	–	1	3	4	5	5	14	13	28	61	138	131
Diseases of Respiratory „	2·59	2·94	2·27	609	335	274	138	52	15	16	11	232	23	3	10	8	6	23	32	28	97	147
Diseases of Digestive „	0·94	1·05	0·83	220	120	100	35	18	1	1	–	55	6	2	2	2	4	3	24	36	52	34
Diseases of Urinary „	0·40	0·52	0·28	93	59	34	4	1	–	–	1	6	–	–	–	1	7	5	5	17	28	24
Diseases of Generative „	0·06	0·01	0·11	14	1	13	1	–	–	–	–	1	–	–	1	–	3	1	1	2	3	2
Puerperal Fever	0·08	–	0·15	18	–	18	–	–	–	–	–	–	–	–	1	1	12	3	1	–	–	–
Childbirth	0·09	–	0·17	21	–	21	–	–	–	–	–	–	–	–	1	1	9	8	2	–	–	–
Violence	0·55	0·78	0·34	130	89	41	12	4	7	6	1	30	7	5	8	5	8	7	10	19	10	21
OTHER CAUSES	4·36	4·62	4·13	1024	526	498	378	23	3	6	3	413	14	5	5	9	17	15	20	35	92	399

Marriages - - - 1,427

Births { Males - 3,477 / Females - 3,320 } 6,797

Annual Rate per 1000 living { Persons Married 12·18 / Births - - 29·00

Deaths from Childbirth and Puerperal Fever - - - - - 5·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

231.—GUILTCROSS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65 -	75 and upwards.
Annual Death-rate per 1000. Persons	—	In Standard Population* 12·56	†101	-	-	-	-	31·89	3·22	2·34	3·34	4·98	5·83	7·49	8·73	18·83	45·92	150·16
Annual Death-rate per 1000. Males	—	In Standard Population* 12·52	†109	-	-	-	-	32·78	3·72	2·40	2·64	5·35	6·32	6·60	8·30	18·46	48·54	156·67
Annual Death-rate per 1000. Females	—	In Standard Population* 12·60	† 93	-	-	-	-	30·95	2·74	2·26	4·28	4·60	5·36	8·12	9·13	19·16	43·29	144·17
Mean Population, 1881-91. Persons	Decennial Decrease of Population 2·17 per cent.	10,395	262	258	259	274	252	1295	1275	1199	928	703	1235	1054	974	818	691	318
Mean Population, 1881-91. Males	Decennial Decrease of Population 2·17 per cent.	5,208	129	130	128	139	126	665	648	625	531	355	601	500	470	390	300	160
Mean Population, 1881-91. Females	Decennial Decrease of Population 2·17 per cent.	5,187	133	102	131	135	126	630	627	574	397	348	634	554	504	428	298	163
Deaths from All Causes, 1881-90. Persons	16·39	1,683	306	66	15	12	14	413	41	28	31	35	73	78	85	154	276	470
Deaths from All Causes, 1881-90. Males	16·38	853	163	39	7	6	12	248	23	15	14	19	38	33	39	72	147	235
Deaths from All Causes, 1881-90. Females	16·00	830	143	36	8	6	2	195	18	13	17	16	34	45	46	82	129	235

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·06	0·02	0·10	6	1	5	1	1	-	1	-	3	1	1	-	-	1	-	-	-	-
Scarlet Fever	0·11	0·08	0·13	11	4	7	-	1	3	1	1	6	4	1	-	-	-	-	-	-	-
Diphtheria	0·12	0·21	0·02	12	11	1	-	1	-	-	3	4	4	-	1	1	-	-	-	1	-
Whooping-cough	0·31	0·35	0·27	32	18	14	21	9	-	-	-	30	2	-	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·07	0·02	0·12	7	1	6	-	-	-	-	1	1	2	1	1	-	-	2	-	-	-
Simple Continued Fever	0·03	0·02	0·04	3	1	2	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
Diarrhœa and Dysentery	0·40	0·40	0·40	42	21	21	15	4	1	-	1	21	-	-	-	-	-	-	-	8	13
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·81	0·61	1·00	84	32	52	-	-	-	-	-	-	-	-	-	1	3	10	23	27	20
Tabes Mesenterica	0·12	0·17	0·08	12	9	3	7	3	-	-	1	11	-	-	-	-	-	-	-	-	-
Phthisis	1·33	1·13	1·52	138	59	79	4	4	-	-	1	9	3	5	12	16	34	24	14	13	8
Other Tub. & Scrof. Dis.	0·32	0·35	0·29	33	18	15	5	4	2	-	1	12	7	1	3	-	1	2	1	2	3
Nervous System	2·03	1·96	2·10	211	102	109	47	4	1	2	-	54	5	4	2	2	7	5	14	25	42
Circulatory "	1·74	1·90	1·58	181	99	82	1	-	-	-	-	1	-	1	3	2	4	9	13	28	61
Respiratory "	2·42	2·44	2·41	252	127	125	50	19	5	3	1	78	5	2	-	2	6	11	12	21	44
Digestive "	0·80	0·70	0·88	83	41	42	15	3	1	-	1	20	1	3	-	-	2	5	8	10	25
Urinary "	0·47	0·71	0·23	49	37	12	-	-	-	-	1	1	-	1	-	2	-	3	7	6	16
Generative "	0·11	0·04	0·17	11	2	9	1	-	-	-	-	1	-	-	1	-	1	2	1	4	-
Puerperal Fever	0·09	-	0·17	9	-	9	-	-	-	-	-	-	-	-	2	-	4	3	-	-	-
Childbirth	0·05	-	0·10	5	-	5	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-
Violence	0·46	0·67	0·25	48	35	13	2	3	1	2	2	10	3	1	2	2	4	2	-	3	6
Other Causes	4·28	4·51	4·11	448	236	212	137	10	1	2	-	150	4	2	2	7	6	4	5	19	35

Marriages	-	-	593	Annual Rate per 1000 living: Persons Married 11·41
Births	Males - 1,491	Females - 1,531	3,022	Births - - 29·07

Deaths from Childbirth and Puerperal Fever - - - - 4·63 per 1000 Births.

* *See pages* xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·61	†105	–	–	–	–	36·15	3·24	1·96	3·76	5·74	5·75	7·76	10·67	18·63	53·30	150·89
Males	—	Standard 14·10	†120	–	–	–	–	40·15	3·87	2·36	3·04	5·65	5·76	7·51	11·67	19·13	54·78	155·71
Females	—	Population* 13·14	† 89	–	–	–	–	31·92	2·56	1·56	4·63	5·82	5·73	7·97	9·75	18·16	51·86	146·10
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·97 per cent.	10,610	272	257	265	259	261	1314	1295	1171	958	732	1288	1083	993	859	636	281
Males		5,285	140	135	143	128	129	675	671	594	526	354	625	493	480	413	314	140
Females		5,325	132	122	122	131	132	639	624	577	432	378	663	590	513	446	322	141
Deaths from All Causes, 1881–90. Persons	17·01	1,805	336	74	25	24	16	475	42	23	36	42	74	84	106	160	339	424
Males	17·88	945	200	39	17	8	7	271	26	14	16	20	36	37	56	79	172	218
Females	16·15	860	136	35	8	16	9	204	16	9	20	22	38	47	50	81	167	206

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·06	0·11	9	3	6	2	3	–	3	1	9	–	–	–	–	–	–
Scarlet Fever	0·09	0·04	0·15	10	2	8	–	2	1	2	–	5	1	2	–	1	–	–
Diphtheria	0·18	0·17	0·19	19	9	10	–	–	2	2	4	8	4	2	–	1	1	1	1	–	1	–
Whooping-cough	0·25	0·26	0·23	26	14	12	13	7	3	2	–	25	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·19	0·11	16	10	6	–	–	–	1	–	1	3	1	2	2	2	1	2	2	–	–
Simple Continued Fever	0·16	0·13	0·19	17	7	10	–	–	–	–	1	1	1	1	1	1	1	–	1	1	5	4
Diarrhœa and Dysentery	0·48	0·57	0·39	51	30	21	19	4	2	–	2	27	1	–	2	1	–	1	1	4	6	8
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·72	0·51	0·92	76	27	49	–	–	1	–	–	1	–	–	–	–	2	4	14	25	22	8
Tabes Mesenterica	0·03	0·04	0·02	3	2	1	1	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–
Phthisis	1·55	1·38	1·71	164	73	91	2	5	–	–	1	8	3	5	13	17	37	29	19	15	15	3
Other Tub. & Scrof. Dis.	0·23	0·28	0·17	24	15	9	5	6	–	1	2	14	2	2	1	1	2	1	–	–	1	–
Diseases of Nervous System	2·53	2·50	2·55	268	132	136	51	6	6	2	3	68	6	1	6	1	5	8	12	28	59	74
Diseases of Circulatory „	1·55	1·61	1·48	164	85	79	1	–	1	–	–	2	–	1	2	4	5	5	8	14	38	55
Diseases of Respiratory „	2·66	2·80	2·52	282	148	134	55	23	5	7	1	91	15	2	2	2	3	9	11	23	66	58
Diseases of Digestive „	0·95	1·15	0·75	101	61	40	14	2	1	1	–	18	2	–	1	4	–	6	14	20	28	8
Diseases of Urinary „	0·33	0·47	0·19	35	25	10	–	–	–	–	–	–	1	–	–	–	–	1	2	6	11	14
Diseases of Generative „	0·04	–	0·08	4	–	4	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–
Puerperal Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Childbirth	0·03	–	0·17	9	–	9	–	–	–	–	–	–	–	–	–	1	4	3	1	–	–	–
Violence	0·40	0·59	0·21	42	31	11	–	2	–	2	1	5	2	2	3	1	4	3	7	2	5	8
OTHER CAUSES	4·51	5·13	3·95	482	271	211	173	14	2	1	–	190	–	4	2	4	5	10	12	20	51	184

Marriages 615

Births { Males 1,670 / Females 1,536 } 3,206

Annual Rate per 1000 living { Persons Married 11·59 / Births 30·22

Deaths from Childbirth and Puerperal Fever 3·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

233.—MITFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·33	†129	–	–	–	–	42·83	3·91	2·62	3·48	5·19	6·43	7·42	9·45	21·22	46·23	144·84
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·63	†142	–	–	–	–	46·96	3·44	2·50	3·47	4·48	5·37	7·15	10·69	21·25	52·22	149·15
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·05	†114	–	–	–	–	38·45	4·38	2·74	3·50	5·89	7·43	7·67	8·86	21·19	40·40	141·16
Mean Population 1881–91. Persons	Decennial Decrease of Population 3·83 per cent.	26,843	677	652	654	679	665	3327	3225	3057	2469	1926	3330	2721	2435	2102	1486	765
Mean Population 1881–91. Males	Decennial Decrease of Population 3·83 per cent.	13,362	350	333	351	352	326	1712	1626	1560	1327	959	1620	1360	1160	1026	720	352
Mean Population 1881–91. Females	Decennial Decrease of Population 3·83 per cent.	13,481	327	319	303	327	339	1615	1599	1497	1142	967	1710	1421	1275	1076	766	413
Deaths from All Causes, 1881–90. Persons	17·53	4,704	1019	204	87	69	55	1425	126	80	86	100	214	202	230	446	687	1108
Deaths from All Causes, 1881–90. Males	17·99	2,404	583	116	42	31	32	804	56	39	46	43	87	93	117	218	336	625
Deaths from All Causes, 1881–90. Females	17·06	2,300	436	88	45	29	23	621	70	41	40	57	127	109	113	228	311	583

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	0·01	0·01	3	1	2
Measles	0·09	0·08	0·09	23	11	12
Scarlet Fever	0·19	0·13	0·26	52	17	35
Diphtheria	0·19	0·16	0·23	52	21	31
Whooping-cough	0·34	0·28	0·41	93	37	56
Typhus	0·03	0·03	0·02	7	4	3
Enteric Fever	0·11	0·18	0·05	29	17	12
Simple Continued Fever	0·03	0·01	0·04	7	2	5
Diarrhœa and Dysentery	0·34	0·34	0·34	92	46	46
Cholera	–	–	–	–	–	–
Cancer	0·69	0·49	0·88	185	66	119
Tabes Mesenterica	0·15	0·13	0·17	40	17	23
Phthisis	1·43	1·31	1·52	380	175	205
Other Tub. & Scrof. Dis.	0·19	0·24	0·14	51	32	19
Diseases of Nervous System	2·36	2·51	2·21	633	335	298
Diseases of Circulatory ,,	1·58	1·53	1·62	424	205	219
Diseases of Respiratory ,,	2·81	2·92	2·70	754	390	364
Diseases of Digestive ,,	0·94	0·94	0·93	251	126	125
Diseases of Urinary ,,	0·42	0·45	0·31	113	85	28
Diseases of Generative ,,	0·06	0·01	0·11	16	1	15
Puerperal Fever	0·08	–	0·16	21	–	21
Childbirth	0·10	–	0·19	26	–	26
Violence	0·45	0·62	0·28	121	83	38
Other Causes	4·94	5·48	4·45	1332	733	599

	Persons.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Small-pox	–	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–
Measles	11	4	4	–	–	20	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	1	2	7	3	6	19	16	10	1	2	2	2	–	–	–	–
Diphtheria	2	–	3	5	7	17	17	9	3	–	2	2	–	1	1	–
Whooping-cough	40	24	3	3	–	89	2	–	–	–	–	–	–	1	–	–
Typhus	–	–	–	1	–	1	–	3	1	1	1	–	–	–	–	–
Enteric Fever	1	–	1	1	2	5	5	4	3	2	3	–	2	3	2	–
Simple Continued Fever	–	–	1	–	2	3	1	–	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	50	8	3	–	2	63	2	–	1	2	–	–	1	1	4	14
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	2	2	–	4	–	–	–	–	6	12	34	80	40	30
Tabes Mesenterica	19	8	3	1	3	34	2	1	–	–	3	–	–	–	–	–
Phthisis	12	6	2	2	1	23	9	11	41	54	89	56	45	32	18	2
Other Tub. & Scrof. Dis.	9	8	5	6	1	29	4	3	4	2	1	3	3	2	–	–
Diseases of Nervous System	113	30	13	3	3	171	6	17	3	6	9	12	33	78	144	148
Diseases of Circulatory ,,	–	–	–	1	–	1	4	2	2	6	8	26	19	83	133	126
Diseases of Respiratory ,,	171	78	24	14	17	304	30	1	2	6	25	15	25	68	109	149
Diseases of Digestive ,,	35	15	3	1	1	55	8	2	6	5	9	14	31	42	46	33
Diseases of Urinary ,,	3	–	1	1	–	4	–	–	1	3	9	5	7	15	43	27
Diseases of Generative ,,	–	–	–	–	–	–	–	–	–	–	1	3	3	6	1	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	4	13	4	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	1	3	11	10	1	–	–	–
Violence	10	5	4	4	4	27	6	8	7	1	8	9	7	18	15	15
Other Causes	536	16	3	2	1	557	10	6	6	4	14	22	18	41	122	582

Persons.

Marriages - - 1,536

Births { Males - 4,059 / Females - 3,936 } 7,995

Annual Rate per 1000 living { Persons Married 11·89 / Births - - 29·53

Deaths from Childbirth and Puerperal Fever - - - - - - 5·26 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

234.—WALSINGHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons			In Standard Population*		14·22	†115	–	–	–	–	39·05	3·40	2·74	4·45	5·36	6·02	7·95	11·63	21·10	49·20	145·15
	Males					15·11	†132	–	–	–	–	43·99	3·26	2·54	4·20	6·69	5·95	7·56	13·11	25·11	53·27	147·41
	Females					13·38	† 98	–	–	–	–	34·31	3·55	2·94	4·73	4·01	6·08	8·30	10·27	17·51	45·75	143·10
Mean Population, 1881–91.	Persons	Decennial Decrease of Population 0·21 per cent.		19,922			514	451	490	506	515	2476	2380	2398	1888	1510	2409	2062	1772	1493	1067	567
	Males			9,737			245	211	246	248	264	1214	1197	1140	1000	762	1159	953	847	705	490	270
	Females			10,185			269	240	244	258	251	1262	1183	1158	888	748	1250	1109	925	788	577	297
Deaths from All Causes, 1881–90.	Persons	17·34		3,454			665	176	61	36	29	967	81	63	84	81	145	164	206	315	525	823
	Males	18·31		1,783			385	89	33	14	13	534	39	29	42	51	69	72	111	177	261	398
	Females	16·41		1,671			280	87	28	22	16	433	42	34	42	30	76	92	95	138	264	425
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·03	0·02	0·03	5	2	3	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Measles	0·14	0·17	0·10	27	17	10	6	13	2	1	2	24	2	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·06	0·04	0·07	11	4	7	1	1	2	4	1	9	1	–	1	–	–	–	–	–	–	–
Diphtheria	0·30	0·30	0·30	60	29	31	1	1	4	3	7	16	23	12	3	1	1	1	2	–	–	1
Whooping-cough	0·32	0·29	0·34	63	28	35	33	18	8	1	3	63	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·23	0·27	0·19	45	26	19	–	–	2	1	2	5	3	4	8	3	7	5	4	4	1	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0·44	0·24	67	43	24	25	5	1	–	–	31	1	–	1	–	–	–	2	2	9	21
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cancer	0·86	0·61	1·10	171	59	112	–	–	–	–	–	–	–	2	–	–	3	16	26	38	58	28
Tabes Mesenterica	0·16	0·16	0·15	31	16	15	12	9	–	–	–	21	2	2	1	2	1	–	1	–	1	–
Phthisis	1·62	1·77	1·47	322	172	150	16	9	–	3	1	29	7	15	35	41	67	41	37	31	14	5
Other Tub. & Scrof. Dis.	0·19	0·22	0·17	38	21	17	14	4	–	2	2	22	5	2	2	4	–	–	1	–	–	2
Diseases of Nervous System	2·39	2·52	2·27	476	245	231	85	15	10	5	3	118	7	3	8	5	8	15	29	51	93	139
Diseases of Circulatory ,,	2·19	2·24	2·15	437	218	219	3	2	–	–	–	5	1	7	4	3	6	18	35	67	145	143
Diseases of Respiratory ,,	2·80	2·84	2·75	557	277	280	142	59	22	5	5	233	14	3	2	4	8	14	19	33	76	151
Diseases of Digestive ,,	0·85	0·92	0·78	169	90	79	34	12	1	3	1	51	4	3	2	1	5	9	13	22	42	17
Diseases of Urinary ,,	0·49	0·74	0·26	98	72	26	3	–	–	2	–	5	1	–	–	2	4	9	13	11	17	36
Diseases of Generative ,,	0·09	0·02	0·15	17	2	15	1	–	–	–	–	1	–	–	–	–	2	1	3	3	4	3
Puerperal Fever	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	2	1	7	4	–	–	–	–
Childbirth	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
Violence	0·47	0·64	0·30	93	62	31	8	4	4	2	1	19	4	4	7	6	6	7	8	12	13	7
OTHER CAUSES	3·70	4·08	3·39	745	398	347	281	23	5	4	1	314	6	4	7	4	18	20	13	41	52	266

Marriages 1,180 | Annual Rate per 1000 living { Persons Married 11·85 / Births 28·99 } | Deaths from Childbirth and Puerperal Fever 3·12 per 1000 Births.

Births { Males 2,915 / Females 2,860 } 5,775

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

235.—DOCKING.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000.	Persons —	In Standard Population* 14·88	†133	–	–	–	–	42·44	4·48	2·69	5·60	5·46	6·74	7·73	9·55	20·75	0·58	140·38
	Males —	15·52	†153	–	–	–	–	48·14	4·75	2·66	4·21	5·39	6·58	8·13	9·54	20·49	0·56	165·58
	Females —	14·28	†112	–	–	–	–	36·63	4·20	2·73	7·20	5·63	6·88	7·37	9·56	20·99	0·67	136·33
Mean Population, 1881–91.	Persons	Decennial Decrease of Population 1·46 per cent.	17,382	493	386	397	410	428	2624	2099	2043	1642	1245	2034	1824	1025	1369	955	482
	Males		8,558	264	187	202	210	219	1082	1052	1054	878	605	968	861	786	659	468	215
	Females		8824	199	199	195	200	209	1002	1047	989	764	640	1076	963	879	710	487	267
Deaths from All Causes, 1881–90.	Persons 17·79		3,092	641	120	48	29	21	859	94	55	92	68	137	141	159	284	483	720
	Males 18·51		1,584	377	62	32	10	11	492	50	28	37	32	63	70	75	135	246	356
	Females 17·09		1,508	264	58	16	19	10	367	44	27	55	36	74	71	84	149	237	364

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·08	0·13	0·03	14	11	3	6	3	2	–	1	12	1	1	–	–	–	–
Scarlet Fever	0·07	0·06	0·07	13	7	6	–	2	2	4	–	8	4	1	–	–	–	–
Diphtheria	0·32	0·22	0·41	55	19	36	1	2	5	6	5	19	21	6	5	–	1	1	1	–
Whooping-cough	0·25	0·27	0·23	43	23	20	25	12	3	1	–	41	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·12	0·03	13	10	3	1	–	–	–	–	1	2	–	2	3	3	–	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·29	0·14	37	25	12	14	1	2	2	–	19	1	–	–	–	1	2	4	10
Cholera	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Cancer	0·76	0·50	1·01	133	43	89	–	–	–	–	–	–	–	–	–	–	5	6	23	35	46	18
Tabes Mesenterica	0·16	0·21	0·11	28	18	10	15	1	2	1	–	19	4	1	–	1	–	–	1	2	–	–
Phthisis	1·44	1·32	1·55	250	113	137	1	–	–	–	2	3	8	14	38	35	56	39	20	23	13	1
Other Tub. & Scrof. Dis.	0·22	0·23	0·22	39	20	19	7	7	3	1	2	20	5	5	4	3	1	–	–	1	–	–
Diseases of Nervous System	2·21	2·37	2·05	384	203	181	71	22	7	2	2	104	8	9	7	6	6	17	27	46	75	70
Circulatory	1·08	1·07	1·09	202	143	149	–	–	–	–	1	1	1	2	9	3	10	13	18	51	105	79
Respiratory	2·14	2·38	1·90	372	204	168	76	32	16	9	5	138	20	5	2	4	9	13	16	24	55	76
Digestive	1·13	1·03	1·23	196	88	108	29	14	2	–	1	46	2	2	5	2	9	10	20	35	45	29
Urinary	0·35	0·54	0·16	60	46	14	2	–	–	–	–	2	2	–	2	–	2	7	4	11	12	18
Generative	0·08	0·02	0·12	13	2	11	1	–	–	–	–	1	–	1	1	–	–	3	3	3	1	–
Puerperal Fever	0·06	–	0·12	11	–	11	–	–	–	–	–	–	–	–	1	2	6	2	–	–	–	–
Childbirth	0·09	–	0·18	16	–	16	–	–	–	–	–	–	–	–	1	3	7	5	–	–	–	–
Violence	0·50	0·84	0·17	87	73	15	4	2	1	2	–	9	5	5	9	5	11	11	5	10	10	7
OTHER CAUSES	5·93	6·27	5·64	1031	535	496	388	22	3	1	1	415	6	3	6	2	11	13	19	38	106	412

Marriages	–	–	985	Annual Rate per 1000 living	Persons Married 11·37
Births	Males 2,461	Females 2,365	4,826		Births 27·76

Deaths from Childbirth and Puerperal Fever 5·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

236.—FREEBRIDGE LYNN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·25	†109	–	–	–	–	37·92	4·75	2·63	3·19	5·22	6·79	6·25	8·56	18·78	45·05	138·84
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·27	†125	–	–	–	–	43·95	4·16	1·57	3·11	4·49	5·76	5·02	9·59	18·76	48·90	137·18
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·23	† 91	–	–	–	–	32·05	5·30	3·75	3·28	6·00	7·78	7·41	7·64	18·80	41·19	140·35
Mean Population, 1881-91. Persons	Decennial Increase of Population 0·13 per cent.	12,243	308	281	304	323	324	1540	1538	1369	1098	862	1517	1313	1121	921	637	327
Mean Population, 1881-91. Males	Decennial Increase of Population 0·13 per cent.	6,091	162	146	149	151	152	760	746	702	610	445	746	638	532	437	319	156
Mean Population, 1881-91. Females	Decennial Increase of Population 0·13 per cent.	6,152	146	135	155	172	172	780	792	667	488	417	771	675	589	484	318	171
Deaths from All Causes, 1881-90. Persons	16·07	1,968	411	96	39	19	19	584	73	36	35	45	103	82	96	173	287	454
Deaths from All Causes, 1881-90. Males	16·30	993	241	55	19	12	7	334	31	11	19	20	43	32	51	82	156	214
Deaths from All Causes, 1881-90. Females	15·85	975	170	41	20	7	12	250	42	25	16	25	60	50	45	91	131	240

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·07	0·10	0·03	8	6	2	1	4	1	–	1	7	1	–	–	–	–	–
Scarlet Fever	0·40	0·38	0·42	49	23	26	2	7	4	5	5	23	17	6	1	–	2	–
Diphtheria	0·27	0·21	0·33	33	13	20	–	2	3	–	1	6	16	5	–	2	2	2
Whooping-cough	0·29	0·20	0·39	36	12	24	16	10	5	1	3	35	1	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·07	0·23	18	4	14	–	1	2	–	–	3	6	–	3	–	2	3
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·21	0·23	0·20	26	14	12	12	2	1	–	1	16	1	–	1	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·46	0·78	76	28	48	–	–	1	–	–	1	–	–	1	–	1	4
Tabes Mesenterica	0·13	0·15	0·11	16	9	7	7	5	1	–	–	13	2	–	–	1	–	–
Phthisis	1·23	1·08	1·37	150	66	84	–	3	–	–	1	4	5	12	13	20	38	26
Other Tub. & Scrof. Dis.	0·16	0·16	0·16	20	10	10	4	2	1	–	1	8	2	2	1	1	3	2
Diseases of Nervous System	1·74	2·17	1·32	213	132	81	49	16	5	–	3	73	2	2	1	3	4	7
Diseases of Circulatory „	1·22	1·23	1·20	149	75	74	–	–	–	–	1	1	2	–	4	3	6	9
Diseases of Respiratory „	2·01	2·25	1·77	246	137	109	57	25	8	7	1	98	6	2	4	2	11	6
Diseases of Digestive „	0·92	0·90	0·94	113	55	58	17	7	2	1	–	27	3	1	2	5	6	4
Diseases of Urinary „	0·39	0·41	0·37	48	25	23	2	1	–	1	–	4	1	–	–	1	4	5
Diseases of Generative „	0·08	–	0·16	10	–	10	–	1	–	–	–	1	–	–	–	–	1	2
Puerperal Fever	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1
Childbirth	0·08	–	0·16	10	–	10	–	–	–	–	–	–	–	–	–	1	6	3
Violence	0·38	0·51	0·24	46	31	15	3	2	1	1	–	7	2	1	2	3	2	4
Other Causes	5·67	5·77	5·59	695	352	343	241	8	4	3	1	257	6	5	2	2	12	5

Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4
Diarrhœa and Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	1	4	12	25	23	9	–	–	–	–	–	–	–	–	–	–	–	–
Other Tub. & Scrof. Dis.	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Nervous System	12	26	41	42														
Diseases of Circulatory „	9	24	32	38	30													
Diseases of Respiratory „	6	10	20	46	41													
Diseases of Digestive „	4	2	19	32	12													
Diseases of Urinary „	5	3	7	16	7													
Diseases of Generative „	2	2	2	2	–													
Puerperal Fever	1	–	–	–	–													
Childbirth	3	–	–	–	–													
Violence	2	4	9	9	5													
Other Causes	12	5	10	21	73	302												

Marriages – – – 820

Births – {Males – 1,924 / Females – 1,858} 3,782

Annual Rate per 1000 living {Persons Married 13·40 / Births – – 30·89}

Deaths from Childbirth and Puerperal Fever – – – – 3·97 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

237.—KING'S LYNN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	Persons —	In Standard Population.*		18·56	†136	–	–	–	–	55·46	5·14	2·88	3·83	5·76	7·01	12·94	14·31	32·30	58·10	161·87
	Males —			20·53	†154	–	–	–	–	61·90	5·47	3·28	3·96	7·21	7·71	15·15	16·49	35·79	65·26	174·19
	Females —			16·71	†117	–	–	–	–	48·90	4·82	2·47	3·71	4·52	6·38	10·97	12·51	29·68	52·45	139·19
Mean Population, 1881–91.	Persons	Decennial Decrease of Population 0·80 per cent.		19,129	489	437	458	459	455	2299	2178	2015	1960	1597	2667	2140	1677	1254	914	428
	Males			9,050	245	204	232	238	241	1160	1078	1003	935	735	1271	1010	758	542	403	155
	Females			10,079	244	233	226	221	215	1139	1100	1012	1025	862	1396	1130	919	712	511	273
Deaths from All Causes, 1881–90.	Persons	20·40		3,902	827	240	82	82	44	1275	112	56	75	93	167	277	240	405	531	650
	Males	22·13		2,003	487	130	44	36	21	718	59	33	37	53	98	153	125	194	263	270
	Females	18·84		1,899	340	110	38	46	23	557	53	25	38	39	69	124	115	211	268	380

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·44	0·45	0·43	84	41	43	18	34	15	6	3	76	4	1	–	–	1	–	–	–
Scarlet Fever	0·16	0·24	0·08	30	22	8	2	4	6	6	5	23	6	1	–	–	–	–	–	–
Diphtheria	0·18	0·15	0·20	34	14	20	–	1	5	7	2	15	15	2	–	–	–	1	1	–
Whooping-cough	0·41	0·39	0·44	79	35	44	32	29	9	4	2	76	3	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·12	0·14	0·10	23	13	10	–	–	–	–	–	–	2	2	2	2	8	2	2	1	2	–
Simple Continued Fever	0·02	–	0·04	4	–	4	–	–	–	1	–	1	–	–	–	–	–	–	1	1	1	–
Diarrhœa and Dysentery	0·42	0·40	0·45	81	36	45	62	4	–	3	–	69	–	–	–	–	–	–	1	3	4	5
Cholera	0·02	0·03	–	3	3	–	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·55	1·08	159	50	109	–	–	–	–	–	–	–	–	1	1	2	27	25	46	45	12
Tabes Mesenterica	0·19	0·21	0·17	36	19	17	14	7	2	1	–	24	5	2	1	3	–	–	1	–	–	–
Phthisis	1·59	1·83	1·39	305	175	130	–	3	–	1	3	7	6	10	28	40	72	73	32	21	14	2
Other Tub. & Scrof. Dis.	0·42	0·54	0·31	80	49	31	17	19	2	5	3	46	10	7	6	2	2	4	1	2	–	–
Diseases of Nervous System	2·38	2·39	2·38	456	216	240	93	25	11	13	3	145	14	8	7	6	11	22	39	56	69	79
Circulatory „	1·89	1·94	1·78	325	176	179	1	–	–	–	–	1	4	5	5	5	24	41	39	88	95	94
Respiratory „	2·85	3·06	2·67	546	277	269	134	73	22	27	16	272	14	2	3	5	7	29	25	56	75	64
Digestive „	1·65	1·17	0·93	290	106	94	23	11	3	1	3	41	4	2	3	3	10	23	22	53	35	12
Urinary „	0·45	0·62	0·31	87	56	31	1	4	–	–	–	5	–	3	–	1	2	7	10	16	27	13
Generative „	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	1	1	5	3	3	2	3	1
Puerperal Fever	0·05	–	0·09	9	–	9	–	–	–	–	–	–	–	–	1	–	5	3	–	–	–	–
Childbirth	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	3	–	4	4	–	–	–	–
Violence	0·84	1·39	0·34	160	126	34	7	4	–	2	3	16	15	5	8	14	15	19	12	17	24	15
Other Causes	5·26	6·52	5·47	1,142	588	554	421	21	7	3	1	453	10	8	6	9	15	27	37	44	144	359

Marriages	–	1,438	Annual Rate per 1000 living	Persons Married	15·03
Births	Males 3,153	6,060		Births	31·68
	Females 2,907				

Deaths from Childbirth and Puerperal Fever — 3·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

238.—DOWNHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·27	†132	–	–	–	–	44·82	5·78	3·42	5·20	7·10	5·65	8·41	11·51	19·95	47·08	134·20
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·15	†149	–	–	–	–	52·34	5·61	3·31	3·99	7·20	4·74	8·95	11·52	21·36	47·99	153·56
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·43	†115	–	–	–	–	37·67	5·96	3·53	6·67	7·00	6·53	7·90	11·50	18·64	46·17	116·48
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·66 per cent.	18,891	464	462	472	470	457	2325	2231	2223	1788	1395	2267	1939	1755	1474	994	500
Mean Population, 1881–91. Males	Decennial Decrease of Population 4·66 per cent.	9,359	225	228	234	218	228	1133	1106	1118	978	681	1118	939	842	707	498	239
Mean Population, 1881–91. Females	Decennial Decrease of Population 4·66 per cent.	9,532	239	234	238	252	229	1192	1125	1105	810	714	1149	1000	913	767	496	261
Deaths from All Causes, 1881–90. Persons	17·81	3,365	724	181	56	39	42	1042	129	76	93	99	128	163	202	294	468	671
Deaths from All Causes, 1881–90. Males	18·92	1,771	418	101	25	19	30	593	62	37	39	49	53	84	97	151	239	367
Deaths from All Causes, 1881–90. Females	16·72	1,594	306	80	31	20	12	449	67	39	54	50	75	79	105	143	229	304

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·15	0·17	30	14	16	6	15	4	1	–	26	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·33	0·34	0·33	63	32	31	4	5	7	5	10	31	17	9	5	–	–	–	1	–	–
Diphtheria	0·31	0·27	0·36	59	25	34	4	2	–	7	5	18	24	9	3	2	–	1	–	1	–	1
Whooping-cough	0·39	0·28	0·49	73	26	47	47	14	5	3	1	70	2	–	1	–	–	–	–	–	–	–
Typhus	0·03	0·03	0·02	5	3	2	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–
Enteric Fever	0·11	0·11	0·12	21	10	11	–	–	2	1	1	4	2	3	2	2	–	4	2	1	1	–
Simple Continued Fever	0·02	0·02	0·02	4	2	2	2	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·44	0·50	0·38	83	47	36	32	4	2	2	2	42	1	1	1	–	1	2	–	1	13	21
Cholera	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·38	0·82	114	36	78	–	–	–	1	1	2	–	–	–	–	1	8	26	29	29	19
Tabes Mesenterica	0·13	0·15	0·12	25	14	11	7	5	2	–	–	14	4	–	1	2	2	1	–	–	1	–
Phthisis	1·78	1·79	1·77	337	168	169	37	13	3	–	1	54	10	20	30	44	60	47	37	19	15	1
Other Tub. & Scrof. Dis.	0·39	0·31	0·47	74	29	45	21	10	3	3	3	40	7	4	5	5	2	2	2	2	2	3
Diseases of Nervous System	2·15	2·25	2·08	409	211	198	74	18	5	2	2	101	16	5	8	6	7	12	29	50	73	102
Diseases of Circulatory „	1·76	2·01	1·51	332	188	144	–	–	1	–	–	1	1	3	9	7	7	25	32	45	104	98
Diseases of Respiratory „	2·69	3·14	2·25	508	294	214	116	53	13	9	10	201	25	5	1	6	7	18	11	40	78	116
Diseases of Digestive „	1·27	1·28	1·25	239	120	119	31	16	1	–	3	51	2	6	3	4	9	11	16	32	64	41
Diseases of Urinary „	0·71	1·06	0·37	134	99	35	3	1	–	–	–	4	1	–	4	4	5	5	13	24	33	41
Diseases of Generative „	0·08	0·01	0·16	16	1	15	–	1	–	–	–	1	–	–	–	2	1	4	3	2	2	1
Puerperal Fever	0·10	–	0·19	18	–	18	–	–	–	–	–	–	–	–	3	2	10	3	–	–	–	–
Childbirth	0·06	–	0·13	12	–	12	–	–	–	–	–	–	–	–	2	1	2	6	1	–	–	–
Violence	0·59	0·89	0·30	112	83	29	7	3	4	5	3	22	8	7	7	5	5	5	10	21	10	12
OTHER CAUSES	3·70	3·95	3·40	696	369	327	332	21	4	–	–	357	5	4	5	6	7	9	20	25	43	215

Marriages - - - 1,255

Births - { Males - 2,807 / Females - 2,664 } 5,471

Annual Rate per 1000 living { Persons Married 13·29 / Births - - 28·96

Deaths from Childbirth and Puerperal Fever - - - - - } 5·48 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

239.—SWAFFHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons — Males — Females —	In Standard Population* 16·02 14·20 13·86	†112 †121 †102	– – –	– – –	– – –	– – –	36·91 41·18 32·67	4·62 4·82 4·41	2·57 2·97 2·18	3·86 3·28 4·55	5·89 4·79 6·93	6·78 6·30 7·26	7·99 8·06 7·93	10·30 10·58 10·05	21·77 20·73 22·76	44·26 44·09 44·41	151·18 157·93 144·89
Mean Population, 1881-91.	Persons — Males — Females —	Decennial Decrease of Population 3·62 per cent.	12,626 6,211 6,415	304 152 152	293 145 148	328 165 163	327 160 167	341 172 169	1593 794 799	1560 767 793	1440 706 734	1191 641 550	980 438 542	1474 730 744	1289 608 681	1165 548 617	980 468 512	714 347 367	340 164 176
Deaths from All Causes, 1881-90	Persons 17·09 Males 17·88 Females 16·66	2,158 1,089 1,069	406 227 179	101 55 46	35 17 18	25 15 10	21 14 8	588 327 261	72 37 35	37 21 16	46 21 25	53 21 32	100 46 54	103 49 54	120 58 62	209 97 112	316 153 163	514 259 255

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·04	0·03	0·05	5	2	3	1	–	1	1	–	3	2	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·24	0·31	35	15	20	2	7	4	5	6	24	9	2	–	–	–	–	–	–
Diphtheria	0·32	0·31	0·34	41	19	22	1	–	–	4	7	12	17	6	3	–	1	2	–	–
Whooping-cough	0·20	0·26	0·14	25	16	9	13	5	2	2	1	23	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·18	0·17	23	11	11	1	1	–	–	1	3	2	3	2	1	3	2	2	2
Simple Continued Fever	0·04	0·02	0·05	5	1	4	–	–	–	–	–	–	4	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·21	0·20	26	13	13	10	5	–	–	–	15	–	–	1	–	–	1	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·50	1·00	95	31	64	–	–	–	–	–	–	–	–	1	–	3	8	14	31
Tabes Mesenterica	0·12	0·11	0·14	15	7	8	8	1	–	–	–	9	1	–	1	3	1	–	–	–
Phthisis	1·39	1·18	1·59	175	73	102	4	1	2	–	1	8	3	7	14	18	44	33	18	21
Other Tub. & Scrof. Dis.	0·33	0·35	0·31	42	22	20	12	7	4	2	1	26	5	3	2	3	1	–	1	1
Diseases of: Nervous System	2·27	2·50	2·06	287	155	132	34	13	3	3	–	53	4	3	2	3	5	6	13	34
Circulatory ,,	1·57	1·55	1·59	198	96	102	2	1	–	–	–	3	–	1	5	4	9	10	16	34
Respiratory ,,	2·66	3·07	2·32	336	187	149	75	28	10	4	1	118	13	3	4	7	7	12	15	20
Digestive ,,	1·17	1·14	1·20	148	71	77	10	13	1	–	–	24	2	2	2	3	5	7	15	20
Urinary ,,	0·34	0·53	0·16	43	33	10	–	–	1	1	–	2	1	1	–	3	–	1	3	8
Generative ,,	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	–	2	–	5	–
Puerperal Fever	0·09	–	0·17	11	–	11	–	–	–	–	–	–	–	–	–	–	3	3	–	–
Childbirth	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	1	1	5	–	–
Violence	0·48	0·74	0·22	60	46	14	5	2	2	1	3	13	2	4	4	2	3	12	5	3
OTHER CAUSES	6·53	4·67	8·43	674	290	384	228	17	5	2	–	272	5	3	5	5	7	1	12	17

Marriages	–	335	Annual Rate per 1000 living	Persons Married	13·23
Births	Males 1,879 Females 1,703	3,582		Births	28·77

Deaths from Childbirth and Puerperal Fever 4·96 per 1000 Births.

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

240.—THETFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·28	†115	–	–	–	–	39·48	3·73	2·24	4·34	5·02	6·62	7·84	10·66	21·05	52·97	142·79
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·70	†132	–	–	–	–	42·44	3·98	2·06	3·67	5·79	6·69	8·20	10·49	22·90	54·58	148·65
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·88	† 98	–	–	–	–	36·33	3·47	2·41	5·12	4·27	6·55	7·50	10·82	19·28	51·37	137·29
Mean Population, 1881-91. Persons	Decennial Decrease of Population 2·14 per cent.	17,441	444	415	431	480	436	2206	2201	2013	1567	1236	2101	1811	1595	1311	942	458
Mean Population, 1881-91. Males	Decennial Decrease of Population 2·14 per cent.	8,700	228	209	221	249	231	1138	1106	1019	844	604	987	878	791	642	469	222
Mean Population, 1881-91. Females	Decennial Decrease of Population 2·14 per cent.	8,741	216	206	210	231	205	1068	1095	994	723	632	1114	933	804	669	473	236
Deaths from All Causes, 1881-90. Persons	17·25	3,008	594	150	57	39	31	871	82	45	68	62	139	142	170	276	499	654
Deaths from All Causes, 1881-90. Males	18·02	1,568	343	81	24	21	14	483	44	21	31	35	66	72	83	147	256	330
Deaths from All Causes, 1881-90. Females	16·47	1,440	251	69	33	18	17	388	38	24	37	27	73	70	87	129	243	324

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Measles	0·20	0·18	0·22	35	16	19	10	5	9	4	4	32	1	–	–	1	1	–	–	–
Scarlet Fever	0·14	0·07	0·21	24	6	18	2	2	4	6	1	15	6	–	–	1	1	–	–	1
Diphtheria	0·12	0·14	0·10	21	12	9	–	2	–	1	1	4	6	8	1	–	–	2	–	–
Whooping-cough	0·48	0·52	0·45	84	45	39	44	28	8	1	2	83	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·06	0·06	10	5	5	–	–	–	–	1	1	4	–	1	–	–	1	1	2
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·26	0·22	42	23	19	14	5	–	1	–	20	2	–	–	–	2	–	1	3	5	9
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·79	0·61	0·97	138	53	85	–	–	–	1	–	1	–	–	1	–	2	15	29	40	36	14
Tabes Mesenterica	0·12	0·15	0·09	21	13	8	7	9	2	–	1	19	–	–	–	2	–	–	–	–	–	–
Phthisis	1·37	1·32	1·43	240	115	125	7	5	–	1	1	14	7	6	32	23	52	45	28	23	8	2
Other Tub. & Scrof. Dis.	0·49	0·52	0·47	86	45	41	26	12	6	4	3	51	8	7	5	1	7	1	2	1	2	1
Diseases of Nervous System	2·40	2·34	2·46	419	204	215	66	11	2	3	4	86	10	2	8	3	4	9	14	51	108	124
Diseases of Circulatory	1·48	1·59	1·37	258	138	120	1	–	–	–	–	1	–	3	3	2	8	14	22	41	89	75
Diseases of Respiratory	2·67	2·97	2·38	466	258	208	99	54	16	8	4	181	14	1	1	6	9	10	24	38	83	99
Diseases of Digestive	1·42	1·47	1·37	248	128	120	47	12	5	2	4	70	6	7	5	5	10	12	19	28	49	37
Diseases of Urinary	0·51	0·63	0·39	89	55	34	4	–	1	–	–	5	1	1	–	1	4	5	4	13	37	18
Diseases of Generative	0·03	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–
Puerperal Fever	0·09	–	0·18	16	–	16	–	–	–	–	–	–	–	–	2	2	7	5	–	–	–	–
Childbirth	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	1	1	5	1	–	–	–	–
Violence	0·61	0·91	0·31	106	79	27	7	2	2	2	4	17	9	2	6	6	9	11	13	9	11	13
OTHER CAUSES	3·94	4·24	3·62	686	369	317	260	3	2	4	1	270	7	8	1	8	15	9	11	25	70	262

Marriages 1,040

Births Males 2,595, Females 2,563 — 5,158

Annual Rate per 1000 living: Persons Married 11·93; Births 29·57

Deaths from Childbrth and Puerperal Fever 4·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

241.—HIGHWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 15·74	†119	–	–	–	–	43·71	4·15	2·68	1·22	5·19	5·72	8·04	13·06	24·97	62·62	150·68
Annual Death-Rate per 1000. Males	—	In Standard Population.* 15·82	†137	–	–	–	–	48·00	4·24	2·15	3·81	4·21	5·28	6·79	14·35	28·62	64·07	147·47
Annual Death-Rate per 1000. Females	—	In Standard Population.* 15·65	†101	–	–	–	–	39·42	4·05	3·22	1·80	6·51	6·25	9·38	12·76	21·40	61·23	153·81
Mean Population, 1881-90. Persons	Decennial Increase of Population 32·32 per cent.	41,533	1297	1286	1194	1232	1182	6191	5474	4671	3692	3682	6481	4925	3053	1926	1078	440
Mean Population, 1881-90. Males	Decennial Increase of Population 32·32 per cent.	21,714	658	637	600	625	576	3096	2711	2374	2308	2115	3507	2485	1521	954	526	217
Mean Population, 1881-90. Females	Decennial Increase of Population 32·32 per cent.	19,819	639	649	594	607	606	3095	2763	2297	1624	1567	2974	2240	1532	972	552	223
Deaths from All Causes. Persons	15·34	6,373	1748	552	192	123	91	2706	227	125	136	191	371	372	396	481	675	663
Deaths from All Causes. Males	15·24	3,309	1026	268	92	60	40	1486	115	51	88	89	185	162	203	273	337	320
Deaths from All Causes. Females	15·46	3,064	722	284	100	63	51	1220	112	74	78	102	186	210	193	208	338	343

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·34	0·36	0·32	142	78	64
Scarlet Fever	0·15	0·11	0·19	63	24	38
Diphtheria	0·07	0·06	0·09	30	13	17
Whooping-cough	0·19	0·17	0·22	80	37	43
Typhus	–	–	–	–	–	–
Enteric Fever	0·18	0·14	0·21	73	31	42
Simple Continued Fever	0·01	0·00	0·01	3	1	2
Diarrhœa and Dysentery	0·27	0·26	0·28	111	56	55
Cholera	0·00	0·00	–	1	1	–
Cancer	0·43	0·26	0·61	177	86	121
Tabes Mesenterica	0·26	0·28	0·24	109	61	48
Phthisis	1·51	1·59	1·42	626	345	281
Other Tub. & Scrof. Dis.	0·42	0·47	0·36	173	101	72
Diseases of Nervous System	2·13	2·15	2·11	885	466	419
" Circulatory	1·32	1·18	1·46	547	257	290
" Respiratory	3·46	3·51	3·41	1,438	762	676
" Digestive	0·98	1·04	0·91	406	226	180
" Urinary	0·42	0·45	0·38	173	97	76
" Generative	0·04	0·00	0·09	18	1	17
Puerperal Fever	0·09	–	0·19	37	–	37
Childbirth	0·06	–	0·13	25	–	25
Violence	0·43	0·59	0·24	177	129	48
Other Causes	2·58	2·62	2·59	1,060	567	513

Persons.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	50	23	13	6	121	15	2	–	2	1	1	–	–	–	–	–
3	13	6	6	11	39	15	4	1	1	1	1	–	–	–	–	–
1	–	2	4	8	15	14	–	–	–	–	–	–	–	1	–	–
38	24	11	5	1	79	1	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	–	1	4	3	9	10	12	12	5	14	5	4	1	1	–	–
–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
65	5	3	2	–	75	1	2	–	–	1	4	1	3	2	23	–
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	1	–	–	4	21	46	49	40	16	–
75	17	4	3	1	100	4	–	–	2	–	–	1	2	–	–	–
21	24	–	5	5	55	20	18	70	92	156	108	69	30	16	1	–
64	29	14	10	8	125	16	12	6	4	6	2	1	1	–	–	–
270	49	18	10	8	355	24	24	18	19	19	30	43	85	129	139	–
6	1	–	2	1	10	4	6	11	8	36	50	53	115	159	95	–
420	241	82	40	31	814	62	14	15	17	37	43	72	78	149	137	–
110	47	9	5	4	175	15	5	7	7	8	26	45	40	54	24	–
11	12	4	3	1	31	6	4	4	7	13	17	21	24	27	19	–
–	–	–	–	1	1	–	–	1	–	6	5	2	1	–	2	–
–	–	–	–	–	–	–	–	–	1	5	10	9	–	–	–	–
–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
28	6	9	7	–	50	11	11	8	3	15	15	17	19	18	10	–
605	34	6	4	2	651	9	10	10	13	25	24	29	33	80	198	–

Marriages – – 2·737

Births – Males 7,467 / Females 7,172 – 14,639

Annual Rate per 1000 living: Persons Married 13·18; Births 35·26

Deaths from Childbirth and Puerperal Fever – 4·23 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

242.—CRICKLADE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·87	†116	–	–	–	–	40·72	4·58	2·74	3·33	6·49	7·13	7·22	10·96	24·07	52·38	141·91
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·58	†121	–	–	–	–	44·27	4·26	3·58	1·61	6·47	6·85	4·97	10·44	26·89	47·39	143·23
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·13	†110	–	–	–	–	37·29	4·92	1·91	5·41	6·51	7·42	9·33	11·44	21·36	57·43	140·54
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·91 per cent.	11,559	330	294	311	299	291	1525	1505	1349	1021	863	1346	1163	1040	835	609	303
Mean Population, 1881–91. Males	Decennial Increase of Population 1·91 per cent.	5,789	164	141	154	147	144	750	774	670	559	433	672	563	498	409	306	155
Mean Population, 1881–91. Females	Decennial Increase of Population 1·91 per cent.	5,770	166	153	157	152	147	775	731	679	462	430	674	600	542	426	303	148
Deaths from All Causes, 1881–90. Persons	17·83	2,061	417	113	52	19	20	621	69	37	34	56	96	84	114	201	319	430
Deaths from All Causes, 1881–90. Males	17·78	1,029	225	63	27	8	9	332	33	24	9	28	46	28	52	110	145	222
Deaths from All Causes, 1881–90. Females	17·89	1,032	192	50	25	11	11	289	36	13	25	28	50	56	62	91	174	208

	Crude Death-Rate per 1000. Persons.	Males.	Females.	All Ages. Persons.	Males.	Females.	Persons. Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Small-pox	0·03	0·03	0·02	3	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Measles	0·44	0·41	0·47	51	24	27	13	12	7	5	3	40	7	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·07	0·03	6	4	2	–	2	1	–	1	4	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·19	0·14	0·24	22	8	14	1	4	1	1	1	8	14	–	–	–	–	–	–	–	–	–
Whooping-cough	0·16	0·19	0·12	18	11	7	6	7	1	–	2	16	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·09	0·17	15	5	10	–	–	–	–	–	–	1	2	3	3	2	1	2	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·29	0·31	0·28	34	18	16	16	1	2	–	–	19	–	–	–	–	1	1	1	2	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·41	0·33	0·49	47	19	28	–	–	–	–	–	–	–	–	–	–	1	6	9	12	11	8
Tabes Mesenterica	0·45	0·52	0·38	52	30	22	23	13	6	–	1	43	5	–	1	1	–	1	–	–	1	–
Phthisis	1·70	1·52	1·87	196	88	108	14	9	4	1	–	28	6	8	16	24	43	25	18	19	9	–
Other Tub. & Scrof. Dis.	0·17	0·19	0·16	20	11	9	6	–	2	–	2	10	4	2	–	1	1	2	–	–	–	–
Diseases of Nervous System	2·40	2·45	2·34	277	142	135	54	12	2	2	1	71	3	4	4	4	10	6	16	39	61	59
Diseases of Circulatory „	1·96	1·83	2·08	226	106	120	–	–	1	–	–	1	3	1	1	4	5	11	17	39	86	78
Diseases of Respiratory „	3·32	3·61	3·03	384	209	175	91	46	15	8	9	169	10	6	2	7	5	10	9	36	65	65
Diseases of Digestive „	1·04	0·97	1·11	120	56	64	23	3	2	1	–	29	3	4	–	1	7	1	15	20	26	14
Diseases of Urinary „	0·44	0·59	0·29	51	34	17	–	–	–	–	–	–	–	–	–	1	4	5	5	7	15	14
Diseases of Generative „	0·08	–	0·16	9	–	9	–	–	–	–	–	–	–	–	–	1	2	–	1	3	1	1
Puerperal Fever	0·04	–	0·09	5	–	5	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–
Childbirth	0 10	–	0·19	11	–	11	–	–	–	–	–	–	–	–	–	–	5	5	1	–	–	–
Violence	0·48	0·71	0·24	55	41	14	2	–	5	1	–	8	6	1	–	5	7	5	9	7	3	4
Other Causes	3·94	3·82	4·11	458	221	237	168	4	3	–	–	175	4	4	5	2	2	3	11	14	38	200

Marriages - - - 716

Births { Males - 1,859 / Females - 1,742 } 3,601

Annual Rate per 1000 living { Persons Married 12·39 / Births - - 31·15

Deaths from Childbirth and Puerperal Fever - - - - - 4·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

243.—MALMESBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000.				In Standard Population.*																		
Persons	—			14·81			†106	–	–	–	–	38·89	5·31	2·86	4·91	5·71	5·02	8·50	12·06	22·54	53·80	145·06
Males	—			14·93			†117	–	–	–	–	42·16	6·13	2·47	3·81	5·42	5·02	7·47	11·62	24·33	53·89	154·65
Females	—			14·69			† 95	–	–	–	–	35·65	4·50	2·65	6·09	6·00	6·19	9·46	12·46	20·86	53·72	157·30
Mean Population, 1881-91.	Decennial Decrease of Population 5·66 per cent.			13,558																		
Persons							327	338	344	324	359	1692	1714	1560	1264	981	1039	1323	1211	1007	749	347
Males				6,670			161	166	172	160	183	842	848	763	656	498	783	683	585	487	347	172
Females				6,888			166	172	172	164	176	850	866	791	608	483	856	740	626	520	363	185
Deaths from Accidents, 1881-90.																						
Persons	17·70			2,400			423	129	46	32	28	658	91	40	62	56	97	121	146	227	382	530
Males	18·17			1,212			235	64	22	15	10	355	52	19	25	27	44	51	68	118	187	266
Females	17·25			1,188			188	65	24	17	9	303	39	21	37	29	53	70	78	109	195	254

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·38	0·27	0·38	51	25	26	9	18	6	4	4	41	10	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·27	0·19	31	18	13	1	7	5	3	2	17	10	2	1	1	–	–	–	–	–	–
Diphtheria	0·21	0·25	0·16	28	17	11	1	1	5	2	2	11	14	2	1	–	–	–	–	–	–	–
Whooping-cough	0·24	0·21	0·26	32	14	18	14	12	1	4	–	31	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·13	0·22	24	9	15	–	–	1	1	–	2	8	2	1	2	–	3	3	1	2	–
Simple Continued Fever	0·01	–	0·03	3	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·36	0·48	0·33	51	28	23	21	1	1	2	–	25	1	–	–	–	–	2	1	3	6	13
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·42	0·23	0·61	57	15	42	–	–	–	–	–	–	–	–	–	–	1	4	11	14	17	10
Tabes Mesenterica	0·13	0·13	0·13	18	9	9	5	7	1	–	–	13	2	–	–	2	1	–	–	–	–	–
Phthisis	1·40	1·35	1·45	195	91	107	9	2	2	–	1	14	3	11	26	25	49	35	19	8	6	2
Other Tub. & Scrof. Dis.	0·10	0·13	0·09	14	8	6	3	1	–	1	1	6	3	2	1	1	1	–	–	–	–	1
Diseases of Nervous System	2·22	2·10	2·25	301	146	155	62	14	1	3	2	82	7	3	5	4	5	12	21	31	59	72
Circulatory „	1·77	1·69	1·84	240	113	127	2	–	–	–	–	2	–	2	7	2	5	13	25	47	65	72
Respiratory „	4·12	4·54	3·70	558	303	255	93	47	15	8	7	170	18	8	6	4	8	17	28	60	109	132
Digestive „	1·21	1·46	1·25	164	79	85	27	5	–	2	1	35	3	1	3	4	4	5	14	22	42	18
Urinary „	0·43	0·73	0·13	58	49	9	2	–	–	–	–	2	–	–	–	–	–	2	5	10	15	24
Generative „	0·13	–	0·26	18	–	18	–	–	–	–	–	–	–	–	–	2	1	3	3	–	6	3
Puerperal Fever	0·07	–	0·15	10	–	10	–	–	–	–	–	–	–	–	–	1	3	6	–	–	–	–
Childbirth	0·07	–	0·15	10	–	10	–	–	–	–	–	–	–	–	–	2	3	3	2	–	–	–
Violence	0·47	0·79	0·16	64	53	11	6	3	5	3	5	22	4	2	3	1	4	3	6	3	3	6
Other Causes	3·46	3·57	3·42	470	235	235	168	8	3	–	3	182	7	5	8	3	12	3	10	19	46	167

Marriages	804	Annual Rate per 1000 living	Persons Married	11·86	Deaths from Childbirth and Puerperal Fever	5·91 per 1000 Births.
Births — Males 2,016	3,994		Births	29·46		
Births — Females 1,978						

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

244.—CHIPPENHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·35	† 99	–	–	–	–	36·06	3·63	2·43	3·98	4·60	6·82	8·86	12·33	23·75	57·08	139·84
Annual Death-Rate per 1000. Males	—	Standard 14·40	†110	–	–	–	–	37·30	3·86	2·07	2·88	4·02	5·85	9·81	14·77	25·73	58·17	144·26
Annual Death-Rate per 1000. Females	—	Population* 14·30	† 87	–	–	–	–	34·81	3·40	2·80	5·26	5·16	7·71	7·99	10·10	22·02	56·09	136·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·37 per cent.	21,439	511	523	552	557	525	2668	2700	2471	1934	1566	2726	2290	1971	1541	1060	512
Mean Population, 1881–91. Males		10,549	253	252	271	281	278	1335	1347	1258	1041	771	1299	1101	941	719	502	235
Mean Population, 1881–91. Females		10,890	258	271	281	276	247	1333	1353	1213	893	795	1427	1189	1030	822	558	277
Deaths from All Causes, 1881–90. Persons	16·74	3,588	631	180	81	41	29	962	98	60	77	72	186	203	243	336	605	716
Deaths from All Causes, 1881–90. Males	16·84	1,776	351	74	38	20	15	498	52	26	30	31	76	108	139	185	292	339
Deaths from All Causes, 1881–90. Females	16·64	1,812	280	106	43	21	14	464	46	34	47	41	110	95	104	181	313	377

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·12	0·14	28	13	15	4	10	10	1	–	25	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·12	0·10	24	13	11	2	2	4	6	2	16	8	–	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·11	0·16	29	12	17	1	2	4	3	4	14	10	4	–	–	1	–	–	–	–	–
Whooping-cough	0·28	0·24	0·31	59	25	34	28	15	6	3	2	54	5	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·07	0·06	13	7	6	–	–	1	–	1	2	1	2	–	3	3	–	1	1	–	–
Simple Continued Fever	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
Diarrhœa and Dysentery	0·16	0·23	0·09	34	24	10	14	4	2	–	–	20	1	–	1	–	1	1	–	1	6	3
Cholera	0·01	0·02	–	2	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·54	0·41	0·66	115	43	72	–	–	–	–	–	–	–	1	–	–	3	9	19	35	31	17
Tabes Mesenterica	0·18	0·20	0·16	38	21	17	18	10	2	1	1	32	1	2	1	2	–	–	–	–	–	–
Phthisis	1·32	1·20	1·44	284	127	157	5	2	6	2	1	16	1	7	34	35	82	8	38	16	7	–
Other Tub. & Scrof. Dis.	0·21	0·20	0·21	44	21	23	10	8	1	1	1	21	8	3	5	1	2	3	1	–	–	–
Diseases of Nervous System	2·20	2·15	2·25	472	227	245	73	19	9	4	1	106	11	10	6	2	10	29	29	*	122	79
Diseases of Circulatory „	1·98	2·12	1·84	424	224	200	2	–	–	–	–	2	1	5	6	4	13	27	54	84	146	82
Diseases of Respiratory „	3·12	2·90	3·34	670	306	364	149	75	22	9	9	264	21	7	2	4	13	20	36	63	124	116
Diseases of Digestive „	1·10	1·03	1·17	236	109	127	33	18	–	2	–	53	7	6	4	5	13	21	23	38	41	25
Diseases of Urinary „	0·43	0·59	0 28	93	62	31	2	1	–	–		4	2	1	1	2	1	8	9	21	26	18
Diseases of Generative „	0·06	–	0·11	12	–	12	–	–	–	–	–	–	–	–	2	–	2	2	1	1	3	1
Puerperal Fever	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	1	1	7	1	–	–	–	–
Childbirth	0·06	–	0·12	13	–	13	–	–	–	–	–	–	–	–	1	4	4	4	–	–	–	–
Violence	0·51	0·78	0·26	110	82	28	7	3	3	4	2	19	9	4	6	5	13	9	11	12	12	10
OTHER CAUSES	4·08	4·34	3·83	875	457	418	283	10	11	5	4	313	8	8	7	4	13	20	20	25	87	365

Marriages - - 1,235

Births - { Males 3,198 / Females 3,205 } 6,403

Annual Rate per 1000 living { Persons Married 11·52 / Births - - 29·87

Deaths from Childbirth and Puerperal Fever - - - - - 3·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

245.—CALNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·84 13·91	†84	–	–	–	–	31·96	4·73	3·48	4·81	6·71	6·59	6·12	11·67	21·34	50·65	159·20
Annual Death-Rate per 1000. Males	—		†99	–	–	–	–	34·85	5·61	2·41	2·43	5·56	7·23	6·37	12·44	21·54	50·10	179·12
Annual Death-Rate per 1000. Females	—		†69	–	–	–	–	29·13	3·83	4·52	7·41	7·81	6·04	5·96	10·98	21·15	50·41	147·22
Mean Population 1881–91. Persons	Decennial Decrease of Population 1·79 per cent.	8,565	209	198	186	218	209	1020	1057	1007	790	626	1016	896	851	689	472	201
Mean Population 1881–91. Males		4,166	102	93	88	111	111	505	535	498	412	306	470	408	394	325	229	98
Mean Population 1881–91. Females		4,399	107	105	98	107	98	515	522	509	378	320	546	488	457	364	243	103
Deaths from All Causes, 1881–90. Persons	16·45	1,409	191	64	33	20	18	326	50	35	38	42	67	53	97	147	244	329
Deaths from All Causes, 1881–90. Males	16·73	697	114	30	17	8	7	176	30	12	10	17	34	26	49	70	112	161
Deaths from All Causes, 1881–90. Females	16·19	712	77	34	16	12	11	150	20	23	28	25	33	27	48	77	122	159

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·26	0·25	22	11	11	5	6	6	2	–	19	–	3	–	–	–	–	–	–
Scarlet Fever	0·51	0·58	0·45	44	24	20	3	3	7	6	6	25	14	4	1	–	–	–	–	–
Diphtheria	0·28	0·17	0·39	24	7	17	–	–	4	1	6	11	9	1	–	–	3	–	–	–
Whooping-cough	0·23	0·22	0·25	20	9	11	9	7	3	–	–	19	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·25	0·19	0·30	21	8	13	–	–	–	–	–	–	–	4	5	4	5	1	2	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·24	0·30	23	10	13	7	1	1	3	–	12	–	1	–	–	1	1	–	1
Cholera	0·02	0·02	0·02	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Cancer	0·81	0·67	0·93	69	28	41	–	–	–	–	–	–	–	–	–	1	6	7	20	29
Tabes Mesenterica	0·05	0·02	0·07	4	1	3	–	2	–	–	–	2	1	1	–	–	–	–	–	–
Phthisis	1·21	1·13	1·30	104	47	57	1	–	–	–	–	1	3	8	11	23	28	13	13	4
Other Tub. & Scrof. Dis.	0·13	0·14	0·11	11	6	5	4	4	–	–	–	8	–	–	1	–	1	1	–	–
Diseases of Nervous System	2·22	2·28	2·16	190	95	95	25	8	2	1	1	37	7	–	4	3	7	8	14	23
Diseases of Circulatory ,,	1·88	1·63	2·11	161	68	93	–	–	–	–	–	–	1	3	3	–	1	4	25	35
Diseases of Respiratory ,,	3·57	3·07	3·98	246	128	118	54	22	5	4	4	89	9	2	2	1	1	5	7	21
Diseases of Digestive ,,	1·02	1·27	0·77	87	53	34	6	4	2	1	–	13	–	4	3	3	5	5	13	19
Diseases of Urinary ,,	0·26	0·46	0·27	31	19	12	–	–	–	–	–	–	1	–	1	–	2	1	6	6
Diseases of Generative ,,	0·04	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Puerperal Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth	0·07	–	0·14	6	–	6	–	–	–	–	–	–	–	–	–	2	2	2	–	–
Violence	0·44	0·65	0·25	38	27	11	4	2	2	1	1	10	2	3	2	2	2	2	6	2
Other Causes	3·51	3·74	3·33	301	155	146	73	5	1	1	–	80	2	1	5	6	5	5	4	16

Marriages	549	Annual Rate per 1000 living	Persons Married	12·82	Deaths from Childbirth and Puerperal Fever 3·69 per 1000 Births.
Births Males	1,146		Births	26·46	
Births Females	1,120				
Births	2,266				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

246.—MARLBOROUGH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·97	†106	–	–	–	–	35·37	3·94	2·90	2·78	5·93	7·46	8·74	12·90	23·38	67·77	152·17
Annual Death-Rate per 1000. Males	—	Standard 15·33	†122	–	–	–	–	40·39	3·61	2·58	3·26	5·03	7·35	7·22	15·32	23·08	71·13	155·84
Annual Death-Rate per 1000. Females	—	Population* 14·63	† 89	–	–	–	–	30·74	4·28	3·30	2·01	6·67	7·55	10·17	10·72	23·67	64·47	148·81
Mean Population, 1881-91. Persons	Decennial Decrease of Population 11·28 per cent.	9,119	213	202	222	201	225	1063	1092	1136	1153	658	1073	915	814	663	391	161
Mean Population, 1881-91. Males		4,629	112	88	111	94	105	510	554	621	705	298	517	443	385	325	194	77
Mean Population, 1881-91. Females		4,490	101	114	111	107	120	553	538	515	448	360	556	472	429	338	197	84
Deaths from All Causes, 1881-90. Persons	15·93	1,453	261	56	26	16	17	376	43	33	32	39	80	80	105	155	265	245
Deaths from All Causes, 1881-90. Males	16·03	742	153	30	9	6	8	206	20	16	23	15	38	32	59	75	138	120
Deaths from All Causes, 1881-90. Females	15·84	711	108	26	17	10	9	170	23	17	9	24	42	48	46	80	127	125

	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·21	0·22	0·20	19	10	9	4	5	2	3	1	15	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·22	0·22	0·22	20	10	10	–	2	3	4	5	14	2	2	1	–	–	–	1	–	–
Diphtheria	0·13	0·02	0·24	12	1	11	1	1	1	–	2	5	4	1	1	–	–	1	–	–	–
Whooping-cough	0·19	0·19	0·18	17	9	8	10	4	2	1	–	17	–	–	–	–	–	–	–	–	–
Typhus	0·03	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Enteric Fever	0·03	0·04	0·02	3	2	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·22	0·20	19	10	9	7	2	1	1	3	14	2	–	–	–	–	1	2	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·56	0·50	0·62	51	23	28	–	–	–	–	–	–	–	–	–	–	1	3	9	9	18	11
Tabes Mesenterica	0·08	0·06	0·09	7	3	4	2	3	–	–	–	5	–	1	–	1	–	–	–	–	–	–
Phthisis	1·39	1·12	1·67	127	52	75	5	–	1	–	–	6	3	6	6	16	36	22	16	8	8	–
Other Tub. & Scrof. Dis.	0·26	0·30	0·22	24	14	10	3	3	2	–	–	8	5	4	–	3	1	1	1	–	–	1
Diseases of Nervous System	2·35	2·35	2·34	214	109	105	37	8	2	3	2	52	8	5	3	3	10	10	23	30	49	21
Diseases of Circulatory „	1·91	1·71	2·12	174	79	95	2	–	–	–	–	2	2	3	3	1	6	12	18	36	67	24
Diseases of Respiratory „	2·66	2·74	2·58	243	127	116	55	17	8	2	4	86	7	1	2	3	9	6	13	34	49	33
Diseases of Digestive „	1·02	1·17	0·87	93	54	39	24	9	1	–	–	34	2	1	7	1	2	5	5	12	16	8
Diseases of Urinary „	0·37	0·48	0·27	34	22	12	1	–	–	–	–	1	–	1	–	2	4	3	5	6	10	2
Diseases of Generative „	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Puerperal Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Childbirth	0·05	–	0·11	5	–	5	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–
Violence	0·46	0·67	0·24	42	31	11	6	–	1	1	–	8	3	2	6	3	3	2	6	5	4	–
OTHER CAUSES	3·74	4·00	3·48	340	185	155	104	2	2	–	–	108	1	5	3	4	6	8	6	12	43	144

Marriages 527

Births { Males 1,251 / Females 1,220 } 2,471

Annual Rate per 100 living { Persons Married 11·56 / Births 27·10

Deaths from Childbirth and Puerperal Fever 2·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

247.—DEVIZES.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·99	†85	–	–	–	–	30·24	3·17	2·31	4·68	6·10	9·29	12·27	17·79	32·06	64·81	162·21
Males	—	Standard 16·48	†96	–	–	–	–	33·57	3·70	1·85	4·10	5·83	9·76	13·08	22·60	33·33	65·66	155·00
Females	—	Population* 15·53	†73	–	–	–	–	26·72	2·65	2·79	5·34	6·38	8·87	11·50	14·07	30·90	64·04	168·34
Mean Population, 1881–90. Persons	Decennial Decrease of Population 5·83 per cent.	20,137	493	484	495	489	456	2417	2492	2211	1837	1575	2497	2200	1877	1625	1057	479
Males		9,929	255	241	259	255	232	1242	1215	1137	975	788	1178	1070	882	774	498	220
Females		10,208	238	243	236	234	224	1175	1247	1074	862	787	1319	1130	995	851	559	259
Deaths from All Causes, 1881–90. Persons	19·14	3,855	472	134	63	35	27	731	78	51	86	90	232	270	334	521	685	777
Males	19·55	1,941	271	68	43	19	16	417	45	21	40	43	115	140	194	268	327	341
Females	18·75	1,914	201	66	20	16	11	314	33	30	46	47	117	130	140	253	358	436

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Smallpox	0·06	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·19	0·19	0·19	38	19	19	4	14	5	4	2	29	7	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·05	0·12	17	5	12	2	2	2	–	3	9	6	1	–	1	–	–	–	–	–	–
Diphtheria	0·12	0·15	0·10	25	15	10	–	2	1	3	3	9	7	2	2	3	1	–	1	–	–	–
Whooping-cough	0·25	0·21	0·28	50	21	29	22	13	10	2	–	47	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·11	0·16	27	11	16	–	2	1	1	–	4	2	2	4	1	9	1	2	2	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·21	0·30	0·13	43	30	13	15	5	–	–	–	20	1	–	–	1	2	2	1	5	3	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·91	0·71	1·13	184	71	113	–	–	–	–	–	–	2	–	–	1	2	19	28	59	48	25
Tabes Mesenterica	0·10	0·13	0·07	20	13	7	11	3	–	1	–	15	–	2	–	2	–	1	–	–	–	–
Phthisis	1·30	2·16	1·65	382	214	168	4	1	1	–	2	8	5	5	25	42	93	67	63	45	24	5
Other Tubercular Diseases	0·33	0·35	0·30	66	35	31	15	10	6	3	1	35	7	1	5	5	6	3	2	1	–	1
Diseases of Nervous System	3·46	3·78	3·15	697	375	322	60	12	11	4	3	90	8	8	13	11	35	62	90	107	103	110
" Circulatory "	3·02	2·76	3·28	609	274	335	1	–	–	1	1	3	4	9	6	1	21	28	62	108	204	163
" Respiratory "	3·19	3·41	2·97	642	339	303	141	46	20	9	9	225	13	3	8	4	19	25	27	83	101	135
" Digestive "	1·18	1·20	1·25	237	109	128	37	18	1	1	2	54	5	5	7	5	8	12	22	42	38	39
" Urinary "	0·61	0·81	0·42	123	80	43	2	1	2	–	–	5	–	1	2	4	8	12	13	34	20	24
" Generative "	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Puerperal Fever	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	3	3	1	–	–	–	–
Childbirth	0·08	–	0·16	16	–	16	–	–	–	–	–	–	–	–	–	–	8	7	1	–	–	–
Violence	0·55	0·75	0·35	110	74	36	11	2	2	4	1	20	6	4	8	4	7	15	11	10	12	13
Other Causes	2·78	2·66	2·94	557	254	303	147	8	1	3	–	158	2	7	5	2	9	14	11	24	71	254

Marriages		1,255	Annual Rate per 1000 living	Persons Married	12·46
Births	Males	2,814		Births	27·93
	Females	2,759	5,573		

Deaths from Childbirth and Puerperal Fever — 4·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

248.—MELKSHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population* 15·10	†103	–	–	–	–	37·52	4·29	2·12	3·71	5·09	6·71	8·94	13·86	28·60	58·20	143·78
Annual Death Rate per 1000. Males	—	In Standard Population* 15·42	†109	–	–	–	–	40·51	4·53	1·75	3·61	3·72	6·10	9·68	15·51	32·74	58·62	144·89
Annual Death Rate per 1000. Females	—	In Standard Population* 14·79	†103	–	–	–	–	34·61	4·04	2·47	3·81	6·09	7·19	8·32	12·53	25·41	57·86	142·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·70 per cent.	18,321	444	437	448	465	418	2212	2216	2080	1831	1395	2383	2048	1635	1290	835	386
Mean Population, 1881–91. Males	Decennial Increase of Population 2·70 per cent.	8,486	220	206	227	238	200	1091	1103	1029	859	591	1033	930	735	562	377	176
Mean Population, 1881–91. Females	Decennial Increase of Population 2·70 per cent.	9,835	224	231	221	227	218	1121	1113	1051	972	804	1350	1118	910	728	458	210
Deaths from All Causes, 1881–90. Persons	16·86	3,089	553	155	46	39	37	830	95	44	68	71	160	183	228	369	486	555
Deaths from All Causes, 1881–90. Males	17·56	1,490	289	85	27	21	20	442	50	18	31	22	63	90	114	184	221	255
Deaths from All Causes, 1881–90. Females	16·26	1,599	264	70	19	18	17	388	45	26	37	49	97	93	114	185	265	300

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·31	0·33	0·29	57	28	29	12	20	8	4	2	46	8	1	–	–	2	–	–	–	–
Scarlet Fever	0·03	0·05	0·01	5	4	1	–	4	–	–	1	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·16	0·21	0·12	30	18	12	2	3	–	4	3	12	15	1	2	–	–	–	–	–	–
Whooping-cough	0·25	0·27	0·23	46	23	23	25	17	2	2	–	46	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·02	0·07	9	2	7	–	–	–	–	1	1	1	2	–	1	1	1	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·24	0·21	41	20	21	25	6	1	1	1	34	–	1	–	–	–	1	–	3	2
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·68	0·49	0·84	125	42	83	–	–	–	–	–	–	1	–	–	–	5	13	21	42	30	13
Tabes Mesenterica	0·51	0·59	0·44	93	50	43	64	13	–	4	–	81	9	1	–	–	–	1	–	–	–	1
Phthisis	1·54	1·64	1·46	283	139	144	–	1	–	1	–	2	9	12	26	37	68	59	35	25	9	1
Other Tub. & Scrof. Dis.	0·26	0·29	0·22	47	25	22	9	5	2	1	3	20	9	3	4	1	5	5	–	–	–	–
Diseases of Nervous System	2·47	2·45	2·48	452	208	244	61	14	11	3	8	97	9	3	9	1	9	20	30	72	102	100
Diseases of Circulatory „	1·86	2·12	1·63	340	180	160	1	–	–	–	–	1	3	4	4	1	9	16	37	77	103	85
Diseases of Respiratory „	3·31	3·57	3·08	606	303	303	143	57	12	12	10	234	17	4	5	3	17	13	35	67	111	100
Diseases of Digestive „	1·25	1·31	1·20	229	111	118	31	4	3	4	6	48	4	1	4	5	8	18	30	33	49	29
Diseases of Urinary „	0·42	0·46	0·39	77	39	38	1	–	–	–	–	1	3	1	4	5	6	7	11	9	21	9
Diseases of Generative „	0·08	0·01	0·13	14	1	13	–	–	–	–	–	–	–	–	–	–	1	2	2	4	4	1
Puerperal Fever	0·03	–	0·15	15	–	15	–	–	–	–	–	–	–	–	2	3	6	4	–	–	–	–
Childbirth	0·08	–	0·15	15	–	15	–	–	–	–	–	–	–	–	–	2	6	6	1	–	–	–
Violence	0·50	0·67	0·36	92	57	35	18	2	4	3	1	28	4	–	4	4	5	6	8	13	7	13
Other Causes	2·79	2·83	2·80	512	239	273	161	9	3	–	1	174	3	10	4	8	12	11	16	26	47	201

Marriages - - - 1,202

Births - {Males - 2,652 / Females - 2,561} 5,213

Annual Rate per 1000 living {Persons Married 13·12 / Births - - 28·45

Deaths from Childbirth and Puerperal Fever - - - - - 5·75 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births

249.—BRADFORD ON-AVON.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate 1887–1890. Persons	—	In Standard Population* 15·40	†115	–	–	–	–	38·90	4·21	1·93	3·96	5·53	7·41	10·33	12·19	24·19	58·40	160·10
Annual Death-Rate 1887–1890. Males	—	In Standard Population* 15·89	†131	–	–	–	–	43·61	4·01	1·44	3·34	2·94	8·33	10·20	14·18	25·35	67·89	173·46
Annual Death-Rate 1887–1890. Females	—	In Standard Population* 14·94	†100	–	–	–	–	34·39	4·57	2·40	4·49	7·46	6·71	10·53	10·48	23·25	56·36	150·00
Mean Population 1881–91. Persons	Decennial Increase of Population 1·05 per cent.	10,420	275	256	277	276	276	1360	1284	1133	984	706	1349	1089	919	798	500	263
Mean Population 1881–91. Males	Decennial Increase of Population 1·05 per cent.	4,837	127	140	139	134	125	665	649	555	449	340	589	500	423	355	205	87
Mean Population 1881–91. Females	Decennial Increase of Population 1·05 per cent.	5,583	148	116	138	142	151	695	635	583	535	456	760	589	496	443	275	116
Deaths from All Causes, 1887–90. Persons	17·59	1,823	371	87	27	21	23	529	54	22	39	44	100	113	112	193	202	325
Deaths from All Causes, 1887–90. Males	18·34	887	211	51	12	10	6	290	26	8	15	10	49	51	60	99	137	141
Deaths from All Causes, 1887–90. Females	16·77	936	160	36	15	11	17	239	28	14	24	34	51	62	52	103	135	174

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·18	0·23	0·14	19	11	8
Scarlet Fever	0·01	–	0·02	1	–	1
Diphtheria	0·12	0·10	0·14	13	5	8
Whooping-cough	0·23	0·25	0·21	24	13	12
Typhus	–	–	–	–	–	–
Enteric Fever	0·14	0·10	0·18	15	5	10
Simple Continued Fever	0·01	–	0·02	1	–	1
Diarrhœa and Dysentery	0·30	0·25	0·34	31	13	19
Cholera	–	–	–	–	–	–
Cancer	0·59	0·48	0·70	62	23	39
Tabes Mesenterica	0·16	0·17	0·16	17	8	9
Phthisis	1·32	1·36	1·25	136	66	70
Other Tub. & Scrof. Dis.	0·22	0·23	0·21	23	11	12
Diseases of Nervous System	2·12	2·07	1·97	210	100	110
Circulatory ,,	2·24	2·23	2·24	233	108	125
Respiratory ,,	3·35	3·74	3·01	349	181	168
Digestive ,,	1·54	1·70	1·42	161	82	79
Urinary ,,	0·38	0·45	0·32	40	23	18
Generative ,,	0·07	–	0·13	7	–	7
Puerperal Fever	0·07	–	0·13	7	–	7
Convulsions	0·08	–	0·11	8	–	8
Violence	0·79	1·18	0·45	82	57	25
Other Causes	3·70	3·80	3·62	386	184	202

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Persons.																
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	7	3	3	3	16	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	1	1	–	2	5	6	–	–	–	–	1	1	–	–	–
Whooping-cough	14	6	–	–	3	23	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	–	–	1	1	–	–	3	4	4	1	–	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	16	1	–	1	–	18	–	–	–	–	1	3	–	2	3	4	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	1	3	5	5	17	23	8
Tabes Mesenterica	9	3	1	1	–	13	2	–	2	–	–	–	–	–	–	–	–
Phthisis	–	1	–	–	1	2	4	3	12	13	35	35	17	10	4	1	–
Other Tub. & Scrof. Dis.	3	1	–	1	1	6	5	3	–	2	3	2	–	1	1	–	–
Diseases of Nervous System	44	8	3	2	–	60	6	4	4	2	1	12	16	30	46	29	–
Circulatory ,,	–	–	–	–	–	–	1	1	3	5	9	13	21	49	63	63	–
Respiratory ,,	81	40	12	6	7	146	11	2	1	3	12	11	16	32	58	57	–
Digestive ,,	31	7	4	3	1	46	8	4	4	1	6	9	17	22	35	9	–
Urinary ,,	1	–	–	–	–	1	1	–	–	1	1	4	2	11	12	7	–
Generative ,,	–	–	–	–	–	–	–	–	1	–	–	2	2	–	1	1	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–	–
Violence	5	5	2	2	1	15	6	3	3	2	12	5	7	5	14	7	–
Other Causes	165	7	2	2	–	176	1	3	5	6	6	4	6	14	24	143	–

Marriages . . 666

Births { Males 1,295 / Females 1,248 } 3,243

Annual Rate per 1000 living { Persons Married 12·78 / Births . . 30·83 }

Deaths from Childbirth and Puerperal Fever . . . . 4·05 per 1000 Births.

* *See* pages [illegible].

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 738.

250.—WESTBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·27	† 96	–	–	–	–	29·91	2·48	2·65	2·58	5·73	5·55	6·46	15·30	23·33	55·96	'51·97
Males	—	13·20	†103	–	–	–	–	31·74	2·12	2·79	2·26	5·33	5·78	5·70	15·97	20·95	59·29	163·64
Females	–	13·33	† 90	–	–	–	–	28·09	2·82	2·52	2·93	6·08	5·36	7·13	14·69	25·44	53·09	141·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·57 per cent.	10,408	257	248	269	250	280	1304	1250	1206	930	716	1207	1084	1000	853	604	254
Males		5,037	118	128	137	131	135	649	612	610	487	338	554	509	476	401	280	121
Females		5,371	139	120	132	119	145	655	638	596	443	378	653	575	524	452	324	133
Deaths from All Causes, 1881–90. Persons	16·63	1,731	268	74	26	16	6	390	31	32	24	41	67	70	153	199	338	386
Males	16·88	850	141	45	10	7	3	206	13	17	11	18	32	29	76	84	166	198
Females	16·40	881	127	29	16	9	3	184	18	15	13	23	35	41	77	115	172	188

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·20	0·13	17	10	7	2	9	2	1	1	15	2	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·08	0·04	6	4	2	–	2	1	1	–	4	1	1	–	–	–	–	–	–
Diphtheria	0·09	0·08	0·09	9	4	5	–	–	1	2	1	4	3	–	–	1	–	–	1	–
Whooping-cough	0·24	0·18	0·30	25	9	16	14	9	2	–	–	25	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·06	4	1	3	–	–	–	–	–	–	1	–	2	–	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·12	0·12	0·11	12	6	6	4	2	1	–	–	7	–	–	–	–	–	–	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·84	0·58	1·08	87	29	58	–	–	–	–	–	–	–	–	–	–	6	15	15	37	14
Tabes Mesenterica	0·25	0·28	0·22	26	14	12	14	3	3	1	–	21	1	3	–	–	–	–	1	–	–
Phthisis	1·13	1·05	1·21	118	53	65	1	–	–	–	–	1	2	3	9	20	30	14	24	8	6	1
Other Tub. & Scrof. Dis.	0·18	0·28	0·09	19	14	5	2	8	1	1	1	13	3	–	–	2	–	1	–	–	–	–
Diseases of Nervous System	2·58	2·66	2·51	269	134	135	33	9	2	3	–	47	5	7	1	2	7	6	19	30	65	80
Diseases of Circulatory „	2·79	2·40	3·15	290	121	169	–	–	–	–	–	–	1	5	2	1	7	14	35	52	108	65
Diseases of Respiratory „	2·96	3·06	2·87	308	154	154	49	26	9	5	2	91	8	2	2	2	3	5	21	38	55	81
Diseases of Digestive „	1·16	1·11	1·21	121	56	65	18	1	1	1	1	22	1	2	1	2	2	8	18	28	24	13
Diseases of Urinary „	0·64	1·13	0·19	67	57	10	–	–	–	1	–	1	–	1	2	2	1	3	7	13	17	20
Diseases of Generative „	0·03	0·02	0·04	3	1	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Puerperal Fever	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Childbirth	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	–
Violence	0·48	0·77	0·20	50	39	11	9	2	3	–	–	14	2	5	3	1	5	4	6	3	5	2
Other Causes	2·75	2·86	2·66	287	144	143	122	3	–	–	–	125	1	3	2	3	6	4	6	10	20	107

Marriages - - 654

Births - Males - 1,371 / Females - 1,418 } 2,789

Annual Rate per 1000 living: Persons Married 12·57; Births - - 26·80

Deaths from Childbirth and Puerperal Fever - - - - 4·66 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

251.—WARMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·54	† 86	–	–	–	–	30·34	2·42	2·29	3·80	5·52	6·77	6·85	11·67	25·77	56·18	156·44
Annual Death-Rate per 1000. Males	—	In Standard Population.* 14·08	†105	–	–	–	–	36·47	2·08	1·99	3·76	3·25	6·71	8·90	11·74	28·30	59·35	159·02
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·02	† 66	–	–	–	–	24·27	2·76	3·01	3·85	7·54	6·82	5·14	11·61	23·49	56·02	153·53
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·81 per cent.	13,436	318	300	303	332	306	1559	1568	1572	1341	978	1586	1357	1298	1102	769	396
Mean Population, 1881–91. Males	Decennial Decrease of Population 5·81 per cent.	6,551	150	150	148	173	155	776	771	842	718	461	745	618	579	523	362	156
Mean Population, 1881–91. Females	Decennial Decrease of Population 5·81 per cent.	6,885	168	150	155	159	151	783	797	730	623	517	841	739	689	579	407	170
Deaths from All Causes, 1881–90. Persons	16·57	2,227	286	92	39	28	18	473	38	36	51	54	108	93	148	284	432	519
Deaths from All Causes, 1881–90. Males	17·38	1,139	186	53	20	12	12	283	16	14	27	15	50	55	68	148	204	249
Deaths from All Causes, 1881–90. Females	15·85	1,088	110	39	19	16	6	190	22	22	24	39	58	38	80	136	228	261

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·09	0·15	16	6	10	3	7	1	2	–	13	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·21	0·13	23	14	9	–	1	4	0	4	15	5	1	1	–	–	–	–	–	–
Diphtheria	0·07	0·05	0·09	9	3	6	–	1	1	1	1	4	3	1	1	–	–	–	–	–	–
Whooping-cough	0·27	0·23	0·31	36	15	21	14	10	5	2	3	34	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·06	0·13	13	4	9	–	–	–	–	–	–	–	4	3	2	–	–	1	–	2	1
Simple Continued Fever	0·01	–	0·03	2	–	2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·18	0·23	28	12	16	7	5	1	1	–	14	1	–	–	–	–	–	1	1	4	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·49	0·90	94	32	62	–	–	–	–	–	–	1	–	–	1	2	9	18	26	24	11
Tabes Mesenterica	0·19	0·26	0·13	26	17	9	6	10	2	1	1	20	2	1	1	1	–	1	–	–	–	–
Phthisis	1·08	0·93	1·22	145	61	84	3	–	–	–	–	3	1	2	12	22	38	23	15	20	–	1
Other Tub. & Scrof. Dis.	0·28	0·26	0·31	38	17	21	7	6	1	1	1	16	7	6	2	2	3	–	1	1	–	–
Diseases of Nervous System	2·17	2·20	2·14	291	144	147	38	3	5	–	1	47	3	4	4	2	4	7	25	41	95	89
Diseases of Circulatory	2·29	2·47	2·12	308	162	146	2	1	–	–	–	3	1	4	4	3	7	11	26	67	111	71
Diseases of Respiratory	2·80	3·14	2·61	388	206	182	79	27	12	7	3	128	2	1	5	4	10	12	21	45	75	79
Diseases of Digestive	1·09	1·21	0·97	146	79	67	19	11	2	1	1	34	2	–	3	4	6	6	12	24	29	24
Diseases of Urinary	0·69	0·96	0·44	93	63	30	–	1	–	1	–	2	–	1	–	3	7	9	13	16	22	18
Diseases of Generative	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	1	1	1	1	–	3	1	1
Puerperal Fever	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	–	1	7	3	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	3	3	1	–	–	–	–
Violence	0·54	0·84	0·25	72	55	17	8	1	2	1	–	12	2	4	3	3	7	5	6	11	16	9
Other Causes	3·60	3·65	3·57	478	239	233	110	8	3	3	3	127	2	6	4	2	13	7	6	22	56	227

Marriages	–	841	Annual Rate per 1000 living	Persons Married	12·52
Births	Males – 1,573	3,455		Births – –	25·71
	Females – 1,882				

Deaths from Childbirth and Puerperal Fever – – – – – 0·31 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

252.—PEWSEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·41	†108	–	–	–	–	35·26	2·90	2·23	2·91	6·07	5·88	9·28	14·36	24·74	55·77	149·07
Males	—	14·10	†116	–	–	–	–	38·59	3·58	1·72	2·50	4·07	6·39	8·30	12·50	25·11	53·28	153·80
Females	—	14·69	†100	–	–	–	–	31·98	2·23	2·76	3·49	8·19	5·37	10·21	16·21	24·39	58·38	144·51
Mean Population, 1881-91. Persons	Decennial Decrease of Population 5·56 per cent.	12,058	313	291	302	313	301	1520	1515	1388	1099	857	1428	1185	1093	966	685	322
Males		6,114	155	142	152	149	156	754	754	699	640	442	720	578	544	474	351	158
Females		5,944	158	149	150	164	145	766	761	689	459	415	708	607	549	492	334	164
Deaths from All Causes, 1881-90. Persons	17·81	2,147	380	71	33	30	22	536	44	31	32	52	84	110	157	239	382	480
Males	17·53	1,075	208	35	17	16	15	291	27	12	16	18	46	48	68	119	187	243
Females	18·03	1,072	172	36	16	14	7	245	17	19	16	34	38	62	89	120	195	237

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·05	0·17	13	3	10	3	1	5	1	1	11	–	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·05	0·03	5	3	2	–	–	2	1	1	4	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·11	0·10	13	7	6	–	2	2	1	2	7	2	2	–	–	1	–	1	–	–	–
Whooping-cough	0·27	0·20	0·34	32	12	20	15	9	1	4	2	31	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·07	5	1	4	–	–	–	1	–	1	–	1	1	–	–	1	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·43	0·24	40	26	14	11	2	3	2	1	19	1	–	–	1	–	1	3	1	5	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·56	0·33	0·79	67	20	47	–	1	–	–	–	1	–	–	–	6	15	19	17	9	–	–
Tabes Mesenterica	0·11	0·08	0·13	13	5	8	5	2	1	–	–	8	–	3	2	–	–	–	–	–	–	–
Phthisis	1·35	1·16	1·55	163	71	92	4	2	2	–	–	8	4	4	10	20	43	30	26	12	3	3
Other Tub. & Scrof. Dis.	0·32	0·36	0·29	39	22	17	12	8	–	4	1	25	5	–	3	–	1	–	1	3	1	–
Diseases of Nervous System	2·64	2·54	2·74	318	155	163	44	5	2	2	4	57	6	4	3	1	2	10	21	47	79	88
Circulatory „	2·79	2·45	3·13	336	150	186	–	–	–	–	–	–	2	3	3	8	4	14	26	54	114	108
Respiratory „	2·90	3·24	2·56	350	198	152	80	24	7	7	7	125	10	–	–	2	9	14	11	43	52	84
Digestive „	1·19	1·28	1·09	143	78	65	27	3	1	–	–	31	3	2	2	1	6	3	20	24	31	20
Urinary „	0·62	0·70	0·54	75	43	32	3	–	1	–	–	4	1	–	–	5	2	9	6	11	24	13
Generative „	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
Puerperal Fever	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	–	4	–	3	–	–	–	–
Childbirth	0·07	–	0·15	9	–	9	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–	–
Violence	0·66	0·97	0·35	80	59	21	10	3	3	4	–	20	4	4	3	3	4	3	10	12	10	7
OTHER CAUSES	3·60	3·61	3·56	434	222	212	166	9	3	3	3	184	4	6	4	4	9	10	15	13	46	139

Marriages 703

Births { Males 1,793 / Females 1,728 } 3,521

Annual Rate per 1000 living { Persons Married 11·66 / Births 29·20

Deaths from Childbirth and Puerperal Fever 4·54 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

253.—AMESBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons —	In Standard Population* 14·37	† 99					32·90	3·27	1·49	2·97	4·94	6·76	6·90	13·47	22·91	57·84	200·00
	Males —		†109					36·39	3·70	1·07	2·19	3·53	6·03	5·63	14·06	25·18	65·41	200·00
	Females —		† 87					29·61	2·82	1·98	4·05	6·37	7·47	8·07	13·89	22·65	50·27	200·00
Mean Population 1881–90.	Persons 7,350	Decennial Decrease of Population, 9·01 per cent.	170	106	186	176	156	874	857	873	707	506	873	730	729	611	370	140
	Males 3,685		83	78	95	84	75	415	432	469	411	255	451	335	360	302	185	70
	Females 3,565		87	88	91	92	81	439	425	404	296	251	442	384	369	309	185	70
Deaths from All Causes, 1881–90.	Persons 16·68	1,226	191	44	26	13	7	281	28	13	21	25	59	51	97	140	214	280
	Males 16·66	614	108	21	12	5	5	151	16	5	9	9	26	20	47	70	121	140
	Females 16·69	595	83	23	14	8	2	130	12	8	12	16	33	31	50	70	93	140

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·11	0·11	8	4	4	1	1	4	–	–	6	–	1	–	–	1	–	–	–	–
Scarlet Fever	0·06	0·05	0·06	4	2	2	1	–	1	–	–	2	–	1	1	–	–	–	–	–	–
Diphtheria	0·10	0·11	0·08	7	4	3	–	1	–	–	–	1	3	–	–	1	1	1	–	–	–	–
Whooping-cough	0·30	0·19	0·42	22	7	15	15	3	3	–	–	21	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·03	0·06	3	1	2	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Simple Continued Fever	0·04	–	0·08	3	–	3	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·15	0·16	0·14	11	6	5	1	3	1	–	–	5	–	–	–	–	–	–	–	–	3	–
Cholera	0·01	–	0·03	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·27	0·80	42	10	32	–	–	–	–	–	–	–	–	–	–	1	2	6	14	12	7
Tabes Mesenterica	0·06	0·11	–	4	4	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	1	–
Phthisis	1·24	1·22	1·25	90	45	45	1	–	–	1	–	2	1	2	9	10	20	16	15	11	4	–
Other Tub. & Scrof. Dis.	0·26	0·22	0·31	19	8	11	4	1	–	1	–	6	6	4	1	1	–	–	1	–	–	–
Nervous System	2·58	2·69	2·47	187	99	88	22	5	1	2	2	32	2	–	–	1	6	2	19	22	52	51
Circulatory „	2·62	2·69	2·55	190	99	91	–	–	–	–	–	–	–	–	2	1	4	6	26	34	63	54
Respiratory „	3·34	3·53	3·14	242	130	112	51	18	11	4	2	86	6	–	2	3	2	7	12	24	46	57
Digestive „	1·16	1·14	1·18	84	42	42	9	4	–	1	–	14	3	2	2	4	5	5	5	15	17	12
Urinary „	0·51	0·62	0·39	37	23	14	–	–	–	–	–	–	1	2	–	2	1	1	4	5	7	14
Generative „	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–
Puerperal Fever	0·04	–	0·08	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Childbirth	0·13	–	0·25	9	–	9	–	–	–	–	–	–	–	–	–	–	6	3	–	–	–	–
Violence	0·44	0·65	0·22	32	24	8	7	1	4	1	1	14	–	–	2	–	3	–	4	3	4	2
Other Causes	2·85	2·87	2·82	206	106	100	79	6	1	8	1	95	2	1	–	1	8	2	5	11	10	76

Marriages	444	Annual Rate per 1000 living	Persons Married 12·25
Births — Males 968			Births 26·73
Births — Females 949	1,917	Deaths from Childbirth and Puerperal Fever	6·20 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

254.—ALDERBURY.‡

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·90	†100	–	–	–	–	35·92	3·41	2·59	3·92	5·10	8·54	14·01	19·38	32·82	62·56	168·26
Males	—	Standard 17·96	†113	–	–	–	–	41·15	3·55	2·74	3·23	5·04	8·77	15·66	22·47	33·33	65·58	187·44
Females	—	Population* 15·89	† 86	–	–	–	–	30·65	3·28	2·46	4·52	5·14	8·36	12·56	16·80	32·37	60·03	154·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·29 per cent.	27,875	666	658	662	654	648	3288	3164	3083	2860	2433	3862	3026	2471	1932	1274	482
Males		13,068	331	323	338	326	332	1650	1549	1498	1333	1052	1768	1418	1126	894	581	199
Females		14,807	335	335	324	328	316	1638	1615	1585	1527	1381	2094	1608	1345	1038	693	283
Deaths from All Causes, 1881–90. Persons	18·22	5,080	779	229	85	53	35	1181	108	80	112	124	330	424	479	634	797	811
Males	19·54	2,553	452	132	39	31	25	679	55	41	43	53	155	222	253	298	331	373
Females	17·07	2,527	327	97	46	22	10	502	53	39	69	71	175	202	226	336	416	438

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
Measles	0·18	0·18	0·18	49	23	26	12	14	9	6	3	44	3	2	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·06	0·04	14	8	6	–	1	4	3	1	9	4	1	–	–	–	–	–	–	–
Diphtheria	0·14	0·11	0·16	39	15	24	1	1	3	5	2	12	12	8	3	1	1	–	2	–	–
Whooping-cough	0·35	0·37	0·32	97	49	48	49	28	7	9	2	95	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·07	20	9	11	–	–	–	–	–	–	1	–	3	4	4	4	3	1	–
Simple Continued Fever	0·01	0·02	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Diarrhœa and Dysentery	0·28	0·28	0·28	78	37	41	44	7	3	1	2	57	–	–	–	–	3	1	2	3	5	7
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·78	0·52	1·01	217	68	149	–	–	–	–	–	–	1	–	–	3	2	19	41	55	59	37
Tabes Mesenterica	0·11	0·13	0·09	31	17	14	5	5	4	1	1	16	4	5	–	2	1	–	1	–	1	1
Phthisis	1·76	1·84	1·69	490	240	250	–	1	–	–	–	1	6	11	41	41	125	116	74	48	23	4
Other Tub. & Scrof. Dis.	0·25	0·30	0·20	69	39	30	7	13	4	1	2	27	11	9	10	4	4	1	1	1	–	1
Diseases of Nervous System	3·45	3·92	3·06	963	512	451	124	41	12	7	5	189	18	10	11	13	70	108	102	141	177	124
Diseases of Circulatory „	2·25	2·32	2·19	628	303	325	3	1	–	–	1	5	4	5	13	10	19	56	72	122	187	135
Diseases of Respiratory „	2·89	3·23	2·59	805	422	383	190	93	31	14	9	337	19	1	7	5	18	30	47	77	145	119
Diseases of Digestive „	1·01	1·12	0·92	282	146	136	32	9	1	–	–	42	5	1	9	7	8	24	49	55	52	30
Diseases of Urinary „	0·58	0·69	0·49	162	90	72	1	1	1	–	1	4	–	2	2	2	17	16	24	36	34	25
Diseases of Generative „	0·06	0·02	0·11	18	2	16	1	–	–	–	–	1	–	–	–	1	1	3	6	4	1	1
Puerperal Fever	0·08	–	0·16	23	–	23	–	–	–	–	–	–	–	–	–	3	12	8	–	–	–	–
Childbirth	0·08	–	0·15	22	–	22	–	–	–	–	–	–	–	–	1	5	11	5	–	–	–	–
Violence	0·45	0·73	0·20	126	96	30	14	2	5	5	4	30	11	6	1	7	11	11	16	16	9	8
OTHER CAUSES	3·38	3·60	3·15	939	470	469	296	12	1	1	2	312	7	19	11	14	22	22	37	74	102	319

Marriages 1,996

Births { Males 4,013 / Females 3,800 } 7,813

Annual Rate per 1000 living { Persons Married 14·32 / Births 28·03

Deaths from Childbirth and Puerperal Fever } 5·76 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 733.

255.—WILTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 13·01	†88	–	–	–	–	30·79	2·96	2·22	3·23	5·08	5·46	6·91	11·61	22·57	57·90	138 49
Annual Death-Rate per 1000. Males	—	Standard 12·27	†93	–	–	–	–	29·55	2·57	1·57	2·14	5·48	5·20	6·57	12·56	22·63	56·18	141 28
Annual Death-Rate per 1000. Females	—	Population* 13·71	†84	–	–	–	–	32·07	3·33	2·93	4·58	4·70	5·70	7·21	10·71	23·10	59·57	136 15
Mean Population, 1881-91. Persons	Decennial Decrease of Population, 3·47 per cent.	10,072	260	242	232	249	251	1234	1252	1218	928	709	1191	1042	913	802	544	249
Mean Population, 1881-91. Males		5,026	137	122	114	124	129	626	622	637	513	347	577	487	446	395	267	109
Mean Population, 1881-91. Females		5,046	123	120	118	125	122	608	630	581	415	362	614	555	467	407	277	130
Deaths from All Causes, 1881-90. Persons	15·69	1,580	240	70	34	20	16	380	37	27	30	36	65	72	106	181	315	331
Deaths from All Causes, 1881-90. Males	14·92	750	128	29	12	8	8	185	16	10	11	19	30	32	56	87	160	154
Deaths from All Causes, 1881-90. Females	16·45	830	112	41	23	12	8	195	21	17	19	17	35	40	50	94	165	177

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·06	0·18	12	3	9	1	5	3	1	–	10	2	–	–	–	–	–	–	–
Scarlet Fever	0·03	0·02	0·04	3	1	2	–	–	1	–	1	2	1	–	–	–	–	–	–	–
Diphtheria	0·17	0·18	0·16	17	9	8	1	2	–	1	3	7	7	2	–	1	–	–	–	–
Whooping-cough	0·34	0·26	0·42	34	13	21	15	13	5	1	–	34	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·02	0·12	7	1	6	–	–	1	–	–	1	–	–	2	–	1	1	2	–
Simple Continued Fever	0·05	0·06	0·04	5	3	2	–	–	–	–	1	1	–	–	1	–	1	–	2	–
Diarrhœa and Dysentery	0·13	0·06	0·16	13	4	8	4	2	–	1	–	7	–	–	–	1	–	–	2	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·46	0·79	63	23	40	–	–	–	–	–	–	–	–	–	6	6	16	23	10
Tabes Mesenterica	0·10	0·16	0·04	10	8	2	5	–	–	1	–	6	2	–	2	–	–	–	–	–
Phthisis	1·06	0·98	1·19	109	49	60	1	1	–	–	–	2	2	7	9	13	31	18	19	8	–	–
Other Tub. & Scrof. Dis.	0·25	0·28	0·24	26	14	12	10	3	2	2	1	18	6	–	–	2	–	–	–	–	–	–
Diseases of Nervous System	2·20	2·09	2·32	222	105	117	36	8	4	2	3	53	2	6	2	4	8	8	20	32	54	33
Diseases of Circulatory "	2·13	1·84	2·42	214	92	122	1	1	–	–	1	3	1	3	4	3	3	11	20	44	76	47
Diseases of Respiratory "	2·51	2·85	2·18	253	143	110	62	16	12	6	4	100	6	2	–	3	4	8	8	27	49	47
Diseases of Digestive "	0·83	0·84	0·83	84	42	42	6	5	1	1	–	13	1	1	1	1	1	3	7	16	22	11
Diseases of Urinary "	0·63	0·78	0·67	63	29	34	–	–	–	–	–	–	1	1	1	3	3	5	5	14	22	9
Diseases of Generative "	0·09	0·04	0·14	9	2	7	–	–	–	–	–	–	–	–	–	2	–	1	1	2	2	1
Puerperal Fever	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·50	0·72	0·28	50	36	14	4	3	5	1	2	15	2	2	1	1	3	5	7	6	4	4
OTHER CAUSES	3·71	3·41	3·99	375	173	202	34	11	–	3	–	108	4	3	7	8	3	3	10	15	50	167

Marriages - - 693

Births - { Males - 1,376 / Females - 1,340 } 2,716

Annual Rate per 1000 living { Persons Married 13·76 / Births - - 26·97

Deaths from Childbirth and Puerperal Fever - - - - } 4·42 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

256.—TISBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·29	†80	–	–	–	–	29·05	2·55	2·10	3·59	6·50	5·12	7·09	11·43	25·60	57·33	160·87
Males	—	Standard 12·98	†91	–	–	–	–	33·27	2·77	1·31	1·98	4·12	3·44	7·73	11·08	25·71	56·14	177·17
Females	—	Population* 13·58	†68	–	–	–	–	24·86	2·32	2·91	5·67	9·01	6·77	6·50	11·76	25·49	58·52	144·57
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·62 per cent.	8,951	220	210	229	234	212	1105	1138	1048	808	662	1055	917	866	711	457	184
Males		4,517	106	106	118	109	111	550	578	533	455	340	523	440	424	354	228	92
Females		4,434	114	104	111	125	101	555	560	515	353	322	532	477	442	357	229	92
Deaths from All Causes, 1881–90. Persons	15·66	1,402	198	66	28	16	13	321	29	22	29	43	54	65	99	182	262	296
Males	15·72	710	114	38	16	9	6	183	16	7	9	14	18	34	47	91	128	163
Females	15·61	692	84	28	12	7	7	138	13	15	20	29	36	31	52	91	134	133

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	0·18	0·24	0·11	16	11	5	4	6	2	2	–	14	2	–	–	–	–	–	–	–
Scarlet Fever	0·01	0·02	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·13	0·09	10	6	4	–	–	–	–	–	–	6	3	1	–	–	–	–	–
Whooping-cough	0·10	0·13	0·07	9	6	3	4	2	–	1	1	8	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·10	0·11	0·09	9	5	4	4	1	–	–	1	6	1	–	–	–	–	1	–	–
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·57	0·51	0·63	51	23	28	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	0·39	0·38	0·41	35	17	18	11	10	5	–	1	27	1	1	1	2	1	3	11	16	16	4
Phthisis	1·24	1·00	1·49	111	45	66	1	–	–	2	–	3	–	3	11	25	19	15	19	12	3	1
Other Tub. & Scrof. Dis.	0·26	0·15	0·36	23	7	16	6	–	2	1	4	13	3	2	–	–	1	1	1	2	–	–
Diseases of Nervous System	2·29	2·30	2·28	205	104	101	40	5	8	1	2	56	1	2	5	2	3	13	15	24	50	34
Diseases of Circulatory „	2·35	2·24	2·46	210	101	109	–	–	–	–	–	–	–	4	4	2	3	8	14	43	75	57
Diseases of Respiratory „	2·88	3·23	2·53	258	146	112	41	32	4	7	1	85	11	2	–	–	6	5	11	30	48	60
Diseases of Digestive „	0·87	0·82	0·92	78	37	41	10	2	3	–	–	15	1	3	1	3	1	5	6	17	22	4
Diseases of Urinary „	0·96	1·00	0·92	86	45	41	–	–	–	–	–	–	–	–	2	–	6	2	3	17	26	30
Diseases of Generative „	0·04	–	0·09	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1
Puerperal Fever	0·04	–	0·09	4	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Childbirth	0·10	–	0·20	9	–	9	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–
Violence	0·53	0·69	0·36	47	31	16	5	1	1	1	1	9	1	–	1	3	3	2	8	8	6	6
Other Causes	2·60	2·71	2·49	232	122	110	72	7	2	1	1	83	1	2	3	3	4	5	7	10	15	99

Marriages - - - 537

Births. - Males - 1,248 / Females - 1,235 — 2,483

Annual Rate per 1000 living: Persons Married 12·00; Births - - 27·74

Deaths from Childbirth and Puerperal Fever - - - - 5·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

257.—MERE.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000.	Persons	In 13·89	†90	–	–	–	–	31·79	4·07	2·75	3·62	5·63	6·66	8·33	12·61	22·22	37·51	146·15
	Males	Standard 14·48	†99	–	–	–	–	36·60	4·15	3·38	2·34	4·29	6·79	9·06	12·86	25·57	60·42	151·25
	Females	Population* 13·32	†81	–	–	–	–	27·01	4·00	2·08	4·98	6·82	6·55	7·75	12·39	19·41	54·73	142·16
Mean Population 1881-90.	Persons	Decennial Decrease of Population 8·07 per cent.	7,053															
	Males		3,399	165	175	168	165	167	840	884	799	663	497	841	720	658	576	393	183
	Females		3,654	81	80	86	90	81	418	434	414	342	233	383	320	311	272	192	80
				84	95	82	75	86	422	450	385	321	264	458	400	347	304	201	103
Deaths from All Causes, 1881-90.	Persons	16·96	1,196	171	44	24	19	9	267	36	22	24	28	56	60	83	128	226	266
	Males	17·77	604	95	29	13	12	4	153	18	14	8	10	26	29	40	69	116	121
	Females	16·20	592	76	15	11	7	5	114	18	8	16	18	30	31	43	59	110	145

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·06	0·14	7	2	5	1	1	2	–	–	4	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·51	0·47	0·55	34	16	20	3	3	4	4	5	19	10	3	–	4	–	–	–	–	–	–
Diphtheria	0·11	0·15	0·08	8	5	3	–	–	1	1	–	2	3	2	1	–	–	–	–	–	–	–
Whooping-cough	0·20	0·26	0·14	14	9	5	5	3	4	1	–	13	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Continued Fever	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·13	0·12	0·14	9	4	5	3	1	–	1	–	5	–	–	–	–	–	–	1	–	2	–
Cholera	0·03	0·06	–	2	2	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·71	0·57	45	24	21	–	–	–	–	–	–	–	–	–	1	–	–	7	7	12	12	6
Tabes Mesenterica	0·11	0·06	0·16	8	2	6	3	1	–	1	–	5	–	–	–	1	–	2	–	–	–	–	–
Phthisis	1·30	1·27	1·34	92	43	49	–	–	1	–	1	2	1	3	7	13	31	16	11	6	2	–	–
Other Tub. & Scrof. Dis.	0·31	0·35	0·27	22	12	10	6	4	2	–	1	13	1	2	2	1	3	1	–	–	–	–	–
Diseases of Nervous System	2·20	2·02	1·81	155	89	66	29	8	1	2	–	40	2	3	3	1	3	2	14	21	29	37	44
Circulatory „	2·65	2·44	2·85	187	83	104	–	–	–	1	–	1	3	3	3	2	4	10	18	34	65	44	48
Respiratory „	3·29	3·83	2·79	232	130	102	48	17	7	5	2	79	5	1	–	1	6	2	10	18	62	48	48
Digestive „	0·98	0·97	0·99	69	33	36	6	4	–	1	–	11	3	2	1	1	2	6	7	15	10	11	3
Urinary „	0·45	0·65	0·27	32	22	10	–	–	–	–	–	–	3	–	–	–	–	3	3	8	12	3	–
Generative „	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Puerperal Fever	0·01	–	0·03	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·06	–	0·11	4	–	4	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Violence	0·40	0·58	0·14	28	23	5	4	1	1	1	–	7	–	2	–	2	–	2	4	3	3	5	–
Other Causes	3·40	3·04	3·69	239	104	135	62	1	1	–	–	64	2	3	3	1	1	2	8	9	30	110	110

Persons.

Marriages		446	
Births	Males 935 / Females 961	1,896	
Annual Rate per 1000 living	Persons Married	12·65	
	Births	26·88	
Deaths from Childbirth and Puerperal Fever		8·69 per 1000 Births.	

* See pages xxvi xxviii.

† The death-rates under one year of age are per 1000 Births.

258.—SHAFTESBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·28	†79	–	–	–	–	30·74	4·89	3·01	4·17	4·49	5·57	9·05	11·00	21·24	51·51	141·74
Males	—	13·29	†88	–	–	–	–	32·86	4·36	2·79	2·71	3·74	5·43	8·22	11·95	21·65	59·45	147 55
Females	—	13·27	†70	–	–	–	–	28·53	5·46	3·23	5·60	5 11	5·69	9·74	10·20	20·87	44·71	137·08
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·49 per cent.	12,251	286	298	302	317	316	1519	1471	1430	1198	890	1472	1260	1127	932	631	321
Males		5,897	139	152	159	170	156	776	757	718	591	401	681	572	519	448	291	143
Females		6,354	147	146	143	147	160	743	714	712	607	489	791	688	608	484	340	178
Deaths from All Causes, 1881-90. Persons	16·08	1,970	269	98	41	36	23	467	72	43	50	40	82	114	124	198	325	455
Males	16·38	966	155	46	23	23	8	255	33	20	16	15	37	47	62	97	173	211
Females	15·80	1,004	114	52	18	13	15	212	39	23	34	25	45	67	62	101	152	244

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·29	0·22	31	17	14	5	12	4	4	–	25	4	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·20	0·20	25	12	13	1	–	3	2	3	9	9	5	1	–	–	1	–	–	–	–
Diphtheria	0·37	0·34	0·39	45	20	25	1	2	3	4	3	13	21	6	2	–	2	–	1	–	–	–
Whooping-cough	0·23	0·27	0·19	28	16	12	17	6	2	2	1	28	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·08	0·14	0·03	10	8	2	–	–	–	1	2	3	–	3	–	–	–	–	–	–	2	–
Diarrhœa and Dysentery	0·19	0·20	0·17	23	12	11	16	2	–	–	–	18	1	–	–	–	–	–	1	–	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·41	1·02	89	24	65	–	–	–	–	–	–	–	1	3	–	–	7	10	33	21	14
Tabes Mesenterica	0·11	0·09	0·13	13	5	8	3	2	2	–	1	8	–	–	–	1	–	2	1	1	–	–
Phthisis	1·18	0·97	1·37	144	57	87	–	2	–	–	–	2	2	7	19	19	41	24	11	6	11	2
Other Tub. & Scrof. Dis.	0·30	0·31	0·30	37	18	19	2	6	4	4	3	19	3	3	2	1	4	1	2	1	1	–
Diseases of Nervous System	2·12	2·24	2·02	260	132	128	29	7	5	3	2	46	7	3	5	3	4	13	22	38	58	61
Diseases of Circulatory „	2·06	2·32	1·81	252	137	115	1	1	–	–	–	2	2	1	3	1	4	15	20	42	76	86
Diseases of Respiratory „	3·08	3·36	2·82	377	198	179	70	35	10	13	5	133	11	4	–	2	4	17	19	31	70	86
Diseases of Digestive „	0·85	0·88	0·82	104	52	52	7	5	1	1	1	15	5	1	1	1	2	9	11	15	25	19
Diseases of Urinary „	0·50	0·58	0·42	61	34	27	2	2	–	–	–	4	1	–	1	1	–	4	7	12	19	12
Diseases of Generative „	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	1
Puerperal Fever	0·10	–	0·19	12	–	12	–	–	–	–	–	–	–	–	1	3	2	6	–	–	–	–
Childbirth	0·07	–	0·13	8	–	8	–	–	–	–	–	–	–	–	1	–	5	2	–	–	–	–
Violence	0·42	0·66	0·20	52	39	13	5	2	2	1	1	11	1	1	4	2	3	3	8	7	8	4
OTHER CAUSES	3·18	3·12	3·26	392	185	207	110	14	5	1	1	131	4	6	7	4	9	9	11	12	31	168

Marriages - - - 758

Births { Males - 1,770 / Females - 1,627 } 3,397

Annual Rate per 1000 living { Persons Married 12·37 / Births - - 27·73

Deaths from Childbirth and Puerperal Fever - - - - - 5·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

259.—STURMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons --	In Standard Population* 14·05 14·40 13·72	190	–	–	–	–	32·75	4·64	2·52	4·46	6·93	6·69	8·29	13·45	22·22	56·61	129·69
	Males --		208	–	–	–	–	35·57	4·62	2·22	4·25	7·12	4·80	9·98	14·15	23·08	60·00	152·99
	Females --		181	–	–	–	–	30·87	4·66	2·82	4·67	6·78	8·21	6·86	12·84	21·48	53·31	110·07
Mean Population 1881-90.	Persons 9,816		243	237	255	240	236	1209	1207	1169	897	736	1256	1025	885	729	507	256
	Males 4,995		126	111	129	119	115	600	606	541	447	323	562	471	419	338	290	117
	Females 5,151		117	124	126	121	121	609	601	568	450	413	694	554	475	391	257	139
Deaths from All Causes, 1881-90.	Persons 16·71	1,640	258	70	27	20	24	396	56	28	40	51	84	85	119	162	287	332
	Males 17·77	887	141	37	13	7	10	208	28	12	19	23	27	47	58	78	150	179
	Females 15·74	811	117	33	14	13	11	188	28	16	21	28	57	38	61	84	137	153

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	0·30	0·16	22	14	8	2	7	3	1	2	15	4	1	–	–	2	–	–	–	–	–
Scarlet Fever	0·23	0·21	0·25	23	10	13	–	4	1	5	4	14	8	1	–	–	–	–	–	–	–	–
Diphtheria	0·13	0·15	0·12	13	7	6	1	1	2	2	1	7	4	1	–	–	1	–	–	–	–	–
Whooping-cough	0·20	0·19	0·21	20	9	11	13	6	–	2	–	20	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·04	0·04	4	2	2	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·22	0·19	0·25	22	9	13	9	2	–	–	–	11	–	–	–	–	3	–	–	1	1	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·81	0·75	0·87	80	35	45	–	–	–	–	–	–	–	–	1	–	4	13	24	26	12	–
Tabes Mesenterica	0·08	0·06	0·10	8	3	5	–	4	–	1	–	5	1	1	1	–	–	–	–	–	–	–
Phthisis	1·58	1·54	1·61	155	72	83	–	1	1	–	2	4	4	3	16	24	43	23	24	9	5	–
Other Tub. & Scrof. Dis.	0·38	0·40	0·37	37	13	19	6	6	3	–	1	16	7	8	4	–	1	1	–	–	–	–
Nervous System	2·31	2·19	2·16	227	116	111	41	7	3	2	–	53	6	5	3	6	4	5	13	25	55	53
Circulatory "	2·37	2·16	2·37	223	101	122	–	–	–	–	–	–	2	2	5	3	4	12	16	41	77	61
Respiratory "	2·54	2·02	2·10	249	141	108	50	23	8	5	8	94	11	1	1	3	3	7	13	21	47	49
Digestive "	0·84	1·01	0·68	82	47	35	15	1	–	–	3	19	1	–	4	2	5	4	8	13	16	10
Urinary "	0·70	0·39	0·52	69	43	27	–	1	–	1	–	2	1	–	–	–	3	3	15	10	23	12
Generative "	0·09	0·02	0·16	9	1	8	–	–	–	–	–	–	–	–	1	–	1	3	–	1	3	–
Puerperal Fever	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	1	–	3	3	–	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–
Violence	0·47	0·60	0·27	56	43	14	2	2	1	–	–	5	4	3	3	1	2	8	8	7	6	9
Other Causes	3·66	3·45	3·82	327	160	167	120	5	5	1	–	131	3	2	2	10	4	8	9	9	28	121

Marriages - - -	736	Annual Rate per 1000 living	Persons Married	14·59
Births { Males -	1,468		Births - -	29·25
{ Females -	1,403	2,871		

Deaths from Childbirth and Puerperal Fever - - - - - 4·63 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

260.—BLANDFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 12·93	†86	–	–	–	–	29·10	3·14	2·69	4·18	4·09	6·12	7·43	10·57	20·75	56·60	150·97
Annual Death-Rate per 1000. Males	—	In Standard Population.* 13·11	†98	–	–	–	–	32·10	3·56	2·39	2·83	5·07	6·78	7·36	11·28	21·39	52·79	157·45
Annual Death-Rate per 1000. Females	—	In Standard Population.* 12·77	†74	–	–	–	–	26·04	2·70	3·02	5·68	3·13	5·54	7·49	9·94	20·17	60·16	145·51
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·62 per cent.	13,555	310	288	320	321	314	1553	1591	1524	1341	1077	1716	1373	1268	1099	705	308
Mean Population, 1881–91. Males	Decennial Decrease of Population 2·62 per cent.	6,678	162	148	159	168	148	785	814	796	707	533	796	652	594	519	341	141
Mean Population, 1881–91. Females	Decennial Decrease of Population 2·62 per cent.	6,877	148	140	161	153	166	768	777	728	634	544	920	721	674	580	364	167
Deaths from All Causes, 1881–90. Persons	15·32	2,076	296	73	34	25	24	452	50	41	56	44	105	102	134	228	399	465
Deaths from All Causes, 1881–90. Males	15·41	1,029	175	40	17	11	9	252	29	19	20	27	54	48	67	111	180	222
Deaths from All Causes, 1881–90. Females	15·22	1,047	121	33	17	14	15	200	21	22	36	17	51	54	67	117	219	243

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·15	0·15	20	10	10	5	5	–	4	3	17	1	1	–	–	1	–	–	–	–	–
Scarlet Fever	0 07	0·10	0 03	9	7	2	–	2	1	1	2	6	1	2	–	–	–	–	–	–	–	–
Diphtheria	0 15	0·21	0·10	21	14	7	–	1	1	2	4	8	5	6	2	–	–	–	–	–	–	–
Whooping-cough	0 22	0·18	0·26	30	12	18	12	9	2	1	2	26	3	–	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·08	0·07	10	5	5	–	–	–	–	–	–	–	4	2	–	3	1	–	–	–	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0 37	0·29	45	25	20	12	6	2	1	1	22	3	–	–	–	1	2	1	–	5	11
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·50	0·34	0·65	68	23	45	–	–	–	–	–	–	–	–	–	–	–	9	11	15	22	11
Tabes Mesenterica	0·13	0·10	0·15	17	7	10	5	2	2	1	–	10	3	1	2	1	–	–	–	–	–	–
Phthisis	1·17	1·15	1·19	159	77	82	1	1	–	1	1	4	2	5	20	16	40	26	25	18	1	2
Other Tub. & Scrof. Dis.	0·27	0·24	0·31	37	16	21	8	3	4	1	1	17	6	2	4	2	2	1	1	–	2	–
Diseases of Nervous System	2·53	2·38	2·68	343	159	184	42	5	5	–	3	55	3	5	7	3	8	12	16	44	94	96
Diseases of Circulatory „	1·70	1·68	1·73	231	112	119	1	–	–	1	–	2	1	3	3	4	6	9	26	46	72	59
Diseases of Respiratory „	3·03	3·26	2·81	411	218	193	70	20	14	8	3	115	10	3	1	3	12	9	16	36	98	108
Diseases of Digestive „	1·03	1·02	1·05	140	68	72	16	4	1	2	–	23	1	1	5	2	7	7	10	30	36	18
Diseases of Urinary „	0·47	0·66	0·29	64	44	20	–	–	–	–	–	–	1	–	1	3	7	7	5	11	13	16
Diseases of Generative „	0·11	–	0·22	15	–	15	–	–	–	–	–	–	–	–	1	–	3	–	2	5	4	–
Puerperal Fever	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	5	1	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	2	4	–	–	–	–
Violence	0·38	0·57	0·19	51	38	13	6	3	2	–	1	12	3	4	1	4	5	5	4	4	6	3
OTHER CAUSES	2·90	2·92	2·84	390	194	196	118	12	–	2	3	135	7	4	6	4	4	8	17	19	46	140

Marriages – – 824

Births – {Males – 1,790} {Females – 1,641} 3,431

Annual Rate per 1000 living {Persons Married 12·16 / Births – – 25·31}

Deaths from Childbirth and Puerperal Fever – – – – 4·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

261.—WIMBORNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·08	†84	–	–	–	–	31·68	2·80	2·46	4·09	5·71	5·87	6·71	10·17	21·21	55·44	142·71
Males	—	13·00	†95	–	–	–	–	33·90	3·07	2·84	3·14	4·90	6·94	6·32	10·19	22·66	53·71	138·92
Females	—	13·16	†74	–	–	–	–	29·41	2·52	2·59	5·17	6·46	4·91	7·05	10·16	19·94	57·14	146·81
Mean Population, 1881-91. Persons	Decennial Increase of Population 5·34 per cent.	17,439	438	430	430	464	435	2197	2145	1953	1613	1330	2247	1819	1543	1301	900	391
Males		8,624	226	210	214	235	224	1109	1074	1022	859	633	1066	864	748	629	445	203
Females		8,815	212	220	216	229	211	1088	1071	927	754	697	1181	965	797	672	455	188
Deaths from All Causes, 1881-90. Persons	15·43	2,699	436	155	71	38	16	696	60	48	66	76	132	122	157	276	499	558
Males	15·70	1,354	247	72	31	16	10	376	33	24	27	31	74	54	76	138	230	282
Females	15·16	1,396	189	83	20	22	6	320	27	24	39	45	58	68	81	138	269	276

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·16	0·17	29	14	15	6	9	4	4	–	23	1	2	–	2	1	–	–	–	–	–
Scarlet Fever	0·10	0·10	0·09	17	9	8	2	3	3	2	1	11	4	–	–	1	1	–	–	–	–	–
Diphtheria	0·08	0·08	0·08	14	7	7	–	–	3	3	–	6	4	2	–	1	1	–	–	–	–	–
Whooping-cough	0·27	0·23	0·31	47	20	27	21	20	4	1	1	47	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·14	0·13	0·16	25	11	14	4	4	1	1	–	10	2	1	–	–	1	–	–	2	5	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·80	0·70	0·91	140	60	80	–	–	–	–	–	–	–	–	–	4	7	21	44	38	26	–
Tabes Mesenterica	0·03	0·07	0·01	16	6	10	5	3	2	–	1	11	2	–	1	1	–	1	–	–	–	–
Phthisis	1·27	1·24	1·29	221	107	114	1	4	2	–	–	7	3	3	24	32	54	40	20	14	7	3
Other Tub. & Scrof. Dis.	0·28	0·35	0·20	48	30	18	16	9	7	2	2	36	3	2	3	1	3	–	–	–	–	–
Diseases of: Nervous System	2·36	2·23	2·50	412	192	220	59	24	3	7	3	96	9	10	7	8	11	6	23	20	21	112
Circulatory	2·21	2·24	2·19	385	193	193	1	–	1	–	–	2	1	5	5	5	6	12	30	65	137	120
Respiratory	3·03	3·44	2·62	511	262	249	121	56	13	12	3	204	14	3	3	5	7	13	16	44	85	120
Digestive	0·90	0·92	0·88	157	79	78	16	7	1	2	1	27	2	3	6	1	6	9	14	23	52	15
Urinary	0·48	0·64	0·32	83	55	28	–	–	–	–	–	–	2	1	2	1	3	4	4	17	22	20
Generative	0·06	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	1	–	2	3	4	–	1
Puerperal Fever	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–	–
Childbirth	0·09	–	0·17	15	–	15	–	–	–	–	–	–	–	–	–	2	6	7	–	–	–	–
Violence	0·46	0·71	0·22	80	61	19	2	5	3	2	3	15	5	7	3	4	9	8	6	9	6	5
Other Causes	2·66	2·81	2·53	465	243	222	182	11	8	2	1	201	8	4	11	8	15	13	11	16	30	129

Marriages	1,139	Annual Rate per 1000 living	Persons Married	19·94	Deaths from Childbirth and Puerperal Fever 4·46 per 1000 Births.
Births Males	2,609		Births	29·59	
Females	2,554				
	5,160				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

262.—POOLE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·96	†106	–	–	–	–	39·94	4·05	2·68	3·98	5·40	6·69	8·35	12·87	25·74	50·55	147·40
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·79	†116	–	–	–	–	44·05	3·65	2·02	3·85	6·78	5·98	9·05	14·62	27·27	57·26	161·87
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·19	† 95	–	–	–	–	35·89	4·43	3·30	4·11	4·26	7·32	7·73	11·28	24·35	45·13	136·70
Mean Population, 1881–91. Persons	Decennial Increase of Population 38·03 per cent.	22,267	617	582	618	584	581	2982	2768	2542	2086	1889	3184	2478	1873	1321	817	327
Mean Population, 1881–91. Males	Decennial Increase of Population 38·03 per cent.	10,687	314	290	299	289	288	1480	1368	123.	1064	856	1489	1171	889	627	365	139
Mean Population, 1881–91. Females	Decennial Increase of Population 38·03 per cent.	11,580	303	292	319	295	293	1502	1400	1303	1022	1033	1695	1307	984	694	452	188
Deaths from All Causes, 1881–90. Persons	15·50	3,452	734	268	78	63	48	1191	112	68	83	102	213	207	241	340	413	482
Deaths from All Causes, 1881–90. Males	16·43	1,756	403	149	43	26	26	652	50	25	41	58	89	106	130	171	209	225
Deaths from All Causes, 1881–90. Females	14·65	1,696	326	119	35	37	22	539	62	4.	42	44	124	101	111	169	204	257

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·04	0·01	5	4	1	1	–	–	–	–	1	–	–	–	–	2	–	1	–	1	–
Measles	0·25	0·31	0·19	55	33	22	11	25	9	2	3	50	1	1	1	2	–	–	–	–	–	–
Scarlet Fever	0·13	0·12	0·15	30	13	17	2	6	3	3	2	16	7	4	1	–	1	–	1	–	–	–
Diphtheria	0·17	0·14	0·19	37	15	22	–	5	4	4	2	15	18	2	–	–	1	1	–	–	–	–
Whooping-cough	0·28	0·23	0·33	63	25	38	23	19	6	8	4	60	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·06	0·14	22	6	16	–	–	–	–	–	–	3	4	2	2	3	4	3	–	1	–
Simple Continued Fever	0·02	0·01	0·03	4	1	3	–	–	–	–	1	1	–	1	–	–	–	–	1	1	–	–
Diarrhœa and Dysentery	0·42	0·40	0·43	93	43	50	44	14	–	–	1	59	1	1	–	1	1	2	3	6	6	13
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·35	0·79	129	37	92	–	–	–	–	1	1	–	1	1	–	4	8	32	41	35	6
Tabes Mesenterica	0·08	0·10	0·06	18	11	7	8	4	–	–	–	12	1	2	2	1	–	–	–	–	–	–
Phthisis	1·50	1·43	1·56	334	153	181	10	8	3	4	–	25	5	12	26	50	97	57	33	16	11	2
Other Tub. & Scrof. Dis.	0·37	0·47	0·29	83	50	33	17	16	7	5	6	51	12	6	6	2	4	1	–	1	–	–
Diseases of Nervous System	2·30	2·72	1·91	512	291	221	138	26	9	11	4	188	14	6	10	5	18	19	36	64	81	71
Diseases of Circulatory „	1·15	1·16	1·15	257	124	133	2	–	–	1	–	3	2	8	8	8	8	23	29	59	56	53
Diseases of Respiratory „	2·78	3·20	2·40	620	342	278	176	95	22	13	10	316	8	3	6	6	11	28	28	54	91	69
Diseases of Digestive „	0·92	0·93	0·91	204	99	105	28	18	6	6	3	61	10	5	2	3	12	13	21	35	21	21
Diseases of Urinary „	0·35	0·50	0·22	78	53	25	1	3	1	–	3	8	3	2	4	1	4	5	9	13	13	16
Diseases of Generative „	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	–	–	4	1	1	3	1	–
Puerperal Fever	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	–	2	4	4	1	–	–	–
Childbirth	0·06	–	0·12	14	–	14	–	–	–	–	–	–	–	–	1	1	6	6	–	–	–	–
Violence	0·60	0·97	0·25	133	104	29	7	7	5	5	2	26	13	6	5	10	15	14	16	11	9	8
OTHER CAUSES	3·32	3·29	3·33	740	352	388	266	22	3	1	6	298	11	4	8	8	18	21	26	36	87	223

Marriages - - - 1,598

Births - {Males - 3,506} {Females - 3,424} 6,930

Annual Rate per 1000 living {Persons Married 14·35 / Births - - 31·12}

Deaths from Childbirth and Puerperal Fever - - - - - 3·61 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

263.—WAREHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rates per 1000	—	In Standard Population* 13·66 / 14·07 / 13·27	190 / 198 / 182	–	–	–	–	33·39 / 36·97 / 29·80	3·80 / 3·59 / 3·99	2·13 / 1·91 / 2·35	4·31 / 4·45 / 4·16	5·75 / 5·08 / 6·39	6·46 / 6·30 / 6·65	9·37 / 10·96 / 7·87	19·47 / 19·28 / 19·64	21·05 / 22·68 / 19·42	49·57 / 51·28 / 48·04	146·63 / 142·16 / 150·94
Mean Population, 1881-90.	Decennial Decrease of Population 2·16 per cent.	16,763 / 8,225 / 8,538	431 / 214 / 217	436 / 241 / 225	439 / 227 / 212	439 / 226 / 213	429 / 212 / 217	2174 / 1080 / 1094	20·5 / 10·2 / 10·3	1876 / 949 / 927	1531 / 849 / 682	1252 / 640 / 612	2167 / 1043 / 1124	1782 / 867 / 915	1490 / 710 / 780	1197 / 560 / 637	823 / 390 / 433	416 / 204 / 212
Deaths from All Causes, 1881-90.	16·20 / 16·70 / 15·62	2,715 / 1,381 / 1,334	457 / 252 / 205	156 / 88 / 68	55 / 34 / 21	27 / 14 / 13	31 / 15 / 16	726 / 403 / 323	78 / 36 / 42	40 / 18 / 22	66 / 36 / 30	72 / 31 / 41	140 / 72 / 68	167 / 95 / 72	156 / 73 / 83	252 / 127 / 125	408 / 200 / 208	610 / 290 / 320

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	0·01	–	1	1	–
Measles	0·12	0·12	0·12	20	10	10
Scarlet Fever	0·10	0·12	0·08	17	10	7
Diphtheria	0·23	0·17	0·28	38	14	24
Whooping-cough	0·24	0·18	0·29	40	15	25
Typhus	–	–	–	–	–	–
Enteric Fever	0·18	0·18	0·18	30	15	15
Simple Continued Fever	0·02	0·01	0·04	4	1	3
Diarrœa and Dysentery	0·21	0·23	0·14	35	23	12
Cholera	–	–	–	–	–	–
Cancer	0·51	0·45	0·57	86	37	49
Tabes Mesenterica	0·16	0·21	0·10	26	17	9
Phthisis	1·54	1·40	1·68	258	115	143
Other Tub. & Scrof. Dis.	0·38	0·35	0·40	63	29	34
Diseases of Nervous System	2·06	1·99	2·13	346	164	182
Circulatory „	1·97	2·01	1·93	330	165	165
Respiratory „	3·14	3·44	2·86	527	283	244
Digestive „	1·17	1·18	1·16	196	97	99
Urinary „	0·41	0·53	0·28	68	44	24
Generative „	0·04	–	0·07	6	–	6
Puerperal Fever	0·02	–	0·05	4	–	4
Childbirth	0·07	–	0·14	12	–	12
Violence	0·61	0·97	0·27	103	80	23
Other Causes	3·01	3·19	2·85	505	261	244

Persons

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	9	4	3	–	3	19	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	1	1	2	2	7	4	2	2	–	1	1	–	–	–	–
Diphtheria	–	4	1	1	4	10	18	7	2	–	–	–	–	–	–	1
Whooping-cough	21	13	2	–	1	39	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	1	2	4	6	3	5	2	5	1	1	2	–	1
Simple Continued Fever	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	1
Diarrœa and Dysentery	12	4	2	–	–	18	–	1	–	1	1	–	1	–	2	11
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	1	–	–	–	1	6	14	21	22	21
Tabes Mesenterica	12	6	3	1	1	23	1	1	–	–	–	–	1	–	–	–
Phthisis	5	4	4	2	–	15	–	3	23	35	69	58	23	16	14	3
Other Tub. & Scrof. Dis.	16	16	3	1	2	38	9	6	3	1	2	2	1	1	–	–
Diseases of Nervous System	72	17	4	3	1	97	3	1	5	6	5	9	25	36	67	87
Diseases of Circulatory „	2	1	1	–	–	4	3	4	2	5	9	20	17	66	113	87
Diseases of Respiratory „	101	57	21	13	8	200	11	3	4	4	11	14	16	35	79	130
Diseases of Digestive „	26	13	4	–	3	46	4	–	3	1	4	9	19	29	43	38
Diseases of Urinary „	–	–	–	–	1	1	–	–	–	4	1	4	13	10	10	13	13
Diseases of Generative „	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	1	–	–	2	9	–	–	–	10
Violence	8	4	1	2	1	16	5	6	10	8	13	11	6	13	5	10
Other Causes	172	9	5	1	2	189	5	2	3	7	9	15	19	21	48	187

Marriages - - - 1,119

Births { Males - 2,569 / Females - 2,515 } 5,084

Annual Rate per 1000 living { Persons Married 13·35 / Births - 30·33

Deaths from Childbirth and Puerperal Fever - - - } 3·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

264.—WEYMOUTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·65	†103	–	–	–	–	41·25	3·40	2·19	3·79	4·71	5·78	8·74	14·10	24·30	49·85	135·87
Males	—	Standard 15·56	†124	–	–	–	–	46·49	3·11	1·94	4·11	4·82	6·16	9·94	14·74	22·57	57·58	143·80
Females	—	Population* 13·79	† 93	–	–	–	–	35·93	3·70	2·45	3·41	4·60	5·34	7·42	13·50	25·90	43·82	130·58
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·90 per cent.	32,325	718	667	684	642	678	3389	3293	3283	3532	3224	4966	3753	2858	2082	1340	605
Males		16,556	368	333	345	336	326	1708	1672	1648	1947	1723	2680	1961	1391	997	587	242
Females		15,769	350	334	339	306	352	1681	1621	1635	1585	1501	2286	1792	1467	1085	753	363
Deaths from All Causes, 1881-90. Persons	15·10	4,882	881	298	103	71	45	1398	112	72	134	152	287	328	403	506	668	822
Males	15·20	2,517	514	162	56	33	29	794	52	32	80	83	165	195	205	225	338	348
Females	15·00	2,365	367	136	47	38	16	604	60	40	54	69	122	133	198	281	330	474

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·46	0·46	0·46	150	77	73	25	48	28	22	13	136	13	–	1	–	–	–	–	–	–
Scarlet Fever	0·07	0·10	0·05	24	16	8	–	4	5	3	2	14	7	3	–	–	–	–	–	–	–
Diphtheria	0·07	0·05	0·08	22	9	13	–	2	–	4	4	10	7	1	2	1	1	–	–	–	–
Whooping-cough	0·16	0·16	0·16	52	26	26	20	23	3	1	1	48	4	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·21	0·21	0·22	69	34	35	–	1	1	1	–	3	11	7	8	9	11	7	6	4	2	1
Simple Continued Fever	0·03	0·02	0·04	9	3	6	–	–	1	1	–	2	–	3	–	2	–	–	–	1	1	–
Diarrhœa and Dysentery	0·43	0·46	0·41	140	76	64	83	9	3	1	1	97	1	–	2	1	3	3	4	8	8	13
Cholera	0·01	–	0·02	3	–	3	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1
Cancer	0·53	0·38	0·68	171	63	108	–	–	–	1	–	1	–	–	1	3	3	19	39	50	32	23
Tabes Mesenterica	0·11	0·14	0·08	36	24	12	15	6	2	3	1	27	4	2	–	–	1	1	1	–	–	–
Phthisis	1·15	1·20	1·10	373	199	174	4	10	2	–	1	17	2	14	38	60	91	65	46	32	7	1
Other Tub. & Scrof. Dis.	0·23	0·24	0·22	75	40	35	19	11	6	3	2	41	12	3	7	2	4	2	2	1	–	1
Diseases of Nervous System	2·23	2·17	2·29	720	359	361	146	30	7	5	2	190	18	7	12	10	24	30	59	78	146	146
Diseases of Circulatory „	1·71	1·56	1·86	552	259	293	1	–	–	–	–	1	2	6	9	9	27	44	82	97	160	115
Diseases of Respiratory „	2·90	2·98	2·82	938	494	444	203	101	26	19	12	361	13	7	20	10	22	36	51	97	141	180
Diseases of Digestive „	1·05	1·14	0·95	338	188	150	62	26	8	1	2	99	4	3	2	8	19	34	35	43	46	40
Diseases of Urinary „	0·47	0·57	0·36	152	95	57	2	–	–	–	–	2	–	3	3	1	11	22	25	28	31	26
Diseases of Generative „	0·07	0·01	0·14	23	1	22	1	–	–	–	–	1	–	–	–	2	2	3	3	11	1	–
Puerperal Fever	0·02	–	0·05	8	–	8	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–
Childbirth	0·07	–	0·15	23	–	23	–	–	–	–	–	–	–	–	–	5	10	8	–	–	–	–
Violence	0·58	0·96	0·18	188	159	29	12	6	3	2	4	27	6	4	12	18	29	30	24	11	15	12
OTHER CAUSES	2·54	2·38	2·68	815	394	421	287	21	7	4	–	319	8	9	16	9	25	22	26	40	78	263

Marriages 2,163

Births { Males 4,157 / Females 3,967 } 8,124

Annual Rate per 1000 living { Persons Married 13·38 / Births 25·13

Deaths from Childbirth and Puerperal Fever 3·82 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

265.—DORCHESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 15·42	† 97	–	–	–	–	35·65	3·68	2·46	4·01	5·62	7·64	11·31	14·29	27·64	56·99	152·56
Annual Death-Rate per 1000. Males	—	Standard 16·13	†108	–	–	–	–	39·61	3·48	2·35	3·53	5·73	7·31	13·20	16·41	29·10	60·28	160·40
Annual Death-Rate per 1000. Females	—	Population* 14·74	† 87	–	–	–	–	31·66	3·89	2·58	4·59	5·50	7·94	10·59	12·37	26·29	54·10	145·95
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·65 per cent.	24,687	580	606	578	604	597	2965	2770	2639	2491	2048	3366	2669	2226	1751	1216	546
Mean Population, 1881–91. Males		12,205	300	319	293	302	282	1487	1381	1320	1359	1029	1641	1273	1054	842	569	250
Mean Population, 1881–91. Females		12,482	280	286	285	302	315	1478	1389	1319	1132	1019	1725	1396	1172	909	647	296
Deaths from All Causes, 1881–90. Persons	17·59	4342	678	213	69	62	35	1057	102	65	100	115	257	318	318	484	693	833
Deaths from All Causes, 1881–90. Males	18·27	2,230	386	114	36	39	14	589	48	31	48	59	120	173	173	245	343	401
Deaths from All Causes, 1881–90. Females	16·92	2,112	292	99	33	23	21	468	54	34	52	56	137	145	145	239	350	432

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·28	0·30	0·26	70	37	33	12	23	10	8	2	55	11	3	–	–	–	1	–	–	–	–
Scarlet Fever	0·08	0·04	0·12	20	5	15	–	4	1	1	1	7	11	1	–	–	1	–	–	–	–	–
Diphtheria	0·15	0·20	0·11	38	24	14	–	2	3	6	2	13	14	7	1	–	1	2	–	–	–	–
Whooping-cough	0·23	0·24	0·20	54	29	25	22	19	5	4	1	51	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·07	18	9	9	–	–	–	–	–	–	1	1	2	5	4	–	2	2	1	–
Simple Continued Fever	0·01	–	0·02	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·23	0·23	0·22	55	27	28	21	4	2	–	1	28	–	–	1	–	–	2	2	3	6	13
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·53	0·75	159	65	94	–	–	1	1	–	2	–	2	1	4	7	11	33	40	32	27
Tabes Mesenterica	0·11	0·08	0·14	27	10	17	7	5	4	–	–	16	3	3	1	–	2	1	–	1	–	–
Phthisis	1·96	1·88	2·03	483	230	253	7	1	3	1	1	13	9	5	46	49	122	86	59	46	38	10
Other Tub. & Scrof. Dis.	0·26	0·33	0·19	64	40	24	9	15	3	4	2	33	8	6	6	5	–	3	1	2		
Diseases of Nervous System	3·09	3·43	2·76	762	418	344	131	29	6	6	8	180	10	9	9	13	29	51	60	100	166	135
Diseases of Circulatory „	2·20	2·20	2·20	544	269	275	2	–	–	2	–	4	2	5	7	4	9	37	51	109	168	157
Diseases of Respiratory „	2·99	3·22	2·76	738	393	345	107	83	16	18	11	295	12	5	7	6	14	31	38	78	120	132
Diseases of Digestive „	0·98	0·96	0·99	241	117	124	32	7	2	–	1	42	7	2	2	5	10	20	18	44	73	32
Diseases of Urinary „	0·49	0·57	0·41	121	70	51	–	–	–	1	–	1	2	–	5	2	7	10	16	32	26	11
Diseases of Generative „	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	–	1	2	4	1	3	2
Puerperal Fever	0·06	–	0·13	16	–	16	–	–	–	–	–	–	–	–	1	3	8	4	–	–	–	–
Childbirth	0·08	–	0·16	20	–	20	–	–	–	–	–	–	–	–	–	1	9	9	1			
Violence	0·47	0·66	0·28	115	80	35	10	3	5	5	4	27	4	4	3	6	13	10	8	16	12	12
Other Causes	3·17	3·34	3·01	781	407	374	258	18	8	5	1	290	4	12	7	12	29	29	25	19	62	391

Marriages 1,760

Births { Males 3,589 / Females 3,375 } 6,964

Annual Rate per 1000 living { Persons Married 14·26 / Births 28·21 }

Deaths from Childbirth and Puerperal Fever 8·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

266.—SHERBORNE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·52	†89	–	–	–	–	31·41	3·91	2·13	3·20	5·09	4·86	8·10	12·56	25·43	57·28	141·12
Males	—	Standard 14·28	†99	–	–	–	–	34·16	3·29	2·09	2·48	6·88	5·35	9·25	15·07	26·02	62·54	153·68
Females	—	Population* 12·79	†79	–	–	–	–	28·76	4·52	2·18	4·02	3·75	4·46	7·21	10·48	24·95	52·84	130·95
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·46 per cent.	12,539	305	282	298	287	302	1474	1407	1452	1373	1022	1544	1333	1131	881	618	304
Males		5,947	135	143	149	142	154	723	699	704	727	436	692	584	511	392	283	136
Females		6,592	170	139	149	145	148	751	708	688	646	586	852	749	620	489	335	168
Deaths from All Causes, 1881–90. Persons	15·77	1,977	297	95	32	22	17	463	55	31	44	52	75	108	142	224	354	429
Males	16·65	990	166	46	18	10	7	247	23	16	18	30	37	54	77	102	177	209
Females	14·97	987	131	49	14	12	10	216	32	15	26	22	38	54	65	122	177	220

	CRUDE DEATH-RATE PER 1000.			ALL AGES.			PERSONS.													
	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·27	0·26	33	16	17	5	14	7	1	–	27	4	–	1	–	–	1	–	–	–	–
Scarlet Fever	0·17	0·15	0·18	21	9	12	2	2	2	6	3	15	4	2	–	–	–	–	–	–	–	–
Diphtheria	0·18	0·24	0·12	22	14	8	1	2	2	2	3	10	10	2	–	–	–	–	–	–	–	–
Whooping-cough	0·17	0·13	0·20	21	8	13	9	7	1	–	1	18	3	–	–	–	–	–	–	–	–	–
Typhus	..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·08	0·11	12	5	7	–	–	–	–	–	–	–	2	3	1	–	1	1	1	2	1
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·24	0·14	23	14	9	9	–	–	–	–	9	–	–	–	1	–	1	–	1	7	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·49	0·80	82	29	53	–	–	–	–	–	–	–	–	–	–	–	3	18	23	29	9
Tabes Mesenterica	0·06	0·07	0·06	8	4	4	2	2	–	–	–	4	–	1	1	–	2	–	–	–	–	–
Phthisis	1·04	1·18	0·93	131	70	61	1	2	–	–	–	3	–	2	11	24	37	23	17	8	5	1
Other Tub. & Scrof. Dis.	0·18	0·20	0·15	22	12	10	3	3	3	1	1	11	3	3	1	–	2	1	–	1	–	–
Diseases of: Nervous System	2·16	2·25	2·08	271	134	137	44	16	3	–	1	64	7	1	5	3	4	9	16	38	63	61
Circulatory „	1·79	1·80	1·79	225	107	118	–	–	–	–	–	–	2	1	2	1	3	14	25	40	75	62
Respiratory „	2·74	3·30	2·23	343	196	147	57	22	9	6	3	97	7	3	4	4	7	13	16	43	64	85
Digestive „	1·32	1·33	1·32	166	79	87	22	13	2	3	2	42	6	3	3	3	5	5	17	31	36	15
Urinary „	0·56	0·61	0·52	70	36	34	–	1	–	–	–	1	2	1	–	–	–	11	9	14	18	14
Generative „	0·08	0·02	0·14	10	1	9	–	–	–	–	–	–	–	1	–	–	–	2	4	–	1	2
Puerperal Fever	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Childbirth	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	2	2	2	3	–	–	–	–
Violence	0·44	0·54	0·35	55	32	23	6	1	1	–	–	8	3	3	2	4	3	5	6	5	8	3
OTHER CAUSES	3·54	3·73	3·32	444	223	221	136	10	2	3	3	154	3	6	9	7	7	13	13	19	46	167

Marriages – – 838

Births – Males 1,670 / Females 1,660 = 3,330

Annual Rate per 1000 living: Persons Married 13·37; Births – – 26·56

Deaths from Childbirth and Puerperal Fever – – – – – 4·80 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

267.—BEAMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000. Persons	—	In 15·19	†104	–	–	–	–	39·66	4·16	2·43	3·02	5·81	6·03	9·68	17·09	23·38	54·67	139·61
Annual Death-Rate per 1000. Males	—	Standard 15·40	†115	–	–	–	–	42·86	4·65	2·56	3·32	5·64	5·85	9·23	12·49	25 41	60·56	176·92
Annual Death-Rate per 1000. Females	—	Population* 14·99	† 94	–	–	–	–	36·78	4·84	2·31	4·56	7·86	6·21	10·08	9·82	21·62	50·00	105·40
Mean Population, 1881-90. Persons	Decennial Decrease of Population 9·85 per cent.	10,917	273	261	270	274	266	1344	1300	1192	1046	792	1359	1147	1025	787	642	384
Mean Population, 1881-90. Males	Decennial Decrease of Population 9·85 per cent.	5,514	137	115	128	139	128	637	618	585	542	385	650	542	475	366	284	130
Mean Population, 1881-90. Females	Decennial Decrease of Population 9·85 per cent.	5,703	146	146	142	135	138	707	682	607	504	407	709	605	550	421	358	154
Deaths from Acute Diseases, 1881-90. Persons	18·58	2,028	334	117	37	20	16	523	58	29	41	46	82	111	113	184	351	480
Deaths from Acute Diseases, 1881-90. Males	18·03	987	179	54	17	15	8	273	25	15	18	14	38	50	59	93	173	260
Deaths from Acute Diseases, 1881-90. Females	18·25	1,041	155	63	20	14	8	260	33	14	23	32	44	61	54	91	179	220

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·13	0·12	14	7	7	1	6	–	1	1	9	4	–	–	1	–	–	–	–	–
Scarlet Fever	0·02	0·03	0·02	2	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Diphtheria	0·33	0·33	0·33	36	17	19	1	2	4	6	3	16	17	2	–	–	–	–	–	1	–
Whooping-cough	0·32	0·23	0·40	35	12	23	15	8	8	1	3	33	2	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·07	0·10	0·05	8	5	3	1	–	–	–	–	1	–	–	2	–	3	–	–	1	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·18	0·15	0·21	20	8	12	10	2	–	–	–	12	1	–	–	–	–	1	3	–	3
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·60	0·36	0·81	65	19	46	–	–	–	–	–	–	1	–	–	–	2	5	11	18	16	12
Tabes Mesenterica	0·24	0·29	0·19	26	15	11	10	8	3	1	–	22	2	–	1	–	1	–	–	–	–	–
Phthisis	1·43	1·25	1·60	156	65	91	3	2	–	1	–	6	2	8	14	20	35	29	22	13	7	–
Other Tub. & Scrof. Dis.	0·25	0·23	0·26	27	12	15	7	5	–	1	1	14	1	2	1	3	1	2	1	1	1	–
Diseases of Nervous System	2·34	2·51	2·17	255	131	124	47	12	4	2	–	65	7	4	5	2	8	13	5	26	39	63
Diseases of Circulatory „	2·70	2·61	2·79	295	135	159	–	–	–	–	–	–	2	2	4	3	6	20	20	40	97	103
Diseases of Respiratory „	3·41	3·83	3·05	372	199	173	71	45	9	12	3	140	8	3	3	5	4	14	19	32	67	77
Diseases of Digestive „	1·37	1·21	1·53	150	63	87	13	9	2	1	1	26	6	3	1	1	4	13	9	23	36	29
Diseases of Urinary „	0·39	0·53	0·28	43	27	16	–	–	–	1	–	1	–	–	–	1	3	2	5	4	16	11
Diseases of Generative „	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Puerperal Fever	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Other Childbirth	0·10	–	0·19	11	–	11	–	–	–	–	–	–	–	–	–	4	7	–	–	–	–	–
Violence	0·48	0·69	0·28	52	36	16	9	1	3	–	1	14	–	–	2	–	1	4	10	5	9	7
Other Causes	4·13	4·46	3·83	452	234	218	148	17	4	2	3	174	6	5	7	5	6	8	8	17	40	176

Marriages	713	Annual Rate per 1000 living	Persons Married	13·06
Births – Males	1,557		Births	29·36
Births – Females	1,648			
Births	3,205		Deaths from Childbirth and Puerperal Fever	6·37 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

268.—BRIDPORT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·60	†106	–	–	–	–	37·88	3·62	2·18	2·89	6·63	7·05	8·73	13·33	23·60	51·85	142·67
Males	—	15·18	†113	–	–	–	–	39·61	4·42	1·86	3·44	7·45	6·45	8·88	15·49	25·05	58·57	143·75
Females	—	14·05	† 98	–	–	–	–	36·11	2·82	2·50	2·38	6·01	7·53	8·61	11·61	22·38	46·42	138·14
Mean Population, 1881-91. Persons	Decennial Decrease of Population 5·03 per cent.	14,424	349	335	343	348	354	1729	1769	1700	1453	1025	1716	1489	1313	1072	783	375
Males		6,777	184	171	171	177	173	876	883	859	698	443	760	676	581	491	350	160
Females		7,647	165	164	172	171	181	853	886	841	755	582	956	813	732	581	433	215
Deaths from All Causes, 1881-90. Persons	17·24	2,486	438	128	48	19	22	655	64	37	42	68	121	130	175	253	406	535
Males	18·06	1,224	239	61	24	10	13	347	39	16	24	33	49	60	90	123	205	238
Females	16·50	1,262	199	67	24	9	9	308	25	21	18	35	72	70	85	130	201	297

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·10	0·16	19	7	12	7	2	4	3	2	18	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·09	0·12	15	6	9	4	2	2	1	2	11	3	–	–	–	1	–	–	–	–	–
Diphtheria	0·05	0·01	0·08	7	1	6	–	–	1	1	1	3	4	–	–	–	–	–	–	–	–	–
Whooping-cough	0·28	0·28	0·27	40	19	21	17	15	4	1	2	39	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·06	0·04	7	4	3	–	–	–	–	–	–	3	2	1	–	–	–	–	1	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·08	0·06	0·10	12	4	8	6	2	–	–	–	8	1	–	–	–	–	1	–	–	–	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·52	0·95	108	35	73	–	–	–	–	–	–	–	–	1	–	5	10	18	35	20	19
Tabes Mesenterica	0·13	0·15	0·12	19	10	9	5	1	3	1	–	10	5	–	–	1	1	1	–	1	–	–
Phthisis	1·31	1·36	1·27	189	92	97	3	1	–	–	1	5	1	10	20	29	42	32	25	15	9	1
Other Tub. & Scrof. Dis.	0·25	0·25	0·25	36	17	19	8	7	1	–	–	16	6	4	1	3	2	2	1	–	1	–
Diseases of Nervous System	2·55	2·72	2·41	368	184	184	85	25	7	2	3	122	5	8	2	6	10	5	22	41	72	75
Diseases of Circulatory „	1·89	1·87	1·91	273	127	146	–	–	–	1	–	1	3	1	2	3	9	15	28	46	94	71
Diseases of Respiratory „	3·56	4·09	3·09	513	277	236	77	55	18	5	6	161	17	4	2	5	13	18	30	50	106	107
Diseases of Digestive „	0·92	1·00	0·84	132	68	64	14	7	1	–	1	23	1	2	1	3	8	12	20	21	30	11
Diseases of Urinary „	0·43	0·66	0·22	62	45	17	–	1	–	–	–	1	–	–	1	4	2	5	5	11	19	14
Diseases of Generative „	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	–	–	4	1	1	2	1
Puerperal Fever	0·06	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	3	4	1	–	–	–	–
Childbirth	0·07	–	0·13	10	–	10	–	–	–	–	–	–	–	–	1	1	4	3	1	–	–	–
Violence	0·58	0·94	0·25	83	64	19	3	1	3	1	4	12	8	3	5	4	7	5	11	10	8	10
OTHER CAUSES	3·98	3·89	4·07	575	263	312	209	9	4	3	–	225	5	3	4	6	13	16	13	21	45	224

Marriages - - - 976

Births - {Males - 2,109} {Females - 2,041} 4,150

Annual Rate per 1000 living {Persons Married 13·53 / Births - - 28·77}

Deaths from Childbirth and Puerperal Fever - - - - - 4·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

269.—AXMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·75 14·35	† 96	–	–	–	–	34·96	3·10	2·16	2·83	5·45	7·27	9·45	11·87	21·17	50·62	137·14
Males	—		†102	–	–	–	–	37·74	2·40	2·41	2·61	5·89	8·27	10·01	12·27	25·72	53·47	134·82
Females	—		† 88	–	–	–	–	32·03	3·82	1·89	3·25	5·08	6·36	9·09	11·61	17·19	48·13	139·21
Mean Population, 1881–90. Persons	Decrease of Population 5·24 per cent.	18,242	390	408	437	439	420	2094	2129	2082	1765	1413	2119	1841	1738	1483	1053	525
Males		8,706	195	213	222	220	223	1073	1082	1077	872	645	943	819	766	692	480	247
Females		9,536	195	195	215	219	197	1021	1047	1005	893	768	1176	1022	972	791	573	278
Deaths from All Causes, 1881–90. Persons	16·81	3,066	467	155	53	30	27	732	66	45	50	77	154	174	201	314	383	720
Males	17·72	1,543	258	85	30	14	18	405	26	26	21	38	78	82	94	178	262	333
Females	15·97	1,523	209	70	23	16	9	327	40	19	29	39	76	92	107	136	271	387

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·16	0·19	33	14	18	2	16	6	1	1	26	–	4	1	–	–	–	–	–	–
Scarlet Fever	0·07	0·09	0·05	13	8	5	2	2	1	2	–	7	4	2	–	–	–	–	–	–	–
Diphtheria	0·08	0·08	0·07	14	7	7	–	–	2	1	1	4	5	1	2	–	1	1	–	–	–
Whooping-cough	0·26	0·28	0·24	47	24	23	23	12	4	6	2	46	1	–	–	–	–	–	–	–	–
Typhus	0·03	0·06	–	5	5	–	–	–	–	–	1	1	–	–	1	–	1	–	2	–	–
Enteric Fever	0·12	0·17	0·07	22	15	7	–	1	–	–	1	2	2	4	4	4	2	–	2	1	1
Simple Continued Fever	0·03	0·05	0·02	6	4	2	–	–	–	1	–	1	1	–	–	–	–	2	1	1	–
Diarrhœa and Dysentery	0·22	0·23	0·23	41	20	21	21	2	2	–	–	25	–	1	–	–	1	1	2	1	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·45	0·87	122	39	83	–	–	–	–	–	–	1	–	–	–	3	6	25	36	35
Tabes Mesenterica	0·18	0·20	0·16	32	17	15	7	8	3	–	2	20	6	–	1	2	2	1	–	–	–
Phthisis	1·15	1·05	1·25	209	90	119	1	2	2	–	–	5	4	8	21	28	61	37	22	11	10
Other Tub. & Scrof. Dis.	0·22	0·29	0·17	41	25	16	10	11	1	1	2	25	4	2	1	–	3	2	1	2	1
Diseases of Nervous System	2·35	2·39	2·32	429	208	221	35	23	6	6	5	124	5	10	4	11	19	16	24	50	103
Circulatory ,,	2·06	2·19	1·94	376	191	185	4	–	–	–	–	4	1	3	2	5	8	30	36	67	129
Respiratory ,,	2·74	3·26	2·27	500	284	216	96	45	19	9	5	173	10	–	2	2	8	16	30	55	84
Digestive ,,	1·06	1·23	0·94	197	107	90	23	15	4	2	2	45	4	6	–	2	12	14	25	25	40
Urinary ,,	0·34	0·49	0·20	63	43	19	1	–	–	–	–	1	1	–	–	1	8	13	7	9	12
Generative ,,	0·07	0·01	0·13	13	1	12	–	–	–	–	–	–	–	–	–	1	–	1	3	2	4
Puerperal Fever	0·07	–	0·14	13	–	13	–	–	–	–	–	–	–	–	1	2	5	5	–	–	–
Childbirth	0·04	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–
Violence	0·53	0·80	0·25	94	70	24	7	6	1	–	4	18	6	4	5	7	6	10	8	14	7
Other Causes	4·33	4·26	4·40	791	371	420	138	13	2	1	1	205	7	8	6	10	13	14	13	40	103

Marriages	–	1,116	Annual Rate per 1000 living	Persons Married	12·24
Births	Males 2,618	4,985		Births	29·75
	Females 2,367				

Deaths from Childbirth and Puerperal Fever 4·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

270.—HONITON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·10 15·00 13·25	† 89	–	–	–	–	34·98	3·57	2·65	4·01	5·08	7·65	8·59	11·64	23·29	51·48	136·96
Males	—		†102	–	–	–	–	38·49	3·79	3·05	2·61	4·49	8·86	10·50	14·25	24·76	56·87	139·29
Females	—		† 75	–	–	–	–	31·48	3·34	2·25	5·48	5·57	6·69	7·08	9·63	22·14	47·09	134·91
Mean Population, 1881-91. Persons	Decennial Decrease of Population 2·89 per cent.	20,801	496	466	500	482	492	2436	2384	2339	1944	1655	2642	2083	1908	1627	1185	598
Males		9,810	241	234	248	243	250	1216	1215	1181	995	758	1163	924	828	719	531	280
Females		10,991	255	232	252	239	242	1220	1169	1158	949	897	1479	1159	1080	908	654	318
Deaths from All Causes, 1881-90. Persons	17·17	3,572	533	163	74	41	41	852	85	62	78	84	202	179	222	379	610	819
Males	18·33	1,798	312	84	29	24	19	468	46	36	26	34	103	97	118	178	302	390
Females	16·14	1,774	221	79	45	17	22	384	39	26	52	50	99	82	104	201	308	429

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·06	0·10	0·02	12	10	2	1	–	–	–	–	1	–	–	–	1	2	3	2	–	2	1
Measles	0·26	0·19	0·32	54	19	35	15	14	6	5	4	44	6	3	–	–	1	–	–	–	–	–
Scarlet Fever	0·12	0·11	0·12	24	11	13	6	5	2	4	2	19	3	2	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·10	0·10	21	10	11	–	1	2	3	1	7	7	3	1	2	1	–	–	–	–	–
Whooping-cough	0·30	0·29	0·32	63	28	35	34	18	5	1	4	62	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Enteric Fever	0·22	0·21	0·22	45	21	24	–	–	–	–	1	1	6	4	7	4	13	4	3	2	–	1
Simple Continued Fever	0·03	0·02	0 05	7	2	5	–	–	1	–	–	1	2	1	2	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·15	0·13	0·17	32	13	19	12	4	–	1	–	17	–	–	–	–	–	1	–	2	7	5
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·65	0·48	0·80	135	47	88	–	–	–	–	–	–	–	–	–	–	5	7	17	35	44	27
Tabes Mesenterica	0·11	0·16	0·05	22	16	6	5	3	1	1	2	12	4	2	1	2	–	1	–	–	–	–
Phthisis	1·35	1·27	1·42	281	125	156	2	4	3	1	–	10	1	6	31	33	77	52	38	28	5	–
Other Tub. & Scrof. Dis.	0·29	0·32	0·26	60	31	29	11	10	6	2	1	30	8	5	4	3	3	4	2	–	–	1
Diseases of Nervous System	2·38	2·77	2·02	494	272	222	115	26	11	7	5	164	11	7	6	6	15	14	14	54	117	86
Diseases of Circulatory „	1·85	1·84	1·86	384	180	204	1	–	–	–	1	2	4	7	3	6	8	22	32	84	115	101
Diseases of Respiratory „	3·03	3·34	2·75	630	328	302	95	44	18	9	14	180	13	6	1	5	17	23	36	68	123	158
Diseases of Digestive „	1·06	1·14	0·98	220	112	108	20	9	3	1	2	35	6	4	3	3	11	7	27	41	55	28
Diseases of Urinary „	0·47	0·72	0·25	98	71	27	1	2	2	–	1	6	2	2	3	2	4	6	11	20	25	17
Diseases of Generative „	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	1	1	–	1	4	–	1	2
Puerperal Fever	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	–	–	4	4	3	–	–	–
Childbirth	0·07	–	0·14	15	–	15	–	–	–	–	–	–	–	–	1	2	9	3	–	–	–	–
Violence	0·57	0·83	0·34	118	81	37	12	6	2	2	–	22	4	8	4	5	14	13	10	12	14	12
OTHER CAUSES	3·99	4·28	3·75	832	418	414	203	17	12	4	3	239	7	2	9	5	18	15	26	31	100	380

Marriages 1,222

Births { Males 3,053 / Females 2,954 } 6,007

Annual Rate per 1000 living { Persons Married 11·75 / Births 28·38 }

Deaths from Childbirth and Puerperal Fever 4·33 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

271.—St. THOMAS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons —	In Standard Population* 15·76	†109	–	–	–	–	38·91	4·02	3·05	4·61	5·70	6·98	9·92	13·81	23·17	57·70	147·44
	Males —		†124	–	–	–	–	43·30	3·91	2·74	4·49	5·90	7·80	10·53	15·96	27·75	63·55	156·32
	Females —	14·66	† 95	–	–	–	–	34·59	4·12	3·36	4·52	5·55	6·33	9·42	12·48	24·94	58·12	141·22
Mean Popn. 1871–80.	Persons —	Decennial Increase of Population 9·73 per cent.	5,517	1245	1178	1147	1224	1184	5975	5827	5481	4947	3869	6766	5577	3633	3748	2355	1229
	Males —		2,543	643	581	597	605	572	2968	2916	2769	2393	1746	2960	2487	1582	1645	1166	586
1881–90.	Females —		2,974	602	594	550	619	612	3007	2911	2712	2544	2253	3806	3090	2051	2105	1489	723
Deaths Corrected	Persons —	18·12	2,159	1548	437	183	112	76	2325	234	147	214	228	473	553	641	981	1532	1812
All Causes.	Males —	20·12	4,185	897	243	87	52	36	1285	114	76	108	103	231	262	318	456	741	791
1881–90.	Females —	17·25	4,074	651	194	95	60	40	1040	120	91	106	125	241	291	323	525	791	1021

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Measles	0·79	0·83	0·75	147	78	69	34	39	22	16	13	124	18	3	1	–	1	–	–	1	1	–
Scarlet Fever	0·10	0·14	0·07	52	33	19	7	8	7	13	2	36	7	3	4	–	1	1	–	–	–	–
Diphtheria	0·13	0·15	0·11	66	36	30	1	3	8	8	4	24	23	14	2	–	1	–	1	–	1	–
Whooping-cough	0·34	0·32	0·37	174	74	100	85	48	15	12	8	168	5	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	4	1	3	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–
Enteric Fever	0·21	0·22	0·21	108	51	57	–	1	2	–	2	5	17	11	22	13	18	7	8	4	1	2
Simple Continued Fever	0·03	0·03	0·03	16	7	9	–	–	1	1	–	2	6	–	–	–	2	1	–	2	–	3
Diarrhœa and Dysentery	0·39	0·41	0·38	199	96	103	105	15	2	2	–	124	1	2	–	–	3	3	6	11	24	25
Cholera	0·02	0·02	0·01	8	5	3	2	–	–	–	–	2	3	–	–	–	–	1	1	–	1	–
Cancer	0·70	0·58	0·82	356	135	221	1	–	–	–	–	1	–	2	1	1	7	25	51	101	118	49
Tabes Mesenterica	0·12	0·15	0·10	62	36	26	28	12	2	–	–	42	4	6	2	2	3	2	1	–	–	–
Phthisis	1·69	1·85	1·63	864	363	501	20	9	4	2	2	37	8	26	73	91	192	140	98	94	37	7
Other Tub. & Scrof. Dis.	0·28	0·29	0·28	143	68	75	2	18	10	9	5	67	16	11	8	6	14	9	7	3	1	1
Diseases of Nervous System	2·89	3·19	2·64	1462	748	714	234	66	24	8	9	341	29	22	23	25	67	109	138	169	270	269
" Circulatory	2·04	1·94	2·13	1033	455	578	1	2	1	1	–	5	7	16	15	15	30	52	102	247	340	244
" Respiratory	3·41	3·77	3·09	1722	884	838	334	147	58	28	21	588	37	9	8	15	26	58	86	138	318	379
" Digestive	0·93	1·04	0·84	471	245	226	76	23	10	4	5	118	9	9	7	8	13	34	42	64	57	30
" Urinary	0·45	0·57	0·35	229	134	95	2	4	–	–	–	6	3	2	2	8	15	24	18	32	58	48
" Generative	0·04	0·01	0·07	22	2	20	–	–	–	–	–	–	–	–	–	3	3	5	4	3	2	2
Puerperal Fever	0·04	–	0·07	19	–	19	–	–	–	–	–	–	–	–	–	2	7	10	–	–	–	–
Childbirth	0·06	–	0·11	30	–	30	–	–	–	–	–	–	–	–	–	3	11	15	1	–	–	–
Violence	0·58	0·84	0·32	295	197	98	25	9	5	3	3	45	21	12	26	17	29	16	45	33	29	22
Other Causes	3·46	3·56	3·42	1733	835	898	538	33	11	6	2	590	19	10	19	19	28	40	51	66	214	630

Marriages	2,798	Annual Rate per 1000 living	Persons Married 10·79	Deaths from Childbirth and Puerperal Fever	3·32 per 1000 Births.
Births — Males	7,016		Births 27·50		
Females	6,846				
	13,902				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

272.—EXETER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·15	†159	–	–	–	–	65·35	5·04	4·01	5·09	6·55	8·68	14·13	18·19	32·36	60·69	156·92
Annual Death-Rate per 1000. Males	—	In Standard Population* 23·11	†171	–	–	–	–	68·85	5·22	4·25	6·23	8·67	9·75	16·31	21·84	40·66	69·66	168·36
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·31	†146	–	–	–	–	61·81	4·85	3·78	4·20	5·14	7·87	12·41	15·53	26·50	55·24	150·69
Mean Population, 1881-91. Persons	Decennial Decrease of Population 0·27 per cent.	37,618	889	792	754	772	767	3974	3793	3790	4085	3663	5530	4353	3409	2506	1735	780
Mean Population, 1881-91. Males	Decennial Decrease of Population 0·27 per cent.	16,724	444	387	371	406	389	1997	1898	1860	1798	1465	2380	1919	1438	1038	656	275
Mean Population, 1881-91. Females	Decennial Decrease of Population 0·27 per cent.	20,894	445	405	383	366	378	1977	1895	1930	2287	2198	3150	2434	1971	1468	1079	505
Deaths from All Causes, 1881-90. Persons	21·77	8,191	1682	529	190	120	76	2597	191	152	208	240	480	615	620	811	1053	1224
Deaths from All Causes, 1881-90. Males	23·83	3,993	918	257	96	59	45	1375	99	79	112	127	232	313	314	422	457	463
Deaths from All Causes, 1881-90. Females	20·09	4,198	764	272	94	61	31	1222	92	73	96	113	248	302	306	389	596	761

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·54	0·56	0·53	204	94	110	33	84	37	26	9	189	11	1	1	–	2	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·07	34	19	15	2	6	5	7	3	23	4	5	1	–	1	–	–	–	–	–
Diphtheria	0·06	0·05	0·07	24	9	15	4	2	2	2	3	13	7	1	2	–	–	–	–	1	–	–
Whooping-cough	0·45	0·50	0·42	171	84	87	86	43	23	11	2	165	4	–	1	–	–	–	–	–	–	1
Typhus	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
Enteric Fever	0·19	0·22	0·17	73	37	36	1	1	5	3	2	12	7	8	11	10	12	7	5	1	–	–
Simple Continued Fever	0·05	0·04	0·05	17	6	11	–	–	2	–	2	4	3	1	–	–	2	2	1	2	2	–
Diarrhœa and Dysentery	0·56	0·62	0·51	210	103	107	154	19	1	2	–	176	2	–	1	–	1	1	–	5	8	16
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	1·01	0·78	1·20	381	131	250	–	–	1	–	1	2	–	–	–	2	12	44	73	113	85	50
Tabes Mesenterica	0·21	0·27	0·16	79	45	34	34	16	3	4	2	59	5	5	5	1	1	1	2	–	–	–
Phthisis	2·29	2·63	2·01	859	439	420	6	6	1	4	1	18	18	21	64	103	201	190	131	82	29	2
Other Tub. & Scrof. Dis.	0·48	0·56	0·41	179	93	86	19	23	12	9	12	75	26	17	16	15	12	9	5	2	2	–
Diseases of Nervous System	3·09	3·28	2·94	1162	548	614	329	69	13	8	7	426	22	10	13	13	33	50	73	127	203	192
Diseases of Circulatory „	2·18	2·25	2·13	820	376	444	6	1	1	–	1	9	11	15	10	15	40	71	98	168	235	148
Diseases of Respiratory „	3·78	4·21	3·43	1421	704	717	329	178	53	33	18	611	29	16	8	14	26	49	81	121	234	232
Diseases of Digestive „	1·24	1·35	1·15	467	226	241	102	36	7	3	4	152	11	7	8	3	23	46	47	63	62	45
Diseases of Urinary „	0·58	0·90	0·32	218	151	67	2	2	–	–	–	4	4	4	7	9	14	29	29	34	54	30
Diseases of Generative „	0·07	–	0·13	27	–	27	–	–	–	–	–	–	–	–	–	4	2	11	4	4	2	–
Puerperal Fever	0·05	–	0·08	17	–	17	–	–	–	–	–	–	–	–	–	3	7	7	–	–	–	–
Childbirth	0·05	–	0·10	20	–	20	–	–	–	–	–	–	–	–	1	2	8	7	2	–	–	–
Violence	0·91	1·45	0·48	343	242	101	21	5	9	3	8	46	14	22	37	24	44	45	26	36	26	23
OTHER CAUSES	3·88	4·08	3·73	1461	683	778	554	38	15	5	1	613	13	18	22	22	37	46	43	51	111	485

Marriages - - - 3,827

Births - { Males - 5,372 / Females - 5,218 } 10,590

Annual Rate per 1000 living { Persons Married 20·35 / Births - - 28·15

Deaths from Childbirth and Puerperal Fever - - - - - 3·49 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

273.—NEWTON ABBOT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	Persons			In Standard Population*		15·10 16·70 13·59	†117 †133 †102	– – –	– – –	– – –	– – –	41·62 47·17 36·08	3·24 3·31 3·17	2·48 2·42 2·53	4·36 4·67 4·11	5·56 6·89 4·75	6·44 7·63 5·67	8·39 10·35 7·02	12·47 15·25 10·50	24·67 27·98 22·27	51·92 48·71 46·97	143·21 151·45 137·89
Mean Population, 1881–90.	Persons	Decennial Increase of Population 5·89 per cent.		77,246			1762	1559	1752	1667	1684	8424	8213	7957	7505	6947	11125	8690	7210	5708	3788	1671
	Males			33,646			896	782	871	821	838	4208	4018	3932	3316	2611	4350	3574	2983	2398	1991	655
1881–90.	Females			43,600			896	777	881	846	846	4216	4195	4025	4189	4336	6775	5116	4227	3310	2195	1016
Deaths from All Causes, 1881–90.	Persons	16·57		12,798			2286	675	261	161	123	3506	266	197	327	386	716	729	899	1408	1971	2393
	Males	18·75		6,308			1305	380	146	87	67	1985	133	95	155	180	332	370	456	671	940	993
	Females	14·89		6,490			981	295	115	74	56	1521	133	102	172	206	384	359	444	737	1031	1401

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·21	0·18	149	72	77	27	51	28	16	15	137	9	1	–	1	–	–	1	–	–	–
Scarlet Fever	0·09	0·11	0·06	66	38	28	6	15	8	9	11	49	12	1	–	1	3	–	–	–	–	–
Diphtheria	0·05	0·06	0·05	42	20	22	4	5	4	5	5	23	13	4	1	–	–	1	1	–	–	–
Whooping-cough	0·34	0·42	0·29	266	140	126	134	62	44	9	10	259	7	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·17	0·10	103	58	44	–	–	5	1	1	7	7	15	23	17	13	11	4	3	2	–
Simple Continued Fever	0·01	0·01	0·01	9	4	5	–	–	–	–	–	–	1	–	–	1	1	1	1	1	2	1
Diarrhœa and Dysentery	0·28	0·34	0·24	218	115	103	120	13	5	3	3	148	1	1	1	–	3	1	3	7	23	21
Cholera	0·00	0·01	–	3	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
Cancer	0·78	0·57	0·94	601	192	409	–	–	–	–	–	–	1	2	1	4	13	44	104	170	167	95
Tabes Mesenterica	0·19	0·23	0·16	149	78	71	66	21	5	3	2	96	17	10	13	3	2	4	–	4	–	–
Phthisis	1·79	2·00	1·63	1384	674	710	20	17	3	3	3	46	16	42	131	206	357	258	161	100	87	10
Other Tub. & Scrof. Dis.	0·43	0·57	0·32	332	193	139	77	52	25	16	13	183	52	26	25	14	17	8	4	1	2	–
Diseases of: Nervous System	2·40	2·82	2·08	1854	949	905	358	85	28	21	17	509	35	17	33	19	46	53	116	243	379	403
Circulatory	1·84	1·99	1·73	1424	671	753	5	1	1	–	2	9	8	15	23	22	47	76	155	277	449	544
Respiratory	2·99	3·49	2·60	2308	1174	1134	533	233	73	59	27	925	34	8	16	22	40	77	111	237	390	439
Digestive	1·05	1·17	0·96	812	395	417	159	53	7	9	3	229	13	16	20	12	33	46	74	119	148	109
Urinary	0·45	0·63	0·31	345	212	133	3	2	1	–	–	6	3	3	6	5	22	32	54	65	92	57
Generative	0·07	0·01	0·11	52	4	48	1	–	–	–	–	1	–	–	2	3	5	10	11	10	7	3
Puerperal Fever	0·05	–	0·09	39	–	39	–	–	–	–	–	–	–	–	–	–	6	16	15	2	–	–
Childbirth	0·05	–	0·08	36	–	36	–	–	–	–	–	–	–	–	–	1	9	15	11	–	–	–
Violence	0·42	0·70	0·20	322	236	86	35	7	7	5	3	57	15	12	11	21	33	34	23	20	23	23
Other Causes	2·97	3·24	2·75	2285	1080	1205	747	53	17	4	6	827	24	23	21	20	39	47	63	120	226	378

Marriages		5,141	Annual Rate per 1000 living	Persons Married	13·31	Deaths from Childbirth and Puerperal Fever	3·35 per 1000 Births.
Births	Males 9,808 / Females 9,657	19,465		Births	25·20		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·63	†107	–	–	–	–	41·05	3·53	2·26	3·93	5·22	6·70	8·87	12·46	22·33	49·20	136·09
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·40	†114	–	–	–	–	44·25	3·30	1·89	4·21	5·55	6·66	9·90	15·02	24·80	52·51	141·95
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·91	†101	–	–	–	–	37·90	3·76	2·67	3·66	4·96	6·74	7·99	10·36	20·25	46·44	131·98
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·49 per cent.	38,503	979	909	922	923	930	4663	4504	4284	3738	3273	5101	4069	3388	2683	1880	920
Mean Population, 1881-91. Males	Decennial Increase of Population 10·49 per cent.	18,246	481	461	450	452	468	2312	2244	2224	1828	1477	2298	1878	1525	1226	855	379
Mean Population, 1881-91. Females	Decennial Increase of Population 10·49 per cent.	20,257	498	448	472	471	462	2351	2260	2060	1910	1796	2803	2191	1863	1457	1025	541
Deaths from All Causes, 1881-90. Persons	16·59	6,389	1182	381	161	112	78	1914	159	97	147	171	342	361	422	599	925	1252
Deaths from All Causes, 1881-90. Males	17·30	3,157	635	205	83	56	44	1023	74	42	77	82	153	186	229	304	449	538
Deaths from All Causes, 1881-90. Females	15·95	3,232	547	176	78	56	34	891	85	55	70	89	189	175	193	295	476	714

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Measles	0·30	0·32	0·27	114	59	55	23	36	25	16	8	108	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·29	0·27	0·31	111	49	62	4	15	28	18	12	77	25	5	–	1	2	–	–	1	–	–
Diphtheria	0·09	0·09	0·09	34	16	18	4	2	3	4	6	19	11	1	2	–	1	–	–	–	–	–
Whooping-cough	0·34	0·36	0·32	130	65	65	62	35	17	5	5	124	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1
Enteric Fever	0·14	0·16	0·13	55	29	26	2	–	–	–	1	3	6	8	5	11	5	5	5	4	3	–
Simple Continued Fever	0·05	0·07	0·04	20	12	8	–	–	2	–	1	3	2	3	1	2	1	3	–	2	1	2
Diarrhœa and Dysentery	0·35	0·41	0·30	136	75	61	71	19	2	1	1	94	1	–	1	–	1	1	4	7	8	19
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·32	0·87	236	59	177	–	2	–	–	–	2	–	–	1	–	10	21	43	55	62	42
Tabes Mesenterica	0·08	0·09	0·07	31	17	14	9	7	4	2	1	23	4	1	–	–	1	–	1	1	–	–
Phthisis	1·44	1·43	1·46	556	261	295	13	8	5	1	4	31	5	24	69	74	130	96	66	47	19	1
Other Tub. & Scrof. Dis.	0·26	0·33	0·20	101	60	41	26	20	9	4	2	61	14	4	4	3	7	3	–	3	1	1
Diseases of Nervous System	2·27	2·47	2·09	873	450	423	171	48	9	16	4	248	15	13	15	9	31	33	48	105	182	174
Diseases of Circulatory „	1·70	1·72	1·68	653	313	340	2	–	1	–	–	3	6	7	14	11	25	46	83	119	193	146
Diseases of Respiratory „	2·90	3·24	2·60	1117	591	526	270	128	35	35	21	489	22	10	8	11	26	39	41	110	154	207
Diseases of Digestive „	1·04	1·14	0·96	402	208	194	74	30	5	3	3	115	15	7	7	4	12	30	45	58	70	39
Diseases of Urinary „	0·36	0·52	0·22	140	95	45	2	1	1	–	–	4	3	1	1	7	11	12	19	19	44	19
Diseases of Generative „	0·07	0·02	0·11	27	4	23	–	–	–	–	–	–	–	–	–	1	1	4	5	6	7	3
Puerperal Fever	0·08	–	0·15	31	–	31	–	–	–	–	–	–	–	–	1	5	18	6	1	–	–	–
Childbirth	0·06	–	0·12	24	–	24	–	–	–	–	–	–	–	–	1	3	8	12	–	–	–	–
Violence	0·54	0·87	0·25	209	158	51	16	5	6	2	6	35	12	4	13	14	27	22	26	19	24	13
Other Causes	3·60	3·45	3·69	1382	633	749	433	25	9	5	3	475	6	9	12	14	21	28	32	43	157	585

Marriages 2,441

Births — Males 5,585; Females 5,436; 11,021

Annual Rate per 1000 living — Persons Married 12·68; Births 28·62

Deaths from Childbirth and Puerperal Fever 4·99 per Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

275.—KINGSBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 14·39	† 99	–	–	–	–	36·49	3·94	2·78	3·67	6·00	7·03	8·64	11·85	22·26	56·61	135·66
Males	—	Standard 14·87	†112	–	–	–	–	39·64	3·35	2·48	3·14	7·61	7·18	8·23	12·73	22·59	62·30	146·76
Females	—	Population* 13·93	† 85	–	–	–	–	33·45	4·53	3·07	4·21	4·64	6·91	9·00	11·09	21·97	51·55	127·67
Mean Population, 1882–91. Persons	Decennial Decrease of Population 5·43 per cent.	18,279	454	416	432	438	428	2168	2258	2017	1715	1350	2275	1979	1612	1352	1037	516
Males		8,719	221	202	216	214	209	1062	1133	1008	860	618	1031	924	746	633	488	216
Females		9,560	233	214	216	224	219	1106	1125	1009	855	732	1244	1055	866	719	549	300
Deaths from All Causes, 1881–90. Persons	17·45	3,190	489	164	73	42	23	791	89	58	63	81	160	171	191	301	587	700
Males	17·97	1,597	279	84	27	17	14	421	38	25	27	47	74	76	95	143	304	317
Females	16·98	1,623	210	80	46	25	9	370	51	31	36	34	86	95	96	158	283	383

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Measles	0·18	0·17	0·19	33	15	18	5	14	5	2	1	27	4	–	1	–	1	–	–	–	–
Scarlet Fever	0·14	0·11	0·17	26	10	16	1	5	7	2	1	16	9	1	–	–	–	–	–	–	–
Diphtheria	0·09	0·07	0·10	16	6	10	–	1	2	5	–	8	4	2	1	–	1	–	–	–	–
Whooping-cough	0·36	0·37	0·36	66	32	34	30	20	7	4	2	63	3	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·25	0·21	0·28	45	18	27	–	–	–	–	–	–	5	10	5	6	6	7	4	1	1
Simple Continued Fever	0·03	0·02	0·03	5	2	3	–	1	–	–	1	2	2	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·19	0·21	0·18	35	18	17	18	2	2	1	–	23	2	–	–	–	–	1	1	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·45	0·83	118	39	79	–	–	–	–	–	–	–	–	–	1	2	6	15	27	37
Tabes Mesenterica	0·17	0·17	0·17	31	15	16	14	2	1	–	1	18	1	2	4	–	4	1	–	1	–
Phthisis	1·60	1·56	1·64	293	136	157	2	4	1	–	2	9	3	5	34	40	76	49	34	26	14
Other Tub. & Scrof. Dis.	0·28	0·29	0·28	52	25	27	9	6	2	6	4	27	14	1	1	1	1	3	1	2	1
Diseases of Nervous System	2·67	2·65	2·69	488	231	257	90	16	8	3	2	119	7	5	2	8	12	18	29	48	124
Circulatory ,,	2·22	2·08	2·34	405	181	224	2	–	–	–	–	2	4	8	4	6	8	18	27	76	147
Respiratory ,,	2·86	3·31	2·64	541	289	252	116	60	24	15	7	223	18	3	2	3	10	11	22	47	107
Digestive ,,	0·84	0·80	0·71	154	86	68	30	9	3	1	1	44	3	1	1	5	5	7	23	24	25
Urinary ,,	0·50	0·65	0·37	92	57	35	2	2	1	–	–	5	3	3	1	1	3	11	8	12	27
Generative ,,	0·19	–	0·19	18	–	18	–	–	–	–	–	–	–	1	–	–	2	2	3	5	3
Puerperal Fever	0·06	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	1	3	7	–	–	–
Childbirth	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	1	1	4	4	–	–	–
Violence	0·22	0·32	0·22	101	80	21	4	3	1	2	–	10	4	9	3	6	10	12	8	13	13
Other Causes	3·55	3·73	3·37	649	326	323	161	19	8	1	1	195	3	5	3	2	11	14	16	18	85

Marriages		961	Annual Rate per 1000 living	Persons Married	10·41
Births	Males 2,481	4,961		Births	27·14
	Females 2,480		Deaths from Childbirth and Puerperal Fever		6·23 per 1000 Births.

* *See pages* xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

276.—PLYMPTON ST. MARY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·63	†111	–	–	–	–	41·41	3·94	2·99	3·49	5·72	5·32	8·69	11·56	22·06	51·39	142·91
Annual Death-Rate per 1000. Males	—	Standard 15·26	†124	–	–	–	–	46·01	4·31	3·15	2·97	5·95	5·26	9·21	12·31	23·13	55·00	140·23
Annual Death-Rate per 1000. Females	—	Population* 14·04	† 98	–	–	–	–	36·77	3·57	2·83	4·03	5·51	5·37	8·28	10·91	21·13	48·38	145·14
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·40 per cent.	25,487	600	582	598	567	565	2912	2919	2839	2693	2308	3325	2681	2250	1786	1189	585
Mean Population, 1881-91. Males		12,195	290	285	315	291	284	1465	1463	1460	1379	1093	1464	1195	1040	830	540	266
Mean Population, 1881-91. Females		13,292	310	297	283	276	281	1447	1456	1379	1314	1215	1861	1486	1210	956	649	319
Deaths from All Causes, 1881-90. Persons	16·26	4,143	733	257	101	65	50	1206	115	85	94	132	177	233	260	394	611	836
Deaths from All Causes, 1881-90. Males	16·94	2,066	418	139	52	34	31	674	63	46	41	65	77	110	128	192	297	373
Deaths from All Causes, 1881-90. Females	15·63	2,077	315	118	49	31	19	532	52	39	53	67	100	123	132	202	314	463

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·21	0·13	43	26	17	13	15	6	3	3	40	3	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·21	0·17	49	26	23	1	9	7	10	8	35	14	–	–	–	–	–	–	–
Diphtheria	0·12	0·09	0·15	31	11	20	–	3	1	5	6	15	10	3	2	–	–	–	–	1
Whooping-cough	0·35	0·32	0·38	90	39	51	42	27	11	5	4	89	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·20	0·14	43	24	19	–	1	1	–	1	3	5	6	5	4	10	5	4	1
Simple Continued Fever	0·01	–	0·02	3	–	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·37	0·39	0·35	94	48	46	65	2	1	–	–	68	1	–	–	–	–	1	2	6
Cholera	0·01	0·02	–	3	3	–	1	–	1	–	–	2	–	–	–	–	–	–	–	1
Cancer	0·61	0·48	0·73	155	58	97	–	–	1	–	–	1	–	–	–	3	9	24	40	42
Tabes Mesenterica	0·09	0·11	0·08	24	13	11	11	4	1	1	2	19	2	1	–	2	–	–	–	–
Phthisis	1·40	1·32	1·46	356	162	194	12	8	5	3	–	28	9	17	28	62	69	69	29	22
Other Tub. & Scrof. Dis.	0·32	0·39	0·26	82	47	35	27	15	10	2	3	57	7	5	–	3	6	–	2	1
Diseases of Nervous System	2·33	2·45	2·22	594	299	295	127	31	7	4	3	172	16	11	8	11	8	22	34	63
Diseases of Circulatory „	1·82	1·71	1·91	463	209	254	–	1	–	–	1	2	6	12	11	7	11	25	48	88
Diseases of Respiratory „	3·15	3·39	2·94	804	413	391	146	91	31	26	12	306	18	7	9	6	10	35	40	66
Diseases of Digestive „	0·97	1·09	0·86	247	133	114	45	22	7	2	1	77	8	3	6	3	9	8	22	38
Diseases of Urinary „	0·38	0·49	0·29	98	60	38	1	1	–	–	–	2	1	3	2	6	5	5	11	12
Diseases of Generative „	0·04	–	0·08	11	–	11	–	–	1	–	–	1	–	–	1	1	–	3	–	4
Puerperal Fever	0·08	–	0·15	20	–	20	–	–	–	–	–	–	–	–	2	1	11	5	1	–
Childbirth	0·08	–	0·16	21	–	21	–	–	–	–	–	–	–	–	–	4	5	11	1	–
Violence	0·62	1·06	0·23	159	129	30	6	8	5	2	4	25	8	12	4	14	16	11	23	22
OTHER CAUSES	2·98	3·01	2·92	753	366	387	236	19	5	2	2	264	5	5	16	8	13	24	19	31

Marriages	1,171	Annual Rate per 1000 living	Persons Married 9·19
Births Males	3,362		Births 25·80
Births Females	3,214	6,576	

Deaths from Childbirth and Puerperal Fever 6·23 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births

277.—PLYMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 21·11	†159	–	–	–	–	71·40	6·11	3·91	4·43	5·59	7·53	12·00	18·36	30·04	61·17	144·39
Males	—	22·46	†169	–	–	–	–	75·13	6·17	3·94	4·88	5·75	8·21	13·82	22·07	33·14	67·11	155·37
Females	—	19·81	†149	–	–	–	–	67·80	6·05	3·88	4·02	5·46	6·97	10·51	15·35	27·63	57·06	138·39
Mean Population, 1881–90. Persons	Decennial Increase of Population, 14·07 per cent.	79,058	2049	1780	1813	1772	1636	9020	8345	7848	7897	7747	11928	8899	7298	5499	3322	1345
Males		36,581	1015	886	921	872	845	4539	4116	3804	3768	3461	5411	4008	3271	2393	1359	475
Females		42,477	1004	894	892	900	791	4481	4229	4044	4129	4286	6517	4891	4027	3040	1963	870
Deaths from All Causes, 1881–90. Persons	21·44	16,953	3851	1424	594	363	216	6448	510	307	350	433	898	1068	1340	1625	2032	1943
Males	22·83	8,352	2081	760	272	191	106	3410	254	150	184	199	444	554	722	785	912	738
Females	20·25	8,601	1770	664	322	172	110	3038	256	157	166	234	454	514	618	840	1120	1204

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons. Under 1	1–	2–	3–	4–	Total under 5	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	0·01	0·01	0·01	6	3	3	2	–	1	–	–	3	1	–	–	1	1	–	–	–	–	–
Measles	0·51	0·52	0·50	403	189	214	83	166	72	35	22	378	21	1	1	–	1	1	–	–	–	–
Scarlet Fever	0·46	0·46	0·45	362	167	195	22	46	59	54	37	218	113	18	3	3	4	1	–	–	–	–
Diphtheria	0·17	0·18	0·16	133	67	66	11	27	18	28	14	98	25	5	1	–	1	1	1	1	–	–
Whooping-cough	0·51	0·49	0·52	401	179	222	180	105	62	31	12	390	11	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Enteric Fever	0·25	0·29	0·22	200	105	95	1	2	4	2	4	13	25	29	29	23	25	34	13	12	6	1
Simple (continued) Fever	0·03	0·02	0·03	20	9	11	2	1	3	1	1	8	3	3	–	–	–	1	1	1	2	1
Diarrhœa and Dysentery	0·66	0·72	0·60	520	263	257	379	44	10	8	2	443	10	1	–	2	3	6	6	10	13	26
Cholera	0·03	0·02	0·04	27	8	19	13	3	–	1	–	17	2	–	1	1	2	–	3	1	–	–
Cancer	0·88	0·60	1·12	693	219	474	3	–	–	–	–	3	–	1	1	4	23	76	159	190	170	76
Tabes Mesenterica	0·35	0·34	0·37	281	125	156	161	53	23	8	4	248	13	7	6	–	4	3	–	–	–	1
Diseases	2·15	2·37	1·97	1696	859	837	45	44	18	12	9	128	34	57	139	205	408	295	225	142	49	7
Other Tub. & Scrof. Dis.	0·39	0·69	0·49	463	253	210	139	101	40	38	18	336	51	25	11	10	13	5	4	4	3	1
Nervous System	2·96	3·12	2·82	2341	1142	1199	539	135	49	20	23	766	43	29	23	30	40	85	167	274	485	380
Circulatory	1·84	1·81	1·87	1458	663	795	18	5	–	–	2	25	12	27	28	24	63	111	204	309	392	263
Respiratory	4·14	4·39	3·76	3276	1679	1597	884	488	174	88	49	1683	60	19	22	31	85	153	190	314	384	356
Digestive	1·11	1·20	1·03	878	459	439	204	74	18	3	2	301	20	6	15	10	52	71	91	109	142	81
Urinary	0·49	0·72	0·29	386	264	122	4	1	2	1	1	9	9	7	7	15	33	53	63	65	85	41
Generative	0·08	0·01	0·13	60	4	56	1	2	–	–	–	3	–	1	–	5	4	15	21	5	5	1
Puerperal Fever	0·07	–	0·12	52	–	52	–	–	–	–	–	–	–	–	1	11	22	18	–	–	–	–
Childbirth	0·05	–	0·09	38	–	38	–	–	–	–	–	–	–	–	–	6	19	12	1	–	–	–
Violence	0·63	0·96	0·35	498	350	148	53	15	13	12	11	104	26	26	33	22	45	51	64	49	49	29
Other Causes	3·46	3·72	3·31	2739	1362	1397	1067	113	28	21	6	1235	31	45	29	28	68	107	128	142	247	679

Marriages - - - 8,086

Births - Males - 12,289 / Females - 11,961 = 24,250

Annual Rate per 1000 living: Persons Married 20·46; Births - - 30·55

Deaths from Childbirth and Puerperal Fever - - - - - 3·73 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

278.—EAST STONEHOUSE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 24·41	†164	–	–	–	–	74·05	5·92	3·50	13·10	9·10	12·29	16·71	20·39	31·59	67·50	161·69
Males	—	29·21	†182	–	–	–	–	82·26	6·48	2·89	20·39	12·35	17·86	23·28	27·33	36·84	76·32	178·95
Females	—	19·89	†146	–	–	–	–	66·01	5·35	4·10	4·36	5·62	7·67	10·68	14·09	27·41	60·55	151·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·39 per cent.	15,221	466	415	397	385	356	2019	1739	1400	1412	1473	2432	1885	1285	858	517	201
Males		7,400	242	206	183	179	188	998	879	692	770	761	1103	902	611	380	228	76
Females		7,821	224	209	214	206	168	1021	860	708	642	712	1329	983	674	478	289	125
Deaths from All Causes, 1881–90. Persons	24·88	3,787	905	330	131	82	47	1495	103	49	185	134	299	315	262	271	349	325
Males	29·36	2,173	508	175	76	38	24	821	57	20	157	94	197	210	167	140	174	136
Females	20·64	1,614	397	155	55	44	23	674	46	29	28	40	102	105	95	131	175	189

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·74	0·76	0·72	112	56	56	26	40	22	9	8	105	5	–	2	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·39	0·18	43	29	14	1	5	3	7	6	22	13	2	5	1	–	–	–	–	–	–
Diphtheria	0·13	0·14	0·13	20	10	10	1	3	1	4	2	11	5	–	4	–	–	–	–	–	–	–
Whooping-cough	0·32	0·32	0·32	49	24	25	13	19	7	5	2	46	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·66	0·86	0·46	100	64	36	1	–	3	7	2	13	12	7	25	15	18	9	–	–	1	–
Simple Continued Fever	0·05	0·04	0·05	7	3	4	–	–	1	–	1	2	1	2	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·78	0·81	0·74	118	60	58	85	13	3	4	2	107	–	1	–	1	1	1	1	–	3	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·61	0·86	112	45	67	–	–	–	–	–	–	–	–	–	1	10	18	26	25	24	8
Tabes Mesenterica	0·10	0·09	0·10	15	7	8	6	3	1	–	–	10	2	1	1	1	–	–	–	–	–	–
Phthisis	2·69	3·43	2·00	410	254	156	9	9	6	4	1	29	13	10	37	54	122	70	43	24	8	–
Other Tub. & Scrof. Dis.	0·47	0·47	0·46	71	35	36	16	13	7	2	1	39	8	6	5	6	2	3	1	1	–	–
Diseases of Nervous System	3·59	4·31	2·90	546	319	227	161	37	13	10	6	227	9	5	24	6	17	45	39	46	77	51
Diseases of Circulatory „	1·76	2·19	1·36	268	162	106	2	–	–	–	–	2	1	4	6	3	22	49	42	61	53	25
Diseases of Respiratory „	5·10	6·26	4·02	777	463	314	194	134	40	26	12	406	11	6	43	18	33	36	49	57	66	52
Diseases of Digestive „	1·06	1·24	0·88	161	92	69	35	11	2	–	1	49	2	1	7	5	9	25	15	22	17	9
Diseases of Urinary „	0·49	0·80	0·20	75	59	16	2	–	–	–	1	3	3	1	3	1	8	16	17	9	8	6
Diseases of Generative „	0·04	0·01	0·06	6	1	5	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	1
Puerperal Fever	0·08	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	3	7	2	–	–	–	–
Childbirth	0·07	–	0·14	11	–	11	–	–	–	–	–	–	–	–	–	1	6	4	–	–	–	–
Violence	0·60	1·00	0·23	92	74	18	5	3	2	1	1	12	7	1	5	8	20	17	6	8	3	5
OTHER CAUSES	5·12	5·62	4·68	781	415	366	348	40	20	3	1	412	8	2	16	10	22	18	21	18	82	165

Marriages 1,677

Births { Males 2,739 / Females 2,711 } 5,510

Annual Rate per 1000 living { Persons Married 22·04 / Births 36·20

Deaths from Childbirth and Puerperal Fever 4·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

279.—STOKE DAMEREL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons	—		In Standard Population*	18·90		†126	–	–	–	–	59·23	5·30	3·58	3·47	5·25	7·43	10·94	17·58	27·77	64·59	132·84
	Males	—			19·54		†136	–	–	–	–	57·29	5·06	3·60	2·59	4·79	7·20	12·04	19·21	32·62	68·89	141·44
	Females	—			18·29		†115	–	–	–	–	55·16	5·53	3·57	5·25	5·97	7·67	9·95	16·16	24·21	61·65	134·49
Mean Population, 1881–90.	Persons	Decennial Increase of Population 11·98 per cent.			31,871		1304	1137	1106	1127	1071	5745	5172	4659	6830	5431	8021	5512	4414	3299	1974	813
	Males				26,770		680	576	542	578	552	2908	2670	2196	4564	3004	4971	2908	2056	1502	841	340
	Females				25,171		624	561	564	549	519	2837	2502	2464	2266	2427	3050	2604	2358	1797	1133	503
Deaths from All Causes, 1881–90.	Persons	18·53			9,812		1985	782	292	186	148	3403	274	167	287	285	596	693	776	916	1275	1089
	Males	17·83			4,761		1104	410	141	103	80	1838	130	79	118	146	293	314	395	481	558	469
	Females	19·27			4,851		881	372	151	93	68	1565	144	88	119	139	303	289	381	435	717	671

	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·57	0·56	0·58	295	149	146	63	124	37	37	19	280	13	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·26	0·26	134	69	65	4	16	26	32	12	90	31	8	3	–	–	1	–	1	–	–
Diphtheria	0·14	0·10	0·19	75	26	49	4	10	3	13	13	43	21	5	1	1	2	–	4	–	–	–
Whooping-cough	0·34	0·30	0·39	178	81	97	74	62	22	10	5	173	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	3	3	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	–
Enteric Fever	0·15	0·17	0·14	80	45	35	1	1	1	3	2	8	10	6	10	7	13	8	7	3	3	–
Simple Continued Fever	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Diarrhœa and Dysentery	0·39	0·38	0·41	204	101	103	123	18	2	1	–	144	1	–	1	–	3	7	4	7	23	14
Cholera	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Cancer	0·80	0·54	1·08	415	143	272	–	–	–	1	1	2	–	1	2	2	10	50	97	117	92	42
Tabes Mesenterica	0·32	0·34	0·29	164	89	75	95	36	15	2	2	150	5	3	3	–	1	1	–	–	1	–
Phthisis	1·72	1·71	1·73	891	456	435	6	5	6	3	6	26	16	40	85	116	272	155	100	61	10	1
Other Tub. & Scrof. Dis.	0·50	0·50	0·50	261	134	127	70	43	23	8	19	163	50	13	17	2	8	3	3	1	2	–
Diseases of Nervous System	2·47	2·38	2·56	1281	636	645	236	87	32	19	20	414	26	16	17	15	26	44	99	150	287	178
Circulatory	1·56	1·45	1·68	811	387	424	2	1	–	1	–	4	11	14	20	22	47	92	139	164	205	91
Respiratory	3·34	3·43	3·25	1735	916	819	489	236	93	39	36	833	31	13	11	20	48	69	119	157	245	186
Digestive	1·11	1·06	1·15	574	284	290	96	78	9	5	3	191	11	6	16	13	30	37	57	90	82	41
Urinary	0·48	0·56	0·39	249	150	99	6	–	–	1	2	9	1	5	12	7	15	18	42	41	74	25
Generative	0·06	0·01	0·12	31	2	29	–	–	–	–	–	–	–	–	–	2	6	11	6	4	1	1
Puerperal Fever	0·08	–	0·17	44	–	44	–	–	–	–	–	–	–	–	2	11	20	10	1	–	–	–
Childbirth	0·06	–	0·12	29	–	29	–	–	–	–	–	–	–	–	3	10	9	6	1	–	–	–
Violence	0·53	0·73	0·31	274	199	75	38	8	6	8	3	63	14	8	15	20	20	35	26	21	26	17
OTHER CAUSES	3·63	3·33	3·95	1879	859	989	718	57	17	12	5	809	28	29	19	35	51	56	69	87	212	484

Marriages . . 5,747

Births { Males . 8,133 / Females . 7,654 } 15,787

Annual Rate per 1000 living { Persons Married 22·16 / Births . . 30·44

Deaths from Childbirth and Puerperal Fever . . . . 4·63 per 1000 Births.

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·81	†119	–	–	–	–	46·95	4·81	2·96	4·42	8·33	8·27	9·89	12·26	26·04	58·16	141·69
Males	—	Standard 18·24	†126	–	–	–	–	50·96	4·74	3·05	4·42	9·44	8·57	10·78	16·16	30·08	63·29	157·03
Females	—	Population* 15·46	†112	–	–	–	–	42·82	4·89	2·87	4·41	7·32	7·99	9·07	8·47	22·12	53·41	130·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·93 per cent.	28,150	674	633	639	683	655	3284	3323	3177	2898	2256	3653	2842	2561	2139	1415	602
Males		13,926	347	326	327	339	329	1668	1687	1608	1515	1081	1750	1384	1262	1054	681	256
Females		14,224	327	307	312	344	326	1616	1636	1569	1383	1175	1903	1478	1299	1085	734	346
Deaths from All Causes, 1881–90. Persons	18·62	5,242	970	310	124	74	64	1542	160	94	128	188	302	281	314	557	823	853
Males	20·10	2,799	532	183	66	36	33	850	80	49	67	102	150	147	204	317	431	402
Females	17·18	2,443	438	127	58	38	31	692	80	45	61	86	152	134	110	240	392	451

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·29	0·34	0·25	83	48	35	12	23	19	7	5	66	14	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·22	0·24	0·20	61	33	28	–	6	10	10	10	36	14	7	–	1	2	–	1	–	–	–
Diphtheria	0·16	0·19	0·13	44	26	18	1	2	5	10	7	25	13	3	3	–	–	–	–	–	–	–
Whooping-cough	0·33	0·35	0·31	93	49	44	52	23	8	4	3	90	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·11	31	16	15	–	–	–	–	–	–	3	6	7	6	5	2	1	–	1	–
Simple Continued Fever	0·02	0·03	0·02	7	4	3	–	–	1	–	–	1	–	1	1	–	–	1	2	–	1	–
Diarrhœa and Dysentery	0·39	0·42	0·37	110	58	52	74	5	3	2	1	85	–	–	–	–	1	–	2	2	12	8
Cholera	0·01	0·01	–	2	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·54	0·68	171	75	96	–	–	–	–	1	1	–	–	1	–	5	12	19	53	62	18
Tabes Mesenterica	0·17	0·17	0·17	47	23	24	16	8	6	–	1	31	2	4	–	3	5	1	–	–	1	–
Phthisis	1·85	1·90	1·81	522	265	257	9	6	6	1	–	22	11	13	47	85	107	83	65	53	33	3
Other Tub. & Scrof. Dis.	0·60	0·61	0·60	170	85	85	39	22	7	5	4	77	20	17	10	13	10	10	4	5	4	–
Diseases of Nervous System	2·23	2·38	2·07	627	332	295	129	25	5	5	4	168	19	9	10	13	21	25	42	79	147	94
Diseases of Circulatory „	1·82	1·72	1·92	513	240	273	4	1	1	–	–	6	3	7	9	8	18	34	46	126	175	81
Diseases of Respiratory „	3·80	4·50	3·11	1069	627	442	235	124	37	18	17	431	25	3	6	11	35	32	71	118	175	162
Diseases of Digestive „	1·09	1·31	0·88	307	182	125	50	27	5	3	5	90	17	3	9	12	15	15	20	47	48	31
Diseases of Urinary „	0·45	0·62	0·30	128	86	42	1	–	–	–	–	1	2	2	3	5	9	12	7	21	42	24
Diseases of Generative „	0·05	0·01	0·09	15	2	13	1	–	–	–	–	1	–	–	–	–	3	1	2	3	4	1
Puerperal Fever	0·04	—	0·08	12	–	12	–	–	–	–	–	–	–	–	–	–	9	3	–	–	–	–
Childbirth	0·09	—	0·17	24	–	24	–	–	–	–	–	–	–	–	1	1	13	9	–	–	–	–
Violence	0·60	1·02	0·18	168	142	26	8	2	6	6	1	23	5	9	11	18	25	18	18	18	16	7
OTHER CAUSES	3·69	3·63	3·73	1038	504	534	337	36	5	3	5	386	9	8	9	12	19	23	14	32	102	424

Marriages - - - 1,769

Births - { Males - 4,232 / Females - 3,926 } 8,158

Annual Rate per 1000 living { Persons Married 12·57 / Births - - 25·98

Deaths from Childbirth and Puerperal Fever - - - - - } 4·41 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

281.—OKEHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·17	†100	–	–	–	–	38·76	3·89	3·27	3·62	6·60	5·34	7·84	11·51	20·51	51·55	139·33
Males	—	15·32	†114	–	–	–	–	44·27	3·57	2·37	3·43	5·53	4·58	7·27	11·77	19·93	54·78	141·15
Females	—	14·03	† 86	–	–	–	–	33·33	4·21	4·20	3·85	7·65	6·02	8·37	11·26	21·04	48·42	137·76
Mean Population, 1881-90. Persons	Decennial Decrease of Population 3·25 per cent.	16,648	382	393	395	404	397	1971	1955	1924	1658	1349	2040	1683	1425	1258	935	450
Males		8,240	198	195	191	194	209	978	981	972	904	669	961	811	688	607	460	209
Females		8,408	184	198	204	210	197	993	974	952	754	680	1079	872	737	651	475	241
Deaths from All Causes, 1881-90. Persons	16·86	2,824	474	159	58	37	36	764	76	63	60	89	109	132	164	258	482	637
Males	17·12	1,411	273	93	32	17	18	433	35	23	31	37	44	59	81	121	253	295
Females	16·81	1,413	201	66	26	20	18	331	41	40	29	52	65	73	83	137	230	332

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·21	0·24	0·18	35	20	15	6	12	4	1	5	28	6	1	–	–	–	–	–	–
Scarlet Fever	0·06	0·09	0·04	10	7	3	–	4	–	1	–	5	1	3	–	–	–	1	–	–
Diphtheria	0·14	0·17	0·11	23	14	9	–	–	–	4	4	8	11	2	–	–	–	1	–	1
Whooping-cough	0·39	0·44	0·34	65	36	29	29	23	7	3	3	64	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·06	0·10	13	5	8	–	–	–	–	–	–	2	5	2	–	3	1	–	–
Simple Continued Fever	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·41	0·15	47	34	13	29	2	1	1	1	34	1	–	–	–	–	–	3	3	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·53	0·75	107	44	63	–	–	–	–	–	–	–	–	1	–	–	6	15	30	34	21
Tabes Mesenterica	0·11	0·12	0·11	19	10	9	7	1	–	1	–	9	2	3	1	–	1	–	–	1	–	–
Phthisis	1·47	1·31	1·63	245	108	137	2	5	3	3	1	14	5	9	26	34	55	38	33	14	14	3
Other Tub. & Scrof. Dis.	0·47	0·41	0·52	78	34	44	9	12	4	4	5	34	10	6	5	5	4	4	2	5	3	–
Diseases of Nervous System	2·22	2·25	2·20	370	185	185	76	19	6	4	1	106	7	6	5	8	4	11	22	35	86	80
Circulatory	1·96	1·65	2·30	329	136	193	2	–	1	–	1	4	2	8	1	10	8	16	22	57	116	85
Respiratory	3·81	4·19	3·44	634	345	289	135	58	23	10	8	234	9	7	6	9	14	16	28	54	124	103
Digestive	0·83	0·99	0·70	139	73	66	13	8	1	–	3	30	3	4	5	2	1	10	13	20	32	14
Urinary	0·41	0·61	0·23	69	50	19	–	–	–	1	1	3	1	–	1	2	2	6	7	10	16	22
Generative	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–
Puerperal Fever	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	1	5	–	1	–	–	–
Childbirth	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	–	2	6	–	–	–	–
Violence	0·45	0·66	0·25	75	54	21	7	2	3	4	2	18	3	4	2	10	2	5	9	4	12	6
Other Causes	3·26	3·09	3·38	541	256	285	154	14	5	–	1	174	7	5	4	5	7	9	10	23	41	256

Marriages	937	Annual Rate per 1000 living	Persons Married	11·50
Births Males	2,399		Births	28·37
Births Females	2,324			
Births	4,723			
Deaths from Childbirth and Puerperal Fever	3·60 per 1000 Births.			

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·18	† 91	–	–	–	–	34·21	4·28	3·63	4·19	6·03	6·66	8·12	10·97	19·53	56·82	154·18
Males	—	14·62	†105	–	–	–	–	37·40	5·00	3·88	2·91	6·53	5·99	8·12	13·31	21·18	55·78	166·51
Females	—	13·76	† 77	–	–	–	–	31·01	3·54	3·38	5·68	5·56	7·27	8·11	8·97	17·99	57·81	143·92
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·60 per cent.	17,517	422	429	461	453	445	2210	2151	1954	1669	1294	2132	1737	1531	1367	1005	467
Males		8,614	208	220	233	217	229	1107	1079	979	894	628	1018	837	706	661	493	212
Females		8,903	214	209	228	236	216	1103	1072	975	775	666	1114	900	825	706	512	255
Deaths from All Causes, 1881–90. Persons	17·56	3,076	454	162	66	40	34	756	92	71	70	78	142	141	168	267	571	720
Males	18·16	1,564	268	75	32	23	16	414	54	38	26	41	61	68	94	140	275	353
Females	16·98	1,512	186	87	34	17	18	342	38	33	44	37	81	73	74	127	296	367

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·34	0·27	0·40	59	23	36	7	17	9	5	4	42	12	4	–	–	–	1	–	–	–	–
Scarlet Fever	0·07	0·09	0·06	13	8	5	1	2	4	–	1	8	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·15	0·17	0·12	26	15	11	–	–	–	5	4	9	13	2	1	–	–	1	–	–	–	–
Whooping-cough	0·41	0·36	0·45	71	31	40	32	22	6	6	3	69	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·14	0·21	31	12	19	–	1	–	–	–	1	3	3	7	5	3	5	1	–	–	3
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·15	0·15	0·15	26	13	13	10	4	1	1	–	16	–	–	–	–	1	–	1	–	4	4
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·68	0·63	0·74	120	54	66	–	–	–	–	–	–	–	–	–	1	6	21	42	33	17	–
Tabes Mesenterica	0·15	0·20	0·10	26	17	9	12	7	2	1	–	22	1	1	–	–	2	–	–	–	–	–
Phthisis	1·27	1·24	1·29	222	107	115	2	5	2	–	2	11	5	11	25	32	54	34	20	15	11	4
Other Tub. & Scrof. Dis.	0·23	0·34	0·13	41	29	12	8	5	4	2	–	19	4	5	5	3	1	–	1	1	2	–
Diseases of Nervous System	2·16	2·15	2·17	378	185	193	59	22	5	5	4	95	11	14	10	6	9	12	18	32	89	82
Diseases of Circulatory „	2·13	2·00	2·27	374	172	202	2	2	–	1	–	5	4	3	2	5	14	21	21	59	146	93
Diseases of Respiratory „	3·24	3·73	2·76	567	321	246	81	52	19	7	8	167	11	2	2	3	14	20	34	48	123	143
Diseases of Digestive „	1·09	1·21	0·98	191	104	87	27	9	5	1	3	45	4	7	5	2	9	9	15	26	44	25
Diseases of Urinary „	0·45	0·66	0·25	79	57	22	1	–	1	–	–	2	–	2	–	3	6	11	8	14	22	11
Diseases of Generative „	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	1	–	1	3	3	–	1	–
Puerperal Fever	0·09	–	0·17	15	–	15	–	–	–	–	–	–	–	–	1	3	7	4	–	–	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	1	5	2	1	–	–	–
Violence	0·41	0·63	0·19	71	54	17	2	1	2	2	–	7	4	7	4	5	3	5	8	6	12	10
Other Causes	4·24	4·18	4·33	746	361	385	210	13	6	4	5	238	13	10	7	10	12	7	15	23	84	327

Marriages - - - 1,033

Births - Males - 2,547 / Females - 2,426 — 4,973

Annual Rate per 1000 living: Persons Married 11·79; Births - - 28·39

Deaths from Childbirth and Puerperal Fever - - - - - 4·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 *Births*.

183.—TIVERTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·41	†109	–	–	–	–	42·15	3·54	2·90	4·14	4·81	6·41	9·04	13·82	25·38	55·20	145·76
Annual Death-Rate per 1000. Males	—	16·19	†120	–	–	–	–	46·93	3·03	2·48	3·92	4·88	6·97	10·07	15·01	26·32	55·69	163·61
Annual Death-Rate per 1000. Females	—	14·67	† 97	–	–	–	–	37·41	4·09	3·33	4·37	4·76	5·96	8·12	12·83	24·58	54·75	131·79
Mean Population. Persons	Decennia Decrease of Population 0·01 per cent.	28,525	690	658	719	682	684	3433	3442	3274	2874	2223	3570	2809	2475	2112	1648	695
Mean Population. Males		13,719	351	334	352	335	357	1709	1779	1654	1479	984	1607	1370	1119	984	729	305
Mean Population. Females		14,806	339	324	367	347	327	1724	1663	1620	1395	1239	1963	1439	1356	1128	789	390
Deaths from All Causes. Persons	17·92	5,111	888	296	137	75	51	1447	122	95	119	107	229	263	342	396	898	1013
Deaths from All Causes. Males	18·84	2,585	506	160	64	40	32	802	54	41	58	48	112	138	168	259	466	499
Deaths from All Causes. Females	17·06	2,526	382	136	73	35	19	645	68	54	61	59	117	125	174	277	432	514

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·35	0·31	0·38	100	43	57	13	27	20	8	3	82	10	4	1	2	–	–
Scarlet Fever	0·06	0·07	0·05	16	9	7	1	3	1	4	2	11	3	1	–	2	–	–
Diphtheria	0·08	0·07	0·08	22	10	12	1	1	4	5	1	12	5	3	–	1	–	1
Whooping-cough	0·35	0·36	0·34	101	50	51	52	26	10	6	4	98	3	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·20	0·19	0·22	58	26	32	–	2	1	1	2	6	6	9	12	4	14	3
Simple Continued Fever	0·03	0·03	0·03	9	4	5	–	–	–	–	1	1	1	1	–	1	2	–
Diarrhœa and Dysentery	0·19	0·22	0·16	54	30	24	31	4	2	–	–	37	–	1	–	1	–	–
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	0·35	0·78	164	48	116	–	–	–	2	–	2	–	1	1	–	3	10
Tabes Mesenterica	0·10	0·12	0·08	28	16	12	11	3	1	–	–	15	3	1	1	–	3	2
Phthisis	1·30	1·33	1·28	372	183	189	2	2	–	3	2	9	5	8	44	47	85	64
Other Tub. & Scrof. Dis.	0·30	0·30	0·31	87	41	46	13	9	3	3	4	42	9	6	7	3	5	2
Diseases of Nervous System	2·37	2·07	2·69	675	366	309	165	50	23	10	6	254	14	10	13	7	12	21
Diseases of Circulatory „	1·88	1·78	1·97	536	244	292	–	–	–	–	–	–	4	6	6	8	20	38
Diseases of Respiratory „	3·47	3·85	3·13	991	528	463	200	100	35	23	20	378	35	15	9	7	20	34
Diseases of Digestive „	0·49	1·01	0·97	283	139	144	43	15	4	3	–	63	8	8	2	6	4	20
Diseases of Urinary „	0·54	0·71	0·39	155	97	58	1	–	–	1	–	2	2	3	1	3	3	10
Diseases of Generative „	0·08	0·01	0·14	23	1	21	–	–	–	–	1	1	–	–	–	–	1	3
Puerperal Fever	0·06	–	0·11	17	–	17	–	–	–	–	–	–	–	–	–	4	8	4
Childbirth	0·07	–	0·14	21	–	21	–	–	–	–	–	–	–	–	2	–	11	4
Violence	0·47	0·77	0·20	134	105	29	11	9	7	4	2	33	6	7	10	5	19	18
Other Causes	4·44	4·67	4·19	1260	643	617	335	45	15	8	3	401	9	11	8	7	13	21

Marriages		1,822	Annual Rate per 1000 living	Persons Married	13·77
Births	Males 4,232	8,178		Births	26·67
	Females 3,946				

Deaths from Childbirth and Puerperal Fever 4·65 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·42	† 90	–	–	–	–	33·81	3·13	2·08	3·03	5·42	6·46	7·09	10·10	23·36	53·13	144·34
Males	—	12·97	†105	–	–	–	–	36·19	2·94	2·10	2·90	5·15	6·28	6·59	9·85	21·14	49·09	142·06
Females	—	13·85	† 75	–	–	–	–	31·40	3·33	2·05	3·18	5·70	6·62	7·56	10·32	25·46	57·18	147·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population. 7·36 per cent.	16,129	383	375	382	417	392	1949	1982	1878	1682	1218	1935	1607	1406	1160	879	433
Males		8,112	192	187	199	202	201	981	1020	1000	897	621	923	774	660	563	440	233
Females		8,017	191	188	183	215	191	968	962	878	785	597	1012	833	746	597	439	200
Deaths from All Causes, 1881–90. Persons	16·25	2,621	412	130	59	31	27	659	62	39	51	66	125	114	142	271	467	625
Males	16·07	1,304	246	57	33	8	11	355	30	21	26	32	58	51	65	119	216	331
Females	16·43	1,317	166	73	26	23	16	304	32	18	25	34	67	63	77	152	251	294

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·17	0·21	31	14	17	6	12	5	4	3	30	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·06	0·05	9	5	4	–	1	3	1	1	6	2	–	1	–	–	–	–	–	–
Diphtheria	0·26	0·18	0·34	42	15	27	1	3	4	1	3	12	17	5	5	3	–	–	–	–	–
Whooping-cough	0·33	0·31	0·36	54	25	29	29	15	6	1	1	52	1	–	–	–	1	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·06	11	6	5	–	–	–	–	–	–	–	2	2	2	–	3	–	1	–	1
Simple Continued Fever	0·02	0·04	–	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Diarrhœa and Dysentery	0·19	0·20	0·19	31	16	15	7	1	2	–	2	12	–	–	–	–	2	–	–	2	6	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·42	0·81	99	34	65	–	–	–	–	–	–	–	–	–	–	2	6	19	27	29	16
Tabes Mesenterica	0·12	0·14	0·10	19	11	8	5	3	2	1	–	11	4	–	–	2	1	–	–	1	–	–
Phthisis	1·29	1·23	1·35	208	100	108	5	6	2	–	1	14	3	10	16	23	39	33	23	25	20	2
Other Tub. & Scrof. Dis.	0·43	0·52	0·34	69	42	27	17	11	4	6	5	43	4	4	4	6	4	1	1	1	1	–
Diseases of Nervous System	2·18	1·94	2·42	351	157	194	71	15	2	3	–	91	6	3	4	7	7	13	20	46	72	82
Diseases of Circulatory ,,	2·15	1·94	2·37	347	157	190	–	–	–	–	–	–	1	–	2	1	5	13	26	55	133	111
Diseases of Respiratory ,,	2·75	3·01	2·48	443	244	199	80	40	13	7	8	148	12	3	2	6	18	17	21	30	74	112
Diseases of Digestive ,,	0·99	1·02	0·95	159	83	76	16	7	4	3	–	30	2	3	2	2	11	9	7	31	38	24
Diseases of Urinary ,,	0·42	0·52	0·31	67	42	25	–	1	–	–	–	1	2	4	–	3	–	4	7	17	17	12
Diseases of Generative ,,	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	–	2	–	1	2	3	–
Puerperal Fever	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	1	1	8	–	–	–	–	–
Childbirth	0·07	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	1	5	5	1	–	–	–
Violence	0·51	0·68	0·35	83	55	28	6	3	6	3	–	18	4	3	3	3	7	3	5	12	16	9
OTHER CAUSES	3·49	3·61	3·37	564	294	270	169	12	6	1	3	191	3	2	8	5	13	6	11	20	58	247

Marriages 984

Births Males 2,353 / Females 2,221 — 4,574

Annual Rate per 1000 living: Persons Married 12·20; Births 28·36

Deaths from Childbirth and Puerperal Fever 4·81 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

285.—BARNSTAPLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons —	In Standard Population* 14·89	†107	–	–	–	–	41·85	4·17	2·24	3·65	5·26	6·51	9·13	12·14	23·75	50·50	137·04
	Males —	15·53	†119	–	–	–	–	45·80	4·29	2·02	3·25	5·15	6·45	10·35	12·69	24·04	57·82	139·15
	Females —	14·28	† 94	–	–	–	–	37·88	4·05	2·46	3·57	5·35	6·56	8·00	11·70	23·52	46·40	135·46
Mean Population, 1881-91.	Persons 39,587		981	902	920	974	894	4021	4459	4154	4081	3461	3346	4138	3551	2863	2091	1042
	Males 18,356		494	441	465	470	449	2319	2340	2077	1,973	1520	2386	1,891	1560	1273	910	437
	Females 21,231		487	461	455	454	445	2302	2189	2077	2108	1941	2960	2247	1991	1590	1181	595
Deaths from All Causes, 1881-90.	Persons 17·25	6,864	1189	491	157	146	80	1931	185	93	149	182	348	378	431	680	1056	1428
	Males 17·98	3,356	681	297	75	63	36	1092	96	42	78	78	151	195	198	307	518	622
	Females 16·62	3,528	489	194	82	83	44	872	89	51	71	104	197	183	233	374	548	806
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·30	0·30	119	55	64	20	45	23	11	8	107	7	–	2	–	1	1	–	1	–	–
Scarlet Fever	0·27	0·32	0·23	109	60	49	4	19	16	12	10	68	30	5	2	–	3	–	1	–	–	–
Diphtheria	0·15	0·17	0·13	59	31	28	6	8	3	9	5	31	18	7	–	1	2	–	–	–	–	–
Whooping-cough	0·40	0·38	0·41	158	70	88	52	56	19	14	10	151	7	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·09	35	17	18	–	–	–	–	1	1	3	2	7	6	7	2	4	3	–	–
Simple Continued Fever	0·01	0·01	0·02	5	1	4	–	–	1	1	–	2	–	–	1	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·37	0·43	0·31	146	80	66	105	12	3	–	–	120	–	–	–	–	1	1	–	3	3	18
Cholera	0·01	0·01	0·01	3	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	1	1	–
Cancer	0·86	0·64	1·06	344	119	225	–	–	–	–	–	–	–	–	–	1	11	23	44	118	86	61
Tabes Mesenterica	0·15	0·17	0·12	58	32	26	28	15	4	–	1	48	3	–	2	–	2	1	–	1	1	–
Fever NS	1·63	1·59	1·66	649	296	353	14	8	1	1	1	25	5	13	64	81	140	100	63	79	64	15
Other Tub. & Scrof. Dis.	0·37	0·39	0·35	146	72	74	46	29	7	8	2	92	14	4	6	5	10	4	7	3	1	–
Diseases of Nervous System	2·23	2·27	2·20	889	421	468	144	39	16	9	5	213	19	12	7	4	17	36	48	105	202	226
Circulatory ,,	1·83	1·63	2·01	728	302	426	3	2	–	1	–	6	6	5	8	4	25	39	66	144	244	244
Respiratory ,,	3·19	3·47	2·94	1269	644	625	274	124	45	28	20	491	29	6	5	15	22	44	67	105	244	271
Digestive ,,	1·11	1·10	1·12	443	205	238	97	19	6	7	5	134	13	7	10	15	17	27	39	48	65	68
Urinary ,,	0·57	0·83	0·35	225	154	71	1	–	–	–	1	2	5	–	5	6	12	28	22	39	47	59
Generative ,,	0·05	–	0·09	18	–	18	–	–	–	–	–	–	–	–	–	3	1	2	7	3	2	–
Puerperal Fever	0·05	–	0·10	21	–	21	–	–	–	–	–	–	–	–	–	2	12	7	–	–	–	–
Childbirth	0·06	–	0·11	24	–	24	–	–	–	–	–	–	–	–	–	4	8	12	–	–	–	–
Violence	0·62	1·04	0·25	247	193	54	15	7	7	4	5	38	19	17	20	12	31	28	23	22	25	21
Other Causes	2·93	3·14	2·78	1169	583	586	351	18	5	4	6	404	16	15	10	22	26	23	40	34	104	475

Marriages	–	2,825	Annual Rate per 1000 living	Persons Married	14·20
Births	Males 5.709	11,003		Births –	27·65
	Females 5,294				

Deaths from Childbirth and Puerperal Fever – – – – 4·09 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·04	† 98	–	–	–	–	38·19	4·30	3·98	4·72	7·36	7·61	8·38	10·04	23·46	52·97	149·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·73	†109	–	–	–	–	43·02	3·71	3·23	3·89	6·31	6·03	8·20	11·51	22·40	48·53	150·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·32	† 87	–	–	–	–	33·29	4·90	4·80	5·63	8·21	8·94	8·52	8·91	24·36	56·94	149·50
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·67 per cent.	14,231	344	329	334	339	351	1697	1653	1660	1483	1128	1747	1397	1215	1087	791	373
Mean Population, 1881–91. Males	Decennial Decrease of Population 7·67 per cent.	6,840	173	168	168	169	175	853	836	868	772	507	796	634	530	509	373	171
Mean Population, 1881–91. Females	Decennial Decrease of Population 7·67 per cent.	7,391	171	161	166	170	176	844	817	792	711	621	951	763	685	587	418	202
Deaths from All Causes, 1881–90. Persons	17·87	2,543	396	135	61	35	21	648	71	66	70	83	133	117	122	255	419	559
Deaths from All Causes, 1881–90. Males	17·53	1,199	227	74	35	20	11	367	31	28	30	32	48	52	61	112	181	257
Deaths from All Causes, 1881–90. Females	18·18	1,344	169	61	26	15	10	281	40	38	40	51	85	65	61	143	238	302

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·48	0·48	0·47	68	33	35	13	15	12	13	4	57	8	1	1	–	1	–	–	–	–	–
Scarlet Fever	0·06	0·07	0·05	9	5	4	2	1	1	1	2	7	1	–	–	–	–	–	–	–	–	1
Diphtheria	0·12	0·13	0·11	17	9	8	–	–	1	1	2	4	11	1	1	–	–	–	–	–	–	–
Whooping-cough	0·32	0·38	0·27	46	26	20	23	14	5	2	–	44	–	1	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·06	0·05	8	4	4	–	–	–	–	–	–	–	1	3	1	1	–	–	–	2	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0·39	0·30	49	27	22	22	6	2	2	1	33	–	–	–	–	–	1	1	1	4	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·38	0·80	85	26	59	–	–	–	–	–	–	1	–	–	–	4	4	11	19	27	19
Tabes Mesenterica	0·22	0·23	0·20	31	16	15	10	8	1	–	–	19	3	1	1	5	1	–	–	–	1	–
Phthisis	1·61	1·35	1·85	229	92	137	2	1	2	2	–	7	2	10	23	40	65	31	14	16	16	5
Other Tub. & Scrof. Dis.	0·60	0·51	0·68	85	35	50	13	18	5	3	1	40	12	13	7	5	4	1	–	2	1	–
Diseases of Nervous System	2·50	2·31	2·67	355	158	197	59	18	5	3	1	86	5	6	5	2	5	14	20	38	78	96
Diseases of Circulatory „	2·38	1·96	2·77	339	134	205	2	–	–	–	1	3	1	5	4	3	6	11	21	64	117	104
Diseases of Respiratory „	3·33	3·68	3·00	474	252	222	92	27	17	3	5	144	9	8	6	6	8	15	20	46	84	122
Diseases of Digestive „	1·12	1·27	0·99	160	87	73	30	14	4	1	–	49	5	6	2	3	7	8	5	24	30	21
Diseases of Urinary „	0·55	0·69	0·42	78	47	31	1	1	–	–	1	3	1	–	3	5	2	8	11	12	18	15
Diseases of Generative „	0·11	–	0·22	16	–	16	–	–	–	–	–	–	–	–	–	–	6	–	3	5	1	1
Puerperal Fever	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	–	4	5	–	–	–	–
Childbirth	0·08	–	0·16	12	–	12	–	–	–	–	–	–	–	–	–	1	6	4	1	–	–	–
Violence	0·41	0·69	0·15	58	47	11	3	–	1	2	–	6	5	6	4	2	6	8	6	4	8	3
Other Causes	2·91	2·95	2·89	414	201	213	124	12	5	2	3	146	7	6	9	10	7	7	9	24	32	157

Marriages - - - 906

Births { Males - 2,082 / Females - 1,939 } 4,021

Annual Rate per 1000 living { Persons Married 12·73 / Births - - 28·26

Deaths from Childbirth and Puerperal Fever - - - - 5·22 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

287.—BIDEFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons —	In Standard Population* 14·76 / 15·62 / 1·75	141·6	–	–	–	–	40·19	4·22	2·41	4·23	5·75	6·35	8·20	11·74	22·43	49·73	156·92
	Males —		151·4	–	–	–	–	46·17	4·13	2·67	3·45	7·20	6·27	9·92	15·61	24·35	57·06	148·84
	Females —		† 85	–	–	–	–	34·14	4·31	2·16	4·99	4·77	6·40	7·81	11·12	21·55	46·94	1·66
Mean Population in 1881–90.	Persons —	Decennial Increase of Population 7·41 per cent.		13,477														
	Males —			8,064														
	Females —			10,583														
Deaths from Accidents, 1881–90.	Persons 16·84			3,280				692	195	81	45	46	189	97	58	89	95	158	102	142	356	474	689
	Males 18·41			1,941				365	96	47	22	25	560	48	29	35	47	64	77	88	145	244	314
	Females 15·52			1,339				327	99	34	16	24	469	49	29	54	48	94	85	104	161	230	366

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·37	0·24	58	33	25	7	17	11	6	7	48	6	2	1	–	–	1	–	–	–	–
Scarlet Fever	0·13	0·16	0·11	26	14	12	1	6	3	4	3	17	6	2	–	1	–	–	–	–	–	–
Diphtheria	0·23	0·22	0·23	44	20	24	–	5	3	8	4	20	17	4	1	–	–	–	1	1	–	–
Whooping-cough	0·39	0·39	0·39	76	35	41	34	28	6	5	2	75	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·13	0·16	29	12	17	1	–	–	–	2	3	2	3	5	–	3	5	1	4	3	–
Simple Continued Fever	0·03	0·02	0·03	5	2	3	–	–	2	–	–	2	1	–	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·32	0·38	0·26	63	34	29	34	1	–	2	–	37	–	1	1	–	–	–	2	8	4	10
Cholera	0·03	0·03	0·02	5	3	2	3	1	–	–	–	4	–	–	–	–	–	–	–	1	–	–
Cancer	0·65	0·52	0·77	127	46	81	–	–	–	–	–	–	–	–	–	3	1	8	29	24	33	2
Tabes Mesenterica	0·25	0·26	0·24	48	23	25	24	8	3	2	3	40	3	2	–	1	1	1	–	–	–	–
Hydrocephalus	1·50	1·37	1·61	292	122	170	2	3	–	1	–	6	6	28	33	45	71	51	25	25	14	8
Other Tub. & Scrof. Dis.	0·29	0·30	0·27	56	27	29	8	13	5	2	5	33	7	6	3	3	1	1	–	1	1	–
Diseases of Nervous System	2·42	2·07	2·72	472	238	234	82	27	9	4	3	125	15	4	7	8	11	8	24	57	95	118
Circulatory „	1·57	1·49	1·64	306	125	181	2	–	1	–	–	3	3	3	8	4	11	8	26	55	82	103
Respiratory „	3·07	3·38	2·84	598	319	279	125	54	28	7	8	222	11	12	6	7	10	13	25	54	92	153
Digestive „	1·01	1·29	0·81	196	107	89	42	15	1	–	2	60	3	2	2	2	10	11	15	24	39	28
Urinary „	0·55	0·79	0·35	107	70	37	1	–	2	1	–	4	–	2	2	2	7	3	8	17	38	24
Generative „	0·06	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	1	–	1	4	2	1	1
Puerperal Fever	0·07	–	0·13	14	–	14	–	–	–	–	–	–	–	–	–	2	6	5	–	–	–	–
Childbirth	0·09	–	0·18	17	–	17	–	–	–	–	–	–	–	–	–	2	5	5	–	–	–	–
Violence	0·61	1·01	0·27	118	90	28	6	3	2	1	1	16	4	11	10	10	12	17	7	6	7	
Other Causes	3·13	3·61	2·76	613	321	292	230	14	5	2	3	254	12	7	8	5	7	17	14	24	65	199

Marriages		1,405	Annual Rate per 1000 living	Persons Married	14·43
Births	Males 2,948 / Females 2,777	5,725		Births	29·39

Deaths from Childbirth and Puerperal Fever 5·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·45	†109	–	–	–	–	42·01	4·10	2·59	3·37	5·28	5·72	7·59	9·24	20·44	59·86	133·78
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·19	†122	–	–	–	–	45·57	2·95	2·44	3·95	5·60	4·42	6·94	8·89	18·73	59·91	133·63
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·69	† 98	–	–	–	–	38·59	5·28	2·77	2·77	4·97	6·91	8·20	9·56	22·15	59·82	133·93
Mean Population, 1881-91. Persons	Decennial Decrease of Population 0·38 per cent.	8,975	221	209	220	222	211	1083	1073	1002	950	757	1188	883	747	631	436	225
Mean Population, 1881-91. Males	Decennial Decrease of Population 0·38 per cent.	4,465	107	109	107	107	101	531	543	532	481	375	566	432	360	315	217	113
Mean Population, 1881-91. Females	Decennial Decrease of Population 0·38 per cent.	4,510	114	100	113	115	110	552	530	470	469	382	622	451	387	316	219	112
Deaths from All Causes, 1881-90. Persons	16·62	1,492	296	105	30	13	11	455	44	26	32	40	68	67	69	129	261	301
Deaths from All Causes, 1881-90. Males	16·53	738	162	56	12	6	6	242	16	13	19	21	25	30	32	59	130	151
Deaths from All Causes, 1881-90. Females	16·72	754	134	49	18	7	5	213	28	13	13	19	43	37	37	70	131	150

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·07	–	3	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·22	0·25	0·20	20	11	9	5	7	2	–	1	15	2	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·02	0·02	0·02	2	1	1	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Diphtheria	0·17	0·13	0·20	15	6	9	2	1	2	2	2	9	5	1	–	–	–	–	–	–	–	–
Whooping-cough	0·41	0·26	0·55	37	12	25	20	13		1	–	36	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·02	0·02	2	1	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·41	0·47	0·35	37	21	16	23	3	–	–	–	26	2	–	–	1	–	–	–	–	2	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·56	0·93	67	25	42	–	–	–	–	–	–	–	–	–	–	3	8	15	23	18	
Tabes Mesenterica	0·22	0·22	0·22	20	10	10	4	7	3	–	–	14	1	3	–	1	1	–	–	–	–	
Phthisis	1·66	1·50	1·82	149	67	82	4	2	–	–	–	6	4	3	13	24	33	20	6	17	17	6
Other Tub. & Scrof. Dis.	0·33	0·38	0·29	30	17	13	2	6	4	2	1	15	5	2	1	1	1	2	–	–	2	1
Diseases of Nervous System	2·17	2·31	2·04	195	103	92	44	11	3	2	1	61	2	4	4	3	4	3	7	8	55	39
Diseases of Circulatory ,,	1·78	1·64	1·93	160	73	87	2	1	–	–	–	3	1	2	1	2	4	8	14	34	55	36
Diseases of Respiratory ,,	2·99	3·32	2·66	268	148	120	57	24	8	3	2	94	11	2	3	2	5	6	8	25	50	62
Diseases of Digestive ,,	0·89	0·74	1·04	80	33	47	11	6	–	1	–	18	4	3	3	–	1	6	2	10	16	17
Diseases of Urinary ,,	0·70	0·78	0·62	63	35	28	1	–	1	–	1	3	2	–	1	1	3	3	9	11	12	18
Diseases of Generative ,,	0·04	–	0·09	4	–	4	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	
Puerperal Fever	0·03	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Childbirth	0·10	–	0·20	9	–	9	–	–	–	–	–	–	–	–	–	–	6	3	–	–	–	–
Violence	0·42	0·60	0·24	38	27	11	6	3	2	–	1	12	1	2	3	2	3	2	3	1	3	6
OTHER CAUSES	3·24	3·24	3·21	288	144	144	114	20	3	–	2	139	2	2	2	4	1	5	10	5	26	92

Marriages - - 589

Births - Males - 1,331 } 2,705
Females - 1,374 }

Annual Rate per 1000 living { Persons Married 13·13 / Births - - 30·14

Deaths from Childbirth and Puerperal Fever - - - - - } 4·44 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

289.—STRATTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Average Annual Death-Rate per 1000	Persons —	In Standard Population.* 15·96	† 99	–	–	–	–	39·20	4·23	2·35	4·16	6·26	6·81	8·94	8·91	19·42	52·00	172·40
	Males —		† 95	–	–	–	–	37·03	4·39	2·22	4·11	6·25	3·99	8·55	11·36	19·43	53·16	167·68
	Females —		†103	–	–	–	–	41·51	4·07	2·47	4·20	6·27	8·32	9·28	6·29	19·41	50·95	177·42
Mean Population 1881–91.	Persons Decennial Decrease of Population 4·26 per cent.	7,281	176	136	164	174	165	875	874	810	722	591	919	727	651	520	400	192
	Males	3,551	88	96	90	90	87	451	455	405	365	272	426	339	301	247	180	99
	Females	3,730	88	100	74	84	78	424	418	405	357	319	493	388	350	273	240	93
Deaths from All Causes, 1881–91.	Persons 17·08	1,287	206	82	26	19	10	343	37	19	30	37	58	65	58	101	208	331
	Males 17·60	625	101	45	16	8	3	167	20	9	15	17	17	29	36	48	101	166
	Females 17·75	662	105	37	10	11	7	176	17	10	15	20	41	36	22	53	107	165

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·05	–	0·11	4	–	4	1	–	1	–	–	2	2	–	–	–	–	–	–
Scarlet Fever	0·07	0·08	0·05	5	3	2	–	–	–	2	–	2	–	3	–	–	–	–	–
Diphtheria	0·55	0·48	0·63	40	17	23	–	5	3	3	6	17	17	3	1	1	–	–	–
Whooping-cough	0·23	0·20	0·27	17	7	10	4	10	3	–	–	17	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·11	8	4	4	–	–	–	–	–	–	–	1	1	1	3	1	–
Simple Continued Fever	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·05	0·08	0·03	4	3	1	4	–	–	–	–	4	–	–	–	–	–	–	–
Cholera	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·65	0·62	0·67	47	23	25	–	–	–	–	–	–	–	–	–	3	1	3	6
Tabes Mesenterica	0·11	0·08	0·13	8	3	5	5	–	2	–	–	7	–	–	–	–	–	–	–
Phthisis	1·63	1·35	1·90	119	48	71	6	9	3	–	–	17	–	2	10	16	23	18	11
Other Tub. & Scrof. Dis.	0·14	0·08	0·19	10	3	7	2	3	–	1	–	6	1	1	1	1	–	–	–
Deaths from Nervous System	2·21	2·03	2·39	161	72	89	20	12	2	3	2	39	1	2	5	5	6	6	9
Deaths from Circulatory	1·84	1·66	2·01	134	59	75	4	–	–	–	–	4	1	1	–	–	1	8	11
Deaths from Respiratory	3·08	3·32	2·84	224	118	106	37	23	11	6	1	78	8	2	3	4	9	7	8
Deaths from Digestive	0·71	0·87	0·56	52	31	21	11	1	–	1	1	14	–	2	1	–	1	3	2
Deaths from Urinary	0·51	0·65	0·38	37	23	14	–	–	–	1	–	1	–	–	2	–	1	4	4
Deaths from Generative	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Fever	0·11	–	0·21	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–
Childbirth	0·08	–	0·16	6	–	6	–	–	–	–	–	–	–	–	–	–	3	3	–
Violence	0·63	1·01	0·27	46	36	10	3	3	1	–	–	7	4	1	4	2	5	5	2
Other Causes	4·87	5·36	4·44	353	175	178	169	16	1	2	–	188	3	1	2	2	1	5	4

Marriages	–	461	Annual Rate per 1000 living	Persons Married	12·66
Births	Males 1,008	2,020		Births – –	28·70
	Females 1,012				

Deaths from Childbirth and Puerperal Fever – – – – 6·70 per 1000 Births.

75 and upwards.	172·40	167·68	177·42	192	99	93	331	166	165	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	9	5	13	5	8	208	101	107	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	8	7	15	8	7	8	4	4	–	–	–	–	–	–	–	–	–	–
	11	5	6	11	5	6	1	1	–	–	–	–	–	–	–	–	–	–	–
	23	13	10	23	13	10	16	8	8	–	–	–	–	–	–	–	–	–	–
	6	3	3	6	3	3	10	5	5	–	–	–	–	–	–	–	–	–	–
	1	1	–	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–
	6	6	9	13	30	43	52	27	25	–	–	–	–	–	–	–	–	–	–
	1	8	11	24	52	28	24	12	12	–	–	–	–	–	–	–	–	–	–
	9	7	8	19	32	47	9	5	4	–	–	–	–	–	–	–	–	–	–
	1	3	2	5	16	9	9	4	5	–	–	–	–	–	–	–	–	–	–
	1	4	4	9	8	15	1	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	3	3	–	–	–	–	6	3	3	–	–	–	–	–	–	–	–	–	–
	3	3	–	–	–	–	6	3	3	–	–	–	–	–	–	–	–	–	–
	5	2	3	8	6	2	160	80	80	–	–	–	–	–	–	–	–	–	–
	1	5	4	13	34	160	1,287	625	662	–	–	–	–	–	–	–	–	–	–

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

290.—CAMELFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·26	†114	–	–	–	–	46·84	5·74	3·98	4·07	5·36	6·13	8·70	11·33	24·95	56·03	156·15
Annual Death-Rate per 1000. Males	—			In Standard Population*		16·56	†137	–	–	–	–	51·87	5·63	2·92	3·76	5·40	4·34	10·59	12·50	26·36	53·13	157·78
Annual Death-Rate per 1000. Females	—			In Standard Population*		15·97	† 90	–	–	–	–	41·30	5 84	5·21	4·41	5·32	7·73	7·13	10·26	23·71	58·74	154·64
Mean Population, 1881-91. Persons	Decennial Decrease of Population, 9·19 per cent.			7,256			178	175	180	159	177	869	871	829	712	560	881	747	653	549	398	187
Mean Population, 1881-91. Males				3,583			95	94	95	84	87	455	426	445	372	278	415	340	312	258	192	90
Mean Population, 1881-91. Females				3,673			83	81	85	75	90	414	445	384	340	282	466	407	341	291	206	97
Deaths from All Causes, 1881-90. Persons	19·21			1,394			229	89	33	25	31	407	50	33	29	30	54	65	74	137	223	292
Deaths from All Causes, 1881-90. Males	19·73			707			142	42	21	14	17	236	24	13	14	15	18	36	39	68	102	142
Deaths from All Causes, 1881-90. Females	18·70			687			87	47	12	11	14	171	26	20	15	15	36	29	35	69	121	150
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·17	0·16	12	6	6	–	5	2	3	2	12	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·29	0·25	0·33	21	9	12	1	1	3	3	2	10	5	4	2	–	–	–	–	–	–	–
Diphtheria	0·34	0·28	0·41	25	10	15	–	–	1	1	7	9	10	1	3	2	–	–	–	–	–	–
Whooping-cough	0·81	0·89	0·74	59	32	27	31	16	5	3	1	56	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·03	0·08	4	1	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Simple Continued Fever	0·04	0·06	0·03	3	2	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–
Diarrhœa and Dysentery	0·26	0·39	0·14	19	14	5	11	1	–	–	–	12	–	–	–	–	–	1	–	1	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·45	0·25	0·65	33	9	24	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	–
Tabes Mesenterica	0·25	0·17	0·33	18	6	12	1	3	1	–	–	5	2	2	3	–	1	2	4	16	5	5
Phthisis	1·09	0·98	1·20	79	35	44	1	1	–	1	–	3	2	3	8	11	19	10	7	11	5	–
Other Tub. & Scrof. Dis.	0·28	0·42	0·14	20	15	5	4	8	–	–	1	13	2	2	1	–	–	1	–	1	–	1
Diseases of Nervous System	2·04	1·70	2·37	148	61	87	27	7	–	3	1	38	–	4	1	1	3	6	10	16	44	25
Diseases of Circulatory "	1·93	1·90	1·96	140	68	72	–	–	–	–	–	–	1	1	–	4	1	5	17	27	50	34
Diseases of Respiratory "	2·78	3 15	2·42	202	113	89	23	23	10	7	11	74	11	1	2	–	2	13	8	26	35	30
Diseases of Digestive "	1·28	1·42	1·14	93	51	42	17	10	2	1	1	31	3	7	–	–	5	3	7	14	12	11
Diseases of Urinary "	0·40	0·56	0·24	29	20	9	–	–	–	1	–	1	–	–	–	2	2	–	1	3	11	9
Diseases of Generative "	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–
Puerperal Fever	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–
Childbirth	0·14	–	0·27	10	–	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·74	1·31	0·19	54	47	7	3	1	3	–	3	10	2	3	2	3	6	–	–	–	–	–
OTHER CAUSES	5·72	5·80	5·62	415	208	207	110	13	6	2	2	133	8	5	4	2	6	11	8	15	50	173

Marriages - - 448

Births - Males 1,040 / Females 968 — 2,008

Annual Rate per 1000 living: Persons Married 12·35; Births - - 27·67

Deaths from Childbirth and Puerperal Fever - - - - - 7·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·89	†108	–	–	–	–	39·80	3·56	3·29	4·09	5·23	6·07	8·17	11·26	21·50	56·50	169·14
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·26	†121	–	–	–	–	41·76	3·26	3·40	4·42	4·98	6·08	7·53	11·08	24·82	60·57	184·28
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·54	† 93	–	–	–	–	37·60	3·88	3·17	3·72	5·46	6·05	8·74	11·42	18·49	52·07	156·54
Mean Population, 1885-91. Persons	Decennial Decrease of Population 1·98 per cent.	15,966	372	382	410	390	373	1927	1854	1855	1711	1339	1294	1570	1394	1163	800	350
Mean Population, 1885-91. Males	Decennial Decrease of Population 1·98 per cent.	7,890	202	194	216	209	189	1020	952	940	905	643	937	744	650	552	388	159
Mean Population, 1885-91. Females	Decennial Decrease of Population 1·98 per cent.	8,076	170	188	194	181	184	907	902	915	806	696	1057	835	744	611	412	191
Deaths from All Causes, 1885-90. Persons	17·13	2,735	483	173	50	37	24	767	66	61	70	70	121	129	157	250	452	592
Deaths from All Causes, 1885-90. Males	17·88	1,411	290	82	25	16	13	426	31	32	40	32	57	56	72	137	255	293
Deaths from All Causes, 1885-90. Females	16·39	1,324	193	91	25	21	11	341	35	29	30	38	64	73	85	113	217	299

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·19	0·21	32	15	17	6	15	2	1	1	25	5	–	1	–	–	–	1	–	–	–
Scarlet Fever	0·10	0·10	0·10	16	8	8	–	1	3	–	0	4	7	1	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·15	0·13	23	12	11	–	4	1	5	2	12	4	4	–	–	2	1	–	–	–	–
Whooping-cough	0·37	0·41	0·33	59	32	27	29	20	6	3	1	59	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·09	0·10	0·07	14	8	6	–	–	–	–	–	–	–	1	3	–	3	2	1	3	1	–
Simple Continued Fever	0·03	0·03	0·02	4	2	2	–	–	–	1	–	1	–	1	–	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·28	0·27	0·28	44	21	23	23	8	–	–	–	31	–	–	–	–	1	–	–	–	6	6
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·73	0·53	0·93	117	42	75	–	–	1	–	–	1	–	–	–	–	2	11	20	24	35	24
Tabes Mesenterica	0·09	0·10	0·09	15	8	7	5	2	–	–	1	8	–	6	–	1	–	–	–	–	–	–
Phthisis	1·40	1·25	1·54	224	99	125	5	4	4	–	–	13	2	8	23	29	54	33	20	28	10	3
Other Tub. & Scrof. Dis.	0·41	0·49	0·38	65	39	26	12	6	3	5	–	26	10	8	11	3	4	2	–	–	–	1
Diseases of Nervous System	2·20	2·23	2·18	351	175	176	68	20	–	4	4	96	7	8	7	8	7	11	14	37	69	87
Diseases of Circulatory „	1·99	1·86	2·12	318	147	171	3	–	–	–	–	3	1	2	2	6	4	18	22	39	107	114
Diseases of Respiratory „	3·65	4·19	3·12	583	331	252	120	55	19	10	4	217	12	6	8	5	15	16	33	51	106	115
Diseases of Digestive „	0·98	1·19	0·77	156	94	62	29	13	1	2	–	38	7	5	1	1	5	8	11	24	30	26
Diseases of Urinary „	0·62	0·77	0·47	99	61	38	–	–	–	–	–	–	1	2	2	5	2	7	11	19	34	16
Diseases of Generative „	0·09	0·01	0·17	15	1	14	–	1	–	–	–	1	–	1	–	2	1	4	4	–	2	–
Puerperal Fever	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–
Childbirth	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	1	2	4	4	–	–	–	–
Violence	0·41	0·60	0·22	65	47	18	3	2	5	4	1	14	4	2	5	1	7	4	11	7	9	1
Other Causes	3·23	3·41	3·12	513	268	250	178	22	5	3	7	244	6	6	4	4	8	8	10	17	42	199

Marriages	1,013	Annual Rate per 1000 living	Persons Married	13·69	Deaths from Childbirth and Puerperal Fever 3·58 per 1000 Births.
Births Males	2,309		Births	28·02	
Births Females	2,075				
Births	4,474				

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

292.—ST. GERMANS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·31 17·45 15·24	†121	–	–	–	–	46·15	6·77	3·55	5·54	6·05	6·87	8·77	12·39	23·27	55·18	138·39
Males	—		†144	–	–	–	–	54·10	7·24	2·56	6·03	5·61	6·70	8·32	12·78	26·94	59·10	145·31
Females	—		† 97	–	–	–	–	38·10	6·34	4·65	5·04	6·44	7·00	9·14	12·06	20·25	51·82	133·20
Mean Population. 1881-91. Persons	Decennial Increase of Population 6·60 per cent.	17,282	417	395	390	406	403	2011	1934	1941	1696	1422	2214	1802	1533	1315	966	448
Males		8,236	207	198	201	202	203	1011	925	1016	862	677	985	817	712	594	445	192
Females		9,046	210	197	189	204	200	1000	1009	925	834	745	1229	985	821	721	521	256
Deaths from All Causes, 1881-90. Persons	18·90	3,267	572	197	75	47	37	928	131	69	94	86	152	158	190	306	533	620
Males	20·12	1,657	348	104	47	25	23	547	67	26	52	38	66	68	91	160	263	279
Females	17·80	1,610	224	93	28	22	14	381	64	43	42	48	86	90	99	146	270	341

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·42	0·55	0·31	73	45	28	12	26	15	5	4	62	11	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·16	0·13	25	13	12	3	6	5	4	1	19	4	2	–	–	–	–	–	–	–	–
Diphtheria	0·31	0·27	0·35	54	22	32	3	3	5	6	2	19	22	9	1	1	1	–	–	–	–	1
Whooping-cough	0·53	0·64	0·43	92	53	39	49	18	13	8	1	89	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·30	0·27	0·33	52	22	30	–	2	1	1	2	6	10	7	10	7	7	3	1	–	1	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·51	0·64	0·40	89	53	36	65	8	–	–	–	73	–	–	–	–	–	–	3	2	4	7
Cholera	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·64	0·82	127	53	74	–	1	–	–	–	1	–	1	–	1	–	10	22	34	37	21
Tabes Mesenterica	0·12	0·12	0·12	21	10	11	4	4	1	–	1	10	4	–	4	1	–	1	1	–	–	–
Phthisis	1·50	1·49	1·50	259	123	136	1	3	2	3	1	10	3	10	29	17	65	42	30	18	10	5
Other Tub. & Scrof. Dis.	0·32	0·39	0·25	55	32	23	7	9	2	2	3	23	12	2	6	1	3	2	2	3	1	–
Diseases of Nervous System	2·59	3·04	2·19	448	250	198	81	19	5	4	7	116	14	5	8	3	5	13	33	53	102	96
Diseases of Circulatory „	2·11	1·87	2·32	364	154	210	4	2	–	–	1	7	8	8	6	6	11	14	35	60	127	82
Diseases of Respiratory „	3·60	3·99	3·24	622	329	293	133	70	16	11	7	237	15	4	1	5	13	21	24	66	106	130
Diseases of Digestive „	1·08	1·09	1·06	186	90	96	37	15	2	–	3	57	7	4	4	2	4	7	7	26	45	23
Diseases of Urinary „	0·47	0·55	0·41	82	45	37	–	–	–	1	–	1	–	2	3	2	5	7	13	11	22	16
Diseases of Generative „	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–
Puerperal Fever	0·10	–	0·19	17	–	17	–	–	–	–	–	–	–	–	–	3	4	10	–	–	–	–
Childbirth	0·07	–	0·13	12	–	12	–	–	–	–	–	–	–	–	–	1	6	5	–	–	–	–
Violence	0·67	1·07	0·30	115	88	27	8	1	3	2	2	16	10	10	14	10	18	8	4	11	6	8
OTHER CAUSES	3·28	3·32	3·25	566	273	293	164	10	5	–	2	181	8	5	7	6	10	13	13	21	71	231

Marriages - - - 685

Births - Males 2,410 / Females 2,310 = 4,720

Annual Rate per 1000 living: Persons Married 7·93; Births - - 27·31

Deaths from Childbirth and Puerperal Fever - - - - - 6·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

293.—LISKEARD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Deaths per 1000 { Persons	—	In Standard Population* 15·65	†112	–	–	–	–	44·04	3·90	2·48	4·03	5·93	6·19	7·87	13·51	24·93	58·51	143·90
Annual Deaths per 1000 { Males	—	In Standard Population* 16·65	†119	–	–	–	–	46·13	3·63	2·48	4·15	5·74	6·36	9·39	17·87	30·91	64·80	145·26
Annual Deaths per 1000 { Females	—	In Standard Population* 14·70	†105	–	–	–	–	42·09	4·18	2·48	3·91	6·12	6·06	6·80	10·05	19·89	53·31	142·86
Mean Population in 1881–90 { Persons	Decennial Decrease of Population 8·62 per cent.	27,632	687	593	663	668	654	3270	3409	3147	2939	2242	2477	2680	2443	2082	1427	656
Mean Population in 1881–90 { Males	Decennial Decrease of Population 8·62 per cent.	12,997	337	289	333	326	328	1613	1682	1616	1517	1016	1446	1150	1080	951	641	285
Mean Population in 1881–90 { Females	Decennial Decrease of Population 8·62 per cent.	14,635	350	304	335	342	326	1657	1627	1531	1482	1226	1931	1530	1363	1131	786	371
Deaths from Age Causes, 1881–90 { Persons	17·91	4,949	878	341	98	60	63	1440	129	78	121	133	209	211	330	519	835	944
Deaths from Age Causes, 1881–90 { Males	19·10	2,482	479	180	39	19	27	744	61	40	63	58	92	107	103	294	416	414
Deaths from Age Causes, 1881–90 { Females	16·86	2,467	399	161	59	41	36	696	68	38	58	75	117	104	137	225	419	530

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·21	0·25	64	27	37	9	21	5	5	7	47	12	2	–	–	1	2	–	–	–	–
Scarlet Fever	0·10	0·13	0·08	29	17	12	3	5	2	4	3	17	4	4	2	1	1	–	–	–	–	–
Diphtheria	0·08	0·06	0·10	23	8	15	–	–	–	1	5	6	12	2	3	–	–	–	–	–	–	–
Whooping-cough	0·43	0·39	0·46	118	51	67	54	35	13	9	3	114	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·18	0·15	0·20	49	19	30	–	–	1	1	1	3	4	6	10	8	3	1	4	3	1	–
Simple, Continued Fever	0·04	0·02	0·05	11	3	8	–	2	–	1	2	5	–	–	–	–	1	1	1	–	2	1
Diarrhœa and Dysentery	0·18	0·10	0·16	49	25	24	28	4	–	–	–	32	–	–	–	–	2	1	–	3	2	9
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·73	0·59	0·85	201	77	124	–	–	–	–	–	–	–	–	2	–	2	13	31	67	59	27
Tabes Mesenterica	0·26	0·25	0·26	72	34	38	28	19	4	1	2	54	4	4	5	3	2	1	–	–	–	–
Tubercle	1·77	2·00	1·56	489	260	229	9	14	2	–	–	25	8	20	38	64	91	71	74	66	25	7
Other Tub. & Scrof. Dis.	0·36	0·41	0·31	99	53	46	23	20	7	5	4	59	12	6	11	5	4	–	1	1	–	–
Diseases of Nervous System	2·60	2·47	2·73	720	321	399	135	50	12	7	6	228	12	4	4	7	17	14	35	67	102	170
Diseases of Circulatory	1·91	2·07	1·77	528	269	259	2	3	–	–	1	6	4	3	6	11	11	17	46	104	183	134
Diseases of Respiratory	3·58	4·25	2·98	988	552	436	211	105	30	18	21	385	21	4	5	8	14	21	59	107	175	189
Diseases of Digestive	0·87	0·92	0·83	241	119	122	46	29	3	3	3	72	9	5	4	3	10	9	18	24	56	31
Diseases of Urinary	0·47	0·72	0·26	131	93	38	–	–	2	2	–	4	–	–	4	2	6	8	13	19	44	31
Diseases of Generative	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	–	–	–	1	6	1	3	1
Puerperal Fever	0·07	–	0·14	20	–	20	–	–	–	–	–	–	–	–	1	1	10	6	2	–	–	–
Convulsions	0·06	–	0·11	16	–	16	–	–	–	–	–	–	–	–	1	2	4	7	2	–	–	–
Violence	0·50	0·79	0·24	138	103	35	3	4	5	2	2	16	6	7	12	10	15	18	19	12	14	9
OTHER CAUSES	3·44	3·44	3·44	948	448	500	312	39	12	1	3	367	17	10	12	9	9	20	18	45	106	335

Marriages - - - 1,562

Births { Males 4,026 / Females 3,812 } 7,838

Annual Rate per 1000 living { Persons Married 11·31 / Births - - 28·37

Deaths from Childbirth and Puerperal Fever - - - - - 6·89 per 1000 Births.

* See pages xxxiv xxxvi.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons			In Standard Population*		17·29	†119	–	–	–	–	46·42	6·08	2·72	5·16	7·01	8·79	10·60	15·58	26·05	55·01	147·17
	Males					18·36	†138	–	–	–	–	52·12	7·01	2·68	4·35	5·16	9·31	12·58	16·27	30·56	57·43	152·92
	Females					16·29	† 99	–	–	–	–	40·73	5·17	2·76	6·02	8·77	8·38	8·94	15·02	22·26	53·02	142·41
Mean Population, 1881–91.	Persons	Decennial Decrease of Population 5·48 per cent.		18,721			416	400	429	405	429	2079	2039	1949	1919	1512	2366	2010	1752	1478	1087	530
	Males			8,911			205	203	203	195	232	1038	1013	969	989	737	1053	914	793	674	491	240
	Females			9,810			211	197	226	210	197	1041	1026	980	930	775	1313	1096	959	804	596	290
Deaths from All Causes, 1881–90.	Persons	20·32		3,804			610	211	72	38	34	965	124	53	99	106	208	213	273	385	598	780
	Males	21·50		1,916			360	116	33	14	18	541	71	26	43	38	98	115	129	206	282	367
	Females	19·25		1,888			250	95	39	24	16	424	53	27	56	68	110	98	144	179	316	413

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·16	0·20	34	14	20	4	10	2	4	3	23	9	1	–	–	1	–	–	–
Scarlet Fever	0·18	0·25	0·11	33	22	11	1	6	5	1	2	15	13	2	1	2	–	–	–	–
Diphtheria	0·21	0·25	0·18	40	22	18	2	4	1	3	6	16	17	3	–	1	1	–	–	2
Whooping-cough	0·43	0·36	0·50	81	32	49	48	18	6	2	5	79	1	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·33	0·33	0·34	62	29	33	–	–	–	1	–	1	12	5	11	8	7	7	4	2	4	1
Simple Continued Fever	0·03	0·03	0·02	5	3	2	–	–	1	–	–	1	–	1	–	–	–	1	1	1	1	–
Diarrhœa and Dysentery	0·25	0·28	0·21	46	25	21	24	2	–	–	–	26	–	–	–	–	3	–	1	5	4	7
Cholera	0·01	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·42	0·77	113	37	76	–	–	–	–	–	–	–	–	–	–	3	8	16	31	36	19
Tabes Mesenterica	0·31	0·27	0·35	58	24	34	18	15	4	3	1	41	4	2	2	2	5	1	–	1	–	–
Phthisis	1·74	1·66	1·80	325	148	177	3	2	1	1	–	7	6	9	34	43	71	56	36	34	26	3
Other Tub. & Scrof. Dis.	0·38	0·44	0·33	71	39	32	18	15	3	–	2	38	8	1	4	6	4	2	6	1	–	1
Diseases of Nervous System	3·19	3·58	2·83	597	319	278	79	30	8	5	1	123	9	5	8	6	32	49	65	76	121	103
Diseases of Circulatory „	1·91	1·86	1·96	358	166	192	–	–	–	–	–	–	1	4	7	8	10	12	28	72	102	114
Diseases of Respiratory „	2·88	3·12	2·66	539	278	261	103	42	15	9	7	176	16	4	9	9	19	25	36	52	96	97
Diseases of Digestive „	1·11	1·34	0·91	208	119	89	27	9	6	2	3	47	9	3	6	1	8	13	21	28	50	22
Diseases of Urinary „	0·50	0·64	0·38	94	57	37	–	–	–	1	–	1	1	1	1	1	8	8	14	16	23	20
Diseases of Generative „	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	2	–	1	3	3	1	–	1
Puerperal Fever	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Childbirth	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	–	4	7	6	–	–	–	–
Violence	0·56	0·89	0·27	105	79	26	5	6	4	2	1	18	10	6	7	9	11	7	11	12	9	5
OTHER CAUSES	5·35	5·61	5·11	1002	502	500	277	52	16	4	3	352	8	5	7	5	15	15	31	53	124	387

Marriages - - 1,180

Births - {Males - 2,618 / Females - 2,529} 5,147

Annual Rate per 1000 living {Persons Married 12·07 / Births - - 27·49}

Deaths from Childbirth and Puerperal Fever - - - - - 4·08 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	Persons — Males — Females —	In Standard Population*			†111 †120 †101	– – –	– – –	– – –	– – –	43·07 46·42 39·81	5·22 5·57 4·86	3·28 2·70 3·86	5·01 5·04 4·99	5·89 6·19 5·65	7·77 6·64 8·62	7·92 8·65 7·37	10·79 11·56 10·18	20·36 22·33 18·77	48·97 45·63 51·63	145·91 147·98 144·35
Mean Population, 1885-9.	Persons — Males — Females —	Decennial Decrease of Population 5·87 per cent.			15,864 7,375 8,489					386 192 194	348 168 180	387 189 198	356 178 178	364 182 182	1841 909 932	1879 933 946	1770 889 881	1536 794 802	1324 598 726	2007 858 1149	1653 717 936	1390 614 776	1174 524 650	827 366 461	603 173 230
Deaths from Acci Causes, 1885-90.	Persons 17·50 Males 17·69 Females 17·33				2,776 1,305 1,471					430 271 219	170 89 81	50 22 28	49 21 28	34 19 15	793 422 371	98 52 46	58 24 34	80 40 40	78 37 41	156 57 99	131 62 69	150 71 79	239 117 122	405 167 238	588 256 332
		Persons.	Males.	Females.	Persons.	Males.	Females.													
										Persons.										
Small-pox		0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles		0·25	0·31	0·20	40	23	17	3	12	4	6	5	30	7	1	2	–	1	–	–	–	–
Scarlet Fever		0·25	0·18	0·32	40	13	27	6	5	6	9	5	31	5	2	–	–	–	–	–	–	–
Diphtheria		0·12	0·16	0·08	19	12	7	2	–	–	2	1	5	10	2	–	–	2	–	–	–	–
Whooping-cough		0·38	0·30	0·45	60	22	38	26	19	6	4	–	55	3	2	–	–	1	1	–	–	–
Typhus		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever		0·23	0·28	0·19	37	21	16	1	–	–	–	1	3	3	4	3	6	5	3	3	1	–	1
Simple Continued Fever		0·03	0·03	0·02	4	2	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery		0·28	0·26	0·29	44	19	25	27	4	1	–	–	32	–	–	–	–	–	–	1	3	2
Cholera		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer		0·62	0·53	0·71	99	39	60	–	–	–	–	–	–	–	–	–	–	1	–	1	3	5
Tabes Mesenterica		0·33	0·39	0·28	53	29	24	21	11	3	–	1	36	6	4	5	1	–	1	1	–	–
Phthisis		1·58	1·48	1·67	251	109	142	7	4	–	1	–	12	4	9	26	38	60	32	29	23	15	3
Other Tub. & Scrof. Dis.		0·42	0·41	0·42	66	30	36	19	10	1	–	2	32	10	7	7	1	3	3	3	–	–	–
Diseases of — Nervous System		2·21	2·16	2·25	350	159	191	51	13	4	2	8	78	9	6	8	4	8	11	18	41	80	87
Circulatory		1·74	1·80	1·68	276	133	143	2	–	–	–	–	2	1	1	–	2	7	10	21	40	90	93
Respiratory		2·79	2·74	2·84	443	202	241	79	57	15	14	9	174	16	1	2	4	13	13	16	38	68	99
Digestive		1·01	1·04	0·96	160	77	83	30	9	1	1	–	41	8	3	4	3	3	5	15	22	50	26
Urinary		0·47	0·72	0·26	75	53	22	–	–	–	–	–	–	1	3	–	3	9	5	4	9	17	24
Generative		0·06	0·01	0·09	9	1	8	–	–	–	–	–	–	–	–	–	–	2	–	1	1	5	–
Puerperal Fever		0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Childbirth		0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence		0·67	1·10	0·29	106	81	25	5	2	–	3	1	13	4	2	1	3	7	5	–	–	–	–
Other Causes		3·39	3·78	4·00	617	279	338	211	24	9	4	1	249	10	4	7	6	13	18	8	16	13	59	11 / 213

Marriages	–	955	Annual Rate per 1000 living	Persons Married	12·04
Births	Males – 2,253	4,416		Births – –	27·84
	Females – 2,163				

Deaths from Childbirth and Puerperal Fever – – – 5·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

296.—ST. AUSTELL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·55	†124	–	–	–	–	50·66	5·12	2·64	4·41	7·23	6·55	7·69	10·24	25·35	56·59	146·07
Annual Death-Rate per 1000. Males	—	Standard 17·17	†132	–	–	–	–	53·46	4·78	2·26	3·50	6·36	6·37	7·53	12·66	29·42	66·46	154·61
Annual Death-Rate per 1000. Females	—	Population* 15·97	†115	–	–	–	–	47·84	5·47	3·03	5·41	8·03	6·70	7·82	8·31	22·03	49·18	139·95
Mean Population, 1881-91. Persons	Decennial Increase of Population, 2·75 per cent.	30,601	790	708	785	794	725	3802	3689	3411	3267	2447	3862	3121	2685	2166	1502	649
Mean Population, 1881-91. Males		14,545	389	360	398	395	364	1906	1861	1726	1714	1164	1712	1382	1193	972	644	271
Mean Population, 1881-91. Females		16,056	401	348	387	399	361	1896	1828	1685	1553	1283	2150	1739	1492	1194	858	378
Deaths from All Causes, 1881–90. Persons	18·43	5,641	1148	494	144	82	58	1926	189	90	144	177	253	240	275	542	850	948
Deaths from All Causes, 1881–90. Males	19·10	2,778	631	244	72	39	33	1019	82	39	60	74	109	104	151	286	428	419
Deaths from All Causes, 1881–90. Females	17·83	2,863	517	250	72	43	25	907	100	51	84	103	144	136	124	263	422	529

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Measles	0·20	0·21	0·19	62	31	31	9	22	12	3	3	49	13	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·26	0·30	86	38	48	10	8	13	9	7	47	24	6	1	4	3	1	–	–
Diphtheria	0·22	0·19	0·25	68	28	40	2	3	4	3	7	19	34	9	5	1	–	–	–	–
Whooping-cough	0·64	0·67	0·62	197	98	99	96	65	15	12	4	192	4	1	–	–	–	–	–	–
Typhus	0·01	–	0·01	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Enteric Fever	0·07	0·09	0·06	22	13	9	–	–	1	–	2	3	1	3	6	3	3	2	1	–
Simple Continued Fever	0·03	0·03	0·03	10	5	5	1	1	2	–	–	4	1	2	–	1	1	–	1	–
Diarrhœa and Dysentery	0·19	0·22	0·16	57	32	25	26	7	1	–	–	34	2	1	–	1	1	1	1	2
Cholera	0·01	0·02	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	1	1	–
Cancer	0·51	0·38	0·62	155	55	100	–	–	–	–	–	–	–	–	2	2	3	15	26	44
Tabes Mesenterica	0·24	0·26	0·21	72	38	34	24	25	5	1	1	56	1	3	4	3	1	1	2	–
Phthisis	1·69	1·48	1·89	518	215	303	9	23	2	3	2	39	13	16	52	76	115	64	49	60
Other Tub. & Scrof. Dis.	0·50	0·54	0·47	153	78	75	38	25	10	4	3	80	17	9	15	7	13	8	4	–
Diseases of Nervous System	2·24	2·25	2·23	685	327	358	143	59	9	4	6	221	20	9	13	8	19	19	38	76
Diseases of Circulatory „	1·74	1·86	1·64	533	270	263	3	–	–	–	–	3	3	4	4	14	11	19	51	120
Diseases of Respiratory „	2·87	3·10	2·65	877	451	426	202	139	45	29	16	431	27	6	7	9	11	24	22	87
Diseases of Digestive „	1·10	1·19	1·02	336	173	163	64	22	–	2	–	88	11	5	6	9	19	21	23	46
Diseases of Urinary „	0·37	0·46	0·28	112	67	45	–	–	–	1	–	1	1	–	4	4	3	4	11	27
Diseases of Generative „	0·04	–	0·08	13	–	13	–	–	–	–	–	–	–	–	–	1	2	3	4	2
Puerperal Fever	0·07	–	0·14	22	–	22	–	–	–	–	–	–	–	–	–	3	13	5	1	–
Childbirth	0·05	–	0·09	15	–	15	–	–	–	–	–	–	–	–	1	3	2	8	1	–
Violence	0·42	0·69	0·17	127	100	27	9	3	5	3	3	23	6	5	12	12	13	11	9	13
OTHER CAUSES	4·93	5·19	4·72	1514	754	760	511	92	20	8	4	635	10	11	11	16	19	33	30	72

Marriages	2,139	Annual Rate per 1000 living	Persons Married	13·98	Deaths from Childbirth and Puerperal Fever	3·99 per 1000 Births.
Births Males	4,774		Births	30·33		
Births Females	4,507					
Births	9,281					

* *See* pages xxxvi–xxxviii.

† The deaths under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	—		In Standard Population*		16·89	†127	–	–	–	–	51·56	5·59	3·03	4·62	6·41	6·96	7·94	13·33	25·22	56·12	143·89
	Males	—				18·35	†141	–	–	–	–	56·42	3·49	2·67	3·90	7·97	8·45	9·56	17·23	30·58	63·30	157·78
	Females	—				15·33	†111	–	–	–	–	46·55	3·68	3·41	5·36	5·34	5·90	6·86	10·57	21·46	51·17	135·21
Mean Popn. 1881–90	Persons	Decennial Decrease of Population 6·25 per cent.		34,869			773	690	736	720	760	3679	3849	3794	3763	2884	4408	3579	3272	2818	1946	868
	Males			15,641			404	349	365	371	384	1873	1946	1944	1898	1179	1739	1422	1332	1164	793	334
	Females			19,219			369	341	371	349	376	1806	1903	1850	1865	1705	2669	2157	1926	1654	1153	534
Deaths 1881–90	Persons	18·90		6,588			1182	420	153	90	52	1897	138	115	174	185	306	284	436	711	1092	1240
	Males	20·74		3,244			686	292	82	44	24	1055	68	52	74	94	147	136	233	356	502	597
	Females	17·40		3,344			496	198	71	46	28	842	70	63	100	91	160	148	203	355	590	722

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·27	0·12	65	42	23	16	25	10	5	3	59	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·10	0·11	36	15	21	3	3	5	6	3	20	12	3	–	1	–	–	–	–	–	–
Diphtheria	0·17	0·18	0·16	59	28	31	1	3	7	6	6	23	21	7	5	1	1	1	–	–	–	–
Whooping-cough	0·52	0·57	0·49	183	89	94	89	57	18	9	6	179	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·24	0·26	0·23	85	40	45	1	–	1	1	–	3	4	6	16	15	14	11	10	4	2	–
Simple Continued Fever	0·06	0·06	0·06	20	9	11	2	–	–	1	1	4	4	1	1	3	–	1	–	1	1	–
Diarrhœa and Dysentery	0·31	0·43	0·21	108	67	41	69	7	2	1	1	80	2	1	1	–	3	1	3	3	7	8
Cholera	0·01	0·01	0·01	4	2	2	–	–	–	1	–	1	–	–	–	–	–	–	–	1	2	–
Cancer	0·68	0·56	0·79	238	87	151	–	–	–	–	–	–	–	–	1	–	3	16	43	71	74	30
Tabes Mesenterica	0·17	0·23	0·11	58	36	22	21	11	4	2	–	38	7	5	1	3	1	2	–	1	1	–
Phthisis	1·95	2·23	1·73	680	348	332	15	10	4	2	2	33	7	20	74	94	148	77	88	82	52	5
Other Tub. & Scrof. Dis.	0·38	0·49	0·29	133	77	56	33	33	5	–	3	74	21	18	6	4	7	–	3	1	–	–
Diseases of Nervous System	2·49	2·62	2·38	867	410	457	192	56	14	7	6	277	10	15	13	9	19	29	53	115	241	116
" Circulatory "	1·64	1·80	1·50	572	282	290	–	1	–	2	–	3	3	8	11	5	19	40	68	114	192	130
" Respiratory "	2·83	3·31	2·44	986	518	468	176	128	46	23	13	386	10	9	7	14	17	24	50	139	192	142
" Digestive "	1·05	1·07	1·04	366	167	199	56	28	6	1	1	92	5	5	9	4	14	18	45	60	73	44
" Urinary "	0·40	0·54	0·29	141	65	56	3	–	2	3	–	8	2	2	4	2	11	3	18	30	34	27
" Generative "	0·08	0·02	0·14	29	3	26	1	–	–	–	–	1	–	–	–	–	3	4	7	4	7	3
Puerperal Fever	0·03	–	0·06	11	–	11	–	–	–	–	–	–	–	–	1	4	1	4	1	–	–	–
Convulsions	0·06	–	0·11	20	–	20	–	–	–	–	–	–	–	–	–	3	3	9	–	–	–	–
Violence	0·46	0·82	0·17	162	129	33	14	5	4	6	3	31	8	4	13	9	14	19	13	20	22	10
Other Causes	5·07	5·15	4·96	1762	808	954	490	51	25	14	4	584	13	10	10	15	23	25	36	66	222	758

Marriages		2,454	Annual Rate per 1000 living	Persons Married	14·08
Births	Males 4,858	9,311		Births	26·71
	Females 4,453		Deaths from Childbirth and Puerperal Fever		2·33 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

298.—FALMOUTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 17·02	†144	–	–	–	–	55·42	4·91	2·67	4·28	5·69	5·75	9·69	12·75	21·97	53·13	147·87
Males	—	Standard 18·15	†160	–	–	–	–	59·28	5·13	2·77	4·35	7·01	6·38	10·03	15·22	23·98	64·19	141·23
Females	—	Population* 15·96	†127	–	–	–	–	51·56	4·69	2·58	4·17	4·48	5·18	9·38	10·71	20·39	45·63	152·46
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·33 per cent.	25,004	531	480	537	529	478	2555	2548	2544	3086	2319	3427	2777	2369	1730	1133	516
Males		12,180	284	223	258	264	248	1277	1263	1265	1838	1113	1614	1306	1071	759	458	211
Females		12,824	247	257	279	265	230	1278	1280	1279	1248	1206	1813	1471	1298	971	675	305
Deaths from All Causes, 1881–90. Persons	17·54	4,386	887	311	103	54	53	1416	125	68	132	132	197	269	302	380	602	763
Males	17·95	2,186	498	162	49	23	26	757	65	35	80	78	103	131	163	182	294	298
Females	17·16	2,200	389	149	57	32	32	659	60	33	52	54	94	138	139	198	308	465

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	3	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–
Measles	0·41	0·44	0·38	103	54	49	23	31	20	5	4	83	17	3	–	–	–	–	–	–
Scarlet Fever	0·06	0·06	0·07	16	7	9	–	1	4	2	4	11	5	–	–	–	–	–	–	–
Diphtheria	0·16	0·18	0·14	40	22	18	3	1	5	5	9	23	12	2	2	1	–	–	–	–
Whooping-cough	0·48	0·49	0·48	121	60	61	56	40	15	4	5	120	1	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Enteric Fever	0·18	0·18	0·18	45	22	23	–	–	–	–	2	2	8	3	7	8	6	6	3	2	–	–
Simple Continued Fever	0·04	0·06	0·02	10	7	3	1	–	–	1	–	2	1	1	1	2	1	1	–	1	–	–
Diarrhœa and Dysentery	0·34	0·39	0·28	84	48	36	48	3	1	–	–	52	1	–	2	3	4	5	4	2	4	7
Cholera	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–		
Cancer	0·60	0·44	0·76	150	53	97	–	–	–	–	–	–	–	1	–	1	3	13	29	44	45	14
Tabes Mesenterica	0·18	0·14	0·23	46	17	29	22	9	5	1	2	39	4	1	1	–	1	–	–	–	–	–
Phthisis	1·54	1·52	1·56	385	185	200	9	9	3	1	1	23	4	11	50	64	75	62	51	29	16	–
Other Tub. & Scrof. Dis.	0·30	0·41	0·20	76	50	26	19	17	1	5	3	45	8	4	11	–	3	2	2	1	–	–
Diseases of Nervous System	2·34	2·50	2·18	585	305	280	148	45	12	5	3	213	12	4	14	9	16	31	33	58	106	89
Circulatory „	1·58	1·47	1·69	396	179	217	2	–	–	–	–	2	4	8	6	4	15	32	53	88	107	77
Respiratory „	2·66	2·81	2·51	664	342	322	159	102	29	17	16	323	18	6	4	7	14	18	39	44	98	93
Digestive „	1·14	1·14	1·15	286	139	147	55	24	2	3	2	86	8	8	7	5	13	21	29	31	58	20
Urinary „	0·38	0·53	0·24	95	64	31	7	–	–	–	–	7	3	1	–	–	2	10	9	23	27	13
Generative „	0·04	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	–	1	4	2	3	1	–
Puerperal Fever	0·02	–	0·05	6	–	6	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–
Childbirth	0·05	–	0·09	12	–	12	–	–	–	–	–	–	–	–	–	1	2	9	–	–	–	–
Violence	0·50	0·85	0·16	125	104	21	5	3	3	1	4	16	7	5	19	9	17	18	18	7	6	3
OTHER CAUSES	4·50	4·27	4·69	1121	520	601	330	26	6	4	3	369	12	10	7	16	21	33	28	45	133	447

Marriages – – 1,609

Births – Males 3,103 / Females 3,066 = 6,169

Annual Rate per 1000 living: Persons Married 12·87; Births – – 24·67

Deaths from Childbirth and Puerperal Fever – – – – – 2·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons —	In 18·58	†154	–	–	–	–	61·85	4·19	2·86	5·70	7·34	7·06	8·73	13·12	25·57	54·12	155·33
	Males —	Standard 19·83	†169	–	–	–	–	68·67	4·06	2·48	4·56	7·44	6·34	9·70	14·87	30·00	64·23	165·75
	Females —	Population.* 17·40	†139	–	–	–	–	55·09	4·32	3·26	6·84	7·25	7·79	8·03	11·88	22·44	47·55	149·04
Mean Popn. 1881–90.	Persons	Decennial Decrease of Population 6·44 per cent.		22,919	532	479	503	522	569	2545	2575	2515	2368	1935	2017	2440	2111	1747	1214	582
	Males			10,429	275	236	257	250	249	1267	1257	1289	1183	991	1,030	1021	874	710	478	219
	Females			12,490	257	243	246	272	320	1278	1318	1226	1185	1054	1687	1419	1237	1067	736	363
Deaths from All Causes, 1881–90.	Persons	20·63		4,727	1020	364	105	42	34	1574	108	72	135	142	206	213	277	439	697	904
	Males	21·71		2,264	578	193	55	20	17	870	51	32	54	67	78	99	130	215	367	363
	Females	19·72		2,463	451	171	52	13	17	704	57	40	81	75	128	114	147	226	330	541

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	0·27	0·18	50	28	22	12	19	8	3	1	43	5	1	–	1	–	–	–	–
Scarlet Fever	0·23	0·29	0·18	52	30	22	2	7	2	7	6	24	23	3	1	2	–	–	–	–
Diphtheria	0·07	0·08	0·07	17	8	9	–	1	–	1	1	3	9	3	1	–	1	–	–	–
Whooping-cough	0·43	0·41	0·45	99	43	56	46	35	9	4	3	97	1	1	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·17	0·17	39	18	21	1	–	–	–	–	1	1	4	9	7	6	3	3	1	3	1
Simple Continued Fever	0·02	0·02	0·02	5	2	3	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·38	0·40	0·36	87	42	45	61	5	1	–	1	68	–	–	–	2	3	–	1	3	5	5
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·64	0·54	0·72	146	56	90	–	–	–	–	–	–	–	–	–	–	3	9	30	36	50	18
Tabes Mesenterica	0·23	0·23	0·22	52	24	28	18	11	4	1	–	34	3	5	2	2	2	1	1	1	1	–
Phthisis	2·34	2·62	2·11	537	273	264	39	22	8	–	3	73	5	24	58	78	92	65	74	45	30	1
Other Tub. & Scrof. Dis.	0·34	0·34	0·35	79	35	44	29	19	3	2	3	56	8	2	3	2	3	1	2	2	–	–
Diseases of: Nervous System	2·31	2·45	2·19	530	256	274	119	44	16	8	2	189	11	6	16	7	12	17	32	79	91	70
Circulatory ,,	1·10	1·08	1·11	252	113	139	5	1	–	–	1	7	2	5	5	4	9	30	18	58	69	45
Respiratory ,,	3·26	3·90	2·72	747	407	340	139	110	28	11	7	295	14	5	9	5	18	24	51	95	133	98
Digestive ,,	1·27	1·27	1·27	291	132	159	46	21	3	3	2	75	5	3	13	5	13	18	17	46	64	32
Urinary ,,	0·24	0·34	0·16	55	35	20	–	1	–	–	–	1	2	–	–	3	2	2	5	9	20	11
Generative ,,	0·07	0·01	0·13	17	1	16	–	–	–	–	–	–	–	–	–	1	4	2	6	3	–	1
Puerperal Fever	0·06	–	0·10	13	–	13	–	–	–	–	–	–	–	–	1	1	7	4	–	–	–	–
Childbirth	0·09	–	0·16	20	–	20	–	–	–	–	–	–	–	–	1	6	9	4	–	–	–	–
Violence	0·43	0·66	0·24	99	69	30	8	1	6	2	2	19	6	3	8	4	8	15	7	10	9	10
OTHER CAUSES	6·72	6·62	6·80	1548	691	857	504	67	17	–	3	590	11	6	7	12	14	18	30	45	193	612

Marriages	–	1,558	Annual Rate per 1000 living	Persons Married	13·60
Births	Males 3,424	6,672		Births	29·11
	Females 3,248		Deaths from Childbirth and Puerperal Fever		4·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

300.—REDRUTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 1881 20·11	†171	–	–	–	–	66·73	4·53	3·24	4·46	6·23	6·88	9·17	14·41	31·36	64·37	148·47
Annual Death-Rate per 1000. Males	—	Standard 1891 22·77	†182	–	–	–	–	71·12	4·95	3·20	5·42	7·50	8·07	11·50	21·38	44·33	79·55	169·83
Annual Death-Rate per 1000. Females	—	Population* 17·60	†158	–	–	–	–	62·30	4·10	3·28	3·50	5·21	6·09	7·67	9·99	23·59	56·81	139·93
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·75 per cent.	47,685	1175	1030	1174	1097	1109	5585	5448	5155	5445	4848	6202	4919	4440	3294	2001	848
Mean Population, 1881–91. Males		21,145	587	501	585	554	581	2808	2768	2624	2733	1947	2477	1921	1726	1234	665	242
Mean Population, 1881–91. Females		26,540	588	529	589	543	528	2777	2680	2531	2712	2401	3725	2998	2714	2060	1336	606
Deaths from All Causes, 1881–90. Persons	20·45	9,753	2535	722	257	119	94	3727	247	167	243	271	427	451	640	1033	1288	1259
Deaths from All Causes, 1881–90. Males	22·65	4,789	1387	371	127	59	53	1997	137	84	148	146	200	221	369	547	529	411
Deaths from All Causes, 1881–90. Females	18·70	4,964	1148	351	130	60	41	1730	110	83	95	125	227	230	271	486	759	848

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·31	0·35	0·27	146	75	71	43	34	25	10	9	121	19	5	–	–	1	–	–	–	–	–
Scarlet Fever	0·31	0·38	0·26	149	80	69	7	17	23	17	17	81	50	9	4	3	2	–	–	–	–	–
Diphtheria	0·12	0·15	0·09	57	32	25	3	4	6	6	10	29	21	4	1	–	2	–	–	–	–	–
Whooping-cough	0·59	0·61	0·57	282	130	152	141	79	39	12	7	278	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Enteric Fever	0·08	0·08	0·07	36	17	19	1	–	–	–	–	1	–	5	2	6	7	5	4	3	3	–
Simple Continued Fever	0·05	0·04	0·06	23	8	15	–	–	–	1	1	2	4	–	2	1	2	2	2	4	3	1
Diarrhœa and Dysentery	0·53	0·61	0·46	252	129	123	189	13	4	2	1	209	1	1	1	2	1	3	–	10	18	6
Cholera	0·00	–	0·01	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Cancer	0·73	0·64	0·80	349	136	213	–	–	–	–	–	–	–	–	3	–	5	33	63	110	99	36
Tabes Mesenterica	0·20	0·19	0·20	93	41	52	33	29	9	2	1	74	3	4	5	2	2	–	1	1	1	–
Phthisis	1·89	2·53	1·38	901	535	366	33	20	9	3	3	68	9	33	85	100	139	120	149	155	39	4
Other Tub. & Scrof. Dis.	0·45	0·51	0·41	216	107	109	51	35	12	8	9	95	32	26	19	8	19	4	4	4	5	–
Diseases of Nervous System	2·51	2·72	2·34	1197	575	622	346	98	22	6	10	482	19	17	12	25	32	43	67	128	238	134
Diseases of Circulatory „	1·48	1·32	1·60	705	280	425	1	–	–	–	–	1	2	12	13	14	38	48	84	155	231	107
Diseases of Respiratory „	3·71	4·49	3·09	1769	950	819	419	251	77	36	16	799	43	11	14	14	44	53	119	214	275	183
Diseases of Digestive „	0·93	1·02	0·87	445	215	230	95	27	3	3	2	130	10	4	6	18	21	26	42	78	81	29
Diseases of Urinary „	0·36	0·47	0·27	171	100	71	2	2	–	1	–	5	2	2	2	7	9	15	22	38	42	27
Diseases of Generative „	0·05	0·00	0·08	23	1	22	–	–	–	–	–	–	–	–	1	–	3	7	5	3	4	–
Puerperal Fever	0·06	–	0·11	29	–	29	–	–	–	–	–	–	–	–	–	6	14	9	–	–	–	–
Childbirth	0·10	–	0·17	46	–	46	–	–	–	–	–	–	–	–	4	7	18	17	–	–	–	–
Violence	0·61	1·12	0·20	291	237	54	12	6	10	4	4	36	13	15	48	36	36	31	23	29	11	13
OTHER CAUSES	5·38	5·42	5·38	2568	1140	1428	1179	107	18	8	4	1316	13	19	21	21	32	35	55	100	237	719

Marriages - - 3,971

Births - { Males - 7,612 / Females - 7,251 } 14,863

Annual Rate per 1000 living { Persons Married 16·65 / Births - - 31·17

Deaths from Childbirth and Puerperal Fever - - - - - } 5·05 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

301.—PENZANCE.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
All Causes { Persons / Males / Females	—	In 17·80 / Standard 19·01 / Population* 16·66	·155 / ·168 / ·142	– / – / –	– / – / –	– / – / –	– / – / –	69·44 / 64·36 / 56·52	3·86 / 3·52 / 4·21	2·39 / 2·09 / 2·69	4·32 / 3·74 / 4·95	5·55 / 6·25 / 4·78	6·50 / 6·41 / 6·58	8·55 / 8·78 / 8·38	12·80 / 17·07 / 9·80	23·74 / 23·18 / 24·12	56·21 / 62·60 / 49·46	142·23 / 139·— / 143·14
Mean Population { Persons / Males / Females	Decennial Decrease of Population 4·04 per cent.	49,293 / 22,704 / 26,589	1161 / 568 / 593	1089 / 542 / 547	1170 / 581 / 589	1127 / 568 / 559	1105 / 564 / 541	5652 / 2823 / 2829	5517 / 2810 / 2707	5882 / 2979 / 2903	5272 / 2728 / 2544	4892 / 1957 / 2935	6581 / 2857 / 3724	5575 / 2559 / 3016	4589 / 1779 / 2810	3432 / 1376 / 2056	2430 / 975 / 1455	1054 / 408 / 646
Births { Persons / Males / Females	19·15 / 20·22 / 18·34	9,440 / 4,591 / 4,849	2276 / 1285 / 1021	701 / 361 / 340	253 / 114 / 139	136 / 64 / 72	90 / 36 / 54	3456 / 1827 / 1629	243 / 99 / 144	126 / 56 / 70	208 / 102 / 106	242 / 125 / 117	128 / 185 / 243	451 / 209 / 242	562 / 264 / 298	829 / 407 / 422	1154 / 548 / 706	1191 / 626 / 565

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·53	0·34	0·72	162	77	85	44	58	25	16	16	159	8	–	–	–	–	–	–
Scarlet Fever	0·09	0·08	0·10	45	19	26	3	5	2	7	5	22	12	3	1	–	–	–	–
Diphtheria	0·09	0·07	0·14	43	15	28	–	2	6	1	8	23	15	2	–	–	–	2	1
Whooping-cough	0·42	0·43	0·4	200	98	111	107	61	25	7	3	203	6	–	–	–	–	–	–
Typhus	0·00	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·18	0·18	78	30	48	1	–	1	–	2	4	10	5	8	16	15	7	5
Simple Continued Fever	0·04	0·03	0·07	21	7	14	1	2	–	1	1	5	3	1	4	–	3	1	–
Diarrhœa and Dysentery	0·58	0·63	0·54	287	144	143	221	20	2	–	–	244	2	–	–	–	1	3	–
Cholera	0·01	0·01	0·01	5	2	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·73	0·56	0·88	361	127	234	–	1	–	1	–	2	2	1	–	3	6	33	66
Tabes Mesenterica	0·25	0·25	0·21	114	57	57	52	24	6	2	2	86	9	5	3	4	4	1	2
Phthisis	1·80	1·86	1·74	886	422	464	28	10	9	2	2	51	7	28	98	106	178	143	125
Other Tub. & Scrof. Dis.	0·39	0·48	0·31	191	108	83	44	32	15	4	6	111	18	17	9	9	10	12	2
Nervous System	2·41	2·58	2·26	1187	586	601	237	91	16	11	9	364	22	8	15	18	24	34	78
Circulatory "	1·42	1·46	1·39	700	331	369	1	1	–	1	1	4	4	12	11	8	23	33	56
Respiratory "	3·11	3·48	2·79	1532	789	743	401	216	74	36	21	748	41	8	4	14	27	48	68
Digestive "	1·25	1·37	1·14	614	311	303	147	55	6	2	5	215	15	4	16	10	25	30	48
Urinary "	0·43	0·52	0·43	211	117	94	4	5	3	1	–	13	2	2	11	10	12	22	29
Generative "	0·06	0·00	0·10	27	1	26	–	–	–	–	–	–	–	–	2	3	5	3	4
Puerperal Fever	0·06	–	0·11	28	–	28	–	–	–	–	–	–	–	–	1	3	13	11	–
Accidents	0·26	–	0·43	50	–	50	–	–	–	–	–	–	–	–	5	8	19	17	1
Violence	0·47	0·71	0·26	230	162	68	12	6	2	10	4	41	20	9	16	15	23	25	26
Other Causes	4·97	5·23	4·78	2458	1187	1271	957	166	26	8	3	1117	17	21	24	14	39	28	50

Marriages	–	3627	Annual Rate per 1000 living	Persons Married	14·31
Births { Males / Females	7,486 / 7,178	14,664		Births	29·75

Deaths from Childbirth and Puerperal Fever 5·23 per 1000 Births.

* See pages xxxvi–xxxvii.

† The death-rates under one year of age are per 1000 Births.

302.—SCILLY ISLANDS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·28	†117	–	–	–	–	41·67	3·54	3·86	8·08	10·47	5·10	6·30	11·89	28·48	65·69	145·57
Annual Death-Rate per 1000. Males	—	Standard 14·38	†105	–	–	–	–	33·06	3·77	3·70	9·00	9·68	6·16	5·17	11·36	21·43	63·49	151·28
Annual Death-Rate per 1000. Females	—	Population* 18·06	†128	–	–	–	–	51·40	3·33	4·04	7·14	11·39	4·05	7·38	12·37	34·57	67·57	140·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 17·63 per cent.	2,115	42	48	42	45	51	228	226	207	198	172	294	238	185	151	137	79
Mean Population, 1881–91. Males		1,050	23	27	25	23	23	121	106	108	100	93	146	116	88	70	63	39
Mean Population, 1881–91. Females		1,065	19	21	17	22	28	107	120	99	98	79	148	122	97	81	74	40
Deaths from All Causes, 1881–90. Persons	21·04	445	66	22	3	1	3	95	8	8	16	18	15	15	22	43	90	115
Deaths from All Causes, 1881–90. Males	19·52	205	28	12	–	–	–	40	4	4	9	9	9	6	10	15	40	59
Deaths from All Causes, 1881–90. Females	22·54	240	38	10	3	1	3	55	4	4	7	9	6	9	12	28	50	56

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·28	0·29	0·28	6	3	3	–	3	–	–	–	3	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	0·47	0·48	0·47	10	5	5	2	5	1	–	–	8	1	–	–	–	–	–	–	1	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·19	–	0·38	4	–	4	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·61	0·76	0·47	13	8	5	4	1	–	–	–	5	–	–	–	–	1	–	–	1	1	5
Cholera	0·09	0·19	–	2	2	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Cancer	0·76	0·29	1·22	16	3	13	–	–	–	–	–	–	–	–	–	–	–	1	6	7	2	–
Tabes Mesenterica	0·33	0·29	0·38	7	3	4	5	–	–	–	–	5	–	1	1	–	–	–	–	–	–	–
Phthisis	2·03	1·90	2·16	43	20	23	–	2	1	–	–	3	–	–	8	11	7	4	3	3	3	1
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	4	2	2	–	1	–	–	–	1	–	–	1	–	1	–	–	–	1	–
Diseases of Nervous System	3·93	3·33	4·51	83	35	48	15	2	–	–	2	19	2	1	2	1	2	2	2	9	17	26
Diseases of Circulatory „	2·41	2·19	2·63	51	23	28	–	–	–	–	–	–	–	–	–	1	1	1	5	6	17	20
Diseases of Respiratory „	2·65	2·76	2·54	56	29	27	7	5	–	1	–	13	1	–	1	1	1	3	4	5	15	12
Diseases of Digestive „	1·56	1·43	1·69	33	15	18	5	–	–	–	–	5	–	–	–	–	2	2	5	11	3	
Diseases of Urinary „	0·28	0·48	0·09	6	5	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1	3	
Diseases of Generative „	0·05	–	0·09	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Puerperal Fever	0·05	–	0·09	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·80	1·33	0·28	17	14	3	1	–	–	–	–	1	–	1	2	4	2	2	1	2	2	–
OTHER CAUSES	4·36	3·61	5·07	92	38	54	26	3	1	–	–	30	1	1	–	–	–	–	3	5	14	38

Marriages - - - 119

Births - Males - 267 / Females - 297 — 564

Annual Rate per 1000 living — Persons Married 11·25; Births - - 26·67

Deaths from Childbirth and Puerperal Fever - - - - - 1·77 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

303.—WILLITON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·38	† 91	-	-	-	-	31·79	4·36	2·31	3·52	5·67	6·04	8·52	11·95	21·85	50·62	137·75
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·16	†107	-	-	-	-	36·36	4·73	2·35	3·36	4·32	6·60	9·74	13·28	23·55	54·95	137·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·63	† 74	-	-	-	-	27·16	3·98	2·27	3·69	6·91	5·54	7·51	10·77	20·25	46·82	138·58
Mean Population. Persons	Decennial Decrease of Population 7·54 per cent.	17,977	418	409	422	444	452	2145	2227	2165	1792	1253	2071	1796	1674	1382	974	498
Mean Population. Males	Decennial Decrease of Population 7·54 per cent.	8,779	212	213	208	231	217	1081	1121	1108	961	602	969	811	783	671	455	227
Mean Population. Females	Decennial Decrease of Population 7·54 per cent.	9,198	206	196	214	213	235	1064	1106	1057	841	651	1102	985	891	711	519	271
Deaths from All Causes, 1881-90. Persons	16·25	2,922	444	113	62	32	31	682	97	50	63	71	125	153	200	302	403	696
Deaths from All Causes, 1881-90. Males	17·04	1,496	271	59	38	15	10	393	53	26	32	26	64	79	104	158	250	311
Deaths from All Causes, 1881-90. Females	15·50	1,426	173	54	24	17	21	289	44	24	31	45	61	74	96	144	243	375

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small pox	0·01	-	0·01	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	0·11	0·14	0·08	20	13	7	5	3	4	2	1	15	4	1	-	-	-	-	-
Scarlet fever	0·06	0·07	0·05	11	6	5	1	1	3	1	2	8	3	-	-	-	-	-	-
Diphtheria	0·15	0·14	0·16	27	12	15	1	1	2	3	5	12	9	5	-	-	-	-	-
Whooping-cough	0·19	0·16	0·23	35	14	21	15	9	4	3	-	31	3	-	-	-	-	-	1
Typhus	0·01	0·01	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever	0·03	0·03	0·03	6	3	3	-	-	-	-	-	-	-	2	1	1	-	-	2
Simple Continued Fever	0·01	0·01	0·01	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhœa and Dysentery	0·19	0·22	0·17	35	19	16	14	2	1	-	1	18	-	1	-	1	-	3	5
Cholera	0·01	0·01	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·35	0·20	0·70	98	34	64	-	-	-	-	-	-	-	-	1	-	1	8	23
Tabes Mesenterica	0·08	0·10	0·07	15	9	6	5	1	-	-	1	7	5	1	-	-	2	-	-
Phthisis	1·06	1·17	0·95	190	103	87	6	5	1	1	-	13	1	3	21	30	45	26	24
Other Tub. & Scrof. Dis.	0·29	0·34	0·24	52	30	22	8	7	2	2	4	23	13	3	5	-	3	2	2
Nervous System	2·23	2·26	2·17	398	198	200	65	16	8	2	1	92	11	7	2	5	13	14	29
Circulatory ,,	2·17	1·96	2·37	390	172	218	1	-	-	-	-	1	2	4	7	4	10	20	28
Respiratory ,,	2·94	3·53	2·37	528	310	218	112	37	26	9	10	194	17	-	5	2	15	28	36
Digestive ,,	1·23	1·25	1·22	222	110	112	17	11	3	3	1	35	17	3	5	5	6	9	20
Urinary ,,	0·43	0·65	0·22	77	57	20	1	-	-	-	-	1	1	-	3	1	2	9	10
Generative ,,	0·04	0·01	0·08	8	1	7	-	-	-	-	-	-	-	-	1	1	-	1	1
Puerperal Fever	0·09	-	0·18	17	-	17	-	-	-	-	-	-	-	-	1	3	6	7	-
Childbirth	0·05	-	0·10	9	-	9	-	-	-	-	-	-	-	-	-	1	4	4	-
Violence	0·56	0·82	0·30	100	72	28	4	4	1	4	2	15	7	7	5	6	10	10	8
Other Causes	3·77	3·77	3·79	679	349	330	189	16	7	2	3	217	4	13	6	9	8	15	18

Marriages	-	209	Annual Rate per 1000 living	Persons Married	10·00
Births	Males 2,526	4,875		Births	27·13
	Females 2,349		Deaths from Childbirth and Puerperal Fever		5·23 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

304.—DULVERTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 12·67	†71	–	–	–	–	26·40	4·52	3·69	3·11	3·70	7·13	7·00	11·11	26·04	46·39	133·57
Males	—	Standard 11·38	†64	–	–	–	–	25·48	3·86	3·48	2·49	2·78	6·55	6·67	8·50	23·24	47·62	124·68
Females	—	Population* 13·89	†79	–	–	–	–	27·30	5·25	3·93	3·85	4·76	7·67	7·33	13·91	28·64	45·14	144·44
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·89 per cent.	5,221	134	115	121	128	127	625	642	596	515	405	603	543	477	384	291	140
Males		2,676	66	52	61	67	64	310	337	316	281	216	290	270	247	185	147	77
Females		2,545	68	63	60	61	63	315	305	280	234	189	313	273	230	199	144	63
Deaths from All Causes, 1881–90. Persons	15·38	803	100	34	20	2	9	165	29	22	16	15	43	38	53	100	135	187
Males	14·31	383	46	18	10	1	4	79	13	11	7	6	19	18	21	43	70	96
Females	16·50	420	54	16	10	1	5	86	16	11	9	9	24	20	32	57	65	91

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·15	0·20	9	4	5	2	2	1	–	–	5	3	–	–	–	1	–	–	–	–
Scarlet Fever	0·04	–	0·08	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Diphtheria	0·33	0·19	0·47	17	5	12	–	–	1	–	1	2	5	4	3	1	1	1	–	–	–	–
Whooping-cough	0·31	0·26	0·35	16	7	9	6	6	1	1	2	16	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	–	0·04	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Simple Continued Fever	0·02	0·04	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·08	0·08	0·08	4	2	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cholera	0·04	0·04	0·04	2	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2
Cancer	0·84	0·67	1·02	44	18	26	–	–	–	–	–	–	–	–	–	–	1	4	13	17	9	–
Tabes Mesenterica	0·11	0·08	0·16	6	2	4	1	1	1	–	–	3	1	–	1	–	1	–	–	–	–	–
Phthisis	1·11	0·86	1·38	58	23	35	1	1	–	–	–	2	2	2	3	2	23	10	7	5	2	–
Other Tub. & Scrof. Dis.	0·21	0·22	0·20	11	6	5	1	1	–	–	–	2	4	–	1	1	2	–	1	–	–	–
Diseases of Nervous System	1·57	1·31	1·85	82	35	47	17	5	1	–	2	25	2	1	1	1	3	2	5	14	15	13
Diseases of Circulatory „	1·70	1·35	2·08	89	36	53	1	–	–	–	–	1	–	2	2	1	3	5	10	23	24	18
Diseases of Respiratory „	2·76	2·73	2·79	144	73	71	23	8	6	1	2	40	4	2	1	1	3	1	9	14	29	40
Diseases of Digestive „	0·94	0·97	0·90	49	26	23	4	5	–	–	1	10	4	5	–	1	2	1	3	8	9	6
Diseases of Urinary „	0·46	0·75	0·16	24	20	4	–	–	–	–	–	–	–	–	–	1	–	2	1	7	7	6
Diseases of Generative „	0·06	–	0·12	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Puerperal Fever	0·02	–	0·04	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	0·19	–	0·39	10	–	10	–	–	–	–	–	–	–	–	–	3	2	4	1	–	–	–
Violence	0·54	0·64	0·43	28	17	11	1	4	5	–	–	10	–	1	–	1	2	4	3	4	1	2
OTHER CAUSES	3·86	3·97	3·72	202	107	95	41	1	4	–	1	47	3	3	4	1	1	2	8	11	31	91

Marriages – – 293

Births – Males 719 / Females 682 1,401

Annual Rate per 1000 living: Persons Married 11·22; Births – – 26·83

Deaths from Childbirth and Puerperal Fever – – – – 7·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

305.—WELLINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000.	—	—	—	In Standard Population*		14·31 15·19 13·49	† 92 †105 † 78	–	–	–	–	34·39 43·29 28·43	4·12 3·86 4·38	2·61 2·25 2·97	4·02 3·19 4·80	5·36 4·87 5·79	6·76 7·41 6·20	9·28 9·38 9·20	12·67 13·97 11·53	23·76 25·45 21·40	58·37 65·79 54·76	134·12 138·72 130·18
Males Deceased, 1881-90.	Decennial Decrease of Population, 3·83 per cent.			18,802 9,064 9,738			458 243 245	439 229 210	491 235 256	433 233 200	488 249 239	2309 1159 1150	2235 1115 1120	2188 1111 1077	1839 939 900	1455 678 777	2308 1066 1242	1874 874 1000	1658 773 885	1393 639 754	1043 475 568	510 235 275
Deaths from Accidents, 1881-90.		17·20 18·37 16·31		3,253 1,665 1,588			487 285 202	152 91 61	65 40 25	52 29 23	38 32 16	794 467 327	92 43 49	57 25 32	74 39 44	78 33 45	156 70 77	174 82 92	270 108 162	331 169 162	603 303 300	684 326 358
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Measles	0·31	0·64	0·38	95	58	37	21	32	12	6	8	79	12	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·11	0·03	13	10	3	2	2	3	1	2	9	3	–	1	–	–	–	–	–	–	–
Diphtheria	0·49	0·44	0·54	73	40	33	2	9	10	16	6	43	26	3	1	–	–	–	–	–	–	–
Whooping-cough	0·27	0·30	0·25	51	27	24	20	15	3	1	3	48	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·13	23	10	13	–	–	–	–	–	–	2	4	4	3	4	3	1	3	1	1
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1
Dysentery and Dysentery	0·25	0·33	0·18	47	29	18	21	5	1	1	–	28	1	–	–	–	–	2	2	–	7	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·61	0·78	131	55	76	–	–	1	–	–	1	–	–	–	1	2	3	19	39	43	18
Tabes Mesenterica	0·11	0·13	0·09	21	12	9	9	6	3	1	–	19	–	–	1	–	1	–	–	–	–	–
Tubercular	1·36	1·27	1·24	255	115	121	–	2	2	–	–	4	1	9	34	33	63	47	23	16	7	1
Other Forms of Tubercular Disease	0·35	0·33	0·37	66	30	35	14	9	2	5	3	33	9	3	8	4	3	2	1	1	1	1
Diseases of Nervous System	2·35	2·42	2·28	441	219	222	67	11	4	3	1	86	5	7	7	4	4	13	30	58	130	97
Circulatory	2·01	2·03	1·99	378	183	194	1	1	–	–	–	2	5	4	5	1	22	18	41	67	129	84
Respiratory	3·04	3·50	2·58	568	317	246	115	41	14	14	11	195	10	5	1	6	12	21	33	60	114	106
Digestive	1·03	1·04	1·02	193	94	99	27	6	1	–	1	35	2	3	3	4	9	11	22	34	49	32
Urinary	0·36	0·43	0·29	67	39	28	–	–	–	–	–	–	2	3	1	3	4	13	4	8	21	10
Generative	0·04	0·01	0·07	8	1	7	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	1
Puerperal Fever	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	1	5	2	6	–	–	–	–
Childbirth	0·09	–	0·16	16	–	16	–	–	–	–	–	–	–	–	–	4	4	3	–	–	–	–
Violence	0·75	0·93	0·21	104	84	20	6	2	5	2	1	16	6	6	2	6	14	9	13	12	15	5
OTHER CAUSES	3·75	3·73	3·80	708	339	369	176	11	5	2	2	196	4	3	4	5	13	12	16	35	85	382

Marriages		1,136	Annual Rate per 1000 living	Persons Married	12·08
Births	Males	2,717		Births	28·18
	Females	2,582			

Deaths from Childbirth and Puerperal Fever 5·66 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births

306.—TAUNTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·75	†116	–	–	–	–	45·51	5·32	3·83	4·53	6·13	7·38	10·30	15·10	26·90	59·02	128·41
Males	—	Standard 18·06	†128	–	–	–	–	50·29	4·67	3·27	4·16	6·54	7·96	12·00	17·85	31·87	65·34	142·46
Females	—	Population* 15·51	†104	–	–	–	–	40·85	5·97	4·41	4·88	5·84	6·92	8·88	12·93	22·86	54·02	119·27
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·86 per cent.	36,380	868	824	872	842	855	4261	4115	4127	3882	2986	4811	3757	3191	2580	1762	908
Males		16,929	419	402	445	405	431	2102	2054	2109	1875	1238	2136	1708	1412	1158	779	358
Females		19,451	449	422	427	437	424	2159	2061	2018	2007	1748	2675	2049	1779	1422	983	550
Deaths from All Causes, 1881–90. Persons	18·69	6,799	1220	364	152	105	98	1939	219	158	176	183	355	387	482	694	1040	1166
Males	20·06	3,396	689	188	70	59	51	1057	96	69	78	81	170	205	252	369	509	510
Females	17·50	3,403	531	176	82	46	47	882	123	89	98	102	185	182	230	325	531	656

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·13	0·14	0·11	46	24	22	5	–	–	–	–	5	1	4	6	10	11	7	2	–	–	–
Measles	0·40	0·44	0·36	146	75	71	26	48	24	14	7	119	19	2	2	1	1	2	–	–	–	–
Scarlet Fever	0·12	0·10	0·13	43	17	26	1	6	6	3	6	22	14	5	–	1	1	–	–	–	–	–
Diphtheria	0·51	0·43	0·58	184	72	112	7	10	13	25	25	80	64	23	5	2	2	2	–	1	–	–
Whooping-cough	0·29	0·31	0·26	104	53	51	48	34	10	4	2	98	5	–	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·10	0·15	47	17	30	–	1	2	–	1	4	5	5	10	8	5	2	1	1	5	1
Simple Continued Fever	0·02	0·01	0·03	7	2	5	–	–	1	–	–	1	–	1	–	1	1	2	–	–	–	–
Diarrhœa and Dysentery	0·34	0·43	0·26	122	72	50	73	10	1	–	1	85	3	–	2	1	–	–	2	6	9	14
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·66	0·45	0·84	241	77	164	–	–	–	–	–	–	–	–	–	1	8	21	55	65	67	24
Tabes Mesenterica	0·16	0·18	0·14	58	31	27	22	13	5	1	2	43	6	–	–	4	1	1	1	1	1	–
Phthisis	1·43	1·50	1·37	520	254	266	6	4	2	1	1	14	4	16	64	73	137	93	70	37	9	3
Other Tub. & Scrof. Dis.	0·30	0·36	0·24	108	61	47	21	19	7	4	4	55	10	11	8	7	9	3	1	1	3	–
Diseases of Nervous System	2·34	2·79	1·94	851	473	378	226	39	11	8	4	288	15	18	8	5	19	35	59	107	170	132
Diseases of Circulatory „	1·98	1·93	2·02	719	326	393	–	1	–	–	–	1	6	9	11	13	28	54	60	149	232	156
Diseases of Respiratory „	3·20	3·64	2·81	1164	617	547	252	111	40	28	30	470	28	13	12	8	25	40	56	96	206	211
Diseases of Digestive „	1·09	1·17	1·03	398	198	200	68	24	4	4	6	106	11	12	6	7	16	28	56	60	62	34
Diseases of Urinary „	0·62	0·86	0·40	224	146	78	2	–	1	2	2	7	–	5	7	7	14	25	37	52	37	33
Diseases of Generative „	0·12	0·02	0·20	43	4	39	–	1	–	–	–	1	–	–	3	1	7	4	10	7	10	–
Puerperal Fever	0·04	–	0·08	15	–	15	–	–	–	–	–	–	–	–	–	3	10	2	–	–	–	–
Childbirth	0·08	–	0·15	29	–	29	–	–	–	–	–	–	–	–	1	5	8	13	2	–	–	–
Violence	0·62	0·98	0·31	226	166	60	17	11	8	6	3	45	10	11	10	9	25	32	24	23	18	19
OTHER CAUSES	4·11	4·22	4·09	1504	711	793	446	32	8	5	4	495	18	24	21	16	28	22	45	86	210	539

Marriages – – – 2,863

Births – { Males – 5,372 / Females – 5,105 } 10,477

Annual Rate per 1000 living { Persons Married 15·74 / Births – – 28·80

Deaths from Childbirth and Puerperal Fever – – – – } 4·20 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

307. BRIDGWATER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·81	† 93	–	–	–	–	35·15	4·22	2·45	4·23	5·23	6·14	8·02	12·90	25·66	56·28	139·55
Males	—	15·05	†104	–	–	–	–	38·38	4·30	2·23	4·18	5·18	6·38	8·15	13·20	25·88	65·51	158·18
Females	—	13·60	† 81	–	–	–	–	31·81	4·14	2·69	4·29	5·28	5·93	7·90	10·91	25·46	50·17	129·14
Mean Population, 1881-90. Persons	Decennial Decrease of Population 1·17 per cent.	33,473	878	823	857	883	835	4276	4121	3916	3239	2498	4168	3403	2953	2463	1617	709
Males		16,355	458	408	438	452	417	2173	2068	2022	1748	1140	1943	1644	1368	1163	740	346
Females		17,118	420	415	419	431	418	2103	2053	1894	1491	1288	2225	1849	1585	1300	877	453
Deaths from All Causes, 1881-90. Persons	16·76	5,611	921	391	183	89	59	1563	174	96	137	127	256	280	384	632	910	1115
Males	17·73	2,867	529	166	61	45	32	833	89	45	73	59	124	134	208	361	470	530
Females	15·63	2,744	392	135	72	44	26	669	85	51	64	68	132	146	173	331	440	585

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–
Measles	0·34	0·37	0·30	113	61	52	15	45	21	12	7	100	12	–	–	–	–	1	–	–	–
Scarlet Fever	0·45	0·42	0·48	151	68	83	7	17	18	24	16	82	44	19	1	1	2	2	–	–	–
Diphtheria	0·08	0·07	0·10	28	11	17	–	3	1	2	2	8	12	3	1	2	1	–	–	1	–
Whooping-cough	0·25	0·25	0·26	85	41	44	46	22	6	7	1	82	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Enteric Fever	0·07	0·08	0·06	24	13	11	–	1	–	–	1	2	7	4	3	1	2	–	1	2	1
Simple Continued Fever	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·22	0·23	0·23	75	37	38	36	7	1	1	–	45	1	–	–	2	–	1	1	3	7	15
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·66	0·53	0·79	222	87	135	–	–	–	–	–	–	–	–	–	1	6	23	44	59	60	30
Tabes Mesenterica	0·15	0·15	0·15	51	25	26	18	12	1	3	–	33	5	2	–	3	5	–	2	–	1	–
Phthisis	1·26	1·21	1·31	423	198	225	3	5	1	3	1	13	5	17	47	53	111	65	49	46	14	3
Other Tub. & Scrof. Dis.	0·34	0·39	0·29	113	63	50	21	16	10	5	1	53	19	5	13	10	7	2	–	3	1	–
Diseases of: Nervous System	2·41	2·63	2·20	807	430	377	180	17	9	8	5	219	10	11	9	7	17	23	61	110	180	160
" Circulatory "	1·78	1·80	1·77	597	294	303	6	–	–	–	1	7	3	6	6	8	18	38	58	138	181	134
" Respiratory "	3·01	3·28	2·75	1006	536	470	191	99	38	16	12	356	20	4	8	6	13	35	58	101	206	199
" Digestive "	1·18	1·20	1·16	396	197	199	79	28	10	3	5	125	11	1	6	3	12	22	36	74	70	36
" Urinary "	0·44	0·56	0·32	146	92	54	–	–	1	–	–	1	1	2	4	1	7	13	17	31	43	26
" Generative "	0·06	–	0·06	11	–	11	–	–	–	–	–	–	–	–	–	–	2	4	1	2	1	1
Puerperal Fever	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	–	5	–	7	–	–	–	–
Convulsions	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	1	1	3	9	1	–	–	–
Violence	0·71	1·11	0·33	238	183	55	17	12	8	3	7	47	14	14	19	13	15	18	26	27	27	18
Other Causes	3·23	3·21	3·21	1075	525	550	302	17	8	3	–	330	7	7	18	9	21	17	25	34	115	402

Marriages - - - 2,488

Births - { Males - 2,628 / Females - 2,531

Annual Rate per 1000 living { Persons Married 14·24 / Births - - 29·07

Deaths from Childbirth and Puerperal Fever - - - - - 4·06 per 1000 Births.

* *See pages* xxxvi. xxxviii.

† The death-rates under one year of age are per 1000 Births.

308.—LANGPORT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·47	† 94	–	–	–	–	33·41	3·81	3·69	4·05	7·35	6·94	7·87	13·22	24·87	55·45	142·05
Annual Death-Rate per 1000. Males	—	Standard 15·39	†107	–	–	–	–	37·74	4·44	3·97	2·93	6·55	7·35	7·51	14·90	25·83	66·30	160·00
Annual Death-Rate per 1000. Females	—	Population* 13·60	† 82	–	–	–	–	29·22	3·20	3·39	5·34	8·03	6·59	8·18	11·78	24·02	46·98	128·63
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·41 per cent.	15,026	383	357	346	393	353	1832	1838	1708	1406	1021	1815	1602	1415	1154	826	409
Mean Population, 1881-91. Males		7,226	184	174	170	185	188	901	901	881	750	473	844	746	651	542	362	175
Mean Population, 1881-91. Females		7,800	199	183	176	208	165	931	937	827	656	548	971	856	764	612	464	234
Deaths from All Causes, 1881–90. Persons	17·58	2,642	397	106	49	39	21	612	70	63	57	75	126	126	137	287	458	581
Deaths from All Causes, 1881–90. Males	18·59	1,343	225	55	23	24	13	340	40	35	22	31	62	56	97	140	240	280
Deaths from All Causes, 1881–90. Females	16·65	1,299	172	51	26	15	8	272	30	28	35	44	64	70	90	147	218	301

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·19	0·29	37	14	23	11	10	5	3	2	31	5	1	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·08	14	8	6	–	1	2	3	3	9	3	2	–	–	–	–	–	–	–
Diphtheria	0·15	0·14	0·17	23	10	13	–	–	–	3	3	6	11	4	–	–	–	–	2	–	–
Whooping-cough	0·29	0·30	0·28	44	22	22	17	15	4	2	4	42	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·10	0·18	21	7	14	–	–	–	1	–	1	1	5	2	5	3	1	1	1	1
Simple Continued Fever	0·05	0·06	0·04	7	4	3	–	–	1	–	–	1	1	2	1	1	–	–	1	–	–
Diarrhœa and Dysentery	0·29	0·36	0·22	43	26	17	20	3	1	–	–	24	1	–	1	–	1	–	–	3	6
Cholera	0·01	0·01	0·01	2	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·44	0·72	88	32	56	–	–	–	–	–	–	–	–	–	–	1	4	22	29	23
Tabes Mesenterica	0·20	0·25	0·15	30	18	12	14	6	1	2	–	23	2	1	–	1	1	–	–	1	–
Phthisis	1·35	1·33	1·37	203	96	107	–	–	–	–	1	1	4	10	26	38	54	40	13	12	5
Other Tub. & Scrof. Dis.	0·13	0·15	0·12	20	11	9	6	2	2	–	–	10	1	–	2	2	1	–	2	2	–
Diseases of Nervous System	2·68	3·09	2·28	402	223	179	55	19	8	9	3	94	9	14	5	4	7	11	28	56	97
Diseases of Circulatory „	1·61	1·73	1·50	242	125	117	2	–	–	–	1	3	1	3	5	4	4	11	38	52	70
Diseases of Respiratory „	2·87	3·00	2·76	432	217	215	76	32	17	6	2	133	12	3	3	6	12	22	26	54	88
Diseases of Digestive „	1·14	1·26	1·04	172	91	81	8	6	3	3	–	20	1	7	3	2	5	9	28	27	47
Diseases of Urinary „	0·49	0·71	0·29	74	51	23	–	1	–	–	–	1	2	–	2	2	10	–	9	8	26
Diseases of Generative „	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Puerperal Fever	0·08	–	0·15	12	–	12	–	–	–	–	–	–	–	–	1	2	6	3	–	–	–
Childbirth	0·10	–	0·19	15	–	15	–	–	–	–	–	–	–	–	–	1	6	8	–	–	–
Violence	0·57	0·89	0·28	86	64	22	10	1	2	5	1	19	4	5	2	–	8	8	7	9	14
Other Causes	4·48	4·46	4·50	672	322	350	177	9	3	2	1	192	10	6	4	7	7	7	12	31	81

Marriages	947	Annual Rate per 1000 living	Persons Married	12·60	Deaths from Childbirth and Puerperal Fever 6·42 per 1000 Births.
Births Males	2,106		Births	28·00	
Births Females	2,102				
Births	4,208				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

309.—CHARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·48	†112	–	–	–	–	43·12	4·20	2·55	4·64	4·70	6·18	8·67	13·43	25·62	56·27	138·89
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·32	†125	–	–	–	–	46·23	3·95	2·25	4·38	4·85	7·17	9·81	15·72	26·22	59·46	157·21
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·69	† 98	–	–	–	–	40·06	4·45	2·86	4·92	4·59	5·38	7·73	11·55	25·11	53·49	125·40
Mean Population, 1881–90. Persons	Decennial Decrease of Population 2·31 per cent.	25,074	630	608	628	659	631	3156	3095	3016	2584	1977	2976	2560	2271	1694	1205	540
Mean Population, 1881–90. Males	Decennial Decrease of Population 2·31 per cent.	11,804	305	310	297	338	316	1566	1545	1512	1283	866	1339	1102	1024	778	560	220
Mean Population, 1881–90. Females	Decennial Decrease of Population 2·31 per cent.	13,270	325	298	331	321	315	1590	1550	1504	1301	1111	1637	1308	1247	916	645	311
Deaths from All Causes. Persons	17·36	4,354	862	283	95	68	53	1361	130	77	120	93	184	222	305	434	678	750
Deaths from All Causes. Males	18·42	2,185	484	138	43	34	25	724	61	34	56	42	86	114	161	204	333	360
Deaths from All Causes. Females	16·42	2,169	378	145	52	34	28	637	69	43	64	51	88	108	144	230	345	390

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·31	0·32	0·31	79	38	41	12	15	15	10	8	60	16	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·23	0·10	0·36	57	22	35	1	11	6	6	8	32	15	5	3	–	1	1	–	–	–	–
Diphtheria	0·15	0·17	0·13	37	20	17	–	3	2	7	8	20	14	1	2	–	–	–	–	–	–	–
Whooping-cough	0·30	0·31	0·29	75	37	38	39	26	4	3	2	74	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–
Enteric Fever	0·14	0·10	0·17	35	12	23	–	–	1	–	–	1	2	3	8	6	5	3	3	2	1	1
Simple Continued Fever	0·01	0·02	–	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·18	0·20	48	21	27	26	5	1	2	1	35	1	–	–	–	–	2	1	2	1	1
Cholera	0·01	0·02	0·01	3	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	2	–	–
Cancer	0·56	0·45	0·66	141	54	87	–	1	1	–	–	2	–	–	1	–	1	11	27	47	38	15
Tabes Mesenterica	0·15	0·13	0·17	37	15	22	12	11	3	–	–	26	4	2	2	1	1	–	–	–	1	–
Phthisis	1·36	1·23	1·48	341	146	195	12	2	2	–	1	17	5	17	41	36	33	58	44	26	13	2
Other Tub. & Scrof. Dis.	0·45	0·48	0·45	114	57	57	23	36	5	4	4	72	10	10	7	3	2	3	4	3	–	–
Diseases of Nervous System	2·11	2·31	1·94	530	274	256	135	25	9	5	–	174	11	6	8	5	15	25	5	76	79	36
Diseases of Circulatory „	1·91	2·03	1·79	478	240	237	1	–	–	–	–	1	2	4	6	6	13	24	64	97	168	93
Diseases of Respiratory „	3·06	3·45	2·71	767	409	358	187	94	36	22	13	352	27	5	7	8	20	23	44	76	110	96
Diseases of Digestive „	0·91	1·03	0·81	228	122	106	30	21	2	2	2	57	8	3	3	3	7	10	26	42	47	17
Diseases of Urinary „	0·31	0·47	0·17	79	56	23	1	–	1	1	–	3	1	–	4	3	7	14	8	13	20	6
Diseases of Generative „	0·07	0·01	0·12	17	1	16	–	–	–	–	–	–	–	–	–	1	2	1	4	5	3	1
Puerperal Fever	0·05	–	0·09	12	–	12	–	–	–	–	–	–	–	–	2	1	4	5	–	–	–	–
Childbirth	0·08	–	0·14	19	–	19	–	–	–	–	–	–	–	–	2	4	8	5	–	–	–	–
Violence	0·47	0·73	0·23	118	87	31	11	6	5	4	3	29	4	7	5	6	7	17	12	13	11	7
Other Causes	4·52	4·79	4·29	1135	569	566	372	27	2	2	2	405	8	11	13	9	9	20	23	30	187	420

Marriages - - - 1,677

Births - { Males - 3,883 / Females - 3,847 } 7,730

Annual Rate per 1000 living { Persons Married 13·38 / Births - - 30·83

Deaths from Childbirth and Puerperal Fever - - - - } 4·01 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

310.—YEOVIL

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·23	†108	–	–	–	–	39·48	3·66	2·07	3·95	4·57	6·52	8·39	14·21	25·77	62·55	146·54
Males	—	Standard 16·38	†128	–	–	–	–	44·75	3·94	1·86	3·84	4·42	7·31	7·73	16·09	32·06	70·19	148·77
Females	—	Population* 14·16	† 87	–	–	–	–	34·21	3·38	2·28	4·06	4·68	5·92	8·91	12·71	20·82	56·97	144·91
Mean Population, 1881-91. Persons	Decennial Increase of Population 0·71 per cent.	27,804	696	652	678	682	704	3412	3362	3282	2859	2210	3543	2945	2519	1839	1255	578
Males		12,846	354	331	348	336	336	1705	1674	1617	1381	927	1532	1306	1119	811	530	244
Females		14,958	342	321	330	346	368	1707	1688	1665	1478	1283	2011	1639	1400	1028	725	334
Deaths from All Causes, 1881-90. Persons	16·88	4,694	846	248	108	80	65	1347	123	68	113	101	231	247	358	474	785	847
Males	18·22	2,341	510	119	60	40	34	763	66	30	53	41	112	101	180	260	372	363
Females	15·73	2,353	336	129	48	40	31	584	57	38	60	60	119	146	178	214	413	484

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·37	0·44	0·31	102	56	46	15	35	20	14	7	91	10	1	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·26	0·25	71	33	38	2	8	14	10	10	44	20	5	1	–	1	–	–	–	–
Diphtheria	0·07	0·09	0·05	19	11	8	1	4	1	2	2	10	5	1	2	–	–	–	1	–	–
Whooping cough	0·28	0·26	0·30	78	33	45	38	20	10	6	1	75	3	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·05	0·14	28	7	21	–	–	1	1	–	2	1	2	3	2	4	4	4	4	1
Simple Continued Fever	0·04	0·04	0·05	12	5	7	–	–	–	1	–	1	2	1	1	–	1	1	1	3	1
Diarrhœa and Dysentery	0·22	0·23	0·20	60	30	30	29	8	3	3	1	44	–	1	–	–	1	–	1	1	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·51	0·86	194	66	128	–	–	–	–	–	–	–	–	–	–	4	14	50	41	64
Tabes Mesenterica	0·17	0·17	0·15	44	22	22	14	10	4	2	2	32	2	2	3	1	2	1	–	1	–
Phthisis	1·37	1·34	1·39	380	172	208	2	5	1	1	1	10	6	10	42	50	113	70	41	23	13
Other Tub. & Scrof. Dis.	0·26	0·31	0·21	72	40	32	14	13	2	2	2	33	12	9	3	3	3	3	2	1	3
Diseases of Nervous System	2·30	2·53	2·11	641	325	316	112	23	16	11	3	165	16	4	14	11	10	28	43	82	163
Diseases of Circulatory „	2·09	2·09	2·10	582	268	314	1	2	–	–	1	4	4	4	9	4	15	39	67	115	202
Diseases of Respiratory „	2·89	3·46	2·41	805	445	360	184	82	26	20	23	335	18	5	6	6	17	27	43	90	125
Diseases of Digestive „	1·07	1·21	0·95	297	155	142	59	17	4	1	4	85	5	4	11	5	10	15	40	37	48
Diseases of Urinary „	0·41	0·47	0·36	114	60	54	1	1	1	1	1	5	2	2	1	3	14	17	18	18	23
Diseases of Generative „	0·06	0·02	0·09	17	3	14	1	–	1	–	–	2	–	–	1	1	–	2	6	–	4
Puerperal Fever	0·03	–	0·12	18	–	18	–	–	–	–	–	–	–	–	1	4	5	7	1	–	–
Childbirth	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	–	1	6	4	1	–	–
Violence	0·52	0·79	0·29	146	102	44	18	6	2	4	4	34	4	7	7	5	15	6	20	16	21
OTHER CAUSES	3·60	3·95	3·31	1002	508	494	355	14	2	1	3	375	13	10	8	5	10	9	19	42	110

Marriages	1,932	Annual Rate per 1000 living { Persons Married 13·90	Deaths from Childbirth and Puerperal Fever 3·82 per 1000 Births.
Births { Males 3,977	7,857	{ Births 28·26	
{ Females 3,880			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

311.—WINCANTON.

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·80	† 96	–	–	–	–	35·01	3·79	2·44	3·78	4·89	6·54	8·15	13·98	26·57	58·16	165·75
Annual Death-Rate per 1000. Males	—	In Standard Population.* 15·82	†106	–	–	–	–	40·08	3·79	2·34	3·38	4·09	7·02	8·63	15·99	29·95	66·00	171·73
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·84	† 86	–	–	–	–	29·94	3·78	2·54	4·20	5·55	6·14	7·47	12·22	23·75	51·73	161·07
Mean Population, 1881–90. Persons	Decennial Decrease of Population 3·04 per cent.	19,470	444	482	502	474	477	2379	2403	2254	1800	1471	2402	2110	1738	1389	999	435
Mean Population, 1881–90. Males	Decennial Decrease of Population 3·04 per cent.	9275	219	245	249	245	242	1199	1186	1111	918	660	1140	985	813	631	450	191
Mean Population, 1881–90. Females	Decennial Decrease of Population 3·04 per cent.	10,195	225	237	253	229	235	1180	1217	1143	882	811	1352	1125	925	758	549	244
Deaths from All Causes 1881–90. Persons	17·30	3,368	548	147	68	41	29	833	91	55	68	72	163	172	243	369	581	721
Deaths from All Causes 1881–90. Males	18·32	1,718	307	98	30	23	19	477	45	26	31	27	80	88	130	189	297	328
Deaths from All Causes 1881–90. Females	16·18	1,650	241	49	38	18	10	356	46	29	37	45	83	84	113	180	284	393

	Persons	Males	Females.	Persons	Males	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·19	0·12	30	18	12	8	9	2	7	–	26	2	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·14	0·16	0·13	28	15	13	1	3	6	4	6	20	6	1	–	–	1	–	–	–	–	–
Diphtheria	0·21	0·27	0·15	40	25	15	1	1	5	3	3	13	16	8	1	–	1	–	–	1	–	–
Whooping-cough	0·16	0·14	0·19	32	13	19	16	5	4	2	1	28	3	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·06	0·05	0·06	11	5	6	–	–	–	–	–	–	–	–	–	2	6	2	–	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·28	0·39	0·25	54	28	26	26	5	1	2	–	34	–	–	1	–	1	3	–	1	11	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·26	0·44	0·06	129	41	88	–	–	–	–	1	1	–	–	1	1	1	13	23	28	42	19
Tabes Mesenterica	0·02	0·05	0·00	43	23	20	10	12	3	3	–	27	3	4	5	1	–	2	–	1	–	–
Phthisis	1·26	1·43	1·10	245	133	112	1	2	1	–	–	4	4	4	24	37	74	44	33	11	8	3
Other Tub. & Scrof. Dis.	0·28	0·37	0·21	55	34	21	18	7	3	2	2	33	6	4	3	–	1	4	4		1	–
Diseases of: Nervous System	2·50	2·76	2·26	486	256	230	67	27	7	3	6	109	8	5	6	5	12	15	38	60	120	106
Diseases of: Circulatory "	2·18	2·03	2·32	425	188	237	3	1	–	–	–	4	1	4	3	5	9	20	41	76	138	124
Diseases of: Respiratory "	3·24	3·67	2·82	628	340	288	132	50	25	13	5	225	18	4	4	3	7	12	36	73	126	120
Diseases of: Digestive "	1·01	1·30	0·74	196	121	75	24	7	1	–	–	33	4	6	3	2	3	16	25	41	31	27
Diseases of: Urinary "	0·36	0·54	0·21	71	50	21	2	1	–	–	1	4	–	–	1	2	13	6	8	14	15	9
Diseases of: Generative "	0·07	–	0·13	13	–	13	–	–	–	–	–	–	–	–	1	–	4	2	1	3	2	–
Puerperal Fever	0·08	–	0·15	15	–	15	–	–	–	–	–	–	–	–	1	4	5	5	–	–	–	–
Childbirth	0·11	–	0·23	22	–	22	–	–	–	–	–	–	–	–	–	–	9	11	2	–	–	–
Violence	0·46	0·65	0·29	90	60	30	6	3	6	4	–	19	7	5	2	3	5	5	9	15	10	10
Other Causes	3·86	3·95	3·76	752	366	386	232	14	4	1	3	254	12	7	10	3	10	14	22	45	77	208

Marriages	1,166	Annual Rate per 1000 living { Persons Married 11·98 / Births 29·24	Deaths from Childbirth and Puerperal Fever 6·50 per 1000 Births.
Births { Males 2,850 / Females 2,694 }	5,544		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

312.—FROME.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·61	†104	–	–	–	–	36·03	3·95	2·27	3·49	4·57	6·46	8·79	12·37	27·57	59·73	142·05
Males	—	Standard 15·33	†118	–	–	–	–	40·20	3·65	2·08	3·43	3·97	6·06	10·14	12·97	32·08	63·07	151·49
Females	—	Population* 13·94	† 90	–	–	–	–	32·00	4·26	2·47	3·56	5·08	6·81	7·65	11·87	23·81	56·98	134·47
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·34 per cent.	23,001	575	543	574	577	576	2845	2807	2687	2232	1752	2816	2413	2110	1701	1110	528
Males		10,956	275	261	282	288	292	1398	1398	1349	1138	807	1288	1105	964	773	501	235
Females		12,045	300	282	292	289	284	1447	1409	1338	1094	945	1528	1308	1146	928	609	293
Deaths from All Causes, 1881–90. Persons	16·92	3,892	678	196	64	46	41	1025	111	61	78	80	182	212	261	469	663	750
Males	17·77	1,947	384	100	30	28	20	562	51	28	39	32	78	112	125	248	316	356
Females	16·15	1,945	294	96	34	18	21	463	60	33	39	48	104	100	136	221	347	394

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	2	2	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Measles	0·21	0·22	0·21	49	24	25	13	18	4	2	4	41	7	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·15	0·20	40	16	24	2	1	3	7	1	14	19	4	1	2	–	–	–	–	–	–
Diphtheria	0·06	0·03	0·08	13	3	10	–	–	1	4	3	8	3	2	–	–	–	–	–	–	–	–
Whooping-cough	0·31	0·29	0·33	72	32	40	42	18	6	3	1	70	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·09	22	11	11	–	1	–	1	–	2	2	5	5	2	2	–	3	–	1	–
Simple Continued Fever	0·02	0·01	0·02	4	1	3	–	–	–	2	1	3	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·37	0·40	0·35	86	44	42	36	11	1	2	1	51	2	1	1	–	1	1	–	3	18	8
Cholera	0·01	0·03	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Cancer	0·64	0·44	0·83	148	48	100	–	–	–	–	–	–	–	–	1	–	4	10	23	49	45	16
Tabes Mesenterica	0·13	0·16	0·11	30	17	13	7	6	5	–	1	19	2	2	3	–	1	–	2	1	–	–
Phthisis	1·08	0·99	1·15	248	109	139	1	–	2	1	1	5	11	4	19	32	73	52	30	12	7	3
Other Tub. & Scrof. Dis.	0·24	0·22	0·27	56	24	32	10	6	5	1	6	28	9	5	7	1	3	1	–	–	2	–
Diseases of Nervous System	2·58	2·78	2·40	593	304	289	108	28	4	3	3	146	18	11	9	8	12	23	35	79	119	133
Circulatory „	2·17	2·15	2·19	499	235	264	–	–	–	1	2	3	6	4	4	5	14	20	56	112	174	101
Respiratory „	2·80	3·20	2·43	643	350	293	151	68	17	11	5	252	11	2	7	5	14	31	34	77	118	92
Digestive „	1·09	1·26	0·94	251	138	113	40	18	7	3	4	72	4	1	4	2	8	21	23	42	49	25
Urinary „	0·49	0·68	0·32	112	74	38	2	2	–	–	–	4	3	2	2	3	3	13	16	18	30	13
Generative „	0·07	–	0·13	16	–	16	–	–	–	–	–	–	–	–	–	–	2	5	4	2	3	–
Puerperal Fever	0·09	–	0·17	20	–	20	–	–	–	–	–	–	–	–	–	5	9	5	1	–	–	–
Childbirth	0·06	–	0·12	14	–	14	–	–	–	–	–	–	–	–	–	1	7	5	1	–	–	–
Violence	0·68	1·04	0·35	156	114	42	18	5	6	3	3	35	5	10	6	7	17	12	14	24	14	12
OTHER CAUSES	3·53	3·60	3·44	813	398	415	246	14	3	2	5	270	7	7	9	7	10	12	19	49	82	341

Marriages - - - 1,480

Births - {Males - 3,256 / Females - 3,249} 6,505

Annual Rate per 1000 living {Persons Married 12·87 / Births - 28·28}

Deaths from Childbirth and Puerperal Fever - - - - - 5·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The deaths under one year of age are per 1000 Births.

313.—SHEPTON MALLET.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·51	† 98	–	–	–	–	34·93	4·49	2·90	3·45	5·38	5·50	9·85	13·92	26·19	55·03	138·29
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·03	†113	–	–	–	–	40·91	4·99	3·21	2·95	5·67	5·59	11·42	18·67	28·49	62·75	143·66
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·08	† 83	–	–	–	–	29·38	4·01	2·61	3·99	5·12	5·41	8·37	10·31	24·16	48·71	132·59
Mean Population, 1881-90. Persons	Decennial Decrease of Population 0·92 per cent.	15,639	387	402	374	408	396	1967	1959	1759	1449	1189	1083	1645	1439	1115	776	397
Mean Population, 1881-90. Males	Decennial Decrease of Population 0·92 per cent.	7,548	194	194	176	196	189	949	951	841	747	564	948	797	694	538	349	176
Mean Population, 1881-90. Females	Decennial Decrease of Population 0·92 per cent.	8,156	193	208	198	212	207	1024	998	918	702	625	1035	848	766	592	427	224
Deaths from All Causes, 1881-90. Persons	17·69	2,678	450	130	39	32	36	687	88	51	50	64	109	162	193	282	427	540
Deaths from All Causes, 1881-90. Males	18·63	1,400	256	67	24	14	26	387	48	27	22	32	56	91	140	140	249	352
Deaths from All Causes, 1881-90. Females	16·67	1,278	194	63	15	18	10	300	40	24	28	32	56	71	79	143	208	297

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·28	0·26	42	21	21	8	13	2	1	5	29	12	–	–	–	–	–	–
Scarlet Fever	0·10	0·14	0·10	16	8	8	–	2	1	2	1	6	6	4	–	–	–	–	–
Diphtheria	0·20	0·24	0·17	32	18	14	–	3	2	4	6	15	11	6	–	–	–	–	–
Whooping-cough	0·17	0·12	0·22	27	9	18	13	6	2	5	–	26	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·23	0·17	31	17	14	–	1	1	–	1	3	2	2	6	6	5	1	4	2	–
Simple Continued Fever	0·04	0·04	0·04	6	3	3	–	–	–	–	1	1	1	1	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·18	0·19	0·17	28	14	14	17	2	–	–	–	19	1	–	–	–	–	1	3	–	1
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–	1
Cancer	0·67	0·40	0·93	105	30	75	–	–	–	–	–	–	–	–	–	3	10	17	26	37	12
Tabes Mesenterica	0·12	0·15	0·10	19	11	8	4	5	1	–	1	11	3	2	1	–	1	1	–	–	–
Phthisis	0·98	1·13	0·83	153	85	68	–	1	–	–	–	1	2	3	10	24	37	33	24	11	9
Other Tub. & Scrof. Dis.	0·34	0·37	0·31	53	28	25	5	7	5	5	2	24	8	6	3	5	1	5	–	–	1
Diseases of Nervous System	2·26	2·36	2·17	354	177	177	80	17	4	8	2	111	7	3	5	6	8	13	25	53	65	59
Diseases of Circulatory	2·14	2·59	1·80	335	188	147	3	1	–	–	–	4	1	3	2	5	15	25	36	72	95	77
Diseases of Respiratory	2·58	2·91	2·27	404	219	185	102	32	8	5	10	157	20	4	2	4	10	19	21	46	67	54
Diseases of Digestive	1·26	1·37	1·16	198	103	95	31	20	3	–	1	55	4	6	5	1	4	14	20	34	41	14
Diseases of Urinary	0·37	0·55	0·21	58	41	17	1	–	–	–	–	1	1	1	1	2	2	8	13	6	17	6
Diseases of Generative	0·08	0·01	0·13	13	1	11	–	–	–	–	–	–	–	–	1	–	1	1	1	5	1	2
Puerperal Fever	0·08	–	0·15	13	–	12	–	–	–	–	–	–	–	–	–	2	3	5	2	–	–	–
Childbirth	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	–	–	5	1	–	–	–
Violence	0·36	0·39	0·26	88	67	21	3	5	5	1	2	16	3	3	7	4	7	12	16	10	8	2
Other Causes	4·42	4·77	4·10	693	359	334	183	14	5	1	3	206	5	7	5	3	11	11	16	27	84	318

Marriages	987	Annual Rate per 1000 living	Persons Married	12·34	Deaths from Childbirth and Puerperal Fever 4·79 per 1000 Births.
Births Males	2,263		Births	29·33	
Births Females	2,326				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·82	†104	–	–	–	–	37·39	3·12	1·86	3·66	6·16	9·14	13·44	18·85	32·11	66·19	147·56
Males	—					17·96	†114	–	–	–	–	39·76	3·05	1·51	4·03	6·29	10·24	16·55	21·53	35·65	71·68	155·87
Females	—					15·75	† 94	–	–	–	–	34·95	3·18	2·21	3·29	6·06	8·18	10·72	16·53	29·15	61·61	140·35
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·21 per cent.			22,935			563	544	554	556	578	2795	2693	2478	2241	1817	3040	2537	2111	1579	1112	532
Males				11,002			278	265	286	279	308	1416	1311	1256	1116	843	1426	1184	980	718	505	247
Females				11,933			285	279	268	277	270	1379	1382	1222	1125	974	1614	1353	1131	861	607	285
Deaths from All Causes, 1881–90. Persons	19·25			4,414			697	182	69	58	39	1045	84	46	82	112	278	341	398	507	736	785
Males	20·69			2,276			383	90	39	31	20	563	40	19	45	53	146	196	211	256	362	385
Females	17·92			2,138			314	92	30	27	19	482	44	27	37	59	132	145	187	251	374	400
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·01	0·03	5	1	4	2	–	–	–	–	2	–	–	–	1	1	1	–	–	–	–
Measles	0·19	0·21	0·18	44	23	21	9	19	3	3	4	38	3	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·08	19	10	9	2	3	1	5	2	13	2	2	1	1	–	–	–	–	–	–
Diphtheria	0·11	0·09	0·13	26	10	16	–	3	6	7	1	17	6	1	–	1	–	1	–	–	–	–
Whooping-cough	0·19	0·18	0·19	43	20	23	25	9	4	3	–	41	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Enteric Fever	0·10	0·08	0·12	23	9	14	–	–	–	–	–	–	3	1	3	4	7	1	3	1	–	1
Simple Continued Fever	0·01	0·03	–	3	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·25	0·31	0·19	57	34	23	33	7	1	1	2	44	1	–	–	–	–	1	–	1	5	5
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Cancer	0·73	0·66	0·79	167	73	94	–	–	1	–	–	1	–	1	1	1	5	13	33	37	51	24
Tabes Mesenterica	0·19	0·16	0·21	43	18	25	24	6	–	1	3	34	3	1	1	–	3	1	–	–	–	–
Phthisis	1·50	1·50	1·49	343	165	178	5	6	1	–	–	12	1	7	24	47	95	68	51	21	15	2
Other Tub. & Scrof. Dis.	0·31	0·26	0·34	70	29	41	21	9	2	1	2	35	9	6	3	4	6	3	–	1	1	2
Diseases of Nervous System	3·51	4·12	2·96	806	453	353	86	15	8	7	5	121	10	6	8	8	55	99	88	110	169	132
Circulatory „	2·50	2·40	2·60	574	264	310	1	1	–	–	1	3	2	4	8	5	17	42	72	125	183	113
Respiratory „	3·55	3·94	3·19	814	433	381	172	66	26	21	11	296	26	4	9	8	33	39	57	84	127	131
Digestive „	1·23	1·35	1·12	283	149	134	53	12	3	1	–	69	5	1	4	8	12	23	36	42	54	29
Urinary „	0·66	0·79	0·54	152	87	65	1	2	1	–	–	4	–	1	3	2	7	6	18	35	40	36
Generative „	0·05	0·02	0·08	11	2	9	1	–	–	–	–	1	–	–	–	–	2	5	–	2	1	–
Puerperal Fever	0·07	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	3	4	8	–	–	–	–
Childbirth	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	–	3	4	4	–	–	–	–
Violence	0·65	0·98	0·34	148	108	40	17	6	8	5	5	41	7	5	8	4	13	10	20	14	16	10
OTHER CAUSES	3·28	3·48	3·11	753	382	371	244	18	4	3	3	272	3	4	7	11	14	15	19	34	74	300

Marriages - - - 1,352

Births - Males - 3,374 / Females - 3,348 — 6,722

Annual Rate per 1000 living: Persons Married 11·79; Births - - 29·31

Deaths from Childbirth and Puerperal Fever - - - - - 3·87 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

315.—AXBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·56	†103	–	–	–	–	36·88	3·85	1·90	4·19	5·33	6·71	9·18	13·57	23·61	51·42	141·61
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·91	†119	–	–	–	–	40·87	3·85	1·61	4·66	7·12	8·49	10·65	15·78	26·87	55·16	152·78
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·29	† 93	–	–	–	–	32·96	3·85	2·18	3 82	4·22	5·41	8·02	11·87	21·11	48·64	134·21
Mean Population, 1881-91. Persons	Decennial Increase of Population 6·81 per cent.	42,015	924	911	949	971	982	4737	4828	4706	4225	3480	3529	4543	3729	2995	2112	1031
Mean Population, 1881-91. Males	Decennial Increase of Population 6·81 per cent.	18,804	449	460	478	482	480	2349	2415	2302	1867	1334	2332	2060	1622	1299	901	429
Mean Population, 1881-91. Females	Decennial Increase of Population 6·81 per cent.	23,111	475	451	471	489	502	2388	2413	2431	2358	2156	3197	2543	2107	1696	1211	611
Deaths from All Causes. Persons	16·50	6,934	1186	312	118	74	57	1747	186	91	177	186	371	417	506	707	1086	1499
Deaths from All Causes. Males	18·12	3,426	670	166	58	36	30	960	93	38	87	95	198	213	256	349	497	640
Deaths from All Causes. Females	15·18	3,508	516	146	60	38	27	787	93	53	90	91	173	204	250	358	589	820

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·29	0·25	113	55	58	28	32	17	8	8	93	15	4	–	1	–	–	–	–	–	–
Scarlet Fever	0·17	0·22	0·13	70	41	29	8	7	7	9	10	41	23	2	2	1	1	–	–	–	–	–
Diphtheria	0·06	0·07	0·06	27	14	13	2	2	–	1	4	9	10	3	1	2	–	–	1	1	–	–
Whooping-cough	0·20	0·23	0·19	86	43	43	40	23	9	3	3	86	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	6	2	4	–	–	–	–	–	–	–	–	1	3	–	–	–	1	1	–
Enteric Fever	0·07	0·07	0·07	31	14	17	1	–	–	2	–	3	4	2	8	2	5	4	1	–	1	1
Simple Continued Fever	0·02	0·02	0·03	9	3	6	–	–	–	–	–	–	–	3	1	–	1	1	1	–	2	–
Diarrhœa and Dysentery	0·32	0·41	0·24	134	78	56	84	13	3	1	1	102	3	–	–	–	2	1	1	1	2	22
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·46	0·78	272	91	181	–	–	1	–	–	1	1	–	–	1	3	22	39	86	69	56
Tabes Mesenterica	0·20	0·27	0·15	85	51	34	45	16	2	1	1	65	7	3	4	–	3	1	1	–	1	–
Phthisis	1·40	1·30	1·48	594	340	254	13	6	2	1	–	22	5	9	64	107	166	113	76	31	24	7
Other Tub. & Scrof. Dis.	0·30	0·25	0·26	125	66	59	30	14	2	3	4	53	22	17	10	3	5	9	2	2	1	1
Diseases of Nervous System	2·16	2·25	2·09	908	426	482	133	33	15	7	2	190	20	13	17	13	30	43	79	115	201	187
Diseases of Circulatory	2·13	2·09	2·17	897	396	501	8	–	–	1	1	10	5	5	10	10	31	57	93	144	288	247
Diseases of Respiratory	2·87	2·90	2·83	1204	549	655	283	102	38	23	10	456	33	6	10	10	34	29	57	99	130	280
Diseases of Digestive	1·14	1·25	1·06	480	235	245	65	26	5	2	4	102	13	6	7	9	19	34	42	84	97	67
Diseases of Urinary	0·59	0·83	0·39	246	156	90	7	4	–	1	1	13	4	2	4	4	10	26	29	49	47	58
Diseases of Generative	0·06	0·01	0·10	26	2	24	–	–	–	–	–	–	–	–	1	–	7	2	4	1	8	3
Puerperal Fever	0·03	–	0·05	13	–	13	–	–	–	–	–	–	–	–	1	3	6	3	–	–	–	–
Childbirth	0·03	–	0·05	14	–	14	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–
Violence	0·63	1·03	0·32	266	192	74	22	9	12	7	7	57	11	8	13	10	13	27	38	36	22	23
Other Causes	3·10	3·55	2·69	1288	672	616	405	25	5	4	2	444	10	8	13	7	25	38	45	63	132	508

Marriages	2,390	Annual Rate per 1000 living	Persons Married	11·38	Deaths from Childbirth and Puerperal Fever 2·42 per 1000 Births.
Births Males	5,619		Births	26·53	
Births Females	5,525	11,144			

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

316.—CLUTTON.‡

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—		In Standard Population.*	14·43 15·18 13·73		†100 †109 † 91	– – –	– – –	– – –	– – –	36·78 38·65 34·89	3·88 4·29 3·44	2·46 2·39 2·55	3·95 3·49 4·64	5·69 5·43 5·98	5·14 4·86 5·42	7·54 8·40 6·71	12·58 14·06 11·20	26·53 31·16 22·24	56·15 64·04 49·03	149·62 161·51 139·93
	Males	—																				
	Females	—																				
Mean Population, 1881–91.	Persons	Decennial Increase of Population, 3·25 per cent.		24,386			675	675	656	673	673	3352	3224	2921	2252	1739	2974	2468	2090	1655	1179	532
	Males			12,445			336	347	326	336	342	1687	1656	1549	1347	920	1480	1202	1010	796	559	239
	Females			11,941			339	328	330	337	331	1665	1568	1372	905	819	1494	1266	1080	859	620	293
Deaths from All Causes, 1881–90.	Persons	16·88		4,117			806	219	109	61	38	1233	125	72	89	99	153	186	263	439	662	796
	Males	17·39		2,164			445	102	52	33	20	652	71	37	47	50	72	101	142	248	358	386
	Females	16·36		1,953			361	117	57	28	18	581	54	35	42	49	81	85	121	191	304	410
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·03	0·06	–	7	7	–	–	–	–	–	–	–	2	–	1	–	2	–	1	1	–	–
Measles	0·37	0·29	0·45	90	36	54	23	23	15	9	2	72	14	1	–	–	1	2	–	–	–	–
Scarlet Fever	0·27	0·28	0·25	65	35	30	3	13	10	6	8	40	19	5	1	–	–	–	–	–	–	–
Diphtheria	0·17	0·18	0·15	41	23	18	–	–	8	5	6	19	12	4	4	–	2	–	–	–	–	–
Whooping-cough	0·22	0·22	0·23	54	27	27	21	20	11	–	1	53	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	4	2	2	–	–	–	1	–	1	1	–	1	1	–	–	–	–	–	–
Enteric Fever	0·07	0·10	0·03	17	13	4	–	–	–	–	–	–	2	2	5	4	1	1	1	1	–	–
Simple Continued Fever	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·47	0·24	87	58	29	50	11	4	1	2	68	–	1	–	–	–	1	1	3	7	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·43	0·67	134	54	80	–	–	1	–	–	1	–	2	1	–	1	8	24	47	40	10
Tabes Mesenterica	0·10	0·11	0·08	24	14	10	9	7	3	–	–	19	1	1	–	–	2	1	–	–	–	–
Phthisis	1·02	1·00	1·03	248	125	123	6	4	–	–	–	10	3	6	20	41	51	46	37	24	9	1
Other Tub. & Scrof. Dis.	0·29	0·30	0·28	71	37	34	18	9	3	5	–	35	8	8	6	3	6	3	–	1	1	–
Diseases of: Nervous System	2·32	2·40	2·24	565	298	267	125	26	8	6	1	166	16	11	13	5	12	18	37	59	120	108
Diseases of: Circulatory „	2·01	2·02	2·00	490	251	239	1	–	–	1	–	2	2	2	6	7	14	27	58	88	157	127
Diseases of: Respiratory „	3·17	3·37	2·96	774	420	354	171	64	28	18	9	290	21	3	6	5	17	20	35	80	154	143
Diseases of: Digestive „	0·95	1·00	0·90	232	125	107	37	12	2	1	2	54	3	5	6	3	9	13	15	50	46	28
Diseases of: Urinary „	0·54	0·68	0·39	132	85	47	–	3	4	–	–	7	4	1	1	4	8	9	13	16	37	22
Diseases of: Generative „	0·03	0·01	0·05	7	1	6	–	–	–	–	–	–	–	2	–	–	–	–	2	–	3	–
Puerperal Fever	0·05	–	0·11	13	–	13	–	–	–	–	–	–	–	–	1	2	7	3	–	–	–	–
Childbirth	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	–	4	5	1	2	–	–	–
Violence	0·61	0·87	0·33	148	108	40	9	4	7	3	6	29	7	7	9	6	4	16	15	31	15	9
OTHER CAUSES	3·67	3·58	3·83	900	445	455	333	23	5	5	1	367	9	10	7	14	11	17	22	28	73	342

Marriages – – 1,143

Births – Males 4,072 / Females 3,958 = 8,030

Annual Rate per 1000 living: Persons Married 9·37; Births – – 32·93

Deaths from Childbirth and Puerperal Fever – – – – 3·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary under the Divided Parishes Acts.

317. BATH.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000 living	—	In 17·14 / Standard 19·02 / Population* 15·36	†121	–	–	–	–	44·73	4·35	2·49	3·84	4·60	6·84	11·53	16·83	29·29	62·92	149·70
			†135	–	–	–	–	49·50	4·11	2·41	4·43	5·73	8·85	14·77	20·70	34·14	74·72	156·58
			†106	–	–	–	–	39·95	4·60	2·57	3·40	3·94	5·55	9·35	14·30	26·26	56·21	146·17
Mean Popn. 1881–90. Persons	Decennial Increase of Population, 6·29 per cent.	72,970	1548	1475	1528	1578	1487	7616	7350	7670	7701	6783	10514	8519	6802	5173	3447	1645
Males		31,215	776	733	795	775	735	3814	3697	3937	3295	2494	4115	3345	2626	1986	1250	588
Females		41,755	772	742	733	803	752	3802	3653	3733	4406	4289	6401	5174	4176	3187	2197	1057
Deaths from All Causes 1881–90. Persons	18·49	13,495	2214	637	855	181	120	3407	320	191	296	310	719	959	1145	1515	2169	3464
Males	20·41	6,371	1265	327	132	97	67	1888	152	95	146	143	364	494	558	678	934	919
Females	17·06	7,124	949	310	123	84	53	1519	168	96	150	167	355	465	587	837	1235	1545

	Persons.	Males.	Females.	Persons	Males.	Females.	PERSONS.											
Small-pox	0·00	–	0·00	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·31	0·38	0·26	228	120	108	47	91	31	21	12	202	21	3	1	1	–	–	–	–	–	–
Scarlet Fever	0·10	0·12	0·09	73	37	36	5	4	12	8	15	44	20	4	2	–	3	–	–	–	–	–
Diphtheria	0·11	0·11	0·11	82	35	47	2	7	9	14	14	46	25	6	1	–	–	1	1	1	1	–
Whooping-cough	0·30	0·27	0·31	216	85	131	98	72	22	12	3	205	11	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·11	81	33	48	1	1	1	1	1	5	11	7	12	11	16	8	2	4	4	1
Simple Continued Fever	0·02	0·01	0·02	13	3	10	2	1	1	1	–	5	2	–	1	2	–	–	–	–	1	2
Diarrhœa and Dysentery	0·37	0·48	0·29	270	150	120	151	30	5	7	1	194	4	2	1	1	3	3	10	4	19	29
Cholera	0·01	0·01	0·00	5	3	2	2	–	–	1	–	3	–	–	–	–	–	2	–	–	–	–
Cancer	0·93	0·70	1·09	676	289	456	1	1	1	3	–	6	1	2	1	4	23	61	120	189	173	88
Tabes Mesenterica	0·12	0·14	0·11	88	43	45	34	18	7	2	3	64	7	4	3	4	3	2	1	–	–	–
Phthisis	1·48	1·87	1·20	1083	584	499	11	7	6	1	3	28	17	27	90	118	261	246	182	86	24	4
Other Tub. & Scrof. Dis.	0·35	0·40	0·32	258	124	134	41	42	16	16	8	123	38	18	20	16	17	17	5	2	1	1
Diseases of Nervous System	2·54	2·85	2·31	1853	890	963	388	66	29	15	8	506	40	24	22	23	39	91	126	203	414	367
Circulatory	2·22	2·15	2·27	1617	670	947	6	2	4	1	1	14	11	19	27	14	58	108	180	268	472	569
Respiratory	3·55	3·83	3·34	2589	1194	1395	440	217	77	47	29	810	42	14	17	18	58	112	141	200	426	408
Digestive	1·06	1·15	0·99	774	359	415	107	26	3	4	2	142	12	10	17	22	47	74	58	129	135	98
Urinary	0·58	0·84	0·38	422	262	160	3	1	2	2	–	7	3	4	10	8	29	48	63	70	103	71
Generative	0·08	0·01	0·13	55	2	53	–	–	–	–	–	–	–	2	1	2	7	13	9	8	9	4
Puerperal Fever	0·06	–	0·11	47	–	47	–	–	–	–	–	–	–	–	1	6	25	15	–	–	–	–
Childbirth	0·05	–	0·09	39	–	39	–	–	–	–	–	–	–	–	3	3	13	17	4	–	–	–
Violence	0·29	1·10	0·08	501	342	159	50	12	12	14	15	103	31	19	24	30	42	56	57	53	42	42
Other Causes	3·45	3·88	3·15	2522	1215	1307	828	40	17	11	5	901	29	20	41	27	75	85	110	108	299	830

Marriages	–	5972	Annual Rate per 1000 living	Persons Married	15·55
Births	Males 9,286 / Females 8,933	18,219		Births	25·13

Deaths from Childbirth and Puerperal Fever – 6·09 per 1000 Births.

* *See pages* xxxiv–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see page* 73‡.

318.—KEYNSHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	15·58		†121	–	–	–	–	42·97	4·26	2·83	4·20	6·49	7·33	8·39	11·56	26·38	51·67	147·48
Males	—				16·23		†135	–	–	–	–	46·60	4·70	2·84	3·61	6·11	7·08	7·59	12·91	31·26	57·88	150·92
Females	—				14·97		†106	–	–	–	–	39·29	3·82	2·82	4·85	6·84	7·56	9·14	10·35	22·35	46·74	144·80
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·92 per cent.			27,833			827	742	772	802	767	3910	3566	3178	2856	2372	3697	2872	2240	1600	1045	497
Males				13,600			422	373	393	400	380	1968	1810	1584	1494	1129	1766	1384	1061	723	463	218
Females				14,233			405	369	379	402	387	1942	1756	1594	1362	1243	1931	1488	1179	877	582	279
Deaths from All Causes, 1881–90. Persons	16·75			4,662			1098	321	127	85	49	1680	152	90	120	154	271	241	259	422	540	733
Males	17·35			2,360			633	153	61	44	26	917	85	45	54	69	125	105	137	226	268	329
Females	16·17			2,302			465	168	66	41	23	763	67	45	66	85	146	136	122	196	272	404
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·40	0·37	0·43	112	51	61	19	36	19	14	8	96	15	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·21	0·24	63	29	34	4	9	10	14	7	44	12	3	1	2	1	–	–	–	–	–
Diphtheria	0·08	0·07	0·08	21	9	12	1	–	3	4	2	10	8	3	–	–	–	–	–	–	–	–
Whooping-cough	0·28	0·24	0·32	78	33	45	43	14	9	5	3	74	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·07	22	12	10	–	–	–	–	–	–	1	–	4	4	8	1	2	2	–	–
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·43	0·49	0·38	120	66	54	77	12	3	–	–	92	–	–	–	1	3	2	1	4	8	9
Cholera	0·01	0·01	0·01	4	2	2	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1
Cancer	0·50	0·29	0·70	139	40	99	1	–	–	1	–	2	–	–	–	1	4	13	31	38	36	14
Tabes Mesenterica	0·15	0·15	0·15	41	20	21	11	6	–	1	2	20	9	4	2	3	1	1	1	–	–	–
Phthisis	1·65	1·51	1·78	459	206	253	–	1	1	1	–	3	10	14	56	84	126	75	43	37	8	3
Other Tub. & Scrof. Dis.	0·36	0·43	0·30	101	58	43	27	21	3	4	6	61	13	12	7	5	2	–	–	1	–	–
Diseases of Nervous System	2·17	2·21	2·13	603	300	303	189	44	16	5	2	256	14	7	3	12	18	28	35	64	82	84
Diseases of Circulatory „	1·67	1·76	1·58	464	239	225	–	–	1	–	1	2	6	12	12	9	19	32	34	101	128	109
Diseases of Respiratory „	3·31	3·69	2·94	921	502	419	243	128	46	21	13	451	23	11	5	5	22	24	40	76	121	143
Diseases of Digestive „	0·74	0·73	0·75	206	99	107	37	13	2	4	–	56	11	3	5	6	11	13	17	37	35	12
Diseases of Urinary „	0·29	0·38	0·21	82	52	30	2	3	–	3	–	8	–	2	2	4	5	10	13	11	21	6
Diseases of Generative „	0·05	–	0·09	13	–	13	–	–	–	–	–	–	–	–	–	–	1	5	1	4	1	1
Puerperal Fever	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	–	–	2	8	7	–	–	–	–
Childbirth	0·05	–	0·11	15	–	15	–	–	–	–	–	–	–	–	–	2	9	4	–	–	–	–
Violence	0·57	0·93	0·23	160	127	33	8	6	10	5	1	30	13	10	12	9	18	15	18	14	15	6
OTHER CAUSES	3·67	3·79	3·54	1,020	515	505	435	28	4	3	4	474	13	8	11	5	15	10	22	32	85	345

Marriages – – – 1,802

Births – {Males – 4,692 / Females – 4,380} 9,072

Annual Rate per 1000 living {Persons Married 12·95 / Births – – 32·59}

Deaths from Childbirth and Puerperal Fever – – – – – } 3·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

319.—BEDMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000	—	In Standard Population* 15·37	†128	–	–	–	–	47·05	3·68	2·32	3·87	4·95	6·09	1·18	14·91	27·47	60·22	146·21
	—		†146	–	–	–	–	53·06	3·77	2·23	3·89	4·74	6·06	10·80	16·49	31·81	64·10	155·72
	—		†109	–	–	–	–	41·10	3·58	2·41	3·84	5·14	5·86	9·65	13·50	23·93	57·27	140·13
Mean Population 1885–90.	Decennial Increase of Population, 15·06 per cent.	72,489	2132	1972	1982	1949	1975	10010	9166	8274	7887	6980	14464	7305	5975	3880	2348	1670
		34,450	1041	988	1000	971	988	5008	4611	4088	3445	2882	4822	3684	2729	1745	1014	462
		38,039	1071	984	982	978	987	5002	4555	4186	3442	3488	5642	4081	3246	2135	1334	668
Deaths from All Causes, 1885–90.	16·75	12,144	3155	949	396	208	122	4719	337	192	274	311	628	812	891	1066	1414	1574
	17·89	6,162	1858	479	247	111	59	2854	174	90	134	157	242	389	466	555	650	683
	15·72	5,979	1297	449	159	97	63	2065	163	101	140	154	386	423	425	511	764	891

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	0·00	–	0·01	2	–	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Measles	0·35	0·41	0·29	251	141	110	57	103	37	24	21	242	8	–	–	1	–	–	–	–	–
Scarlet Fever	0·20	0·22	0·18	147	77	70	14	29	23	27	17	110	31	3	1	–	2	–	–	–	–
Diphtheria	0·07	0·06	0·07	49	21	28	4	4	5	7	5	25	14	2	2	1	3	–	1	1	–
Whooping-cough	0·45	0·44	0·47	329	152	177	143	103	33	19	15	313	15	1	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·17	0·12	105	59	46	–	1	1	2	1	5	17	10	18	16	12	14	5	5	3
Simple Continued Fever	0·03	0·03	0·02	20	11	9	1	5	1	–	1	8	3	3	2	–	1	1	1	1	–
Diarrhœa and Dysentery	0·42	0·54	0·31	305	187	118	169	37	2	4	1	245	4	2	–	3	5	4	5	11	10
Cholera	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·58	0·37	0·76	417	130	283	–	–	1	–	–	1	2	3	–	–	13	46	107	114	87
Tabes Mesenterica	0·19	0·22	0·16	139	77	62	83	24	4	1	3	115	4	6	4	6	1	–	1	–	2
Phthisis	1·39	1·46	1·33	1009	502	507	12	12	4	5	–	33	23	36	87	148	218	213	128	70	21
Other Tub. & Scrof. Dis.	0·40	0·49	0·32	290	168	122	114	53	14	14	3	198	28	20	16	5	9	6	5	1	2
Diseases of Nervous System	2·44	2·72	2·20	1772	937	835	592	107	54	38	13	780	59	22	30	11	49	64	116	169	264
" Circulatory	1·46	1·43	1·53	1075	493	582	9	3	1		1	14	9	19	25	20	69	107	111	206	279
" Respiratory	3·10	3·39	2·84	2249	1168	1081	635	325	100	49	27	1136	51	13	15	25	62	94	113	193	290
" Digestive	0·91	1·00	0·82	656	344	312	138	43	3	3	2	189	23	15	15	9	26	52	85	94	95
" Urinary	0·40	0·53	0·39	293	178	115	4	3	1	–	2	10	1	4	4	17	12	40	44	64	83
" Generative	0·03	0·01	0·06	23	2	21	1	–		–	1	2	–	–	1	1	–	6	3	2	5
Puerperal Fever	0·07	–	0·14	53	–	52	–	–	–	–	–	–	–	–	2	10	14	20	1	–	–
Convulsions	0·05	–	0·10	39	–	39	–	–	–	–	–	–	–	–	1	7	5	15	–	–	–
Violence	0·44	0·66	0·24	319	228	91	27	9	5	11	4	56	22	15	14	11	34	34	35	33	36
Other Causes	3·61	3·75	3·45	2598	1287	1311	1124	58	17	9	4	1212	23	18	32	22	45	60	72	99	266

Marriages - - 4,454

Births - { Males - 12,780 / Females - 11,909 } 24,689

Annual Rate per 1000 living { Persons Married 12·29 / Births - - 33·99

Deaths from Childbirth and Puerperal Fever - - - - - } 3·69 per 1000 Births.

* *See* pages xxxvi–xxxviii. ◆

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 23·97	†156	–	–	–	–	69·49	8·25	4·57	5·28	7·99	11·62	17·41	24·17	39·08	67·09	140·64
Annual Death-Rate per 1000. Males	—	Standard 27·10	†177	–	–	–	–	78·32	9·39	4·85	6·40	9·52	13·71	19·52	29·14	45·96	81·89	154·72
Annual Death-Rate per 1000. Females	—	Population* 21·01	†135	–	–	–	–	60·76	7·13	4·28	4·33	6·81	9·83	15·56	20·07	33·74	58·28	134·18
Mean Population, 1881-91. Persons	Decennial Decrease of Population 3·36 per cent.	56,514	1359	1285	1295	1307	1257	6503	5998	6471	5914	5320	8410	6640	5036	3373	2042	807
Mean Population, 1881-91. Males		26,312	665	658	640	644	626	3233	2981	3340	2704	2310	3881	3099	2275	1473	762	254
Mean Population, 1881-91. Females		30,202	694	627	655	663	631	3270	3017	3131	3210	3010	4529	3541	2761	1900	1280	553
Deaths from All Causes, 1881–90. Persons	23·39	13,220	2648	923	450	302	196	4519	495	296	312	425	977	1156	1217	1318	1370	1135
Deaths from All Causes, 1881–90. Males	26·08	6,861	1524	504	249	154	101	2532	280	162	173	220	532	605	663	677	624	393
Deaths from All Causes, 1881–90. Females	21·05	6,359	1124	419	201	148	95	1987	215	134	139	205	445	551	554	641	746	742

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	–	0·01	3	–	3	2	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Measles	0·45	0·52	0·39	256	137	119	50	110	50	20	8	238	16	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·44	0·57	0·32	246	149	97	15	34	39	50	34	172	53	14	3	2	1	1	–	–	–	–
Diphtheria	0·18	0·19	0·18	103	49	54	5	16	17	16	15	69	30	3	1	–	–	–	–	–	–	–
Whooping-cough	0·47	0·46	0·48	268	122	146	104	80	40	23	8	255	12	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Enteric Fever	0·20	0·25	0·15	112	66	46	1	1	–	–	3	5	8	15	22	15	28	10	4	4	1	–
Simple Continued Fever	0·01	0·01	0·00	4	3	1	–	1	–	–	–	1	1	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·54	0·63	0·46	305	165	140	207	36	9	6	1	259	–	2	–	2	3	1	5	11	9	13
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·83	0·65	0·98	467	171	296	–	–	1	2	1	4	2	4	3	4	23	64	124	116	91	32
Tabes Mesenterica	0·18	0·24	0·13	103	63	40	44	16	5	4	4	73	14	7	2	3	4	–	–	–	–	–
Phthisis	2·18	2·40	1·99	1234	632	602	9	7	8	6	7	37	28	27	70	160	329	284	189	84	26	–
Other Tub. & Scrof. Dis.	0·55	0·65	0·45	308	172	136	52	50	37	27	10	176	49	26	14	11	8	9	9	3	2	1
Diseases of Nervous System	2·66	2·94	2·41	1503	774	729	521	73	35	18	14	661	54	24	17	16	49	73	101	144	219	145
Diseases of Circulatory „	2·15	2·32	2·00	1214	611	603	2	1	1	1	2	7	25	29	28	30	96	181	205	240	242	131
Diseases of Respiratory „	4·62	4·84	4·43	2611	1274	1337	559	299	126	67	43	1094	58	20	24	23	97	120	176	323	397	279
Diseases of Digestive „	1·40	1·48	1·33	792	389	403	140	67	11	6	9	233	20	11	16	23	44	86	112	103	99	45
Diseases of Urinary „	0·89	1·10	0·70	501	289	212	–	3	5	2	2	12	6	5	9	17	53	80	91	103	92	33
Diseases of Generative „	0·10	0·02	0·17	54	4	50	–	1	1	–	–	2	–	–	–	5	13	14	12	5	3	–
Puerperal Fever	0·09	–	0·17	50	–	50	–	–	–	–	–	–	–	–	4	10	19	17	–	–	–	–
Childbirth	0·06	–	0·10	31	–	31	–	–	–	–	–	–	–	–	1	7	11	12	–	–	–	–
Violence	1·75	2·84	0·81	990	746	244	48	56	46	32	27	209	72	71	57	49	126	118	104	89	56	39
Other Causes	3·63	3·96	3·39	2062	1042	1020	889	72	19	22	8	1010	47	36	38	47	73	85	83	93	133	417

Marriages - - - 10,193

Births - Males - 8,626 } 16,942
Births - Females - 8,316 }

Annual Rate per 1000 living { Persons Married 36·07 / Births - - 29·98

Deaths from Childbirth and Puerperal Fever - - - - - 4·78 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

321.—BARTON REGIS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons	In Standard Population.* 17·38	†134	–	–	–	–	52·53	4·17	2·74	3·50	4·45	5·76	9·02	15·51	28·32	63·43	118·44
	Males	18·55	†147	–	–	–	–	57·26	4·20	2·35	3·39	4·71	6·42	10·53	17·46	31·97	72·64	156·03
	Females	16·27	†120	–	–	–	–	47·87	4·15	3·11	3·59	4·27	5·06	8·87	14·09	25·65	57·34	144·35
Mean Population 1881–90.	Persons	Decennial Increase of Population 16·25 per cent. 179,615	4325	4408	4517	4554	4453	22857	21492	20461	19141	16616	13827	9049	14611	9308	5844	2409
	Males	81,626	2424	2449	2527	2549	2501	11529	10783	9985	8815	6899	5455	3691	6375	4178	2928	861
	Females	97,989	2501	2959	2990	2955	2944	14328	10759	10476	10361	9843	8372	5358	8236	5660	3516	1558
Deaths from All Causes 1881–90.	Persons	17·06	7570	2413	997	526	433	12006	897	561	670	739	1517	1928	2866	2578	4707	3579
	Males	18·29	4254	1246	466	275	216	6457	451	235	292	329	734	951	1115	1329	1691	1927
	Females	16·04	3316	1167	531	348	217	5549	446	326	378	410	784	977	1145	1432	2016	2240

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.											
Smallpox	0·06	0·08	0·04	105	67	38	7	1	2	1	3	14	7	4	12	18	18	18	6	4	4	–
Measles	0·45	0·51	0·40	804	414	388	151	287	163	90	52	743	50	3	1	2	1	–	–	1	–	–
Scarlet Fever	0·36	0·37	0·35	644	299	345	36	102	106	105	93	442	149	30	8	4	8	3	–	–	–	–
Diphtheria	0·06	0·05	0·06	111	56	55	8	7	12	17	8	52	28	11	3	2	5	4	2	2	2	–
Whooping-cough	0·49	0·53	0·47	887	431	456	364	275	123	57	41	860	26	–	–	–	–	–	1	–	–	–
Typhus	0·01	0·01	0·01	21	11	10	–	–	–	–	–	–	–	2	1	–	2	1	6	3	3	1
Enteric Fever	0·13	0·14	0·11	230	118	112	1	–	4	7	4	16	31	44	32	29	27	27	10	8	6	–
Simple Continued Fever	0·01	0·01	0·01	18	12	6	–	1	4	–	2	7	2	2	–	2	–	–	–	2	2	1
Diarrhœa and Dysentery	0·50	0·56	0·44	891	458	433	614	193	23	7	3	750	8	1	2	3	5	6	10	18	36	52
Cholera	0·01	0·01	0·01	11	6	5	3	1	1	–	–	5	–	1	–	–	1	1	2	–	1	–
Croup	0·56	0·36	0·72	1012	293	719	2	–	2	1	–	5	3	–	1	4	26	113	189	280	269	122
Tabes Mesenterica	0·19	0·22	0·18	338	183	155	175	66	24	7	2	274	17	18	9	3	4	6	4	–	3	–
Premature	1·62	1·74	1·52	2910	1424	1486	94	52	20	17	13	196	58	110	289	332	656	555	419	192	81	12
Other Tub. & Scrof. Dis.	0·41	0·51	0·32	741	416	325	197	150	51	20	34	461	106	63	39	17	17	13	8	4	3	–
Deaths of Nervous System	2·48	2·72	2·29	4456	2218	2242	1255	231	77	51	37	1651	100	58	50	46	144	254	344	505	789	569
Circulatory	1·74	1·52	1·56	3766	1041	1525	11	6	1	8	4	30	30	59	55	57	111	221	422	555	710	516
Respiratory	3·42	3·77	3·13	6141	3077	3064	1726	827	369	147	94	3163	131	87	40	44	124	193	357	611	874	681
Digestive	0·85	0·91	0·81	1532	739	793	330	117	29	9	15	500	34	25	22	33	69	117	137	175	206	124
Urinary	0·39	0·52	0·28	698	424	274	12	7	3	6	6	34	8	11	15	18	41	61	116	139	158	97
Generative	0·05	0·00	0·08	86	5	80	1	2	–	–	–	3	–	–	3	3	13	30	11	8	8	6
Puerperal Fever	0·07	–	0·13	128	–	128	–	–	–	–	–	–	–	–	7	31	51	39	–	–	–	–
Childbirth	0·06	–	0·10	101	–	101	–	–	–	–	–	–	–	–	4	15	32	49	1	–	–	–
Violence	0·32	0·48	0·18	569	390	179	61	16	17	16	9	119	57	23	17	24	18	61	56	56	51	57
Other Causes	3·02	3·46	2·84	5335	2648	2807	2425	102	26	18	13	2584	52	59	60	52	106	158	146	245	501	1438

Marriages		13,503
Births	Males	28,662
	Females	27,302

Annual Rate per 1000 living { Persons Married 12·43 / Births 31·47

Deaths from Childbirth and Puerperal Fever 4·05 per 1000 Births.

* See page xxxv, xxxvi.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·59	†105	–	–	–	–	39·57	3·85	2·74	4·28	5·83	6·02	7·72	12·61	22·75	50·64	147·34
Males	—	15·57	†122	–	–	–	–	46·76	4·41	2·42	3·97	4·85	5·36	6·43	15·32	24·46	51·25	169·19
Females	—	13·66	†83	–	–	–	–	32·84	3·29	3·09	4·69	6·89	6·64	8·96	9·79	21·19	50·10	129·69
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·19 per cent.	17,159	439	383	426	447	415	2110	2130	1971	1497	1234	2127	1749	1633	1358	936	414
Males		8,539	210	184	204	215	207	1020	1066	1033	857	639	1027	856	765	650	441	185
Females		8,620	229	199	222	232	208	1090	1064	938	640	595	1100	893	868	708	495	229
Deaths from All Causes 1881–90. Persons	17·30	2,969	514	165	63	55	38	835	82	54	64	72	128	135	206	309	474	610
Males	18·07	1,543	301	91	34	28	23	477	47	25	34	31	55	55	121	159	226	313
Females	16·54	1,426	213	74	29	27	15	358	35	29	30	41	73	80	85	150	248	297

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·29	0·21	43	25	18	6	7	9	5	3	30	10	1	1	–	1	–	–	–	–
Scarlet Fever	0·30	0·30	0·29	51	26	25	5	3	4	15	4	31	13	6	–	1	–	–	–	–	–
Diphtheria	0·20	0·22	0·17	34	19	15	1	2	6	4	6	19	9	4	–	–	–	–	2	–	–
Whooping-cough	0·26	0·25	0·28	45	21	24	24	13	3	4	–	44	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·08	0·09	15	7	8	–	–	–	–	1	1	1	4	1	2	4	–	–	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·26	0·32	0·20	44	27	17	19	6	1	2	2	30	–	–	–	5	–	–	–	–	–
Cholera	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Cancer	0·72	0·55	0·88	123	47	76	–	–	–	–	–	–	–	1	1	1	3	17	24	31	32	13
Tabes Mesenterica	0·12	0·11	0·14	21	9	12	13	6	–	–	–	19	–	–	1	–	–	–	–	1	–	–
Phthisis	0·81	0·63	0·94	139	58	81	–	1	1	–	–	2	2	8	12	23	40	26	11	11	3	1
Other Tub. & Scrof. Dis.	0·25	0·34	0·16	43	29	14	16	7	5	1	1	30	3	2	2	1	3	–	1	1	–	–
Diseases of Nervous System	2·13	2·15	2·10	365	184	181	63	11	7	3	6	90	8	2	8	7	6	19	23	60	65	77
Diseases of Circulatory „	2·11	2·10	2·12	362	179	183	1	–	–	–	1	2	–	5	7	2	13	15	47	81	126	64
Diseases of Respiratory „	3·26	3·40	3·12	559	290	269	97	49	13	16	10	185	16	2	14	10	23	21	35	50	85	118
Diseases of Digestive „	1·16	1·32	1·00	199	113	86	37	28	4	3	1	73	7	3	8	–	4	7	18	25	32	22
Diseases of Urinary „	0·45	0·63	0·27	77	54	23	1	2	–	–	–	3	–	1	1	–	5	5	9	9	29	15
Diseases of Generative „	0·05	–	0·09	8	–	8	–	1	–	–	–	1	–	–	1	–	1	1	1	3	–	–
Puerperal Fever	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	1	4	3	–	–	–	–
Childbirth	0·08	–	0·16	14	–	14	–	–	–	–	–	–	–	–	–	3	6	4	1	–	–	–
Violence	0·61	0·88	0·35	105	75	30	8	4	2	–	3	17	4	7	4	9	8	5	11	16	15	9
Other Causes	4·12	4·44	3·86	711	379	332	223	25	8	2	–	258	8	7	2	7	7	12	23	14	84	289

Marriages - - 751

Births - { Males - 2,467 / Females - 2,421 } 4,888

Annual Rate per 1000 living { Persons Married 8·75 / Births - - 28·49

Deaths from Childbirth and Puerperal Fever - - - - - } 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

323.—THORNBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·30	†96	–	–	–	–	35·82	4·07	2·32	5·26	5·43	6·15	9·22	10·89	22·23	57·18	140·46
Annual Death-Rate per 1000. Males	—	In Standard Population.* 14·88	†102	–	–	–	–	37·80	3·96	2·09	4·07	5·77	6·10	9·85	12·62	25·95	60·05	160·47
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·75	†90	–	–	–	–	33·95	4·18	2·55	6·71	5·09	6·19	8·62	9·30	18·67	54·46	124·89
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·92 per cent.	16,927	443	409	459	443	440	2194	2187	1898	1521	1253	2164	1789	1533	1237	808	393
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·92 per cent.	8,372	204	195	232	211	224	1066	1061	956	835	624	1050	873	737	605	393	172
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·92 per cent.	8,555	239	214	227	232	216	1128	1076	942	686	629	1114	916	796	632	415	221
Deaths from All Causes, 1881–90. Persons	16·65	2819	511	134	66	45	30	786	87	44	80	68	133	165	167	275	462	553
Deaths from All Causes, 1881–90. Males	17·28	1,447	273	67	32	16	15	403	42	20	34	36	64	86	93	167	286	276
Deaths from All Causes, 1881–90. Females	16·04	1,372	238	67	34	29	15	383	45	24	46	32	69	79	74	118	226	276

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1
Measles	0·14	0·10	0·19	24	8	16	4	7	5	1	4	21	–	1	1	–	1	–	–	–	–
Scarlet Fever	0·31	0·38	0·29	57	32	25	1	10	6	9	5	31	16	4	2	3	–	–	1	–	–	–
Diphtheria	0·05	0·04	0·07	9	3	6	1	1	1	–	1	4	5	–	–	–	–	–	–	–	–	–
Whooping-cough	0·37	0·27	0·46	62	23	39	28	13	13	3	3	58	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·16	0·22	0·11	27	18	9	–	–	–	–	–	–	2	1	7	6	6	3	–	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·13	0·16	0·20	30	13	17	14	2	–	–	–	16	–	–	–	–	1	–	–	2	4	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·61	·77	117	51	66	–	–	–	–	–	–	–	–	–	1	8	16	27	37	27	2
Tabes Mesenterica	0·12	0·10	0·13	21	8	13	6	2	1	1	–	10	1	1	2	2	1	–	1	1	–	–
Phthisis	1·11	0·97	1·25	188	81	107	3	4	2	–	–	9	2	3	22	28	30	40	20	13	5	2
Other Tub. & Scrof. Dis.	0·34	0·29	0·36	57	24	33	6	11	3	6	2	28	10	5	7	2	2	2	–	–	1	–
Nervous System	2·22	2·40	2·05	376	201	175	83	11	8	3	–	105	9	8	6	2	7	18	19	32	30	7
Circulatory	2·35	2·54	2·15	397	213	184	2	–	1	–	–	3	–	3	7	6	12	25	43	75	135	8
Respiratory	3·27	3·43	3·11	553	287	266	124	55	13	17	10	219	23	4	1	2	15	15	18	45	91	12
Digestive	0·84	0·78	0·90	142	65	77	21	4	2	1	3	31	2	8	–	–	5	10	15	22	31	1
Urinary	0·41	0·51	0·32	70	43	27	1	–	1	–	–	2	2	–	1	2	3	11	10	11	14	1
Generative	0·05	0·02	0·07	8	2	6	1	–	–	–	–	1	–	–	1	–	1	–	–	2	3	–
Puerperal Fever	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	2	7	4	–	–	–	–
Childbirth	0·08	–	0·16	14	–	14	–	–	–	–	–	–	–	–	2	3	5	5	–	–	–	–
Violence	0·73	1·18	0·28	123	99	24	6	6	5	2	2	21	8	3	9	3	15	11	12	11	14	11
Other Causes	3·09	3·26	2·95	526	273	253	210	9	8	3	1	227	5	3	3	3	11	9	13	13	46	194

Marriages	796	Annual Rate per 1000 Living	Persons Married	23·41	Deaths from Childbirth and Puerperal Fever	5·08 per 1000 Births.
Births Males	2,874		Births	31·41		
Births Females	2,643					
Births	5,517					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

324.—DURSLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·10	†93	–	–	–	–	34·86	3·37	2·05	4·50	4·35	5·57	8·16	11·20	25·21	54·04	162·43
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·18	†95	–	–	–	–	37·06	2·95	1·55	3·58	4·43	7·03	8·39	11·76	27·15	53·47	159·63
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·02	†91	–	–	–	–	32·81	3·81	2·54	5·36	4·29	4·42	7·97	10·72	23·65	54·52	164·86
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·15 per cent.	12,358	304	284	287	311	294	1480	1482	1418	1155	920	1490	1274	1107	968	718	346
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·15 per cent.	5,783	144	139	140	150	142	715	747	708	558	384	654	584	510	431	331	161
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·15 per cent.	6,575	160	145	147	161	152	765	735	710	597	536	836	690	597	537	387	185
Deaths from All Causes, 1881–90. Persons	17·74	2,192	322	96	35	38	25	516	50	29	52	40	83	104	124	244	388	562
Deaths from All Causes, 1881–90. Males	18·09	1,041	167	47	16	22	13	265	22	11	20	17	46	49	60	117	177	257
Deaths from All Causes, 1881–90. Females	17·51	1,151	155	49	19	16	12	251	28	18	32	23	37	55	64	127	211	305

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·31	0·20	31	18	13	8	9	6	2	2	27	3	1	–	–	–	–	1	–
Scarlet Fever	0·19	0·14	0·23	23	8	15	3	3	1	6	2	15	5	2	1	–	–	–	–	–
Diphtheria	0·11	0·14	0·09	14	8	6	–	1	–	–	2	3	9	–	1	–	1	–	–	–
Whooping-cough	0·24	0·21	0·27	30	12	18	14	12	2	1	–	29	1	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·06	0·09	0·03	7	5	2	–	–	–	–	1	1	–	–	1	2	1	–	2	–
Simple Continued Fever	0·04	0·03	0·05	5	2	3	–	–	1	1	–	2	1	1	–	–	–	–	–	1
Diarrhœa and Dysentery	0·27	0·31	0·23	33	18	15	22	4	–	–	–	26	2	1	–	–	–	–	1	2
Cholera	0·02	0·05	–	3	3	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1
Cancer	0·61	0·31	0·88	76	18	58	–	–	–	–	–	–	–	1	2	–	3	7	8	15	26	14
Tabes Mesenterica	0·21	0·17	0·24	26	10	16	13	3	2	1	–	19	1	–	4	–	1	–	–	1	–	–
Phthisis	1·22	1·18	1·26	151	68	83	2	2	–	–	2	6	2	6	19	19	33	30	17	14	5	–
Other Tub. & Scrof. Dis.	0·24	0·17	0·30	30	10	20	8	4	2	1	1	16	3	3	2	3	3	–	–	–	–	–
Diseases of Nervous System	2·72	3·10	2·39	336	179	157	31	9	5	3	5	53	6	2	8	3	5	11	25	53	86	84
Diseases of Circulatory „	1·80	1·87	1·73	222	108	114	–	–	–	–	–	–	2	3	5	2	11	11	18	45	74	51
Diseases of Respiratory „	3·28	3·46	3·13	406	200	206	93	36	12	13	7	161	7	3	2	2	2	13	14	38	64	100
Diseases of Digestive „	1·15	1·09	1·20	142	63	79	22	8	2	3	2	37	2	2	2	4	5	8	7	27	30	18
Diseases of Urinary „	0·73	1·05	0·44	90	61	29	–	–	1	–	–	1	1	1	2	1	2	2	10	17	31	22
Diseases of Generative „	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	–	–	–	3	4	1	–
Puerperal Fever	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
Violence	0·50	0·71	0·32	62	41	21	4	1	1	4	–	10	4	1	–	1	6	5	5	8	13	9
Other Causes	3·93	3·59	4·20	483	208	275	102	4	–	2	–	108	1	1	3	2	5	11	15	21	54	262

Marriages - - - 689

Births - { Males - 1,761 / Females - 1,702 } 3,463

Annual Rate per 1000 living { Persons Married 11·15 / Births - - 28·02

Deaths from Childbirth and Puerperal Fever - - - - - 3·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

325.—WESTBURY-ON-SEVERN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Average Deaths and Mortality in Decennium 1881–90	Persons	13·50	·115	–	–	–	–	12·42	1·18	2·45	3·85	6·45	7·60	8·05	13·37	26·75	61·30	77·80
	Males	14·33	·229	–	–	–	–	17·94	3·88	2·44	3·85	1·80	4·86	6·92	14·21	23·62	50·52	56·91
	Females	14·72	·000	–	–	–	–	6·89	1·49	2·25	4·57	8·92	6·35	5·01	10·53	20·00	30·81	149·20
Mean Deaths and Mortality in 7 Decennia 1871–80	Persons	Deficiency Decrease 25·615	781	692	669	685	675	3505	3259	985	2183	1859	2805	3474	4956	5539	956	387
	Males	In 1000 6·086	386	360	322	368	386	1808	1448	1475	1005	805	1491	1276	988	759	478	244
	Females	6·25 per cent. 11·547	349	312	347	317	289	1697	1992	1576	920	795	1482	1249	1451	880	478	199
Deaths and Mortality in Average Decennium 1881–90	Persons	13·97	951	274	118	62	44	1449	136	70	84	109	182	269	345	464	586	572
	Males	17·84	548	146	58	38	24	814	61	39	42	43	71	78	110	154	323	286
	Females	16·06	403	125	55	24	19	626	72	31	42	66	91	122	165	169	263	277

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·36	0·37	0·34	81	45	39	16	31	11	5	3	66	15	2	1	–	–	–	–	–
Scarlet Fever	0·28	0·31	0·25	67	38	29	2	10	9	11	6	38	18	8	1	–	1	1	–	–
Diphtheria	0·07	0·03	0·10	16	4	12	–	1	2	4	1	8	7	1	–	–	–	–	–	–
Whooping-cough	0·30	0·29	0·31	71	35	36	33	22	6	3	1	65	5	–	–	–	1	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·07	0·11	0·03	17	13	4	2	1	1	–	–	4	3	–	–	2	3	4	–	1
Simple Continued Fever	0·02	0·02	0·02	5	3	2	–	–	–	–	–	–	1	1	–	–	2	–	–	–
Diarrhœa and Dysentery	0·25	0·27	0·25	59	33	26	33	4	1	–	–	38	–	–	–	1	1	2	3	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·30	0·25	0·36	91	33	58	–	–	–	–	–	–	1	–	1	–	3	11	17	28
Tabes Mesenterica	0·45	0·54	0·35	106	65	41	71	16	4	2	4	97	4	–	1	1	1	1	–	–
Phthisis	0·90	0·80	1·00	213	97	116	2	1	–	1	–	4	2	6	19	45	62	38	24	10
Other Tub. & Scrof. Dis.	0·28	0·22	0·34	67	39	28	10	11	4	1	–	26	4	8	4	3	1	4	2	1
Nervous System	2·35	2·42	2·27	553	279	274	166	19	10	4	2	201	9	10	3	5	12	26	12	26
Circulatory	1·48	1·46	1·51	350	176	174	1	–	–	–	–	1	3	5	10	5	13	26	37	76
Respiratory	3·61	4·27	2·98	852	515	337	221	111	45	18	17	412	31	6	4	9	14	29	52	94
Digestive	0·95	0·82	1·09	226	111	115	49	15	5	5	2	76	9	4	4	4	6	18	23	40
Urinary	0·38	0·36	0·39	89	44	45	1	1	1	–	2	5	2	1	2	4	1	9	15	21
Generative	0·06	0·01	0·12	15	1	14	–	–	–	–	–	–	–	1	–	2	–	2	3	2
Puerperal Fever	0·13	–	0·26	30	–	30	–	–	–	–	–	–	–	–	4	4	15	7	–	–
Childbirth	0·07	–	0·14	16	–	16	–	–	–	–	–	–	–	–	–	2	7	7	–	–
Violence	0·32	0·75	0·07	122	91	31	6	6	3	3	5	29	10	4	13	7	8	14	11	3
Other Causes	4·04	4·31	3·80	926	517	409	329	22	8	2	–	361	12	8	11	11	8	13	11	41

Marriages		1,391	Annual Rate per 1000 living	Persons Married	15·37
Births	Males	4,256		Births	35·01
	Females	4,011			
		8,267		Deaths from Childbirth and Puerperal Fever	5·56 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·24	† 92	–	–	–	–	30·03	2·98	2·12	3·37	5·71	6·07	7·58	12·20	24·86	53·41	144·33
Annual Death-Rate per 1000. Males	—	Standard 13·80	†104	–	–	–	–	34·07	3·78	2·70	2·51	2·56	4·73	8·57	15·37	29·55	51·79	158·96
Annual Death-Rate per 1000. Females	—	Population* 12·70	†79	–	–	–	–	26·17	2·23	1·51	4·37	8·88	7·30	6·62	9·33	20·18	55·02	131·85
Mean Population, 1881-91. Persons	Decennial Decrease of Population 9·29 per cent.	10,518	254	252	262	258	276	1302	1308	1224	891	700	1236	1069	1000	881	616	291
Mean Population, 1881-91. Males		5,204	123	121	130	127	136	637	635	629	479	351	592	525	475	440	307	134
Mean Population, 1881-91. Females		5,314	131	131	132	131	140	665	673	595	412	349	644	544	525	441	309	157
Deaths from All Causes, 1881-90. Persons	16·85	1,772	280	53	27	26	5	391	39	26	30	40	75	81	122	219	329	420
Deaths from All Causes, 1881-90. Males	17·81	927	157	28	14	15	3	217	24	17	12	9	28	45	73	130	159	213
Deaths from All Causes, 1881-90. Females	15·90	845	123	25	13	11	2	174	15	9	18	31	47	36	49	89	170	207

	Persons.	Males	Females.	Persons.	Males	Females.	Persons.											
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	0·09	0·10	0·08	9	5	4	3	3	–	1	–	7	2	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·13	0·13	14	7	7	2	1	3	4	–	10	2	1	–	–	1	–	–	–	–	–
Diphtheria	0·05	0·04	0·06	5	2	3	–	1	1	–	–	2	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·23	0·19	0·26	24	10	14	12	6	2	2	–	22	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·06	0·02	4	3	1	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Simple Continued Fever	0·06	0·06	0·06	6	3	3	–	–	–	–	–	–	2	–	–	–	1	1	–	1	1	–
Diarrhœa and Dysentery	0·27	0·29	0·24	28	15	13	13	–	–	1	–	14	–	–	–	–	–	2	2	3	3	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·50	0·56	56	26	30	–	–	–	–	–	–	–	–	–	–	1	1	13	15	20	6
Tabes Mesenterica	0·20	0·12	0·28	21	6	15	8	6	2	1	1	18	–	1	–	1	–	–	–	1	–	–
Phthisis	1·19	0·88	1·32	116	46	70	–	1	–	1	–	2	–	2	10	18	35	24	12	8	5	–
Other Tub. & Scrof.	0·12	0·12	0·13	13	6	7	2	1	2	1	–	6	2	2	1	1	1	–	–	–	–	–
Diseases of Nervous System	2·23	2·44	2·03	235	127	108	26	5	4	3	1	39	5	5	4	4	7	10	15	42	56	48
Diseases of Circulatory „	2·47	2·92	2·03	260	152	108	4	–	–	–	–	4	1	2	–	3	3	8	27	55	95	62
Diseases of Respiratory „	2·97	3·29	2·65	312	171	141	78	15	6	4	2	105	8	2	2	2	6	9	19	33	56	70
Diseases of Digestive „	1·22	1·46	0·98	128	76	52	17	7	1	–	–	25	2	3	5	–	4	6	15	31	25	12
Diseases of Urinary „	0·29	0·46	0·13	31	24	7	1	–	–	–	–	1	1	1	1	–	3	4	6	1	6	7
Diseases of Generative „	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–
Puerperal Fever	0·10	–	0·19	10	–	10	–	–	–	–	–	–	–	–	–	2	5	3	–	–	–	–
Childbirth	0·06	–	0·11	6	–	6	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–
Violence	0·48	0·58	0·40	51	30	21	6	–	2	4	–	12	4	1	4	–	2	4	4	8	5	7
Other Causes	4·14	4·13	4·15	436	216	220	108	7	4	4	1	124	5	6	2	4	3	6	7	19	56	204

Marriages - - - 503

Births - Males - 1,504; Females - 1,548; 3,052

Aunual Rate per 1000 living: Persons Married 11·28; Births - - 29·02

Deaths from Childbirth and Puerperal Fever - - - - - 5·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

32.—GLOUCESTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 18·11	†118	–	–	–	–	44·92	5·19	3·01	4·45	5·26	8·73	12·68	18·65	32·87	66 78	152·42
Annual Death-Rate per 1000. Males	—	Standard 19·28	†129	–	–	–	–	49·72	5·08	2·83	4·09	6·08	9·02	14·51	20·78	36·35	73·13	156·01
Annual Death-Rate per 1000. Females	—	Population* 17·01	†107	–	–	–	–	40·31	5·30	3·19	4·81	4·53	8·46	10·96	16·77	29·23	61·63	149·89
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·55 per cent.	48883	1255	1211	1273	1208	1175	6122	5683	5243	4873	4317	7137	5624	4258	3040	1821	767
Mean Population, 1881–91. Males		23572	604	581	644	605	567	3001	2833	2576	2443	2022	3426	2723	1992	1425	815	316
Mean Population, 1881–91. Females		25 11	651	630	629	603	608	3121	2850	2667	2430	2295	3711	2901	2266	1615	1006	449
Deaths from All Causes, 1881–90. Persons	18·72	9149	1763	477	215	166	129	2750	295	158	217	227	623	713	794	990	1216	1166
Deaths from All Causes, 1881–90. Males	19·76	4667	981	271	99	80	61	1492	144	73	100	123	309	395	414	518	596	493
Deaths from All Causes, 1881–90. Females	17·75	4482	782	206	116	86	68	1258	151	85	117	104	314	318	380	472	620	673

	Persons	Males.	Females	Persons.	Males.	Females	PERSONS.											
Small-pox	0·00	0·00	–	1	1		–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·34	0·36	0·32	165	85	80	30	66	26	17	10	149	13	2	–	–	–	–	1	–	–	–
Scarlet Fever	0·60	0·68	0·51	291	161	130	7	35	41	49	48	180	90	14	2	1	2	2	–	–	–	–
Diphtheria	0·10	0·09	0·11	51	22	29	1	2	2	6	7	18	18	8	3	–	1	2	1	–	–	–
Whooping-cough	0·29	0·26	0·32	143	61	82	66	41	15	12	3	137	5	–	–	–	–	1	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·19	0·24	0·15	95	57	38	1	1	2	1	–	5	4	11	14	4	18	17	7	11	2	2
Simple Continued Fever	0·03	0·03	0·02	13	8	5	1	2	1	3	–	7	–	1	1	–	2	–	–	–	1	1
Diarrhœa and Dysentery	0·49	0·53	0·45	240	126	114	166	24	4	4	–	198	2	–	1	–	2	1	3	10	11	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·10	0·43	0·95	343	102	241	2	–	–	–	–	2	2	3	5	2	14	37	76	99	86	17
Tabes Mesenterica	0·18	0·17	0·20	70	39	31	35	13	3	3	2	54	11	5	5	5	6	1	1	–	2	–
Phthisis	1·64	1·65	1·63	802	390	412	6	1	1	1	1	10	17	20	68	89	224	179	110	55	21	9
Other Tub. & Scrof. Dis.	0·35	0·33	0·36	169	78	91	39	25	14	5	7	90	28	8	12	9	8	2	7	3	2	–
Nervous System	2·87	3·39	2·44	1405	788	617	265	39	13	13	6	336	23	20	22	21	73	140	143	214	243	171
Circulatory	1·44	1·56	1·34	705	367	338	2	1	–	–	–	3	9	5	13	17	51	67	107	140	196	98
Respiratory	3·03	3·17	2·90	1481	747	734	289	141	67	32	25	554	34	5	14	11	33	76	119	179	253	165
Digestive	1·01	1·01	1·02	495	258	237	96	30	5	3	3	137	5	5	7	13	26	37	61	80	91	43
Urinary	0·70	0·88	0·51	336	207	129	2	2	–	1	4	9	1	4	7	7	20	38	52	71	91	36
Generative	0·09	0·03	0·14	42	7	35	–	–	–	1	–	1	–	–	1	2	5	5	12	5	10	1
Puerperal Fever	0·09	–	0·17	43	–	43	–	–	–			–	–	–	1	3	21	14	2	–	–	–
Childbirth	0·07	–	0·13	32		32	–	–	–			–	–	–	1	2	13	12	1	–	–	–
Violence	0·71	1·12	0·33	348	265	83	25	12	11	8	10	66	22	14	19	19	50	45	30	32	32	21
OTHER CAUSES	3·80	3·83	3·75	1858	907	951	732	42	10	7	3	794	11	33	22	20	34	46	63	90	176	569

Marriages	4,072	Annual Rate per 1000 living	Persons Married	16·66
Births Males	7,609		Births	30·49
Births Females	7,293			
Births	14,902		Deaths from Childbirth and Puerperal Fever	5·63 per 1000 Births.

* See pages [illegible].

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 12·99	†85	–	–	–	–	27·86	3·09	3·00	4·34	6·53	7·32	6·62	11·49	22·77	49·87	143·24
Annual Death-Rate per 1000. Males	—	Standard 13·75	†94	–	–	–	–	29·82	3·54	2·38	4·61	7·87	7·07	7·76	10·74	26·88	53·53	169·77
Annual Death-Rate per 1000. Females	—	Population* 12·27	†76	–	–	–	–	26·02	2·57	3·65	4·03	5·54	7·52	5·68	12·14	19·26	46·80	120·20
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·60 per cent.	7,103	165	187	183	169	197	901	841	832	645	505	888	740	644	549	373	185
Mean Population, 1881–91. Males		3,410	75	95	84	79	103	436	452	421	347	216	396	335	298	253	170	86
Mean Population, 1881–91. Females		3,693	90	92	99	90	94	465	389	411	298	289	492	405	346	296	203	99
Deaths from All Causes, 1881–90. Persons	15·87	1,127	163	47	15	11	15	251	26	25	28	33	65	49	74	125	186	265
Deaths from All Causes, 1881–90. Males	17·01	580	89	24	7	2	8	130	16	10	16	17	28	26	32	68	91	146
Deaths from All Causes, 1881–90. Females	14·81	547	74	23	8	9	7	121	10	15	12	16	37	23	42	57	95	119

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·03	0·07	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Measles	0·28	0·26	0·30	20	9	11	4	6	–	3	2	15	4	–	–	1	–	–	–	–
Scarlet Fever	0·14	0·12	0·16	10	4	6	–	2	1	1	–	4	4	1	–	1	–	–	–	–
Diphtheria	0·17	0·23	0·11	12	8	4	–	1	1	1	1	4	4	3	–	1	–	–	–	–
Whooping-cough	0·30	0·21	0·38	21	7	14	13	6	1	1	–	21	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·09	0·14	8	3	5	–	–	–	–	–	–	–	1	–	–	2	1	1	1	2	–
Simple Continued Fever	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·34	0·35	0·32	24	12	12	7	2	3	–	–	12	–	–	–	–	1	1	1	2	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·68	0·35	0·97	48	12	36	–	–	–	–	–	–	–	–	–	2	10	14	9	13
Tabes Mesenterica	0·08	0·03	0·14	6	1	5	1	1	1	–	–	3	1	–	1	–	–	–	–	–
Phthisis	1·31	1·35	1·27	93	46	47	1	1	–	–	–	2	1	4	9	14	23	15	10	8	6	1
Other Tub. & Scrof. Dis.	0·27	0·18	0·35	19	6	13	3	3	–	1	1	8	–	1	1	3	4	1	1	–	–	–
Diseases of Nervous System	1·61	1·67	1·54	114	57	57	9	3	–	–	5	17	2	–	1	2	4	4	8	22	24	30
Diseases of Circulatory „	2·28	2·05	2 49	162	70	92	–	1	–	1	–	2	–	3	1	1	6	8	17	28	48	48
Diseases of Respiratory „	1·99	2·23	1·78	141	76	65	27	9	5	2	2	45	4	2	3	–	5	3	1	14	16	48
Diseases of Digestive „	0·80	0·85	0·76	57	29	28	15	2	–	–	–	17	1	2	1	1	–	1	7	3	15	9
Diseases of Urinary „	0·76	1·11	0·43	54	38	16	1	–	–	–	–	1	–	–	1	2	2	2	5	7	22	12
Diseases of Generative „	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	–	2	–	1	–	1	1	–
Puerperal Fever	0·11	–	0·22	8	–	8	–	–	–	–	–	–	–	–	–	2	5	1	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·86	1·50	0·27	61	51	10	3	3	1	–	3	10	4	4	5	2	5	5	5	8	9	4
Other Causes	3·67	4·33	3·04	261	148	113	79	7	2	1	1	90	1	4	5	1	6	4	8	17	30	95

Marriages - - - 321

Births - {Males - 946} 1,921 {Females - 975}

Annual Rate per 1000 living {Persons Married 9·04 / Births - - 27·04}

Deaths from Childbirth and Puerperal Fever - - - - - 4·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

329.—STROUD.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death Rate per 1000. Persons	–	In Standard Population* 14·85	†114	–	–	–	–	29·82	3·55	2·12	3·79	4·55	5·67	7·46	11·90	17·92	58·90	159·88
Annual Death Rate per 1000. Males	–	In Standard Population* 15·64	†131	–	–	–	–	45·12	3·58	1·85	3·74	4·65	5·03	7·38	12·70	17·87	60·12	164·84
Annual Death Rate per 1000. Females	–	In Standard Population* 14·09	†96	–	–	–	–	34·61	3·56	2·39	3·82	4·48	5·52	7·47	11·24	17·95	57·41	156·01
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·17 per cent.	41,780	1037	950	985	1008	1034	5014	4932	4714	4225	3427	5020	4551	3772	2863	1832	830
Mean Population, 1881–91. Males	Decennial Increase of Population 2·17 per cent.	19,118	511	490	503	495	520	2489	2462	2326	1924	1398	2415	2029	1559	1276	791	361
Mean Population, 1881–91. Females	Decennial Increase of Population 2·17 per cent.	22,662	526	490	482	513	514	2525	2470	2388	2301	2029	3205	2551	2113	1503	1041	466
Deaths from All Causes, 1881–90. Persons	16·36	6,836	1365	365	121	75	71	1997	175	100	100	156	313	338	449	742	1079	1327
Deaths from All Causes, 1881–90. Males	17·59	3,363	799	184	63	39	38	1123	87	43	72	65	136	149	211	354	523	600
Deaths from All Causes, 1881–90. Females	15·33	3,473	566	181	58	36	33	874	88	57	88	91	177	189	238	388	556	727

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·28	0·29	0·28	118	55	63	27	38	14	12	8	99	14	1	–	2	–	–	–	–
Scarlet Fever	0·15	0·22	0·09	62	42	20	8	12	9	8	9	46	10	3	1	1	–	1	–	–
Diphtheria	0·06	0·05	0·07	25	10	15	–	1	1	2	3	7	11	2	–	–	3	–	1	1
Whooping-cough	0·22	0·20	0·24	93	38	55	53	25	9	1	5	93			–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·05	0·04	0·06	20	7	13	–	–	–	–	–	–	–	3	7	1	3	4	1	–
Simple Continued Fever	0·01	–	0·01	3	–	3	–	–	–	–	–	–	1	–	–	–	–	–	–	2
Diarrhœa and Dysentery	0·35	0·37	0·34	147	71	76	78	13	1	3	–	90	2	1	–	2	1	1	–	5
Cholera	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·69	0·53	0·82	287	102	185	–	–	–	1	–	1	1	2	1	2	10	22	61	80
Tabes Mesenterica	0·22	0·26	0·18	90	49	41	50	11	5	3	4	72	3	4	5	2	–	1	2	1
Phthisis	1·19	1·16	1·22	498	221	277	3	5	1	1	–	10	10	21	62	79	126	91	56	31
Other Tub. & Scrof. Dis.	0·30	0·35	0·26	124	66	58	22	23	9	5	5	64	29	8	6	2	4	3	6	1
Diseases of Nervous System	2·33	2·51	2·18	972	479	493	193	29	15	7	4	248	17	11	18	9	14	26	46	131
Diseases of Circulatory	1·93	1·73	2·09	805	331	474	4	–	1	–	–	5	3	7	13	13	24	44	89	164
Diseases of Respiratory	3·14	3·46	2·88	1314	661	653	310	137	35	21	20	523	36	12	10	6	20	45	65	121
Diseases of Digestive	0·90	1·00	0·81	374	191	183	62	25	–	3	2	92	6	3	8	5	24	19	40	73
Diseases of Urinary	0·45	0·63	0·29	186	120	66	1	–	1	1	–	3	4	3	4	4	11	15	19	37
Diseases of Generative	0·05	0·01	0·08	19	2	17	–	–	–	–	–	–	–	–	2	–	1	1	3	7
Puerperal Fever	0·06	–	0·11	24	–	24	–	–	–	–	–	–	–	–	–	5	14	5	1	–
Childbirth	0·09	–	0·17	38	–	38	–	–	–	–	–	–	–	–	–	5	14	18	1	–
Violence	0·52	0·81	0·27	216	155	61	11	9	10	3	9	42	21	9	11	9	15	16	20	32
Other Causes	3·37	3·95	2·88	1417	760	657	543	37	10	5	2	602	8	10	12	9	27	23	39	58

Marriages	–	1·812	Annual Rate per 1000 living: Persons Married	17·46
Births	Legitimate	1·374	Annual Rate per 1000 living: Births	28·69
	Illegitimate	1·386		

Deaths from Childbirth and Puerperal Fever – 5·17 per 1000 Births.

* See Table IXXV. IXXVI.

† The death-rates under one year of age are per 1000 Births.

330.—TETBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 12 95	†87	–	–	–	–	26·90	2·34	2·35	3·24	5·26	5·10	7·69	14·06	25·40	58·61	143·64
Annual Death-Rate per 1000. Males	—	Standard 13·30	†89	–	–	–	–	28·85	2·23	2·66	3·25	4·35	4·97	9·57	17·17	25·48	55·15	156·60
Annual Death-Rate per 1000. Females	—	Population* 12·62	†85	–	–	–	–	25·07	2·45	2·04	3·24	6·09	5·21	5·94	11·32	25·33	62·04	131·58
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·77 per cent.	5,779	150	144	142	147	153	736	726	681	555	437	745	585	498	433	273	110
Mean Population, 1881–91. Males		2,792	67	69	75	72	74	357	359	338	277	207	342	282	233	208	136	53
Mean Population, 1881–91. Females		2,987	83	75	67	75	79	379	367	343	278	230	403	303	265	225	137	57
Deaths from All Causes, 1881–90. Persons	14·76	853	140	29	9	10	10	198	17	16	18	23	38	45	70	110	160	158
Deaths from All Causes, 1881–90. Males	15·51	433	71	13	4	8	7	103	8	9	9	9	17	27	40	53	75	83
Deaths from All Causes, 1881–90. Females	14 06	420	69	16	5	2	3	95	9	7	9	14	21	18	30	57	85	75

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·14	0·23	11	4	7	–	5	1	2	2	10	–	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·10	5	2	3	1	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–
Diphtheria	0·02	–	0·03	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	0·22	0·11	0·33	13	3	10	9	2	–	2	–	13	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·07	4	2	2	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·21	0·23	13	6	7	5	2	–	–	–	7	–	–	–	–	–	2	1	–	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·54	0·32	0·74	31	9	22	–	–	–	–	–	–	–	–	–	–	1	2	2	12	8	6
Tabes Mesenterica	0·03	0·07	–	2	2	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Phthisis	1·49	1·43	1·54	86	40	46	4	1	1	–	–	6	2	3	7	12	15	12	12	9	6	2
Other Tub. & Scrof. Dis.	0·26	0·21	0·30	15	6	9	1	2	–	–	1	4	1	2	–	–	1	2	–	4	1	–
Diseases of Nervous System	2·73	3·04	2·44	158	85	73	25	6	–	–	2	33	3	3	–	1	2	2	13	22	50	29
Diseases of Circulatory „	1·64	1·40	1·87	95	39	56	–	–	–	–	–	–	–	1	1	4	3	5	12	20	31	18
Diseases of Respiratory „	2·35	2·97	1·77	136	83	53	33	9	4	2	3	51	3	1	1	2	5	1	9	13	28	22
Diseases of Digestive „	0·88	0·82	0·94	51	23	28	4	–	1	–	1	6	1	3	2	1	2	5	7	8	11	5
Diseases of Urinary „	0·45	0·64	0·27	26	18	8	1	–	1	1	–	3	–	1	–	–	1	5	4	5	5	2
Diseases of Generative „	0·03	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Puerperal Fever	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Childbirth	0·07	–	0·13	4	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Violence	0·55	0·79	0·33	32	22	10	3	–	–	3	–	6	1	1	3	1	1	1	6	7	5	–
OTHER CAUSES	2·88	3·22	2·54	165	89	76	53	2	1	–	–	56	1	1	1	–	4	3	3	10	15	71

Marriages - - 340

Births - Males 794, Females 812 = 1,606

Annual Rate per 1000 living: Persons Married 11·77; Births - - 27·79

Deaths from Childbirth and Puerperal Fever - - - - - 4·36 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

331.—CIRENCESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons —	In 14·67	†105	–	–	–	–	36·83	4·27	2·95	3·85	6·40	6·04	8·36	12·71	23·79	54·40	153·29
	Males —	Standard 15·41	†125	–	–	–	–	42·80	4·49	3·21	2·73	6·33	5·45	8·66	15·55	29·11	58·17	179·40
	Females —	Population* 13·98	†85	–	–	–	–	31·09	4·05	2·68	5·22	6·48	6·58	8·10	12·00	24·46	50·66	136·40
Mean Popu-lation, 1881–91.	Persons	Decennial Decrease of Population 20,854	512	465	506	543	489	2476	2480	2308	2120	1640	2695	2189	1888	1551	1057	471
	Males	1·6284	244	223	249	244	255	1235	1246	1151	1172	822	1206	1048	871	796	526	221
	Females	3·44 per cent. 10,570	268	242	257	249	225	1241	1234	1457	957	818	1389	1161	1017	785	531	250
Deaths from All Causes, 1881–90	Persons 16·80	3,524	490	178	66	37	31	912	106	68	82	105	161	183	240	369	575	722
	Males 17·86	1,847	356	95	30	21	18	520	56	37	32	52	69	89	118	177	306	381
	Females 15·95	1,686	244	83	36	16	13	392	50	31	50	53	92	94	122	192	269	341

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·23	0·12	37	24	13	10	13	7	–	4	34	1	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·12	0·08	0·15	24	8	16	7	4	4	1	–	16	7	–	–	–	1	–	–	–	–	–
Diphtheria	0·11	0·13	0·09	23	13	10	–	4	3	3	3	13	6	3	–	1	–	–	1	–	–	–
Whooping-cough	0·24	0·23	0·25	50	24	26	26	12	6	3	1	48	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·14	26	11	15	1	1	–	–	1	3	5	3	4	3	6	2	1	–	–	–
Simple Continued Fever	0·03	0·01	0·05	6	1	5	–	–	1	–	–	1	–	–	–	–	3	–	–	1	1	–
Diarrhœa and Dysentery	0·19	0·18	0·20	40	19	21	13	6	1	1	–	20	–	–	–	–	1	1	3	3	3	4
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·37	0·75	1·19	203	77	126	1	–	1	2	–	4	1	2	–	–	3	20	31	54	59	29
Tabes Mesenterica	0·18	0·14	0·23	38	15	24	10	8	3	1	–	22	5	1	6	–	1	2	–	1	–	–
Phthisis	1·16	1·16	1·16	242	119	123	3	–	1	2	2	8	3	13	24	44	56	45	22	20	6	1
Other Tub. & Scrof. Dis.	0·41	0·42	0·40	85	43	42	15	16	3	3	1	38	12	9	5	6	4	3	3	4	1	–
Diseases of Nervous System	2·45	2·71	2·20	512	279	233	83	23	8	5	2	121	12	9	9	5	12	18	30	65	120	111
Circulatory ,,	2·02	1·83	2·21	422	188	234	1	1	1	–	–	3	6	4	2	6	13	20	40	90	146	108
Respiratory ,,	2·74	3·08	2·41	572	317	255	114	54	12	10	12	202	19	5	2	14	6	19	37	63	96	119
Digestive ,,	0·98	1·11	0·85	204	114	90	31	9	2	1	2	45	7	6	7	8	9	12	18	27	46	19
Urinary ,,	0·60	0·82	0·40	126	84	42	3	1	1	–	–	4	–	–	3	5	7	6	17	17	33	35
Generative ,,	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	1	–	3	–	1	1
Puerperal Fever	0·10	–	0·19	20	–	20	–	–	–	–	–	–	–	–	3	–	12	4	1	–	–	–
Childbirth	0·04	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	1	2	6	–	–	–	–
Violence	0·87	0·97	0·78	179	89	90	8	8	5	3	3	27	6	4	8	4	10	12	10	13	11	14
Other Causes	3·65	3·99	3·27	757	412	345	270	18	7	2	–	297	14	8	10	7	15	12	24	21	68	281

Marriages	–	1,335	Annual Rate per 1000 living	Persons Married	12·80
Births	Males 2,851	5,731		Births	27·48
	Females 2,880		Deaths from Childbirth and Puerperal Fever		5·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

332.—NORTHLEACH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 12·56	†93	–	–	–	–	28·67	3·83	2·12	2·68	4·32	6·42	7·84	9·65	21·67	49·38	149·55
Males	—	Standard 12·81	†97	–	–	–	–	30·78	4·81	1·49	1·90	3·50	7·72	6·56	9·98	24·73	51·05	156·25
Females	—	Population* 12·33	†89	–	–	–	–	26·46	2·87	2·83	3·76	5·32	5·13	9·11	9·34	18·53	47·76	142·86
Mean Population, 1881–91. Persons	Decennial Decrease of Population 10·11 per cent.	9,385	220	215	218	233	237	1123	1174	1133	897	625	1090	982	912	743	482	224
Males		4,826	111	108	117	119	120	575	582	603	525	343	544	488	441	376	237	112
Females		4,559	109	107	101	114	117	548	592	530	372	282	546	494	471	367	245	112
Deaths from All Causes, 1881-90. Persons	15·03	1,411	226	52	23	14	7	322	45	24	24	27	70	77	88	161	238	335
Males	15·40	743	123	29	13	8	4	177	28	9	10	12	42	32	44	93	121	175
Females	14·65	668	103	23	10	6	3	145	17	15	14	15	28	45	44	68	117	160

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·12	0·11	11	6	5	4	1	1	1	–	7	1	2	–	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·15	13	6	7	–	1	4	2	–	7	6	–	–	–	–	–	–	–
Diphtheria	0·10	0·12	0·07	9	6	3	1	–	1	1	–	3	5	–	–	–	–	–	–	–
Whooping-cough	0·22	0·21	0·24	21	10	11	9	9	1	2	–	21	–	–	–	–	–	–	1	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·08	0·20	13	4	9	–	1	–	–	–	1	3	1	1	1	1	2	3	–	–	–
Simple Continued Fever	0·06	0·04	0·09	6	2	4	–	1	–	–	–	1	2	1	–	–	2	–	–	–	–	–
Diarrhœa and Dysentery	0·12	0·15	0·09	11	7	4	4	1	–	–	–	5	3	–	–	–	–	1	–	–	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·48	0·88	63	23	40	–	–	–	–	–	–	–	–	–	1	3	7	15	29	8
Tabes Mesenterica	0·18	0·21	0·15	17	10	7	8	2	1	1	–	12	4	–	–	1	–	–	–	–	–
Phthisis	0·83	0·85	0·81	78	41	37	–	–	–	–	–	–	1	1	8	9	25	19	9	2	4	–
Other Tub. & Scrof. Dis.	0·21	0·17	0·26	20	8	12	2	4	–	–	–	6	4	2	2	–	4	–	1	1	–	–
Diseases of Nervous System	1·95	2·16	1·73	183	104	79	28	8	4	1	1	42	4	8	3	3	3	4	9	24	32	31
Diseases of Circulatory „	2·15	2·11	2·19	202	102	100	–	–	–	–	–	–	3	3	2	2	7	6	19	43	64	53
Diseases of Respiratory „	2·39	2·45	2·33	224	118	106	49	16	9	3	1	78	3	2	2	3	2	10	10	22	44	48
Diseases of Digestive „	0·93	0·97	0·88	87	47	40	10	3	1	–	2	16	3	–	2	1	–	5	9	20	18	13
Diseases of Urinary „	0·46	0·64	0·26	43	31	12	1	–	–	1	–	2	–	–	–	2	4	3	4	11	10	7
Diseases of Generative „	0·03	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Puerperal Fever	0·07	–	0·15	7	–	7	–	–	–	–	–	–	–	–	1	–	2	3	1	–	–	–
Childbirth	0·15	–	0·31	14	–	14	–	–	–	–	–	–	–	–	–	1	6	6	1	–	–	–
Violence	0·49	0·73	0·24	46	35	11	2	–	–	1	2	5	2	2	–	2	7	4	3	6	7	8
Other Causes	3·62	3·79	3·44	340	183	157	108	5	1	1	1	116	1	2	3	1	5	11	11	15	29	146

Marriages 538

Births { Males 1,265 / Females 1,158 } 2,423

Annual Rate per 1000 living { Persons Married 11·47 / Births 25·82

Deaths from Childbirth and Puerperal Fever 8·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

333.—STOW-ON-THE-WOLD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total Under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	—	In Stow-on-the-Wold 14·45	*·92	-	-	-	-	56·30	3·11	2·39	3·33	5·05	6·48	10·36	10·24	25·32	57·00	162·26
	—	Standlake 16·44	†187	-	-	-	-	38·57	3·22	2·65	4·12	5·66	7·50	7·78	11·25	37·30	61·73	186·41
	—	Population* 13·94	107	-	-	-	-	43·36	2·98	2·11	2·86	4·45	5·51	12·84	9·35	25·53	52·49	189·45
Mean Population in the Ten Years 1881-90	Persons 1,387 Males 711 Females 676	Decennial Decrease 1,441 or 9·41 per cent.	1,441	271	224	217	232	1143	1137	1093	842	654	1036	946	869	713	493	213
			1,441	145	115	118	118	110	546	557	529	461	318	546	463	469	337	343	168
			1,441	127	106	106	99	102	550	570	564	381	336	560	483	460	374	250	109
Deaths in Group	Persons 17·32	1,288	271	84	23	12	15	405	35	21	28	33	71	98	89	180	281	344
Annual Mortality per 1000	Males 18·63	867	145	43	13	7	8	216	18	14	19	18	40	36	46	92	150	192
	Females 15·92	547	126	41	10	5	7	189	17	10	9	15	31	62	43	88	131	152

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·37	0·42	0·33	11	7	15	13	13	-	2	2	30	1	-	-	-	-	-	-	-
Scarlet Fever	0·07	0·04	0·09	2	1	1	1	-	-	1	1	3	2	-	1	-	-	-	-	-
Diphtheria	0·01	0·02	0·04	3	1	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Whooping-cough	0·17	0·20	0·13	15	9	6	11	3	1	-	-	15	-	-	-	-	-	-	-	-
Typhus	0·01	-	0·02	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Enteric Fever	0·28	0·20	0·26	25	13	12	-	-	-	1	1	2	1	1	4	2	5	5	1	1	3	-
Simple Continued Fever	0·01	0·02	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3
Epidemic Dysentery	0·20	0·24	0·15	18	11	7	9	-	-	-	1	10	-	-	-	-	-	-	2	1	-	-
Cholera	0·03	0·04	0·02	3	2	1	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
Cancer	0·74	0·49	0·99	67	23	45	-	-	-	-	1	1	-	-	-	-	2	11	8	22	17	6
Tabes Mesenterica	0·20	0·24	0·15	18	11	7	11	3	1	-	1	16	-	-	-	-	1	1	-	-	-	-
Phthisis	1·19	1·17	1·21	108	53	55	5	2	1	-	-	8	1	3	8	18	27	17	12	7	5	3
Other Tub. & Scrof. Dis.	0·22	0·27	0·18	20	12	8	9	4	-	-	1	14	2	3	1	-	-	-	-	-	-	-
Diseases of Nervous System	2·21	2·39	1·92	200	117	83	26	6	4	-	-	36	5	5	4	3	5	5	14	20	8	37	
" Circulatory "	2·38	2·10	2·66	214	93	121	3	-	-	-	-	3	1	4	-	3	5	12	19	42	71	56	
" Respiratory "	2·65	3·01	2·31	241	134	105	55	33	6	5	4	105	10	1	2	3	2	10	8	18	32	43	
" Digestive "	1·19	1·22	1·16	108	55	53	13	9	2	1	1	26	4	1	2	-	2	10	10	21	25	6	
" Urinary "	0·66	0·93	0·40	60	42	18	1	-	-	-	-	1	-	2	-	2	3	2	7	8	21	14	
" Generative "	0·03	0·02	0·04	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	
Puerperal Fever	0·06	-	0·15	7	-	7	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-	
Childbirth	0·11	-	0·22	10	-	10	-	-	-	-	-	-	-	-	-	-	2	7	-	-	-	-	
Violence	0·42	0·69	0·13	39	32	7	3	-	-	-	1	4	-	3	1	1	2	2	3	6	4	4	
Other Causes	4·27	4·71	3·85	396	212	174	109	9	3	3	-	124	3	-	4	1	7	11	8	22	26	171	

Marriages	-	221	Average Rate per Decennium	Persons Married	11·46
Births	Males 1,026 Females 1,004	2,030		Births -	29·29

Deaths from Childbirth and Puerperal Fever - - - - 6·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 12·80	†94	–	–	–	–	30·43	2·73	2·76	3·23	3·37	6·98	6·87	8·45	22·76	57·79	140·18
Males	—	Standard 13·16	†111	–	–	–	–	36·43	2·09	2·28	2·63	3·37	5·53	6·79	8·23	23·20	61·76	154·20
Females	—	Population* 12·45	†76	–	–	–	–	24·61	3·38	3·29	4·02	3·36	8·35	6·94	8·67	22·31	54·00	127·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·16 per cent.	9,382	248	211	216	233	229	1137	1135	1088	868	683	1075	990	947	747	488	224
Males		4,744	119	102	106	114	119	560	573	571	495	356	524	471	474	375	238	107
Females		4,638	129	109	110	119	110	577	562	517	373	327	551	519	473	372	250	117
Deaths from All Causes, 1881–90. Persons	15·42	1,447	243	57	20	13	13	346	31	30	28	23	75	68	80	170	282	314
Males	15·87	753	145	37	9	7	6	204	12	13	13	12	29	32	39	87	147	165
Females	14·96	694	98	20	11	6	7	142	19	17	15	11	46	36	41	83	135	149

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.													
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Measles	0·17	0·17	0·17	16	8	8	3	5	1	1	2	12	2	1	1	–	–	–	–	–
Scarlet Fever	0·07	0·06	0·09	7	3	4	–	1	–	1	–	2	2	2	–	–	1	–	–	–
Diphtheria	0·07	0·08	0·06	7	4	3	1	–	1	–	3	5	2	–	–	–	–	–	–	–
Whooping-cough	0·20	0·17	0·24	19	8	11	9	6	–	2	1	18	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·13	0·17	14	6	8	–	–	–	–	1	1	–	3	3	1	4	–	–	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·32	0·28	28	15	13	7	3	–	1	1	12	–	1	–	1	–	–	1	–	6	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·48	0·75	58	23	35	–	–	–	–	–	–	–	1	–	–	–	8	7	14	20	8
Tabes Mesenterica	0·06	0·02	0·11	6	1	5	1	1	1	–	–	3	–	3	–	–	–	–	–	–	–	–
Phthisis	0·87	0·95	0·80	82	45	37	–	–	1	–	–	1	1	2	7	5	29	17	7	9	4	–
Other Tub. & Scrof. Dis.	0·22	0·19	0·26	21	9	12	4	3	1	–	1	9	1	2	1	–	–	1	2	3	2	–
Diseases of Nervous System	2·04	2·23	1·83	191	106	85	26	–	6	–	–	32	6	2	5	3	8	5	12	32	52	34
Diseases of Circulatory „	1·86	1·90	1·81	174	90	84	–	1	–	–	–	1	2	1	2	1	2	8	13	40	75	29
Diseases of Respiratory „	2·42	2·76	2·07	227	131	96	66	24	6	4	1	101	6	3	–	1	6	7	10	19	41	33
Diseases of Digestive „	1·08	1·10	1·06	101	52	49	18	4	1	1	1	25	3	3	1	4	2	7	9	15	22	10
Diseases of Urinary „	0·39	0·46	0·32	37	22	15	1	–	–	–	–	1	–	–	1	2	1	2	3	8	15	4
Diseases of Generative „	0·03	–	0·06	3	–	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Puerperal Fever	0·06	–	0·13	6	–	6	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–
Childbirth	0·11	–	0·22	10	–	10	–	–	–	–	–	–	–	–	1	1	6	2	–	–	–	–
Violence	0·46	0·57	0·34	43	27	16	8	–	–	2	–	10	4	3	4	–	4	2	4	4	3	5
Other Causes	4·22	4·24	4·19	395	201	194	99	8	2	1	2	112	1	3	2	2	9	8	11	23	41	183

Marriages - - - 513

Births - { Males - 1,304 / Females - 1,289 } 2,593

Annual Rate per 1000 living { Persons Married 10·94 / Births - - 27·64

Deaths from Childbirth and Puerperal Fever - - - - - - - - 6·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

335.—CHELTENHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000	Persons —	In 1890 16·67	†132	-	-	-	-	49·12	4·10	2·63	3·02	3·56	6·77	9·88	13·55	26·54	39·29	147·56
	Males —	Standard 1881-90 18·12	†148	-	-	-	-	53·82	3·63	2·48	2·96	4·59	8·48	12·32	15·45	31·56	46·44	167·08
	Females —	Population* 15·30	†114	-	-	-	-	44·40	4·55	2·83	3·05	3·34	5·05	8·38	12·46	23·21	34·86	142·06
Mean Population during 1881-90	Persons —	Decennial Increase 5·145	1195	1043	1120	1153	1079	5511	5591	5891	6169	5491	7744	6163	5153	3963	2633	1272
	Males —	of Population 2·961	553	513	542	587	544	2739	2756	2922	3081	1721	3858	2945	2548	1925	1225	466
	Females —	1·48 per cent. 2·174	572	530	578	566	526	2752	2845	2969	3088	3480	3886	3218	2576	1628	806	
Deaths from All Causes	Persons —	9·787	1895	436	178	139	101	2767	229	155	186	192	304	399	685	1046	1573	1877
	Males —	4·563	1485	239	93	65	53	1485	109	71	75	79	218	294	414	487	689	792
	Females —	5·222	708	247	85	74	48	1282	129	84	111	113	276	5.5	381	559	895	1145

	Persons	Males.	Females	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	-	0·01	2	-	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
Measles	0·44	0·50	0·39	240	116	124	30	89	48	27	8	211	23	1	2	-	2	-	1	1	-	-
Scarlet Fever	0·07	0·08	0·06	36	18	18	3	2	5	5	5	18	14	3	-	1	-	-	-	-	-	-
Diphtheria	0·08	0·07	0·08	43	17	26	2	3	2	6	4	17	18	3	1	-	2	2	-	-	-	-
Whooping-cough	0·22	0·24	0·21	125	56	69	55	30	13	8	7	122	2	-	-	-	1	-	-	-	-	-
Typhus	0·00	-	0·00	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·16	0·17	0·17	91	38	53	2	1	-	2	1	6	5	14	17	12	17	10	5	5	-	1
Simple Continued Fever	0·02	0·03	0·02	15	6	7	-	-	-	-	1	1	2	2	1	2	2	-	1	1	-	-
Diarrhœa and Dysentery	0·44	0·56	0·35	241	129	112	176	21	1	2	-	200	1	-	-	-	1	1	1	-	2	-
Cholera	0·01	0·00	0·02	6	1	5	1	-	-	-	-	1	-	-	-	-	1	1	1	-	2	-
Cancer	0·83	0·32	1·05	457	120	337	-	-	-	1	1	2	-	-	1	1	9	42	70	139	143	76
Tabes Mesenterica	0·21	0·27	0·16	114	63	51	70	9	3	4	3	89	4	9	1	2	4	1	2	-	1	-
Phthisis	1·43	1·76	1·19	787	406	381	7	4	3	1	3	18	10	26	57	85	225	199	95	57	13	4
Other Tub. & Scrof. Dis.	0·27	0·33	0·22	147	75	72	27	27	8	12	10	84	21	15	10	6	3	3	2	1	2	-
Diseases of: Nervous System	2·46	2·74	2·26	1356	631	725	284	53	15	14	15	381	25	25	18	16	35	54	106	152	284	220
Circulatory	1·76	1·76	1·76	972	466	506	3	1	-	1	-	5	12	19	14	11	42	53	90	160	204	305
Respiratory	3·12	3·54	2·82	1719	815	904	290	150	57	38	28	563	37	2	11	14	13	53	85	171	241	223
Digestive	1·21	1·35	1·12	670	312	358	86	23	5	4	1	119	11	14	13	7	24	35	76	103	159	82
Urinary	0·46	0·39	0·52	253	159	94	3	2	1	-	2	8	7	3	3	4	11	24	41	36	45	30
Generative	0·09	0·01	0·14	48	3	45	1	1	-	-	-	2	-	-	1	1	4	13	10	7	7	3
Puerperal Fever	0·07	-	0·11	36	-	36	-	-	-	-	-	-	-	-	1	2	16	10	-	-	-	-
Convulsions	0·05	-	0·09	30	-	30	-	-	-	-	-	-	-	-	1	-	14	14	-	-	-	-
Violence	0·44	0·46	0·27	229	151	78	21	5	8	10	3	50	12	6	10	4	15	27	28	30	35	27
Other Causes	3·92	4·54	3·47	2061	1043	1118	733	53	10	4	9	809	25	25	20	18	40	45	73	105	207	734

Marriages — 4693

Births — Males 1·[illegible] / Females 1·[illegible]

Annual Rate per 1000 living: Persons Married 14·67; Births - 25·84

Deaths from Childbirth and Puerperal Fever - 4·82 per 1000 Births.

* *See pages* XXXVI-XXXVIII.

† The death-rates under one year of age are per 1000 Births.

336.—TEWKESBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·23	†112	–	–	–	–	38·53	3·95	2·76	4·97	6·66	6·37	9·26	12·79	25·72	52·01	158·65
Males	—	15·28	†117	–	–	–	–	39·80	3·30	2·30	3·65	7·19	6·18	9·54	13·88	26·46	55·86	171·54
Females	—	15·19	†106	–	–	–	–	37·22	4·63	3·23	6·35	6·19	6·54	9·02	11·83	25·05	48·41	149·45
Mean Population, 1881-91. Persons	Decennial Increase of Population 0·03 per cent.	12,945	342	296	324	326	329	1617	1545	1451	1186	946	1632	1393	1220	972	671	312
Males		6,290	171	151	158	174	165	819	789	739	603	445	761	650	569	461	324	130
Females		6,655	171	145	166	152	164	798	756	712	583	501	871	743	651	511	347	182
Deaths from All Causes, 1881-90. Persons	17·99	2,329	417	100	52	30	24	623	61	40	59	63	104	129	156	250	349	495
Males	18·08	1,137	228	40	27	19	12	326	26	17	22	32	47	62	79	122	181	223
Females	17·91	1,192	189	60	25	11	12	297	35	23	37	31	57	67	77	128	168	272

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·36	0·43	0·30	47	27	20	9	18	7	10	3	47	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·02	0·03	0·02	3	2	1	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–
Diphtheria	0·08	0·05	0·11	10	3	7	1	1	1	1	2	6	2	2	–	–	–	–	–	–	–
Whooping-cough	0·19	0·21	0·17	24	13	11	11	7	2	1	–	21	2	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·16	0·23	25	10	15	–	2	–	1	1	4	2	4	5	5	1	2	–	1	–	1
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·54	0·57	0·51	70	36	34	26	11	2	2	1	42	1	–	–	–	1	–	–	–	1	–
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	2	14	10	–	–
Cancer	0·64	0·32	0·95	83	20	63	–	–	–	–	–	–	1	–	–	–	1	8	20	27	14	12
Tabes Mesenterica	0·08	0·10	0·08	11	6	5	4	1	–	–	1	6	1	1	1	1	1	–	–	–	–	–
Phthisis	1·71	1·51	1·89	221	95	126	2	5	2	–	–	9	3	9	28	26	49	27	31	20	18	1
Other Tub. & Scrof. Dis.	0·25	0·24	0·27	33	15	18	5	4	3	1	4	17	9	3	1	1	–	–	1	1	–	–
Diseases of Nervous System	2·45	2·61	2·30	317	164	153	72	8	6	4	2	92	10	2	4	3	9	17	19	38	74	49
Diseases of Circulatory „	2·24	2·10	2·37	290	132	158	–	–	–	–	–	–	3	7	1	5	10	21	30	58	79	76
Diseases of Respiratory „	2·58	2·61	2·55	334	164	170	85	32	18	7	5	147	10	2	2	4	6	14	12	26	44	67
Diseases of Digestive „	1·11	1·18	1·05	144	74	70	12	4	2	–	–	18	1	1	2	2	3	11	22	37	31	16
Diseases of Urinary „	0·25	0·33	0·17	32	21	11	–	–	1	–	–	1	1	1	2	1	4	4	2	6	7	3
Diseases of Generative „	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	–	–	–	3	–	4	1	1
Puerperal Fever	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–
Childbirth	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–
Violence	0·69	1·13	0·29	90	71	19	3	1	3	2	2	11	8	4	7	7	10	9	7	10	10	7
Other Causes	4·44	4·48	4·33	574	283	291	187	6	4	–	3	200	5	4	6	4	5	11	12	20	55	252

Marriages - - - 739

Births - Males 1,953 / Females 1,784 = 3,737

Annual Rate per 1000 living: Persons Married 11·42; Births - - 28·87

Deaths from Childbirth and Puerperal Fever - - - - - 2·68 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

337.—LEDBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Average Death-Rate per 1000.	Persons			In Standard Population*		14·21	4·69	-	-	-	-	34·04	3·79	2·25	3·61	4·19	6·70	9·52	11·64	27·74	52·36	148·58
	Males					15·65	4·29		-	-		29·69	3·63	2·13	3·23	4·77	6·96	11·04	15·90	24·12	55·73	164·12
	Females					12·86	4·88		-	-		28·80	4·04	2·37	3·92	3·64	6·47	8·14	9·59	21·85	49·27	137·63
Mean Population 1881-91.	Persons	Decennial Decrease of Population next per cent.				12,609	395	374	364	289	288	1460	1436	1424	1162	908	1011	1386	1954	977	657	317
	Males					6,178	147	125	144	142	146	705	706	750	601	440	776	661	597	469	314	131
	Females					6,431	158	151	160	147	141	757	717	674	561	468	835	725	657	508	343	186
Deaths from All Causes last ten years	Persons		16·34			2,156	356	72	32	25	12	497	55	32	42	38	108	132	146	271	344	471
	Males		18·16			1,122	244	34	15	13	3	229	26	16	20	21	54	73	83	160	175	215
	Females		15·77			1,034	142	38	17	12	9	248	29	16	22	17	54	59	63	111	169	256

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	0·02	-	1	1	-
Measles	0·12	0·08	0·16	15	5	10
Scarlet Fever	0·11	0·13	0·09	14	8	6
Diphtheria	0·15	0·19	0·11	19	12	7
Whooping-cough	0·25	0·18	0·31	31	11	20
Typhus	-	-	-	-	-	-
Enteric Fever	0·07	0·08	0·06	9	5	4
Simple Continued Fever	-	-	-	-	-	-
Diarrhœa and Dysentery	0·26	0·42	0·31	46	26	20
Cholera	-	-	-	-	-	-
Cancer	0·79	0·55	1·03	100	34	66
Tabes Mesenterica	0·06	0·03	0·08	7	2	
Phthisis	1·05	1·00	1·10	133	62	71
Other Tub. & Scrof. Dis.	0·28	0·34	0·22	35	21	14
Nervous System	2·96	3·50	2·49	376	216	160
Circulatory ,,	2·35	2·51	2·19	296	155	141
Respiratory ,,	2·85	3·24	2·49	360	200	160
Digestive ,,	0·95	1·05	0·86	120	65	55
Urinary ,,	0·41	0·55	0·28	52	34	18
Generative ,,	0·06	-	0·12	8	-	8
Puerperal Fever	0·02	-	0·05	3	-	3
Childbirth	0·02	-	0·03	3	-	3
Violence	0·58	0·90	0·23	73	58	15
Other Causes	3·47	3·35	3·56	436	207	229

Persons.	1–	2–	3–	4–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	3	4	3	2	13	-	1	1	-	-	-	-	-	-
2	1	2	1	1	7	4	3	-	-	-	-	1	1	-
1	-	2	1	2	6	7	3	1	-	-	-	-	-	-
19	7	2	1	1	30	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	4	1	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	7	1	1	-	34	1	-	1	-	-	-	-	2	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	10	17	25
1	-	1	-	-	2	4	1	-	-	-	-	-	-	-
3	-	-	1	-	4	4	6	12	18	41	20	13	11	4
6	7	-	1	1	15	5	-	3	4	3	-	-	3	2
74	10	6	3	-	93	8	2	5	3	9	16	30	54	77
-	-	-	-	-	-	5	4	1	2	7	17	28	76	85
66	22	8	10	2	108	5	-	3	1	11	22	25	44	60
18	5	1	-	1	25	2	5	3	2	6	14	5	15	20
2	-	1	-	-	3	1	-	1	1	3	9	7	8	11
-	-	-	-	-	-	-	-	-	-	-	4	1	3	-
-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
3	1	2	1	1	9	2	4	4	3	10	10	3	6	9
134	9	2	1	1	147	6	2	3	3	11	9	10	20	46

Marriages	-	710	
Births	Males	1,658	3,279
	Females	1,621	

Annual Rate per 1000 living { Persons Married 11·26 / Births - - 26·01

Deaths from Childbirth and Puerperal Fever - - - - - 1·52 per 1000 Births.

* *See pages* xxxv.–xxxvii.

† The deathrates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·41	†102	–	–	–	–	36·05	4·35	2·58	3·60	4·92	6·06	8·90	11·15	25·98	56·04	148·10
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·35	†115	–	–	–	–	40·23	4·83	2·19	3·89	4·90	6·49	9·12	12·33	28·62	59·34	164·97
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·53	†89	–	–	–	–	31·90	3·87	2·97	3·31	4·94	5·67	8·69	10·00	23·39	52·96	135·55
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·01 per cent.	16,038	392	381	376	399	394	1942	1977	1821	1527	1200	1963	1753	1498	1170	819	368
Mean Population, 1881–91. Males	Decennial Decrease of Population 4·01 per cent.	7,884	197	192	183	202	193	967	994	913	772	572	940	855	738	580	396	157
Mean Population, 1881–91. Females	Decennial Decrease of Population 4·01 per cent.	8,154	195	189	193	197	201	975	983	908	755	628	1023	898	760	590	423	211
Deaths from All Causes, 1881–90. Persons	16·82	2,697	452	120	55	40	33	700	86	47	55	59	119	156	167	304	459	545
Deaths from All Causes, 1881–90. Males	17·82	1,405	260	56	34	23	16	389	48	20	30	28	61	78	91	166	235	259
Deaths from All Causes, 1881–90. Females	15·84	1,292	192	64	21	17	17	311	38	27	25	31	58	78	76	138	224	286

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·31	0·39	0·23	50	31	19	11	9	8	7	6	41	8	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·29	0·27	45	23	22	1	10	5	7	4	27	11	5	–	1	1	–	–	–	–	–
Diphtheria	0·14	0·10	0·17	22	8	14	–	2	2	1	4	9	8	2	–	–	–	2	1	–	–	–
Whooping-cough	0·20	0·18	0·22	32	14	18	17	4	3	3	2	29	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·08	0·11	15	6	9	1	–	1	–	–	2	1	–	1	2	2	–	2	3	1	1
Simple Continued Fever	0·02	0·03	0·02	4	2	2	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·19	0·20	0·18	31	16	15	19	1	1	1	–	22	–	–	–	–	1	–	–	2	1	5
Cholera	0·01	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·43	1·03	118	34	84	–	–	–	1	–	1	1	–	1	–	1	13	17	29	41	14
Tabes Mesenterica	0·17	0·15	0·20	28	12	16	15	6	1	1	1	24	2	–	1	–	1	–	–	–	–	–
Phthisis	1·07	1·10	1·04	172	87	85	5	1	–	–	1	7	3	7	15	21	43	29	25	15	5	2
Other Tub. & Scrof. Dis.	0·23	0·23	0·23	37	18	19	7	6	4	2	2	21	1	5	3	1	2	–	2	2	–	–
Diseases of Nervous System	2·29	2·64	1·96	368	208	160	86	9	4	2	3	104	7	5	9	7	8	17	23	52	73	63
Diseases of Circulatory „	2·09	2·16	2·02	335	170	165	2	1	–	–	–	3	3	4	2	7	10	29	31	80	94	72
Diseases of Respiratory „	3·04	3·34	2·75	487	263	224	85	42	17	10	3	157	20	4	8	4	11	22	22	53	84	102
Diseases of Digestive „	0·99	0·96	1·01	158	76	82	31	12	1	1	–	45	5	3	2	3	4	8	16	21	33	18
Diseases of Urinary „	0·31	0·52	0·10	49	41	8	1	1	1	–	1	4	–	1	–	–	1	5	9	10	12	7
Diseases of Generative „	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1
Puerperal Fever	0·07	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	1	6	5	–	–	–	–
Childbirth	0·07	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	2	5	5	–	–	–	–
Violence	0·64	0·99	0·31	103	78	25	4	4	2	4	4	18	8	4	7	6	9	11	6	8	16	10
OTHER CAUSES	3·83	4·02	3·62	612	317	295	166	12	5	–	2	185	4	4	5	4	14	10	12	28	96	250

Marriages	906	Annual Rate per 1000 living	Persons Married	11·30
Births Males	2,268		Births	27·56
Births Females	2,152			
Births	4,420			

Deaths from Childbirth and Puerperal Fever 5·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

339.—HEREFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	Persons			In Standard Population*		16·55	†120	–	–	–	–	41·75	4·60	2·58	4·08	5·52	7·12	10·56	15·56	29·14	64·08	155·04
	Males					17·63	†127	–	–	–	–	44·03	4·32	2·34	3·66	5·87	7·05	11·25	18·67	34·66	74·38	169·97
	Females					15·53	†114	–	–	–	–	39·45	4·89	2·83	4·47	5·25	6·67	9·99	12·63	24·01	56·39	144·87
Mean Population, 1881–91.	Persons			Decennial Decrease of Population 2·27 per cent.			1032	923	1022	997	989	4963	4009	4875	4119	3442	5544	6297	3698	3071	1974	892
	Males						517	459	509	489	509	2484	2074	2495	1982	1517	2560	2884	1639	1480	894	376
	Females						515	484	493	508	480	2479	2435	2400	2127	1925	2984	2413	2059	1591	1080	517
Deaths from All Causes, 1881–90.	Persons		18·45			7,838		844	189	160	89	2972	226	126	168	190	395	436	622	895	1295	1388
	Males		19·74			4,043		754	184	66	46	1098	107	58	73	89	186	247	382	513	655	634
	Females		17·25			3,795		649	157	73	54	41	974	119	68	95	101	199	239	260	382	669	749

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–
Measles	0·33	0·38	0·30	142	77	65	33	45	19	11	14	122	17	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·21	0·19	0·22	88	39	49	3	11	13	14	5	46	28	10	1	2	–	1	–	–	–	–
Diphtheria	0·13	0·17	0·10	57	35	22	2	2	7	8	5	24	18	10	2	–	1	–	–	2	–	–
Whooping-cough	0·26	0·22	0·30	111	46	65	35	27	9	7	3	101	10	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·06	0·04	20	12	8	–	–	–	–	–	–	–	–	–	–	6	1	5	5	3	–
Simple Continued Fever	0·03	0·02	0·03	11	4	7	1	–	–	–	–	1	2	2	1	1	2	1	1	–	1	–
Diarrhœa and Dysentery	0·44	0·45	0·44	189	92	97	142	17	5	1	2	167	4	–	–	1	1	1	1	13	15	16
Cholera	0·00	–	0·00	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·56	0·82	295	114	181	–	–	–	1	–	1	–	–	–	5	8	26	67	77	79	33
Tabes Mesenterica	0·13	0·14	0·13	56	28	28	23	7	–	2	2	34	9	4	3	2	1	2	1	–	–	–
Phthisis	1·43	1·46	1·40	609	300	309	13	4	4	4	1	26	10	15	65	86	141	120	71	32	18	5
Other Tub. & Scrof. Dis.	0·20	0·21	0·20	86	43	43	16	13	5	1	5	40	16	9	5	2	4	2	2	3	1	2
Nervous System	2·84	3·31	2·40	1,208	679	529	293	47	17	11	8	376	23	12	8	16	33	64	109	157	230	174
Circulatory „	2·08	2·10	2·05	883	431	451	2	–	–	1	1	4	11	11	12	17	40	63	102	211	252	159
Respiratory „	3·29	3·58	3·02	1,397	733	664	266	112	35	24	19	456	36	7	18	18	38	62	80	146	279	247
Digestive „	1·10	1·17	1·03	466	239	227	88	29	6	5	4	132	11	10	2	8	14	34	49	79	77	46
Urinary „	0·53	0·74	0·32	223	152	71	3	–	1	2	3	9	3	1	6	6	10	22	41	45	44	36
Generative „	0·09	0·01	0·17	40	2	38	1	–	–	–	–	1	–	–	3	–	6	6	13	4	6	1
Puerperal Fever	0·06	–	0·12	26	–	26	–	–	–	–	–	–	–	–	1	2	14	9	–	–	–	–
Convulsions	0·05	–	0·10	23	–	23	–	–	–	–	–	–	–	–	1	3	12	6	–	–	–	–
Violence	0·69	1·03	0·38	295	212	83	19	5	14	3	2	50	24	12	8	10	37	28	31	51	42	25
Other Causes	3·82	3·92	3·68	1,609	800	809	473	22	4	5	7	511	7	21	24	8	32	42	48	71	215	640

Marriages - - 2887

Births (Males - 5,795; Females - 5,626) 11,421

Annual Rate per 1000 Living (Persons Married 17·59; Births - 27·42)

Deaths from Childbirth and Puerperal Fever - - - - 4·12 per 1000 Births.

* See pages xxiv.–xxvi.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·28	† 97	–	–	–	–	31·97	5·03	2·13	3·70	6·65	6·88	8·43	12·06	23·70	58·35	151·55
Males	—	15·77	†127	–	–	–	–	40·53	4·13	1·41	3·40	8·14	6·21	9·24	13·10	28·27	67·20	170·13
Females	—	12·88	†69	–	–	–	–	24·41	5·94	2·79	4·04	5·45	7·48	7·64	11·06	18·83	50·89	139·32
Mean Population, 1881-91. Persons	Decennial Decrease of Population 9·45 per cent.	7,792	194	163	218	181	201	957	955	891	675	496	916	854	804	637	413	194
Males		3,781	92	70	110	89	88	449	484	425	353	221	435	422	397	329	189	77
Females		4,011	102	93	108	92	113	508	471	466	322	275	481	432	407	308	224	117
Deaths from All Causes, 1881–90. Persons	17·31	1,349	213	47	18	13	15	306	48	19	25	33	63	72	97	151	241	294
Males	18·70	707	135	26	10	8	3	182	20	6	12	18	27	39	52	93	127	131
Females	16·01	642	78	21	8	5	12	124	28	13	13	15	36	33	45	58	114	163

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·21	0·27	19	8	11	3	4	1	2	2	12	3	1	–	1	–	2	–	–	–	–
Scarlet Fever	0·37	0·37	0·37	29	14	15	–	2	3	4	3	12	12	3	1	1	–	–	–	–	–	–
Diphtheria	0·05	0·08	0·02	4	3	1	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–
Whooping-cough	0·21	0·24	0·17	16	9	7	8	7	1	–	–	16	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·19	0·25	17	7	10	10	–	1	–	1	12	–	1	–	–	–	–	–	–	–	–
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–
Cancer	0·69	0·63	0·75	54	24	30	–	–	–	–	–	–	1	–	–	1	4	2	11	13	18	4
Tabes Mesenterica	0·10	0·19	0·02	8	7	1	4	1	1	–	–	6	1	–	1	–	–	–	–	–	–	–
Phthisis	0·92	0·93	0·92	72	35	37	–	1	–	–	–	1	1	4	9	12	16	16	8	2	3	–
Other Tub. & Scrof. Dis.	0·18	0·19	0 17	14	7	7	2	2	–	2	–	6	3	–	3	–	1	–	1	–	–	–
Diseases of Nervous System	2·54	3·09	2·02	198	117	81	28	5	2	1	–	36	2	2	1	3	3	9	15	41	46	40
Circulatory „	2·78	2·75	2·82	217	104	113	–	1	1	–	–	2	3	2	2	2	11	12	22	40	69	52
Respiratory „	2·49	2·83	2·17	194	107	87	43	16	4	3	4	70	10	1	2	1	7	8	11	21	34	29
Digestive „	0·95	1·11	0·80	74	42	32	14	4	–	–	–	18	–	–	–	2	2	8	11	8	19	6
Urinary „	0·47	0·77	0·20	37	29	8	1	–	–	–	1	2	1	–	–	2	2	5	8	6	3	8
Generative „	0·05	0·03	0·07	4	1	3	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–
Puerperal Fever	0·09	–	0·17	7	–	7	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–
Childbirth	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Violence	0·50	0·82	0·20	39	31	8	2	1	1	–	3	7	3	1	2	3	4	2	5	7	4	1
OTHER CAUSES	4·37	4·27	4·45	339	162	177	98	3	3	–	1	105	5	3	2	4	4	5	3	13	41	154

Marriages - - - 440

Births - Males 1,063 / Females 1,123 = 2,186

Annual Rate per 1000 living: Persons Married 11·29; Births - - 28·05

Deaths from Childbirth and Puerperal Fever - - - - - 5·03 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

341.—BROMYARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
[illegible] Persons	—	In 1891 14·04	4·04	—	—	—	—	33·85	3·63	2·27	3·74	5·91	6·96	9·27	11·34	21·17	51·00	153·28
[illegible] Males	—	Standard 15·88	4·08	—	—	—	—	36·76	2·63	1·65	3·15	3·10	4·14	10·00	12·83	24·00	57·96	171·67
[illegible] Females	—	Population* 14·20	4·00	—	—	—	—	31·44	4·59	2·95	4·18	8·50	9·34	8·51	9·78	17·18	47·80	137·41
[illegible] Persons	Decennial Decrease of Population 4·45 per cent.	10,879	292	240	252	258	257	1279	1325	1235	962	812	1026	1154	1049	856	548	259
[illegible] Males		5,435	119	108	130	128	125	611	647	624	550	452	639	590	538	456	268	120
[illegible] Females		5,444	136	132	142	130	134	668	676	611	412	360	464	564	511	420	280	139
[illegible] Persons	18·37	1,789	315	63	26	17	12	433	48	28	36	48	32	107	119	181	280	397
[illegible] Males	18·45	919	162	32	15	9	5	223	17	10	13	14	30	59	69	116	145	206
[illegible] Females	18·28	870	153	31	11	8	7	210	31	18	17	34	62	48	50	65	135	191

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
[illegible]	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·15	0·11	14	8	6	4	5	1	—	1	11	—	1	—	1	—	1	—	—	—
[illegible] Fever	0·08	0·04	0·13	9	3	6	—	—	1	1	1	2	6	—	—	—	1	—	—	—	—
[illegible]	0·11	0·09	0·13	12	5	7	—	—	2	—	1	3	6	—	—	—	—	1	—	—	—
Whooping-cough	0·13	0·11	0·15	14	6	8	6	3	2	—	2	13	1	—	—	—	—	—	—	—	—
Typhus	0·03	0·04	0·02	3	2	1	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—
[illegible] Fever	0·06	0·09	0·04	7	5	2	1	—	—	—	—	1	—	1	—	1	2	—	—	—	—
[illegible] Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
[illegible] Dysentery	0·22	0·24	0·21	24	13	11	13	4	—	—	—	17	—	—	—	—	1	1	—	—	—
[illegible]	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
[illegible]	0·68	0·64	0·73	74	35	39	—	—	—	—	—	—	—	—	1	1	6	13	16	26	11
[illegible] Mesenteric	0·15	0·09	0·21	16	5	11	4	3	2	—	1	10	3	1	2	—	—	—	—	—	—
[illegible]	0·16	0·84	1·08	12	36	76	—	—	1	—	1	2	3	6	15	21	24	13	8	1	—
Other Tubercular & Scrof. Dis.	0·27	0·33	0·21	29	18	11	9	2	3	1	—	14	3	4	3	1	3	—	—	—	—
Nervous System	2·06	2·16	1·97	223	118	105	26	6	1	2	1	36	2	3	5	3	8	18	28	44	36
Circulatory	2·02	2·05	1·98	218	113	105	2	2	—	—	—	4	3	1	4	2	13	14	14	47	46
Respiratory	3·09	3·59	2·63	334	196	138	26	8	6	6	—	46	8	2	3	2	13	16	32	36	17
Digestive	1·02	1·15	0·88	110	63	47	19	3	1	2	1	26	4	—	1	3	9	13	13	13	7
Urinary	0·52	0·73	0·30	56	40	16	—	—	—	—	—	—	—	—	—	1	7	9	7	15	7
Generative	0·06	—	0·11	6	—	6	—	—	—	—	—	—	—	—	—	1	1	1	1	—	1
Puerperal Fever	0·10	—	0·21	11	—	11	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
[illegible]	0·10	—	0·21	11	—	11	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—
Violence	0·51	0·62	0·39	55	34	21	3	4	—	4	2	13	—	3	—	3	6	10	6	2	3
Causes Unknown	3·85	3·45	4·24	413	189	224	142	3	4	—	1	150	8	5	7	2	9	8	13	47	155

Marriages	—	529	Annual Rate per 1000 living	Persons Married	9·62	Deaths from Childbirth and Puerperal Fever	7·26 per 1000 Births.
Births	Males 1,501	3,030		Births	28·03		
	Females 1,529						

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

342.—LEOMINSTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·88 14·50 13·30	†95	–	–	–	–	32·98	3·10	2·31	3·23	4·46	5·68	8·27	13·29	28·69	53·75	149·11
Males	—		†111	–	–	–	–	36·62	2·49	2·40	2·85	4·96	4·53	8·10	15·38	31·55	60·74	158·90
Females	—		†80	–	–	–	–	29·27	3·70	2·21	3·62	3·96	6·74	8·43	11·27	25·81	47·17	141·58
Mean Population, 1881-91. Persons	Decennial Decrease of Population 5·86 per cent.	14,222	312	295	326	340	334	1607	1711	1688	1392	1054	1707	1511	1377	1119	720	336
Males		7,033	158	155	162	172	164	811	845	874	702	524	817	728	676	561	349	146
Females		7,189	154	140	164	168	170	796	866	814	690	530	890	783	701	558	371	190
Deaths from All Causes, 1881-90. Persons	16·37	2,328	347	87	47	31	18	530	53	39	45	47	97	125	183	321	387	501
Males	17·15	1,206	201	42	26	17	11	297	21	21	20	26	37	59	104	177	212	232
Females	15·61	1,122	146	45	21	14	7	233	32	18	25	21	60	66	79	144	175	269

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·24	0·17	29	17	12	5	8	6	4	3	26	2	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·19	0·20	0·18	27	14	13	2	4	4	3	2	15	7	4	1	–	–	–	–	–	–	–
Diphtheria	0·07	0·07	0·07	10	5	5	–	–	1	2	–	3	3	2	1	–	–	1	–	–	–	–
Whooping-cough	0·20	0·13	0·26	28	9	19	18	4	3	2	–	27	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·04	0·04	6	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·02	0·01	0·03	3	1	2	–	–	–	1	–	1	–	2	–	1	1	1	–	–	1	–
Diarrhœa and Dysentery	0·23	0·24	0·22	33	17	16	12	4	–	–	–	16	1	–	–	–	1	–	–	1	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	11
Cancer	0·68	0·40	0·96	97	28	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	0·25	0·27	0·24	36	19	17	15	7	5	–	1	28	4	1	–	1	3	6	14	41	17	16
Phthisis	1·15	1·02	1·27	163	72	91	1	–	–	2	–	3	3	3	18	25	1	1	–	–	–	–
Other Tub. & Scrof. Dis.	0·20	0·20	0·19	28	14	14	3	6	2	3	2	16	5	2	3	–	42	30	23	13	2	1
Diseases of Nervous System	2·80	3·23	2·38	398	227	171	53	6	4	4	3	70	13	5	7	5	1	–	1	–	–	–
Diseases of Circulatory „	2·40	2·42	2·39	342	170	172	1	–	–	–	–	1	3	1	2	4	6	14	28	64	86	100
Diseases of Respiratory „	2·71	3·01	2·41	385	212	173	76	33	11	8	5	133	7	4	1	3	6	16	40	76	112	81
Diseases of Digestive „	1·05	1·17	0·95	150	82	68	34	2	1	–	–	37	–	3	1	1	7	14	20	50	66	80
Diseases of Urinary „	0·37	0·67	0·08	53	47	6	1	–	–	–	–	1	–	1	1	1	5	13	21	24	28	17
Diseases of Generative „	0·07	0·01	0·13	10	1	9	2	–	–	–	–	2	–	–	–	–	1	5	5	15	15	8
Puerperal Fever	0·07	–	0·14	10	–	10	–	–	–	–	–	–	–	–	–	–	–	–	3	1	3	1
Childbirth	0·09	–	0·18	13	–	13	–	–	–	–	–	–	–	–	1	–	1	8	–	–	–	–
Violence	0·56	0·85	0·28	80	60	20	2	3	5	1	2	13	1	7	4	4	4	6	10	9	8	14
OTHER CAUSES	3·02	2·97	3·04	427	208	219	122	10	5	1	–	138	3	4	5	2	8	4	17	27	48	171

Marriages 722

Births { Males 1,816 / Females 1,833 } 3,649

Annual Rate per 1000 living { Persons Married 10·15 / Births 25·66

Deaths from Childbirth and Puerperal Fever 6·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

343.—KINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.		In Standard Population* 14·17 / 14·31 / 14·04	†103 / †112 / 795	–	–	–	–	34·08 / 56·83 / 31·24	3·53 / 4·27 / 2·79	3·09 / 2·18 / 4·02	3·81 / 3·20 / 4·45	7·18 / 7·96 / 6·43	5·94 / 5·03 / 6·85	9·00 / 9·22 / 8·78	12·18 / 13·69 / 10·75	23·75 / 21·77 / 25·87	53·15 / 56·66 / 49·84	145·21 / 150·40 / 140·44
Mean Population, 1881–90.	Persons / Males / Females	Decrease of Population 6·61 per cent. 11,792 / 5,908 / 5,884	288 / 149 / 139	264 / 141 / 123	302 / 152 / 150	284 / 145 / 139	288 / 148 / 140	1426 / 725 / 701	1361 / 679 / 682	1359 / 688 / 671	1156 / 593 / 562	878 / 427 / 451	1481 / 736 / 745	1244 / 629 / 615	1125 / 548 / 577	897 / 464 / 433	604 / 293 / 311	261 / 125 / 136
Deaths from All Causes, 1881–90.	Persons / Males / Females	16·39 / 16·74 / 16·04	332 / 182 / 150	73 / 39 / 34	37 / 22 / 15	25 / 13 / 12	19 / 11 / 8	486 / 267 / 219	48 / 29 / 19	42 / 15 / 27	44 / 19 / 25	63 / 34 / 29	88 / 37 / 51	112 / 58 / 54	137 / 75 / 62	213 / 101 / 112	321 / 166 / 155	379 / 188 / 191

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·14	0·07	12	8	4	2	3	1	–	1	7	3	2	–	–	–	–
Scarlet Fever	0·20	0·25	0·15	24	15	9	2	1	4	1	2	10	7	7	–	–	–	–
Diphtheria	0·14	0·08	0·19	16	5	11	–	3	1	2	3	9	3	1	2	1	–	–
Whooping-cough	0·30	0·25	0·34	35	15	20	17	7	5	2	2	33	1	1	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·12	0·07	11	7	4	–	–	–	–	1	1	3	1	–	1	2	2
Simple Continued Fever	0·02	–	0·03	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·17	0·10	0·24	20	6	14	7	1	1	–	3	11	–	–	–	–	–	–
Cholera	0·03	0·05	–	3	3	–	1	1	–	–	–	2	–	–	–	–	–	1
Cancer	0·70	0·52	0·87	82	31	51	–	–	–	–	–	–	–	–	2	–	6	13
Tabes Mesenterica	0·14	0·15	0·12	16	9	7	6	1	–	–	1	8	2	3	1	1	–	–
Phthisis	1·46	1·39	1·53	172	82	90	2	1	2	–	–	5	3	9	19	21	39	30
Other Tub. & Scrof. Dis.	0·42	0·46	0·37	49	27	22	15	8	1	4	–	28	5	6	1	3	4	1
Diseases of Nervous System	2·24	2·34	2·14	264	138	126	70	11	7	1	1	90	2	2	5	5	2	7
" Circulatory	2·19	1·96	2·41	258	116	142	–	1	–	–	–	1	1	3	4	7	9	13
" Respiratory	2·48	2·79	2·18	293	165	128	54	25	14	10	3	106	7	1	3	4	9	14
" Digestive	0·76	0·73	0·80	90	43	47	12	3	–	–	–	15	1	–	5	2	4	6
" Urinary	0·25	0·41	0·10	30	24	6	–	–	–	–	–	–	–	–	1	2	–	1
" Generative	0·03	–	0·07	4	–	4	–	–	–	–	–	–	–	–	–	–	1	1
Puerperal Fever	0·08	–	0·15	9	–	9	–	–	–	–	–	–	–	–	–	2	4	3
Convulsions	0·07	–	0·14	8	–	8	–	–	–	–	–	–	–	–	–	1	3	4
Violence	0·45	0·68	0·22	53	40	13	3	–	1	2	1	7	3	2	3	3	6	7
OTHER CAUSES	4·07	4·32	3·85	482	255	227	141	7	–	3	3	158	6	5	1	8	8	9

Marriages	–	–	633	Annual Rate per 1000 living	Persons Married	10·74
Births	Males 1,625 / Females 1,544		3,269		Births	27·21

Deaths from Childbirth and Puerperal Fever – – – – 5·80 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

344.—LUDLOW.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·81	†113	–	–	–	–	37·01	3·33	2·41	3·61	4·76	6·56	8·98	12·65	23·24	61·96	162·92
Males	—	Standard 15·17	†120	–	–	–	–	38·96	3·31	2·19	3·00	4·76	5·67	10·17	15·19	23·70	64·90	177·19
Females	—	Population* 14·48	†106	–	–	–	–	34·99	3·34	2·63	4·29	4·77	7·40	7·79	10·08	22·78	59·32	151·42
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·94 per cent.	18,122	468	414	430	447	446	2205	2164	2113	1747	1407	2318	1972	1699	1278	836	383
Males		9,073	239	226	210	218	226	1119	1086	1049	932	715	1129	983	856	637	396	171
Females		9,049	229	188	220	229	220	1086	1078	1064	815	692	1189	989	843	641	440	212
Deaths from All Causes, 1881–90. Persons	16·84	3,052	576	135	44	35	26	816	72	51	63	67	152	177	215	297	518	624
Males	17·22	1,562	315	62	27	21	11	436	36	23	28	34	64	100	130	151	257	303
Females	16·47	1,490	261	73	17	14	15	380	36	28	35	33	88	77	85	146	261	321

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
Measles	0·18	0·14	0·22	33	13	20	10	10	3	3	1	27	2	1	1	1	1	–	–	–	–	–
Scarlet Fever	0·08	0·08	0·08	14	7	7	–	1	2	1	2	6	4	1	–	1	–	2	–	–	–	–
Diphtheria	0·26	0·29	0·24	48	26	22	4	2	4	7	7	24	11	6	2	1	1	–	2	1	–	–
Whooping-cough	0·25	0·26	0·23	45	24	21	20	17	3	4	–	44	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
Enteric Fever	0·12	0·08	0·15	21	7	14	–	–	–	–	1	1	3	5	2	–	4	1	4	–	1	–
Simple Continued Fever	0·03	0·02	0·03	5	2	3	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·31	0·32	0·31	57	29	28	23	3	–	–	1	27	–	1	–	–	2	2	4	4	6	11
Cholera	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·54	0·71	113	49	64	–	–	–	–	–	–	1	–	–	–	1	12	17	29	45	8
Tabes Mesenterica	0·10	0·12	0·09	19	11	8	9	5	1	–	–	15	1	–	–	2	1	–	–	–	–	–
Phthisis	1·16	1·10	1·22	210	100	110	–	–	2	–	–	2	6	10	19	27	56	40	33	11	6	–
Other Tub. & Scrof. Dis.	0·16	0·15	0·16	29	14	15	6	1	5	–	1	13	4	1	5	2	1	1	1	–	1	–
Diseases of Nervous System	2·49	2·72	2·27	452	247	205	108	17	3	5	3	136	5	6	3	7	15	19	15	55	96	95
Diseases of Circulatory „	1·73	1·52	1·93	313	138	175	3	–	–	–	–	3	3	1	3	2	10	23	33	58	105	72
Diseases of Respiratory „	3·40	3·63	3·18	617	329	288	141	56	16	8	6	227	18	4	4	4	12	17	30	53	110	138
Diseases of Digestive „	1·41	1·28	1·54	255	116	139	23	12	2	1	–	38	3	4	4	2	10	19	28	40	58	49
Diseases of Urinary „	0·88	0·57	0·18	68	52	16	1	–	–	1	–	2	–	–	2	1	3	7	7	9	20	17
Diseases of Generative „	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	2
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	3	5	1	–	–	–	–
Childbirth	0·09	–	0·19	17	–	17	–	–	–	–	–	–	–	–	–	1	7	6	3	–	–	–
Violence	0·67	0·95	0·39	121	86	35	12	6	1	1	3	23	6	4	6	7	9	11	17	12	15	11
OTHER CAUSES	3·25	3·41	3·11	589	308	281	215	5	2	3	1	226	3	5	11	4	12	14	17	23	54	220

Marriages – – – 1,079

Births – Males – 2,627; Females – 2,466; 5,093

Annual Rate per 1000 living: Persons Married 11·91; Births – – 28·10

Deaths from Childbirth and Puerperal Fever – – – – – 5·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

345.—CLUN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons			In Standard Population*	14·43		†113	–	–	–	–	36·43	4·17	2·62	3·66	7·48	7·27	8·69	10·38	20·00	53·09	154·26
	Males				14·20		†123	–	–	–	–	42·11	4·34	2·03	2·68	5·51	5·76	7·47	8·84	21·49	56·23	149·59
	Females				14·66		†102	–	–	–	–	30·60	4·01	3·24	4·84	9·47	8·80	9·74	11·90	18·41	49·36	160·00
Mean Population, 1881–91.	Persons	Decennial Decrease of Population 7·88 per cent.			9,767			246	212	248	240	247	1193	1198	1145	956	722	1219	1023	867	730	500	223
	Males				4,994			127	100	132	148	131	608	599	590	523	365	608	560	430	377	256	133
	Females				4,773			119	112	116	122	116	585	599	555	434	359	662	514	437	353	235	100
Deaths from All Causes, 1881–90	Persons	16·64			1,625			313	62	28	17	15	435	50	30	35	54	88	85	90	146	265	344
	Males	17·08			853			177	45	17	8	9	256	26	12	14	20	35	38	38	81	149	184
	Females	16·17			772			136	17	11	9	6	179	24	18	21	34	53	50	52	65	116	160
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·26	0·38	0·13	25	19	6	3	4	4	–	3	14	7	2	–	1	1	–	–	–	–	–
Scarlet Fever	0·08	0·10	0·06	8	5	3	1	1	–	2	–	4	2	1	–	–	–	1	1	–	–	–
Diphtheria	0·08	0·06	0·10	8	3	5	1	–	–	–	4	5	1	2	–	–	–	–	–	–	–	–
Whooping-cough	0·22	0·30	0·13	21	15	6	10	4	2	1	3	20	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·10	0·04	7	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	2	–	3	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·23	0·22	0·23	22	11	11	4	2	–	1	1	8	2	–	1	–	–	–	–	–	1	–
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	7
Cancer	0·82	0·68	0·96	80	34	46	–	1	–	–	–	1	1	–	–	–	1	7	14	20	25	11
Tabes Mesenterica	0·03	0·08	0·04	6	4	2	3	1	–	–	–	4	1	–	1	–	–	–	–	–	1	–
Phthisis	1·35	1·60	1·72	132	50	82	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Other Tub. & Scrof. Dis.	0·28	0·20	0·36	27	10	17	7	1	–	1	1	10	3	5	4	1	3	1	2	–	–	–
Diseases of: Nervous System	2·31	2·44	2·16	225	122	103	44	5	4	1	1	55	4	4	3	5	7	7	12	24	44	60
Circulatory	2·06	1·96	2·16	201	98	103	–	–	–	–	–	–	–	1	3	3	9	6	13	29	62	69
Respiratory	2·74	3·26	2·22	269	163	106	61	27	12	4	–	104	6	3	2	3	5	13	10	20	34	69
Digestive	1·05	1·08	0·98	101	54	47	14	3	2	1	1	21	4	1	3	2	5	6	7	15	24	7
Urinary	0·62	0·88	0·36	61	44	17	5	1	–	–	–	6	1	–	–	3	1	5	6	11	17	12
Generative	0·06	0·02	0·10	6	1	5	1	–	–	–	–	1	–	–	–	–	1	1	1	–	2	–
Puerperal Fever	0·13	–	0·27	13	–	13	–	–	–	–	–	–	–	–	–	4	2	7	–	–	–	–
Childbirth	0·14	–	0·27	13	–	13	–	–	–	–	–	–	–	–	–	1	7	5	–	–	–	–
Violence	0·50	0·64	0·36	49	32	17	3	3	4	3	–	13	3	1	1	–	6	4	6	5	9	1
Other Causes	3·58	3·64	3·50	348	181	167	155	3	–	3	1	162	8	3	2	4	5	6	5	13	34	106

Marriages – – – 535

Births – {Males – 1,442} 2,780 {Females – 1,338}

Annual Rate per 1000 living {Persons Married 10·96 / Births – – 28·46}

Deaths from Childbirth and Puerperal Fever – – – – 0·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		12·20	†93	–	–	–	–	27·42	2·59	1·12	3·23	6·28	7·01	6·56	10·73	19·61	44·79	152·67
Males	—					12·06	†91	–	–	–	–	28·97	3·54	0·91	2·94	5·39	7·17	6·34	12·41	15·16	46·67	156·96
Females	—					12·33	†95	–	–	–	–	25·81	1·63	1·36	3·53	7·22	6·85	6·78	9·09	24·55	42·76	147·89
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·56 per cent.			5,536			128	113	135	119	136	631	618	623	527	398	642	579	587	464	317	150
Males				2,819			65	60	64	59	73	321	311	328	272	204	321	284	290	244	165	79
Females				2,717			63	53	71	60	63	310	307	295	255	194	321	295	297	220	152	71
Deaths from All Causes, 1881–90. Persons	15·28			846			127	25	8	6	7	173	16	7	17	25	45	38	63	91	142	229
Males	15·64			441			66	19	4	2	2	93	11	3	8	11	23	18	36	37	77	124
Females	14·91			405			61	6	4	4	5	80	5	4	9	14	22	20	27	54	65	105
	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·07	0·07	0·07	4	2	2	–	2	–	–	–	2	–	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·11	5	2	3	–	–	–	–	4	4	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·14	0·07	6	4	2	1	–	–	–	–	1	4	–	–	1	–	–	–	–	–	–
Whooping-cough	0·16	0·25	0·07	9	7	2	4	4	1	–	–	9	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·39	0·33	20	11	9	5	–	–	–	–	5	1	–	–	2	1	–	–	–	5	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·85	0·60	1·10	47	17	30	–	–	–	–	–	–	–	–	–	–	1	2	11	9	14	10
Tabes Mesenterica	0·05	–	0·11	3	–	3	1	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–
Phthisis	0·94	0·92	0·96	52	26	26	–	–	–	–	–	–	–	1	7	8	15	4	6	5	6	–
Other Tub. & Scrof. Dis.	0·13	0·18	0·07	7	5	2	–	1	–	–	–	1	1	–	1	1	2	1	–	–	–	–
Diseases of Nervous System	1·92	2·06	1·77	106	58	48	15	2	–	2	–	19	3	1	3	1	1	7	9	15	25	22
Diseases of Circulatory „	2·37	2·16	2·58	131	61	70	1	–	–	–	1	2	1	2	–	–	6	5	9	26	31	49
Diseases of Respiratory „	2·60	2·77	2·43	144	78	66	32	10	4	1	2	49	2	–	3	3	5	1	10	18	18	35
Diseases of Digestive „	0·81	0·96	0·66	45	27	18	8	1	–	1	–	10	1	1	–	1	1	4	3	5	12	7
Diseases of Urinary „	0·49	0·60	0·37	27	17	10	–	–	–	1	–	1	1	–	–	–	1	2	3	3	9	7
Diseases of Generative „	0·13	–	0·26	7	–	7	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	3
Puerperal Fever	0·11	–	0·22	6	–	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Childbirth	0·05	–	0·11	3	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Violence	0·61	1·03	0·18	34	29	5	–	2	2	–	–	4	1	1	2	1	4	2	6	5	5	3
OTHER CAUSES	3·39	3·44	3·37	188	97	91	60	2	1	1	–	64	–	–	1	2	3	6	4	5	16	37

Marriages – – – 306

Births – Males – 723 / Females – 639 } 1,362

Annual Rate per 1000 living: Persons Married 11·05; Births – – 24·60

Deaths from Childbirth and Puerperal Fever – – – – – 6·61 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

347.—CLEOBURY MORTIMER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population†		12·20	*94	–	–	–	–	31·65	3·25	1·84	1·64	3·39	6·09	6·45	7·15	22·10	51·34	149·80
Annual Death-Rate per 1000. Males	—	In Standard Population†		12·59	*101	–	–	–	–	35·36	3·41	1·98	0·99	3·16	4·42	6·42	9·49	25·17	58·17	146·26
Annual Death-Rate per 1000. Females	—	In Standard Population†		11·83	*88	–	–	–	–	26·95	3·10	2·00	2·47	3·65	7·69	6·48	4·66	21·61	49·51	135·00
Mean Population estimated. Persons	Decennial Increase or Decrease in 6·45 per cent.			8,170	194	193	270	266	213	1027	1015	925	750	900	907	678	797	625	411	195
Mean Population estimated. Males	Decennial Increase or Decrease in 6·45 per cent.			4,168	98	95	118	108	109	528	499	475	406	456	542	456	444	345	205	95
Mean Population estimated. Females	Decennial Increase or Decrease in 6·45 per cent.			3,962	96	99	152	98	104	489	516	450	344	274	455	432	386	310	206	100
Deaths from All Causes, 1881–90. Persons	14·75			1,203	224	56	17	17	11	325	33	17	12	20	58	56	57	140	211	273
Deaths from All Causes, 1881–90. Males	15·27			611	127	37	12	8	8	192	17	8	4	10	23	28	39	73	109	138
Deaths from All Causes, 1881–90. Females	14·20			561	97	19	5	9	3	133	16	9	8	10	35	28	18	67	102	135
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·19	0·08	11	5	6	5	5	–	1	–	11	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·12	0·08	8	5	3	–	3	–	1	–	4	1	1	–	1	1	1	–	–
Diphtheria	0·26	0·21	0·30	21	9	12	–	–	1	1	2	4	10	5	–	1	–	1	–	–
Whooping-cough	0·25	0·14	0·35	19	6	13	12	3	–	2	–	17	1	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·05	3	1	2	–	–	–	–	–	–	1	–	–	–	1	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic and Dysentery	0·44	0·52	0·35	36	22	14	14	3	1	1	–	19	1	–	–	–	–	1	7	8
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·47	0·19	0·76	38	8	30	–	–	–	–	–	–	–	–	–	2	3	6	14	7	6
Tabes Mesenterica	0·12	0·07	0·18	10	3	7	5	5	–	–	–	10	–	–	–	–	–	–	–	–	–
Phthisis	0·74	0·83	0·65	60	35	25	1	–	–	–	–	1	1	1	4	8	21	7	10	4	3	–
Other Tub. & Scrof. Dis.	0·16	0·17	0·13	12	7	5	3	–	1	2	1	7	1	1	–	–	1	1	–	–	1	–
Diseases of Nervous System	2·32	2·76	1·85	189	116	73	48	7	2	3	1	61	2	–	1	2	6	3	6	18	33	47
Diseases of Circulatory	1·51	1·50	1·52	123	63	60	–	–	–	–	–	–	–	–	1	1	2	3	7	27	50	32
Diseases of Respiratory	3·42	3·72	3·11	279	156	123	48	23	8	2	4	85	7	–	1	2	5	11	11	32	49	76
Diseases of Digestive	0·72	0·62	0·84	59	26	33	4	1	–	1	–	6	3	2	1	–	2	2	6	13	16	9
Diseases of Urinary	0·37	0·55	0·18	30	23	7	–	–	–	–	1	1	–	–	1	–	1	3	3	7	6	3
Diseases of Generative	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Puerperal Fever	0·11	–	0·23	9	–	9	–	–	–	–	–	–	–	–	–	1	5	3	–	–	–	–
Childbirth	0·09	–	0·18	7	–	7	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
Violence	0·49	0·69	0·28	40	29	11	1	2	1	2	–	6	2	–	1	1	2	9	4	3	2	5
Other Causes	3·01	2·95	3·07	245	123	122	33	5	3	1	2	94	3	6	2	2	5	6	3	1	27	32

Marriages	–	378	Annual Rate per 1000 living	Persons Married	9·28
Births	Males 1,225	2,396		Births	29·32
	Females 1,170		Deaths from Childbirth and Puerperal Fever		6·68 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·97	†120	–	–	–	–	39·00	3·08	2·41	3·52	4·20	6·84	9·64	14·47	23·02	56·79	154·08
Males	—	16·02	†129	–	–	–	–	43·09	3·18	3·04	3·55	3·13	7·58	9·95	17·50	26·37	59·42	167·10
Females	—	13·98	†111	–	–	–	–	35·07	2·98	1·80	3·48	5·18	6·16	9·36	11·72	19·66	54·27	144·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·48 per cent.	15,103	360	317	370	363	362	1772	1819	1744	1450	1213	1871	1587	1348	1164	780	355
Males		7,366	171	157	187	169	184	868	912	856	732	576	897	764	640	584	382	155
Females		7,737	189	160	183	194	178	904	907	888	718	637	974	823	708	580	398	200
Deaths from All Causes, 1881–90. Persons	17·38	2,625	487	130	37	21	16	691	56	42	51	51	128	153	195	268	443	547
Males	18·59	1,369	264	70	23	11	6	374	29	26	26	18	68	76	112	154	227	259
Females	16·23	1,256	223	60	14	10	10	317	27	16	25	33	60	77	83	114	216	288

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·18	0·19	0·17	27	14	13	6	10	5	2	1	24	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·04	0·05	0·03	6	4	2	–	–	2	1	–	3	1	1	–	–	1	–	–	–	–	–
Diphtheria	0·24	0·20	0·27	36	15	21	1	4	4	1	–	10	19	3	–	1	–	1	–	1	1	–
Whooping-cough	0·34	0·30	0·39	52	22	30	34	11	2	3	1	51	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·12	0·17	22	9	13	–	–	–	1	1	2	2	3	3	2	4	3	–	2	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·37	0·42	0·32	56	31	25	26	12	4	–	–	42	–	–	–	–	1	–	–	3	3	7
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·53	0·96	113	39	74	–	–	–	–	–	–	–	–	–	–	2	8	26	25	37	15
Tabes Mesenterica	0·09	0·10	0·08	13	7	6	2	4	–	–	–	6	2	1	1	–	1	1	–	1	–	–
Phthisis	1·21	1·26	1·16	183	93	90	4	4	–	–	–	8	3	12	18	22	53	30	17	13	7	–
Other Tub. & Scrof. Dis.	0·24	0·27	0·21	36	20	16	6	5	1	3	2	17	2	4	2	2	5	–	3	–	1	–
Diseases of Nervous System	1·79	2·02	1·58	271	149	122	45	12	2	2	3	64	5	4	7	3	5	11	29	28	56	59
Diseases of Circulatory „	1·85	2·01	1·69	279	148	131	5	1	1	–	–	7	2	–	3	5	13	11	27	56	94	61
Diseases of Respiratory „	2·75	3·48	2·07	416	256	160	107	37	6	2	3	155	4	4	1	1	6	9	21	48	71	96
Diseases of Digestive „	1·48	1·51	1·46	224	111	113	51	8	3	–	1	63	7	1	5	6	6	18	15	26	46	31
Diseases of Urinary „	0·79	0·95	0·63	119	70	49	1	2	–	–	1	4	2	2	–	2	9	13	15	20	35	17
Diseases of Generative „	0·04	0·01	0·06	6	1	5	1	–	–	–	–	1	–	–	–	–	1	2	1	1	–	–
Puerperal Fever	0·13	–	0·25	19	–	19	–	–	–	–	–	–	–	–	–	1	3	6	9	–	–	–
Childbirth	0·05	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–
Violence	0·70	0·99	0·41	105	73	32	4	3	4	5	1	17	1	2	3	3	9	15	17	18	9	11
OTHER CAUSES	4·16	4·17	4·21	632	306	326	194	17	3	1	2	217	2	5	6	1	4	16	24	26	82	249

Marriages - - 857

Births - Males - 2,040; Females - 2,003; 4,043

Annual Rate per 1000 living: Persons Married 11·35; Births - - 26·77

Deaths from Childbirth and Puerperal Fever - - - - - 6·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

349.—SHIFNAL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Average Annual Deaths and Rates per 1000, } Persons	—	In 1887 14·87	14·20	–	–	–	–	58·46	4·12	1·68	3·43	5·56	6·97	6·29	12·27	24·80	58·52	1·57
Standard Population* 14,537	—	In 1890 13·23	1·20	–	–	–	–	10·91	4·32	1·20	5·23	1·61	6·24	6·88	13·82	25·62	47·45	1·81
Males	—	14·87	1·67	–	–	–	–	36·92	3·32	1·36	3·66	0·50	7·67	5·79	10·78	23·98	55·76	1·61·11
Mean Population in 1885–90. Persons	Decennial Decrease of Population 4·67 per cent.	12,272	595	586	208	307	312	1516	1254	1182	1283	964	1564	1530	1182	887	540	240
Males		6,044	146	154	151	160	160	770	775	764	682	477	769	779	579	445	262	104
Females		6,228	148	152	147	147	152	746	781	788	601	477	795	601	603	442	278	126
Deaths at all Ages, Average Annual Number, and Rate per 1000 living, } Persons	19·27	2,652	303	108	27	27	28	583	64	25	44	53	109	83	145	220	346	300
Males	18·74	1,145	227	49	17	13	15	315	38	15	22	22	48	43	80	114	161	187
Females	19·72	1,507	171	59	10	15	13	268	26	10	22	31	61	40	65	106	185	265

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·19	0·21	25	12	13	7	9	2	1	1	20	5	–	–	–	–	–	–
Scarlet Fever	0·32	0·26	0·37	39	16	14	4	5	2	7	5	23	6	–	–	–	1	–	–
Diphtheria	0·11	0·08	0·13	14	5	9	–	1	1	1	2	5	5	–	–	2	1	–	1
Whooping-cough	0·18	0·16	0·19	22	10	12	9	10	–	–	3	22	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·13	0·11	15	8	7	–	–	–	–	1	1	3	1	3	5	–	–	1	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery, Cholera	0·37	0·48	0·25	46	30	16	21	3	–	–	–	24	–	–	–	–	–	3	3	–	–
Cancer	0·58	0·40	0·76	73	25	48	–	–	–	–	–	–	–	1	1	–	5	2	10	19	37
Tabes Mesenterica	0·25	0·24	0·26	29	15	14	17	8	2	1	–	28	–	–	–	–	1	–	–	–	–
Phthisis	1·69	1·64	0·75	195	65	60	–	–	1	1	1	3	5	3	9	20	38	18	14	8	3
Other Forms of Scrofula, Diseases	0·46	0·46	0·45	57	29	28	14	10	6	1	2	33	2	–	1	3	3	–	–	–	–
Nervous System	2·16	1·92	2·39	279	120	159	68	–	1	2	5	86	7	4	2	1	8	7	15	35	33
Circulatory System	1·75	1·74	1·76	254	110	144	–	1	1	–	–	2	5	4	8	3	9	11	29	50	64
Respiratory System	3·11	3·48	2·75	383	203	180	101	40	6	9	5	161	11	4	3	3	10	7	34	41	37
Digestive System	1·09	1·39	0·82	136	75	61	26	2	2	1	2	33	3	1	2	1	5	10	21	23	14
Urinary System	0·41	0·73	0·13	63	17	19	2	–	–	–	1	3	1	–	1	2	1	1	8	16	18
Generative System	0·02	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Puerperal Fever	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–
Childbirth	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	2	5	1	–	–	–
Violence	0·65	0·99	0·36	80	62	21	2	2	2	2	–	8	6	2	10	7	7	4	10	13	5
Ill-defined Causes	3·45	3·45	3·46	395	215	182	127	2	1	1	–	131	3	2	2	5	6	3	9	14	17

Marriages	614	Annual Rate per 1000 living	Persons Married	9·81	Deaths from Childbirth and Puerperal Fever 6·09 per 1000 Births.
Births Males 1,855 Females 1,703	3,613		Births	28·85	

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	16·33		†130	–	–	–	–	45·93	4·97	2·76	3·92	5·64	6·62	8·27	12·25	26·93	60·14	155·60
Males	—				16·77		†149	–	–	–	–	50·15	4·81	2·70	3·06	4·52	6·43	7·78	13·11	28·59	67·35	166·19
Females	—				15·92		†109	–	–	–	–	41·65	5·11	2·82	5·08	6·99	6·82	8·75	11·45	25·34	54·06	150·57
Mean Population, 1881-91. Persons	Decennial Decrease of Population 15·25 per cent.			25,214			663	601	643	646	669	3222	3222	2968	2449	1862	2990	2599	2375	1875	1179	473
Males				12,723			345	305	318	320	335	1623	1560	1516	1406	1018	1494	1285	1152	920	539	210
Females				12,491			318	296	325	326	334	1599	1662	1452	1043	844	1496	1314	1223	955	640	263
Deaths from All Causes, 1881-90. Persons	18·15			4,577			980	239	101	88	72	1480	160	82	96	105	198	215	291	505	709	736
Males	18·33			2,332			575	118	44	44	33	814	75	41	43	46	96	100	151	263	363	340
Females	17·97			2,245			405	121	57	44	39	666	85	41	53	59	102	115	140	242	346	396
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·14	0·14	35	18	17	9	9	6	3	3	30	4	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·33	0·33	0·33	83	42	41	6	14	13	12	11	56	20	3	1	1	–	1	1	–	–	–
Diphtheria	0·19	0·17	0·21	47	21	26	1	1	7	8	6	23	19	2	2	–	–	1	–	–	–	–
Whooping-cough	0·35	0·30	0·39	87	38	49	48	20	7	5	5	85	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·07	0·16	29	9	20	–	–	–	–	1	1	6	2	3	1	4	3	1	4	3	1
Simple Continued Fever	0·01	–	0·02	3	–	3	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·44	0·50	0·38	112	64	48	62	10	2	2	–	76	–	–	–	–	2	1	2	3	8	20
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·56	0·43	0·68	140	55	85	–	–	–	1	–	1	–	1	–	–	4	9	30	36	42	17
Tabes Mesenterica	0·13	0·13	0·12	32	17	15	17	6	–	2	3	28	–	1	3	–	–	–	–	–	–	–
Phthisis	1·46	1·45	1·48	369	185	184	3	9	3	5	1	21	11	12	32	49	89	57	50	38	10	–
Other Tub. & Scrof. Dis.	0·27	0·31	0·23	68	39	29	12	10	4	5	4	35	16	8	2	2	1	3	–	1	–	–
Diseases of Nervous System	2·31	2·26	2·35	582	288	294	140	32	16	6	14	208	18	13	9	11	11	19	25	66	100	102
Diseases of Circulatory „	2·11	1·94	2·27	531	247	284	–	2	–	1	–	3	10	6	9	7	19	39	54	120	162	102
Diseases of Respiratory „	3·51	3·64	3·37	884	463	421	194	85	34	28	11	352	28	6	6	10	15	24	46	116	172	109
Diseases of Digestive „	0·83	0·83	0·82	208	105	103	18	8	3	–	1	30	5	7	5	3	11	11	22	45	53	16
Diseases of Urinary „	0·28	0·40	0·15	70	51	19	1	1	–	–	–	2	–	1	3	4	2	2	7	14	17	18
Diseases of Generative „	0·04	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	–	1	2	5	2	1	–
Puerperal Fever	0·07	–	0·14	18	–	18	–	–	–	–	–	–	–	–	2	3	8	5	–	–	–	–
Childbirth	0·06	–	0·13	16	–	16	–	–	–	–	–	–	–	–	1	2	5	7	1	–	–	–
Violence	0·67	1·01	0·32	168	128	40	8	4	3	3	4	27	10	14	11	6	17	12	23	17	19	12
OTHER CAUSES	4·26	4·40	4·19	1082	560	522	461	28	3	1	8	501	10	6	7	6	9	18	23	42	122	338

Marriages 1,432

Births { Males 3,855, Females 3,708 } 7,563

Annual Rate per 1000 living { Persons Married 11·36, Births 30·00 }

Deaths from Childbirth and Puerperal Fever 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

351.—ATCHAM.

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000 { Persons / Males / Females	— / — / —	In Standard Population* 17·83 / 19·16 / 16·56	†121 / †133 / †108	– / – / –	– / – / –	– / – / –	– / – / –	42·49 / 46·61 / 38·48	4·79 / 4·98 / 4·61	2·99 / 2·65 / 3·34	4·37 / 4·10 / 4·64	6·59 / 7·41 / 5·83	8·96 / 9·47 / 8·58	12·69 / 13·43 / 11·81	17·68 / 20·36 / 15·17	30·86 / 33·60 / 26·07	68·81 / 71·00 / 69·36	157·81 / 169·17 / 149·91
Mean Popn. living { Persons / Males / Females 1881–90.	Decennial Decrease of Population 0·68 per cent.	48,489 / 23,946 / 24,876	1129 / 544 / 585	1088 / 551 / 537	1152 / 565 / 587	1096 / 559 / 537	1120 / 536 / 584	5585 / 2705 / 2880	5424 / 2692 / 2732	3244 / 2643 / 2601	5017 / 2538 / 2479	4037 / 1944 / 2093	6676 / 3190 / 3486	5263 / 2702 / 2561	4542 / 2196 / 2346	3295 / 1589 / 1707	2464 / 981 / 1483	941 / 386 / 555
Deaths from All Causes { Persons / Males / Females 1881–90.	19·32 / 20·52 / 18·16	9,368 / 4,845 / 4,523	1629 / 947 / 712	373 / 197 / 176	176 / 81 / 95	122 / 46 / 66	83 / 43 / 40	2373 / 1284 / 1089	260 / 134 / 126	157 / 70 / 87	249 / 104 / 115	296 / 144 / 122	598 / 299 / 299	701 / 363 / 338	803 / 447 / 356	1017 / 572 / 445	1489 / 775 / 714	1485 / 653 / 832

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.													
Small-pox	0·01	0·03	0·01	7	5	2	2	–	–	–	–	2	–	–	1	–	1	3	–	–	–	–
Measles	0·21	0·21	0·21	101	50	51	21	25	23	11	5	84	11	1	–	–	2	3	–	–	–	–
Scarlet Fever	0·10	0·11	0·08	47	26	21	3	7	9	6	3	28	13	2	1	1	–	1	–	–	–	1
Diphtheria	0·22	0·22	0·22	105	51	54	3	10	13	14	14	54	33	7	4	3	2	1	1	1	–	–
Whooping-cough	0·29	0·23	0·35	141	54	87	37	46	15	14	6	138	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–
Enteric Fever	0·27	0·26	0·29	133	62	71	1	1	7	2	5	16	15	12	10	13	17	23	14	6	7	–
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	1	–	–	1	1	–	1	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·47	0·50	0·45	229	117	112	142	16	1	1	1	161	1	–	–	–	1	2	3	6	18	37
Cholera	0·00	–	0·00	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·85	0·71	0·98	411	167	244	–	1	–	2	–	3	1	2	3	1	10	40	89	97	114	51
Tabes Mesenterica	0·21	0·25	0·16	100	60	40	62	14	4	–	2	82	1	5	1	3	1	2	1	3	2	–
Tubercle	1·84	1·91	1·74	884	460	434	4	13	6	–	3	26	14	21	65	95	284	171	122	78	44	14
Other Tub. & Scrof. Dis.	0·34	0·33	0·35	165	79	86	32	23	7	9	6	77	34	13	10	6	6	7	7	3	1	1
Diseases of: Nervous System	2·71	2·85	2·57	1314	674	640	231	30	13	15	5	289	29	23	13	25	60	99	131	104	226	205
Circulatory ,,	2·26	2·21	2·31	1098	523	575	1	–	–	–	–	1	4	11	20	16	40	71	120	201	340	274
Respiratory ,,	3·35	3·80	2·91	1623	898	725	325	119	44	24	19	531	45	10	18	21	48	70	109	100	202	200
Digestive ,,	1·16	1·25	1·07	563	296	267	113	24	6	1	4	148	10	11	19	14	25	40	63	88	99	52
Urinary ,,	0·57	0·86	0·30	277	202	75	2	4	3	1	1	11	2	4	7	8	25	24	28	58	67	43
Generative ,,	0·06	0·01	0·11	31	3	28	–	–	–	–	–	–	–	–	1	3	4	5	6	3	5	4
Puerperal Fever	0·11	–	0·21	51	–	51	–	–	–	–	–	–	–	–	2	15	23	10	1	–	–	–
Childbirth	0·09	–	0·17	43	–	43	–	–	–	–	–	–	–	–	–	5	17	21	–	–	–	–
Violence	0·74	1·17	0·33	358	277	81	26	13	6	3	3	58	25	17	25	19	40	50	48	24	34	19
Other Causes	3·46	3·60	3·35	1678	846	832	604	27	14	4	3	652	18	18	17	20	42	57	60	98	246	485

Marriages		3,302	Annual Rate per 1000 living { Persons Married	13·62	Deaths from Childbirth and Puerperal Fever	6·98 per 1000 Births.
Births { Males	6,842	13,459	Births	27·76		
Females	6,617					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

352.—OSWESTRY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·16	†111	–	–	–	–	37·87	4·93	3·09	3·68	5·49	8·26	10·14	14·35	27·23	65·70	163·04
Annual Death-Rate per 1000. Males	—	Standard 16·94	†126	–	–	–	–	41·26	4·36	2·56	3·28	5·98	8·51	10·64	16·17	32 34	66·55	183·41
Annual Death-Rate per 1000. Females	—	Population* 15·42	†96	–	–	–	–	34·49	5·51	3·62	4·12	5·02	8·02	9·64	12·59	22·32	64·88	147·75
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·27 per cent.	27,248	706	679	692	665	707	3449	3308	3108	2747	2130	3553	2920	2467	1921	1134	506
Mean Population, 1881-91. Males		13,567	355	331	350	316	369	1721	1674	1560	1435	1054	1751	1447	1212	940	556	217
Mean Population, 1881-91. Females		13,681	351	348	342	349	338	1728	1634	1548	1312	1076	1807	1473	1255	981	578	289
Deaths from All Causes, 1881-90. Persons	17·69	4,820	895	220	94	54	43	1306	163	96	101	117	294	296	354	523	745	825
Deaths from All Causes, 1881-90. Males	18·46	2,504	514	106	45	22	23	710	73	40	47	63	149	154	196	304	370	398
Deaths from All Causes, 1881-90. Females	16·93	2,316	381	114	49	32	20	596	90	56	54	54	145	142	158	219	375	427

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·18	0·19	50	24	26	6	19	8	3	4	40	10	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·27	0·25	70	36	34	5	10	9	9	5	38	28	3	–	1	–	–	–	–	–	–
Diphtheria	0·08	0·05	0·11	22	7	15	1	1	2	2	–	6	7	3	2	–	2	–	1	1	–	–
Whooping-cough	0·15	0·11	0·18	40	15	25	22	12	3	1	1	39	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	1	1	–	1	–	–	–	–	1	1	–	–
Enteric Fever	0·18	0·12	0·23	48	16	32	1	–	–	1	–	2	6	1	7	7	7	5	6	6	1	–
Simple Continued Fever	0·04	0·04	0·04	11	6	5	–	–	1	–	2	3	2	1	1	–	1	–	1	1	1	–
Diarrhœa and Dysentery	0·21	0·23	0·19	57	31	26	33	4	2	–	–	39	2	–	–	–	1	–	1	3	6	5
Cholera	0·00	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·48	0·78	172	65	107	–	–	–	–	–	–	–	1	–	–	7	15	38	53	33	25
Tabes Mesenterica	0·23	0·26	0·20	63	35	28	31	13	4	–	–	48	3	2	1	2	2	–	–	3	2	–
Phthisis	1·52	1·61	1·43	413	218	195	8	5	2	3	1	19	8	14	31	47	125	74	46	32	16	1
Other Tub. & Scrof. Dis.	0·32	0·30	0·33	86	41	45	21	10	5	1	1	38	16	13	7	2	5	3	–	1	1	–
Diseases of Nervous System	2·60	2·80	2·40	709	380	329	206	33	7	9	6	261	17	14	8	4	13	24	38	61	162	107
Diseases of Circulatory „	1·81	1·61	2·00	492	218	274	1	–	1	–	–	2	8	9	4	8	19	27	50	109	153	103
Diseases of Respiratory „	3·13	3·44	2·83	854	467	387	201	82	36	16	15	350	22	9	7	7	31	35	59	91	124	119
Diseases of Digestive „	1·31	1·50	1·12	356	203	153	73	9	1	1	3	87	7	6	9	10	11	28	38	72	50	38
Diseases of Urinary „	0·43	0·57	0·29	118	78	40	1	–	1	–	–	2	3	1	2	2	3	13	14	17	38	23
Diseases of Generative „	0·05	–	0·10	14	–	14	–	–	–	–	–	–	–	–	2	1	1	2	5	2	–	1
Puerperal Fever	0·09	–	0·18	25	–	25	–	–	–	–	–	–	–	–	–	2	13	9	1	–	–	–
Childbirth	0 09	–	0 18	25	–	25	–	–	–	–	–	–	–	–	–	5	8	12	–	–	–	–
Violence	0·69	1·08	0·29	187	147	40	6	6	7	4	3	26	12	9	6	10	22	25	25	18	15	19
OTHER CAUSES	3·68	3·79	3·60	1003	514	489	278	16	5	4	1	304	11	9	14	9	23	24	30	52	143	384

Marriages	1,711	Annual Rate per 1000 living	Persons Married	12·56
Births – Males	4,087		Births	29·51
Births – Females	3,954	8,041		

Deaths from Childbirth and Puerperal Fever – 6·22 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

353.—ELLESMERE.

Causes of Death.	Crude Death Rate per 1000	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	Persons	In Standard Population* 13·48	†100	–	–	–	–	30·73	3·97	2·13	3·47	5·24	5·86	9·19	11·40	34·21	53·42	140·23
	Males	14·02	†124	–	–	–	–	36·18	3·75	2·05	3·34	4·15	5·66	9·71	11·13	26·36	56·30	148·37
	Females	12·98	†74	–	–	–	–	24·80	4·18	2·20	3·60	6·21	5·86	8·70	11·66	22·12	50·52	150·00
Mean Popu-lation, 1881–91.	Persons	Decennial Decrease of Population 0·09 per cent. 13,715	315	296	320	310	321	1562	1543	1551	1412	1126	1710	1426	1272	1045	775	323
	Males	6,805	160	154	173	156	164	807	747	780	718	539	855	690	620	516	389	153
	Females	6,910	155	142	147	154	157	755	796	771	694	586	855	736	652	529	386	170
Deaths from All Causes 1881–90.	Persons	16·10 2,208	345	69	42	11	13	480	60	33	49	59	102	131	145	253	414	483
	Males	16·81 1,151	222	35	23	7	5	292	28	16	24	22	51	67	69	136	219	227
	Females	15·39 1,057	123	34	19	4	8	188	32	17	25	37	51	64	76	117	195	255

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·05	0·04	0·06	7	3	4	3	1	–	–	1	5	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·12	0·12	21	13	8	2	2	5	2	–	11	8	1	–	–	1	–	–	–	–
Diphtheria	0·10	0·06	0·14	14	4	10	1	–	3	–	3	7	6	1	–	–	–	–	–	–	–
Whooping-cough	0·20	0·18	0·22	27	12	15	14	7	3	1	1	26	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·09	13	6	6	–	–	–	1	1	2	1	1	3	–	2	–	1	1	1
Simple Continued Fever	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Diarrhœa and Dysentery	0·25	0·31	0·19	34	21	13	13	2	1	–	–	16	–	–	–	–	–	–	2	1	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·80	0·54	1·06	110	37	73	–	–	–	–	–	–	–	–	–	–	3	7	21	30	33
Tabes Mesenterica	0·09	0·07	0·10	12	5	7	4	2	1	–	–	7	2	–	1	2	–	–	–	–	–
Phthisis	1·29	1·37	1·22	177	93	84	2	2	–	–	1	5	1	6	17	31	39	31	25	19	3
Other Tub. & Scrof. Dis.	0·13	0·13	0·17	21	9	12	6	1	4	–	2	13	3	2	2	1	–	–	–	–	–
Nervous System	2·25	2·47	2·04	309	168	141	69	13	2	2	–	86	5	4	1	1	9	17	36	30	66
Circulatory "	2·10	2·01	2·20	289	137	152	3	–	–	–	–	3	3	4	4	3	17	25	63	95	63
Respiratory "	2·47	2·72	2·13	339	192	147	54	19	13	3	2	91	11	1	4	2	10	21	15	38	82
Digestive "	0·78	1·16	0·81	135	79	56	12	7	–	1	–	20	3	2	4	6	2	7	9	27	36
Urinary "	0·41	0·32	0·39	42	23	20	1	–	1	–	–	2	2	1	1	1	5	5	–	11	7
Generative "	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	4
Puerperal Fever	0·07	–	0·14	10	–	10	–	–	–	–	–	–	–	–	–	–	7	3	–	–	–
Childbirth	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–
Violence	0·25	1·04	0·22	36	71	15	5	3	3	–	1	17	6	5	4	4	6	7	7	12	10
Other Causes	3·99	4·30	3·84	544	278	266	156	5	6	1	1	169	7	4	6	6	8	9	14	21	68

Marriages		763	Annual Rate per 1000 living	Persons Married	11·13
Births	Males	1,787		Births	25·18
	Females	1,664	3,451		

Deaths from Childbirth and Puerperal Fever 5·21 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·65	†86	–	–	–	–	31·08	2·58	2·71	3·11	5·70	7·91	8·39	10·55	23·84	54·02	154·44
Males	—	Standard 14·45	†91	–	–	–	–	34·00	2·71	2·62	2·68	4·69	7·89	7·89	12·97	27·29	59·72	183·78
Females	—	Population* 12·89	†81	–	–	–	–	28·19	2·46	2·81	3·59	6·75	7·93	8·86	8·27	20·51	48·68	130·66
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·22 per cent.	10,342	221	227	235	257	260	1200	1200	1144	997	790	1264	1085	986	843	585	248
Males		5,152	102	109	120	128	138	597	591	610	523	405	608	532	478	414	283	111
Females		5,190	119	118	115	129	122	603	609	534	474	385	656	553	508	429	302	137
Deaths from All Causes, 1881–90. Persons	16·50	1,706	240	66	34	21	12	373	31	31	31	45	100	91	104	201	316	383
Males	17·59	906	128	35	19	15	6	203	16	16	14	19	48	42	62	113	169	204
Females	15·41	800	112	31	15	6	6	170	15	15	17	26	52	49	42	88	147	179

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·12	0·10	11	6	5	5	4	1	–	1	11	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·19	0·13	17	10	7	–	1	3	3	1	8	5	3	–	–	1	–	–	–	–	–
Diphtheria	0·07	0·08	0·06	7	4	3	–	–	–	–	1	1	3	1	2	–	–	–	–	–	–	–
Whooping-cough	0·26	0·16	0·37	27	8	19	18	7	7	–	–	27	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·04	0·08	6	2	4	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·19	0·29	25	10	15		–	1	2	–	8	1	–	–	–	–	1	–	4	4	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·58	0·91	77	30	47	–	–	–	–	–	–	–	1	–	2	1	8	10	21	25	9
Tabes Mesenterica	0·10	0·12	0·08	10	6	4	2	1	1	1	1	6	2	–	–	1	1	–	–	–	–	–
Phthisis	1·72	1·57	1·87	178	81	97	1	1	–	–	–	2	1	7	20	17	48	32	19	23	8	1
Other Tub. & Scrof. Dis.	0·20	0·17	0·23	21	9	12	7	3	1	2	1	14	1	2	–	1	1	–	–	1	1	–
Diseases of Nervous System	1·84	1·96	1·71	190	101	89	43	6	4	1	–	54	–	5	–	2	9	5	7	25	47	33
Diseases of Circulatory „	1·61	1·59	1·62	166	82	84	–	1	–	–	–	1	–	2	1	1	3	6	15	30	60	47
Diseases of Respiratory „	3·07	3·80	2·33	317	196	121	54	34	12	5	3	108	7	5	2	4	12	8	14	38	59	60
Diseases of Digestive „	1·23	1·38	1·08	127	71	56	7	3	1	3	1	15	4	2	–	4	6	5	19	28	30	14
Diseases of Urinary „	0·44	0·76	0·13	46	39	7	–	–	–	–	–	–	–	–	–	4	6	5	19	28	30	14
Diseases of Generative „	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	1	1	6	2	6	18	12
Puerperal Fever	0·05	–	0·10	5	–		–	–	–	–	–	–	–	–	–	–	1	6	2	6	18	12
Childbirth	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	1	3	1	–	–	5	–
Violence	0·67	1·05	0·29	69	54	15	–	–	–	–	–	–	–	–	–	4	1	3	–	–	–	–
OTHER CAUSES	3·77	3·83	3·73	391	197	194	6	1	2	2	1	12	2	1	4	4	5	6	7	7	10	11
							97	4	1	2	2	106	4	2	1	2	7	7	9	18	49	186

Marriages – – – 566

Births – Males – 1,399 } 2,782
Females – 1,383 }

Annual Rate per 100 living { Persons Married 10·95 / Births – – 26·90

Deaths from Childbirth and Puerperal Fever – – – – – } 4·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

355.—WHITCHURCH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons –	In Standard Population*		13·91	†106	–	–	–	–	36·48	3·10	2·23	3·33	3·48	5·14	7·18	11·24	23·74	58·51	156·97
	Males –			13·79	†122	–	–	–	–	40·26	3·06	2·22	3·10	3·70	5·56	7·56	8·63	22·22	56·57	148·31
	Females –			14·10	†89	–	–	–	–	32·59	3·13	2·24	3·55	3·28	4·79	6·85	13·81	25·19	60·34	164·66
Mean Population, 1887–91.	Persons –	Decennial Estimate of Population 4·03 per cent.		11,473	268	258	281	273	288	1368	1357	1258	1172	978	1517	1211	1005	792	564	251
	Males –			5,600	133	135	146	132	149	693	686	632	581	460	702	567	498	387	274	118
	Females –			5,873	135	125	135	141	139	675	671	626	591	518	815	644	507	405	290	133
Deaths from All Causes, 1881–90.	Persons –	15·97		1,832	352	79	30	26	12	499	52	28	30	34	78	87	113	188	330	394
	Males –	13·89		890	206	35	19	16	3	279	21	14	18	17	39	43	43	80	155	175
	Females –	16·04		942	146	44	11	10	9	220	21	14	21	17	39	44	70	102	175	219
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·23	0·15	22	13	9	3	7	1	6	1	18	2	2	–	–	–	–	–	–
Scarlet Fever	0·15	0·11	0·19	17	6	11	–	3	5	–	2	10	2	1	2	2	–	–	–	–
Diphtheria	0·13	0·12	0·14	15	7	8	–	1	2	1	–	4	7	2	–	1	1	–	–	–
Whooping-cough	0·48	0·50	0·46	55	26	27	28	16	5	3	2	54	–	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·07	9	5	4	–	1	–	1	1	3	–	–	2	–	1	1	1	1
Simple Continued Fever	0·02	0·04	–	2	2	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·35	0·39	0·31	40	22	18	23	3	–	–	–	26	1	–	–	–	1	1	1	1
Cholera	0·02	0·02	0·02	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	0·82	0·57	1·06	94	32	62	–	–	–	–	–	–	–	–	–	–	2	5	15	21
Tabes Mesenterica	0·07	0·05	0·09	8	3	5	3	3	–	1	–	6	–	1	–	–	–	1	–	–
Phthisis	1·19	1·29	1·11	137	72	65	1	1	–	–	–	2	4	6	14	12	36	26	21	10
Other Tub. & Scrof. Dis.	0·24	0·30	0·17	27	17	10	8	2	2	–	1	13	8	3	2	–	–	–	–	1
Diseases of: Nervous System	2·34	2·41	2·26	268	135	133	68	5	1	4	2	80	6	3	4	3	8	4	13	29
Circulatory „	2·10	1·82	2·37	241	102	139	1	–	1	–	–	2	–	3	3	3	6	9	20	46
Respiratory „	2·01	2·11	1·91	230	118	112	49	18	6	4	–	77	1	–	2	3	3	7	11	20
Digestive „	1·26	1·27	1·26	145	71	74	32	10	–	2	–	44	1	3	5	3	5	5	12	18
Urinary „	0·42	0·48	0·36	48	27	21	1	–	–	–	–	1	3	–	2	–	2	8	4	8
Generative „	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	–	–	1	1	1	2
Puerperal Fever	0·02	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·04	–	0·09	5	–	5	–	–	–	–	–	–	–	–	1	1	3	–	2	–
Violence	0·50	0·57	0·46	57	32	25	4	5	5	2	2	18	2	2	2	4	3	2	2	2
Other Causes	3·48	3·52	3·44	401	197	204	131	4	1	2	1	139	5	1	3	3	7	4	12	22

Marriages	–	–	744	Annual Rate per 1000 living	Persons Married 12·97
Births	Males –	1,887	3,320		Births – 28·94
	Females –	1,887			

Deaths from Childbirth and Puerperal Fever – 2·11 per 1000 Births.

* See pages xxv., xxvi.

† The death-rates under one year of age are per 1000 Births.

356.—MARKET DRAYTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·76	†110	–	–	–	–	37·79	3·16	1·70	3·49	4·12	5·30	8·20	10·28	22·50	54·42	145·54
Annual Death-Rate per 1000. Males	—	Standard 14·45	†126	–	–	–	–	42·68	3·85	1·52	2·80	4·34	4·58	8·71	12·50	25·85	52·92	147·65
Annual Death-Rate per 1000. Females	—	Population* 13·10	†93	–	–	–	–	32·83	2·44	1·89	4·25	3·92	5·91	7·74	8·21	19·22	55·83	143·64
Mean Population, 1881-91. Persons	Decennial Decrease of Population 3·59 per cent.	14,523	329	346	347	340	358	1720	1743	1647	1432	1116	1850	1586	1342	1071	702	314
Mean Population, 1881-91. Males		7,151	160	171	184	169	183	867	884	853	750	530	852	746	648	530	342	149
Mean Population, 1881-91. Females		7,372	169	175	163	171	175	853	859	794	682	586	998	840	694	541	360	165
Deaths from All Causes, 1881–90. Persons	15·66	2,275	437	136	40	19	18	650	55	28	50	46	98	130	138	241	382	457
Deaths from All Causes, 1881–90. Males	16·56	1,184	253	73	26	9	9	370	34	13	21	23	39	65	81	137	181	220
Deaths from All Causes, 1881–90. Females	14·80	1,091	184	63	14	10	9	280	21	15	29	23	59	65	57	104	201	237

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·24	0·15	28	17	11	7	11	3	2	1	24	4	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·03	0·07	7	2	5	–	1	–	–	1	2	4	–	–	–	–	–	–	–
Diphtheria	0·14	0·17	0·12	21	12	9	1	4	2	1	1	9	6	3	1	1	–	1	–	–	–	–
Whooping-cough	0·27	0·25	0·28	39	18	21	24	8	3	2	–	37	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·07	0·08	0·05	10	6	4	–	–	–	1	–	1	–	1	2	1	–	3	2	–	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·24	0·22	33	17	16	19	4	–	–	1	24	–	–	–	–	2	–	–	2	3	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·55	0·75	94	39	55	–	–	–	–	–	–	–	–	–	–	7	12	19	22	28	6
Tabes Mesenterica	0·13	0·17	0·09	19	12	7	10	2	4	–	1	17	–	2	–	–	–	–	–	–	–	–
Phthisis	1·05	1·09	1·00	152	78	74	5	1	–	1	–	7	4	5	22	14	28	27	21	18	5	1
Other Tub. & Scrof. Dis.	0·37	0·43	0·30	53	31	22	16	5	6	1	1	29	7	6	4	–	5	1	1	–	–	–
Diseases of Nervous System	1·91	1·96	1·86	277	140	137	61	23	4	1	3	92	3	1	3	6	8	11	9	32	53	59
Diseases of Circulatory „	1·78	1·68	1·89	259	120	139	–	–	–	–	–	–	–	3	3	4	9	18	18	52	89	63
Diseases of Respiratory „	3·14	3·68	2·62	456	263	193	106	56	11	4	6	183	14	1	2	2	7	13	33	42	77	82
Diseases of Digestive „	1·07	1·16	0·99	156	83	73	34	12	1	1	1	49	6	3	2	4	3	9	10	29	25	16
Diseases of Urinary „	0·40	0·53	0·27	58	38	20	3	1	–	–	–	4	–	2	–	2	3	8	6	8	12	13
Diseases of Generative „	0·03	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–
Puerperal Fever	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–	–
Childbirth	0·09	–	0·18	13	–	13	–	–	–	–	–	–	–	–	1	2	3	7	–	–	–	–
Violence	0·51	0·85	0·18	74	61	13	5	5	5	4	2	21	5	–	5	2	3	5	8	8	11	6
OTHER CAUSES	3·50	3·44	3·58	510	246	264	145	3	1	1	–	150	–	1	5	7	12	10	10	27	79	209

Marriages – – 855

Births { Males – 2,011 / Females – 1,969 } 3,980

Annual Rate per 1000 living { Persons Married 11·77 / Births – – 27·40

Deaths from Childbirth and Puerperal Fever – – – – – 5·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

357.—WELLINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons –	In Standard Population*		16·80	†140	–	–	–	–	51·22	5·65	2·45	3·57	5·18	6·77	8·60	11·82	27·06	57·82	150·34
	Males –			17·48	†157	–	–	–	–	56·28	5·03	1·51	2·51	4·36	6·37	8·69	12·85	32·57	68·13	160·96
	Females –			16·19	†125	–	–	–	–	45·95	6·29	3·38	4·66	6·12	7·16	7·52	10·86	23·30	56·19	142·52
Mean Population, 1881–90.	Persons –	Decennial Decrease of Population 9·08 per cent.		25,281	686	622	606	685	626	3352	3303	1936	2463	1855	3077	2712	2292	1653	1093	441
	Males –			12,799	342	311	336	368	354	1711	1719	1555	1395	987	1566	1341	1128	829	480	187
	Females –			12,482	344	311	330	317	339	1641	1633	1511	1068	866	1561	1401	1164	824	549	254
Deaths from All Causes, 1881–90.	Persons –	18·12		4,581	1155	285	140	78	59	1717	199	75	88	96	207	217	271	462	595	663
	Males –	18·35		2,872	657	152	78	47	34	968	86	24	35	43	96	106	145	270	503	301
	Females –	17·70		2,209	498	133	67	31	25	754	104	51	53	53	111	111	126	192	292	362

	Persons	Males.	Females.	Persons	Males.	Females.
Smallpox –	0·01	0·02	–	2	2	–
Measles –	0·27	0·22	0·33	69	28	41
Scarlet Fever –	0·59	0·55	0·62	148	70	78
Diphtheria –	0·22	0·27	0·18	56	34	22
Whooping-cough	0·40	0·41	0·40	102	52	50
Typhus – –	0·01	0·01	0·02	3	1	2
Enteric Fever – –	0·19	0·20	0·18	48	26	22
Simple Continued Fever	–	–	–	–	–	–
Dysentery and Tropical Dysentery	0·63	0·55	0·72	160	70	90
Cholera	–	–	–	–	–	–
Cancer – –	0·60	0·48	0·72	151	61	90
Tabes Mesenterica	0·18	0·22	0·14	45	28	17
Phthisis –	1·25	1·10	1·40	316	141	175
Other Tub. & Scrof. Dis.	0·50	0·52	0·48	127	67	60
Diseases of Nervous System –	2·27	2·45	2·10	575	313	262
" Circulatory "	1·52	1·45	1·59	384	185	199
" Respiratory "	3·51	3·82	3·19	887	489	398
" Digestive "	1·12	1·15	1·09	283	147	136
" Urinary "	0·41	0·52	0·29	105	67	38
" Generative "	0·05	0·01	0·10	13	1	12
Puerperal Fever –	0·08	–	0·16	20	–	20
Convulsions –	0·04	–	0·09	11	–	11
Violence –	0·58	0·89	0·26	146	114	32
Other Causes –	3·69	3·69	3·64	932	476	456

	Persons	Males.	Females.	Persons	Males.	Females.
Under 1 Year –	1·01	1·02	–	2	2	–
1– –	0·27	0·22	0·33	69	28	41
2– –	0·59	0·55	0·62	148	70	78
3– –	0·22	0·27	0·18	56	34	22
4– –	0·40	0·41	0·40	102	52	50
5– –	0·01	0·01	0·02	3	1	2
10– –	0·19	0·20	0·18	48	26	22
15– –	–	–	–	–	–	–
20– –	0·63	0·55	0·72	160	70	90
25– –	–	–	–	–	–	–
35– –	0·60	0·48	0·72	151	61	90
45– –	0·18	0·22	0·14	45	28	17
55– –	1·25	1·10	1·40	316	141	175
65– –	0·50	0·52	0·48	127	67	60
75 and upwards –	2·27	2·45	2·10	575	313	262

Smallpox –	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles –	20	20	11	4	2	57	11	–	–	–	–	–	1	–	–	–	–	–	–	–
Scarlet Fever –	10	20	26	27	13	96	47	2	1	2	–	–	–	–	–	–	–	–	–	–
Diphtheria –	–	5	9	5	8	27	22	4	1	–	–	–	–	–	–	–	2	–	–	–
Whooping-cough	56	24	18	3	3	99	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus – –	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Enteric Fever – –	–	4	2	1	–	7	9	4	4	4	7	5	3	5	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery and Tropical Dysentery	96	12	4	1	–	113	–	1	1	1	3	4	2	10	7	18	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer – –	–	–	1	–	–	1	1	–	–	–	1	11	31	50	43	13	–	–	–	–
Tabes Mesenterica	31	7	3	–	–	41	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Phthisis –	7	6	1	2	2	18	13	9	31	36	89	54	32	24	8	2	–	–	–	–
Other Tub. & Scrof. Dis.	35	28	10	4	4	81	16	12	4	5	4	2	2	1	–	–	–	–	–	–
Diseases of Nervous System –	201	19	11	4	7	242	17	10	7	9	11	20	33	54	102	70	14	1	–	–
" Circulatory "	2	–	–	–	1	3	2	5	7	4	16	23	37	76	113	98	13	2	–	–
" Respiratory "	232	97	31	12	10	382	20	10	7	5	19	34	42	108	129	131	31	3	–	–
" Digestive "	68	8	3	1	2	82	8	4	7	4	7	12	28	43	58	29	9	1	–	–
" Urinary "	2	2	1	3	1	9	2	–	1	4	8	7	17	18	25	12	1	–	–	–
" Generative "	1	1	–	–	–	2	–	–	1	–	3	2	4	2	–	–	–	–	–	–
Puerperal Fever –	–	–	–	–	–	–	–	–	–	3	8	3	1	–	–	–	–	–	–	–
Convulsions –	–	–	–	–	–	–	–	–	1	1	3	3	1	–	–	–	–	–	–	–
Violence –	35	13	8	5	6	10	2	14	28	18	6	3	2	1	1	1	1	1	–	–
Other Causes –	422	5	5	8	12	18	13	21	40	98	290	1	1	1	1	1	1	1	–	–

Marriages –	1,062	Annual Rate per 1000 living	Persons Married	13·15
Births – Males	4,187		Births – –	32·52
Births – Females –	4,094	Deaths from Childbirth and Puerperal Fever – – – –		3·77 per 1000 Births.
	8,281			

* See page xxxvi, ante.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population* 15·12	†123	–	–	–	–	41·05	4·60	2·60	3·05	5·24	6·12	8·44	11·26	26·62	55·72	153·35
Annual Death Rate per 1000. Males	—	In Standard Population* 15·99	†134	–	–	–	–	45·38	4·48	2·76	3·44	5·13	6·00	8·64	11·90	30·37	58·66	169·13
Annual Death Rate per 1000. Females	—	In Standard Population* 14·29	†112	–	–	–	–	36·65	4·71	2·44	2·58	5·35	6·24	8·25	10·65	23·19	52·86	141·24
Mean Population, 1881-91. Persons	Decennial Decrease of Population 7·08 per cent.	14,842	388	333	392	379	374	1866	1804	1730	1443	1127	1829	1517	1376	1082	725	343
Mean Population, 1881-91. Males	Decennial Decrease of Population 7·08 per cent.	7,391	202	170	188	203	178	941	892	868	784	585	884	741	672	517	358	149
Mean Population, 1881-91. Females	Decennial Decrease of Population 7·08 per cent.	7,451	186	163	204	176	196	925	912	862	659	542	945	776	704	565	367	194
Deaths from All Causes, 1881-90. Persons	17·59	2,610	532	116	65	26	27	766	83	45	44	59	112	128	155	288	404	526
Deaths from All Causes, 1881-90. Males	18·45	1,364	295	66	37	14	15	427	40	24	27	30	53	64	80	157	210	252
Deaths from All Causes, 1881-90. Females	16·72	1,246	237	50	28	12	12	339	43	21	17	29	59	64	75	131	194	274

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·14	0·23	0·05	21	17	4	5	8	2	1	3	19	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·32	0·35	0·28	47	26	21	5	7	8	5	7	32	12	1	–	–	–	1	1	–	–	–
Diphtheria	0·11	0·12	0·11	17	9	8	–	–	1	1	1	3	9	4	–	1	–	–	–	–	–	–
Whooping-cough	0·32	0·27	0·36	47	20	27	21	14	6	1	2	44	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·12	0·16	21	9	12	–	–	–	–	–	–	1	3	1	4	4	1	1	4	2	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·47	0·46	0·48	70	34	36	47	6	4	–	2	59	1	1	–	–	–	–	–	–	–	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–
Cancer	0·81	0·60	1·02	120	44	76	–	–	–	–	–	–	–	1	–	–	2	8	17	33	40	20
Tabes Mesenterica	0·13	0·15	0·12	20	11	9	7	3	4	2	–	16	1	1	–	–	1	–	1	–	–	–
Phthisis	1·19	1·14	1·24	176	84	92	3	1	–	1	1	6	2	5	12	23	51	37	15	19	6	–
Other Tub. & Scrof. Dis.	0·28	0·27	0·28	41	20	21	19	6	2	2	–	29	5	2	1	1	1	2	–	–	–	–
Diseases of Nervous System	2·15	2·30	2·00	319	170	149	83	9	8	2	1	103	10	3	4	2	5	12	17	38	60	65
Diseases of Circulatory	1·95	1·92	1·97	289	142	147	2	–	–	–	–	2	2	5	2	6	10	10	27	63	88	74
Diseases of Respiratory	3·37	3·75	2·99	500	277	223	112	43	17	6	4	182	10	5	6	3	13	12	27	50	90	102
Diseases of Digestive	1·16	1·35	0·97	172	100	72	49	7	1	–	1	58	4	1	3	3	3	12	15	27	28	18
Diseases of Urinary	0·46	0·53	0·39	68	39	29	3	2	1	–	–	6	3	2	3	1	2	5	8	13	14	11
Diseases of Generative	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Puerperal Fever	0·07	–	0·15	11	–	11	–	–	–	–	–	–	–	–	–	1	7	3	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–	–
Violence	0·60	0·85	0·35	89	63	26	5	3	6	4	2	20	7	7	5	6	3	9	8	8	8	8
Other Causes	3·84	4·04	3·66	571	299	272	171	7	5	1	3	187	11	5	7	6	7	11	17	29	68	223

Marriages – – 900

Births – Males – 2,209 } 4,325
Females – 2,116 }

Annual Rate per 1000 living { Persons Married 12·13 / Births – – 29·14

Deaths from Childbirth and Puerperal Fever – – – – } 3·93 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

359.—STAFFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons			In Standard Population*			0·13	–	–	–	–	14·10	4·41	2·48	4·55	7·61	11·64	18·29	30·42	36·14	58·08	136·61
	Males						0·15	–	–	–	–	15·30	4·80	2·46	4·25	8·78	12·86	23·43	35·88	39·17	79·96	179·46
	Females						0·11	–	–	–	–	12·87	5·01	3·17	4·85	6·52	10·43	16·06	17·07	33·11	43·20	155·42
Mean Population, 1881–91.	Persons			50,568			757	714	767	775	789	3802	3976	3416	3664	2382	4320	3449	2931	1896	1483	456
	Males	Decennial Increase of Population 6·12 per cent.		15,264			395	357	382	392	411	1937	1859	1715	1854	1235	2167	1781	1336	914	590	222
	Females			15,304			362	357	385	383	378	1865	1816	1701	1810	1149	2153	1668	1595	982	893	234
Deaths from All Causes, 1881–90.	Persons			6,149			1150	317	105	69	48	1689	162	91	141	198	393	648	550	669	747	757
	Males			3,302			615	163	55	35	27	889	91	47	66	110	278	364	313	358	392	398
	Females			2,847			538	154	50	34	21	801	71	44	75	88	237	284	237	311	355	359

	Persons	Males	Females	Persons	Males	Females	Persons.															
Smallpox	0·01	0·01	0·01	8	4	4	–	–	–	–	1	1	1	–	2	1	–	3	–	–	–	–
Measles	0·27	0·25	0·28	84	41	43	17	26	10	13	5	71	11	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·11	0·10	0·10	33	18	15	3	5	4	1	3	20	8	2	2	–	–	–	1	–	–	–
Diphtheria	0·08	0·05	0·09	25	11	14	–	1	2	2	–	5	16	1	–	–	–	–	–	–	–	–
Whooping-cough	0·38	0·33	0·42	115	50	65	68	34	7	2	1	113	2	–	–	–	–	–	–	–	–	–
Enteric Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa Fever	0·08	0·08	0·08	25	13	12	–	–	–	–	1	1	2	4	3	1	3	2	4	–	–	–
Simple Continued Fever	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Diarrhœa and Dysentery	0·36	0·37	0·35	110	56	54	56	9	2	3	–	70	2	1	–	–	4	3	2	14	8	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·47	0·75	187	71	116	–	–	1	–	–	1	2	–	–	1	5	18	31	58	56	15
Tabes Mesenterica	0·15	0·15	0·15	45	20	25	19	7	3	2	1	32	6	1	–	3	2	1	–	–	–	–
Other Tubercular Diseases	2·43	2·45	2·53	746	392	354	36	20	3	1	1	61	15	18	54	79	181	171	103	52	10	2
Cancer, Tabes & Scrof. Dis.	0·32	0·35	0·29	99	54	45	22	18	11	3	3	57	14	6	9	4	4	4	1	–	–	–
Nervous System	3·91	4·27	3·55	1195	607	588	197	59	14	12	12	294	33	10	17	27	113	216	171	144	93	77
Organs of Circulation	1·92	1·71	2·15	589	280	309	–	–	–	3	1	4	4	10	9	11	37	46	91	120	145	112
Respiratory Organs	2·68	3·04	2·33	822	477	345	147	82	28	17	11	285	28	4	13	15	46	59	55	114	124	79
Digestive Organs	0·94	0·92	0·96	289	151	138	59	19	4	1	2	85	8	4	3	11	22	25	33	48	36	14
Urinary Organs	0·31	0·40	0·22	94	61	33	3	1	3	–	2	9	–	1	3	1	7	14	7	19	27	6
Generative Organs	0·04	0·01	0·08	13	1	12	–	–	–	–	–	–	–	1	1	2	1	4	2	–	1	1
Puerperal Fever	0·09		0·18	27	–	27	–	–	–	–	–	–	–	–	–	3	12	9	3	–	–	–
Childbirth	0·05		0·09	14	–	14	–	–	–	–	–	–	–	–	1	1	6	6	–	–	–	–
Violence	0·69	1·00	0·41	215	152	63	14	6	3	5	1	29	7	2	12	25	34	30	20	15	24	10
Ill-defined Causes	4·53	5·66	4·08	1411	774	637	510	30	5	4	3	552	3	18	12	12	22	35	26	76	223	435

Marriages - 1,[illegible]

Births - Males 1,[illegible] / Females [illegible]

Annual Rate per 1000 living { Persons Married [illegible] / Births - [illegible]

Deaths from Childbirth and Puerperal Fever } 4·32 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

360.—STONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·88	†138	–	–	–	–	51·09	3·99	3·13	4·53	5·59	7·69	11·94	16·50	29·32	56·25	156·95
Males	—	19·07	†155	–	–	–	–	57·99	4·18	2·81	4·46	6·16	7·51	12·32	18·91	30·84	59·79	165·99
Females	—	16·76	†120	–	–	–	–	44·11	3·82	3·44	4·61	5·11	7·85	11·59	14·24	27·90	53·43	149·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·99 per cent.	30,443	804	753	789	788	773	3907	3755	3509	3154	2719	4200	3242	2594	1852	1072	439
Males		14,635	419	371	396	386	392	1964	1842	1707	1526	1250	1984	1542	1253	895	475	197
Females		15,808	385	382	393	402	381	1943	1913	1802	1628	1469	2216	1700	1341	957	597	242
Deaths from All Causes, 1881–90. Persons	18·15	5,524	1356	366	129	66	79	1996	150	110	143	152	323	387	428	543	603	689
Males	19·62	2,872	789	204	70	35	41	1139	77	48	68	77	149	190	237	276	284	327
Females	16·78	2,652	567	162	59	31	38	857	73	62	75	75	174	197	191	267	319	362

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·31	0·23	82	45	37	14	29	18	5	7	73	7	1	1	–	–	–	–	–
Scarlet Fever	0·31	0·33	0·28	94	49	45	7	15	19	14	12	67	21	3	–	1	1	–	1	–	–	–
Diphtheria	0·07	0·05	0·09	22	8	14	–	1	–	4	4	9	7	2	2	–	1	1	–	–	–	–
Whooping-cough	0·26	0·24	0·28	79	35	44	36	27	5	4	3	75	3	–	–	–	–	1	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·22	0·21	0·22	66	31	35	–	1	3	–	1	5	5	13	10	10	9	6	2	2	3	1
Simple Continued Fever	0·02	0·02	0·03	7	3	4	–	–	–	–	–	–	1	2	–	1	2	–	–	1	–	–
Diarrhœa and Dysentery	0·53	0·69	0·38	161	101	60	108	17	2	–	3	130	1	1	–	–	1	1	4	4	5	14
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Cancer	0·55	0·46	0·62	166	68	98	–	–	–	–	–	–	–	1	1	–	8	22	32	46	40	16
Tabes Mesenterica	0·17	0·24	0·11	52	35	17	24	10	6	1	4	45	2	3	1	–	–	–	1	–	–	–
Phthisis	1·65	1·78	1·53	503	261	242	11	5	–	1	1	18	8	22	55	61	112	104	69	42	12	–
Other Tub. & Scrof. Dis.	0·19	0·21	0·18	59	30	29	24	8	4	1	5	42	6	1	5	–	2	2	–	–	–	1
Diseases of Nervous System	2·87	3·08	2·68	875	451	424	334	57	24	10	17	442	29	14	8	11	18	33	38	78	107	97
Diseases of Circulatory „	1·73	1·63	1·83	528	238	290	3	1	–	–	–	4	6	11	12	11	23	46	70	124	120	101
Diseases of Respiratory „	3·58	4·18	3·02	1090	612	478	226	133	35	17	16	427	23	10	16	15	44	70	113	104	126	142
Diseases of Digestive „	1·27	1·34	1·20	386	196	190	89	29	3	2	1	124	8	7	8	15	21	30	46	60	43	24
Diseases of Urinary „	0·34	0·51	0·18	104	75	29	1	2	1	–	–	4	4	1	1	3	13	8	14	13	26	17
Diseases of Generative „	0·03	0·02	0·04	10	3	7	–	–	–	–	–	–	–	–	–	1	3	–	2	2	2	–
Puerperal Fever	0·08	–	0·15	24	–	24	–	–	–	–	–	–	–	–	1	2	11	9	1	–	–	–
Childbirth	0·10	–	0·19	30	–	30	–	–	–	–	–	–	–	–	–	6	9	15	–	–	–	–
Violence	0·45	0·67	0·24	136	98	38	6	5	3	2	1	17	8	6	5	6	23	11	14	20	14	12
Other Causes	3·45	3·64	3·28	1047	532	515	472	26	6	5	4	513	11	12	17	9	22	27	20	47	105	264

Marriages – – 1,978

Births – Males – 5,092 } 9,822
Females – 4,730 }

Annual Rate per 1000 living { Persons Married 12·99 / Births – – 32·26

Deaths from Childbirth and Puerperal Fever – – – – – } 5·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

361.—NEWCASTLE-UNDER-LYME.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	5–	55–	65–	75 and upwards.
Annual Death-rate per 1000. Persons	—	In Standard Population* 19·08	†139	-	-	-	-	53·30	4·13	3·09	3·56	5·34	7·16	10·30	17·37	33·57	76·15	179·29
Annual Death-rate per 1000. Males	—	In Standard Population* 20·00	†167	-	-	-	-	60·09	4·38	3·06	3·07	3·29	6·38	10·85	18·59	35·61	83·06	192·11
Annual Death-rate per 1000. Females	—	In Standard Population* 18·20	†120	-	-	-	-	46·47	3·88	3·13	4·14	6·80	7·86	10·12	16·12	31·47	69·49	168·82
Mean Population, 1881-91. Persons	Decennial Increase of Population 8·29 per cent.	36,408	1007	1001	1010	989	1027	5134	4747	4284	3799	3145	3015	3981	2301	1556	998	348
Mean Population, 1881-91. Males	Decennial Increase of Population 8·29 per cent.	18,127	580	494	503	492	527	2596	2474	2155	1957	1651	2553	2084	1474	1011	630	192
Mean Population, 1881-91. Females	Decennial Increase of Population 8·29 per cent.	17,671	547	507	507	517	500	2548	2373	2079	1842	1544	2462	1897	1427	985	508	186
Deaths from All Causes, 1881-90. Persons	18·46	6,665	1747	515	241	147	86	2736	196	131	128	168	358	448	504	676	740	606
Deaths from All Causes, 1881-90. Males	19·39	3,527	1036	291	148	57	50	1582	104	66	60	65	163	224	274	366	457	292
Deaths from All Causes, 1881-90. Females	17·59	3,138	761	224	193	69	36	1484	92	65	68	103	195	194	230	310	283	314

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·04	0·05	0·03	13	9	4	-	1	-	1	2	4	2	-	-	1	1	3	1	1	-	-	-
Measles	0·60	0·68	0·52	217	126	91	54	74	33	26	12	198	19	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·14	0·15	0·14	52	28	24	2	5	9	10	5	31	17	3	-	1	-	-	-	-	-	-	-
Diphtheria	0·07	0·07	0·06	24	13	11	1	-	3	-	5	11	7	2	-	1	2	-	-	1	-	-	-
Whooping-cough	0·35	0·27	0·44	126	49	77	71	23	16	7	2	119	7	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	0·01	-	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Enteric Fever	0·19	0·17	0·21	69	32	37	-	1	1	1	2	5	12	10	8	10	9	10	5	-	-	-	-
Simple Continued Fever	0·04	0·03	0·05	14	6	8	-	3	-	3	-	6	-	1	-	3	3	-	-	1	-	-	-
Diarrhœa and Dysentery	0·30	0·58	0·42	181	107	74	101	22	4	1	1	129	3	1	1	-	5	3	4	7	18	10	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·55	0·40	0·71	190	74	125	-	-	-	-	-	-	-	-	-	1	-	5	28	52	52	52	9
Tabes Mesenterica	0·21	0·20	0·22	75	37	38	32	17	4	2	4	59	4	3	2	1	4	-	-	1	1	-	-
Phthisis	1·33	1·29	1·37	480	238	242	3	6	5	1	1	16	8	30	36	60	130	86	66	35	12	1	2
Other Tub. & Scrof. Dis.	0·30	0·28	0·33	110	51	59	28	22	5	1	6	62	12	12	6	2	5	3	4	3	1	-	-
Diseases of Nervous System	2·75	2·92	2·56	991	539	452	395	76	29	13	10	523	29	18	11	20	21	34	53	109	117	65	3
Diseases of Circulatory	0·90	0·78	1·04	326	143	183	-	1	-	1	1	3	4	8	8	12	8	42	46	82	86	27	1
Diseases of Respiratory	4·14	4·63	3·63	1495	853	642	354	152	68	35	22	651	36	14	12	11	42	75	142	187	193	132	21
Diseases of Digestive	1·03	1·11	0·94	371	204	167	102	22	6	1	6	137	9	5	7	7	17	27	39	58	48	16	1
Diseases of Urinary	0·45	0·52	0·38	163	95	68	1	3	3	1	-	8	3	2	3	2	8	17	25	39	41	15	1
Diseases of Generative	0·03	0·01	0·06	11	1	10	3	-	-	-	-	3	-	-	-	1	1	1	2	3	1	-	-
Puerperal Fever	0·12	-	0·24	43	-	43	-	-	-	-	-	-	-	-	-	1	11	21	6	1	-	-	-
Childbirth	0·07	-	0·15	27	-	27	-	-	-	-	-	-	-	-	-	2	4	10	11	-	-	-	-
Violence	0·60	0·90	0·29	216	165	51	15	10	8	6	6	45	7	12	18	9	35	27	21	23	16	3	-
Other Causes	4·04	4·25	3·81	1460	785	675	636	58	15	7	1	717	17	10	10	9	31	44	44	77	174	327	39

Marriages - - - 2076

Births { Males 1007 / Females 1007

Annual Rate of 1000 Living { Persons Married 13·81 / Births - - 35·78

Deaths from Childbirth and Puerperal Fever - - - - } 5·43 per 1000 Births.

* Standard Population [illegible].

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		22·43	†176	–	–	–	–	71·62	4·71	2·70	4·14	5·51	6·91	12·17	21·64	40·42	82·03	160·42
Annual Death-Rate per 1000. Males	—			In Standard Population*		24·07	†196	–	–	–	–	80·00	4·52	2·81	3·97	5·04	6·00	13·03	26·67	45·06	89·26	164·88
Annual Death-Rate per 1000. Females	—			In Standard Population*		20·87	†156	–	–	–	–	63·64	4·90	2·59	4·33	5·99	7·87	11·25	16·60	35·99	75·96	157·09
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·85 per cent.			79,559			2527	2183	2298	2274	2159	11441	10656	9396	8420	7276	11267	8626	6323	3899	1775	480
Mean Population, 1881-91. Males	Decennial Increase of Population 10·85 per cent.			39,788			1238	1076	1119	1106	1041	5580	5263	4654	4329	3654	5752	4476	3161	1904	810	205
Mean Population, 1881-91. Females	Decennial Increase of Population 10·85 per cent.			39,771			1289	1107	1179	1168	1118	5861	5393	4742	4091	3622	5515	4150	3162	1995	965	275
Deaths from All Causes, 1881-90. Persons	20·99			16,699			5420	1630	617	327	200	8194	502	254	349	401	779	1050	1368	1576	1456	770
Deaths from All Causes, 1881-90. Males	22·32			8,879			3042	852	298	177	95	4464	238	131	172	184	345	583	843	858	723	338
Deaths from All Causes, 1881-90. Females	19·66			7,820			2378	778	319	150	105	3730	264	123	177	217	434	467	525	718	733	432
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·02	0·02	16	9	7	2	–	–	–	–	2	1	–	2	2	3	3	1	1	1	–
Measles	0·74	0·76	0·72	591	303	288	136	226	103	55	33	553	37	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·28	0·25	213	112	101	11	31	48	33	26	149	56	5	–	2	1	–	–	–	–	–
Diphtheria	0·03	0·04	0·03	26	14	12	3	4	4	2	3	16	3	2	2	2	1	–	–	–	–	–
Whooping-cough	0·50	0·47	0·53	399	188	211	173	132	47	25	12	389	10	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	8	5	3	–	–	–	–	–	–	1	1	3	2	1	–	–	–	–	–
Enteric Fever	0·26	0·25	0·27	208	101	107	2	2	7	3	1	15	29	29	42	16	38	18	17	3	1	–
Simple Continued Fever	0·04	0·04	0·04	34	17	17	1	1	4	2	–	8	5	7	3	–	4	3	1	2	1	–
Diarrhœa and Dysentery	1·03	1·12	0·95	823	447	376	578	106	20	7	2	713	6	–	1	4	6	5	12	28	30	18
Cholera	0·01	0·02	0·01	11	8	3	4	2	1	–	–	7	–	–	–	–	–	1	2	1	–	–
Cancer	0·46	0·37	0·55	364	146	218	2	–	1	–	1	4	–	1	4	5	13	37	96	122	70	12
Tabes Mesenterica	0·50	0·54	0·47	399	214	185	214	98	31	14	5	362	16	11	5	–	1	1	1	1	1	–
Phthisis	1·26	1·28	1·24	1003	511	492	19	12	7	4	4	46	22	33	107	125	214	220	165	52	18	1
Other Tub. & Scrof. Dis.	0·43	0·45	0·41	343	180	163	112	77	28	18	18	253	45	15	11	3	4	4	4	4	–	–
Diseases of Nervous System	3·39	3·54	3·23	2694	1409	1285	1396	187	77	27	18	1705	62	40	22	31	52	93	136	228	249	76
Diseases of Circulatory „	1·16	1·12	1·20	925	447	478	2	3	3	1	–	9	24	24	31	25	68	112	165	221	201	45
Diseases of Respiratory „	4·80	5·63	3·98	3820	2239	1581	908	489	167	84	51	1699	72	24	40	55	131	251	450	547	410	141
Diseases of Digestive „	1·15	1·15	1·15	914	457	457	256	123	15	10	3	407	26	8	14	24	39	70	121	121	64	20
Diseases of Urinary „	0·34	0·43	0·26	274	172	102	4	5	5	9	1	24	10	5	5	15	19	44	38	53	52	9
Diseases of Generative „	0·04	0·01	0·07	30	2	28	1	1	–	–	–	2	–	–	–	1	3	7	7	8	1	1
Puerperal Fever	0·13	–	0·25	100	–	100	–	–	–	–	–	–	–	–	6	27	34	32	1	–	–	–
Childbirth	0·12	–	0·24	94	–	94	–	–	–	–	–	–	–	–	4	14	45	29	2	–	–	–
Violence	0·58	0·88	0·27	458	352	106	16	19	24	18	16	93	42	31	25	22	57	51	54	45	29	9
OTHER CAUSES	3·72	3·91	3·51	2952	1546	1406	1580	112	25	15	6	1738	35	17	22	26	45	69	95	139	328	438

Marriages - - - 6,735

Births - Males - 15,540 / Females - 15,241 — 30,781

Annual Rate per 1000 living: Persons Married 15·67; Births - - 38·69

Deaths from Childbirth and Puerperal Fever - - - - - 6·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

363. STOKE-UPON-TRENT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons			In Standard Population*		24·78	†190	–	–	–	–	77·84	5·61	2·95	4·75	6·25	9·18	15·28	24·28	44·88	86·05	160·95
	Males					25·04	†207	–	–	–	–	84·39	5·91	3·12	4·48	5·87	8·99	17·16	29·78	57·86	92·39	172·56
	Females					22·74	†171	–	–	–	–	71·40	5·28	2·79	5·05	6·62	9·38	13·39	18·75	34·89	78·72	151·54
Mean Population, 1881–91.	Persons	Decennial Increase of Population 16·46 per cent.		112,886			3900	3140	3264	3068	3004	16172	14485	13181	11946	10432	10016	12226	8922	4754	2458	776
	Males			55,958			1779	1533	1668	1503	1503	8136	7155	6553	5926	5088	5117	6057	4465	2377	1383	399
	Females			56,928			1821	1616	1596	1565	1501	8036	7330	6628	6020	5344	4899	6169	4457	2377	1075	377
Deaths from All Causes, 1881–90.	Persons	23·35		26,360			8239	2453	915	555	379	12541	811	389	568	652	1,000	1,425	2,000	1,954	2115	1,926
	Males	25·15		14,073			4595	1219	488	276	189	6767	426	203	295	339	519	749	1119	1,046	1061	996
	Females	21·58		12,287			3694	1234	427	279	187	5821	385	186	303	313	769	845	880	1,908	1054	931

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	13	9	4	1	–	–	–	–	1	–	2	2	–	5	1	2	–	–	–
Measles	0·87	0·91	0·83	979	508	471	209	363	182	102	64	920	37	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·45	0·51	0·40	512	286	226	31	58	100	90	61	340	145	19	3	4	1	–	–	–	–	–
Diphtheria	0·07	0·07	0·06	78	41	37	9	9	9	12	8	47	22	4	–	2	1	–	–	2	–	–
Whooping-cough	0·42	0·34	0·49	470	193	277	226	136	55	25	17	459	11	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	0·31	0·34	0·28	347	189	158	2	6	5	8	13	34	48	45	45	30	57	42	21	13	3	–
Simple Continued Fever	0·03	0·03	0·03	31	15	16	3	1	1	1	3	9	3	3	4	3	5	3	1	–	–	–
Diarrhœa and Dysentery	1·14	1·19	1·09	1289	667	622	941	172	32	7	10	1162	7	–	1	3	9	8	12	22	34	32
Cholera	0·02	0·02	0·01	19	12	7	7	–	–	–	–	7	–	–	–	1	1	1	3	6	–	–
Cancer	0·50	0·38	0·63	569	211	358	–	2	1	–	–	3	3	–	3	4	20	88	156	160	109	23
Tabes Mesenterica	0·38	0·43	0·34	434	242	192	239	98	30	10	3	380	29	8	11	2	13	3	6	1	–	–
Phthisis	1·81	2·04	1·58	2038	1140	898	28	25	6	3	2	74	27	51	105	219	481	495	347	147	31	4
Other Tub. & Scrof. Dis.	0·36	0·41	0·31	404	229	175	136	68	36	25	10	275	11	14	18	16	18	7	9	3	1	–
Diseases of Nervous System	3·40	3·64	3·17	3841	2036	1805	1761	331	113	55	33	2293	129	51	53	60	111	155	128	332	329	149
Diseases of Circulatory System	1·47	1·31	1·44	1663	846	817	6	1	1	2	1	11	16	37	56	44	158	193	319	425	317	107
Diseases of Lungs	5·02	5·78	4·32	5667	3205	2462	1421	738	232	117	77	2585	104	30	40	64	240	438	632	727	620	208
Diseases of Digestive Organs	1·41	1·44	1·38	1591	805	786	510	220	26	10	14	780	37	18	24	30	60	106	152	204	126	39
Diseases of Urinary Organs	0·40	0·51	0·30	455	294	171	11	7	9	10	9	46	21	11	11	15	19	67	72	78	61	24
Diseases of Generative Organs	0·06	0·01	0·10	64	8	56	1	2	1	–	–	4	–		2	7	16	8	12	12	2	1
Puerperal Fever	0·11	–	0·22	123	–	123	–	–	–	–	–	–	–	–	4	30	52	35	2	–	–	–
Ovarian Tumours	0·09	–	0·19	106	–	106	–	–	–	–	–	–	–	–	6	25	35	23	–	–	–	–
Violence	0·81	1·17	0·47	919	653	266	51	42	37	46	24	200	82	48	47	41	112	110	93	51	58	27
Other Causes	4·21	4·45	3·93	4746	2493	2253	2706	174	39	23	20	2962	78	45	46	43	104	123	139	181	129	021

Marriages	9,201	Annual Rate per 1000 living	Persons Married	17·54	Deaths from Childbirth and Puerperal Fever	·21 per 1000 Births
Births	43,712		Births	38·72		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—		In	18·08		†136	–	–	–	–	51·29	4·16	2·75	4·56	6·11	7·45	10·13	14·87	29·66	67·47	166·67
	Males	—		Standard	18·56		†150	–	–	–	–	56·73	4·64	2·29	4·64	5·55	6·01	10·44	15·88	29·90	70·38	175·13
	Females	—		Population*	17·63		†123	–	–	–	–	46·07	3·70	3·20	4·48	6·60	8·72	9·84	13·89	29·42	64·67	159·29
Mean Population, 1881–91.	Persons	Decennial Increase of Population 6 94 per cent.		32,322			913	836	887	867	833	4336	4159	3752	3291	2734	4387	3506	2703	1915	1116	423
	Males			15,722			435	396	427	440	426	2124	2049	1877	1613	1280	2048	1677	1335	970	547	197
	Females			16,600			478	440	460	427	407	2212	2110	1875	1673	1454	2339	1829	1368	945	569	226
Deaths from All Causes, 1881–90.	Persons	18·34		5,927			1457	468	162	82	55	2224	173	103	150	167	327	355	402	568	753	705
	Males	19·20		3,019			802	244	91	41	27	1205	95	43	75	71	123	175	212	290	385	345
	Females	17·52		2,908			655	224	71	41	28	1019	78	60	75	96	204	180	190	278	368	360
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·45	0·43	0·48	146	67	79	42	67	16	10	4	139	6	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·29	0·30	0·29	95	47	48	7	14	16	16	9	62	27	6	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·10	0·11	34	15	19	4	4	3	3	2	16	11	3	3	–	–	–	–	–	1	–
Whooping-cough	0·29	0·25	0·32	93	40	53	51	27	12	2	–	92	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·14	0·17	0·12	46	26	20	–	–	–	–	1	1	7	5	9	6	4	7	3	4	–	–
Simple Continued Fever	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·60	0·67	0·54	194	105	89	128	19	5	–	–	152	1	–	–	1	–	–	5	6	16	13
Cholera	0·01	0·01	0·01	3	2	1	–	–	1	–	–	1	–	–	–	–	–	1	–	1	–	–
Cancer	0·45	0·36	0·54	146	56	90	–	–	–	–	–	–	1	–	1	–	6	13	29	49	38	9
Tabes Mesenterica	0·28	0·28	0·28	91	44	47	34	33	7	3	–	77	7	2	2	–	–	1	1	1	–	–
Phthisis	1·50	1·25	1·75	486	196	290	7	3	4	–	2	16	9	16	55	75	129	99	59	22	5	1
Other Tub. & Scrof. Dis.	0·38	0·46	0·31	124	72	52	23	28	15	7	4	77	18	12	6	2	7	–	1	1	–	–
Diseases of Nervous System	2·62	2·76	2·49	847	434	413	308	56	24	11	9	408	31	13	5	11	25	37	44	78	125	70
Diseases of Circulatory „	1·86	1·81	1·91	601	284	317	2	–	–	–	–	2	1	9	11	13	30	43	65	144	179	104
Diseases of Respiratory „	3·44	3·98	2·94	1113	625	488	298	148	42	19	14	521	19	7	12	12	27	43	75	124	160	113
Diseases of Digestive „	1·15	1·29	1·01	371	203	168	76	44	5	2	2	129	9	8	8	6	10	26	46	58	47	24
Diseases of Urinary „	0·45	0·53	0·38	147	84	63	2	–	4	2	4	12	5	1	2	5	12	11	18	16	48	17
Diseases of Generative „	0·03	0·01	0·06	11	1	10	–	–	–	–	–	–	–	–	1	1	2	–	1	4	1	1
Puerperal Fever	0·13	–	0·25	41	–	41	–	–	–	–	–	–	–	–	1	7	23	9	1	–	–	–
Childbirth	0·09	–	0·18	30	–	30	–	–	–	–	–	–	–	–	1	4	14	11	–	–	–	–
Violence	0·49	0·76	0·23	159	120	39	6	8	3	5	2	24	10	8	14	10	16	23	16	15	12	11
OTHER CAUSES	3·57	3·75	3·31	1144	594	550	469	17	5	2	2	495	9	13	19	12	20	30	38	45	121	342

Marriages - - - 1,923

Births - { Males - 5,356 / Females - 5,323 } 10,679

Annual Rate per 1000 living { Persons Married 11·90 / Births - - 33·04

Deaths from Childbirth and Puerperal Fever - - - - - 6·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

365.—CHEADLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate { Persons / Males / Females } per 1000	— / — / —	In Standard Population* 17·86	†128 / †144 / †110	–	–	–	–	11·78 / 10·38 / 13·02	4·15 / 4·23 / 4·06	2·67 / 2·52 / 2·85	1·46 / 1·20 / 1·77	3·43 / 6·49 / 6·36	5·48 / 8·95 / 8·03	9·52 / 10·41 / 8·79	14·20 / 18·52 / 11·78	27·45 / 30·62 / 23·30	58·57 / 61·73 / 55·77	156·79 / 140·73 / 164·05
Mean Population, { Persons / Males / Females } 1881-90.	Decennial Increase of Population 6·46 per cent.	97,444 / 11,754 / 11,690	657 / 337 / 320	623 / 310 / 313	640 / 321 / 319	603 / 293 / 310	645 / 317 / 328	3168 / 1578 / 1590	3088 / 1536 / 1552	2916 / 1585 / 1331	2355 / 1286 / 1069	1852 / 893 / 959	2985 / 1441 / 1544	2306 / 1153 / 1153	1918 / 918 / 1000	1489 / 725 / 764	909 / 452 / 457	368 / 187 / 181
Deaths (from All Causes), { Persons / Males / Females } 1881-90.	17·82 / 18·84 / 16·81	1,737 / 2,212 / 1,905	959 / 571 / 408	256 / 126 / 130	94 / 47 / 47	60 / 33 / 27	36 / 18 / 18	1425 / 795 / 630	128 / 65 / 63	78 / 40 / 38	105 / 54 / 51	110 / 58 / 61	253 / 129 / 124	208 / 120 / 108	289 / 170 / 119	199 / 242 / 208	545 / 278 / 266	577 / 280 / 297

	Persons	Males.	Females	Persons.	Males	Females	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·29	0·31	0·27	67	37	32	24	24	5	4	2	59	6	1	–	–	1	–	–	–	–
Scarlet Fever	0·42	0·36	0·49	99	42	57	6	13	14	16	9	58	30	6	3	–	1	1	–	–	–
Diphtheria	0·05	0·03	0·07	12	4	8	–	–	–	2	1	3	5	3	–	–	1	–	–	–	–
Whooping-cough	0·27	0·26	0·28	63	30	33	33	21	4	2	1	61	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·10	0·15	29	12	17	–	–	1	1	–	2	3	3	2	5	7	2	2	3	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·52	0·54	0·51	125	63	62	90	10	1	2	–	103	1	–	–	–	1	–	1	1	3
Cholera	0·03	0·03	0·02	6	4	2	–	–	–	1	–	1	1	–	–	–	1	–	–	2	–
Cancer	0·63	0·31	0·74	147	69	87	–	–	–	–	1	1	1	1	1	2	5	12	20	46	34
Tabes Mesenterica	0·25	0·26	0·24	59	31	28	23	13	4	–	2	42	4	2	3	2	2	2	–	2	1
Phthisis	1·37	1·23	1·48	320	147	173	5	5	1	1	–	12	4	13	24	48	82	64	44	22	8
Other Tub. & Scrof. Dis.	0·34	0·37	0·30	79	44	35	20	13	7	5	–	45	14	5	5	4	3	2	1	–	–
Diseases of: Nervous System	2·33	2·70	2·07	391	317	277	218	36	10	8	6	278	11	7	7	7	12	12	31	63	78
" Circulatory	1·89	1·92	1·87	444	226	218	4	2	1	–	1	7	3	8	7	6	21	28	55	102	125
" Respiratory	3·21	3·61	2·81	752	424	328	179	83	30	11	11	314	15	4	10	2	24	34	46	83	121
" Digestive	0·90	1·05	0·87	225	123	102	57	20	2	–	–	79	2	2	7	3	12	17	13	37	30
" Urinary	0·26	0·35	0·16	60	41	19	–	–	–	–	–	–	–	–	1	1	4	3	7	17	18
" Generative	0·03	–	0·06	7	–	7	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–
Puerperal Fever	0·09	–	0·19	22	–	22	–	–	–	–	–	–	–	–	1	4	14	3	–	–	–
Childbirth	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	1	3	7	–	–	–	–
Violence	0·83	1·31	0·42	194	157	87	7	2	5	6	2	22	5	8	14	16	14	26	22	16	9
OTHER CAUSES	3·45	3·82	3·15	854	449	405	313	14	10	1	–	338	11	15	18	16	11	16	36	40	39

Marriages	–	1,646	Annual Rate per 1000 living	Persons Married	14·01	Deaths from Childbirth and Puerperal Fever – – – –	5·08 per 1000 Births.
Births { Males / Females }	3,952 / 3,722	7,674		Births – –	38·76		

See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·11	†101	–	–	–	–	37·03	3·80	2·58	4·01	5·05	6·39	9·57	12·79	25·81	61·70	159·32
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·80	†108	–	–	–	–	39·10	5·07	2·61	3·93	4·28	5·60	10·49	16·35	28·46	67·30	170·15
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·45	†93	–	–	–	–	34·91	2·51	2·55	4·09	5·72	7·15	8·73	10·44	23·20	56·66	150·31
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·64 per cent.	14,344	349	335	364	354	356	1758	1686	1627	1470	1208	1908	1494	1235	992	671	295
Mean Population, 1881–91. Males	Decennial Increase of Population 3·64 per cent.	6,996	177	169	190	172	182	890	848	804	712	561	929	715	593	492	318	134
Mean Population, 1881–91. Females	Decennial Increase of Population 3·64 per cent.	7,348	172	166	174	182	174	868	838	823	758	647	979	779	642	500	353	161
Deaths from All Causes, 81–90. Persons	17·01	2,440	405	126	56	32	32	651	64	42	59	61	122	143	158	256	414	470
Deaths from All Causes, 81–90. Males	18·07	1,264	222	65	34	13	14	348	43	21	28	24	52	75	91	140	214	228
Deaths from All Causes, 81–90. Females	16·00	1,176	183	61	22	19	18	303	21	21	31	37	70	68	67	116	200	242

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·15	0·11	0·18	21	8	13	3	8	3	1	3	18	2	–	–	–	–	1	–	–	–
Scarlet Fever	0·17	0·17	0·18	25	12	13	6	1	5	5	4	21	4	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·19	0·05	17	13	4	1	–	–	2	2	5	8	3	–	–	–	1	–	–	–
Whooping-cough	0·15	0·14	0·16	22	10	12	10	3	5	2	–	20	1	–	1	–	–	–	–	–	–
Typhus	0·01	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Enteric Fever	0·04	0·04	0·04	6	3	3	–	–	–	–	1	1	–	–	–	–	2	1	1	1	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·26	0·33	0·20	38	23	15	16	5	2	4	2	29	1	–	–	–	–	1	2	–	2	3
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·66	0·56	0·75	94	39	55	–	–	–	–	–	–	–	–	–	–	3	3	18	25	24	21
Tabes Mesenterica	0·26	0·29	0·23	37	20	17	18	4	3	–	4	29	3	–	1	3	–	–	1	–	–	–
Phthisis	1·37	1·26	1·48	197	88	109	4	3	2	1	–	10	4	6	25	21	52	38	27	8	6	–
Other Tub. & Scrof. Dis.	0·42	0·46	0·38	60	32	28	20	11	5	4	2	42	8	4	2	1	–	–	1	1	1	–
Diseases of Nervous System	2·75	2·83	2·68	395	198	197	2	16	6	5	4	113	6	6	6	3	5	18	21	39	91	87
Diseases of Circulatory „	1·79	1·52	2·04	256	106	150	1	–	–	–	–	1	–	5	3	4	10	18	27	48	89	51
Diseases of Respiratory „	3·00	3·37	2·64	430	236	194	72	50	12	5	4	143	11	1	2	2	8	19	15	47	83	92
Diseases of Digestive „	1·32	1·63	1·03	190	114	76	25	7	1	–	2	35	4	7	4	3	11	14	12	41	42	17
Diseases of Urinary „	0·38	0·66	0·12	55	46	9	3	1	1	–	1	6	1	–	1	2	1	4	3	9	16	12
Diseases of Generative „	0·05	0·01	0·08	7	1	6	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–
Puerperal Fever	0·06	–	0·11	8	–	8	–	–	–	–	–	–	–	–	–	1	4	3	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–
Violence	0·63	0·96	0·31	90	67	23	2	4	5	2	2	15	4	4	5	5	9	7	10	10	9	12
OTHER CAUSES	3·35	3·49	3·23	480	244	236	142	13	5	1	1	162	6	6	7	7	13	12	16	26	50	175

Marriages - - 902

Births - Males 2,064 / Females 1,960 — 4,024

Annual Rate per 1000 living — Persons Married 12·58; Births 28·05

Deaths from Childbirth and Puerperal Fever - - - - - 3·48 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

367.—BURTON-UPON-TRENT.

Causes of Death	Annual Death Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Average				In Standard																		
Decennium				Population																		
1881																						
1882																						
1883																						
1884																						
1885																						
1886																						
1887																						
1888																						
1889																						
1890																						
Average				Increase																		
Decennium				Population																		
				per cent																		
1881	0·86																					
1882	0·79																					
1883	0·87																					
1884																						
1885																						
1886																						
1887																						
1888																						
1889																						
1890																						
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Smallpox	0·00	0·00	0·00	20	11	9	1	1	1	1	–	4	1	2	2	5	2	2	1	1	–	–
Measles	0·31	0·31	0·31	250	127	123	46	119	39	25	10	239	9	–	–	1	1					
Scarlet Fever	0·19	0·19	0·19	175	78	97	13	24	23	21	29	110	53	4	1	1	2	1				
Diphtheria	0·11	0·10	0·12	82	43	39	7	8	11	13	12	51	24		2	–	1	2	–	1	1	–
Whooping-cough	0·33	0·33	0·33	306	135	171	144	94	32	18	8	296	9			–	–		–	1		
Typhus	0·02	–	0·01	3	–	3	–	–	–	–	–	–	–	3	–	–	–					
Enteric Fever	0·16	0·17	0·16	127	63	64	–	1	4	1	1	7	12	15	14	23	31	11	8	3	3	–
Simple Continued Fever	0·02	0·02	0·01	14	10	4	2	4	–	1	1	8	1	1	–	1	1		1			1
Diarrhœa and Dysentery	0·53	0·52	0·53	411	213	198	269	63	18	5	2	357	3	–	2	3	2	2	1	11	12	18
Cholera	0·01	0·01	0·01	7	4	3	3	1	–	–	–	4	–	–	–	–	1	2				–
Phthisis	0·38	0·40	0·36	454	163	291	–	–	–	1	–	1	4	2	1	4	8	33	108	127	107	39
Heart Disease	0·22	0·23	0·22	190	114	85	95	47	15	7	3	167	12	6	1	4	5	2	1			
Bronchitis	1·54	1·53	1·54	1330	739	591	18	13	10	6	–	47	24	46	102	144	342	346	158	146	94	26
Pneumonia and Pleurisy	0·43	0·42	0·44	369	171	198	96	60	25	14	11	206	39	21	7	10	5	10	3	7	1	–
Diseases of Nervous System	2·28	2·70	1·88	1961	1091	873	677	114	39	29	20	879	59	29	23	34	72	117	167	145	76	173
Diseases of Organs of Circulation	1·29	1·29	1·29	1054	521	553	7	6	3	2	–	18	15	22	19	30	71	87	146	240	252	240
Diseases of Respiratory Organs	3·00	3·46	2·72	2447	1406	1041	673	321	127	72	51	1244	58	17	15	31	109	139	175	211	203	254
Diseases of Digestive Organs	0·87	0·97	0·83	721	393	328	144	51	10	7	5	217	16	10	16	19	38	35	32	43	41	54
Diseases of Urinary Organs	0·34	0·44	0·27	281	179	102	4	4	2	1	–	11	9	3	4	7	23	32	43	36	41	44
Childbirth, Accidental Deaths of Mothers	0·05	0·00	0·05	22	1	21	1	–	–	–	–	1	–	–	–	2	5	5	4	5	1	1
Diseases of Generative Organs	0·10	–	0·20	78	–	78	–	–	–	–	–	–	–	–	2	9	40	16	2	–	–	–
Diseases of Urinary Organs	0·06	–	0·12	47	–	47	–	–	–	–	–	–	–	–	1	7	26	6	–	–	–	–
Old Age	0·60	0·90	0·30	480	365	115	37	16	17	23	8	91	21	29	30	24	55	53	57	74	68	33
Violence, Accidents	3·12	3·39	2·84	2487	1361	1126	1229	64	12	12	5	1322	37	30	38	27	74	82	63	103	102	474
Summary																						
Deaths																						
Annual Rate per 1000 living		2·106																				
Persons Married																						
Births																						
Deaths from Childbirth and Pregnancy																						
Inquest																						

* Not known

* Two numbers recorded each year of Unascertained Deaths.

† Of these [illegible]

368.—TAMWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·13	†117	–	–	–	–	42·93	3·75	2·60	3·73	4·56	5·77	8·64	11·20	22·31	60·65	150·72
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·85	†134	–	–	–	–	49·41	3·55	2·20	3·13	4·12	4·79	9·05	11·00	24·83	64·64	165·35
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·44	†99	–	–	–	–	36·72	3·94	3·01	4·36	5·00	6·71	8·23	11·40	19·87	56·82	138·26
Mean Population, 1881-91. Persons	Decennial Increase of Population 12·39 per cent.	20,602	609	582	594	571	579	2935	2696	2459	2119	1666	2702	2188	1678	1179	704	276
Mean Population, 1881-91. Males	Decennial Increase of Population 12·39 per cent.	10,228	302	288	303	269	275	1437	1351	1228	1088	826	1316	1094	836	580	345	127
Mean Population, 1881-91. Females	Decennial Increase of Population 12·39 per cent.	10,374	307	294	291	302	304	1498	1345	1231	1031	840	1386	1094	842	599	359	149
Deaths from All Causes, 1881-90. Persons	15·62	3,219	815	232	94	67	52	1260	101	64	79	76	156	189	188	263	427	416
Deaths from All Causes, 1881-90. Males	16·46	1,684	473	123	54	32	28	710	48	27	34	34	63	99	92	144	223	210
Deaths from All Causes, 1881-90. Females	14·80	1,535	342	109	40	35	24	550	53	37	45	42	93	90	96	119	204	206

	Crude Death-Rate per 1000.			All Ages.			Persons.														
	Persons.	Males.	Females.	Persons.	Males.	Females.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·46	0·49	0·43	95	50	45	14	36	19	12	7	88	7	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·14	0·14	29	14	15	2	3	3	6	4	18	7	4	–	–	–	–	–	–	–
Diphtheria	0·13	0·13	0·13	26	13	13	–	1	6	2	3	12	11	1	1	–	1	–	–	–	–
Whooping-cough	0·27	0·27	0·27	56	28	28	30	15	4	3	2	54	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·08	0·15	24	8	16	–	1	1	2	1	5	4	6	1	2	4	1	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·50	0·56	0·44	103	57	46	66	10	2	2	–	80	–	–	–	–	–	2	1	2	4	14
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·48	0·30	0·65	98	31	67	–	–	–	–	–	–	–	–	–	1	5	6	20	26	28	12
Tabes Mesenterica	0·12	0·10	0·13	24	10	14	10	2	4	–	2	18	2	–	2	1	–	1	–	–	–	–
Phthisis	1·13	0·95	1·30	232	97	135	1	1	–	2	–	4	4	10	29	29	54	51	30	14	5	2
Other Tub. & Scrof. Dis.	0·30	0·37	0·22	61	38	23	22	6	4	2	4	38	5	6	4	4	2	2	–	–	–	–
Diseases of Nervous System	2·20	2·48	1·93	454	254	200	161	30	7	9	4	211	12	9	7	2	5	15	20	43	80	50
Diseases of Circulatory „	1·29	1·33	1·25	266	136	130	1	–	–	–	1	2	4	10	4	2	11	25	33	48	78	49
Diseases of Respiratory „	3·27	3·65	2·90	674	373	301	184	94	33	14	14	339	21	2	2	7	13	18	24	61	106	81
Diseases of Digestive „	0·92	0·98	0·87	190	100	90	32	13	1	3	3	52	5	3	1	3	9	15	25	24	37	16
Diseases of Urinary „	0·33	0·40	0·27	69	41	28	1	1	–	–	–	2	5	–	1	1	7	7	5	14	18	9
Diseases of Generative „	0·02	–	0·04	4	–	4	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	2
Puerperal Fever	0·12	–	0·23	24	–	24	–	–	–	–	–	–	–	–	2	4	13	4	1	–	–	–
Childbirth	0·08	–	0·15	16	–	16	–	–	–	–	–	–	–	–	1	3	6	6	–	–	–	–
Violence	0·64	0·97	0·32	132	99	33	7	6	5	6	4	28	3	4	12	13	10	19	12	8	14	9
Other Causes	3·10	3·25	2·98	641	334	307	284	13	4	4	3	308	9	9	12	4	16	17	15	23	53	72

Marriages - - - 1,287

Births - { Males - 3,538 / Females - 3,447 } 6,985

Annual Rate per 1000 living { Persons Married 12·49 / Births - - 33·90

Deaths from Childbirth and Puerperal Fever - - - - } 5·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

369.—LICHFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.		In Standard Population* 17·87	†115	–	–	–	–	40·26	4·29	2·91	4·03	6·02	7·79	12·26	17·12	30·79	66·69	156·69
	Persons –		107	–	–	–	–	44·59	3·88	3·01	3·55	4·96	7·96	13·17	18·78	34·13	75·44	163·45
	Males –		122	–	–	–	–	37·45	4·52	2·81	4·48	7·22	7·62	11·33	15·44	27·45	58·40	151·01
	Females –																	
Mean Population, 1881-91.	Persons –	39,686	1083	1049	1084	1064	1089	5366	5086	4462	3803	3574	3353	4355	3342	2426	1414	635
	Males –	20,275	537	529	521	537	557	2681	2501	2223	2227	1825	2740	2219	1677	1213	688	290
	Females –	19,411	546	520	563	524	532	2685	2585	2239	1576	1541	2613	2145	1665	1213	726	345
Deaths from all Causes, 1881-90.	Persons –	17·91	1458	415	132	86	77	2168	213	130	157	203	417	534	572	747	943	995
	Males –	18·54	815	225	70	41	42	1193	97	67	79	91	218	291	315	414	519	474
	Females –	17·26	643	190	82	55	35	1005	116	63	78	112	199	243	257	333	424	521

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox – – –	0·02	0·03	0·01	9	7	2	2	–	1	–	–	3	1	–	–	–	2	2	1	–	–	–
Measles – – –	0·30	0·30	0·29	118	61	57	28	40	20	9	9	106	10	1	–	–	–	1	–	–	–	–
Scarlet Fever – –	0·23	0·24	0·23	92	48	44	4	20	14	10	11	59	26	3	1	1	2	–	–	–	–	–
Diphtheria – –	0·08	0·08	0·09	33	16	17	–	5	3	7	2	17	9	2	3	–	–	–	–	2	–	–
Whooping-cough –	0·29	0·23	0·36	116	46	70	62	36	10	3	3	114	2	–	–	–	–	–	–	–	–	–
Typhus – – –	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever – –	0·15	0·13	0·16	58	26	32	2	–	–	–	1	3	11	10	8	7	4	5	5	4	1	–
Simple Continued Fever	0·02	0·01	0·02	6	3	3	1	–	–	1	–	2	1	1	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·35	0·36	0·33	138	73	65	66	17	3	1	1	87	2	–	1	1	4	1	–	5	13	24
Cholera – – –	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Cancer – – –	0·49	0·31	0·69	196	63	133	–	–	–	1	–	1	2	1	–	1	4	16	41	50	89	31
Tabes Mesenterica	0·18	0·19	0·16	71	39	32	36	18	6	4	–	64	3	2	1	–	–	–	–	1	–	–
Phthisis – – –	1·61	1·52	1·70	639	309	330	4	1	2	–	4	11	8	25	42	86	150	134	91	62	28	3
Other Tub. & Scrof. Dis.	0·38	0·41	0·35	151	83	68	50	28	12	3	3	96	16	8	11	6	6	4	–	2	1	1
Diseases of: Nervous System	3·18	3·26	3·09	1262	681	581	197	47	13	12	8	277	31	27	26	29	63	129	120	102	234	164
Circulatory „	1·56	1·60	1·51	618	325	293	2	1	–	–	1	4	5	8	12	15	24	52	87	120	173	118
Respiratory „	2·90	3·29	2·50	1151	666	485	260	121	47	27	23	478	29	10	8	12	37	50	88	136	160	145
Digestive „	0·49	1·00	0·98	894	203	191	97	36	1	2	1	137	12	2	5	9	10	24	44	59	58	34
Urinary „	0·42	0·54	0·29	167	110	57	1	2	1	3	1	8	6	2	4	3	13	19	19	26	44	23
Generative „	0·05	–	0·09	18	–	18	–	–	–	–	–	–	–	1	–	–	2	4	3	3	3	3
Puerperal Fever – –	0·11	–	0·23	44	–	44	–	–	–	–	–	–	–	–	2	10	23	9	–	–	–	–
Ophthalmia – –	0·08	–	0·15	30	–	30	–	–	–	–	–	–	–	–	–	4	7	19	–	–	–	–
Syphilis – – –	0·08	0·06	0·08	29	19	10	12	7	13	6	6	44	25	11	17	6	25	25	32	36	21	25
Other Causes – –	3·82	3·36	3·74	1524	800	724	634	36	7	7	3	687	14	16	14	11	39	39	40	79	147	458

Marriages – –	2,585	Annual Rate per 1000 living { Persons Married	13·78	Deaths from Childbirth and Puerperal Fever – – – –	5·82 per 1000 Births.
Births – { Males –	6,459	Births – –	33·04		
Females –	6,287				
	12,746				

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

370.—CANNOCK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·68	†135	–	–	–	–	47·83	4·20	2·57	3·79	4·29	5·47	7·87	12·18	26·53	58·56	132·06
Males	—	Standard 15·84	†146	–	–	–	–	50·80	4·24	2·56	2·99	4·09	5·09	7·57	12·48	27·88	60·27	135·81
Females	—	Population* 15·52	†123	–	–	–	–	44·79	4·15	2·58	4·92	4·56	5·90	8·21	11·86	25·03	56·76	128·11
Mean Population, 1881–91. Persons	Decennial Increase of Population per cent.	38,334	1202	1105	1144	1125	1126	5702	5264	4590	3535	3006	5206	4180	3161	2088	1156	446
Males		20,084	610	554	588	551	575	2878	2616	2343	2071	1689	2730	2207	1626	1101	594	229
Females	12·25	18,250	592	551	556	574	551	2824	2648	2247	1464	1317	2476	1973	1535	987	562	217
Deaths from All Causes, 1881–90. Persons	16·04	6,148	1871	497	191	87	81	2727	221	118	134	129	285	329	385	554	677	589
Males	16·18	3,249	1022	270	92	40	38	1462	111	60	62	69	139	167	203	307	358	311
Females	15·88	2,899	849	227	99	47	43	1265	110	58	72	60	146	162	182	247	319	278

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·01	0·02	6	2	4	1	–	1	–	–	2	1	–	–	1	2	–	–	–	–	–
Measles	0·26	0·23	0·28	98	46	52	22	33	21	12	2	90	6	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·26	0·27	103	53	50	7	14	25	9	14	69	26	5	2	–	–	1	–	–	–	–
Diphtheria	0·07	0·03	0·11	27	7	20	1	–	1	2	5	9	9	6	1	–	1	1	–	–	–	–
Whooping-cough	0·28	0·26	0·30	108	53	55	47	25	17	8	7	104	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	4	4	–	–	–	1	–	–	1	–	1	–	1	1	–	–	–	–	–
Enteric Fever	0·10	0·09	0·10	38	19	19	1	–	1	–	2	4	7	2	6	5	4	3	2	3	1	1
Simple Continued Fever	0·03	0·03	0·03	13	7	6	–	3	1	–	–	4	4	–	–	–	–	1	–	1	2	1
Diarrhœa and Dysentery	0·37	0·36	0·38	142	73	69	86	22	4	1	1	114	5	–	–	1	–	1	1	2	11	7
Cholera	0·02	0·01	0·02	6	2	4	2	1	–	–	–	3	–	–	–	–	1	1	1	–	–	–
Cancer	0·44	0·26	0·64	169	53	116	–	–	–	–	1	1	–	–	–	–	5	16	28	56	43	20
Tabes Mesenterica	0·33	0·32	0·35	127	64	63	79	26	7	1	6	119	5	2	–	–	–	1	–	–	–	–
Phthisis	0·94	0·91	0·98	361	182	179	7	5	2	–	–	14	11	11	39	52	80	78	47	19	7	3
Other Tub. & Scrof. Dis.	0·22	0·28	0·15	84	56	28	25	13	5	3	3	49	15	5	4	2	4	1	3	1	–	–
Diseases of Nervous System	2·37	2·44	2·30	909	489	420	382	60	17	12	11	482	32	10	10	12	20	34	50	67	115	77
Diseases of Circulatory „	1·51	1·41	1·62	580	284	296	2	2	1	–	–	5	9	8	19	9	33	44	61	138	161	93
Diseases of Respiratory „	3·00	3·21	2·78	1151	644	507	355	188	64	21	18	646	37	8	8	4	29	33	67	104	127	88
Diseases of Digestive „	1·00	0·97	1·04	383	194	189	81	27	6	4	3	121	14	7	6	6	14	26	50	54	65	20
Diseases of Urinary „	0·40	0·45	0·34	152	90	62	11	6	1	2	1	21	3	4	4	1	8	15	15	21	32	28
Diseases of Generative „	0·03	0·01	0·04	10	2	8	–	–	–	–	–	–	–	–	1	–	3	1	2	–	2	1
Puerperal Fever	0·09	–	0·19	34	–	34	–	–	–	–	–	–	–	–	3	7	11	11	2	–	–	–
Childbirth	0·08	–	0·16	30	–	30	–	–	–	–	–	–	–	–	–	4	14	12	–	–	–	–
Violence	0·69	1·08	0·26	265	217	48	11	10	11	8	3	43	18	32	15	17	28	23	32	33	17	7
Other Causes	3·51	3·54	3·52	1348	708	640	751	62	5	4	4	826	15	15	16	7	27	26	24	55	94	243

Marriages – – 2,481

Births – Males 6,987 / Females 6,879 = 13,866

Annual Rate per 1000 living: Persons Married 12·94; Births 36·17

Deaths from Childbirth and Puerperal Fever 4·62 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

371.—WOLVERHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		20·88	†161	–	–	–	–	65·55	5·41	2·92	3·98	4·95	7·30	11·45	18·36	36·88	76·01	156·54
Males	—					22·39	†174	–	–	–	–	70·16	5·55	2·79	3·94	4·99	7·29	12·68	20·42	41·21	80·44	171·19
Females	—					19·56	†148	–	–	–	–	60·93	5·27	3·06	4·03	4·91	7·30	10·23	16·35	32·63	66·52	145·43
Mean Population, 1881-90. Persons	Decennial Increase of Population 6·46 per cent.			150,167			4532	3927	4166	4028	4030	20743	18805	17355	15478	13195	21516	16053	12229	8589	4643	1821
Males				75,454			2257	1948	2110	2008	2059	10382	9454	8822	8001	6642	10786	8029	6034	4256	2212	656
Females				75,013			2275	1979	2056	2020	2031	10361	9451	8533	7477	6553	10729	8064	6195	4333	2431	865
Deaths from All Causes, 1881-90. Persons	20·73			31,126			8529	2779	1129	699	461	13597	1017	507	616	653	1570	1843	2245	3168	3529	2331
Males	21·98			16,580			4673	1440	589	362	220	7284	519	246	315	330	787	1018	1232	1754	1913	1123
Females	19·47			14,606			3856	1339	540	337	241	6313	498	261	301	323	783	825	1013	1414	1617	1208
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons															
Small-pox	0·04	0·05	0·03	59	35	24	12	5	2	1	2	22	7	1	9	4	7	8	1	–	–	–
Measles	0·52	0·53	0·51	783	397	386	148	309	135	88	46	723	54	5	–	–	1	–	–	–	–	–
Scarlet Fever	0·37	0·40	0·35	560	301	259	31	88	100	88	61	368	163	17	3	3	4	2	–	1	–	–
Diphtheria	0·09	0·08	0·09	131	60	71	4	10	11	16	20	61	45	16	4	1	4	–	–	–	–	–
Whooping-cough	0·44	0·43	0·50	663	321	373	206	228	90	52	16	672	18	2	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	14	9	5	–	–	–	–	–	–	1	1	–	2	2	5	1	–	1	–
Enteric Fever	0·17	0·19	0·14	248	142	106	–	3	5	5	10	23	27	25	44	30	41	20	22	10	6	–
Simple Continued Fever	0·02	0·02	0·03	32	13	19	3	2	2	3	3	12	8	1	1	2	3	–	1	2	2	–
Diarrhœa and Dysentery	1·63	1·08	0·98	1550	812	738	989	293	51	29	14	1376	14	1	3	3	3	7	16	30	53	44
Cholera	0·01	0·01	0·01	9	5	4	–	–	–	–	–	–	3	–	–	–	–	–	2	2	1	1
Cancer	0·47	0·34	0·61	711	254	457	1	1	3	1	1	7	3	2	1	3	25	88	203	194	135	82
Tabes Mesenterica	0·38	0·39	0·37	573	292	281	326	129	45	21	5	526	14	7	3	4	3	3	3	5	5	–
Phthisis	1·46	1·67	1·26	2196	1254	942	108	78	44	12	8	250	42	76	105	224	533	397	288	168	56	3
Other Tub. & Scrof. Dis.	0·30	0·34	0·26	453	256	197	136	82	37	25	16	296	43	39	27	18	15	13	6	3	3	–
Diseases of Nervous System	2·40	2·51	2·28	3601	1886	1715	1125	245	116	64	41	1591	123	70	55	60	105	152	256	441	466	255
Circulatory ,,	1·44	1·39	1·49	2168	1047	1121	15	3	1	–	1	20	39	43	65	46	142	244	326	529	511	206
Respiratory ,,	4·56	5·12	4·00	6847	3848	2999	1633	844	339	181	143	3140	195	46	53	59	234	351	527	898	916	426
Digestive ,,	1·15	1·19	1·12	1729	891	838	367	141	32	23	20	583	39	36	29	42	88	135	183	288	225	81
Urinary ,,	0·49	0·59	0·38	731	446	285	23	15	14	10	7	69	27	10	14	18	72	86	98	149	128	60
Generative ,,	0·04	0·01	0·08	66	4	62	4	2	–	–	3	9	2	1	1	4	9	11	12	11	4	2
Puerperal Fever	0·07	–	0·15	109	–	109	–	–	–	–	–	–	–	–	4	26	32	25	2	–	–	–
Childbirth	0·08	–	0·16	117	–	117	–	–	–	–	–	–	–	–	1	16	43	56	1	–	–	–
Violence	0·69	0·97	0·41	1035	728	307	101	42	46	47	30	266	91	56	68	46	89	90	103	99	91	37
Other Causes	4·48	4·66	4·25	6711	3519	3192	3208	259	66	33	17	3583	61	60	64	47	95	152	191	343	903	1313

Marriages 11,698

Births { Males 26,872 / Females 26,117 } 52,989

Annual Rate per 1000 living { Persons Married 14·66 / Births 35·29

Deaths from Childbirth and Puerperal Fever 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·06	†159	–	–	–	–	64·29	5·05	2·61	3·90	4·92	6·45	10·19	16·59	33·85	75·52	158·86
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·02	†175	–	–	–	–	69·16	4·99	3·05	3·86	4·46	6·31	10·84	17·35	37·61	79·54	169·38
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·15	†144	–	–	–	–	59·44	5·11	2·17	3·94	5·37	6·60	9·51	15·80	29·95	71·65	150·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·03 per cent.	92,109	2938	2565	2661	2571	2655	13390	12249	10762	9718	8381	13005	9796	7193	4591	2324	700
Mean Population, 1881–91. Males	Decennial Increase of Population 19·03 per cent.	46,255	1471	1279	1337	1289	1316	6692	6090	5382	4893	4212	6581	4961	3648	2337	1139	320
Mean Population, 1881–91. Females	Decennial Increase of Population 19·03 per cent.	45,854	1467	1286	1324	1282	1339	6698	6159	5380	4825	4169	6424	4835	3545	2254	1185	380
Deaths from All Causes, 1881–90. Persons	19·27	17,751	5561	1715	644	402	287	8609	619	281	379	412	839	998	1193	1554	1755	1112
Deaths from All Causes, 1881–90. Males	20·29	9,386	3100	849	325	201	153	4628	304	164	189	188	415	538	633	879	906	542
Deaths from All Causes, 1881–90. Females	18·24	8,365	2461	866	319	201	134	3381	315	117	190	224	424	460	560	675	849	570

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·09	0·09	0·08	79	41	38	9	8	–	4	2	23	7	9	10	14	10	4	2	–	–	–
Measles	0·45	0·41	0·48	412	190	222	90	156	80	39	21	386	23	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·55	0·55	0·55	509	256	253	35	90	77	84	62	348	138	15	1	3	1	2	1	–	–	–
Diphtheria	0·10	0·11	0·09	93	52	41	9	21	14	11	11	66	15	2	7	–	1	1	–	1	–	–
Whooping-cough	0·44	0·37	0·50	401	172	229	193	135	32	22	8	390	10	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	8	2	6	–	–	1	1	2	4	2	1	–	–	–	1	–	–	–	–
Enteric Fever	0·22	0·25	0·19	205	117	88	2	5	4	9	13	33	29	19	30	25	27	20	12	7	3	–
Simple Continued Fever	0·02	0·04	0·01	23	17	6	3	1	3	2	3	12	2	1	–	1	–	3	1	2	1	–
Diarrhœa and Dysentery	1·10	1·14	1·06	1013	526	487	671	178	45	9	7	910	14	3	4	–	7	7	9	14	29	16
Cholera	0·00	0·00	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Cancer	0·37	0·25	0·49	342	116	226	1	–	–	–	–	1	1	–	–	4	14	46	88	100	70	18
Tabes Mesenterica	0·40	0·40	0·40	371	186	185	263	65	15	5	3	351	6	5	2	4	1	–	1	1	–	–
Phthisis	1·14	1·20	1·09	1051	553	498	38	23	7	1	1	70	31	35	102	140	242	208	140	61	21	1
Other Tub. & Scrof. Dis.	0·22	0·27	0·17	201	124	77	64	54	22	11	4	155	13	3	8	8	7	2	2	2	1	–
Diseases of Nervous System	2·40	2·53	2·26	2207	1172	1035	869	198	75	41	27	1210	70	35	42	34	38	82	130	214	239	113
Diseases of Circulatory „	1·11	1·09	1·13	1022	505	517	10	4	2	1	–	17	19	18	26	26	72	119	173	244	223	85
Diseases of Respiratory „	4·28	4·76	3·79	3938	2200	1738	1053	517	187	102	59	1918	122	23	46	42	143	178	293	496	485	192
Diseases of Digestive „	1·01	1·04	0·97	927	483	444	231	95	16	7	12	361	27	18	17	20	43	76	118	111	106	30
Diseases of Urinary „	0·40	0·46	0·34	366	211	155	12	15	16	7	13	63	20	12	9	9	31	37	61	57	45	22
Diseases of Generative „	0·05	0·02	0·08	46	8	38	–	–	1	–	–	1	–	3	3	5	6	9	7	6	5	1
Puerperal Fever	0·09	–	0·18	82	–	82	–	–	–	–	–	–	–	–	–	4	14	43	20	1	–	–
Childbirth	0·07	–	0·14	63	–	63	–	–	–	–	–	–	–	–	–	9	24	29	1	–	–	–
Violence	0·62	0·93	0·31	570	428	142	21	24	27	28	21	121	36	46	41	20	60	64	68	56	34	24
Other Causes	4·13	4·38	3·92	3820	2025	1795	1987	126	0	18	18	2169	34	29	27	34	68	90	84	182	493	610

Marriages 6,695

Births Males 17,760 / Females 17,138 — 34,898

Annual Rate per 1000 living: Persons Married 14·54; Births 37·89

Deaths from Childbirth and Puerperal Fever 4·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

373.—WEST BROMWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-rate per 1000.	Persons —	In 1892 —	†163	–	–	–	–	65·61	5·19	2·81	3·81	4·81	6·37	9·38	15·81	32·40	71·56	161·03
	Males —	Standard 21·46 —	†181	–	–	–	–	72·43	5·33	2·93	4·04	4·58	6·84	9·90	18·26	36·70	79·46	171·11
	Females —	Population* 18·47 —	†144	–	–	–	–	59·05	5·04	2·68	3·56	5·03	5·92	8·17	13·44	28·52	64·52	153·01
Mean Popn. Estim., 1881-91.	Persons	Decennial Increase of Population 15·00 per cent.	134,373	4111	3691	3727	3734	3726	18889	17349	15765	14191	12266	19346	14397	10616	6855	3586	1103
	Males		66,347	2034	1823	1810	1836	1844	9347	8607	7828	7203	6029	9589	7075	5207	3324	1689	488
	Females		68,026	2077	1868	1917	1898	1882	9542	8742	7877	6988	6237	9757	7322	5409	3531	1897	615
Deaths from All Causes, 1881-90.	Persons 19·17		25,758	7952	2541	983	596	387	12459	900	444	540	590	1233	1546	1678	2427	2560	1776
	Males 20·59		13,662	4488	1294	481	309	176	6748	459	206	291	276	655	679	951	1270	1342	835
	Females 17·78		12,096	3464	1247	502	287	211	5711	441	235	249	314	578	869	727	1007	1224	941

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·16	0·18	0·13	209	121	88	22	3	8	4	2	39	11	16	33	39	43	19	10	8	1	–
Measles	0·45	0·45	0·45	601	296	305	133	250	98	56	31	568	28	4	1	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·23	0·24	311	146	165	29	75	81	70	57	312	111	15	1	1	3	1	–	–	–	–
Diphtheria	0·11	0·10	0·12	145	65	80	11	11	18	20	17	77	46	10	2	1	4	1	–	1	–	1
Whooping-cough	0·49	0·45	0·54	661	297	364	263	199	98	36	18	614	17	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	2	1	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·22	0·24	0·20	289	160	139	1	6	5	9	10	31	42	55	39	27	48	19	17	15	6	–
Simple Continued Fever	0·03	0·03	0·04	46	21	25	2	6	3	3	2	15	9	5	2	–	2	1	5	4	2	1
Diarrhœa and Dysentery	0·90	0·96	0·85	1215	640	575	771	220	38	11	6	1046	10	1	4	1	11	6	8	28	52	48
Cholera	0·01	0·01	0·00	7	4	3	4	1	–	–	–	5	–	–	–	–	–	1	–	1	–	–
Cancer	0·47	0·35	0·59	634	233	401	–	–	2	–	2	4	–	1	1	3	24	68	160	191	146	36
Tabes Mesenterica	0·38	0·41	0·35	513	274	239	272	139	29	15	9	464	20	7	5	6	5	3	2	1	–	–
Phthisis	1·07	1·18	0·97	1444	786	658	24	16	9	2	11	62	30	48	158	188	356	291	187	98	24	2
Other Tub. & Scrof. Dis.	0·29	0·33	0·25	391	222	169	124	94	29	23	14	285	44	15	16	13	11	6	1	1	1	–
Nervous System	2·33	2·54	2·11	3124	1685	1439	1142	254	107	65	32	1600	106	50	55	81	81	130	202	328	385	156
Circulatory	1·15	1·13	1·16	1540	750	790	12	5	2	2	2	23	31	40	40	44	120	132	227	358	396	115
Respiratory	4·05	4·62	3·50	5436	3065	2381	1447	786	314	195	99	2841	153	38	36	61	141	237	362	687	685	348
Digestive	1·03	1·03	1·03	1385	684	701	342	129	29	12	22	534	43	23	22	30	69	105	154	198	196	44
Urinary	0·35	0·43	0·28	477	287	190	23	15	8	9	4	59	21	11	9	11	34	45	76	99	79	34
Generative	0·06	0·01	0·11	83	5	78	3	1	2	–	–	8	–	2	3	3	16	23	13	9	3	1
Puerperal Fever	0·08	–	0·16	110	–	110	–	–	–	–	–	–	–	–	5	31	48	33	3	–	–	–
Childbirth	0·06	–	0·12	82	–	82	–	–	–	–	–	–	–	–	2	30	25	16	1	–	–	–
Violence	0·64	0·94	0·36	859	623	245	32	36	29	33	32	182	102	51	51	47	88	73	103	80	54	35
Other Causes	4·51	4·87	4·12	6054	3227	2807	3243	295	74	32	17	3663	75	40	62	65	106	118	147	220	577	1896

Marriages	10,025	Annual Rate per 1000 living	Persons Married 14·92
Births (Males 24,850 / Females 23,976)	48,826		Births 36·34
		Deaths from Childbirth and Puerperal Fever	3·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 20·34	†166	–	–	–	–	68·95	5·08	2·61	3·60	4·70	6·00	9·25	15·25	33·34	72·83	167·19
Males	—	Standard 21·50	†182	–	–	–	–	74·78	5·27	2·81	3·53	4·40	5·36	9·68	17·13	38·10	79·64	171·62
Females	—	Population* 19·25	†149	–	–	–	–	63·21	4·89	2·41	3·68	5·00	6·66	8·82	13·42	28·81	66·94	163·61
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·77 per cent.	141,464	4595	4113	4153	4104	4121	21086	19226	16746	14720	12070	19052	14451	10948	7705	4119	1341
Males		70,696	2317	2056	2022	1998	2065	10458	9617	8430	7673	6135	9556	7140	5418	3759	1911	599
Females		70,768	2278	2057	2131	2106	2056	10628	9609	8316	7047	5935	9496	7311	5530	3946	2208	742
Deaths from All Causes, 1881-90. Persons	20·51	29,011	9229	2957	1213	660	480	14539	977	437	530	567	1144	1336	1670	2569	3000	2242
Males	21·53	15,219	5156	1502	599	327	237	7821	507	237	271	270	512	691	928	1432	1522	1028
Females	19·49	13,792	4073	1455	614	333	243	6718	470	200	259	297	632	645	742	1137	1478	1214

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·08	0·07	0·08	108	52	56	16	2	2	3	1	24	15	6	16	16	16	8	6	1	–	–
Measles	0·56	0·58	0·55	797	409	388	179	302	145	77	48	751	45	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·56	0·58	0·55	798	410	388	51	138	145	125	89	548	215	29	–	4	2	–	–	–	–	–
Diphtheria	0·04	0·04	0·05	63	30	33	3	8	11	8	6	36	17	3	2	1	1	1	1	1	–	–
Whooping-cough	0·55	0·49	0·60	772	344	428	323	246	105	56	25	755	17	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	7	6	1	–	–	1	–	–	1	1	–	2	–	–	1	–	2	–	–
Enteric Fever	0·25	0·24	0·26	350	169	181	2	11	9	6	7	35	42	51	51	53	39	30	29	13	7	–
Simple Continued Fever	0·02	0·02	0·01	23	13	10	–	5	2	1	1	9	7	3	–	1	1	–	1	–	1	–
Diarrhœa and Dysentery	0·95	1·03	0·87	1348	729	619	819	295	61	24	5	1204	15	3	4	2	6	6	12	19	36	41
Cholera	0·01	0·01	0·00	8	5	3	2	1	–	–	–	3	–	–	–	–	–	1	2	2	–	–
Cancer	0·38	0·29	0·47	539	205	334	1	1	2	–	–	4	1	2	3	3	22	66	128	175	105	30
Tabes Mesenterica	0·39	0·44	0·34	552	313	239	275	159	53	16	11	514	19	3	3	3	3	5	1	1	–	–
Phthisis	0·83	0·80	0·86	1173	563	610	13	11	3	4	5	36	37	36	116	150	293	219	151	97	32	6
Other Tub. & Scrof. Dis.	0·22	0·25	0·20	315	177	138	79	60	44	24	10	217	28	20	10	5	18	7	6	3	1	–
Diseases of Nervous System	2·45	2·57	2·33	3467	1819	1648	1295	221	86	48	42	1692	83	53	49	36	88	132	207	397	503	227
Diseases of Circulatory „	1·16	1·09	1·23	1639	769	870	–	–	3	4	3	10	27	33	41	51	89	176	279	431	383	119
Diseases of Respiratory „	4·39	4·90	3·89	6209	3461	2748	1695	889	339	179	131	3233	171	38	41	66	164	256	358	740	803	339
Diseases of Digestive „	1·18	1·20	1·16	1669	849	820	463	206	29	12	17	727	31	28	44	30	68	114	173	240	171	43
Diseases of Urinary „	0·33	0·41	0·25	471	292	179	8	34	15	9	12	78	27	3	12	9	42	50	60	81	82	27
Diseases of Generative „	0·04	0·01	0·08	63	9	54	3	5	4	–	–	12	1	–	1	2	12	13	11	8	3	–
Puerperal Fever	0·07	–	0·14	100	–	100	–	–	–	–	–	–	–	–	6	21	48	25	–	–	–	–
Childbirth	0·07	–	0 15	104	–	104	–	–	–	–	–	–	–	–	5	15	48	33	3	–	–	–
Violence	0·73	1·09	0·37	1030	768	262	50	32	49	32	47	210	107	66	69	52	106	95	100	102	84	39
Other Causes	5·25	5·41	5·05	7406	3827	3579	3952	331	105	32	20	4440	71	59	55	47	78	98	142	256	789	1371

Marriages – – – 13,250

Births – Males – 28,345 / Females – 27,345 – 55,690

Annual Rate per 1000 living: Persons Married 18·73; Births – – 39·37

Deaths from Childbirth and Puerperal Fever – – – – – 3·66 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

375.—STOURBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000,	—	In 18·73 Standard 19·89 Population* 17·62	†156	–	–	–	–	69·78	4·56	2·18	3·59	4·29	6·06	8·51	14·43	36·63	87·86	164·09
	—		†171	–	–	–	–	69·14	4·69	2·47	3·43	3·76	5·78	8·64	16·19	39·64	89·39	177·75
	—		†142	–	–	–	–	57·72	4·44	1·89	3·78	4·85	6·39	8·38	12·76	22·91	67·44	152·58
Mean Population: 1881–90,	Decennial Increase of Population 6·03 per cent.	81,210	2468	2220	2270	2262	2216	11536	20787	9649	8230	6987	10895	8408	6472	4811	2995	894
		40,351	1227	1111	1126	1133	1136	5733	5305	4827	4090	3500	5378	4157	3157	2219	1486	409
		40,859	1241	1109	1144	1129	1080	5803	5387	4813	4236	3481	5557	4251	3315	2392	1509	485
Deaths from All Causes, 1881–90,	18·67	15,099	4998	1422	589	368	265	7312	492	240	208	380	693	717	934	1228	1788	1467
	20·16	8,135	2502	732	296	191	146	3867	253	119	147	132	308	359	511	680	942	727
	17·30	7,374	2066	690	293	177	119	3335	239	91	151	148	385	358	423	548	846	740

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	19	10	9	6	–	1	1	–	8	1	1	3	4	–	1	1	–	–	–
Measles	0·61	0·60	0·62	497	244	253	114	180	85	48	30	457	39	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·51	0·54	0·49	415	216	199	23	74	84	70	47	298	107	5	3	1	–	–	–	–	1	–
Diphtheria	0·06	0·05	0·07	50	21	29	4	1	5	8	5	23	18	5	1	2	1	–	–	–	–	–
Whooping-cough	0·52	0·50	0·54	421	201	220	195	122	51	27	16	411	10	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	7	3	4	–	–	–	–	–	–	1	1	1	–	1	1	–	–	1	1
Enteric Fever	0·25	0·28	0·22	200	112	88	–	4	2	6	3	15	16	22	27	46	31	20	13	8	1	1
Simple Continued Fever	0·08	0·08	0·07	61	33	28	20	9	6	4	1	40	6	3	1	3	2	–	2	2	2	–
Diarrhœa and Dysentery	0·80	0·85	0·74	647	344	303	448	116	23	3	4	554	4	2	3	3	5	4	4	12	25	31
Cholera	0·00	0·00	0·00	3	2	1	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
Cancer	0·48	0·38	0·58	391	154	237	–	–	–	2	1	3	2	–	–	2	14	42	82	115	101	30
Tabes Mesenterica	0·58	0·65	0·51	472	264	208	299	105	33	7	4	448	6	4	3	1	1	1	3	2	3	–
Phthisis	0·88	0·97	0·79	713	390	323	9	5	4	1	3	22	21	30	65	76	106	132	106	46	15	2
Other Tub. & Scrof. Dis.	0·23	0·24	0·23	183	95	88	38	25	19	7	7	96	25	17	6	9	13	9	4	3	1	–
Diseases of Nervous System	2·28	2·44	2·13	1853	984	869	582	108	41	22	27	780	49	22	29	22	46	67	101	207	340	190
Circulatory ,,	1·46	1·42	1·50	1184	572	612	27	4	2	–	5	38	13	14	27	26	57	82	162	238	303	164
Respiratory ,,	3·54	4·20	2·98	2875	1695	1249	780	371	146	98	77	1472	80	18	26	19	77	105	177	273	383	245
Digestive ,,	1·10	1·11	1·08	890	447	443	242	99	16	8	7	372	23	13	21	9	24	55	101	108	119	43
Urinary ,,	0·42	0·51	0·33	338	205	133	4	14	8	3	4	32	3	4	4	10	27	30	52	56	71	43
Generative ,,	0·06	0·00	0·06	27	2	25	2	–	–	–	–	2	–	–	1	3	6	2	3	5	4	1
Puerperal Fever	0·10	–	0·20	82	–	82	–	–	–	–	–	–	–	–	3	17	39	20	3	–	–	–
Childbirth	0·10	–	0·19	78	–	78	–	–	–	–	–	–	–	–	7	9	20	30	–	–	–	–
Violence	0·42	0·60	0·25	306	303	143	45	31	21	34	10	141	35	25	44	18	37	47	45	42	45	31
Other Causes	4·29	4·51	4·10	3497	1817	1680	1874	154	42	15	14	2099	33	24	22	19	60	57	77	108	315	693

Marriages 3995

Births { Males 15,249 / Females 14,594 } 29,843

Annual Rate per 1000 living { Persons Married 13·95 / Births 36·75

Deaths from Childbirth and Puerperal Fever 5·36 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·10	†137	–	–	–	–	49·77	4·91	2·85	3·93	5·44	5·86	9·37	15·84	29·25	59·03	148·35
Males	—					18·48	†150	–	–	–	–	54·40	5·61	2·48	4·14	5·74	6·09	10·84	19·53	33·03	64·47	154·81
Females	—					15·81	†123	–	–	–	–	45·27	4·23	3·21	3·75	5·22	5·65	8·09	12·61	25·86	54·35	143·56
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·47 per cent.			41,038			1098	1006	1045	1011	1048	5208	4909	4632	4273	3656	5807	4407	3448	2523	1540	635
Males				19,355			543	497	497	504	527	2568	2406	2298	1980	1586	2677	2057	1608	1193	712	270
Females				21,683			555	509	548	507	521	2640	2503	2334	2293	2070	3130	2350	1840	1330	828	365
Deaths from All Causes, 1881–90. Persons	17·59			7,220			1722	439	208	135	88	2592	241	132	168	199	340	413	546	738	909	942
Males	19·29			3,733			955	221	111	65	45	1397	135	57	82	91	163	223	314	394	459	418
Females	16·08			3,487			767	218	97	70	43	1195	106	75	86	108	177	190	232	344	450	524
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·03	0·04	0·01	11	8	3	2	–	–	–	–	2	1	–	–	4	2	–	1	1	–	–
Measles	0·43	0·46	0·40	175	89	86	48	50	31	22	7	158	14	1	2	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·24	0·28	107	47	60	4	12	21	17	11	65	28	5	4	2	2	–	1	–	–	–
Diphtheria	0·13	0·10	0·15	52	20	32	2	2	4	11	7	26	17	4	1	1	1	1	–	–	1	–
Whooping-cough	0·20	0·20	0·21	84	39	45	33	18	11	12	6	80	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	6	2	4	–	–	–	–	–	–	1	–	–	1	1	–	2	1	–	–
Enteric Fever	0·39	0·39	0·39	161	76	85	1	2	3	3	4	13	11	27	29	31	12	14	13	5	4	2
Simple Continued Fever	0·03	0·04	0·03	13	7	6	–	2	1	–	–	3	5	–	–	–	–	–	2	1	2	–
Diarrhœa and Dysentery	0·74	0·83	0·65	302	161	141	210	28	4	1	1	244	–	1	–	–	–	2	5	18	14	18
Cholera	0·02	0·02	0·02	9	4	5	7	1	–	–	–	8	–	–	–	–	–	–	–	1	–	–
Cancer	0·56	0·45	0·66	229	87	142	–	–	1	–	–	1	1	–	–	–	8	27	36	70	65	21
Tabes Mesenterica	0·19	0·23	0·15	77	44	33	35	21	6	2	4	68	1	1	1	2	–	–	–	–	3	1
Phthisis	1·28	1·55	1·03	524	301	223	7	4	5	3	–	19	9	15	47	66	118	106	77	46	20	1
Other Tub. & Scrof. Dis.	0·26	0·30	0·23	108	59	49	26	18	5	5	6	60	21	9	4	3	3	5	2	–	1	–
Diseases of Nervous System	2·02	2·32	1·75	829	449	380	192	45	16	9	7	269	29	16	14	9	17	37	47	110	160	121
Diseases of Circulatory	1·53	1·47	1·59	629	285	344	4	–	–	2	1	7	9	6	10	14	35	59	98	132	164	95
Diseases of Respiratory	3·10	3·43	2·81	1273	664	609	319	154	68	34	19	594	36	4	9	11	32	50	78	137	176	146
Diseases of Digestive	1·06	1·05	1·06	433	204	229	91	26	5	2	3	127	8	12	7	10	17	28	55	68	67	34
Diseases of Urinary	0·46	0·58	0·35	187	112	75	4	1	4	–	1	10	–	1	8	3	10	21	31	41	38	24
Diseases of Generative	0·04	–	0·08	18	–	18	–	–	–	–	–	–	–	–	1	–	6	2	3	2	2	2
Puerperal Fever	0·06	–	0·12	25	–	25	–	–	–	–	–	–	–	–	2	4	13	5	1	–	–	–
Childbirth	0·07	–	0·14	30	–	30	–	–	–	–	–	–	–	–	2	5	13	9	1	–	–	–
Violence	0·66	1·00	0·36	271	193	78	26	12	6	4	3	56	26	17	13	13	17	20	37	28	23	21
OTHER CAUSES	4·06	4·58	3·59	1667	882	785	711	43	17	8	3	782	20	13	14	20	33	27	56	77	169	456

Marriages – – 2,976

Births – Males – 6,369 } 12,621
Females – 6,252 }

Annual Rate per 1000 living { Persons Married 14·50
Births – – 30·75

Deaths from Childbirth and Puerperal Fever – – – – – } 4·36 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

377.—TENBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·98	479	–	–	–	–	24·18	4·96	1·14	3·95	2·45	6·28	7·85	12·03	26·63	56·47	168·35
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·72	494	–	–	–	–	30·43	4·68	1·34	3·18	2·36	6·88	8·70	14·85	31·95	67·67	204·08
Annual Death-Rate per 1000. Females	—	In Standard Population* 11·33	463	–	–	–	–	18·55	5·25	0·94	4·89	2·54	5·68	6·99	9·09	21·30	47·15	148·89
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·05 per cent.	7,435	191	170	185	192	205	943	840	876	684	572	955	777	698	582	363	130
Mean Population, 1881–91. Males	Decennial Decrease of Population 4·05 per cent.	3,737	86	84	86	92	99	447	427	449	357	286	480	391	357	297	167	49
Mean Population, 1881–91. Females	Decennial Decrease of Population 4·05 per cent.	3,698	105	86	99	100	106	496	419	427	307	276	475	386	341	285	196	90
Deaths from All Causes, 1881–90. Persons	15·06	1,120	158	38	10	11	11	228	42	10	27	14	60	61	84	155	205	234
Deaths from All Causes, 1881–90. Males	16·24	607	95	26	5	5	5	136	20	6	12	7	33	34	53	94	112	100
Deaths from All Causes, 1881–90. Females	13·87	513	63	12	5	6	6	92	22	4	15	7	27	27	31	61	93	134

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·21	0·14	13	8	5	2	4	–	1	1	8	3	–	2	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·08	7	4	3	–	–	–	1	–	1	3	–	1	–	–	2	–	–	–	–
Diphtheria	0·17	0·11	0·24	13	4	9	–	–	2	–	1	3	9	1	–	–	–	–	–	–	–	–
Whooping-cough	0·35	0·40	0·30	26	15	11	9	10	2	–	1	22	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·19	0·08	10	7	3	–	–	–	–	–	–	–	1	–	–	1	3	2	3	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrœa and Dysentery	0·30	0·37	0·41	29	14	15	12	3	–	–	2	17	2	–	–	–	–	–	–	3	–	4
Cholera	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·83	0·56	1·11	62	21	41	–	–	–	–	1	1	–	–	1	–	2	4	9	16	17	12
Tabes Mesenterica	0·04	0·05	0·03	3	2	1	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Phthisis	0·78	1·03	0·54	58	38	20	1	–	–	–	–	1	1	–	6	4	21	6	10	9	–	–
Other Tub. & Scrof. Dis.	0·05	0·05	0·05	4	2	2	–	1	–	1	–	2	–	–	2	–	–	–	–	–	–	–
Diseases of Nervous System	2·41	3·06	1·73	179	115	64	23	3	1	1	–	28	1	2	5	–	9	5	10	34	26	39
Diseases of Circulatory ,,	2·14	1·79	2·49	159	67	92	2	–	–	–	–	2	2	–	1	1	4	7	8	33	47	54
Diseases of Respiratory ,,	1·98	2·19	1·76	147	82	65	24	10	1	2	3	40	7	1	–	–	3	9	14	18	35	20
Diseases of Digestive ,,	1·05	1·15	0·95	78	43	35	4	3	–	1	1	9	2	–	1	–	1	5	14	12	15	12
Diseases of Urinary ,,	0·47	0·67	0·27	35	25	10	–	–	–	–	–	–	–	1	3	–	1	6	4	3	5	12
Diseases of Generative ,,	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Puerperal Fever	0·09	–	0·19	7	–	7	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–	–
Childbirth	0·09	–	0·19	7	–	7	–	–	–	–	–	–	–	–	1	–	1	5	–	–	–	–
Violence	0·70	1·07	0·42	53	40	13	1	–	3	2	–	6	7	3	2	3	3	4	5	8	7	2
OTHER CAUSES	3·10	3·16	2·96	228	118	110	78	3	1	2	1	85	1	1	1	2	6	6	5	22	27	72

Marriages	–	421	Annual Rate per 1000 living	Persons Married	11·32
Births	Males 1,014 / Females 996	2,010		Births	27·03

Deaths from Childbirth and Puerperal Fever – 6·97 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

378.—MARTLEY‡.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·14	†92	–	–	–	–	31·24	2·76	2·11	3·05	4·06	5·09	8·77	11·51	25·32	54·49	141·85
Males	—	14·21	†105	–	–	–	–	33·37	3·06	2·29	3·27	3·47	5·58	10·75	14·49	29·72	60·94	148·65
Females	—	12·12	†78	–	–	–	–	29·64	2·47	1·92	2·80	4·58	4·67	7·02	8·78	21·32	48·93	137·27
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·52 per cent.	16,097	384	358	391	416	394	1943	1954	1844	1510	1181	2043	1721	1572	1181	780	368
Males		7,855	194	184	202	209	200	989	981	960	795	548	950	809	752	562	361	148
Females		8,242	190	174	189	207	194	954	973	884	715	633	1093	912	820	619	419	220
Deaths from All Causes, 1881–90. Persons	15·38	2,476	410	96	55	30	16	607	54	39	46	48	104	151	181	299	425	522
Males	16·33	1,283	235	41	28	20	6	330	30	22	26	19	53	87	109	167	220	220
Females	14·47	1,193	175	55	27	10	10	277	24	17	20	29	51	64	72	132	205	302

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·12	0·13	0·12	20	10	10	6	5	2	2	1	16	2	1	–	–	1	–
Scarlet Fever	0·25	0·27	0·24	41	21	20	2	4	9	5	6	26	12	1	–	–	–	1
Diphtheria	0·06	0·04	0·08	10	3	7	1	–	1	2	2	6	2	–	1	1	–	–
Whooping-cough	0·20	0·17	0·23	32	13	19	14	12	3	2	–	31	1	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·10	17	9	8	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	2	2	7	3	1	1
Diarrhœa and Dysentery	0·22	0·24	0·21	36	19	17	17	4	1	–	–	22	–	2	–	–	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·51	0·39	0·62	82	31	51	–	–	1	–	–	1	–	–	–	–	1	8
Tabes Mesenterica	0·09	0·10	0·08	15	8	7	6	3	1	–	1	11	3	1	–	–	–	–
Phthisis	1·02	1·01	1·04	165	79	86	3	–	–	–	–	3	2	1	12	17	45	35
Other Tub. & Scrof. Dis.	0·16	0·18	0·13	25	14	11	10	2	2	1	–	15	2	2	3	2	–	–
Diseases of Nervous System	2·13	2·25	2·00	342	177	165	39	8	8	6	1	62	6	6	3	–	7	15
Diseases of Circulatory „	2·31	2·28	2·34	372	179	193	–	1	–	–	1	2	3	5	2	5	4	24
Diseases of Respiratory „	2·99	3·45	2·56	482	271	211	110	39	20	8	1	178	6	4	4	3	13	20
Diseases of Digestive „	1·02	1·14	0·90	164	90	74	31	11	–	1	2	45	1	2	2	3	6	10
Diseases of Urinary „	0·51	0·66	0·36	82	52	30	–	–	–	1	–	1	–	1	1	2	–	8
Diseases of Generative „	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	3	3	5
Childbirth	0·07	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	1	6	4
Violence	0·57	0·87	0·25	89	68	21	3	1	6	1	1	12	5	7	8	5	7	7
OTHER CAUSES	2·95	3·04	2·91	477	239	238	168	6	1	1	–	176	6	4	3	3	10	12

Marriages	894		Persons Married	11·11	Deaths from Childbirth and Puerperal Fever 5·14 per 1000 Births.
Births Males	2,236	Annual Rate per 1000 living	Births	27·78	
Females	2,235	4,471			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 735.

379.—WORCESTER.‡

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-rate per 1000. Persons	—	In 21·03	+171	–	–	–	–	63·98	4·96	2·81	4·53	5·84	8·22	13·74	19·93	33·79	58·11	163·39
Annual Death-rate per 1000. Males	—	Standard 23·20	+186	–	–	–	–	69·63	4·68	2·47	4·47	6·92	9·31	15·92	23·22	42·37	78·37	183·64
Annual Death-rate per 1000. Females	—	Population* 18·99	+155	–	–	–	–	58·13	4·64	3·13	4·59	5·02	7·29	11·82	17·18	26·74	50·94	151·35
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·26 per cent.	37,508	907	822	910	873	841	4353	4103	4003	3926	3406	3388	2900	3472	2412	1405	590
Mean Population, 1881–91. Males		17,479	444	411	446	436	421	2158	2072	1981	1844	1474	1480	2016	1598	1088	578	220
Mean Population, 1881–91. Females		20,029	463	411	464	437	420	2195	2031	2112	2112	1932	2008	2284	1874	1324	827	370
Deaths from All Causes, 1881–90. Persons	24·15	7,333	2029	433	164	112	57	2785	194	115	178	199	443	591	692	815	967	954
Deaths from All Causes, 1881–90. Males	23·34	4,079	1113	227	84	55	30	1509	97	49	81	102	231	321	371	461	453	404
Deaths from All Causes, 1881–90. Females	19·24	3,854	916	186	80	57	27	1276	97	66	97	97	212	270	321	354	504	550

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	0·01	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	0·30	0·35	0·26	114	61	53	23	46	18	12	6	105	8	–	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·17	0·14	57	29	28	6	7	9	6	5	33	20	2	–	1	–	1	–	–	–	–
Diphtheria	0·06	0·03	0·07	21	6	15	1	2	1	2	3	9	8	1	–	1	–	–	1	–	–	1
Whooping-cough	0·25	0·25	0·25	94	43	51	43	28	15	3	3	92	2	–	–	–	–	–	–	–	–	–
Typhus	0 00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·23	0·23	0·23	86	40	46	–	–	–	1	3	2	6	11	12	17	12	14	7	4	2	1	–
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	–	1	–		1	1	1	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·95	1·10	0·81	356	193	163	276	40	5	1	1	323	3	1	–	–	2	1	2	1	14	9	–
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·64	0·53	0·73	240	93	147	–	–	–	1	–	1	1	–	1	4	11	29	51	63	55	21	–
Tabes Mesenterica	0·44	0·46	0·42	164	80	84	108	19	9	4	1	141	8	9	2	–	1	1	1	1	–	–	–
Phthisis	1·77	2·04	1·54	665	356	309	1	4	4	1	–	10	9	13	46	74	156	183	125	54	21	4	–
Other Tub. & Scrof. Dis.	0·43	0·55	0·32	162	97	65	42	29	14	7	6	98	12	15	10	8	9	5	4	1	–	–	–
Diseases of Nervous System	2·63	2·82	2·46	988	495	493	186	41	19	13	6	265	30	15	12	15	28	62	90	138	190	143	–
Diseases of Circulatory	2·17	2·37	2·00	815	414	401	5	1	–	–	–	6	4	9	19	14	52	95	99	190	203	124	–
Diseases of Respiratory	3·60	4·00	3·25	1350	700	650	370	132	42	36	16	596	26	9	11	12	31	73	103	140	188	161	–
Diseases of Digestive	1·52	1·73	1·35	572	302	270	137	34	9	4	1	185	8	7	13	12	28	42	84	78	84	31	–
Diseases of Urinary	0·39	0·88	0·33	220	153	67	5	4	1	2	–	12	3	1	5	6	12	28	43	47	45	19	–
Diseases of Generative	0·10	–	0·19	38	–	38	–	1	–	–	–	1	–	–	1	2	4	8	10	6	2	4	–
Puerperal Fever	0·09	–	0·17	35	–	35	–	–	–	–	–	–	–	–	3	7	13	10	3	–	–	–	–
Childbirth	0·07	–	0·13	26	–	26	–	–	–	–	–	–	–	–	–	5	12	9	–	–	–	–	–
Violence	0·72	1·14	0·34	280	200	69	25	5	6	12	5	53	20	7	17	16	31	23	25	25	27	16	–
OTHER CAUSES	4·43	4·66	4·24	1654	813	841	801	30	10	4	2	847	11	13	21	10	38	43	49	64	127	491	–

Marriages		2,926	Annual Rate per 1000 living	Persons Married	15·70	Deaths from Childbirth and Puerperal Fever 5·13 per 1000 Births.
Births	Males 5,969 / Females 5,822	11,791		Births	31·70	

* *See* pages xxvi–xxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 735.

380.—UPTON-ON-SEVERN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·12	†106	–	–	–	–	34·75	3·14	2·63	3·65	4·78	8·52	13·45	16·76	29·81	61·73	152·10
Males	—	Standard 18·28	†120	–	–	–	–	38·25	3·11	2·50	3·27	5·19	10·03	18·58	23·54	36·35	71·34	170·70
Females	—	Population* 14·09	†91	–	–	–	–	31·27	3·17	2·76	4·01	4·53	7·49	9·59	11·62	24·61	54·56	140·06
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·00 per cent.	23,350	453	443	457	472	463	2288	2388	2552	2491	1945	3156	2595	2375	1845	1168	547
Males		10,550	225	224	237	231	223	1140	1191	1318	1194	752	1286	1114	1024	817	499	215
Females		12,800	228	219	220	241	240	1148	1197	1234	1297	1193	1870	1481	1351	1028	669	332
Deaths from All Causes, 1881–90. Persons	18·16	4,240	571	117	53	37	17	795	75	67	91	93	269	349	398	550	721	832
Males	20·67	2,181	329	56	19	23	9	436	37	33	39	39	129	207	241	297	356	367
Females	16·09	2,059	242	61	34	14	8	359	38	34	52	54	140	142	157	253	365	465

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·16	0·06	25	17	8	6	11	1	2	1	21	2	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·08	0·05	16	8	7	1	2	3	2	1	9	4	2	–	–	1	–	–	–
Diphtheria	0·11	0·07	0·15	26	7	19	–	–	1	5	3	9	11	4	–	–	1	1	–	–
Whooping-cough	0·19	0·12	0·25	45	13	32	26	10	5	1	2	44	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·21	0·21	49	22	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·02	0·01	0·02	4	1	3	–	–	–	–	–	–	1	7	14	4	8	5	3	4	3	–
Diarrhœa and Dysentery	0·21	0·27	0·16	49	29	20	36	3	1	–	–	40	2	–	–	2	–	–	–	–	–	–
Cholera	0·01	0·02	–	2	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	4
													–	–	–	–	–	–	1	1	–	–
Cancer	0·74	0·49	0·95	173	52	121	–	–	–	–	–	–	–	–	–	1	4	8	32	50	53	25
Tabes Mesenterica	0·09	0·07	0·11	21	7	14	6	2	–	1	–	9	3	1	2	–	1	3	–	1	–	1
Phthisis	1·49	1·66	1·35	348	175	173	2	–	1	–	–	3	5	6	37	40	96	71	47	28	13	2
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	65	31	34	22	11	3	2	1	39	6	5	3	2	3	2	2	–	3	–
Diseases of Nervous System	3·48	4·60	2·55	812	485	327	61	11	3	3	2	80	1	8	11	15	66	112	112	119	156	132
Diseases of Circulatory	2·57	2·76	2·42	601	291	310	2	–	–	2	1	5	2	7	2	4	12	37	70	134	190	138
Diseases of Respiratory	2·76	3·18	2·41	645	336	309	129	38	21	14	4	206	18	4	6	4	11	34	40	83	113	126
Diseases of Digestive	1·13	1·29	0·99	263	136	127	43	16	3	2	–	64	6	4	5	3	19	19	27	39	52	25
Diseases of Urinary	0·53	0·71	0·38	124	75	49	3	–	–	–	–	3	–	1	–	2	7	6	13	25	38	29
Diseases of Generative	0·06	0·01	0·09	13	1	12	–	–	–	–	–	–	–	–	–	–	1	3	4	1	3	1
Puerperal Fever	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	1	2	4	4	–	–	–	–
Childbirth	0·05	–	0·09	12	–	12	–	–	–	–	–	–	–	–	–	1	5	6	–	–	–	–
Violence	0·54	0·80	0·33	126	84	42	9	7	4	2	–	22	7	9	5	8	14	17	17	14	4	9
OTHER CAUSES	3·47	3·87	3·16	811	409	402	225	6	7	1	2	241	5	9	5	4	16	21	29	50	91	340

Marriages – – – 1,302

Births { Males – 2,734 / Females – 2,656 } 5,390

Annual Rate per 1000 living { Persons Married 11·15 / Births – – 23·08

Deaths from Childbirth and Puerperal Fever – – – – – 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

381.—EVESHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·95	489	–	–	–	–	36·84	3·32	2·39	3·03	3·89	4·92	8·95	11·39	20·35	52·33	148·97
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·56	527	–	–	–	–	34·05	3·23	2·16	2·68	3·39	4·07	9·49	12·08	23·87	66·17	148·87
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·38	450	–	–	–	–	28·78	3·41	2·63	3·43	4·18	5·76	8·66	10·74	20·87	45·14	132·98
Mean Population Persons	Decennial Increase of Population 5·24 per cent.	15,669	397	385	409	405	391	1978	1839	1839	1483	1259	1080	1664	1386	1083	729	339
Mean Population Males	Decennial Increase of Population 5·24 per cent.	7,749	193	181	192	203	185	953	961	925	784	613	963	802	686	532	349	151
Mean Population Females	Decennial Increase of Population 5·24 per cent.	7,950	204	204	208	202	207	1025	938	914	699	646	1027	862	710	551	380	188
Deaths from All Causes. Persons	14·97	2,345	394	98	54	43	21	610	63	44	45	49	98	144	159	242	386	505
Deaths from All Causes. Males	15·65	1,208	213	50	23	18	11	315	31	20	21	22	45	75	87	127	210	255
Deaths from All Causes. Females	14·39	1,137	181	48	31	25	10	295	32	24	24	27	53	69	72	115	176	250

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·29	0·19	37	22	15	4	14	7	6	2	33	3	–	1	–	–	–	–	–	–
Scarlet Fever	0·09	0·09	0·09	14	7	7	1	2	4	4	1	12	2	–	–	–	–	–	–	–	–
Diphtheria	0·06	0·05	0·08	10	4	6	1	1	1	–	1	4	3	3	–	–	–	–	–	–	–
Whooping-cough	0·16	0·12	0·20	25	9	16	11	7	2	3	–	23	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·22	0·23	0·21	35	18	17	–	–	–	–	1	1	9	4	5	4	2	5	4	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·40	0·41	0·39	63	32	31	30	8	2	3	–	43	–	–	1	–	–	2	–	2	5	10
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·63	0·43	0·83	99	33	66	–	–	–	–	–	–	–	–	1	2	2	1	19	36	26	12
Tabes Mesenterica	0·06	0·06	0·05	9	5	4	2	–	1	–	2	5	1	1	–	–	–	1	–	–	1	–
Phthisis	1·03	1·05	1·02	162	81	81	1	1	1	1	2	6	2	5	15	18	38	37	20	13	7	1
Other Tub. & Scrof. Dis.	0·11	0·08	0·15	18	6	12	2	1	–	3	–	6	5	1	1	2	1	1	–	1	–	–
Diseases of Nervous System	2·04	2·38	1·70	319	184	135	50	10	8	7	2	77	8	3	6	4	6	15	16	38	81	65
Circulatory „	1·74	1·65	1·84	272	126	146	–	–	–	–	–	–	–	7	–	3	6	15	21	62	91	67
Respiratory „	2·38	2·69	2·08	373	208	165	77	29	20	11	6	143	10	3	3	3	7	21	12	38	63	70
Digestive „	0·88	0·79	0·97	138	61	77	18	9	–	2	1	30	4	2	1	1	6	12	24	29	29	10
Urinary „	0·41	0·60	0·23	64	46	18	–	1	2	–	–	3	1	1	–	3	3	9	11	10	14	7
Generative „	0·03	0·01	0·05	5	1	4	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–
Puerperal Fever	0·09	–	0·18	14	–	14	–	–	–	–	–	–	–	–	–	3	3	6	–	–	–	–
Childbirth	0·03	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Violence	0·58	0·83	0·34	91	64	27	6	1	1	2	2	12	6	6	7	3	12	6	11	11	10	8
Other Causes	3·77	3·91	3·61	590	304	286	191	14	5	1	1	212	7	8	4	3	7	9	18	11	56	257

Marriages		264	
Births	Males 2,188	Females 2,260	4,448

Annual Rate per 1000 living: Persons Married 12·18; Births 28·37

Deaths from Childbirth and Puerperal Fever 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·76	†105	–	–	–	–	34·22	3·46	1·88	5·31	5·17	6·22	7·96	11·48	22·81	53·99	138·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·24	†115	–	–	–	–	37·16	4·39	1·37	5·10	3·82	6·14	8·21	13·59	22·50	62·46	139·10
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·31	†96	–	–	–	–	31·26	2·50	2·37	5·57	6·50	6·29	7·72	9·45	23·11	46·15	138·67
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·09 per cent.	13,283	338	315	328	309	323	1613	1620	1493	1225	948	1625	1457	1307	982	676	337
Mean Population, 1881–91. Males	Decennial Decrease of Population 4·09 per cent.	6,621	167	165	165	151	162	810	820	732	686	471	782	719	640	480	325	156
Mean Population, 1881–91. Females	Decennial Decrease of Population 4·09 per cent.	6,662	171	150	163	158	161	803	800	761	539	477	843	738	667	502	351	181
Deaths from All Causes, 1881–90. Persons	16·37	2,174	400	81	38	14	19	552	56	28	65	49	101	116	150	224	365	468
Deaths from All Causes, 1881–90. Males	16·95	1,122	223	41	21	7	9	301	36	10	35	18	48	59	87	108	203	217
Deaths from All Causes, 1881–90. Females	15·79	1,052	177	40	17	7	10	251	20	18	30	31	53	57	63	116	162	251

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·20	0·21	27	13	14	4	11	2	4	1	22	3	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·13	0·14	0·12	17	9	8	–	2	4	–	5	11	3	–	3	–	–	–	–	–	–	–
Diphtheria	0·04	0·05	0·03	5	3	2	–	–	–	–	–	–	5	–	–	–	1	–	–	1	–	–
Whooping-cough	0·29	0·23	0·35	38	15	23	19	12	1	1	2	35	2	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·17	0·09	17	11	6	–	–	–	–	–	–	1	1	6	2	–	3	3	1	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·30	0·30	40	20	20	19	3	1	–	–	23	–	–	–	–	–	–	2	1	7	7
Cholera	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·67	0·41	0·93	89	27	62	–	1	–	–	–	1	–	1	–	–	1	9	6	24	25	22
Tabes Mesenterica	0·04	0·06	0·02	5	4	1	3	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–
Phthisis	1·26	1·24	1·28	167	82	85	5	1	3	1	–	10	3	7	19	19	43	35	20	5	4	2
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	37	19	18	5	5	2	1	1	14	8	1	8	3	3	–	–	–	–	–
Diseases of Nervous System	2·25	2·58	1·92	299	171	128	34	1	3	1	1	40	4	1	4	3	8	7	20	33	82	97
Diseases of Circulatory „	2·03	1·92	2·13	269	127	142	–	–	–	–	–	–	1	7	8	6	8	11	21	47	93	67
Diseases of Respiratory „	3·19	3·41	2·97	424	226	198	97	26	10	4	6	143	9	1	6	3	8	18	32	50	66	88
Diseases of Digestive „	0·97	0·91	1·04	129	60	69	34	10	4	1	–	49	2	2	–	2	7	2	12	18	18	17
Diseases of Urinary „	0·46	0·57	0·35	61	38	23	–	–	–	–	–	–	1	1	1	1	1	6	7	15	21	7
Diseases of Generative „	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1
Puerperal Fever	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Childbirth	0·08	–	0·15	10	–	10	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–
Violence	0·56	0·91	0·21	74	60	14	7	2	2	–	3	14	9	2	2	3	4	6	9	12	11	2
Other Causes	3·39	3·54	3·24	454	236	218	173	7	5	1	–	186	5	2	8	5	11	10	16	16	37	158

Marriages - - - 1,064

Births - Males - 1,942 / Females - 1,851 = 3,793

Annual Rate per 1000 living: Persons Married 16·02; Births - - 28·56

Deaths from Childbirth and Puerperal Fever - - - - - 3·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

383.—DROITWICH.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	–	In Standard Population* 14·05	†146	–	–	–	–	38·79	4·80	2·34	3·31	4·90	5·51	7·11	11·49	22·61	50·21	142·65
Annual Death-Rate per 1000. Males	–	In Standard Population* 14·86	†126	–	–	–	–	41·81	4·60	2·54	3·08	4·85	5·26	6·79	12·49	26·82	61·04	152·98
Annual Death-Rate per 1000. Females	–	In Standard Population* 13·27	†166	–	–	–	–	35·86	4·99	2·14	3·54	4·95	5·73	7·39	10·57	18·69	40·64	135·42
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·25 per cent.	22,787	623	577	638	587	612	3037	2814	2905	2477	1734	2974	2547	2037	1508	946	408
Mean Population, 1881–91. Males	Decennial Increase of Population 4·25 per cent.	11,003	301	284	315	288	292	1485	1392	1297	1194	804	1387	1208	977	727	444	168
Mean Population, 1881–91. Females	Decennial Increase of Population 4·25 per cent.	11,784	322	293	308	299	320	1542	1422	1308	1053	930	1587	1339	1060	781	502	240
Deaths from All Causes, 1881–90. Persons	15·39	3,508	802	136	92	47	41	1178	135	61	72	85	164	181	234	341	475	683
Deaths from All Causes, 1881–90. Males	16·31	1,795	442	86	59	29	17	625	64	33	34	39	73	83	122	195	271	267
Deaths from All Causes, 1881–90. Females	14·54	1,713	360	100	42	27	24	553	71	28	38	46	91	99	112	146	204	395

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·02	0·03	6	2	4	–	–	–	–	–	–	2	–	–	–	2	2	–	–	–
Measles	0·24	0·26	0·20	53	28	24	13	15	6	6	6	9	48	3	2	–	–	–	–	–	–
Scarlet Fever	0·25	0·28	0·21	56	31	25	1	9	7	6	8	31	20	4	–	–	–	1	–	–	–
Diphtheria	0·14	0·13	0·15	32	14	18	–	2	5	2	4	13	15	4	–	–	–	–	–	–	–
Whooping-cough	0·16	0·14	0·18	36	15	21	15	11	7	1	2	36	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·19	0·19	0·20	44	21	23	–	1	1	–	1	3	6	5	5	6	7	6	4	2	–
Simple Continued Fever	0·04	0·04	0·03	8	4	4	–	–	3	–	–	3	2	1	–	–	–	1	–	–	1
Diarrhœa and Dysentery	0·35	0·40	0·31	80	44	36	52	12	1	–	1	66	1	–	–	–	–	–	1	5	7
Cholera	0·03	0·05	0·02	7	5	2	1	–	2	–	1	4	–	–	–	–	–	2	1	–	–
Cancer	0·54	0·37	0·69	122	41	81	–	1	–	–	–	1	–	–	–	2	3	12	33	31	26	14
Tabes Mesenterica	0·24	0·26	0·22	55	29	26	27	13	2	–	1	43	4	1	3	2	1	1	–	–	–	–
Phthisis	1·11	1·08	1·15	254	119	135	5	2	–	3	1	11	3	7	24	45	71	45	24	19	4	1
Other Tub. & Scrof. Dis.	0·44	0·35	0·35	101	60	41	46	13	8	4	–	71	11	5	2	1	4	2	1	4	–	–
Diseases of Nervous System	1·82	2·17	1·49	415	239	176	67	14	9	6	–	96	5	2	6	3	9	13	26	22	108	83
Diseases of Circulatory „	1·72	1·72	1·71	391	189	202	3	–	–	1	–	4	6	2	7	4	15	30	46	77	117	83
Diseases of Respiratory „	2·64	2·79	2·50	602	307	295	178	56	28	12	8	282	21	1	8	4	14	13	29	50	87	93
Diseases of Digestive „	1·17	1·21	1·09	261	132	129	63	18	2	1	4	88	7	3	7	4	6	13	26	38	30	23
Diseases of Urinary „	0·34	0·48	0·21	78	53	25	4	2	–	–	–	6	1	–	1	1	2	3	14	12	17	10
Diseases of Generative „	0·04	0·01	0·08	10	1	9	–	–	–	–	–	–	–	–	–	–	2	2	4	2	–	–
Puerperal Fever	0·09	–	0·17	20	–	20	–	–	–	–	–	–	–	–	–	1	3	8	8	–	–	–
Childbirth	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	–	1	3	4	3	–	–	–
Violence	0·37	0·54	0·23	131	92	39	13	10	9	3	1	36	16	11	4	3	8	5	10	16	10	12
Other Causes	3·22	3·32	3·12	735	368	367	314	17	3	2	–	336	11	9	3	5	10	18	13	26	62	242

Marriages	–	1,434	Annual Rate per 1000 living	Persons Married	12·59
Births	Males – 3,591 / Females – 3,201	6,792		Births – –	30·29

Deaths from Childbirth and Puerperal Fever – – – – 4·20 per 1000 Births.

* See pages xxiv–xxvi.

† The deathsrates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, see page 735.

384.—BROMSGROVE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	16·38 17·33 15·49		†133	–	–	–	–	48·65	4·47	2·10	4·98	5·79	5·64	8·42	12·76	26·88	56·72	153·55
Annual Death-Rate per 1000. Males	—						†150	–	–	–	–	54·87	4·61	2·25	4·04	5·07	5·97	9·17	14·33	29·75	55·87	163·33
Annual Death-Rate per 1000. Females	—						†114	–	–	–	–	42·58	4·33	1·95	5·94	6·40	5·35	7·76	11·29	24·08	57·53	144·27
Mean Population, 1881–91. Persons	Decennial Increase of Population, 4·38 per cent.			32,612			904	848	856	869	848	4325	4072	3759	3216	2641	4435	3443	2775	2143	1310	493
Mean Population, 1881–91. Males				15,876			438	427	419	440	417	2136	2038	1912	1633	1204	2061	1614	1340	1059	639	240
Mean Population, 1881–91. Females				16,736			471	421	437	429	431	2189	2034	1847	1583	1437	2374	1829	1435	1084	671	253
Deaths from All Causes, 1881–90. Persons	17·32			5,648			1406	366	139	108	85	2104	182	79	160	153	250	290	354	576	743	757
Deaths from All Causes, 1881–90. Males	18·66			2,963			812	198	62	56	44	1172	94	43	66	61	123	148	192	315	357	392
Deaths from All Causes, 1881–90. Females	16·04			2,685			594	168	77	52	41	932	88	36	94	92	127	142	162	261	386	365
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·51	0·54	0·48	165	85	80	36	53	25	20	15	149	15	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·21	0·17	62	34	28	1	10	10	8	8	37	14	5	1	1	4	–	–	–	–	–
Diphtheria	0·12	0·10	0·14	40	16	24	1	5	3	4	6	19	20	–	–	–	1	–	–	–	–	–
Whooping-cough	0·32	0·31	0·33	105	49	56	60	23	7	4	7	101	3	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·16	0·13	48	26	22	–	–	–	2	1	3	1	3	13	6	6	5	7	3	1	–
Simple Continued Fever	0·02	0·03	0·01	7	5	2	1	1	–	–	–	2	1	–	–	–	1	–	1	1	1	–
Diarrhœa and Dysentery	0·65	0·75	0·56	213	119	94	136	13	8	4	2	163	2	–	1	–	1	2	4	5	17	18
Cholera	0·02	–	0·03	5	–	5	2	1	–	–	–	3	–	–	–	–	–	–	–	2	–	–
Cancer	0·48	0·31	0·63	156	50	106	1	–	–	–	–	1	1	–	–	–	3	18	33	40	42	18
Tabes Mesenterica	0·27	0·33	0·20	87	53	34	45	22	3	1	3	74	5	1	4	1	1	–	1	–	–	–
Phthisis	1·42	1·52	1·33	464	241	223	9	4	2	1	–	16	8	15	52	71	109	82	62	35	14	–
Other Tub. & Scrof. Dis.	0·54	0·63	0·45	176	100	76	89	26	8	9	8	140	16	8	5	3	1	1	1	1	–	–
Diseases of Nervous System	2·01	2·12	1·90	655	337	318	151	29	14	11	6	211	25	9	16	5	20	19	47	91	121	91
Diseases of Circulatory „	1·44	1·33	1·54	469	211	258	2	2	–	–	–	4	4	6	12	10	21	38	52	102	148	72
Diseases of Respiratory „	3·48	3·90	3·09	1136	619	517	275	127	43	33	22	500	41	11	16	11	18	36	42	122	184	155
Diseases of Digestive „	1·02	1·17	0·87	332	186	146	52	12	4	3	1	72	13	3	7	7	8	22	39	62	59	40
Diseases of Urinary „	0·36	0·51	0·22	118	81	37	2	–	1	–	–	3	1	1	6	1	7	9	15	25	24	26
Diseases of Generative „	0·04	–	0·07	12	–	12	–	–	–	–	–	–	–	–	–	2	–	–	2	5	2	1
Puerperal Fever	0·08	–	0·15	25	–	25	–	–	–	–	–	–	–	–	1	8	9	6	1	–	–	–
Childbirth	0·07	–	0·13	22	–	22	–	–	–	–	–	–	–	–	1	2	9	10	–	–	–	–
Violence	0·54	0·80	0·29	175	127	48	26	9	5	4	5	49	4	5	9	10	13	18	21	19	19	8
OTHER CAUSES	3·59	3·94	3·32	1176	624	552	517	29	6	4	1	557	8	10	16	15	18	24	26	63	111	328

Marriages 2,002

Births { Males 5,397 / Females 5,196 } 10,593

Annual Rate per 1000 living { Persons Married 12·28 / Births 32·48

Deaths from Childbirth and Puerperal Fever 4·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Deaths (Persons)	—	In Statistical Population* 15·82	†127	–	–	–	–	46·81	3·85	2·11	1·04	0·90	1·76	2·89	3·82	3·87	3·97	1·97
Annual Deaths (Males)	—	16·74	†138	–	–	–	–	47·63	2·73	2·35	1·82	1·06	3·74	4·44	4·39	4·85	4·48	3·04
Annual Deaths (Females)	—	15·04	†115	–	–	–	–	47·44	3·03	1·86	3·66	3·41	5·09	8·20	10·72	15·03	18·46	14·07
Mean Population (Persons)	Decennial Increase of Population 32·54 per cent.	111,782	2886	3012	2724	2570	2703	13895	12895	12510	12194	11437	17·70	27·15	9·04	5·35	3·41	1·79
Mean Population (Males)		55,563	1444	1502	1378	1285	1349	6958	6351	5955	4·63	4·62	7·70	6·95	4·14	2·78	1·74	0·90
Mean Population (Females)		56,219	1472	1290	1343	1485	1357	6829	6544	6246	6761	6·75	8·40	6·19	4·82	3·05	1·67	0·89
Deaths from All Causes (Persons)	14·65	16,375	4119	1195	444	298	297	6253	495	258	553	443	945	1146	1207	1547	1918	1783
Deaths from All Causes (Males)	15·83	8,164	2575	616	219	149	115	3775	247	142	1·8	2·4	4·3	6·0	5·0	7·4	8·6	7·4
Deaths from All Causes (Females)	13·64	8,211	1844	579	245	149	111	2898	258	116	2·3	2·9	5·0	5·2	6·1	7·3	10·2	10·0

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·02	0·01	18	10	8	1	–	–	–	–	1	1	2	1	4	6	2	1	–	–	–
Measles	0·30	0·32	0·29	338	165	173	56	137	41	42	30	306	26	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·24	0·18	229	122	107	16	32	44	23	30	145	71	9	1	1	–	1	1	–	–	–
Diphtheria	0·14	0·15	0·15	155	67	88	4	11	6	24	12	65	68	18	–	–	4	–	–	2	1	–
Whooping-cough	0·29	0·28	0·30	322	142	180	156	93	30	24	8	311	11	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	3	2	1	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Enteric Fever	0·14	0·15	0·12	152	78	74	1	–	3	4	1	9	11	23	25	22	30	17	9	3	2	1
Simple Continued Fever	0·10	0·00	0·00	15	7	8	–	1	–	1	–	2	6	1	1	1	2	2	–	–	–	–
Diarrhœa and Dysentery	0·50	0·56	0·45	561	285	276	390	71	10	3	1	475	6	–	3	–	3	4	4	15	30	15
Cholera	0·00	0·00	0·00	3	2	1	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Cancer	0·52	0·37	0·65	580	192	388	1	1	1	3	1	7	1	2	–	–	17	71	139	159	153	66
Tabes Mesenterica	0·26	0·31	0·21	289	160	129	186	60	11	6	2	265	7	3	5	1	2	1	–	–	–	–
Phthisis	1·16	1·38	0·98	1288	769	519	9	10	6	–	3	28	12	31	113	167	393	369	183	83	33	–
Other Tub. & Scrof. Dis.	0·27	0·31	0·23	300	160	140	70	75	29	18	20	212	37	29	13	6	8	2	–	–	–	–
Diseases of Nervous System	1·80	2·10	1·71	2166	1082	1027	486	127	65	30	24	732	61	26	41	40	85	139	158	250	458	392
Diseases of Circulatory ,,	1·28	1·32	1·46	1446	667	819	17	2	1	2	2	24	14	26	31	35	93	149	198	297	401	291
Diseases of Respiratory ,,	2·85	3·23	2·53	3180	1803	1377	805	368	133	85	69	1460	87	20	31	35	107	142	203	277	321	345
Diseases of Digestive ,,	0·97	1·01	0·93	1082	562	520	263	82	17	9	6	377	16	15	14	20	29	80	111	154	143	88
Diseases of Urinary ,,	0·35	0·46	0·28	390	256	134	5	1	3	2	–	11	10	7	4	19	34	32	29	22	5	2
Diseases of Generative ,,	0·08	0·01	0·09	57	4	53	1	–	1	–	–	2	–	1	3	2	10	13	11	9	3	2
Puerperal Fever	0·07	–	0·13	79	–	79	–	–	–	–	–	–	–	–	4	14	37	24	–	–	–	–
Childbirth	0·06	–	0·11	66	–	66	–	–	–	–	–	–	–	–	2	10	29	24	1	–	–	–
Violence	0·37	0·52	0·22	417	277	140	75	15	5	6	3	104	24	14	14	26	30	41	26	32	34	27
Other Causes	2·95	3·21	2·69	3297	1699	1607	1571	103	21	16	10	1732	39	27	30	40	69	86	124	137	280	718

Marriages - - - 8,491

Births - { Males - 18,594 / Females - 16,056 } 34,650

Annual Rate per 1000 Living { Persons Married 15·05 / Births - - 29·13

Deaths from Childbirth and Puerperal Fever - - - - - } 6·45 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 24·51	†174	–	–	–	–	74·69	6·02	3·28	4·22	5·98	9·44	16·11	24·37	43·80	83·85	167·43
Males	—	26·62	†191	–	–	–	–	80·92	6·04	3·46	4·31	6·34	10·15	18·11	28·18	50·39	94·45	185·96
Females	—	22·51	†157	–	–	–	–	68·58	6·00	3·11	4·14	5·65	8·75	14·18	20·82	37·99	75·03	155·10
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·35 per cent.	245,928	7088	6294	6425	6360	6172	32339	29233	27173	25802	23399	377 0	28742	20599	12734	6262	1925
Males		120,039	3447	3107	3201	3169	3094	16018	14571	13528	12672	11121	18499	14127	9927	5961	2846	769
Females		125,889	3641	3187	3224	3191	3078	16321	14662	13645	13130	12278	19221	14615	10672	6773	3416	1156
Deaths from All Causes, 1881–90. Persons	23·00	56,553	14841	4994	2114	1284	921	24154	1759	892	1089	1399	3560	4630	5019	5577	5251	3223
Males	24·92	29,915	8243	2536	1068	658	456	12961	880	468	546	705	1878	2558	2797	3004	2688	1430
Females	21·16	26,638	6598	2458	1046	626	465	11193	879	424	543	694	1682	2072	2222	2573	2563	1793

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·08	0·10	0·07	204	119	85	25	6	2	2	2	37	21	14	24	22	51	15	13	5	1	1
Measles	0·60	0·65	0·56	1476	775	701	328	561	267	143	88	1387	83	–	2	1	2	1	–	–	–	–
Scarlet Fever	0·42	0·43	0·41	1030	515	515	39	157	202	186	133	717	242	48	8	7	6	2	–	–	–	–
Diphtheria	0·15	0·14	0·17	379	170	209	14	39	59	55	57	224	99	19	9	6	7	6	6	3	–	–
Whooping-cough	0·66	0·59	0·73	1634	712	922	614	543	229	122	63	1576	57	–	–	–	–	–	–	1	–	–
Typhus	0·00	0·00	0·00	5	2	3	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–
Enteric Fever	0·18	0·22	0·13	436	270	166	2	5	9	6	11	33	47	59	75	59	80	41	20	12	9	1
Simple Continued Fever	0·02	0·02	0·02	60	29	31	5	3	5	5	6	24	9	6	4	2	3	3	2	5	2	–
Diarrhœa and Dysentery	1·27	1·38	1·15	3114	1661	1453	2270	456	90	22	18	2856	15	4	3	8	6	18	21	39	73	71
Cholera	0·01	0·01	0·01	25	13	12	4	3	3	1	1	12	2	–	–	–	1	2	3	4	1	–
Cancer	0·72	0·59	0·85	1778	709	1069	1	2	5	4	–	12	9	8	14	16	92	243	507	514	285	78
Tabes Mesenterica	0·28	0·32	0·25	700	388	312	373	159	62	23	12	629	19	12	10	5	10	8	4	1	1	1
Phthisis	2·15	2·69	1 59	5232	3235	1997	26	31	21	19	10	107	67	113	320	521	1283	1291	909	450	154	17
Other Tub. & Scrof. Dis.	0·37	0·43	0·32	914	512	402	284	168	76	53	48	629	93	53	44	17	37	15	13	9	2	2
Diseases of Nervous System	2·47	2·74	2·21	6080	3294	2786	1633	490	193	101	86	2503	176	86	89	97	233	433	583	778	770	332
Diseases of Circulatory „	1·76	1·74	1·78	4330	2093	2237	32	12	10	9	10	73	82	132	120	103	337	574	758	950	843	358
Diseases of Respiratory „	4·99	5·40	4·59	12268	6488	5780	2615	1582	606	331	210	5344	256	67	91	139	431	771	1336	1576	1703	854
Diseases of Digestive „	1·09	1·14	1·04	2679	1369	1310	652	213	61	28	32	986	86	35	51	63	156	256	337	345	263	101
Diseases of Urinary „	0·52	0·71	0·34	1284	851	433	13	15	9	16	15	68	39	19	30	53	140	180	214	259	203	79
Diseases of Generative „	0·11	0·01	0·21	277	17	260	6	4	2	1	–	13	1	–	9	12	63	98	44	24	10	3
Puerperal Fever	0·08	–	0·17	208	–	208	–	–	–	–	–	–	–	–	8	43	109	46	2	–	–	–
Childbirth	0·06	–	0·12	156	–	156	–	–	–	–	–	–	–	–	4	21	74	57	–	–	–	–
Violence	1·20	1·53	0·88	2450	1840	1110	848	127	110	105	92	1282	214	94	69	95	182	255	249	245	166	99
Other Causes	3·81	4·08	3·56	9334	4853	4481	5057	413	93	52	27	5642	142	123	104	107	256	315	297	357	765	1226

Marriages 22,578

Births { Males 43,265 / Females 41,927 } 85,192

Annual Rate per 1000 living { Persons Married 18·36 / Births 34·64

Deaths from Childbirth and Puerperal Fever 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

387.—ASTON

Causes of Death.	Crude Death-Rate per 1000.	All Ages	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons — Males — Females —	In 1883 †1936 Standard Population* 1890 †1849	– – –	– – –	– – –	– – –	– – –	50·65 47·72 55·57	4·12 3·96 4·18	2·04 1·83 2·22	3·09 2·89 3·28	3·80 3·58 3·91	6·13 6·05 6·21	10·17 10·32 9·75	16·78 17·77 15·85	24·18 25·43 22·67	44·85 47·13 42·71	109·63 106·13 113·19
Mean Population during 1881–90.	Persons 234,306 Males 114,681 Females 119,745	Decennial Increase 27·5 per cent.	7055 3559 3496	6557 3263 3294	6748 3369 3378	6499 3139 3360	6397 3141 3256	33,456 16,272 17,184	13,848 6,854 6,994	27,292 13,541 13,751	23,806 11,671 12,135	21,834 10,671 11,163	19,736 9,716 10,020	32,824 15,787 17,037	28,574 8,813 19,761	18,160 3,967 14,193	10,878 2,279 8,599	5,887 1,211 4,676
Deaths from All Causes.	Persons 17·46 Males 18·45 Females 16·59	40,937 20,349 20,588	1274 3596	1009	921	599	599	19,760	1729	555	736	870	2254	2737	3997	4561	3640	2658
			7044 3500	2042	704	444	305	13,548	902	252	339	395	1074	1437	1305	1789	1724	1115
			5710	1953	786	477	294	12,242	827	303	397	475	1180	1300	1481	1712	1916	1544

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	0·01	26	19	7	6	1	–	–	–	7	3	–	2	1	1	–	2	1	–	–
Measles	0·49	0·48	0·50	1140	554	595	238	422	211	134	82	1082	61	3	–	–	2	–	–	1	–	–
Scarlet Fever	0·24	0·25	0·23	565	285	280	41	84	96	99	57	377	151	18	5	4	7	1	2	–	–	–
Diphtheria	0·13	0·14	0·13	312	155	157	15	37	37	49	38	176	92	20	9	2	3	5	1	3	1	–
Whooping-cough	0·58	0·52	0·63	1355	600	755	520	446	186	116	52	1320	34	–	–		–	–	–	1	–	–
Typhus	0·00		0·00	4	–	4	–	1	–	–	1	2	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·12	0·13	0·10	273	148	125	1	3	4	7	7	22	26	28	49	41	46	36	18	6	1	–
Simple Continued Fever	0·02	0·02	0·02	48	23	25	0	2	2	3	5	12	7		4	1	2	1		4	2	–
Diarrhœa and Dysentery	1·16	1·23	1·09	2718	1410	1308	2017	402	61	13	14	2507	21	4	5	6	7	10	26	28	51	53
Cholera	0·01	0·01	0·01	20	10	10	4	3	2	–	–	9	–	–	–	1	2	2	5	1	–	–
Cancer	0·43	0·28	0·58	1011	320	691	–	2	2	2	1	7	1	7	6	5	32	142	274	274	196	67
Tabes Mesenterica	0·17	0·19	0·15	392	213	179	212	86	21	12	11	342	17	6	8	2	8	3	3	4	–	–
Rickets	1·42	1·46	1·38	3328	1676	1652	26	55	11	7	2	80	49	24	268	363	571	816	695	295	60	3
Other Tub. Affect. & Dis.	0·27	0·32	0·23	641	369	278	246	141	50	38	22	497	69	28	19	21	27	7	5	3	–	–
Nervous System	2·12	2·27	1·98	4973	2602	2371	1532	428	171	97	67	2295	155	77	71	51	139	201	386	265	238	226
Circulatory	1·24	1·12	1·36	2901	1281	1620	15	7	2	3	2	29	48	77	74	65	140	325	564	576	453	369
Respiratory	3·93	4·19	3·69	9222	4806	4416	2431	1304	489	263	173	4662	240	82	59	86	206	409	702	977	1080	569
Digestive	0·85	0·87	0·84	2001	997	1004	550	159	37	17	8	771	78	29	40	30	116	192	180	252	216	97
Urinary	0·32	0·38	0·26	758	441	317	12	14	6	14	6	52	30	7	19	22	64	97	134	163	116	54
Generative	0·03	0·00	0·06	79	5	74	3	–	1	1	–	5	–	1	1	2	13	18	19	10	10	–
Puerperal Fever	0·00	–	0·01	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Childbirth	0·38		0·76	149	–	149	–	–	–	–	–	–	–	–	5	21	46	62	6	–	–	–
Violence	0·52	0·65	0·39	1214	748	466	484	53	21	16	18	591	70	31	34	38	79	93	108	85	53	34
Other Causes	3·26	3·42	3·06	7596	3939	3657	4423	396	90	27	24	4960	77	78	56	62	127	190	184	216	514	1162

Marriages 1890 — Males - 42,330 / Females - 41,007 — 83,337

Annual Rate per 1000 Living { Persons Married 18·7 / Births - - 35·58

Deaths from Childbirth and Puerperal Fever - - - - - } 1·25 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·68	†92	–	–	–	–	31·90	4·16	2·42	3·63	4·49	7·40	9·18	12·39	21·00	55·01	135·66
Annual Death-Rate per 1000. Males	—			In Standard Population*		13·32	†95	–	–	–	–	31·19	5·00	2·44	3·19	4·13	8·36	8·61	11·90	20·53	53·17	140·77
Annual Death-Rate per 1000. Females	—			In Standard Population*		14·01	†89	–	–	–	–	32·66	3·31	2·40	4·11	4·81	6·56	9·66	12·84	21·44	56·98	130·99
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·19 per cent.			10,959			237	245	233	258	256	1229	1394	1446	963	758	1338	1155	993	862	549	272
Mean Population, 1881–91. Males				5,490			116	128	121	147	126	638	700	820	501	363	622	534	479	419	284	130
Mean Population, 1881–91. Females				5,469			121	117	112	111	130	591	694	626	462	395	716	621	514	443	265	142
Deaths from All Causes, 1881–90. Persons	15·82			1,734			252	67	31	24	18	392	58	35	35	34	99	106	123	181	302	369
Deaths from All Causes, 1881–90. Males	15·66			860			131	34	17	10	7	199	35	20	16	15	52	46	57	86	151	183
Deaths from All Causes, 1881–90. Females	15·98			874			121	33	14	14	11	193	23	15	19	19	47	60	66	95	151	186
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Measles	0·24	0·25	0·22	26	14	12	3	9	5	2	3	22	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·15	0·07	12	8	4	–	1	–	3	2	6	5	1	–	–	–	–	–	–	–	–
Diphtheria	0·19	0·20	0·18	21	11	10	–	1	1	6	–	8	7	4	2	–	–	–	–	–	–	–
Whooping-cough	0·17	0·22	0·13	19	12	7	11	4	1	2	–	18	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Enteric Fever	0·11	0·11	0·11	12	6	6	–	–	–	–	–	–	2	1	2	1	3	1	1	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·40	0·38	0·42	44	21	23	18	2	1	–	1	22	1	–	–	–	1	–	1	3	7	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·44	0·86	71	24	47	–	–	–	–	–	–	–	–	–	1	3	7	16	13	21	10
Tabes Mesenterica	0·08	0·09	0·07	9	5	4	4	–	1	–	–	5	2	1	–	1	–	–	–	–	–	–
Phthisis	1·36	1·13	1·59	149	62	87	4	1	–	–	1	6	4	7	10	17	40	34	18	10	3	–
Other Tub. & Scrof. Dis.	0·30	0·27	0·33	33	15	18	8	6	2	2	–	18	8	2	2	1	–	1	–	1	–	–
Diseases of Nervous System	1·85	1·91	1·79	203	105	98	39	5	2	3	1	50	4	1	2	3	5	5	19	24	47	43
Diseases of Circulatory „	1·92	1·69	2·14	210	93	117	–	–	–	–	–	–	1	2	3	2	10	13	21	48	73	37
Diseases of Respiratory „	2·76	2·99	2·52	302	164	138	48	21	13	4	5	91	11	6	2	–	9	14	20	27	60	62
Diseases of Digestive „	1·08	0·98	1·17	118	54	64	14	7	–	–	1	22	–	4	4	4	4	12	8	21	28	11
Diseases of Urinary „	0·34	0·53	0·15	37	29	8	–	1	–	–	–	1	2	–	–	–	2	3	8	7	8	6
Diseases of Generative „	0·09	–	0·18	10	–	10	–	–	–	–	–	–	–	–	–	1	2	1	1	2	3	–
Puerperal Fever	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Childbirth	0·05	–	0·11	6	–	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–
Violence	0·58	0·86	0·31	64	47	17	–	3	3	2	2	10	–	3	4	1	8	6	3	12	9	8
OTHER CAUSES	3·45	3·40	3·52	379	187	192	103	6	2	–	2	113	5	3	4	1	6	3	7	12	42	183

Marriages - - - 579

Births { Males - 1,385 } 2,744
{ Females - 1,359 }

Annual Rate per 1,000 living { Persons Married 10·57
{ Births - - 25·04

Deaths from Childbirth and Puerperal Fever - - - 4·01 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

389. ATHERSTONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·96	†125	—	—	—	—	46·35	4·11	2·23	4·34	6·48	5·09	8·28	13·50	22·78	90·15	142·31
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·46	†141	—	—	—	—	50·70	3·53	1·81	3·90	7·05	5·43	8·67	15·33	22·65	80·45	151·69
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·36	†108	—	—	—	—	41·65	4·78	2·67	4·80	5·21	6·56	8·91	11·83	22·92	59·85	134·51
Mean Population, 1881-91. Persons	Decennial Increase of Population 7·30 per cent.	14,940	467	442	429	434	448	2,220	1971	1766	1474	1206	966	1209	1148	878	537	260
Mean Population, 1881-91. Males	Decennial Increase of Population 7·30 per cent.	7,596	226	213	218	223	209	1089	1030	882	820	627	474	729	548	446	268	118
Mean Population, 1881-91. Females	Decennial Increase of Population 7·30 per cent.	7,344	241	229	211	211	239	1131	941	883	654	579	492	480	600	432	269	142
Deaths from All Causes, 1881-90. Persons	17·25	2,578	668	177	95	47	33	1,015	81	38	63	78	105	195	155	200	323	370
Deaths from All Causes, 1881-90. Males	17·63	1,339	329	95	52	20	17	563	36	16	32	48	57	61	84	101	162	179
Deaths from All Causes, 1881-90. Females	16·81	1,239	284	82	43	27	16	452	45	22	32	30	48	64	71	99	161	191

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.														
Small-pox	0·03	0·05	0·01	5	4	1	1	–	–	–	–	1	1			2	1				
Measles	0·26	0·32	0·34	54	29	25	12	15	13	7	2	49	5								
Scarlet Fever	0·34	0·45	0·60	80	36	44	6	8	18	9	6	47	23	6	2	1	1				
Diphtheria	0·07	0·09	0·04	10	7	3	–	1	–	1	2	4	5	3							
Whooping-cough	0·30	0·24	0·35	44	18	26	23	11	5	2	1	42	1				1				
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–				
Enteric Fever	0·25	0·25	0·25	37	19	18	–	–	1	2	1	4	2	1	9	7	7	2	5		
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1								
Diarrhœa and Dysentery	0·53	0·54	0·52	70	41	38	46	8	2	–	–	58	1	–	–	–	–	–	1	2	8	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
Cancer	0·60	0·38	0·82	89	29	60	–	–	–	–	–	–	–	–	–	–	1	8	20	21	20	10
Tabes Mesenterica	0·31	0·38	0·25	47	29	18	26	13	3	1	–	43	2	–	–	2	–	–				
Phthisis	1·16	1·16	1·16	173	88	85	14	3	3	1	–	21	3	6	15	31	35	21	21	12	7	1
Other Tub. & Scrof. Dis.	0·42	0·49	0·34	62	37	25	23	5	10	4	2	44	7	2	5	–	4	–				
Nervous System	2·24	2·07	2·43	335	157	178	94	12	7	4	8	125	4	6	5	4	5	11	17	29	63	71
Circulatory	1·57	1·30	1·85	235	99	136	2	1	–	–	1	4	4	6	3	5	9	19	23	46	61	64
Respiratory	3·07	3·54	2·58	458	269	189	137	50	20	12	10	229	10	1	5	5	10	19	20	40	55	64
Digestive	1·25	1·29	1·21	187	98	89	35	30	3	1	–	69	3	4	4	4	10	17	7	22	34	13
Urinary	0·36	0·46	0·25	54	35	18	4	–	2	–	3	9	1	–	2	–	3	5	8	3	12	12
Generative	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	3
Puerperal Fever	0·10	–	0·20	15	–	15	–	–	–	–	–	–	–	–	1	1	7	5				
Childbirth	0·09	–	0·19	14	–	14	–	–	–	–	–	–	–	–	1	1	9	3				
Violence	0·82	1·30	0·31	122	99	23	8	5	6	2	2	23	5	1	6	7	13	19	18	13	11	6
Other Causes	3·69	4·35	3·04	551	331	220	150	47	9	2	1	209	5	2	6	6	6	6	15	11	42	117

Marriages	1,026	Annual Rate per 1000 living	Persons Married	13·74	Deaths from Childbirth and Puerperal Fever 5·46 per 1000 Births.
Births Males	2,697		Births	35·56	
Births Females	2,602				
Births	5,300				

* See pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

390.—NUNEATON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·43	†151	–	–	–	–	52·29	5·84	1·98	4·37	4·54	6·05	8·68	11·30	23·97	52·81	143·21
Annual Death-Rate per 1000. Males	—	Standard 16·99	†175	–	–	–	–	60·62	5·91	2·16	3·17	2·76	4·94	8·86	11·47	23·17	57·84	143·97
Annual Death-Rate per 1000. Females	—	Population* 15·90	†128	–	–	–	–	44·48	5 78	1·80	5·67	6·41	7·14	8·52	11·15	24·71	48·73	142·52
Mean Population, 1881-91. Persons	Decennial Increase of Population 27·07 per cent.	15,563	463	408	435	417	419	2142	1951	1667	1512	1343	2214	1624	1230	997	640	243
Mean Population, 1881-91. Males		7,650	219	208	205	195	209	1036	964	834	789	688	1094	779	584	479	287	116
Mean Population, 1881-91. Females		7,913	244	200	230	222	210	1106	987	833	723	655	1120	845	646	518	353	127
Deaths from All Causes, 1881-90. Persons	17·56	2,733	778	163	77	63	39	1120	114	33	66	61	134	141	139	239	338	348
Deaths from All Causes, 1881-90. Males	18·05	1,381	452	94	40	24	18	628	57	18	25	19	54	69	67	111	166	167
Deaths from All Causes, 1881-90. Females	17·09	1,352	326	69	37	39	21	492	57	15	41	42	80	72	72	128	172	181

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·33	0·37	0·29	51	28	23	14	17	10	5	1	47	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·66	0·65	0·66	102	50	52	5	7	19	25	8	64	36	–	–	–	2	–	–	–	–	–
Diphtheria	0·09	0·09	0·09	14	7	7	1	–	1	–	1	3	8	1	1	–	–	1	–	–	–	–
Whooping-cough	0·17	0·14	0·19	26	11	15	13	7	2	3	1	26	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·22	0·18	31	17	14	–	–	1	1	2	4	4	2	7	4	6	3	1	–	–	–
Simple Continued Fever	0·07	0·05	0·09	11	4	7	1	2	1	1	–	5	–	–	1	1	1	–	1	2	–	–
Diarrhœa and Dysentery	0·37	0·44	0·30	58	34	24	27	9	1	–	1	38	1	–	–	–	2	1	–	5	4	7
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·48	0·42	0·53	74	32	42	–	–	–	–	–	–	–	–	–	–	2	9	15	23	19	6
Tabes Mesenterica	0·68	0·71	0·66	106	54	52	81	11	2	2	1	97	5	–	1	1	–	1	1	–	–	–
Phthisis	1·10	0·92	1·29	172	70	102	–	–	1	–	–	1	1	1	28	29	44	28	22	15	3	–
Other Tub. & Scrof. Dis.	0·24	0·27	0·21	38	21	17	6	5	5	3	2	21	6	3	2	–	1	1	1	–	3	–
Diseases of Nervous System	1·91	1·83	1·98	297	140	157	92	12	3	4	7	118	9	8	2	2	6	14	12	23	66	37
Diseases of Circulatory „	1·39	1·16	1·60	216	89	127	2	–	–	–	1	3	5	5	4	3	12	15	24	49	61	35
Diseases of Respiratory „	3·30	3·58	3·02	513	274	239	168	55	21	14	9	267	13	2	4	4	14	18	20	55	71	45
Diseases of Digestive „	1·14	1·19	1·09	177	91	86	36	14	4	–	2	56	7	3	1	1	11	18	9	28	28	15
Diseases of Urinary „	0·37	0·48	0·27	58	37	21	2	–	1	2	–	5	3	2	1	2	2	4	7	10	14	8
Diseases of Generative „	0·03	0·01	0·04	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1
Puerperal Fever	0·10	–	0·20	16	–	16	–	–	–	–	–	–	–	–	1	6	7	2	–	–	–	–
Childbirth	0·06	–	0·11	9	–	9	–	–	–	–	–	–	–	–	1	1	4	3	–	–	–	–
Violence	0·58	0·78	0·38	90	60	30	3	6	2	2	–	13	9	2	9	1	9	13	14	7	8	5
Other Causes	4·27	4·73	3·90	668	360	308	327	18	3	1	2	351	3	4	3	6	11	10	12	20	59	189

Marriages - - - 1,122

Births - { Males - 2,585 / Females - 2,552 } 5,137

Annual Rate per 1000 living { Persons Married 14·42 / Births - - 33·01

Deaths from Childbirth and Puerperal Fever - - - - - 4·87 per 1000 Births.

* *See* pages xxxvi–xxxviii

† The death-rates under one year of age are per 1000 Births.

391.—FOLESHILL.

Cause of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	In Standard Population* 16·16	†146	–	–	–	–	52·89	4·89	2·05	5·84	4·95	6·54	7·66	11·70	24·13	52·43	167·75
	Males		†159	–	–	–	–	57·74	4·89	1·97	5·17	4·97	6·16	6·45	13·94	25·20	56·23	164·29
	Females		†135	–	–	–	–	48·09	4·90	2·15	6·54	4·93	6·89	8·71	9·67	23·74	49·01	171·18
Mean Population	Persons	Decennial Increase of Population 7·85 per cent.	19,253	573	488	512	488	537	2538	2472	2190	1885	1575	2430	1908	1573	1310	804	338
(1885–94)	Males		9,589	278	256	261	239	258	1292	1247	1119	968	744	1152	930	746	615	409	168
	Females		9,843	295	232	251	249	279	1306	1225	1071	917	831	1278	1068	827	695	455	170
Deaths (1885–94)	Persons	18·53	3,564	921	225	102	80	46	1374	121	45	110	78	159	153	184	329	453	567
	Males	19·30	1,842	510	118	48	40	30	746	61	22	50	37	71	60	103	176	230	276
	Females	17·89	1,722	411	107	54	40	16	628	60	23	60	41	88	93	81	153	223	291

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·29	0·19	38	19	19	8	8	12	4	5	34	4	–	–	–	–	–	–
Scarlet Fever	0·49	0·57	0·52	95	44	51	5	9	17	23	7	62	30	1	1	–	1	–	–
Diphtheria	0·02	0·04	0·03	4	1	3	–	–	1	1	–	2	1	–	–	–	–	–	1
Whooping-cough	0·24	0·18	0·30	47	17	30	26	10	5	3	2	44	2	1	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·18	0·15	0·20	34	14	20	–	–	–	1	2	3	7	8	6	1	3	1	2	3	–	–	1
Simple Continued Fever	0·08	0·05	0·11	16	5	11	–	1	1	3	1	6	3	1	1	1	2	–	1	–	–	–	–
Diarrhœa and Dysentery	0·45	0·42	0·48	86	39	47	43	23	3	1	2	72	–	–	–	–	1	1	1	2	4	5	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·43	0·34	0·51	82	32	50	–	–	–	–	–	–	–	–	–	–	4	12	11	37	9	9	–
Tabes Mesenterica	0·73	0·75	0·71	140	70	70	98	28	4	1	–	131	3	–	1	1	–	3	–	1	–	–	–
Phthisis	1·49	1·14	1·83	288	107	121	3	2	–	–	–	5	4	7	43	35	45	42	25	16	6	–	–
Other Tub. & Scrof. Dis.	0·32	0·42	0·22	61	39	22	15	6	4	4	3	32	6	1	4	4	4	4	3	3	1	–	–
Nervous System	2·19	2·29	2·09	421	215	206	99	18	15	7	5	144	16	4	7	5	12	11	31	47	73	72	–
Circulating ,,	1·53	1·24	1·81	298	116	182	13	2	–	2	–	17	3	6	7	9	14	16	30	60	67	23	–
Respiratory ,,	2·74	3·17	2·32	526	298	228	133	72	21	14	8	248	18	2	7	3	14	15	35	51	81	57	–
Digestive ,,	1·12	1·08	1·16	215	101	114	43	19	2	2	3	75	8	3	10	3	11	9	13	34	32	18	–
Urinary ,,	0·46	0·62	0·31	89	58	31	–	2	3	2	5	12	8	1	3	1	9	11	6	7	26	10	–
Generative ,,	0·06		0·11	11		11	–	–	–	–	–	–	–	–	1	–	1	1	3	3	1	1	–
Parturition, Fever	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	2	3	9	3	–	–	–	–	–
Childbirth	0·15		0·29	29		29	–	–	–	–	–	–	–	–	1	2	10	7	–	–	–	–	–
Violence	0·52	0·95	0·21	113	89	24	8	4	3	6	2	23	8	5	9	4	10	7	14	15	7	6	–
Other Causes	5·20	4·82	5·48	1002	448	554	424	21	8	5	1	459	5	6	7	6	9	10	11	40	180	319	–

Marriages	–	1,334	Annual Rate per 1000 living	Persons Married	13·87	Deaths from Childbirth and Puerperal Fever 5·38 per 1000 Births.
Births	Males 3,311 / Females 3,079	6,390		Births	33·20	

* See page 1144 [illegible].

† The death-rates under one year of age are per 1000 Births.

392.—COVENTRY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 18·09	†145	–	–	–	–	53·88	4·16	2·61	4·10	5·39	5·96	10·33	15·40	29·22	65 39	169·68
Annual Death-Rate per 1000. Males	—	In Standard Population.* 19·47	†162	–	–	–	–	59·73	4·71	2·54	4·07	5·73	6·37	11·64	16·18	32·71	73·00	181·38
Annual Death-Rate per 1000. Females	—	In Standard Population.* 16·78	†128	–	–	–	–	48·14	3·61	2·63	4·12	5·07	5·58	9·13	14·73	26·20	59·12	160·33
Mean Population, 1881-91. Persons	Decennial Increase of Population 17·53 per cent.	49,060	1279	1179	1210	1216	1183	6067	5699	5164	5077	4734	7268	5392	4176	3001	1829	653
Mean Population, 1881-91. Males	Decennial Increase of Population 17·53 per cent.	23,563	631	583	606	608	577	3005	2844	2477	2456	2287	3472	2577	1935	1394	826	290
Mean Population, 1881-91. Females	Decennial Increase of Population 17·53 per cent.	25,497	648	596	604	608	606	3062	2855	2687	2621	2447	3796	2815	2241	1607	1003	363
Deaths from All Causes. 1881-90. Persons	18·18	8,918	2198	576	254	129	112	3269	237	135	208	255	433	557	643	877	1196	1108
Deaths from All Causes. 1881-90. Males	19·70	4,642	1254	298	115	67	61	1795	134	63	100	131	221	300	313	456	603	526
Deaths from All Causes. 1881-90. Females	16·77	4,276	944	278	139	62	51	1474	103	72	108	124	212	257	330	421	593	582

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·31	0·34	0·29	154	80	74	26	61	33	15	7	142	10	–	1	–	–	1	–	–	–	–
Scarlet Fever	0·34	0·39	0·29	167	93	74	8	22	29	31	20	110	40	11	4	–	1	1	–	–	–	–
Diphtheria	0·07	0·08	0·06	34	18	16	3	5	3	2	2	15	12	1	–	2	–	3	–	–	–	1
Whooping-cough	0·35	0·32	0·37	170	76	94	66	63	24	5	5	163	6	–	–	–	–	1	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·15	0·14	71	36	35	2	1	–	4	2	9	11	10	13	5	10	5	6	1	1	–
Simple Continued Fever	0·01	0·02	0·01	6	4	2	–	–	2	–	–	2	1	–	1	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·92	1·03	0·83	453	242	211	334	53	3	4	2	396	4	–	1	–	3	1	2	8	14	24
Cholera	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Cancer	0·67	0·59	0·75	330	140	190	1	1	1	1	–	4	1	–	4	3	12	34	67	94	80	31
Tabes Mesenterica	0·28	0·30	0·25	135	71	64	78	30	4	2	–	114	6	2	5	2	2	3	–	1	–	–
Phthisis	1·63	1·93	1·36	802	455	347	13	7	4	–	1	25	6	21	63	129	188	156	113	81	16	4
Other Tub. & Scrof. Dis.	0·44	0·48	0·41	218	113	105	61	48	14	12	7	142	19	10	18	7	8	7	3	–	4	–
Diseases of Nervous System	2·43	2·61	2·26	1192	616	576	299	58	31	13	11	412	33	21	14	11	33	53	71	135	241	168
Diseases of Circulatory „	1·61	1·50	1·71	790	354	436	7	–	1	2	2	12	7	9	26	16	33	67	113	166	217	124
Diseases of Respiratory „	3·34	3·76	2·94	1637	887	750	349	159	72	29	31	640	37	10	12	13	41	72	115	192	273	232
Diseases of Digestive „	1·04	1·08	1·01	511	254	257	107	37	11	3	6	164	9	11	13	10	20	39	48	70	93	34
Diseases of Urinary „	0·37	0·54	0·21	182	128	54	5	–	2	–	2	9	3	1	3	4	13	19	20	33	51	26
Diseases of Generative „	0·04	0·00	0·07	19	1	18	–	–	–	–	–	–	–	–	–	1	5	4	4	3	1	1
Puerperal Fever	0·08	–	0·15	37	–	37	–	–	–	–	–	–	–	–	2	12	14	8	1	–	–	–
Childbirth	0·04	–	0·07	19	–	19	–	–	–	–	–	–	–	–	–	4	7	7	1	–	–	–
Violence	0·60	0·84	0·38	296	199	97	37	13	14	5	9	78	15	13	10	15	15	32	37	28	26	27
Other Causes	3·47	3·74	3·21	1691	874	817	802	18	6	1	5	832	17	14	17	21	28	44	42	62	179	435

Marriages - - 4,274

Births - { Males - 7,761 / Females - 7,387 } 15,148

Annual Rate per 1000 living { Persons Married 17·42 / Births - 30·88

Deaths from Childbirth and Puerperal Fever - - - - - 3·70 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·06	†103	–	–	–	–	36·52	3·82	2·43	3·65	5·56	6·00	7·94	10·63	24·97	51·98	142·75
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·23	†108	–	–	–	–	39·36	3·18	1·74	3·43	4·78	6·17	9·36	10·56	26·91	51·90	147·46
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·90	†98	–	–	–	–	33·80	4·46	3·21	3·91	6·28	5·84	6·64	10·68	23·23	52·05	138·79
Mean Population, 1881–90. Persons	Decennial Increase of Population 1·05 per cent.	27,243	690	638	691	668	678	3365	3190	3131	2657	2124	3768	3049	2447	1[illegible]	1180	417
Mean Population, 1881–90. Males	Decennial Increase of Population 1·05 per cent.	13,488	349	314	335	334	317	1649	1574	1605	1429	1025	1816	1453	1155	9[illegible]	578	236
Mean Population, 1881–90. Females	Decennial Increase of Population 1·05 per cent.	13,755	341	324	356	334	361	1716	1616	1466	1228	1099	1952	1596	1292	1[illegible]	614	281
Deaths from All Causes, 1881–90. Persons	15·37	4,192	830	246	72	48	33	1229	122	76	97	118	226	242	260	476	618	738
Deaths from All Causes, 1881–90. Males	15·48	2,087	442	130	35	27	15	649	50	29	49	49	112	136	122	3[illegible]	300	348
Deaths from All Causes, 1881–90. Females	15·26	2,105	388	116	37	21	18	580	72	47	48	69	114	106	138	243	318	390
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·21	0·30	0·13	58	40	18	16	25	2	6	2	51	5	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·19	0·17	0·22	53	23	30	–	7	13	4	6	30	11	5	2	3	1	1	–	–	–	–
Diphtheria	0·11	0·09	0·12	29	12	17	2	–	1	4	4	11	9	5	1	1	–	–	–	1	1	–
Whooping-cough	0·38	0·36	0·39	103	49	54	54	32	11	3	2	102	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·08	0·22	41	11	30	–	1	1	2	–	4	3	4	6	6	7	3	4	2	2	–
Simple Continued Fever	0·03	0·01	0·04	7	1	6	–	–	–	–	1	1	1	–	1	1	–	–	1	–	2	–
Diarrhœa and Dysentery	0·38	0·34	0·41	103	46	57	58	12	2	1	–	73	–	–	–	–	2	4	2	3	5	14
Cholera	0·01	0·01	0·01	3	2	1	1	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–
Cancer	0·83	0·67	1·00	228	90	138	–	–	–	–	–	–	–	–	–	1	2	17	45	73	60	30
Tabes Mesenterica	0·05	0·05	0·06	15	7	8	6	3	–	1	–	6	–	1	3	–	–	–	–	–	1	–
Phthisis	1·23	1·26	1·20	350	170	180	12	3	2	1	–	18	7	10	38	47	80	60	30	37	10	4
Other Tub. & Scrof. Dis.	0·28	0·24	0·32	76	32	44	15	15	6	3	3	40	17	8	3	2	2	1	1	–	–	2
Diseases of Nervous System	1·98	1·97	1·99	542	206	276	109	32	8	2	2	153	13	7	8	7	8	14	22	78	111	121
Diseases of Circulatory	1·56	1·46	1·64	424	197	227	2	1	–	–	–	3	4	3	6	8	13	28	40	98	119	102
Diseases of Respiratory	2·55	2·37	2·24	697	387	310	158	74	20	12	9	273	16	5	8	8	19	27	28	55	130	128
Diseases of Digestive	1·02	0·93	1·11	280	126	154	52	15	2	2	1	72	6	4	1	10	17	20	30	41	48	31
Diseases of Urinary	0·41	0·52	0·31	113	70	43	–	–	–	–	–	–	3	2	1	2	10	5	10	23	26	31
Diseases of Generative	0·05	–	0·10	14	–	14	–	–	–	–	–	–	–	–	–	–	2	2	2	4	3	1
Puerperal Fever	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	–	–	3	7	2	–	–	–	–
Childbirth	0·07	–	0·14	20	–	20	–	–	–	–	–	–	–	1	1	2	13	3	–	–	–	–
Accident	0·65	0·96	0·34	177	130	47	16	7	3	3	2	31	9	7	4	7	23	25	22	19	19	11
Other Causes	3·13	3·18	3·05	850	427	423	333	20	1	4	1	359	15	10	14	5	19	20	28	42	81	263

Marriages	1,765	Annual Rate per 1000 living	Persons Married 12·91
Births — Males	4,097		Births 29·46
Births — Females	3,959		
Births	8,056		

Deaths from Childbirth and Puerperal Fever 4·59 per 1000 Births.

* *See* pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE per 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·93	†102	–	–	–	–	32·12	2·99	1·94	2·55	3·73	5·58	7·85	12·71	23·06	52·19	133·90
Males	—	12·73	†107	–	–	–	–	34·21	3·36	1·72	3·14	3·04	4·69	6·98	12·66	25·66	52·19	123·38
Females	—	13·11	†97	–	–	–	–	29·90	2·63	2·15	2·06	4·21	6·28	8·60	12·74	20·72	52·19	143·87
Mean Population, 1881-91. Persons	Decennial Increase of Population 39·51 per cent.	25,599	616	602	621	644	637	3120	2978	2733	2585	2228	3781	2919	2251	1587	1004	413
Males		12,019	315	305	324	343	318	1605	1457	1335	1179	931	1663	1361	1036	752	479	201
Females		13,580	301	297	297	301	319	1515	1521	1398	1406	1307	2118	1558	1185	835	525	212
Deaths from All Causes, 1881-90. Persons	13·52	3,462	667	180	67	53	35	1002	89	53	66	83	211	229	286	366	524	553
Males	14·02	1,685	353	101	42	28	25	549	49	23	37	28	78	95	135	193	250	248
Females	13·09	1,777	314	79	25	25	10	453	40	30	29	55	133	134	151	173	274	305

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·22	0·15	48	27	21	12	18	6	2	3	41	5	–	–	2	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·07	21	11	10	–	1	2	9	3	15	4	2	–	–	–	–	–	–	–
Diphtheria	0·16	0·17	0·16	42	20	22	1	4	3	5	4	17	16	4	–	3	1	–	–	–	–	1
Whooping-cough	0·24	0·26	0·23	62	31	31	28	18	7	5	1	59	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·09	0·04	17	11	6	–	–	–	1	–	1	3	2	2	3	3	2	–	1	–	–
Simple Continued Fever	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·33	0·28	78	40	38	42	9	3	–	1	55	1	1	2	–	3	1	1	2	7	5
Cholera	0·02	0·02	0·01	4	2	2	2	1	–	–	–	3	–	–	–	–	–	–	–	–	1	–
Cancer	0·73	0·49	0·95	188	59	129	–	2	–	1	–	3	–	1	2	3	4	21	31	51	53	19
Tabes Mesenterica	0·13	0·14	0·12	33	17	16	20	9	1	1	–	31	–	–	1	–	–	–	–	1	–	–
Phthisis	0·86	0·88	0·84	220	106	114	2	2	–	–	1	5	3	6	13	28	54	47	42	15	7	–
Other Tub. & Scrof. Dis.	0·28	0·30	0·26	71	36	35	19	8	7	4	4	42	10	3	4	4	3	2	2	1	–	–
Diseases of Nervous System	1·66	1·78	1·55	424	214	210	93	19	7	4	3	126	5	9	8	5	10	13	27	49	94	78
Circulatory „	1·39	1·23	1·53	356	148	208	2	–	–	–	1	3	2	2	4	6	17	23	40	77	110	72
Respiratory „	2·40	2·78	2·06	614	334	280	125	61	23	13	9	231	15	9	8	5	20	31	44	65	96	90
Digestive „	0·85	0·93	0·78	218	112	106	51	13	1	1	–	66	5	4	1	5	10	13	32	28	41	13
Urinary „	0·46	0·62	0·32	118	75	43	3	–	2	1	1	7	–	–	4	3	11	12	19	21	28	13
Generative „	0·32	–	0·60	81	–	81	–	–	–	–	–	–	–	1	–	10	27	21	13	5	4	–
Puerperal Fever	0·09	–	0·17	23	–	23	–	–	–	–	–	–	–	–	–	3	14	6	–	–	–	–
Childbirth	0·04	–	0·07	10	–	10	–	–	–	–	–	–	–	–	1	–	5	4	–	–	–	–
Violence	0·46	0·71	0·24	118	85	33	16	4	–	3	3	26	8	4	3	1	8	16	18	18	5	11
OTHER CAUSES	2·79	2·97	2·66	715	356	359	251	11	5	3	1	271	8	5	13	4	19	17	17	32	78	251

Marriages – – 1,381

Births – Males – 3,303 } 6,554
Females – 3,251 }

Annual Rate per 1000 living { Persons Married 10·79
Births – – 25·60

Deaths from Childbirth and Puerperal Fever – – – – – } 5·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

The death-rates under one year of age are per 1000 Births.

395.—WARWICK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Death-Rate per 1000	Persons	In Standard Population* 18·05	*194	-	-	-	-	44·19	3·64	2·30	3·28	5·14	7·05	16·71	32·19	59·14	90·96	157·71
	Males		†134	-	-	-	-	49·03	3·93	2·54	3·61	6·77	8·08	13·43	19·17	32·60	71·51	172·19
	Females	14·59	†118	-	-	-	-	39·30	3·36	2·07	2·91	4·13	5·91	8·05	15·96	29·61	53·24	147·81
Mean Population, 1881–90.	Persons	Decennial Increase of Population 2·83 per cent.	1135	1135	1159	1159	1159	5745	5678	5474	5554	4614	7016	6146	5088	3761	2629	1116
	Males		606	551	589	596	584	2886	2767	2655	2465	1757	3145	2858	2480	1884	1107	494
	Females		589	582	570	563	566	2870	2831	2789	3089	2857	3870	3488	2608	2507	1527	663
Deaths from Causes, All Causes, 1881–90.	Persons	18·57	1754	448	169	101	85	2548	205	137	182	237	537	658	824	1163	1601	1760
	Males	20·88	975	258	90	58	44	1420	110	68	89	119	275	387	418	549	788	784
	Females	16·37	779	190	70	48	11	1128	95	69	93	118	264	301	406	614	813	980

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	5	2	3	-	1	-	-	-	1	-	-	-	-	1	1	1	-	1	-
Measles	0·29	0·34	0·25	155	80	75	32	58	29	21	5	141	-	8	-	1	-	1	1	-	-	-
Scarlet Fever	0·09	0·13	0·05	46	31	15	5	6	5	7	3	27	13	3	1	2	-	-	-	-	-	-
Diphtheria	0·06	0·11	0·06	43	25	18	-	4	4	5	15	28	9	2	-	2	-	-	1	-	2	1
Whooping-cough	0·24	0·30	0·19	130	72	58	66	41	11	5	4	127	2	-	-	1	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·09	0·10	0·08	48	23	25	-	-	2	1	1	4	1	3	9	6	8	5	4	6	-	2
Simple Continued Fever	0·01	0·01	0·01	7	3	4	1	-	-	-	-	1	1	1	-	1	1	1	-	-	-	1
Diarrhœa and Dysentery	0·48	0·62	0·37	257	147	110	141	21	3	4	2	170	3	-	-	2	6	6	4	9	26	31
Cholera	0·00	-	0·00	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·84	0·61	1·03	452	146	306	-	-	-	-	-	-	2	-	-	-	9	25	99	123	134	60
Tabes Mesenterica	0·23	0·36	0·21	124	62	62	60	16	3	2	2	103	2	4	3	4	3	3	1	1	-	-
Debility	1·58	1·79	1·42	849	426	423	10	4	-	2	-	16	19	19	54	103	212	175	131	85	30	5
Other Tub. & Scrof. Dis.	0·38	0·47	0·31	205	113	92	56	25	12	4	12	109	27	14	14	12	8	12	1	6	2	-
Diseases of Nervous System	2·92	3·47	2·48	1564	826	738	190	49	17	13	8	283	23	21	22	24	77	125	161	226	316	284
Diseases of Circulatory System	1·98	2·07	1·91	1064	493	571	7	1	-	-	-	8	6	15	14	15	43	67	102	226	325	243
Diseases of Respiratory System	3·11	3·51	2·76	1660	836	824	361	140	56	22	19	598	33	16	10	11	40	78	103	164	282	325
Diseases of Digestive System	1·20	1·34	1·08	641	318	323	107	30	3	8	3	151	16	7	9	12	17	48	77	112	123	70
Diseases of Urinary System	0·52	0·79	0·30	279	189	90	2	4	-	-	-	6	3	1	7	5	13	21	26	50	91	56
Diseases of Generative System	0·07	0·00	0·12	37	1	36	-	-	-	-	-	-	-	-	-	-	3	6	4	9	12	3
Puerperal Fever	0·05	-	0·09	27	-	27	-	-	-	-	-	-	-	-	1	4	18	4	-	-	-	-
Childbirth	0·04	-	0·07	22	-	22	-	-	-	-	-	-	-	-	-	2	13	7	1	-	-	-
Violence	0·55	0·84	0·32	295	200	95	24	9	6	3	4	46	18	18	20	16	29	33	33	32	26	24
Other Causes	3·61	4·11	3·25	1941	978	963	606	39	10	4	8	727	19	13	18	14	37	40	74	112	232	685

Marriages	-	3,424	Annual Rates per 1000 living	Persons Married	12·77
Births	Males - 7,393 / Females - 6,874	14,177		Births - - -	25·44

Deaths from Childbirth and Puerperal Fever - - - - 3·46 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

396.—STRATFORD-ON-AVON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 12·94	†96	–	–	–	–	30·27	2·71	1·97	3·50	3·38	5·91	8·74	12·02	21·81	53·71	145·59
Males	—	13·87	†107	–	–	–	–	34·43	3·09	1·15	3·29	3·29	6·33	9·23	13·81	24·94	57·41	162·01
Females	—	12·06	†84	–	–	–	–	26·26	2·33	2·84	3·73	3·45	5·55	8·30	10·39	18·84	50·26	131·01
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·68 per cent.	22,195	539	521	544	568	557	2729	2769	2543	2055	1599	2756	2368	2096	1687	1106	487
Males		10,841	266	260	262	279	272	1339	1393	1310	1064	729	1296	1127	999	822	533	229
Females		11,354	273	261	282	289	285	1390	1376	1233	991	870	1460	1241	1097	865	573	258
Deaths from All Causes, 1881–90. Persons	15·18	3,370	587	133	48	34	24	826	75	50	72	54	163	207	252	368	594	709
Males	16·46	1,784	335	73	19	20	14	461	43	15	35	24	82	104	138	205	306	371
Females	13·97	1,586	252	60	29	14	10	365	32	35	37	30	81	103	114	163	288	338

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·03	–	3	3	–	–	–	–	–	–	–	1	1	–	1	–	–
Measles	0·15	0·16	0·14	33	17	16	9	9	4	3	3	28	3	1	–	1	–	–	–	–
Scarlet Fever	0·04	0·04	0·04	8	4	4	–	1	1	2	2	6	1	–	–	–	1	–	–	–	–	–
Diphtheria	0·10	0·10	0·10	22	11	11	1	1	2	2	3	9	9	2	–	–	1	–	1	–	–	–
Whooping-cough	0·14	0·15	0·14	32	16	16	21	4	4	3	–	32	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·07	0·07	0·06	15	8	7	–	–	–	–	–	–	1	1	1	2	5	1	2	2	–	–
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·28	0·35	0·22	63	38	25	32	4	1	1	1	39	–	–	–	–	1	1	1	3	6	12
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Cancer	0·59	0·44	0·73	131	48	83	–	–	–	–	–	–	–	1	–	–	3	9	21	36	44	17
Tabes Mesenterica	0·13	0·10	0·16	29	11	18	8	5	1	1	2	17	6	2	1	2	–	–	1	–	–	–
Phthisis	1·08	1·15	1·00	239	125	114	–	5	1	–	–	6	2	6	19	18	61	47	41	26	11	2
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	42	21	21	9	4	3	2	2	20	6	5	4	2	3	2	–	–	–	–
Diseases of Nervous System	2·13	2·42	1·85	472	262	210	71	15	4	6	3	99	6	8	3	4	12	16	49	70	110	95
Diseases of Circulatory „	1·68	1·62	1·73	372	176	196	3	–	–	–	–	3	3	7	12	4	10	27	35	64	139	68
Diseases of Respiratory „	2·62	3·04	2·22	582	330	252	131	60	19	8	5	223	15	5	6	5	14	22	35	52	102	103
Diseases of Digestive „	0·94	1·06	0·82	208	115	93	30	9	1	2	–	42	6	–	2	–	6	18	17	39	49	29
Diseases of Urinary „	0 48	0·64	0·33	106	69	37	–	1	–	1	–	2	–	1	1	1	6	10	13	17	37	18
Diseases of Generative „	0·04	0·01	0·06	8	1	7	–	–	–	–	–	–	–	–	–	–	1	5	–	2	–	–
Puerperal Fever	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	1	1	7	2	–	–	–	–
Childbirth	0·07	–	0·14	16	–	16	–	–	–	–	–	–	–	–	1	–	6	8	1	–	–	–
Violence	0·56	0·82	0·32	125	89	36	3	5	2	3	2	15	12	4	11	8	11	13	12	21	13	5
OTHER CAUSES	3·82	4·05	3·60	849	438	411	269	10	5	–	1	285	5	7	10	5	15	24	22	34	83	359

Marriages - - - 1,298

Births - { Males - 3,135 / Females - 2,985 } 6,120

Annual Rate per 1000 living { Persons Married 11·70 / Births - - 27·57

Deaths from Childbirth and Puerperal Fever - - - - } 4·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

397.—ALCESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Deaths and Rates per 1000 { Persons / Males / Females	— / — / —	In 14·59 / Standard 15·00 / Population* 14·21	†114 / †131 / 107	– / – / –	– / – / –	– / – / –	– / – / –	40·75 / 45·87 / 35·54	3·80 / 3·66 / 3·94	2·92 / 2·15 / 1·88	2·69 / 1·98 / 3·36	4·88 / 5·08 / 4·71	6·06 / 4·68 / 7·28	8·36 / 7·59 / 9·07	11·80 / 11·28 / 12·29	22·92 / 25·30 / 20·63	56·02 / 62·29 / 50·11	146·35 / 153·83 / 140·82
Mean Population 1881–91. { Persons / Males / Females	Decennial Increase of Population 9·62 per cent.	19,704 / 9,598 / 10,106	526 / 271 / 255	441 / 225 / 216	518 / 263 / 255	495 / 241 / 254	423 / 211 / 212	2403 / 1211 / 1252	2201 / 1231 / 1270	2284 / 1163 / 1118	1874 / 908 / 966	1495 / 689 / 806	2307 / 1175 / 1132	2164 / 1028 / 1136	1738 / 851 / 887	1370 / 672 / 698	864 / 419 / 445	387 / 191 / 196
Deaths at all Ages. { Persons / Males / Females	16·24 / 17·26 / 15·28	3,200 / 1,656 / 1,544	695 / 400 / 295	182 / 106 / 76	76 / 38 / 32	52 / 28 / 24	29 / 11 / 18	1028 / 583 / 445	95 / 45 / 50	46 / 25 / 21	56 / 18 / 38	73 / 35 / 38	152 / 55 / 97	181 / 78 / 103	205 / 96 / 109	314 / 170 / 144	484 / 261 / 223	366 / 290 / 276

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Measles	0·36	0·41	0·29	68	39	29	13	23	13	3	8	60	7	–	1	–	–	–	–	–	–
Scarlet Fever	0·14	0·16	0·17	32	15	17	–	9	4	7	2	22	7	2	1	–	–	–	–	–	–
Diphtheria	0·16	0·08	0·23	34	8	23	–	2	4	6	–	14	15	–	2	–	–	–	–	–	–
Whooping-cough	0·19	0·22	0·16	37	21	16	16	13	4	2	1	36	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·14	0·07	18	11	7	–	–	–	–	–	–	2	4	4	2	2	3	1	–	–
Simple Continued Fever	0·02	0·01	0·03	4	1	3	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·27	0·33	0·21	53	33	21	34	2	–	–	2	1	39	2	–	–	1	–	1	–	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·48	0·54	0·81	134	53	82	–	1	–	–	–	1	–	–	–	–	–	16	22	23	39	18
Tabes Mesenterica	0·06	0·10	0·03	18	10	8	9	5	–	–	–	14	2	–	2	–	–	–	–	–	–	–
Phthisis	1·08	1·42	1·29	266	136	130	12	4	1	1	–	18	5	4	19	35	63	50	26	33	12	1
Other Tub. & Scrof. Dis.	0·33	0·33	0·36	68	32	36	32	8	3	2	–	45	5	4	1	5	2	2	2	1	1	–
Diseases of: Nervous System	2·09	2·22	1·82	397	213	184	80	13	2	4	1	100	12	13	5	4	18	10	32	54	74	77
Circulatory ...	1·71	1·63	1·78	335	156	180	1	–	–	–	–	1	3	2	2	3	9	18	41	59	123	75
Respiratory ...	3·16	3·45	2·53	578	323	256	157	79	29	17	7	289	10	1	7	13	28	25	47	80	72	17
Digestive ...	0·86	0·95	0·97	190	92	98	30	10	3	3	3	58	7	4	7	3	7	17	19	28	23	15
Urinary ...	0·44	0·66	0·24	87	63	24	3	–	1	–	1	5	1	1	2	2	3	2	10	13	25	15
Generative ...	0·03		0·06	6	–	6	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1
Puerperal Fever	0·06		0·11	11	–	11	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–
Childbirth	0·07		0·13	13	–	13	–	–	–	–	–	–	–	–	1	2	4	5	1	–	–	–
Violence	0·44	0·51	0·38	87	49	38	7	5	1	1	1	15	2	6	3	2	6	7	8	11	9	12
Other Causes	3·86	4·29	3·55	769	405	364	292	8	5	4	2	311	6	5	6	6	15	12	15	30	40	268

Marriages - 1,175

Births - { Males - 1,004 / Females - 1,020 } 2,024

Average Rate per 1000 living { Persons Married 11·93 / Births - - 30·97

Deaths from Childbirth and Puerperal Fever - } 3·93 per 1000 Births.

* *See page xxxvi xxxvii.*

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·29	†100	–	–	–	–	32·05	2·69	1·48	3·92	6·71	6·31	8·39	11·45	20·34	51·23	148·12
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·59	†109	–	–	–	–	34·09	3·09	1·38	2·44	6·63	5·22	7·84	13·65	23·55	58·66	153·74
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·01	†92	–	–	–	–	29·86	2·28	1·58	5·70	6·78	7·38	8·90	9·43	17·19	44·57	143·04
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·01 per cent.	17,376	412	424	447	420	428	2131	2121	2031	1580	1148	2027	1788	1685	1396	978	451
Mean Population, 1881–91. Males	Decennial Decrease of Population 5·01 per cent.	8,661	209	234	226	214	220	1103	1069	1018	861	573	997	867	805	692	462	214
Mean Population, 1881–91. Females	Decennial Decrease of Population 5·01 per cent.	8,675	203	190	221	206	208	1028	1052	1013	719	575	1030	921	880	704	516	237
Deaths from All Causes, 1881–90. Persons	16·34	2,838	486	98	49	29	21	683	57	30	62	77	128	150	193	284	501	668
Deaths from All Causes, 1881–90. Males	17·03	1,475	272	53	28	13	10	376	33	14	21	38	52	68	110	163	271	329
Deaths from All Causes, 1881–90. Females	15·65	1,358	214	45	21	16	11	307	24	16	41	39	76	82	83	121	230	339

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·24	0·16	35	21	14	9	9	5	6	1	30	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·09	0·10	17	8	9	2	2	4	1	3	12	4	1	–	–	–	–	–	–	–	–
Diphtheria	0·06	0·07	0·06	11	6	5	1	–	1	2	1	5	4	2	–	–	–	–	–	–	–	–
Whooping-cough	0·17	0·09	0·24	29	8	21	17	8	1	2	1	29	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·08	0·06	0·10	14	5	9	–	–	1	1	1	3	–	1	4	1	2	2	–	–	–	1
Simple Continued Fever	0·05	0·05	0·05	8	4	4	–	–	–	–	1	1	–	2	–	–	–	–	1	–	2	2
Diarrhœa and Dysentery	0·46	0·50	0·42	79	43	36	25	5	2	–	–	32	2	1	–	–	1	2	2	4	11	24
Cholera	0·02	0·03	–	3	3	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	–
Cancer	0·55	0·37	0·74	96	32	64	–	–	–	–	–	–	–	–	–	–	2	5	17	25	35	12
Tabes Mesenterica	0·14	0·10	0·17	24	9	15	13	2	–	–	–	15	2	2	1	1	1	1	–	–	–	–
Phthisis	1·12	1·12	1·13	195	97	98	3	–	1	–	2	6	2	2	20	36	41	36	26	14	10	2
Other Tub. & Scrof. Dis.	0·24	0·24	0·24	42	21	21	9	2	1	1	–	13	6	5	6	6	1	1	2	2	–	–
Diseases of Nervous System	2·27	2·46	2·09	394	213	181	61	13	9	3	1	87	9	3	7	3	9	9	15	55	90	107
Diseases of Circulatory „	1·92	2·01	1·83	333	174	159	3	1	–	–	1	5	–	2	4	2	9	20	37	45	110	99
Diseases of Respiratory „	2·69	3·11	2·28	467	269	198	107	37	13	9	6	172	7	–	3	5	14	17	30	39	70	110
Diseases of Digestive „	1·38	1·63	1·14	240	141	99	35	7	3	1	1	47	8	1	2	7	8	16	17	36	58	40
Diseases of Urinary „	0·49	0·59	0·39	85	51	34	2	–	–	–	1	3	–	2	1	2	7	1	12	17	21	19
Diseases of Generative „	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	1
Puerperal Fever	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Childbirth	0·07	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	1	5	7	–	–	–	–
Violence	0·73	1·09	0·38	127	94	33	6	4	6	3	1	20	5	3	6	6	11	10	20	21	10	15
OTHER CAUSES	3·50	3·18	3·80	605	276	329	193	7	1	–	–	201	4	2	8	6	11	19	12	25	81	236

Marriages - - - 978

Births - Males - 2,506; Females - 2,334; 4,840

Annual Rate per 1000 living: Persons Married 11·28; Births - - 27·92

Deaths from Childbirth and Puerperal Fever - - - - 4·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

399.—SOUTHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1	2	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000		In Standard 13·90 / Registration* 14·00	†112		–	–	–	39·07	2·83	2·30	4·45	5·03	5·55	8·05	10·79	19·69	51·27	143·09
			†124		–	–	–	40·09	2·51	2·83	3·09	5·12	7·25	8·05	10·97	21·38	48·08	149·00
			†90		–	–	–	38·02	2·23	1·75	6·15	4·80	3·89	7·44	10·22	17·68	54·75	136·36
Mean Population (Census 1881)	Persons	Decennial Decrease of Population 0·61 per cent.	247	275	259	276	253	1308	1319	1173	876	698	1223	1107	903	801	550	246
	Males		106	129	140	134	122	661	638	601	486	357	615	565	474	404	287	125
	Females		141	146	119	142	131	647	681	572	390	341	608	541	429	397	263	121
Deaths (Average 1881–90)	Persons	1,700	352	81	32	21	25	511	38	37	39	39	68	89	102	157	289	352
	Males	874	197	33	13	9	13	265	16	17	15	14	33	48	56	87	148	187
	Females	824	155	48	19	12	12	246	22	10	24	16	36	41	50	70	144	165

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·38	0·35	0·42	30	18	21
Scarlet Fever	0·07	0·11	0·02	7	6	1
Diphtheria	0·06	–	0·12	6	–	6
Whooping-cough	0·26	0·25	0·28	27	13	14
Epidemic Influenza	–	–	–	–	–	–
Typhus Fever	0·08	0·10	0·06	8	5	3
Enteric or Continued Fever	0·03	0·04	0·02	3	2	1
Diarrhœa and Dysentery	0·38	0·31	0·46	39	16	23
Cholera	0·01	0·02	–	1	1	–
Cancer	0·61	0·44	0·79	63	23	40
Tabes Mesenterica	0·15	0·11	0·18	15	6	9
Phthisis	1·06	1·04	1·11	110	54	56
Other Tub. & Scrof. Dis.	0·37	0·23	0·33	38	12	16
Diseases of Nervous System	2·23	2·38	2·06	229	124	105
Diseases of Circulatory „	1·43	1·25	1·58	145	65	80
Diseases of Respiratory „	3·01	3·16	2·91	312	165	147
Diseases of Digestive „	1·13	1·30	0·95	116	68	48
Diseases of Urinary „	0·43	0·82	0·44	55	43	22
Diseases of Generative „	0·03	–	0·06	3	–	3
Puerperal Fever	0·07	–	0·14	7	–	7
Childbirth	0·10	–	0·20	10	–	10
Violence	0·60	0·81	0·40	62	42	20
Other Causes	3·96	4·07	3·78	405	213	192

Under 1 Year	1	2	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
PERSONS.															
–	–	–	–	–	–	–	–	–							
8	11	4	6	3	32	4	1	–	1	–	1	–	–	–	–
1	–	3	–	2	6	1	–	–							
1	–	1	–	1	3	2	1	–							
16	6	2	1	–	25	2	–								
–	–	–	–	–	–	–	–	–							
–	–	–	1	–	1	1	1	1	1	2	–	–	–	1	–
–	–	–	–	–	–	1	–	1							
17	5	–	1	1	24	–	–	–				1	2	4	3
–	–	–	1	–	1	–	–	–							
–	–	–	–	–	–	–	–	–		3	4	13	14	20	9
6	3	–	1	1	11	1	–	–	1	–	1	1	1	3	–
3	2	1	–	–	6	2	7	16	13	25	18	12	8	3	–
2	2	–	–	1	5	1	4	2	2	6	4	1	1	2	–
35	7	2	–	3	47	3	3	6	–	5	5	17	26	35	64
–	–	–	–	1	1	1	1	–	1	2	10	13	27	53	36
81	29	12	6	7	135	9	2	2	1	5	12	17	26	42	66
21	6	2	2	1	32	3	2	1	2	1	7	12	16	25	17
1	–	–	1	–	2	–	–	2	–	3	4	7	11	25	11
–	–	–	–	–	–	–	–	–							
–	–	–	–	–	–	–	–	1	1	4	1				
–	–	–	–	–	–	–	–	–	4	4	1	1			
10	1	1	1	3	16	1	5	3	5	3	12	11	15	44	131

Marriages	613	Annual Rate per 1000 living: Persons Married	11·94
Births: Males	1,800	Births	30·67
Births: Females	1,559		
Births	3,359	Deaths from Childbirth and Puerperal Fever	5·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

400.—LUTTERWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 12·95	†94	–	–	–	–	32·12	3·97	1·64	3·71	4·34	5·13	6·22	9·33	21·67	54·30	157·69
Males	—	Standard 13·62	†101	–	–	–	–	35·30	4·01	1·26	2·55	3·99	5·90	6·95	11·60	21·37	63·25	166·67
Females	—	Population* 12·32	†86	–	–	–	–	28·97	3·93	2·03	5·01	4·65	4·46	5·63	7·39	21·96	45·88	150·27
Mean Population, 1881-91. Persons	Decennial Decrease of Population 7·32 per cent.	12,874	285	268	304	278	294	1429	1462	1405	1186	899	1559	1318	1276	1177	825	338
Males		6,248	144	139	144	146	138	711	724	717	627	426	729	590	586	585	400	153
Females		6,626	141	129	160	132	156	718	738	688	559	473	830	728	690	592	425	185
Deaths from All Causes, 1881-90. Persons	16·62	2,140	298	87	31	23	20	459	58	23	44	39	80	82	119	255	448	533
Males	17·72	1,107	164	51	13	13	10	251	29	9	16	17	43	41	68	125	253	255
Females	15·59	1,033	134	36	18	10	10	208	29	14	28	22	37	41	51	130	195	278

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·08	0·11	12	5	7	2	5	–	2	–	9	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·30	0·30	39	19	20	2	5	7	5	5	24	12	2	1	–	–	–	–	–	–	–
Diphtheria	0·10	0·10	0·11	13	6	7	–	2	1	1	2	6	7	–	–	–	–	–	–	–	–	–
Whooping-cough	0·19	0·18	0·21	25	11	14	16	6	–	1	1	24	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·10	0·14	15	6	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	4	–	1	2	–	–
Diarrhœa and Dysentery	0·27	0·34	0·21	35	21	14	10	1	1	–	–	12	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	9	11
Cancer	0·76	0·56	0·95	98	35	63	–	–	–	–	1	1	–	–	–	1	3	6	9	22	43	13
Tabes Mesenterica	0·09	0·06	0·11	11	4	7	4	–	1	–	–	5	2	1	–	–	–	1	1	–	–	1
Phthisis	0·77	0·82	0·72	99	51	48	1	2	1	–	–	4	–	4	11	10	30	13	16	8	3	–
Other Tub. & Scrof. Dis.	0·33	0·29	0·36	42	18	24	9	6	2	3	2	22	3	2	5	3	4	–	–	–	2	1
Diseases of Nervous System	2·59	3·06	2·14	333	191	142	48	10	2	3	1	64	5	2	3	6	6	10	18	44	91	84
Diseases of Circulatory „	2·11	2·08	2·14	272	130	142	–	1	–	1	–	2	5	1	4	2	5	12	24	55	105	57
Diseases of Respiratory „	3·11	3·57	2·67	400	223	177	60	27	12	5	4	108	11	2	3	1	7	12	17	40	68	131
Diseases of Digestive „	1·19	1·06	1·31	153	66	87	18	5	2	1	–	26	3	–	3	–	8	8	11	32	40	22
Diseases of Urinary „	0·50	0·75	0·26	64	47	17	–	–	–	1	1	2	1	–	–	3	1	1	6	11	21	18
Diseases of Generative „	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–
Puerperal Fever	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–
Childbirth	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	2	–	3	3	–	–	–	–
Violence	0·52	0·75	0·30	67	47	20	8	3	–	–	2	13	1	3	4	3	2	1	4	14	12	10
Other Causes	3·43	3·62	3·26	443	227	216	120	14	2	–	1	137	4	3	5	5	3	12	11	25	53	185

Marriages 716

Births { Males 1,617 / Females 1,553 } 3,170

Annual Rate per 1000 living { Persons Married 11·12 / Births 24·62 }

Deaths from Childbirth and Puerperal Fever 4·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

401.—MARKET HARBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Average Number and Rate per 1000	Persons —	In 1881 13·12	·105	–	–	–	–	37·17	4·29	2·15	3·65	5·18	5·70	7·91	12·41	21·77	48·89	158·67
	Males —	Standard 13·08	·107	–	–	–	–	41·91	4·62	1·83	3·18	4·92	6·05	8·51	13·02	24·78	61·14	172·59
	Females —	Population* 13·22	·083	–	–	–	–	32·53	3·96	2·46	4·09	5·38	5·37	7·45	11·85	18·92	46·76	146·45
Number Living at Census, 1881	Persons	Deaths under 1 year	494	369	113	392	390	1972	1980	1767	1587	1392	2148	1798	1464	1486	812	340
	Males	to 1000 Births 136	136	183	203	202	156	976	996	874	775	587	1107	820	686	573	396	163
	Females	6·69 per cent. 211	211	186	709	190	200	986	984	893	812	743	1141	886	755	613	417	183
Average Annual Number of Deaths	Persons	1,626	442	157	39	43	22	733	85	38	58	89	123	135	180	258	307	549
	Males	1,078	297	83	19	22	8	409	46	16	24	39	67	70	93	142	202	281
	Females	1,247	195	74	20	21	14	324	39	22	34	50	56	65	87	116	105	268

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·10	0·17	22	8	14	3	13	3	1	1	21	1	–	–	–	–	–	–
Scarlet Fever	0·31	0·24	0·38	51	19	32	5	3	5	10	5	27	16	5	3	–	–	–	–
Diphtheria	0·10	0·08	0·12	16	6	10	–	–	3	2	–	5	7	4	–	–	–	–	–
Whooping-cough	0·21	0·23	0·20	35	18	17	21	8	2	3	1	34	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·25	0·11	29	20	9	–	–	1	2	–	3	2	1	7	2	6	3	3	2	–	–	–
Simple Continued Fever	0·02	0·03	0·01	3	2	1	–	–	–	1	–	1	–	–	–	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·37	0·40	0·34	60	31	29	35	6	–	1	–	42	–	1	–	–	–	1	2	1	5	3	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·79	0·85	134	62	72	–	–	–	–	–	–	–	–	–	1	1	13	26	39	34	18	–
Tubercular Diseases	0·21	0·27	0·15	34	21	13	15	4	1	1	–	21	4	3	2	2	1	1	–	–	–	–	–
Diabetes	0·08	0·08	1·08	160	69	91	1	1	1	–	1	4	5	5	11	34	40	25	18	13	3	–	–
Other Local Diseases	0·23	0·24	0·21	37	19	18	8	6	3	2	–	19	4	1	2	1	4	1	1	3	–	–	–
Nervous System	2·33	2·61	2·07	380	208	172	62	10	6	4	2	84	16	3	8	7	13	11	20	31	30	22	–
Organs of Circulation	1·65	1·80	1·79	289	118	171	1	–	–	–	–	1	4	5	9	4	7	18	27	57	79	61	–
Respiratory Organs	2·52	2·97	2·09	410	233	177	96	51	15	10	5	175	13	1	3	3	14	16	23	33	45	65	–
Digestive Organs	0·92	1·06	0·79	150	83	67	17	6	1	3	3	32	3	–	1	2	8	13	19	24	30	16	–
Urinary Organs	0·35	0·45	0·26	57	35	22	4	–	–	–	1	5	–	1	1	1	5	5	7	8	15	9	–
Generative Organs	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	–	3	–	3	3	1	1	–
Pregnancy, Parturition	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	3	3	3	–	–	–	–	–
Accidents	0·07	–	0·14	12	–	12	–	–	–	–	–	–	–	–	–	–	7	4	1	–	–	–	–
Violence	0·56	0·84	0·31	92	66	26	10	4	–	3	1	17	3	1	3	5	8	11	9	9	7	14	–
Causes Unknown	4·03	4·63	3·47	657	365	292	308	12	3	3	–	232	7	4	2	4	5	11	19	17	20	275	–

Marriages (Males — Females —) 982 | Average Ratio per Inhabitant among Persons Married 12·05, Bachelors — 28·77 | Deaths from Childbirth and Puerperal Fever 4·27 per 1000 Births.

* No figures available.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·54	†135	–	–	–	–	44·56	3·36	2·88	2·33	5·08	7·93	12·00	16·27	27·30	57·9	149·48
Males	—	Standard 17·53	†156	–	–	–	–	48·90	3·89	2·17	2·67	5·22	8·43	13·36	18·26	34·52	60·63	136·08
Females	—	Population.* 15·55	†113	–	–	–	–	40·19	2·80	3·55	1·99	4·95	7·43	10·66	14·29	20·47	55·26	163·16
Mean Population, 1881–91. Persons	Decennial Increase of Population 36·66 per cent.	11,920	277	289	287	317	282	1452	1459	1320	1115	965	1678	1433	1106	751	449	192
Males		5,916	145	145	139	168	131	728	745	644	562	460	830	711	553	365	221	97
Females		6,004	132	144	148	149	151	724	714	676	553	505	848	722	553	386	228	95
Deaths from All Causes, 1881–90. Persons	17·16	2,046	450	111	43	24	19	647	49	38	26	49	133	172	180	205	260	287
Males	18·53	1,096	270	57	12	10	7	356	29	14	15	24	70	95	101	126	134	132
Females	15·82	950	180	54	31	14	12	291	20	24	11	25	63	77	79	79	126	155

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·14	0·20	20	8	12	4	6	3	3	3	19	1	–	–	–	–	–	–	–
Scarlet Fever	0·24	0·34	0·15	29	20	9	2	5	3	4	2	16	8	4	1	–	–	–	–	–
Diphtheria	0·09	0·05	0·13	11	3	8	–	1	–	1	3	5	3	–	–	–	–	–	–	–
Whooping-cough	0·26	0·29	0·23	31	17	14	14	10	5	1	1	31	–	–	–	–	–	1	1	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·12	0·23	21	7	14	–	–	1	–	1	2	4	4	4	1	2	2	–	1
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·84	0·91	0·77	100	54	46	69	12	1	–	–	82	–	–	–	–	1	2	5	1
Cholera	0·04	0·05	0·03	5	3	2	1	–	1	–	–	2	–	–	–	–	–	1	1	–
Cancer	0·61	0·49	0·73	73	29	44	–	–	–	–	–	–	–	–	–	–	2	8	15	25
Tabes Mesenterica	0·28	0·34	0·22	33	20	13	18	6	2	1	–	27	–	–	3	–	1	–	–	2
Phthisis	1·19	1·27	1·12	142	75	67	2	–	2	1	–	5	1	6	4	18	49	26	15	13
Other Tub. & Scrof. Dis.	0·25	0·14	0·37	30	8	22	7	4	3	1	1	16	3	3	1	–	1	1	–	–
Diseases of Nervous System	3·93	4·48	3·38	468	265	203	97	18	6	3	4	128	7	6	4	8	34	68	53	51
Diseases of Circulatory „	1·46	1·59	1·33	174	94	80	1	–	–	–	–	1	2	1	–	5	6	17	20	34
Diseases of Respiratory „	2·79	3·03	2·57	333	179	154	62	32	10	9	2	115	8	1	4	8	11	17	29	36
Diseases of Digestive „	0·84	0·83	0·85	100	49	51	14	7	2	–	–	23	2	3	2	2	4	7	17	14
Diseases of Urinary „	0·31	0·46	0·17	37	27	10	3	–	–	–	–	3	–	1	–	2	1	2	5	6
Diseases of Generative „	0·04	–	0·08	5	–	5	–	–	1	–	–	1	–	–	–	–	–	–	3	–
Puerperal Fever	0·07	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	–	6	2	–	–
Childbirth	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–
Violence	0·50	0·74	0·27	60	44	16	4	1	2	–	1	8	5	1	1	1	9	8	8	9
Other Causes	3·01	3·24	2·76	359	193	166	152	9	1	–	1	163	4	3	2	3	4	8	7	12

Marriages	–	600	Annual Rate per 1000 living	Persons Married	10·07
Births	Males 1,734	3,333		Births	37·96
	Females 1,599				

Deaths from Childbirth and Puerperal Fever – – – – – 3·90 per 1000 Births.

* *See* page xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

403.—BLABY.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000 — Persons	—	In 16·17	†153	–	–	–	–	54·20	5·84	2·88	3·25	4·63	5·12	7·39	10·18	21·76	52·16	149·45
Annual Death Rate per 1000 — Males	—	Standard 16·74	†172	–	–	–	–	61·36	5·68	3·09	3·08	4·16	4·82	7·60	9·87	20·52	56·19	142·69
Annual Death Rate per 1000 — Females	—	Population* 15·63	†134	–	–	–	–	47·11	6·01	2·66	3·43	5·02	5·29	7·19	10·95	22·98	48·58	155·50
Mean Popn. Estim. 1884–91. — Persons	Decennial Increase of Population 62·06 per cent.	28,623	878	818	820	835	780	4131	3713	3232	2805	2420	4124	3193	2180	1475	928	392
Mean Popn. Estim. 1884–91. — Males		14,005	428	407	409	423	388	2055	1849	1618	1493	1196	1950	1529	1057	731	456	171
Mean Popn. Estim. 1884–91. — Females		14,618	450	411	411	412	392	2076	1864	1644	1312	1344	2174	1654	1123	744	472	191
Deaths from All Causes, 1884–90. — Persons	16·66	4,769	1515	322	181	126	95	2239	217	93	93	112	211	236	222	321	484	541
Deaths from All Causes, 1884–90. — Males	17·56	2,459	866	170	94	75	56	1261	105	50	46	46	96	117	99	150	245	244
Deaths from All Causes, 1884–90. — Females	15·80	2,310	649	152	87	51	39	978	112	43	47	66	115	119	123	171	239	297

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·03	0·04	0·03	10	5	5	1	–	–	1	–	2	1	2	–	2	3	–	–	–	–	–
Measles	0·34	0·39	0·28	96	55	41	22	30	16	7	9	84	7	3	–	1	–	1	–	–	–	–
Scarlet Fever	1·02	1·15	0·90	293	161	132	6	21	62	60	37	186	90	10	3	1	1	2	–	–	–	–
Diphtheria	0·14	0·11	0·17	41	16	25	2	2	3	5	7	19	17	3	–	–	3	–	–	–	–	–
Whooping-cough	0·36	0·33	0·38	102	46	56	45	36	11	5	3	100	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
Enteric Fever	0·20	0·24	0·15	56	34	22	–	4	2	1	2	9	7	5	5	3	7	4	5	4	1	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·93	1·02	0·84	266	143	123	202	17	3	1	–	223	–	1	–	–	3	2	–	3	16	19
Cholera	0·02	0·02	0·01	5	3	2	2	–	1	–	–	3	–	–	–	1	–	–	–	–	–	1
Cancer	0·46	0·41	0·51	131	57	74	–	–	1	–	–	1	–	–	1	2	1	13	22	39	23	20
Tabes Mesenterica	0·22	0·14	0·29	63	20	43	37	9	1	3	–	50	3	2	–	3	3	2	–	–	–	–
Phthisis	1·10	1·01	1·18	314	142	172	15	6	1	–	–	22	7	13	41	53	74	56	30	14	4	–
Other Tub. & Scrof. Dis.	0·37	0·44	0·31	107	62	45	34	20	8	2	2	66	12	7	9	3	3	4	3	–	–	–
Diseases of Nervous System	2·07	2·21	1·94	593	310	283	193	30	13	9	7	252	19	8	4	6	16	30	28	46	100	84
Diseases of Circulatory „	1·18	1·09	1·16	323	153	170	5	1	–	–	1	7	2	3	6	5	17	34	44	61	85	54
Diseases of Respiratory „	3·87	3·11	2·64	822	436	386	287	91	40	15	16	449	30	5	4	7	16	29	25	65	109	94
Diseases of Digestive „	0·94	0·78	0·94	270	132	138	70	26	4	3	3	106	11	8	3	2	12	18	20	32	34	24
Diseases of Urinary „	0·31	0·32	0·23	88	54	34	3	1	3	2	1	10	2	3	1	3	9	6	9	13	23	9
Diseases of Generative „	0·06	0·01	0·05	10	2	8	–	–	1	–	–	1	–	–	–	1	3	1	1	1	3	–
Puerperal Fever	0·04	–	0·06	12	–	12	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–	–
Childbirth	0·07	–	0·14	21	–	21	–	–	–	–	–	–	–	–	–	4	3	9	–	–	–	–
Violence	0·30	0·34	0·26	142	104	38	20	5	6	3	3	42	8	10	3	3	10	9	14	15	17	11
Other Causes	3·40	3·75	3·29	999	522	477	571	33	5	4	4	607	9	5	9	4	16	16	21	28	60	224

Marriages - - 1,553

Births - { Males - 5,044 / Females - 4,841 } 9,885

Annual Rate per 1000 living { Persons Married 10·85 / Births - - 34·54

Deaths from Childbirth and Puerperal Fever - - - - } 3·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·78	†151	–	–	–	–	54·37	3·81	2·54	3·76	5·74	5·61	8·10	12·66	23·18	55·90	158·93
Males	—	Standard 17·07	†164	–	–	–	–	60·73	3·71	2·49	2·73	5·59	5·19	7·09	12·79	23·57	56·22	159·63
Females	—	Population* 16·49	†138	–	–	–	–	48·54	3·90	2·59	4·70	5·86	5·99	9·04	12·53	22·82	55·56	158·23
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·04 per cent.	19,051	572	537	531	529	518	2687	2391	2204	1917	1585	2551	1913	1509	1195	780	319
Males		9,185	286	257	240	259	244	1286	1185	1083	917	715	1215	917	727	577	402	161
Females		9,866	286	280	291	270	274	1401	1206	1121	1000	870	1336	996	782	618	378	158
Deaths from All Causes, 1881–90. Persons	18·27	3,480	1023	266	83	59	30	1461	91	56	72	91	143	155	191	277	436	507
Males	19·13	1,757	560	142	39	29	11	781	44	27	25	40	63	65	93	136	226	257
Females	17·46	1,723	463	124	44	30	19	680	47	29	47	51	80	90	98	141	210	250

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·45	0·45	0·46	86	41	45	21	38	15	5	1	80	5	1	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·12	0·17	28	11	17	3	4	3	5	3	18	10	–	–	–	–	–	–	–	–
Diphtheria	0·05	0·05	0·05	10	5	5	–	–	3	2	2	7	3	–	–	–	–	–	–	–	–
Whooping-cough	0·34	0·32	0·36	65	29	36	42	12	3	5	1	63	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·29	0·25	0·33	56	23	33	1	2	1	3	1	8	9	11	6	8	5	4	1	3	1	–
Simple Continued Fever	0·02	0·01	0·03	4	1	3	–	1	–	–	–	1	1	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·90	1·05	0·77	172	96	76	99	22	7	1	–	129	4	–	–	–	–	1	1	7	10	20
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	0·64	0·42	0·83	121	39	82	–	–	–	1	–	1	–	–	1	–	1	9	24	39	31	13
Tabes Mesenterica	0·26	0·30	0·21	49	28	21	22	9	4	3	–	38	3	2	4	–	–	–	1	–	1	–
Phthisis	1·17	1·02	1·30	222	94	128	2	–	–	–	–	2	–	8	29	37	62	38	29	10	5	2
Other Tub. & Scrof. Dis.	0·39	0·40	0·38	74	37	37	21	13	7	2	2	45	8	5	7	3	2	3	1	–	–	–
Diseases of Nervous System	2·65	2·81	2·49	504	258	246	184	35	10	12	6	247	8	6	3	5	4	20	25	40	89	57
Circulatory „	1·40	1·35	1·45	267	124	143	–	–	–	–	–	–	6	2	5	8	8	17	37	68	76	40
Respiratory „	3·27	3·51	3·05	623	322	301	175	94	20	16	9	314	14	5	6	5	18	17	25	53	89	77
Digestive „	0·97	1·13	0·81	184	104	80	57	9	1	–	2	69	5	1	2	3	8	12	16	15	36	17
Urinary „	0·32	0·38	0·26	61	35	26	2	–	–	–	2	4	2	3	1	2	5	9	5	7	17	6
Generative „	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	2	–	1	3	2	2	–
Puerperal Fever	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	–	5	7	5	–	–	–	–
Childbirth	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	–	6	2	3	–	–	–	–
Violence	0·40	0·60	0·21	76	55	21	6	3	3	3	1	16	2	5	5	1	5	5	10	6	10	11
Other Causes	4·40	4·95	3·92	839	454	385	388	24	6	1	–	419	9	7	3	5	14	11	13	26	69	263

Marriages 1,376

Births Males 3,416 / Females 3,350 — 6,766

Annual Rate per 1000 living: Persons Married 14·45; Births 35·52

Deaths from Childbirth and Puerperal Fever — 4·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

405.—MARKET BOSWORTH.

Causes of Death.	Crude Death-rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-rate per 1000 { Persons / Males / Females	— / — / —	In Standard Population* 14·23 / 14·53 / 13·95	†122 / †135 / †109	– / – / –	– / – / –	– / – / –	– / – / –	30·03 / 42·18 / 33·97	3·86 / 4·23 / 3·49	1·88 / 2·16 / 1·56	3·55 / 3·10 / 4·15	4·98 / 4·91 / 5·79	4·99 / 3·62 / 6·33	7·82 / 7·65 / 8·28	11·68 / 11·62 / 11·74	22·80 / 20·12 / 22·68	51·98 / 54·85 / 50·14	159·93 / 170·33 / 148·77
Mean Population living at each Age, 1881–91. { Persons / Males / Females	Decennial Increase of Population 7·00 per cent.	15,125 / 7,712 / 7,413	458 / 225 / 233	427 / 220 / 207	429 / 208 / 220	440 / 211 / 229	421 / 218 / 203	2175 / 1077 / 1098	1994 / 992 / 1002	1805 / 972 / 833	1854 / 775 / 579	1141 / 587 / 554	1904 / 856 / 1048	1361 / 776 / 785	1235 / 641 / 594	578 / 193 / 385	683 / 398 / 345	297 / 135 / 162
Deaths from Any Cause, 1881–90. { Persons / Males / Females	16·35 / 16·62 / 16·17	2,473 / 1,274 / 1,199	620 / 345 / 275	119 / 58 / 61	44 / 21 / 23	41 / 27 / 14	25 / 14 / 11	849 / 465 / 384	77 / 42 / 35	34 / 21 / 13	48 / 24 / 24	50 / 29 / 21	95 / 35 / 60	122 / 57 / 65	144 / 71 / 73	224 / 114 / 110	356 / 182 / 174	475 / 234 / 241

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·18	0·16	26	14	12	5	15	4	1	–	25	1	–	–	–	–	–	–	–
Scarlet Fever	0·24	0·30	0·19	37	23	14	2	6	2	9	5	24	12	1	–	–	–	–	–	–
Diphtheria	0·06	0·08	0·04	9	6	3	–	1	–	–	4	5	4	–	–	–	–	–	–	–
Whooping-cough	0·20	0·19	0·20	30	15	15	17	8	4	1	–	30	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Enteric Fever	0·28	0·27	0·28	43	21	21	–	1	–	–	–	1	6	8	7	8	4	5	3	1	–	–
Simple Continued Fever	0·04	0·04	0·04	6	3	3	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·56	0·47	0·65	84	36	48	48	4	1	1	–	54	–	1	–	1	1	1	6	10	1	–
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·30	0·34	0·26	75	26	49	–	–	–	–	–	–	–	–	–	5	6	19	23	15	7	–
Tabes Mesenterica	0·11	0·10	0·12	17	8	9	11	3	–	–	–	14	–	–	1	1	1	–	–	–	–	–
Phthisis	0·81	0·80	0·81	122	63	60	3	2	–	–	1	6	2	1	12	19	32	25	15	6	4	1
Other Tub. & Scrof. Dis.	0·23	0·21	0·26	35	16	19	13	6	2	1	2	23	2	4	2	2	1	–	–	–	1	–
Diseases of Nervous System	2·36	2·35	2·36	357	183	174	149	15	4	6	–	174	10	3	1	6	8	10	8	26	69	42
" Circulatory "	1·65	1·58	1·73	250	122	128	3	1	–	–	–	4	4	5	6	5	7	13	24	57	61	66
" Respiratory "	3·04	3·28	2·78	459	253	206	109	34	18	16	10	187	13	1	6	3	6	17	25	30	73	90
" Digestive "	1·04	0·93	1·15	157	72	85	31	15	1	2	2	49	5	2	3	1	5	7	21	31	22	12
" Urinary "	0·46	0·60	0·31	69	46	23	2	–	–	–	–	2	2	–	2	2	1	8	6	11	23	10
" Generative "	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–
Puerperal Fever	0·11	–	0·23	17	–	17	–	–	–	–	–	–	–	–	1	4	3	7	–	–	–	–
Childbirth	0·05	–	0·11	8	–	8	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–
Violence	0·67	0·99	0·38	102	76	26	5	3	6	2	–	16	7	6	6	3	7	12	15	6	14	11
Other Causes	3·73	3·81	3·66	564	292	272	223	7	3	2	1	235	6	2	2	4	8	4	5	14	58	226

Marriages		869	Annual Rate per 1000 living	Persons Married	11·49
Births	Males 2,559 / Females 2,529	5,088		Births	33·63

Deaths from Childbirth and Puerperal Fever 4·32 per 1000 Births.

* See Tables III.–IV.

† The death-rates under one year of age are per 1000 Births.

406.—ASHBY-DE-LA-ZOUCH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·71	†132	–	–	–	–	46·04	3·73	2·71	3·89	4·61	5·15	8·16	10·71	24·90	61·70	161·11
Males	—	Standard 16·17	†149	–	–	–	–	52·28	3·58	2·60	3·09	3·67	4·40	7·24	11·13	28·46	65·64	161·51
Females	—	Population* 15·26	†115	–	–	–	–	39·91	3·87	2·82	4·89	5·63	5·93	9·09	10·28	21·30	58·08	160·68
Mean Population, 1881-91. Persons	Decennial Increase of Population 8·45 per cent.	34,951	1037	1016	991	1022	982	5048	4644	4130	3444	2821	4645	3613	2830	2068	1222	486
Males		17,765	527	473	481	523	498	2502	2317	2074	1911	1472	2384	1809	1419	1040	585	252
Females		17,186	510	543	510	499	484	2546	2327	2056	1533	1349	2261	1804	1411	1028	637	234
Deaths from All Causes, 1881-90. Persons	16·49	5,762	1569	403	157	104	91	2324	173	112	134	130	239	295	303	515	754	783
Males	17·11	3,039	906	224	80	47	51	1308	83	54	59	54	105	131	158	296	384	407
Females	15·84	2,723	663	179	77	57	40	1016	90	58	75	76	134	164	145	219	370	376

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·03	0·03	0·02	9	6	3	1	–	–	–	–	1	1	1	–	2	2	–	2	–	–	–
Measles	0·30	0·38	0·22	105	67	38	26	37	20	9	6	98	5	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·40	0·40	0·40	140	71	69	9	28	23	21	18	99	29	8	–	1	2	1	–	–	–	–
Diphtheria	0·07	0·06	0·08	23	10	13	–	2	3	1	5	11	6	2	1	1	–	1	1	–	–	–
Whooping-cough	0·35	0·34	0·35	121	61	60	54	39	11	7	4	115	5	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·22	0·23	0·22	77	40	37	–	–	–	2	3	5	10	11	14	8	11	4	7	3	3	1
Simple Continued Fever	0·01	0·01	–	2	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·32	0·34	115	57	58	66	17	3	1	1	88	3	–	1	1	3	1	–	3	7	8
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Cancer	0·56	0·35	0·76	194	63	131	1	1	–	1	1	4	–	–	–	–	6	12	25	53	76	18
Tabes Mesenterica	0·29	0·26	0·32	101	46	55	52	24	5	3	1	85	3	5	3	2	1	–	1	1	–	–
Phthisis	0·96	0·88	1·05	336	156	180	9	2	3	1	2	17	10	8	40	56	75	71	39	15	4	1
Other Tub. & Scrof. Dis.	0·31	0·37	0·26	110	65	45	29	15	8	5	5	62	14	8	8	4	1	5	1	6	1	–
Diseases of Nervous System	2·27	2·45	2·11	795	432	363	318	42	11	10	6	387	18	14	6	7	14	20	43	77	118	91
Diseases of Circulatory „	1·43	1·41	1·45	500	251	249	4	–	–	–	1	5	3	11	10	7	28	39	48	100	153	96
Diseases of Respiratory „	3·18	3·57	2·77	1111	635	476	344	142	44	29	20	579	31	4	8	7	24	37	44	96	151	130
Diseases of Digestive „	1·02	0·96	1·08	357	171	186	86	19	5	2	3	115	11	8	7	7	7	23	33	59	57	30
Diseases of Urinary „	0·41	0·55	0·28	145	97	48	–	1	2	1	1	5	2	3	4	3	6	15	14	28	33	32
Diseases of Generative „	0·05	–	0·11	19	–	19	1	–	–	–	–	1	–	–	–	1	1	5	4	2	4	1
Puerperal Fever	0·07	–	0·13	23	–	23	–	–	–	–	–	–	–	–	1	4	12	6	–	–	–	–
Childbirth	0·09	–	0·19	32	–	32	–	–	–	–	–	–	–	–	4	4	9	14	1	–	–	–
Violence	0·61	0·88	0·33	213	156	57	9	7	13	5	11	45	10	17	14	7	22	19	14	31	16	18
Other Causes	3·52	3·64	3·36	1231	651	580	560	27	6	6	3	602	11	7	13	8	15	22	26	39	131	357

Marriages - - 2,402

Births - { Males - 6,097 / Females - 5,771 } 11,868

Annual Rate per 1000 living { Persons Married 13·74 / Births - - 33·96

Deaths from Childbirth and Puerperal Fever - - - - - 4·63 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

407.—LOUGHBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
[illegible]	—	In [illegible]	17·00		†140	–	–	–	–	55·41	3·87	2·49	4·63	5·83	7·18	8·99	18·12	27·08	57·14	158·92
[illegible]	—	Standard	18·25		†166	–	–	–	–	61·39	3·96	2·53	4·47	5·97	6·23	8·91	13·31	30·80	77·80	67·66
	—	Population*	16·99		†131	–	–	–	–	49·57	3·79	2·45	4·78	5·95	8·02	9·71	12·86	24·57	56·40	149·61
Mean Population [illegible]	Decennial Increase of Population 10·65 per cent.	29,407			852	775	752	782	749	3803	3588	3375	3001	2462	2266	1880	2429	1872	1194	493
[illegible]		14,108			396	392	367	385	380	1922	1769	1663	1431	1128	1877	1474	1172	806	541	235
[illegible]		15,299			437	383	385	397	369	1971	1819	1712	1570	1378	2119	1698	1247	976	653	258
[illegible]	18·35	5,488			1464	393	142	90	68	2157	139	84	139	146	287	277	324	507	648	780
[illegible]	19·86	2,597			829	192	66	53	40	1180	70	42	64	64	117	121	156	276	344	394
[illegible]	17·69	2,891			635	201	76	37	28	977	69	42	75	82	170	156	168	231	303	386

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
[illegible]	0·02	[illegible]	0·02	5	2	3	–	1	–	–	–	1	–	–	2	1	1	–	–	–	–	–
[illegible]	0·47	[illegible]	0·41	137	74	63	33	53	29	10	4	129	7	–	1	–	–	–	–	–	–	–
[illegible]	0·17	[illegible]	[illegible]	49	23	26	3	9	9	10	1	32	11	6		–	–	–	–	–	–	–
[illegible]	0·14	[illegible]	[illegible]	42	19	23	2	5	4	6	8	25	11	4		2	–	–	–	–	–	–
[illegible]	0·44	[illegible]	[illegible]	130	60	70	76	33	11	4	4	128	2			–	–	–	–	–	–	–
[illegible]	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
[illegible]	0·16	0·14	0·18	57	30	27	–	–	1	1	–	2	5	5	7	4	11	5	3	3	3	–
[illegible]	0·02	0·02	0·03	6	3	3	–	–	–	–	–	–	2	1	–	1	–	–	2	–	–	–
[illegible]	0·90	0·96	0·84	264	138	126	190	30	3	3	1	227	3		1	–	1	1	1	4	10	16
[illegible]	0·01	–	0·01	3		3	–	–	–	–	–					–	–	–	1	1	–	–
[illegible]	0·64	0·46	0·80	187	65	122	–	–	–	–	1	1	–	–	2	1	3	12	36	62	41	29
[illegible]	0·40	0·43	0·37	117	61	56	74	21	3	3	–	101	3	2	–	5	2	–	2	1	1	
[illegible]	1·48	1·47	1·49	435	208	227	2	5	3	–	2	10	4	15	60	73	120	82	44	18	8	1
[illegible]	0·48	0·55	0·41	140	78	62	34	22	14	6	9	85	15	7	6	7	5	6	3	–	–	
[illegible] System	2·46	2·60	2·33	728	367	361	235	36	21	12	10	314	14	10	14	4	25	17	43	63	128	96
[illegible]	1·64	1·65	1·63	482	233	249	2	–	–	–	1	3	4	6	9	7	14	40	66	110	147	76
[illegible]	3·14	3·51	2·80	923	495	428	253	116	34	21	17	441	33	4	4	4	27	30	44	94	124	118
[illegible]	1·08	1·15	1·01	317	162	155	87	30	5	3	2	127	2	5	8	4	14	19	30	44	37	27
[illegible]	0·33	0·46	0·24	97	65	32	3	2	–	2	2	9	–	–	2	3	4	8	15	21	21	14
[illegible]	0·05	0·02	0·07	14	3	11	–	1	–	–	–	1	–	–	–	1	1	2	3	3	1	1
[illegible]	0·12	–	0·24	35	–	35	–	–	–	–	–	–	–	–	1	5	20	9	–	–	–	–
[illegible]	0·09	–	0·18	26	–	26	–	–	–	–	–	–	–	–	2	4	12	7	–	–	–	–
[illegible]	0·58	0·89	0·29	170	126	44	18	4	2	8	5	37	14	10	7	6	15	14	15	28	10	14
[illegible]	3·81	4·24	3·41	1121	598	523	452	27	3	1	1	484	9	9	13	14	10	24	16	49	115	388

[illegible]	2,141	Annual Rate per 1000 living	Persons Married	14·56
[illegible] Males 4,984 / Females 4,835	9,819		Births	33·39

Deaths from Childbirth and Puerperal Fever 6·11 per 1000 Births.

* [illegible]

† The death-rates under one year of age are per 1000 Births.

408.—BARROW-ON-SOAR.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard 17·19	†163	–	–	–	–	56·65	4·22	2·90	4·04	4·89	6·25	8·61	12·30	25·44	56·93	144·83
Males	—	18·06	†179	–	–	–	–	62·07	4·62	2·91	3·64	4·71	6·53	7·97	14·06	26·15	62·24	151·49
Females	—	Population* 16·36	†147	–	–	–	–	51·36	3·85	2·89	4·43	5·04	6·00	9·21	10·72	24·77	52·31	138·76
Mean Population, 1881-91. Persons	Decennial Increase of Population 18·17 per cent.	31,465	947	812	893	847	865	4364	4095	3690	3141	2517	4239	3345	2569	1879	1133	493
Males		15,189	453	417	436	421	427	2154	1990	1855	1538	1147	2006	1607	1216	914	527	235
Females		16,276	494	395	457	426	438	2210	2105	1835	1603	1370	2233	1738	1353	965	606	258
Deaths from All Causes, 1881-90. Persons	18·14	5,708	1720	412	173	89	78	2472	173	107	127	123	265	288	316	478	645	714
Males	19·40	2,946	962	205	84	41	45	1337	92	54	56	54	131	128	171	239	328	356
Females	16·97	2,762	758	207	89	48	33	1135	81	53	71	69	134	160	145	239	317	358

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·37	0·38	0·36	116	58	58	23	40	23	6	8	100	14	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·47	0·48	0·46	148	73	75	13	20	22	28	19	102	39	5	–	–	1	1	–	–	–	–
Diphtheria	0·09	0·11	0·06	27	17	10	1	3	1	3	3	11	8	4	–	–	–	1	–	2	1	–
Whooping-cough	0·38	0·38	0·37	118	57	61	57	36	10	7	4	114	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·14	0·16	0·12	45	25	20	–	–	1	–	1	2	2	7	13	8	6	6	–	–	–	1
Simple Continued Fever	0·01	–	0·02	4	–	4	–	–	1	–	–	1	1	1	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	1·13	1·24	1·02	354	188	166	260	31	6	5	–	302	1	1	1	–	–	1	2	8	21	17
Cholera	0·01	0·01	–	2	2	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Cancer	0·46	0·35	0·57	145	53	92	–	–	–	–	–	–	–	–	1	–	5	11	31	54	28	15
Tabes Mesenterica	0·13	0·18	0·09	42	28	14	17	10	4	1	2	34	1	3	1	2	–	1	–	–	–	–
Phthisis	1·35	1·29	1·40	424	196	228	8	5	4	3	4	24	12	20	42	62	111	77	41	29	3	3
Other Tub. & Scrof. Dis.	0·41	0·44	0·38	129	67	62	38	25	15	4	5	87	16	10	5	6	–	3	1	1	–	–
Diseases of Nervous System	2·69	2·95	2·44	845	448	397	330	58	19	8	7	417	16	19	17	8	14	22	45	86	125	76
Diseases of Circulatory	1·36	1·36	1·36	429	207	222	5	–	–	–	1	6	9	7	4	6	29	37	46	92	119	74
Diseases of Respiratory	2·79	2·98	2·62	879	452	427	244	133	46	17	13	453	22	8	6	8	22	32	44	77	117	90
Diseases of Digestive	0·89	0·90	0·88	280	137	143	59	15	5	1	3	83	2	9	6	5	15	23	24	40	47	26
Diseases of Urinary	0·33	0·45	0·22	105	69	36	3	2	1	–	3	9	7	2	6	2	5	6	15	16	28	9
Diseases of Generative	0·05	0·01	0·10	17	1	16	–	1	–	–	–	1	–	–	–	–	–	2	4	1	7	2
Puerperal Fever	0·04	–	0·09	14	–	14	–	–	–	–	–	–	–	–	–	–	2	7	5	–	–	–
Childbirth	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	–	–	1	2	7	10	–	–
Violence	0·64	0·99	0·31	201	150	51	13	3	8	5	3	32	10	6	8	4	21	22	27	28	32	11
OTHER CAUSES	4·38	4·73	3·98	1363	717	646	649	29	7	6	2	693	9	5	15	7	21	27	35	44	117	390

Marriages - - - 1,813

Births - { Males - 5,368 / Females - 5,155 } 10,523

Annual Rate per 1000 living { Persons Married 11·52 / Births - - 33·44

Deaths from Childbirth and Puerperal Fever - - - - - 3·23 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1	2	3	4	Total Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Decennial Increase of Population 16[illegible] per cent.																					
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
							Persons.															
	0·00	0·00	–			–	1	–	–	–		1	–	–		–		–	–			
	0·42	0·43	0·41			283	143	211	89	50		513	30	1		–		1	–			
	0·33	0·34	0·32			226	30	81	82	76		301	97	11	3	1	3	–	–		–	
	0·09	0·09	0·09			60	6	21	19	9	15	70	21	3	3	2	3	5	7	2		
	0·43	0·41	0·45			313	256	170	64	36	20	546	9	–		–	1	–				
	0·00	–	0·00			2	–	–	–	–		–	–	1		–		–	–			
	0·21	0·22	0·20			137	–	1	3	7	10	21	41	34	30	38	13	25	12	12	4	1
	0·00	0·00	0·00			3	1	2	–	–		3	–			–	1	–				
	1·76	1·96	1·58			1106	1954	207	13	4	1	2179	5	–	2	2		7	8	16	11	57
	0·01	0·01	0·01			5	3	1	–	–		4	1	1		–	1	3	2	–	–	
	0·53	0·40	0·64			445	–	1	1	1	1	4	2	1	1	1	24	103	153	96	120	46
	0·26	0·29	0·23			164	201	70	15	10	3	299	13	7	9	1		1	1			
	1·54	1·89	1·23			862	42	17	9	6	1	75	29	47	110	256	58	438	207	137		1
	0·49	0·56	0·42			293	234	127	45	27	15	448	64	31	20	15	29	14	13	4		1
	2·04	1·48	2·65			1853	1870	341	76	63	42	2392	75	50	44	42	30	137	254	195	95	220
	1·48	1·53	1·44			1093	17	3	–	5	2	27	26	43	44	51	144	218	311	144	100	187
	3·55	2·94	3·21			2244	1827	714	234	131	57	2963	92	18	20	65	141	213	315	126	59	315
	0·84	0·83	0·84			586	273	80	13	8	2	376	29	12	23	23	71	83	135	50	24	58
	0·39	0·54	0·26			184	16	16	10	5	1	48	18	12	7	17	46	71	77	42	22	44
	0·05	0·01	0·08			55	–	2	–	–		2	–	–	2	5	10	13	14	8	6	1
	0·06	–	0·16			100	–	–	–	–		–	–	–	5	23	42	22	1			–
	0·07		0·13			98	–	–	–	–		–	–	–	4	11	42	26	2			–
	0·65	0·88	0·42			70	173	28	27	28	13	269	60	26	26	27	21	95	71	32	23	50
	3·20	3·00	3·35				3140	187	31	14	5	3377	45	44	40	29	7	90	105	61	40	1051

Annual Rate per 1000 Living { Persons Married 17·93 / Births - - 36·14 }

Deaths from Childbirth and Puer[illegible] { [illegible] - - - } 4·21 per 1000 Births.

* [illegible]

† The death-rate [illegible] year [illegible] per 1000 [illegible].

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·97	†119	–	–	–	–	44·27	5·17	2·64	2·61	5·83	5·89	7·94	10·87	20·59	49·54	154·10
Annual Death-Rate per 1000. Males	—	In Standard Population.* 15·12	†134	–	–	–	–	48·46	5·34	2·58	2·24	5·24	5·13	6·54	11·86	21·96	50·63	155·56
Annual Death-Rate per 1000. Females	—	In Standard Population.* 14·82	†104	–	–	–	–	40·12	5·00	2·70	3·02	6·39	6·65	9·37	9·89	19·22	48·47	152·65
Mean Population, 1881-91. Persons	Decennial Increase of Population 5·40 per cent.	21,041	525	500	554	523	514	2616	2513	2234	1875	1716	2920	2331	1886	1530	969	451
Mean Population, 1881-91. Males	Decennial Increase of Population 5·40 per cent.	10,540	263	255	275	256	251	1300	1254	1122	981	839	1462	1178	936	765	478	225
Mean Population, 1881-91. Females	Decennial Increase of Population 5·40 per cent.	10,501	262	245	279	267	263	1316	1259	1112	894	877	1458	1153	950	765	491	226
Deaths from All Causes, 1881–90. Persons	16·86	3,548	753	204	74	82	45	1158	130	59	49	100	172	185	205	315	480	695
Deaths from All Causes, 1881–90. Males	17·22	1,815	432	99	31	39	29	630	67	29	22	44	75	77	111	168	242	350
Deaths from All Causes, 1881–90. Females	16·50	1,733	321	105	43	43	16	528	63	30	27	56	97	108	94	147	238	345

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·16	0·23	41	17	24	8	16	7	8	1	40	–	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·46	0·51	0·41	97	54	43	4	11	14	16	9	54	33	7	–	1	2	–	–	–	–	–
Diphtheria	0·22	0·17	0·28	47	18	29	1	3	6	7	6	23	15	6	1	–	–	–	1	–	1	–
Whooping-cough	0·27	0·17	0·37	57	18	39	29	17	7	3	–	56	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·10	23	12	11	–	1	–	2	1	4	1	2	2	6	3	2	–	3	–	–
Simple Continued Fever	0·03	0·01	0·05	6	1	5	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–	1
Diarrhœa and Dysentery	0·43	0·55	0·42	102	58	44	51	16	3	2	–	72	4	–	–	–	3	1	1	4	8	9
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·47	0·80	134	50	84	–	1	–	1	–	2	–	–	–	–	4	11	24	44	31	18
Tabes Mesenterica	0·15	0·12	0·18	32	13	19	9	3	1	2	4	19	7	1	1	–	–	3	–	–	1	–
Phthisis	1·25	1·04	1·46	263	110	153	–	4	–	2	–	6	7	9	25	47	69	47	31	15	7	–
Other Tub. & Scrof. Dis.	0·41	0·39	0·44	87	41	46	17	15	2	7	5	46	10	6	2	4	5	7	5	1	1	–
Diseases of Nervous System	2·11	2·18	2·04	444	230	214	97	15	9	10	3	134	12	5	5	3	10	20	22	51	94	88
Diseases of Circulatory „	1·45	1·38	1·53	306	145	161	2	–	–	–	–	2	2	3	3	6	13	12	28	56	99	82
Diseases of Respiratory „	2·77	3·09	2·44	582	326	256	153	64	17	12	6	252	14	4	–	7	12	16	24	46	93	114
Diseases of Digestive „	1·30	1·26	1·34	274	133	141	58	16	4	3	1	82	2	8	2	3	12	16	34	48	41	26
Diseases of Urinary „	0·40	0·64	0·17	85	67	18	1	1	–	–	–	2	2	–	1	6	2	6	7	11	24	24
Diseases of Generative „	0·07	0·01	0·12	14	1	13	–	–	–	–	–	–	–	–	–	–	4	2	1	3	3	1
Puerperal Fever	0·06	–	0·12	13	–	13	–	–	–	–	–	–	–	–	1	2	4	6	–	–	–	–
Childbirth	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	2	4	–	–	–	–
Violence	0·55	0·84	0·27	116	88	28	6	4	–	4	4	18	7	2	2	9	12	13	13	12	14	14
OTHER CAUSES	3·90	4·10	3·65	815	431	384	316	17	4	1	5	343	12	5	2	5	14	18	14	21	63	318

Marriages 1,252

Births { Males 3,214 / Females 3,089 } 6,303

Annual Rate per 1000 living { Persons Married 11·90 / Births 29·96

Deaths from Childbirth and Puerperal Fever 3·17 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

411.—OAKHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·64	†120	–	–	–	–	41·72	3·07	3·02	3·53	4·81	5·03	6·99	13·25	20·68	55·63	158·72
Annual Death-Rate per 1000. Males	—	Standard 15·53	†140	–	–	–	–	48·72	3·30	2·37	3·09	4·07	4·15	6·55	14·58	23·64	62·02	176·04
Annual Death-Rate per 1000. Females	—	Population* 13·81	†100	–	–	–	–	34·89	2·84	3·72	3·98	5·53	5·87	7·40	12·03	18·82	49·64	146·61
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·54 per cent.	10,948	256	249	243	261	259	1268	1305	1225	1078	863	1431	1188	1004	827	634	235
Mean Population, 1881–91. Males		5,399	135	106	123	130	132	626	636	633	550	418	699	580	480	402	288	117
Mean Population, 1881–91. Females		5,549	121	143	120	131	127	642	669	592	528	435	732	608	524	425	276	118
Deaths from All Causes, 1881–90. Persons	16·57	1,814	365	91	31	19	23	529	40	37	38	41	72	83	133	171	297	373
Deaths from All Causes, 1881–90. Males	17·84	963	214	45	20	12	14	305	21	15	17	17	29	38	70	91	160	200
Deaths from All Causes, 1881–90. Females	15·34	851	151	46	11	7	9	224	19	22	21	24	43	45	63	80	137	173

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·24	0·23	26	13	13	7	11	2	2	2	24	2	–	–	–	–	–	–	–
Scarlet Fever	0·21	0·28	0·14	23	15	8	3	3	4	5	1	16	4	1	1	–	–	1	–	–	–	–
Diphtheria	0·08	0·11	0·05	9	6	3	–	1	1	–	1	3	3	3	–	–	–	–	–	–	–	–
Whooping-cough	0·36	0·37	0·34	39	20	19	15	12	6	1	2	36	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·05	4	1	3	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·27	0·28	0·27	30	15	15	10	3	–	–	2	15	1	–	–	1	–	1	–	1	3	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·66	0·69	0·63	72	37	35	–	–	–	–	–	–	–	–	1	–	–	1	23	15	20	12
Tabes Mesenterica	0·16	0·19	0·14	18	10	8	12	5	–	1	–	18	–	–	–	–	–	–	–	–	–	–
Phthisis	1·17	1·15	1·19	128	62	66	2	–	–	–	–	2	2	9	14	18	38	23	13	7	3	–
Other Tub. & Scrof. Dis.	0·37	0·31	0·41	40	17	23	10	5	3	2	1	21	6	5	4	–	3	–	1	–	–	–
Diseases of Nervous System	2·23	2·45	2·00	243	132	111	57	11	4	–	1	73	4	2	1	4	2	8	16	28	60	45
Circulatory „	1·71	1·78	1·64	187	96	91	–	1	–	–	1	2	1	1	3	2	5	12	22	30	62	41
Respiratory „	2·49	3·07	1·93	273	166	107	69	24	10	6	5	114	6	2	4	1	7	8	21	29	45	36
Digestive „	0·90	0·80	1·01	99	43	56	15	5	1	–	2	23	3	2	–	3	5	6	14	12	19	12
Urinary „	0·47	0·59	0·34	51	32	19	–	1	–	–	1	2	1	3	1	2	2	3	7	8	15	7
Generative „	0·04	0·02	0·05	4	1	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–
Puerperal Fever	0·06	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	3	1	3	–	–	–	–
Childbirth	0·06	–	0·13	7	–	7	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–
Violence	0·50	0·78	0·23	55	42	13	4	3	–	1	1	9	2	2	3	1	6	7	3	11	5	6
Other Causes	4·55	4·67	4·43	497	253	244	161	6	–	1	3	171	2	6	3	3	3	6	12	22	64	205

Marriages	–	639	Annual Rate per 1000 living	Persons Married	11·67
Births	Males – 1,534	3,046		Births –	27·82

Deaths from Childbirth and Puerperal Fever – – – – 4·60 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATHS.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·81	†103	–	–	–	–	36·01	2·87	1·96	3·12	5·86	5·90	7·67	10·79	22·07	52·64	158·40
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·70	†113	–	–	–	–	38·37	2·03	1·55	2·77	4·87	6·10	7·14	12·23	22·09	54·20	160·48
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·91	†91	–	–	–	–	33·54	3·69	2·47	3·58	6·76	5·71	8·15	9·44	22·05	51·25	156·52
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·86 per cent.	11,617	273	271	268	272	260	1344	1392	1381	1252	819	1441	1212	1047	861	606	262
Mean Population, 1881–91. Males	Decennial Decrease of Population 6·86 per cent.	5,853	138	144	133	142	131	688	688	774	722	390	688	574	507	412	286	124
Mean Population, 1881–91. Females	Decennial Decrease of Population 6·86 per cent.	5,764	135	127	135	130	129	656	704	607	530	429	753	638	540	449	320	138
Deaths from All Causes, 1881–90. Persons	15·95	1,853	327	81	33	25	18	484	40	27	39	48	85	93	113	190	319	415
Deaths from All Causes, 1881–90. Males	15·70	919	187	42	11	13	11	264	14	12	20	19	42	41	62	91	155	199
Deaths from All Causes, 1881–90. Females	16·20	934	140	39	22	12	7	220	26	15	19	29	43	52	51	99	164	216

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·07	–	4	4	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
Measles	0·13	0·17	0·09	15	10	5	4	4	3	1	1	13	2	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·09	0·19	16	5	11	–	2	2	4	1	9	2	2	–	1	1	1	–	–	–	–
Diphtheria	0·06	0·05	0·07	7	3	4	–	–	1	–	–	1	4	–	1	1	–	–	–	–	–	–
Whooping-cough	0·19	0·15	0·23	22	9	13	10	5	4	1	–	20	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·12	0·12	0·12	14	7	7	–	–	–	–	–	–	2	2	6	–	2	–	–	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·25	0·22	0·28	29	13	16	16	2	2	–	–	20	–	–	–	–	1	–	–	1	6	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·71	0·58	0·85	83	34	49	–	–	–	1	–	1	–	–	–	–	3	5	9	29	25	11
Tabes Mesenterica	0·07	0·05	0·09	8	3	5	5	1	–	–	–	6	–	–	1	–	1	–	–	–	–	–
Phthisis	1·37	1·23	1·51	159	72	87	14	8	1	–	1	24	3	6	10	22	43	24	11	9	7	–
Other Tub. & Scrof. Dis.	0·22	0·22	0·23	26	13	13	10		1	1	2	18	3	1	1	1	–	1	1	–	–	–
Diseases of Nervous System	2·09	2·02	2·17	243	118	125	63	12	4	5	2	86	5	4	3	2	4	7	16	27	47	42
Diseases of Circulatory „	1·63	1·47	1·79	189	86	103	1	–	–	–	–	1	1	3	–	3	8	14	16	35	67	41
Diseases of Respiratory „	2·45	2·49	2·41	285	146	139	69	33	12	8	4	126	6	1	3	3	1	8	17	27	41	52
Diseases of Digestive „	1·09	0·99	1·20	127	58	69	18	1	1	–	4	24	5	3	5	7	7	11	16	11	21	17
Diseases of Urinary „	0·56	0·77	0·35	65	45	20	1	1	–	–	1	3	1	1	–	–	3	3	4	10	21	14
Diseases of Generative „	0·08	–	0·16	9	–	9	–	–	–	–	–	–	–	–	–	–	1	3	1	2	2	–
Puerperal Fever	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Childbirth	0·04	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Violence	0·56	0·87	0·24	65	51	14	7	2	1	3	1	14	3	1	3	5	2	4	6	9	9	9
OTHER CAUSES	4·12	4·12	4·08	478	241	237	109		1	1	1	118	1	3	6	2	3	4	14	28	71	228

Marriages - - - 623

Births { Males - 1,654 / Females - 1,533 } 3,187

Annual Rate per 1000 living { Persons Married 10·73 / Births - - 27·43

Deaths from Childbirth and Puerperal Fever - - - - - 2·51 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

413.—STAMFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65	75 and upwards.
Annual Death-Rate per 1000. Persons	–	In Standard Population* 15·26	†115	–	–	–	–	38·13	3·89	2·87	3·93	3·97	6·94	9·78	12·96	26·52	58·82	139·62
Annual Death-Rate per 1000. Males	–	In Standard Population* 14·21	†123	–	–	–	–	41·78	3·95	2·61	3·82	3·72	6·82	10·94	14·45	31·43	61·50	169·75
Annual Death-Rate per 1000. Females	–	In Standard Population* 14·87	†106	–	–	–	–	34·61	3·85	3·12	4·05	4·17	7·06	8·73	11·44	23·08	56·44	154·02
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·40 per cent.	17,757	424	406	398	434	415	2077	2078	2029	1896	1432	2336	1943	1678	1188	847	386
Mean Population, 1881-91. Males	Decennial Decrease of Population 6·40 per cent.	8,582	217	202	202	216	197	1034	1047	1035	917	645	1150	923	771	563	397	162
Mean Population, 1881-91. Females	Decennial Decrease of Population 6·40 per cent.	9,175	207	204	196	218	218	1043	1031	1026	980	787	1286	1020	857	625	450	224
Deaths from All Causes, 1881-90. Persons	17·17	3,049	543	139	47	32	51	792	79	59	71	56	162	180	241	315	494	629
Deaths from All Causes, 1881-90. Males	18·14	1,557	264	71	30	20	16	401	41	27	35	24	75	101	143	177	258	275
Deaths from All Causes, 1881-90. Females	16·26	1,492	249	68	17	12	15	361	38	32	36	32	87	80	98	138	236	345

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·03	0·05	0·01	5	4	1	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1
Measles	0·23	0·28	0·17	40	24	16	5	15	5	5	2	32	5	2	1	–	–	–	–	–	–
Scarlet Fever	0·12	0·09	0·14	21	8	13	2	5	2	1	4	14	5	1	–	–	1	–	–	–	–
Diphtheria	0·14	0·16	0·12	25	14	11	1	–	4	3	1	9	6	3	2	1	1	2	1	–	–
Whooping-cough	0·39	0·31	0·47	70	27	43	31	29	6	3	1	69	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·16	0·14	27	14	13	–	–	–	–	1	1	1	8	3	1	5	4	1	2	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·43	0·49	0·37	76	43	34	42	10	4	1	–	57	2	1	–	–	–	–	1	3	6
Cholera	0·01	–	0·02	2	–	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	6
Cancer	0·85	0·76	0·94	151	65	86	–	–	–	–	–	–	–	–	–	2	2	10	32	36	54
Tabes Mesenterica	0·12	0·14	0·10	21	12	9	8	3	–	1	1	12	3	1	1	–	1	–	2	1	1
Phthisis	1·26	1·19	1·33	224	102	122	5	1	–	1	–	7	7	6	23	22	63	47	21	18	6
Other Tub. & Scrof. Dis.	0·24	0·27	0·21	42	23	19	7	5	3	1	2	18	8	5	2	2	2	1	3	–	1
Nervous System	2·68	2·63	2·73	476	226	250	71	12	10	3	3	99	7	8	8	3	6	12	29	58	113
Circulatory "	2·07	2·19	1·95	367	188	179	1	–	–	–	–	1	4	3	2	2	11	22	38	67	110
Respiratory "	2·52	2·86	2·20	447	245	202	108	32	6	3	10	164	4	3	4	2	16	21	15	44	77
Digestive "	1·24	1·43	1·07	221	123	98	27	18	5	2	3	55	4	5	4	3	5	19	22	30	38
Urinary "	0·34	0·44	0·24	60	38	23	1	–	–	–	1	2	1	–	1	2	2	10	7	8	18
Generative "	0·06	0·01	0·11	11	1	10	1	–	–	–	–	1	–	–	–	–	2	5	1	–	2
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	2	–	6	1	–	–
Childbirth	0·08	–	0·15	14	–	14	–	–	–	–	–	–	–	–	–	–	3	7	3	1	–
Violence	0·77	1·11	0·46	137	95	42	8	–	1	1	–	10	13	5	10	7	9	15	13	10	16
Other Causes	3·89	3·57	3·23	693	306	297	224	10	1	3	2	240	7	8	8	5	22	17	26	28	51

Marriages	–	1,038	Annual Rate per 1000 living	Persons Married	11·69
Births	Males 2,584	4·737		Births	26·66
	Females 2,353				

Deaths from Childbirth and Puerperal Fever – – – – 4·86 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—		In Standard Population*	14·33		†125	–	–	–	–	40·50	3·05	2·84	4·63	6·98	5·34	7·16	10·19	20·82	55·46	138·28
	Males	—			14·42		†137	–	–	–	–	43·73	3·05	2·19	4·31	5·13	3·93	7·04	10·82	21·75	60·58	150·95
	Females	—			14·24		†112	–	–	–	–	37·24	3·06	3·48	4·99	8·82	6·73	7·27	9·56	19·89	50·50	128·36
Mean Population, 1881–91.	Persons	Decennial Decrease of Population 1·17 per cent.		18,807			478	433	480	476	481	2348	2360	2186	1792	1289	2304	1956	1708	1407	979	478
	Males			9,397			248	207	249	243	233	1180	1182	1094	951	643	1145	952	850	708	482	210
	Females			9,410			230	226	231	233	248	1168	1178	1092	841	646	1159	1004	858	699	497	268
Death from All Causes, 1881–90.	Persons	16·97		3,192			691	150	57	30	23	951	72	62	83	90	123	140	174	293	543	661
	Males	17·21		1,617			383	83	26	15	9	516	36	24	41	33	45	67	92	154	292	317
	Females	16·74		1,575			308	67	31	15	14	435	36	38	42	57	78	73	82	139	251	344

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·02	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Measles	0·14	0·13	0·16	27	12	15	6	7	4	2	2	21	4	–	1	1	–	–	–	–	–
Scarlet Fever	0·11	0·11	0·11	20	10	10	1	3	6	1	1	12	5	–	–	1	2	–	–	–	–
Diphtheria	0·09	0·06	0·12	17	6	11	–	–	1	1	1	3	7	5	–	2	–	–	–	–	–
Whooping-cough	0·30	0·22	0·37	56	21	35	32	15	6	1	1	55	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·13	0·19	30	12	18	–	–	2	1	–	3	3	2	7	3	4	1	–	3	3	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·32	0·37	0·27	60	35	25	30	3	–	–	–	33	1	1	–	–	1	1	2	2	10	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·82	0·67	0·98	155	63	92	–	–	–	–	1	1	1	–	–	2	–	6	25	42	53	25
Tabes Mesenterica	0·21	0·19	0·22	39	18	21	15	4	1	1	1	22	2	3	4	–	3	4	–	1	–	–
Phthisis	1·49	1·34	1·64	280	126	154	11	7	–	2	–	20	5	16	30	49	57	41	30	17	13	2
Other Tub. & Scrof. Dis.	0·31	0·29	0·34	59	27	32	16	7	4	3	1	31	10	7	4	2	3	2	–	–	–	–
Diseases of Nervous System	2·27	2·47	2·07	427	232	195	125	21	6	3	5	160	7	4	6	4	7	15	24	40	86	74
Diseases of Circulatory „	1·73	1·84	1·62	325	173	152	2	1	–	–	1	4	1	6	8	2	13	11	23	59	115	83
Diseases of Respiratory „	2·77	2·91	2·64	521	273	248	153	56	12	6	6	233	10	4	8	5	9	16	19	45	83	89
Diseases of Digestive „	0·97	1·09	0·85	182	102	80	35	9	3	1	–	48	4	3	2	2	3	11	21	32	36	20
Diseases of Urinary „	0·41	0·53	0·29	77	50	27	2	1	–	–	–	3	1	1	2	4	–	6	9	12	20	19
Diseases of Generative „	0·05	0·02	0·07	9	2	7	1	–	–	–	–	1	–	–	1	–	1	1	2	2	1	–
Puerperal Fever	0·04	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–	–
Childbirth	0·05	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	1	3	6	–	–	–	–
Violence	0·43	0·61	0·24	80	57	23	4	5	4	4	2	19	5	5	–	1	3	6	5	11	14	11
Other Causes	4·28	4·22	4·33	806	397	409	257	11	8	4	1	281	4	5	10	8	11	11	14	26	108	328

Marriages - - - 1,185

Births - { Males - 2,786 / Females - 2,740 } 5,526

Annual Rate per 1000 living { Persons Married 12·60 / Births - - 29·38

Deaths from Childbirth and Puerperal Fever - - - - - 3·26 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Birth .

415.—SPALDING.

| | | |

416.—HOLBEACH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*	14·53		†125	–	–	–	–	42·23	4·14	2·59	4·13	5·73	6·93	7·93	10·81	20·49	46·79	136·64
Annual Death-Rate per 1000. Males	—			In Standard Population.*	14·88		†135	–	–	–	–	45·28	3·84	3·09	3·01	5·26	6·68	7·54	12·08	21·13	55·36	135·32
Annual Death-Rate per 1000. Females	—			In Standard Population.*	14·19		†115	–	–	–	–	39·17	4·44	2·10	5·44	6·17	7·17	8·32	9·55	19·84	38·57	137·99
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·46 per cent.			18,531			497	456	473	464	483	2373	2417	2275	1791	1291	2121	1966	1601	1298	934	464
Mean Population, 1881–91. Males				9,275			248	230	212	244	252	1186	1223	1134	964	627	1033	968	795	653	457	235
Mean Population, 1881–91. Females				9,256			249	226	261	220	231	1187	1194	1141	827	664	1088	998	806	645	477	229
Deaths from All Causes, 1881–90. Persons	16·85			3,122			696	176	67	39	24	1002	100	59	74	74	147	156	173	266	437	634
Deaths from All Causes, 1881–90. Males	17·55			1,628			386	96	25	18	12	537	47	35	29	33	69	73	96	138	253	318
Deaths from All Causes, 1881–90. Females	16·14			1,494			310	80	42	21	12	465	53	24	45	41	78	83	77	128	184	316
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·04	0·09	12	4	8	1	4	4	2	–	11	–	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·25	0·25	46	23	23	4	1	5	9	5	24	18	3	–	1	–	–	–	–	–	–
Diphtheria	0·21	0·22	0·21	39	20	19	–	1	3	4	4	12	14	7	1	1	1	–	3	–	–	–
Whooping-cough	0·28	0·24	0·31	51	22	29	29	11	7	2	2	51	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·09	16	8	8	–	–	–	–	–	–	1	–	2	–	–	4	3	1	2	2	1
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·28	0·29	0·26	51	27	24	21	3	1	1	2	28	2	–	–	1	–	–	–	3	4	13
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Cancer	0·92	0·80	1·05	171	74	97	–	–	–	–	–	–	–	–	2	–	5	8	24	51	52	29
Tabes Mesenterica	0·12	0·13	0·12	23	12	11	16	1	–	–	1	18	–	1	1	2	–	–	1	–	–	–
Phthisis	1·48	1·28	1·69	275	119	156	9	8	2	1	1	21	8	12	30	35	64	47	28	20	8	2
Other Tub. & Scrof. Dis.	0·45	0·51	0·40	84	47	37	21	17	6	4	2	50	11	10	5	2	2	1	1	1	1	–
Diseases of Nervous System	2·50	2·53	2·46	463	235	228	112	19	5	4	3	143	7	7	5	4	19	14	31	43	79	111
Diseases of Circulatory „	1·56	1·81	1·31	289	168	121	–	–	1	–	–	1	1	1	3	2	4	15	19	54	88	101
Diseases of Respiratory „	2·73	3·02	2·43	505	280	225	117	57	22	9	3	208	14	1	2	6	11	15	23	32	81	112
Diseases of Digestive „	0·96	0·87	1·05	178	81	97	38	26	–	1	–	65	4	2	8	2	3	10	14	17	30	23
Diseases of Urinary „	0·48	0·69	0·27	89	64	25	2	–	–	2	–	4	–	–	3	3	2	10	10	12	27	18
Diseases of Generative „	0·04	0·01	0·06	7	1	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1
Puerperal Fever	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Childbirth	0·06	–	0·12	11	–	11	–	–	–	–	–	–	–	–	1	1	2	7	–	–	–	–
Violence	0·52	0·83	0·22	97	77	20	6	4	4	–	–	14	9	8	5	5	10	8	5	12	11	10
OTHER CAUSES	3·80	3·93	3·65	705	365	340	320	23	7	–	1	351	11	6	6	8	16	14	12	18	50	213

Marriages - - 1,161

Births - Males 2,868 / Females 2,696 = 5,564

Annual Rate per 1000 living: Persons Married 12·53; Births 30·03

Deaths from Childbirth and Puerperal Fever - - - - - 3·24 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

417.—BOSTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·38	†129	–	–	–	–	44·19	4·80	2·71	4·33	5·37	7·24	8·92	11·18	21·79	51·73	143·70
Males	—	16·22	†143	–	–	–	–	50·30	4·92	2·60	3·84	4·77	6·60	8·37	10·89	24·00	60·08	159·00
Females	—	14·69	†114	–	–	–	–	38·01	4·67	2·81	5·32	6·27	7·74	9·41	11·46	19·77	43·37	131·73
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·14 per cent.	380,688	902	912	932	944	948	4638	4627	4436	3845	3326	4764	4105	3479	2773	2039	1600
Males		178,748	435	446	453	481	477	2289	2246	2028	1858	1564	2272	1969	1681	1325	957	439
Females		201,940	467	469	479	463	471	2349	2381	2408	1987	1762	2492	2136	1798	1447	1079	861
Deaths during Year. Persons	17·38	6,599	1429	338	144	66	68	2045	222	120	165	183	345	386	389	604	1043	1437
Males	18·92	3,443	812	186	85	34	39	1156	114	58	84	85	162	194	183	318	573	698
Females	16·20	3,156	617	152	59	32	29	889	108	62	101	98	183	202	206	286	468	739

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·20	0·09	56	38	18	12	22	8	6	6	54	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·13	0·12	49	25	24	1	5	8	7	4	25	19	–	3	1	1	–	–	–	–
Diphtheria	0·18	0·15	0·21	71	29	42	–	4	2	3	3	17	29	14	3	2	3	1	1	1	3	–
Whooping-cough	0·29	0·23	0·35	113	43	70	61	25	14	7	2	109	3	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Enteric Fever	0·08	0·06	0·09	29	11	18	–	–	–	1	1	2	3	3	4	2	3	5	–	3	3	3
Simple Continued Fever	0·02	0·02	0·03	9	4	5	–	1	–	–	–	1	1	1	–	2	–	1	1	–	3	–
Epidemic and Malignant Dysentery	0·44	0·47	0·41	170	89	81	86	19	4	2	4	115	3	–	–	–	3	1	1	2	16	29
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Cancer	0·70	0·45	0·94	271	85	186	–	–	1	–	–	1	–	–	1	2	7	31	53	74	65	37
Tubercular Consumption	0·16	0·19	0·13	62	36	26	26	9	4	3	–	42	4	4	4	2	3	2	1	–	–	–
Phthisis	1·47	1·32	1·61	568	248	320	5	3	2	2	3	15	13	27	71	70	155	83	56	46	22	10
Other Tubercular Diseases	0·31	0·35	0·27	119	65	54	30	17	11	2	6	66	21	13	5	5	4	1	1	1	2	–
Diseases of Nervous System	2·98	3·14	2·82	1149	589	560	316	50	20	8	7	401	23	10	23	12	19	35	50	115	226	235
" Circulatory	1·48	1·68	1·32	575	314	261	1	–	–	2	–	3	2	4	8	11	29	40	64	94	188	132
" Respiratory	2·82	3·17	2·50	1090	595	495	261	115	47	11	12	446	44	6	10	7	30	45	46	80	169	207
" Digestive	1·15	1·14	1·15	442	213	229	63	22	8	4	5	97	15	9	3	15	16	22	38	70	100	57
" Urinary	0·48	0·65	0·34	187	119	68	8	2	–	1	–	6	1	–	2	3	14	17	17	25	47	55
" Generative	0·05	0·01	0·10	21	1	20	1	–	–	–	–	1	–	–	–	2	–	4	9	4	–	1
Puerperal Fever	0·08	–	0·15	30	–	30	–	–	–	–	–	–	–	–	2	10	10	7	1	–	–	–
Childbirth	0·06	–	0·11	22	–	22	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–
Accidents	0·65	0·88	0·30	243	163	60	6	9	12	4	6	37	25	14	16	10	11	24	16	38	23	39
Other Causes	4·19	4·58	3·84	1619	858	761	557	35	8	3	4	607	13	14	11	7	27	36	33	50	178	643

Marriages		2,666	Annual Rate per 1000 living	Persons Married	13·92	
Births	Males 5,692	11,690		Births	28·74	
	Females 5,998		Deaths from Childbirth and Puerperal Fever			4·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·55	†126	–	–	–	–	41·58	3·67	2·77	3·99	6·51	6·40	7·84	9·92	20·91	51·87	139·86
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·37	†129	–	–	–	–	42·40	3·29	2·85	3·56	6·05	5·64	7·40	9·64	24·27	53·37	143·02
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·71	†122	–	–	–	–	40·78	4·05	2·70	4·48	6·96	7·13	8·28	10·20	17·68	50·40	137·04
Mean Population, 1881-91. Persons	Decennial Decrease of Population, 7·99 per cent.	24,693	620	609	588	616	609	3042	3026	2883	2482	1890	2986	2537	2247	1808	1230	562
Mean Population, 1881-91. Males	Decennial Decrease of Population, 7·99 per cent.	12,327	310	305	283	308	301	1507	1519	1438	1322	942	1472	1257	1110	886	609	265
Mean Population, 1881-91. Females	Decennial Decrease of Population, 7·99 per cent.	12,366	310	304	305	308	308	1535	1507	1445	1160	948	1514	1280	1137	922	621	297
Deaths from All Causes 1881-90. Persons	16·58	4,093	899	192	86	50	38	1265	111	80	99	123	191	199	223	378	638	786
Deaths from All Causes 1881-90. Males	16·52	2,036	469	101	32	26	11	639	50	41	47	57	83	93	107	215	325	379
Deaths from All Causes 1881-90. Females	16·63	2,057	430	91	54	24	27	626	61	39	52	66	108	106	116	163	313	407

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·01	4	3	1	–	–	–	–	1	1	–	–	1	–	1	–	1	–	–	–
Measles	0·19	0·19	0·19	47	24	23	13	13	7	6	3	42	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·15	0·32	58	19	39	1	6	10	8	13	38	11	5	1	1	1	1	–	–	–	–
Diphtheria	0·13	0·13	0·12	31	16	15	–	1	1	2	2	6	15	5	3	–	–	–	2	–	–	–
Whooping-cough	0·27	0·21	0·32	66	26	40	44	10	9	2	–	65	–	–	–	–	–	–	–	–	–	1
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·26	0·21	0·32	65	26	39	–	1	2	2	1	6	8	5	9	9	9	6	2	5	5	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·52	0·47	0·57	128	58	70	62	12	2	1	–	77	–	1	1	1	–	1	3	7	13	24
Cholera	0·02	0·02	0·01	4	3	1	1	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–
Cancer	0·66	0·41	0·92	164	50	114	–	–	–	–	–	–	–	–	–	1	4	13	28	54	51	13
Tabes Mesenterica	0·21	0·24	0·18	51	29	22	17	8	6	–	2	33	8	2	–	4	1	2	–	1	–	–
Phthisis	1·31	1·06	1·56	324	131	193	6	2	1	1	1	11	7	13	36	54	73	59	39	23	8	1
Other Tub. & Scrof. Dis.	0·26	0·27	0·25	64	33	31	17	6	3	1	1	28	14	3	4	3	5	3	2	2	–	–
Diseases of Nervous System	2·53	2·45	2·61	625	302	323	163	36	15	10	4	228	12	7	10	8	15	17	31	63	131	103
Diseases of Circulatory „	1·65	1·80	1·50	408	222	186	2	–	–	1	–	3	2	5	6	6	18	19	24	78	144	103
Diseases of Respiratory „	2·98	3·29	2·67	736	406	330	209	62	21	7	7	306	9	5	6	13	14	16	28	55	117	137
Diseases of Digestive „	0·92	1·02	0·81	226	126	100	28	12	1	–	2	43	9	4	6	5	5	14	19	32	53	36
Diseases of Urinary „	0·43	0·55	0·31	106	68	38	4	2	–	1	–	7	–	2	–	2	9	8	11	19	23	25
Diseases of Generative „	0·07	–	0·14	17	–	17	–	1	–	–	–	1	–	–	–	–	–	3	3	5	4	1
Puerperal Fever	0·04	–	0·09	11	–	11	–	–	–	–	–	–	–	–	–	–	8	3	–	–	–	–
Childbirth	0·06	–	0·13	16	–	16	–	–	–	–	–	–	–	–	–	1	8	7	–	–	–	–
Violence	0·52	0·72	0·32	129	89	40	3	5	7	4	1	20	4	12	7	5	7	11	9	14	15	25
Other Causes	3·29	3·29	3·27	810	403	407	329	15	–	4	–	348	7	10	9	10	12	15	21	20	72	236

Marriages - - - 1,708

Births - Males - 3,626, Females - 3,535 = 7,161

Annual Rate per 1000 living: Persons Married 13·83; Births - - 29·00

Deaths from Childbirth and Puerperal Fever - - - - - 3·77 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

419.—GRANTHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45	55–	65–	75 and upwards.
Annual Deaths per 1000 Persons, 1881–1890	Persons –	In 15·90	†134	–	–	–	–	47·10	4·12	2·40	3·81	4·86	6·58	8·74	13·10	23·32	50·10	142·67
	Males –	Standard 16·40	†148	–	–	–	–	51·25	3·94	2·27	3·33	4·48	6·36	8·45	15·51	25·45	61·31	156·72
	Females –	Population* 15·35	†119	–	–	–	–	42·93	4·31	2·53	4·33	5·21	6·79	9·01	10·84	22·70	51·44	144·65
Mean Population, 1881–90	Persons –	35,302	867	823	807	861	824	4238	4077	3786	3293	2714	4468	3569	2878	2772	1451	604
	Males –	Decennial Decrease of Population 2·24 per cent.	444	402	447	492	408	2193	2058	1891	1681	1244	2261	1784	1496	1144	685	268
	Females –	16,771	423	421	420	429	442	2145	2049	1895	1572	1420	2207	1776	1485	1159	766	336
Deaths from All Causes, 1881–90.	Persons –	17·24	1500	337	132	76	61	1206	168	91	124	132	294	311	377	550	814	904
	Males –	17·81	780	164	68	41	25	1388	81	43	56	58	142	151	246	329	420	490
	Females –	16·68	691	173	64	35	35	908	87	48	68	74	152	160	161	221	394	484

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Smallpox –	0·01	0·02	0·01	4	3	1	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–
Measles –	0·29	0·30	0·29	97	49	48	22	33	18	9	5	87	8	1	–	1	–	–	–	–	–	–
Scarlet Fever –	0·21	0·16	0·26	71	27	44	8	5	7	7	10	39	23	4	1	2	2	–	–	–	–	–
Diphtheria –	0·29	0·19	0·39	65	32	33	2	6	9	7	9	33	19	5	2	1	3	1	–	2	–	–
Whooping-cough –	0·44	0·36	0·52	148	60	88	70	45	18	6	4	143	5	–	–	–	–	–	–	–	–	–
Typhus –	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever –	0·17	0·19	0·16	58	31	27	1	1	2	–	1	5	7	4	7	7	11	7	4	6	–	–
Simple Continued Fever	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·60	0·71	0·40	200	117	83	134	20	2	1	3	160	2	–	–	–	1	3	2	4	8	19
Cholera –	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer –	0·71	0·54	0·87	236	90	146	–	–	–	–	–	–	–	1	–	1	2	21	41	89	74	37
Tabes Mesenterica –	0·26	0·26	0·24	86	43	43	41	16	7	2	1	67	6	4	2	–	2	2	2	–	1	–
Tubercle –	1·38	1·42	1·34	506	234	272	6	10	3	–	3	22	9	17	52	64	148	91	55	43	22	5
Other Tub. & Scrof. Dis. –	0·37	0·36	0·39	124	59	65	38	14	12	9	3	76	20	8	6	3	7	1	1	1	1	–
Diseases of Nervous System –	2·05	2·44	2·03	744	404	340	161	21	3	8	2	195	18	11	9	11	22	27	37	84	136	164
Circulatory ... –	1·18	1·81	1·81	603	299	304	4	2	–	1	2	9	4	3	9	3	22	42	65	134	180	123
Respiratory ... –	2·75	3·07	2·45	917	507	410	254	95	30	13	9	401	16	5	3	9	17	32	50	71	108	155
Digestive ... –	1·17	1·25	1·09	389	207	182	90	37	12	2	4	145	12	6	9	4	7	18	36	55	61	36
Urinary ... –	0·41	0·51	0·32	138	85	53	–	–				–	–	1	1	1	11	8	22	18	34	33
Generative ... –	0·05	0·01	0·08	16	2	14	–	–						–	–	–	1	3	4	–	6	2
Puerperal Fever –	0·05	–	0·09	15	–	15	–	–						–	–	2	8	5	–	–	–	–
Child-bed –	0·07	–	0·14	24	–	24	–	–						–	1	6	3	13	2	–	–	–
Violence –	0·48	0·79	0·26	169	115	54	17	5	2	6	2	32	6	5	7	5	10	16	19	20	16	23
Other Causes –	3·37	3·49	3·21	1147	578	569	542	25	7	5	3	582	12	12	13	12	19	22	36	33	68	308

Marriages – 2,174

Births { Males – 1,231 / Females – 1,092 } Total – 2,323

Annual Rate per 1000 living { Persons Married 13·08 / Births – 31·13

Deaths from Childbirth and Puerperal Fever – 3·76 per 1000 Births.

* Net Inhabited Houses (1891).

† The death-rates under one year of age are per 1000 Births.

420.—LINCOLN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·97	†148	–	–	–	–	54·35	5·53	2·94	5·22	6·83	8·44	12·19	16·13	28·73	64·79	155·00
Males	—	20·29	†163	–	–	–	–	61·10	5·70	2·88	4·67	6·27	8·23	13·04	18·57	33·48	70·32	161·36
Females	—	17·73	†132	–	–	–	–	47·73	5·36	3·00	5·80	7·38	8·63	11·32	13·67	24·31	59·99	149·74
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·27 per cent.	65,890	1677	1584	1643	1594	1646	8144	7887	7348	6552	5522	9257	7722	5785	4117	2516	1040
Males		32,656	832	789	824	771	817	4033	3898	3642	3344	2757	4566	3888	2902	1986	1169	471
Females		33,234	845	795	819	823	829	4111	3989	3706	3208	2765	4691	3834	2883	2131	1347	569
Deaths from All Causes, 1881–90. Persons	19·54	12,877	3027	775	275	196	153	4426	436	216	342	377	781	941	933	1183	1630	1612
Males	20·79	6,789	1713	430	134	105	82	2464	222	105	156	173	376	507	539	665	822	760
Females	18·32	6,088	1314	345	141	91	71	1932	214	111	186	204	405	434	394	518	808	852

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·04	0·02	18	12	6	2	2	–	–	–	4	1	–	1	2	5	3	2	–	–	–
Measles	0·27	0·27	0·28	180	87	93	29	61	27	22	16	155	22	–	–	1	1	1	–	–	–	–
Scarlet Fever	0·33	0·34	0·32	219	112	107	12	29	22	33	26	122	71	14	2	2	4	3	–	–	–	–
Diphtheria	0·13	0·11	0·15	86	37	49	4	3	6	9	11	33	43	6	2	1	–	–	1	–	1	–
Whooping-cough	0·38	0·38	0·39	251	123	128	121	71	30	13	8	243	8	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	3	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Enteric Fever	0·25	0·28	0·21	162	92	70	–	–	–	3	1	4	19	9	25	17	29	23	10	15	8	3
Simple Continued Fever	0·02	0·02	0·02	16	8	8	1	1	1	1	–	4	1	–	1	1	1	2	2	1	2	1
Diarrhœa and Dysentery	0·72	0·76	0·68	476	249	227	329	39	6	5	4	383	3	–	1	4	3	1	6	13	31	31
Cholera	0·01	0·01	0·01	5	3	2	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	2
Cancer	0·61	0·44	0·78	402	144	258	–	1	–	–	–	1	1	–	2	4	12	54	87	112	87	42
Tabes Mesenterica	0·41	0·44	0·39	272	144	128	183	39	9	5	2	238	15	7	2	5	3	1	1	–	–	–
Phthisis	1·84	1·77	1·91	1212	578	634	10	6	4	1	2	23	25	45	146	165	333	241	134	78	18	4
Other Tub. & Scrof. Dis.	0·34	0·40	0·29	227	129	98	52	43	15	12	17	139	37	20	13	9	5	3	–	–	1	–
Diseases of Nervous System	3·36	3·75	3·01	2224	1223	1001	629	95	41	17	12	794	51	27	20	33	90	164	198	253	380	214
Circulatory „	1·64	1·72	1·56	1081	562	519	3	1	–	1	–	5	9	19	19	11	52	89	155	212	307	203
Respiratory „	2·97	3·35	2·60	1959	1094	865	466	221	75	40	32	834	51	14	26	30	59	101	93	179	290	282
Digestive „	1·06	1·12	1·00	698	366	332	148	70	14	5	4	241	21	9	14	14	41	48	65	90	111	44
Urinary „	0·46	0·66	0·26	301	216	85	4	4	–	2	–	10	7	6	4	7	15	37	43	62	69	41
Generative „	0·08	0·01	0·14	50	4	46	–	–	–	–	–	–	–	–	–	7	4	15	9	10	4	1
Puerperal Fever	0·06	–	0·12	39	–	39	–	–	–	–	–	–	–	–	3	5	21	10	–	–	–	–
Childbirth	0·08	–	0·16	53	–	53	–	–	–	–	–	–	–	–	4	10	19	20	–	–	–	–
Violence	0·54	0·79	0·29	355	258	97	19	14	11	8	8	60	27	15	23	13	29	46	37	30	36	39
Other Causes	3·95	4·12	3·73	2588	1345	1243	1014	75	14	19	10	1132	24	24	33	36	54	78	90	127	285	705

Marriages 4,712

Births { Males 10,504 / Females 9,955 } 20,459

Annual Rate per 1,000 living { Persons Married 14·30 / Births 31·05

Deaths from Childbirth and Puerperal Fever 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

421.—HORNCASTLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Average Death-Rate per 1000 { Persons	—	In Standard Population* 13·16	*101	–	–	–	–	33·71	3·32	3·19	3·03	5·14	6·11	8·61	16·55	21·87	48·51	138·43
Males	—		*114	–	–	–	–	37·86	2·65	1·66	2·47	5·17	5·74	7·39	16·95	25·48	54·67	140·81
Females	—		*89	–	–	–	–	29·66	4·01	4·68	3·64	5·11	6·46	9·56	16·17	20·39	42·10	136·21
Mean Population, 1881-91. { Persons	Decrease of Population per cent.	20,882	475	479	497	497	511	2459	2502	2324	2111	1596	1528	2125	1943	1564	1111	562
Males		10,638	228	229	238	251	249	1215	1281	1147	1065	795	1047	1027	950	792	567	272
Females		10,244	247	250	259	246	262	1244	1221	1177	1046	841	1481	1098	993	772	544	290
Deaths from All Causes, 1881-90. { Persons	15·79	3,296	581	142	51	29	26	829	83	74	64	82	157	183	205	242	539	778
Males	16·55	1,711	329	75	28	16	12	460	34	19	27	39	71	78	104	186	340	383
Females	15·44	1,625	252	67	23	13	14	369	49	55	37	43	86	105	101	136	229	395

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·03	–	3	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Measles	0·11	0·10	0·11	22	10	12	2	3	4	1	2	17	4	1	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·07	0·22	30	7	23	1	2	2	1	1	7	9	6	1	4	1	2	–	–	–
Diphtheria	0·09	0·09	0·09	18	9	9	2	1	1	2	2	8	5	2	2	–	1	–	–	–	–
Whooping-cough	0·23	0·18	0·28	48	19	29	17	15	7	2	2	43	5	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·09	0·04	0·13	18	4	14	–	–	–	–	–	–	–	6	1	3	1	2	–	3	1	1
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·32	0·23	57	33	24	22	5	1	2	–	30	2	–	–	–	–	1	5	9	10
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Cancer	0·76	0·59	0·93	159	61	98	–	–	–	1	–	1	–	1	–	1	3	13	34	35	51	20
Tumour, Malignant	0·06	0·08	0·05	13	8	5	4	1	3	–	–	8	–	2	–	1	–	–	–	2	–	–
Phthisis	1·38	1·22	1·53	287	126	161	4	3	–	–	2	9	13	24	25	40	71	54	32	13	7	2
Other Tub. & Scrof. Dis.	0·29	0·31	0·27	60	32	28	13	11	2	1	1	28	4	9	2	5	2	2	4	2	2	–
Diseases of Nervous System	2·55	2·62	2·48	531	272	259	103	19	3	6	7	138	12	7	6	4	20	18	28	55	110	133
Diseases of Circulatory	1·83	1·93	1·73	382	200	182	–	–	–	–	–	–	2	2	4	1	10	24	39	79	117	104
Diseases of Respiratory	3·46	3·77	3·17	714	386	328	126	51	17	5	6	205	9	1	3	6	10	15	23	51	83	108
Diseases of Digestive	0·93	1·04	0·83	194	107	87	37	9	–	2	–	48	5	6	8	2	3	14	14	31	37	26
Diseases of Urinary	0·48	0·49	0·29	101	71	30	–	–	–	1	1	2	–	2	–	3	4	4	9	15	37	25
Diseases of Generative	0·06	0·01	0·10	12	1	11	–	–	–	–	–	–	–	–	1	–	1	3	2	5	–	–
Puerperal Fever	0·04	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	1	7	3	–	–	–	–
Childbirth	0·08	–	0·15	16	–	16	–	–	–	–	–	–	–	–	–	2	4	9	1	–	–	–
Violence	0·38	0·54	0·25	79	58	21	4	6	6	3	1	20	6	4	4	3	5	4	5	12	8	7
Other Causes	3·73	3·61	3·77	778	388	390	246	11	5	2	1	265	5	5	7	3	15	13	13	35	75	342

Marriages - - - 1,296

Births { Males 2,886 / Females 2,846 } 5,732

Annual Rate per 1000 living { Persons Married 12·43 / Births - - 27·53

Deaths from Childbirth and Puerperal Fever - - - - - 4·35 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

422.—SPILSBY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·33	†110	–	–	–	–	37·97	4·27	3·32	4·14	7·52	7·17	8·12	10·18	20·64	47·19	141·70
Annual Death-Rate per 1000. Males	—	Standard 14·45	†121	–	–	–	–	42·28	4·20	3·14	3·17	6·54	5·60	7·90	10·99	21·35	49·78	148·45
Annual Death-Rate per 1000. Females	—	Population* 14·21	†98	–	–	–	–	33·57	4·35	3·50	5·18	8·41	8·64	8·32	9·40	19·94	44·76	136·03
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·11 per cent.	26,893	642	629	638	661	625	3195	3231	3134	2684	1928	3167	2796	2504	2108	1441	705
Mean Population, 1881–91. Males		13,316	324	307	331	327	324	1613	1643	1590	1390	917	1535	1341	1228	1040	697	322
Mean Population, 1881–91. Females		13,577	318	322	307	334	301	1582	1588	1544	1294	1011	1632	1455	1276	1068	744	383
Deaths from All Causes, 1881–90. Persons	16·86	4,534	819	232	81	45	36	1213	138	104	111	145	227	227	255	435	680	999
Deaths from All Causes, 1881–90. Males	17·11	2,279	468	129	42	24	19	682	69	50	44	60	86	106	135	222	347	478
Deaths from All Causes, 1881–90. Females	16·61	2,255	351	103	39	21	17	531	69	54	67	85	141	121	120	213	333	521

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·06	0·08	0·04	15	10	5	4	4	4	1	–	13	2	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·14	0·13	37	19	18	–	6	2	4	3	15	13	3	2	1	1	1	–	1	–	–
Diphtheria	0·30	0·26	0·34	80	34	46	2	–	5	8	2	17	26	21	4	4	5	–	3	–	–	–
Whooping-cough	0·17	0·16	0·18	46	21	25	27	11	7	1	–	46	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·11	0·11	0·12	30	14	16	–	–	–	–	1	1	3	3	8	2	7	2	1	3	–	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·21	0·21	57	28	29	32	4	2	1	1	40	2	1	–	1	1	–	–	–	6	6
Cholera	0·00	0·01	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·56	1·11	224	74	150	–	–	–	–	–	–	–	–	–	–	7	18	44	58	63	34
Tabes Mesenterica	0·28	0·26	0·30	76	35	41	41	8	4	2	–	55	6	4	3	4	2	1	1	–	–	–
Phthisis	1·54	1·36	1·72	415	181	234	3	5	1	1	–	10	15	19	51	72	100	70	41	27	9	1
Other Tub. & Scrof. Dis.	0·40	0·41	0·39	107	54	53	26	16	5	3	6	56	13	12	7	6	3	6	1	1	2	–
Diseases of Nervous System	2·70	2·85	2·56	727	380	347	222	46	11	3	7	289	14	8	5	10	19	18	20	69	143	132
Diseases of Circulatory „	1·61	1·65	1·56	432	220	212	–	–	–	–	–	–	1	2	3	5	16	32	39	80	124	130
Diseases of Respiratory „	2·41	2·57	2·25	647	342	305	140	77	19	13	11	260	17	6	5	6	15	15	19	57	108	139
Diseases of Digestive „	1·12	1·27	0·97	301	169	132	35	14	4	–	2	55	9	3	5	6	9	16	32	57	53	50
Diseases of Urinary „	0·46	0·58	0·35	125	77	48	1	1	–	1	–	3	2	2	2	5	7	11	11	19	38	25
Diseases of Generative „	0·04	–	0·09	12	–	12	–	–	–	–	–	–	–	–	–	–	–	3	–	2	4	3
Puerperal Fever	0·05	–	0·10	13	–	13	–	–	–	–	–	–	–	–	–	2	6	5	–	–	–	–
Childbirth	0·09	–	0·17	23	–	23	–	–	–	–	–	–	–	–	1	5	9	6	2	–	–	–
Violence	0·54	0·78	0·29	144	104	40	10	5	6	4	2	27	10	9	9	4	12	10	17	18	14	14
OTHER CAUSES	3·79	3·82	3·72	1018	513	505	276	35	11	1	1	324	5	11	5	12	8	12	23	43	110	465

Marriages - - - 1,687

Births - {Males - 3,864 / Females - 3,564} 7,428

Annual Rate per 1000 living {Persons Married 12·55 / Births - - 27·62}

Deaths from Childbirth and Puerperal Fever - - - - - 4·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

423.—LOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Deaths { Persons / Males / Females	—	{ In Standard Population* 14·24 / 14·31 / 14·17 }	4·12 / 3·84 / 4·54	–	–	–	–	26·10 / 26·19 / 25·61	3·93 / 3·74 / 4·15	2·69 / 2·97 / 3·13	4·77 / 3·48 / 6·11	5·89 / 5·78 / 5·99	7·31 / 6·66 / 7·89	8·19 / 8·53 / 7·87	11·68 / 11·99 / 12·24	23·43 / 24·73 / 22·60	48·69 / 50·65 / 46·88	137·59 / 149·73 / 127·60
Mean Annual Deaths { Persons / Males / Females	Decrease / Decrease / 7·4 per cent.	1,470 / 540 / 1,020	753 / 388 / 365	759 / 382 / 377	821 / 441 / 380	772 / 444 / 328	804 / 388 / 416	3,909 / 1,999 / 1,910	3,825 / 1,927 / 1,898	3,760 / 1,908 / 1,852	3,227 / 1,639 / 1,588	2,548 / 1,212 / 1,336	3,983 / 1,892 / 2,091	3,445 / 1,641 / 1,804	3,056 / 1,479 / 1,577	2,428 / 1,187 / 1,241	1,662 / 770 / 892	806 / 364 / 442
Deaths from Childbirth and Puerperal Fever { Persons / Males / Females	1·77 / 1·75 / 1·77	1,878 / 1,081 / 797	988 / 543 / 445	207 / 121 / 86	85 / 48 / 37	79 / 39 / 40	64 / 37 / 27	1423 / 778 / 645	152 / 72 / 80	101 / 43 / 58	154 / 57 / 97	159 / 79 / 80	291 / 126 / 165	282 / 140 / 142	367 / 164 / 203	569 / 296 / 273	789 / 396 / 393	1109 / 545 / 564

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	0·01	5	4	1	–	–	–	–	–	–	–	–	1	–	1	2	–	1
Measles	0·05	0·06	0·04	17	10	7	7	2	3	2	1	15	2	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·27	0·28	89	43	46	3	6	7	17	11	44	29	12	1	–	1	1	1	–
Diphtheria	0·12	0·12	0·12	40	20	20	–	2	3	9	7	21	13	3	1	1	–	–	2	–
Whooping-cough	0·25	0·22	0·27	80	35	45	44	22	8	3	1	78	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·16	0·11	44	25	19	–	–	–	1	1	2	3	5	6	6	9	3	1	6	3	–
Simple Continued Fever	0·03	0·03	0·04	9	3	6	–	–	–	–	1	1	1	1	–	–	–	1	–	–	2	–
Diarrhœa and Dysentery	0·42	0·45	0·42	138	69	69	75	4	5	2	2	88	3	1	–	–	1	1	4	6	11	24
Cholera	0·03	0·03	0·02	9	5	4	–	2	–	–	–	2	–	1	–	–	1	–	–	–	3	3
Cancer	0·58	0·39	0·76	190	63	127	–	–	1	–	–	1	–	–	–	–	3	13	47	54	40	22
Rheumatism, Myalgia	0·13	0·11	0·19	58	26	32	16	4	6	3	1	30	2	4	5	3	4	1	–	5	–	–
Bronchitis	1·40	1·46	1·56	458	199	259	8	2	1	–	2	13	6	18	67	65	113	81	51	33	12	4
Other Diseases of Respiratory Organs	0·39	0·37	0·40	126	60	66	20	16	6	6	7	57	18	10	15	11	7	4	3	–	1	–
Diseases of Nervous System	2·51	2·43	2·41	818	418	400	182	84	10	5	8	289	17	7	13	13	13	19	48	123	161	191
Heart Disease	1·76	1·83	1·71	578	289	284	1	–	–	–	–	1	–	2	7	6	30	39	46	127	177	157
Bronchitis	2·65	2·78	2·52	864	445	419	179	69	21	17	12	298	27	9	5	9	21	35	58	79	140	203
Pneumonia	1·04	1·16	1·02	340	170	170	82	12	4	–	3	101	7	5	9	1	11	17	38	44	57	49
Phthisis	0·39	0·30	0·21	128	93	35	–	1	–	2	–	3	2	2	3	2	9	10	21	23	33	21
Other Diseases of Organs of Circulation	0·08	0·06	0·13	26	5	21	1	–	–	–	–	1	–	–	2	–	4	3	5	5	5	1
Puerperal Fever	0·08	–	0·16	26	–	26	–	–	–	–	–	–	–	–	4	7	9	6	–	–	–	–
Convulsions	0·08	–	0·15	25	–	25	–	–	–	–	–	–	–	–	1	3	16	4	1	–	–	–
Violence	0·58	0·87	0·29	188	140	48	16	9	3	5	5	38	9	10	8	14	18	28	19	15	22	12
Other Causes	3·41	3·51	3·35	1117	559	558	384	22	6	4	4	420	13	12	7	9	25	29	31	37	114	420

Marriages	–	2,161	Annual Rate per 1000 living	Persons Married	13·06	Deaths from Childbirth and Puerperal Fever	5·77 per 1000 Births.
Births	Males 4,461 / Females 4,372	8,833		Births	27·07		

* See pages xliv–xlvi.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·41	†148	–	–	–	–	54·73	4·79	2·94	4·40	5·55	7·27	9·86	13·67	25·68	55·48	140·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·16	†162	–	–	–	–	59·34	4·84	2·70	4·32	5·30	7·46	10·11	14·18	28·70	57·51	147·09
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·69	†133	–	–	–	–	50·08	4·74	3·18	4·51	5·83	7·08	9·59	13·16	22·72	53·48	135·44
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·86 per cent.	72,813	2018	1864	1940	1951	1965	9738	8835	8023	7629	6841	10970	8015	5699	3870	2273	920
Mean Population, 1881–91. Males	Decennial Increase of Population 17·86 per cent.	36,929	1032	925	955	1005	975	4892	4363	4033	4101	3530	5587	4085	2864	1920	1125	429
Mean Population, 1881–91. Females	Decennial Increase of Population 17·86 per cent.	35,884	986	939	985	946	990	4846	4472	3990	3528	3311	5383	3930	2835	1950	1148	491
Deaths from All Causes, 1881–90. Persons	17·34	12,623	3612	946	337	241	194	5330	423	236	336	380	798	790	779	994	1261	1296
Deaths from All Causes, 1881–90. Males	18·01	6,652	2018	505	163	120	97	2903	211	109	177	187	417	413	406	551	647	631
Deaths from All Causes, 1881–90. Females	16·64	5,971	1594	441	174	121	97	2427	212	127	159	193	381	377	373	443	614	665

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·09	0·09	0·09	67	35	32	8	–	2	2	–	12	2	3	3	12	16	11	4	3	–	1
Measles	0·17	0·15	0·20	126	54	72	29	47	20	9	13	118	7	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·52	0·52	0·52	380	193	187	25	54	58	42	52	231	105	23	8	4	5	3	–	1	–	–
Diphtheria	0·10	0·08	0·11	70	30	40	5	2	7	9	7	30	22	10	2	2	–	1	1	–	2	–
Whooping-cough	0·37	0·35	0·39	269	128	141	101	90	38	22	7	258	11	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	10	5	5	–	–	–	–	–	–	–	1	1	1	2	2	1	–	1	1
Enteric Fever	0·30	0·31	0·29	218	114	104	–	4	4	7	8	23	31	27	43	19	27	23	13	7	4	1
Simple Continued Fever	0·04	0·04	0·04	27	14	13	2	1	1	–	4	8	4	3	3	1	1	2	1	2	1	1
Diarrhœa and Dysentery	0·94	0·99	0·89	684	364	320	502	66	14	7	5	594	4	5	–	3	3	7	4	13	19	32
Cholera	0·02	0·03	0·01	17	12	5	7	2	1	–	–	10	1	–	–	–	1	1	2	1	–	1
Cancer	0·48	0·36	0·60	350	133	217	–	–	–	–	–	–	–	–	–	2	10	42	77	95	77	47
Tabes Mesenterica	0·17	0·16	0·19	127	58	69	56	31	5	7	4	103	5	5	1	1	6	4	–	1	1	–
Phthisis	1·34	1·27	1·42	976	468	508	9	13	2	5	3	32	24	47	96	144	265	165	106	61	33	3
Other Tub. & Scrof. Dis.	0·23	0·25	0·21	166	92	74	37	28	14	9	12	100	28	10	9	3	4	3	4	2	3	–
Diseases of Nervous System	2·77	2·98	2·55	2015	1099	916	781	114	39	29	19	982	47	34	25	20	59	64	88	175	281	240
Diseases of Circulatory „	1·50	1·52	1·47	1089	562	527	2	–	1	1	2	6	4	15	24	9	71	117	147	220	293	183
Diseases of Respiratory „	3·12	3·22	3·02	2273	1189	1084	688	307	99	64	44	1202	54	6	16	27	69	88	131	173	253	254
Diseases of Digestive „	1·20	1·29	1·10	871	475	396	262	128	12	8	2	412	23	9	18	17	28	64	62	92	98	48
Diseases of Urinary „	0·33	0·44	0·23	243	162	81	3	6	5	1	–	15	7	4	1	7	18	31	21	42	51	46
Diseases of Generative „	0·05	0·02	0·09	39	7	32	–	–	–	–	–	–	–	–	2	2	7	10	11	2	5	–
Puerperal Fever	0·08	–	0·16	59	–	59	–	–	–	–	–	–	–	–	2	13	33	11	–	–	–	–
Childbirth	0·07	–	0·14	50	–	50	–	–	–	–	–	–	–	–	4	6	16	24	–	–	–	–
Violence	0·71	1·12	0·29	518	414	104	18	8	9	8	8	51	29	20	53	60	101	62	55	41	24	22
Other Causes	2·73	2·81	2·62	1979	1044	935	1077	45	6	11	4	1143	15	14	24	27	56	55	51	63	115	416

Marriages - - - 5,696

Births - { Males - 12,479 / Females - 11,989 } 24,468

Annual Rate per 1000 living { Persons Married 15·65 / Births - - 33·60

Deaths from Childbirth and Puerperal Fever - - - - - 4·45 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

425.—GLANFORD BRIGG.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·83	†128	–	–	–	–	44·51	4·90	3·69	5·07	6·33	7·15	8·20	11·21	22·56	55·38	148·07
Males	—	Standard 16·12	†143	–	–	–	–	48·69	4·66	3·59	4·89	4·85	6·11	7·86	12·49	24·56	57·80	155·61
Females	—	Population* 15·56	†113	–	–	–	–	40·28	5·13	3·80	5·26	7·81	8·18	8·55	9·97	20·89	53·88	141·49
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·35 per cent.	46,433	1159	1071	1126	1095	1083	5534	5229	4684	3766	3102	2545	1995	1456	1032	1003	863
Males		23,570	582	549	586	528	546	2781	2596	2368	1942	1588	2203	2164	1544	1311	829	374
Females		22,923	577	522	540	567	537	2753	2633	2316	1824	1574	2642	2141	1746	1351	834	429
Deaths from All Causes, 1881-90. Persons	17·55	7,195	1765	385	165	128	80	2463	256	173	191	200	375	353	388	536	921	1189
Males	18·03	3,825	958	209	85	58	53	1363	121	85	95	77	159	170	244	318	480	582
Females	17·06	3,450	747	185	80	70	27	1109	135	88	96	123	216	183	174	278	441	607

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·11	0·12	0·10	44	24	20	15	13	2	3	2	41	2	–	–	–	–	–	–	–
Scarlet Fever	0·46	0·47	0·46	187	95	92	10	16	26	30	21	103	58	15	4	–	7	–	–	–
Diphtheria	0·33	0·31	0·35	133	62	71	12	12	11	10	13	58	45	18	6	1	1	2	1	–	1	–
Whooping-cough	0·29	0·25	0·34	119	51	68	68	27	6	7	3	111	7	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	3	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
Enteric Fever	0·19	0·19	0·19	77	38	39	–	2	1	2	–	5	10	15	7	5	13	6	7	5	4	–
Simple Continued Fever	0·02	0·01	0·03	10	3	7	–	1	–	1	–	2	1	–	–	1	–	2	1	1	–	2
Diarrhœa and Dysentery	0·51	0·56	0·45	205	114	91	137	23	2	1	–	163	1	2	2	1	2	1	2	4	14	13
Cholera	0·01	0·01	0·00	3	2	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	–
Cancer	0·61	0·52	0·69	245	106	139	–	–	–	–	–	–	–	–	–	–	3	29	48	74	60	26
Tabes Mesenterica	0·29	0·28	0·29	116	57	59	68	17	7	3	2	97	6	6	3	–	4	–	–	–	–	–
Phthisis	1·41	1·15	1·66	570	234	336	10	6	1	5	2	24	19	40	83	86	140	86	50	29	10	3
Other Tub. & Scrof. Dis.	0·31	0·34	0·27	125	69	56	26	19	11	7	5	68	18	15	8	6	7	3	–	–	–	–
Disease of Nervous System	2·48	2·72	2·25	1003	551	452	359	62	12	11	8	452	17	13	12	10	24	28	44	89	170	144
Circulatory	1·35	1·33	1·38	548	269	279	2	–	–	1	–	3	4	6	8	8	22	37	58	117	161	122
Respiratory	3·15	3·59	2·72	1277	723	540	315	136	54	33	14	552	24	4	15	18	42	52	71	125	188	126
Digestive	0·94	0·97	0·90	380	197	183	71	17	7	3	1	102	14	5	7	6	18	28	33	58	72	46
Urinary	0·39	0·51	0·27	158	103	55	2	2	1	1	–	6	5	3	1	5	9	6	16	26	43	36
Generative	0·04	0·01	0·06	15	3	12	–	–	–	–	–	–	–	–	1	1	2	5	1	2	2	1
Puerperal Fever	0·07	–	0·14	28	–	28	–	–	–	–	–	–	–	–	2	8	13	5	–	–	–	–
Childbirth	0·07	–	0·15	30	–	30	–	–	–	–	–	–	–	–	–	5	15	10	–	–	–	–
Violence	0·53	0·75	0·28	210	153	57	7	7	13	6	5	37	12	13	18	19	21	17	20	15	24	14
Other Causes	3·99	3·98	4·08	1618	798	825	699	25	4	4	4	737	13	15	13	18	25	34	36	51	171	696

Marriages 2·32

Births { Males 6,709 } 13·287
{ Females 6,587 }

Annual Rate per 1000 living { Persons Married 12·90
Births 36·81

Deaths from Childbirth and Puerperal Fever 4·37 per 1000 Births.

* See pages xxxvi–xxxvii.

† The death-rates under one year of age are per 1000 Births.

426.—GAINSBOROUGH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·41	†139	–	–	–	–	50·72	5·71	3·26	3·87	4·84	6·86	7·87	11·90	21·37	53·38	156·73
Males	—	Standard 16·62	†146	–	–	–	–	53·48	5·66	3·46	3·39	4·46	5·33	7·69	13·33	23·24	56·95	163·85
Females	—	Population* 16·21	†131	–	–	–	–	48·01	5·76	3·08	4·39	5·25	8·47	8·05	10·49	19·58	50·07	150·30
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·75 per cent.	31,566	894	846	815	814	860	4229	3852	3432	3025	2684	4389	3394	2613	1947	1377	624
Males		15,844	442	427	406	405	420	2100	1909	1678	1591	1389	2253	1717	1298	951	662	296
Females		15,722	452	419	409	409	440	2129	1943	1754	1434	1295	2136	1677	1315	996	715	328
Deaths from All Causes, 1881-90. Persons	18·16	5,732	1462	350	144	105	84	2145	220	112	117	130	301	267	311	416	735	978
Males	18·39	2,913	786	172	64	50	51	1123	108	58	54	62	120	132	173	221	377	485
Females	17·93	2,819	676	178	80	55	33	1022	112	54	63	68	181	135	138	195	358	493

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·02	0·03	8	3	5	1	–	–	–	–	1	–	1	1	–	3	1	–	1	–	–
Measles	0·20	0·21	0·18	63	34	29	13	28	8	2	3	54	5	3	–	–	–	–	–	–	1	–
Scarlet Fever	0·58	0·60	0·57	184	95	89	12	18	25	30	21	106	59	7	3	3	5	1	–	–	–	–
Diphtheria	0·25	0·25	0·25	79	40	39	5	5	4	18	8	40	27	8	1	1	2	–	–	–	–	–
Whooping-cough	0·32	0·32	0·32	102	51	51	59	24	11	4	2	100	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·23	0·19	67	37	30	2	3	1	2	4	12	5	10	12	7	8	3	4	3	3	–
Simple Continued Fever	0·04	0·03	0·06	14	4	10	1	1	–	1	–	3	3	–	–	–	1	–	1	1	5	–
Diarrhœa and Dysentery	0·74	0·80	0·68	234	127	107	174	10	3	2	6	195	4	–	–	1	1	–	1	5	10	17
Cholera	0·02	0·02	0·02	6	3	3	2	1	1	–	–	4	–	–	–	–	1	1	–	–	–	–
Cancer	0·57	0·42	0·72	180	67	113	–	1	–	–	–	1	–	–	1	–	8	14	29	48	60	19
Tabes Mesenterica	0·24	0·22	0·26	76	35	41	33	16	6	2	1	58	5	4	1	3	1	3	–	1	–	–
Phthisis	1·23	1·02	1·43	387	162	225	5	4	1	–	–	10	9	20	37	61	110	65	42	21	9	3
Other Tub. & Scrof. Dis.	0·34	0·34	0·34	108	54	54	21	15	8	10	6	60	14	8	4	7	3	8	3	1	–	–
Diseases of Nervous System	2·80	2·90	2·70	884	459	425	286	38	11	5	6	346	20	13	7	3	17	30	41	80	142	135
Diseases of Circulatory „	1·58	1·61	1·56	500	255	245	5	–	–	–	–	5	4	3	1	4	23	26	58	81	154	141
Diseases of Respiratory „	2·99	3·26	2·72	943	516	427	230	98	36	17	19	400	33	5	14	11	32	40	35	66	136	171
Diseases of Digestive „	1·28	1·25	1·31	404	198	206	110	37	9	2	4	162	7	5	10	5	15	14	32	41	62	51
Diseases of Urinary „	0·37	0·58	0·16	117	92	25	1	3	–	1	1	6	–	–	–	2	2	4	7	11	13	38	34
Diseases of Generative „	0·06	0·01	0·11	19	2	17	1	–	–	–	–	1	–	–	–	–	5	1	5	3	3	1
Puerperal Fever	0·05	–	0·11	17	–	17	–	–	–	–	–	–	–	–	2	2	9	4	–	–	–	–
Childbirth	0·08	–	0·17	26	–	26	–	–	–	–	–	–	–	–	2	2	9	12	1	–	–	–
Violence	0·58	0·80	0·36	182	126	56	9	9	6	1	2	27	15	14	9	5	21	11	19	21	18	22
OTHER CAUSES	3·60	3·50	3·68	1132	553	579	492	39	14	8	1	554	9	10	10	13	23	26	29	30	94	334

Marriages 2,063

Births { Males 5,366 / Females 5,176 } 10,542

Annual Rate per 1000 living { Persons Married 18·07 / Births 33·40

Deaths from Childbirth and Puerperal Fever 4·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

427.—EAST RETFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000. Persons	—	In Selected Districts* 14·21	*196	–	–	–	–	37·67	4·12	2·90	3·80	5·54	6·46	9·26	19·23	31·64	50·99	142·50
Annual Death-Rate per 1000. Males	—	In Selected Districts* 14·78	*235	–	–	–	–	42·99	3·95	3·10	3·12	5·43	5·94	8·71	21·82	42·41	59·26	157·89
Annual Death-Rate per 1000. Females	—	In Selected Districts* 13·65	*156	–	–	–	–	32·14	4·27	2·70	4·53	5·64	6·92	9·79	16·70	20·89	42·91	131·25
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·75 per cent.	23,175	635	558	604	585	586	2868	2842	2587	2288	1858	3020	2440	2072	1682	1146	502
Mean Population, 1881–91. Males	Decennial Increase of Population 1·75 per cent.	11,467	326	274	315	297	309	1512	1391	1291	1135	847	1430	1184	1045	836	573	270
Mean Population, 1881–91. Females	Decennial Increase of Population 1·75 per cent.	11,708	309	284	289	288	286	1456	1451	1296	1103	1011	1590	1257	1057	852	583	232
Deaths from All Causes, 1881–90. Persons	16·54	3,885	743	195	84	52	46	1118	117	75	87	103	195	223	392	384	379	307
Deaths from All Causes, 1881–90. Males	17·63	2,022	459	104	43	33	25	669	55	40	37	46	85	104	199	186	284	422
Deaths from All Causes, 1881–90. Females	15·49	1,863	283	92	41	19	21	448	62	35	50	57	110	123	92	178	291	385

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·10	0·12	0·08	24	14	10	4	9	4	3	1	20	3	–	1	–	–	–	–	–
Scarlet Fever	0·42	0·46	0·38	99	53	46	4	11	16	13	15	59	28	6	2	1	2	–	–	–	–	–
Diphtheria	0·09	0·09	0·10	22	10	12	–	–	1	1	3	5	10	3	1	–	–	–	1	1	–	–
Whooping-cough	0·31	0·36	0·26	73	42	31	33	24	9	2	3	71	2	–	–	–	–	1	2	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·10	0·13	27	11	16	–	–	–	–	1	1	3	7	2	3	4	5	2	–	–	–
Simple Continued Fever	0·03	0·03	0·03	8	4	4	1	–	–	2	–	3	1	–	2	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·39	0·40	0·38	91	46	45	59	8	8	3	–	66	4	–	–	2	1	1	–	1	6	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·40	0·89	162	56	106	–	–	–	–	–	–	1	–	1	–	6	13	26	42	45	24
Tabes Mesenterica	0·13	0·12	0·13	30	14	16	8	6	1	–	–	15	5	4	2	–	2	1	1	–	–	–
Phthisis	1·26	1·25	1·26	295	144	151	2	–	2	1	1	6	5	16	32	43	82	54	29	23	4	1
Other Tub. & Scrof. Dis.	0·23	0·23	0·24	54	25	29	11	5	1	7	2	26	5	6	3	3	6	–	2	2	1	–
Diseases of Nervous System	2·33	2·47	2·18	545	285	260	127	26	7	3	4	167	11	3	7	5	17	14	28	76	108	104
Diseases of Circulatory	1·62	1·53	1·71	380	176	204	–	1	–	–	–	1	3	3	11	8	18	33	26	68	132	224
Diseases of Respiratory	2·44	2·94	1·95	572	339	233	151	53	21	13	6	223	13	5	3	4	15	28	34	44	93	225
Diseases of Digestive	1·16	1·41	0·91	272	163	109	42	30	7	–	5	84	5	1	5	6	11	28	20	30	47	35
Diseases of Urinary	0·33	0·40	0·18	78	56	22	1	1	2	–	–	4	–	–	1	1	3	6	10	13	17	35
Diseases of Generative	0·06	0·01	0·12	15	1	14	–	–	–	–	–	–	–	–	1	1	2	4	4	2	1	–
Puerperal Fever	0·04	–	0·08	10	–	10	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–
Accidents	0·04	–	0·08	10	–	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·39	0·91	0·28	98	195	33	7	3	4	4	2	20	3	10	4	8	9	10	12	14	17	21	13
Other Causes	4·17	4·23	4·10	976	488	488	319	17	4	1	3	344	9	6	8	13	7	14	15	43	104	113

Marriages	1,466	Annual Rate per 1000 living { Persons Married 12·49	Deaths from Childbirth, and Puerperal Fever	2·85 per 1000 Births.
Births { Males 3,603	7,021	{ Births 29·91		
{ Females 3,419				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·98	†132	–	–	–	–	47·36	4·70	3·21	4·40	4·98	7·14	8·84	14·42	26·75	63·70	161·73
Males	—	Standard 17·49	†143	–	–	–	–	51·45	4·35	3·07	4·39	4·24	6·58	9·02	15·39	28·64	67·89	173·18
Females	—	Population* 16·50	†120	–	–	–	–	43·38	5·04	3·36	4·42	5·80	7·73	8·65	13·37	24·73	59·73	152·65
Mean Population, 1881-91. Persons	Decennial Increase of Population 8·61 per cent.	29,750	939	858	848	857	892	4394	3938	3422	2773	2412	4075	3234	2385	1701	1011	405
Males		15,187	479	431	413	423	419	2165	1954	1726	1505	1275	2096	1674	1241	880	492	179
Females		14,563	460	427	435	434	473	2229	1984	1696	1268	1137	1979	1560	1144	821	519	226
Deaths from All Causes 1881-90. Persons	17·79	5,293	1379	365	151	106	80	2081	185	110	122	120	291	286	344	455	644	655
Males	18·09	2,748	771	182	75	55	31	1114	85	53	66	54	138	151	191	252	334	310
Females	17·48	2,545	608	183	76	51	49	967	100	57	56	66	153	135	153	203	310	345

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	0·02	7	4	3	2	–	–	–	–	2	–	–	–	1	2	1	–	1	–	–
Measles	0·31	0·30	0·31	91	46	45	16	42	10	7	7	82	5	2	–	–	1	1	–	–	–	–
Scarlet Fever	0·62	0·59	0·65	184	89	95	5	26	33	18	23	105	55	16	3	1	3	–	–	–	–	1
Diphtheria	0·11	0·12	0·10	32	18	14	3	2	3	3	5	16	7	5	1	2	1	–	–	–	–	–
Whooping-cough	0·35	0·30	0·41	104	45	59	55	33	7	6	1	102	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·30	0·33	0·26	88	50	38	1	1	1	7	4	14	11	7	17	8	12	6	5	6	2	–
Simple Continued Fever	0·01	0·01	0·02	4	1	3	–	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·35	0·32	99	53	46	42	19	3	3	–	67	–	–	–	–	1	1	3	3	14	10
Cholera	0·03	0·03	0·03	8	4	4	3	1	1	–	–	5	–	–	–	–	–	1	1	–	1	–
Cancer	0·57	0·40	0·74	169	61	108	–	–	–	1	–	1	–	–	–	2	4	20	38	44	38	22
Tabes Mesenterica	0·24	0·24	0·23	70	37	33	34	5	6	2	2	49	8	4	–	1	1	1	3	3	–	–
Phthisis	1·32	1·34	1·30	393	203	190	3	4	2	1	1	11	10	18	45	51	108	68	46	25	6	5
Other Tub. & Scrof. Dis.	0·39	0·32	0·47	116	48	68	31	28	7	2	3	71	10	12	5	1	4	2	2	7	2	–
Diseases of Nervous System	2·88	3·03	2·73	858	460	398	356	42	21	18	5	442	20	13	11	2	17	23	51	62	130	87
Circulatory	1·60	1·48	1·72	475	225	250	2	–	–	–	2	4	5	6	5	4	25	39	54	102	144	87
Respiratory	3·18	3·49	2·86	946	530	416	280	104	37	23	12	456	25	2	8	5	20	32	63	88	125	122
Digestive	1·32	1·30	1·35	394	198	196	142	34	5	4	5	190	5	6	3	6	12	22	23	41	48	38
Urinary	0·27	0·35	0·18	79	53	26	–	2	1	2	1	6	2	3	1	3	6	7	7	13	20	11
Generative	0·04	–	0·09	13	–	13	–	1	1	–	–	2	–	1	1	–	4	1	3	1	–	–
Puerperal Fever	0·08	–	0·16	23	–	23	–	–	–	–	–	–	–	–	1	5	10	7	–	–	–	–
Childbirth	0·10	–	0·21	31	–	31	–	–	–	–	–	–	–	–	–	7	15	9	–	–	–	–
Violence	0·63	0·92	0·32	187	140	47	10	4	10	5	5	34	7	8	12	8	25	22	24	24	19	4
Other Causes	3·08	3·15	2·99	919	482	437	394	17	2	4	2	419	12	7	8	12	19	23	21	35	95	268

Marriages - - - 1,904

Births - Males - 5,386 / Females - 5,063 = 10,449

Annual Rate per 1,000 living: Persons Married 12·80; Births - - 35·12

Deaths from Childbirth and Puerperal Fever - - - - - 5·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

429.—MANSFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1–	2	3	4	Total under 5 Years	5–	10	15–	20–	25–	35	45	55	65	75 and upwards
Annual Death-Rate per 1000	Persons	In Standard 18·93	†150	·	·	·	·	5·08	5·42	3·09	4·38	5·11	6·49	7·62	10·61	22·38	47·50
	Males	In Population* 18·65	†155	·	·	·	·	6·38	5·76	4·05	4·67	4·58	5·43	7·03	9·75	21·03	44·20
	Females	17·45	†145	·	·	·	·	3·87	5·08	2·02	4·13	5·67	7·57	8·23	11·49	23·62	49·10
Mean Population, 1881–91.	Persons	Decennial Increase of Population 22·99 per cent.	1476	142	1439	1434	1443	7572	6948	5666	5971	6825	7005	6961	4999	3715	1997	612
	Males		746	744	705	696	708	3599	3402	2854	2965	3237	3505	3471	2559	1874	755	302
	Females	24,440	824	678	745	738	725	3710	3236	2809	2936	2936	3320	2569	1892	1342	790	310
Deaths from All Causes, 1881–90	Persons	18·57	2·42	785	208	224	174	4382	360	175	232	221	418	435	497	722	975	960
	Males	19·46	1·67	309	160	120	76	2302	176	93	110	102	210	241	244	401	522	504
	Females	18·03	1·35	396	148	103	98	1980	184	82	112	119	238	215	248	321	451	456

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·02	4	2	2	1	·	1	·	·	2	·	·	1	·	1	·	·
Measles	0·36	0·37	0·35	180	94	86	36	73	29	13	12	163	13	·	1	·	·	·	·
Scarlet Fever	0·32	0·48	0·16	239	123	116	17	42	40	35	35	169	73	10	4	1	3	·	·	·	·	·	·
Diphtheria	0·41	0·35	0·48	207	90	117	8	17	30	41	26	122	63	11	5	1	3	1	·	1	·	·	·
Whooping-cough	0·25	0·23	0·27	127	60	67	61	50	25	6	3	125	2	·	·	·	·	·	·	·	·	·	·
Typhus	0·00	·	0·00	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Enteric Fever	0·18	0·19	0·17	90	48	42	·	1	2	·	6	9	11	15	13	14	14	10	3	1	·	·	·
Simple Continued Fever	0·01	·	0·02	4	·	4	·	·	·	1	·	1	·	1	·	·	·	·	1	1	·	·	·
Diarrhœa and Dysentery	0·81	0·50	0·62	257	129	128	165	37	5	2	5	214	3	1	1	·	1	1	1	7	16	12	·
Cholera	0·02	0·02	0·01	8	5	3	4	1	·	·	·	5	·	·	·	·	1	·	1	1	·	·	·
Cancer	0·38	0·33	0·45	192	81	111	·	·	·	·	·	·	·	·	1	1	3	26	48	57	40	21	·
Tabes Mesenterica	0·42	0·48	0·35	220	124	105	125	47	13	4	6	195	17	4	3	2	1	·	2	2	·	1	·
Phthisis	1·32	1·30	1·34	661	334	327	24	13	3	2	2	44	13	26	86	86	146	123	70	46	11	1	·
Other Tub. & Scrof. Dis.	0·28	0·29	0·28	142	74	68	10	25	9	5	4	53	17	7	8	7	8	6	5	1	·	·	·
Nervous System	2·58	2·63	2·52	1294	726	568	562	101	26	23	13	725	43	14	16	17	37	39	60	114	152	87	·
Circulatory ,,	1·32	1·21	1·43	660	311	349	1	2	·	1	2	6	5	14	17	12	38	47	82	156	190	87	·
Respiratory ,,	5·42	5·65	5·21	1747	938	809	330	259	85	61	43	587	40	14	12	19	46	62	77	158	200	144	·
Digestive ,,	1·07	1·07	1·06	534	275	259	160	65	6	11	5	247	18	5	7	10	22	34	48	65	61	17	·
Urinary ,,	0·28	0·37	0·19	142	96	46	5	3	5	3	1	17	2	2	4	9	10	11	14	26	27	20	·
Generative ,,	0·05	0·01	0·09	24	2	22	·	·	1	·	·	1	·	·	·	1	2	3	6	3	2	1	·
Puerperal Fever	0·10	·	0·20	50	·	50	·	·	·	·	·	·	·	·	1	11	27	11	·	·	·	·	·
Casualties	0·09	·	0·18	43	·	43	·	·	·	·	·	·	·	·	1	5	20	16	1	·	·	·	·
Violence	0·61	0·95	0·32	302	229	55	26	21	7	8	4	66	18	26	24	13	36	32	31	31	23	12	·
Other Causes	4·27	4·45	4·13	2151	1143	1008	1021	58	11	4	7	1101	22	25	18	11	43	39	37	37	240	558	·

Marriages		3,784	Annual Rate per 1000 living	Persons Married	14·98	Deaths from Child-birth and Puerperal Fever 3·00 per 1000 Births.
Births	Males 9,444 / Females 9,168	18,612		Births 37·13		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 18·17	†157	–	–	–	–	61·00	4·85	2·72	4·18	5·37	6·20	7·97	12·69	25·58	60·71	159·67
Males	—	Standard 18·27	†174	–	–	–	–	67·25	4·75	2·72	3·73	4·28	4·72	7·07	11·96	25·44	62·52	162·34
Females	—	Population* 18·08	†140	–	–	–	–	54·84	4·94	2·73	4·67	6·47	7·76	8·95	13·44	25·73	58·86	156·88
Mean Population, 1881–91. Persons	Decennial Increase of Population 32·02 per cent.	135,660	4458	3967	4056	4082	3976	20539	18661	15494	13401	11948	19631	14311	9898	6676	3772	1339
Males		68,684	2224	1979	2016	2019	1960	10198	9216	7760	7015	5978	10102	7426	5023	3376	1905	685
Females		66,976	2234	1988	2040	2063	2016	10341	9445	7734	6386	5970	9519	6885	4875	3300	1867	654
Deaths from All Causes, 1881–90. Persons	18·29	24,807	8523	2266	823	533	384	12529	905	422	560	642	1216	1141	1256	1708	2290	2138
Males	18·62	12,790	4795	1163	426	275	199	6858	438	211	262	256	477	525	601	859	1191	1112
Females	17·94	12,017	3728	1103	397	258	185	5671	467	211	298	386	739	616	655	849	1099	1036

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·02	0·02	27	14	13	3	–	1	–	2	6	–	–	1	5	8	4	1	–	1	1
Measles	0·45	0·45	0·46	614	309	305	133	259	93	52	33	570	42	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·41	0·42	0·41	561	285	276	28	77	98	90	67	360	162	28	4	3	2	1	1	–	–	–
Diphtheria	0·18	0·17	0·19	245	119	126	14	38	31	29	27	139	80	15	5	3	2	–	–	1	–	–
Whooping-cough	0·48	0·43	0·53	653	297	356	325	187	75	32	21	640	13	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	10	7	3	–	–	–	–	–	–	1	–	2	2	2	1	2	–	–	–
Enteric Fever	0·25	0·26	0·24	345	181	164	4	5	8	10	15	42	46	31	54	52	53	27	28	11	1	–
Simple Continued Fever	0·02	0·02	0·02	29	15	14	3	–	4	2	4	13	1	4	1	2	2	2	–	4	–	–
Diarrhœa and Dysentery	0·95	0·97	0·93	1288	666	622	902	201	25	8	7	1143	12	–	–	–	7	9	8	21	39	49
Cholera	0·02	0·02	0·02	28	13	15	11	4	2	–	2	19	2	1	–	–	2	1	–	1	2	–
Cancer	0·45	0·29	0·61	611	202	409	2	–	–	3	–	5	2	1	3	4	21	76	141	181	129	48
Tabes Mesenterica	0·41	0·45	0·38	560	306	254	329	122	38	11	9	509	24	8	7	4	2	1	4	–	–	1
Phthisis	1·29	1·06	1·52	1749	731	1018	29	19	6	7	10	71	54	84	219	275	446	280	174	102	33	11
Other Tub. & Scrof. Dis.	0·37	0·40	0·34	500	273	227	152	78	45	26	20	321	68	29	19	20	16	11	8	5	2	1
Diseases of Nervous System	2·29	2·41	2·16	3104	1658	1446	1406	212	66	47	23	1754	78	57	26	20	64	89	147	256	372	241
Diseases of Circulatory „	1·29	1·20	1·39	1756	822	934	9	4	3	1	2	19	21	26	43	26	97	164	218	370	512	260
Diseases of Respiratory „	3·36	3·60	3·12	4558	2472	2086	1596	675	225	129	87	2712	123	31	34	44	122	119	174	336	499	364
Diseases of Digestive „	1·15	1·21	1·09	1559	829	730	621	181	31	19	6	858	33	14	16	22	48	81	108	154	143	82
Diseases of Urinary „	0·31	0·40	0·23	426	275	151	10	14	8	6	6	44	17	6	5	14	28	43	46	64	92	67
Diseases of Generative „	0·05	0·01	0·09	63	4	59	–	–	–	–	–	–	–	1	4	4	7	12	16	8	11	–
Puerperal Fever	0·12	–	0·24	164	–	164	–	–	–	–	–	–	–	–	16	37	76	35	–	–	–	–
Childbirth	0·08	–	0·17	113	–	113	–	–	–	–	–	–	–	–	8	25	52	28	–	–	–	–
Violence	0·55	0·79	0·29	740	543	197	70	37	22	29	22	180	60	42	52	42	76	73	67	50	52	46
OTHER CAUSES	3·78	4·03	3·49	5104	2769	2335	2876	153	42	32	21	3124	66	43	41	38	82	84	113	144	402	967

Marriages 9,931

Births — Males 27,579; Females 26,689; 54,268

Annual Rate per 1000 living — Persons Married 14·64; Births 40·00

Deaths from Childbirth and Puerperal Fever 5·10 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

431.—NOTTINGHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons	In Standard Population*		23·44	†174	–	–	–	–	79·53	6·09	3·02	4·52	6·39	8·39	12·74	19·31	37·61	71·27	170·79
	Males			25·17	†192	–	–	–	–	87·78	6·13	2·88	4·75	6·70	8·55	13·72	21·79	40·83	77·98	182·45
	Females			21·81	†156	–	–	–	–	71·56	5·88	3·05	4·50	6·13	8·25	11·89	17·20	37·08	66·58	162·38
Mean Population, 1881–91.	Persons	Decennial Increase of Population 11·19 per cent.		168,170	4293	3898	3892	3936	4098	20017	18895	17497	17438	16921	17449	20513	14028	9305	4498	1763
	Males			77,595	2113	1932	1893	1856	1954	9830	9281	8227	7619	7053	6779	9231	6779	4158	2179	735
	Females			90,575	2141	1966	1966	2030	2084	10187	9574	9269	9818	9483	10674	11282	7249	5087	2285	1018
Deaths from All Causes, 1881–90.	Persons	22·01		37,009	10504	3025	1133	744	513	15919	1132	522	788	1056	2302	2930	2824	3432	3330	2904
	Males	24·92		18,792	5866	1555	587	367	284	8659	589	257	346	471	1026	1280	1460	1796	1677	1341
	Females	20·71		18,217	4638	1470	546	377	229	7260	543	275	442	585	1276	1279	1364	1636	1653	1563

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·04	0·03	56	29	27	8	2	1	–	3	14	2	5	3	10	17	2	2	1	–	–
Measles	0·49	0·54	0·44	818	417	401	176	224	137	70	48	766	53	1	1	–	1	–	–	–	–	–
Scarlet Fever	0·43	0·45	0·41	727	365	362	42	97	122	133	94	488	216	25	11	7	8	2	–	–	–	–
Diphtheria	0·09	0·09	0·08	145	73	72	2	16	29	47	22	75	53	5	5	2	2	2	–	–	1	–
Whooping-cough	0·54	0·53	0·54	906	474	432	371	278	169	84	50	878	26	1	1	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	2	2	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
Enteric Fever	0·34	0·37	0·31	571	286	285	3	7	18	19	12	56	67	52	79	87	111	86	31	17	11	4
Simple Continued Fever	0·02	0·02	0·01	41	17	24	3	1	1	3	2	11	1	2	–	3	4	5	2	2	5	3
Diarrhœa and Dysentery	1·69	1·86	1·05	2092	1057	952	1511	211	37	15	7	1781	14	1	2	6	5	8	13	33	67	79
Cholera	0·01	0·02	0·00	16	12	4	4	1	1	–	–	6	1	–	–	–	4	2	–	1	1	1
Cancer	0·65	0·45	0·83	1100	349	751	1	1	1	–	–	3	3	3	6	10	18	170	285	313	205	66
Tabes Mesenterica	0·57	0·70	0·47	963	540	423	629	189	47	13	10	889	38	12	9	6	3	2	2	2	2	–
Phthisis	2·02	2·39	1·70	3404	1785	1619	31	45	55	11	16	158	61	93	313	469	632	674	454	223	61	6
Other Tub. & Scrof. Dis.	0·53	0·63	0·45	884	480	404	279	185	78	59	42	643	108	44	27	11	33	18	10	5	2	2
Nervous System	2·87	3·25	2·50	4788	2695	2093	1549	331	108	61	48	2097	114	73	51	66	172	292	387	355	641	340
Circulating ,,	1·70	1·42	1·99	2878	1105	1773	14	1	–	2	1	18	21	32	53	60	173	360	448	587	601	375
Respiratory ,,	5·01	4·42	5·55	8438	3433	5005	1699	996	346	167	111	3319	197	37	33	68	291	559	882	1	874	561
Digestive ,,	1·14	1·13	1·16	1934	876	1058	323	156	25	11	7	522	11	33	23	42	119	159	258	375	269	101
Urinary ,,	0·46	0·43	0·52	774	185	588	15	15	9	9	6	54	16	9	22	19	65	82	113	172	146	72
Generative ,,	0·09	0·01	0·17	149	6	153	–	1	2	–	–	3	–	–	4	11	37	59	54	23	12	5
Puerperal Fever	0·10	–	0·18	161	–	161	–	–	–	–	–	–	–	–	12	43	65	41	–	–	–	–
Childbirth	0·09	–	0·16	145	–	145	–	–	–	–	–	–	–	–	11	36	48	52	2	–	–	–
Violence	0·73	1·01	0·45	1171	781	390	294	39	35	39	26	433	91	31	42	42	102	109	122	109	95	72
Other Causes	4·26	4·84	3·75	7143	3755	3387	5319	228	61	32	26	5666	66	67	59	68	102	134	259	317	618	1427

Marriages	–	17,991	Annual Rate per 1000 living	Persons Married	20·39	Deaths from Childbirth and Puerperal Fever – 5·07 per 1000 Births.
Births	Males 29,546	60,258		Births	35·89	
	Females 28,712					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

432.—SOUTHWELL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·95	†109	–	–	–	–	34·98	3·71	2·35	3·36	6·03	6·63	9·19	10·43	20·98	53·59	148·10
Males	—					14·11	†123	–	–	–	–	39·43	3·64	2·75	2·82	5·11	6·21	8·20	10·66	20·25	55·10	158·10
Females	—					13·80	†96	–	–	–	–	39·78	3·77	1·95	3·89	6·84	7·01	10·06	10·20	21·70	52·17	139·25
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·06 per cent.			19,836			468	419	481	479	483	2330	2293	2131	1846	1475	2442	2046	1832	1625	1211	605
Males				9,615			227	201	233	244	226	1131	1153	1055	921	685	1144	963	891	800	588	284
Females				10,221			241	218	248	235	257	1199	1140	1076	925	790	1298	1083	941	825	623	321
Deaths from All Causes, 1881–90. Persons	17·79			3,528			578	122	53	33	29	815	85	50	62	89	162	188	191	341	649	896
Males	18·28			1,758			322	63	28	18	15	446	42	29	26	35	71	79	95	162	324	449
Females	17·32			1,770			256	59	25	15	14	369	43	21	36	54	91	109	96	179	325	447
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·17	0·19	0·15	33	18	15	7	16	3	1	4	31	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·19	0·22	40	18	22	1	6	4	5	4	20	14	3	1	–	–	–	–	–	–	–
Diphtheria	0·13	0·10	0·15	25	10	15	–	1	1	5	6	13	9	2	–	1	–	1	1	–	–	–
Whooping-cough	0·19	0·19	0·20	38	18	20	27	5	3	1	1	37	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·15	0·12	0·17	29	12	17	–	1	–	–	–	1	–	3	3	3	6	4	3	3	3	–
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	1	–	1	2	–	–	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·28	0·29	0·26	55	28	27	24	5	–	–	–	29	1	–	–	–	–	5	2	–	8	10
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Cancer	0·65	0·47	0·82	129	45	84	–	–	–	–	–	–	–	–	–	–	1	11	16	40	43	18
Tabes Mesenterica	0·19	0·19	0·20	38	18	20	24	1	1	–	–	26	5	2	1	2	–	2	–	–	–	–
Phthisis	1·50	1·40	1·59	297	135	162	4	2	–	–	1	7	4	8	24	46	84	59	29	21	14	1
Other Tub. & Scrof. Dis.	0·38	0·47	0·30	76	45	31	22	8	4	5	4	43	6	8	5	3	1	4	–	2	4	–
Diseases of Nervous System	2·50	2·65	2·35	495	255	240	127	24	7	3	2	163	12	4	2	7	8	12	22	45	115	105
Diseases of Circulatory „	2·29	2·09	2·48	454	201	253	3	1	–	1	–	5	1	3	3	3	9	17	33	79	167	134
Diseases of Respiratory „	2·70	2·84	2·56	535	273	262	106	29	12	6	2	155	11	3	1	6	10	13	24	55	111	146
Diseases of Digestive „	1·17	1·20	1·14	232	115	117	26	11	11	1	2	51	6	–	7	1	12	14	19	38	47	37
Diseases of Urinary „	0·35	0·57	0·15	70	55	15	–	2	–	–	–	2	1	–	–	2	4	5	9	7	22	18
Diseases of Generative „	0·03	–	0·06	6	–	6	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	–
Puerperal Fever	0·06	–	0·12	12	–	12	–	–	–	–	–	–	–	–	1	1	6	4	–	–	–	–
Childbirth	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	–	2	6	5	1	–	–	–
Violence	0·68	1·04	0·33	134	100	34	7	3	4	3	2	19	7	7	8	6	7	15	15	21	13	16
OTHER CAUSES	4·05	4·23	3·90	808	407	401	200	7	2	2	–	211	5	7	5	5	6	13	16	28	101	411

Marriages 1,241

Births – Males 2,624, Females 2,678 = 5,302

Annual Rate per 1000 living: Persons Married 12·51; Births 26·73

Deaths from Childbirth and Puerperal Fever 4·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

433.—NEWARK.

Causes of Death.	Crude Death Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.																						
Persons	—			In Standard Population*		15·61	†130	–	–	–	–	44·56	3·89	3·12	5·19	6·42	6·93	8·74	12·43	23·86	45·63	152·27
Males	—					16·50	†145	–	–	–	–	50·32	4·15	3·15	4·76	5·94	6·54	9·66	13·02	27·26	47·46	159·27
Females	—					14·77	†115	–	–	–	–	38·78	3·64	3·10	5·63	6·85	7·29	7·86	11·87	20·73	43·96	146·37
Mean Population living. 1881–90.	Decennial Decrease of Population 0·09 per cent.			5·0002																		
Persons				14,974			779	729	778	761	739	3777	3724	3457	3008	2491	1993	3180	2680	2171	1486	660
Males				15,028			376	365	389	381	384	1892	1857	1714	1535	1178	1886	1552	1298	1042	708	302
Females							403	364	389	380	349	1885	1867	1743	1473	1313	2052	1628	1382	1129	778	358
Deaths from All Causes. 1881–90.																						
Persons	17·45			5389			1290	262	97	69	55	1683	145	108	156	160	275	278	333	518	678	1005
Males	18·50			2,779			687	143	50	38	34	952	77	54	73	70	124	150	169	284	336	481
Females	16·44			2,569			513	119	47	31	21	731	68	54	83	90	151	128	164	234	342	524

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·01	5	4	1	1	–	–	–	–	1	1	–	–	–	1	1	1	–	–	–
Measles	0·16	0·18	0·15	50	27	23	18	15	6	4	1	44	6	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·14	0·16	46	21	25		7	6	7	13	34	7	1	1	–	3	–	–	–	–	–
Diphtheria	0·16	0·13	0·19	49	19	30	5	–	–	8	5	18	18	3	3	3	3	–	1	–	–	–
Whooping-cough	0·27	0·23	0·30	82	35	47	54	13	8	5	–	80	1	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·28	0·33	0·23	86	50	36	1	1	1	1	1	5	8	7	15	14	13	10	6	4	3	2
Simple Continued Fever	0·03	0·03	0·02	8	5	3	–	1	–	1	1	3	1	–	1	–	–	–	1	–	1	1
Diarrœa and Dysentery	0·69	0·70	0·51	184	105	79	106	20	3	1	1	131	1	–	1	–	5	1	1	6	11	27
Cholera	0·03	0·04	0·02	9	6	3	3	2	–	–	–	5	1	–	–	–	–	2	–	–	1	–
Cancer	0·65	0·45	0·85	200	67	133	–	–	–	1	–	1	–	–	–	3	5	17	50	63	35	26
Tab. Mesenterica	0·22	0·32	0·25	67	48	19	18	10	4	–	1	63	3	6	2	1	3	2	1	2	–	–
Phthisis	1·74	1·76	1·79	531	258	273	8	5	5	2	–	20	10	21	61	78	117	83	48	46	35	12
Other Tub. & Scrof. Dis.	0·40	0·36	0·43	121	54	67	33	20	8	2	8	71	20	8	11	3	4	2	1	1	–	–
Diseases of Nervous System	2·40	2·30	2·21	735	389	346	261	31	3	7	7	249	12	11	10	12	20	21	48	81	119	152
" Circulatory "	1·94	1·94	1·95	595	291	302	9	–	–	1	–	10	6	10	6	6	16	31	63	113	168	164
" Respiratory "	2·62	3·00	2·25	802	450	352	213	85	37	15	8	358	19	4	5	7	13	30	54	57	107	108
" Digestive "	1·18	1·40	0·97	360	209	151	78	26	4	3	3	114	6	7	8	5	16	15	31	66	59	42
" Urinary "	0·42	0·47	0·38	129	71	58	3	3	1	1	–	8	3	1	2	4	2	8	11	13	28	19
" Generative "	0·07	0·01	0·13	23	1	21	–	–	1	–	–	1	–	–	2	–	5	4	3	4	2	1
Puerperal Fever	0·06	–	0·11	17	–	17	–	–	–	–	–	–	–	–	2	3	9	3	–	–	–	–
Childbirth	0·09		0·15	23		23	–	–	–	–	–	–	–	–	–	2	13	7	1	–	–	–
Violence	0·58	0·85	0·35	175	127	51	11	6	5	6	3	31	11	13	14	8	6	15	13	26	24	20
OTHER CAUSES	3·43	3·56	3·31	1051	531	520	410	17	5	4	3	439	9	11	12	11	19	26	19	37	97	371

Marriages	–	2,039	Annual Rate per 1000 living	Persons Married	13·72
Births	Males 4,755	9,203		Births	30·97
	Females 4,451		Deaths from Childbirth and Puerperal Fever		4·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·66	†101	–	–	–	–	35·33	6·65	3·12	5·42	8·22	6·83	8·72	11·23	20·89	51·12	137·83
Males	—	Standard 14·02	†110	–	–	–	–	38·19	6·81	2·17	4·01	6·75	5·00	7·96	12·07	19·29	51·13	136·71
Females	—	Population* 15·27	†92	–	–	–	–	32·42	6·49	4·18	6·92	9·50	8·49	9·40	10·44	22·43	51·11	138·94
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·96 per cent.	14,356	351	346	353	344	378	1772	1700	1572	1309	1083	1771	1468	1318	1144	804	415
Males		7,086	173	170	182	186	182	893	852	831	673	504	840	691	638	560	397	207
Females		7,270	178	176	171	158	196	879	848	741	636	579	931	777	680	584	407	208
Deaths from All Causes, 1881–90. Persons	17·88	2,567	406	103	54	34	29	626	113	49	71	89	121	128	148	239	411	572
Males	17·58	1,246	225	50	32	18	16	341	58	18	27	34	42	55	77	108	203	283
Females	18·17	1,321	181	53	22	16	13	285	55	31	44	55	79	73	71	131	208	289

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·01	0·03	3	1	2	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–
Measles	0·08	0·08	0·07	11	6	5	3	1	3	2	–	9	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·49	0·48	0·50	70	34	36	3	6	7	13	6	35	24	9	1	1	–	–	–	–	–
Diphtheria	0·34	0·40	0·29	49	28	21	1	1	6	5	5	18	26	4	1	–	–	–	–	–	–
Whooping-cough	0·36	0·35	0·37	52	25	27	25	18	3	1	3	50	1	–	–	–	–	–	1	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·17	0·21	27	12	15	–	–	–	–	1	1	1	2	5	6	6	3	–	2	1	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·50	0·49	0·51	72	35	37	25	5	3	1	–	34	2	–	–	–	–	2	2	3	9	20
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·81	0·64	0·99	117	45	72	–	–	–	–	–	–	–	–	–	1	2	6	20	30	42	16
Tabes Mesenterica	0·26	0·23	0·29	37	16	21	15	6	3	–	–	24	1	–	3	3	2	3	–	1	–	–
Phthisis	1·72	1·51	1·93	247	107	140	1	4	2	–	2	9	10	9	35	51	52	24	17	20	19	1
Other Tub. & Scrof. Dis.	0·33	0·35	0·30	47	25	22	15	4	4	1	–	24	12	1	2	3	4	–	1	–	–	–
Diseases of Nervous System	2·01	2·05	1·97	288	145	143	55	5	–	3	1	64	5	4	6	3	8	7	19	33	76	63
Diseases of Circulatory „	1·99	1·59	2·37	285	113	172	1	–	–	–	–	1	1	3	4	3	6	14	34	52	84	83
Diseases of Respiratory „	2·44	2·41	2·48	351	171	180	73	22	13	3	7	118	11	3	2	4	10	7	14	33	55	94
Diseases of Digestive „	0·87	0·80	0·94	125	57	68	15	9	3	1	–	28	3	4	1	4	–	8	14	23	26	14
Diseases of Urinary „	0·48	0·69	0·28	69	49	20	2	–	–	–	–	2	2	–	–	2	5	4	3	12	20	19
Diseases of Generative „	0·11	–	0·22	16	–	16	–	1	–	–	–	1	–	–	–	–	1	5	3	1	4	1
Puerperal Fever	0·08	–	0·17	12	–	12	–	–	–	–	–	–	–	–	1	1	6	4	–	–	–	–
Childbirth	0·06	–	0·11	8	–	8	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–
Violence	0·68	0·90	0·47	98	64	34	12	3	2	2	2	21	6	3	2	1	10	16	12	7	7	13
OTHER CAUSES	4·04	4·42	3·65	580	312	268	159	18	5	2	2	186	7	6	8	6	7	17	9	19	67	248

Marriages 753

Births { Males 2,052 / Females 1,962 } 4,014

Annual Rate per 1000 living { Persons Married 10·49 / Births 27·96

Deaths from Childbirth and Puerperal Fever 4·98 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

435.—SHARDLOW.‡

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·38	†118	—	—	—	—	43·95	4·27	2·43	4·03	4·88	5·79	8·32	11·46	25·07	54·40	154·95
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·84	†132	—	—	—	—	49·55	4·43	2·43	4·11	4·52	5·24	7·45	12·09	29·83	76·86	165·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·95	†103	—	—	—	—	38·45	4·11	2·44	3·94	5·26	6·32	9·18	10·88	24·38	55·88	145·71
Mean Population, 1881-91. Persons	Decennial Increase of Population 24·72 per cent.	50,100	1514	1365	1459	1372	1412	7122	6420	5740	4936	4383	3924	5215	1882	2704	1745	747
Mean Population, 1881-91. Males		24,854	743	690	723	675	699	3530	3260	2878	2531	2214	1924	2583	1357	1293	808	341
Mean Population, 1881-91. Females		25,246	771	675	736	697	713	3592	3211	2862	2385	2169	1870	2632	1005	1411	937	406
Deaths from All Causes, 1881-90. Persons	16·02	8,026	2091	558	202	144	135	3130	274	139	198	214	424	434	439	678	951	1142
Deaths from All Causes, 1881-90. Males	16·32	4,055	1201	287	109	71	81	1749	142	70	104	100	190	193	222	334	436	535
Deaths from All Causes, 1881-90. Females	15·73	3,921	890	271	93	73	54	1381	132	69	94	114	234	241	217	344	518	577

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·35	0·43	0·27	175	106	69	38	66	26	16	14	160	15	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·25	0·26	0·23	124	65	59	11	21	22	18	18	90	30	2	—	1	1	—	—	—	—	—
Diphtheria	0·12	0·10	0·14	61	26	35	6	9	1	5	6	27	23	4	2	—	3	1	1	—	—	—
Whooping-cough	0·34	0·29	0·40	171	71	100	93	45	13	11	5	167	4	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·16	0·18	0·15	82	45	37	1	—	—	1	4	6	10	12	12	10	17	5	3	3	3	—
Simple Continued Fever	0·02	0·03	0·01	10	7	3	—	2	1	2	—	5	1	1	—	2	1	—	—	—	—	—
Diarrhœa and Dysentery	0·42	0·44	0·39	208	109	99	139	18	3	—	1	161	2	—	1	—	3	4	—	5	10	22
Cholera	0·02	0·03	0·01	9	7	2	4	—	—	1	—	5	—	—	1	—	—	1	1	1	—	—
Cancer	0·42	0·24	0·59	208	60	148	—	—	—	—	—	—	—	—	2	1	3	34	37	60	52	18
Tabes Mesenterica	0·27	0·30	0·23	133	74	59	72	28	5	2	—	107	7	5	—	4	5	3	2	—	—	—
Phthisis	1·32	1·20	1·44	661	298	363	16	12	4	3	1	36	10	29	85	96	175	110	72	37	12	3
Other Tub. & Scrof. Dis.	0·37	0·39	0·34	183	96	87	45	36	17	11	10	119	31	11	4	7	3	1	2	4	1	—
Diseases of Nervous System	2·29	2·45	2·13	1148	610	538	421	78	24	18	15	556	34	13	10	8	21	35	57	107	158	149
Diseases of Circulatory	1·46	1·50	1·42	732	373	359	1	2	3	—	2	8	12	12	15	12	35	51	67	135	237	148
Diseases of Respiratory	2·77	3·11	2·45	1385	772	613	369	163	53	37	39	691	47	6	18	16	29	45	55	130	184	167
Diseases of Digestive	0·86	0·98	0·73	479	244	235	89	28	7	3	3	130	13	6	12	11	25	30	54	79	79	40
Diseases of Urinary	0·29	0·40	0·20	149	99	50	4	2	1	1	1	9	—	1	4	3	10	10	22	23	36	31
Diseases of Generative	0·03		0·07	17	—	17	—	—	—	1	—	1	—	—	—	—	1	8	2	1	4	—
Puerperal Fever	0·10		0·19	49		49	—	—	—	—	—		—		1	13	27	8			—	—
Ophthalmia	0·09		0·18	45	—	45	—	—	—	—	—		—			6	14	24	1	—	—	—
Violence	0·56	0·80	0·32	280	200	80	19	9	8	7	10	53	19	18	16	12	22	30	29	30	26	23
Other Causes	3·40	3·59	3·26	1715	892	823	733	89	14	7	6	799	16	19	15	12	29	33	34	66	151	541

Marriages		2,656	Annual Rate per 1000 living	Persons Married	10·60
Births	Males	2,653		Births	35·28
	Females	8,923			
		17,676			

Deaths from Childbirth and Puerperal Fever 5·22 per 1000 Births.

* *See* pages xxvi–xxvii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 756.

436.—DERBY.‡

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 19·08			†144	–	–	–	–	56·47	4·45	2·41	4·64	5·34	7·12	9·78	16·22	33·80	73·04	160·69
Males	—			19·80			†156	–	–	–	–	61·92	4·58	2·44	4·32	5·26	7·03	10·29	17·17	35·17	75·30	167·60
Females	—			18·39			†131	–	–	–	–	51·11	4·32	2·38	4·93	5·41	7·21	9·25	15·32	32·65	71·38	155·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·72 per cent.			84,679			2337	2207	2225	2170	2161	11100	10299	9246	8457	8039	13560	10014	6925	4187	2155	697
Males				41,568			1149	1108	1120	1059	1068	5504	5071	4548	4100	3976	6832	5071	3360	1908	911	287
Females				43,111			1188	1099	1105	1111	1093	5596	5228	4698	4357	4063	6728	4943	3565	2279	1244	410
Deaths from All Causes 1881–90. Persons	17·65			14,946			4036	1222	486	303	221	6268	458	223	392	429	965	979	1123	1415	1574	1120
Males	18·17			7,554			2224	658	252	157	117	3408	232	111	177	209	480	522	577	671	686	481
Females	17·15			7,392			1812	564	234	146	104	2360	226	112	215	220	485	457	546	744	888	639
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·42	0·46	0·39	358	192	166	76	135	62	39	19	331	24	1	1	–	–	1	–	–	–	–
Scarlet Fever	0·23	0·25	0·21	197	106	91	10	28	34	35	28	135	44	11	3	2	1	–	–	–	1	–
Diphtheria	0·07	0·08	0·07	63	32	31	–	2	7	5	10	24	31	7	1	–	–	–	–	–	–	–
Whooping-cough	0·46	0·40	0·51	388	166	222	157	117	53	32	16	375	13	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·27	0·30	0·23	225	125	100	2	3	5	3	7	20	15	14	37	31	59	24	10	10	5	–
Simple Continued Fever	0·02	0·02	0·02	18	8	10	1	–	–	3	–	4	4	2	1	3	3	1	–	–	–	–
Diarrhœa and Dysentery	0·62	0·69	0·56	529	286	243	371	70	5	5	2	453	7	–	3	2	2	4	6	11	21	20
Cholera	0·01	0·02	0·01	10	7	3	3	2	–	–	–	5	–	–	–	–	1	–	3	1	–	–
Cancer	0·52	0·33	0·70	441	139	302	–	–	–	2	1	3	2	–	1	3	25	61	111	124	81	30
Tabes Mesenterica	0·31	0·33	0·29	263	137	126	116	70	20	11	3	220	17	8	7	4	–	2	4	–	1	–
Phthisis	1·53	1·65	1·41	1298	688	610	6	6	5	5	2	24	18	29	145	175	353	271	183	75	25	–
Other Tub. & Scrof. Dis.	0·29	0·32	0·26	244	133	111	76	39	21	11	17	164	24	14	10	10	9	4	7	1	1	–
Diseases of Nervous System	2·70	2·81	2·60	2288	1166	1122	995	147	68	39	31	1280	63	23	27	18	65	86	137	208	245	136
Diseases of Circulatory „	1·45	1·31	1·59	1228	544	684	6	–	2	–	3	11	12	25	34	27	101	131	187	273	302	125
Diseases of Respiratory „	3·18	3·33	3·04	2692	1383	1309	607	411	139	68	46	1271	75	13	20	29	77	115	171	298	405	218
Diseases of Digestive „	1·22	1·32	1·12	1031	548	483	209	100	10	14	9	342	33	11	16	23	61	72	139	152	143	39
Diseases of Urinary „	0·39	0·48	0·30	329	198	131	7	6	5	4	7	29	8	9	8	14	28	39	45	66	60	23
Diseases of Generative „	0·05	0·01	0·09	42	5	37	1	–	–	–	–	1	–	–	2	2	5	11	6	10	5	–
Puerperal Fever	0·09	–	0·17	75	–	75	–	–	–	–	–	–	–	–	3	20	38	13	1	–	–	–
Childbirth	0·07	–	0·13	58	–	58	–	–	–	–	–	–	–	–	5	8	23	22	–	–	–	–
Violence	0·59	0·84	0·36	502	348	154	47	18	24	15	13	117	39	18	28	24	57	48	51	52	40	28
OTHER CAUSES	3·16	3·22	3·09	2665	1342	1323	1346	67	26	12	7	1458	29	38	40	33	57	74	62	134	259	501

Marriages 7,937

Births { Males 14,266 / Females 13,789 } 8,055

Annual Rate per 1000 living { Persons Married 18·75 / Births 33·13

Deaths from Childbirth and Puerperal Fever 4·74 per 1000 Births.

* *See* pages xxxvi–xxxviii. † The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 736.

437.—BELPER.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
All Causes. Persons	—	Standard Population 35·66	151·30	—	—	—	—	45·71	4·52	2·09	4·53	6·05	6·81	9·83	15·40	31·60	69·34	183·75
Deaths from Epidemics, per 1000. Males	—	Standard Population 35·14	144·44	—	—	—	—	49·09	4·96	2·36	4·23	4·61	5·17	7·58	15·49	35·62	74·84	188·78
Females	—	Standard Population 35·21	115·68	—	—	—	—	41·68	4·08	2·84	4·83	7·47	7·46	10·09	14·52	27·54	63·69	178·86
Mean Population during 1881–90. Persons	Deaths from Epidemics at Population Rate per 1000.	30,023	1795	1620	1682	1664	1642	8383	7677	6936	6661	5120	5080	6172	5107	3384	2221	831
Males		30,257	894	815	842	826	841	4218	3853	3518	3166	2536	2402	3079	2464	1856	1125	410
Females		29,766	871	815	840	838	801	4165	3824	3418	2847	2584	2678	3093	2643	1831	1096	421
Deaths from All Causes. Persons	18·48	11,094	2488	644	280	150	121	3832	347	180	272	319	544	607	771	1164	1540	1537
Males	19·33	5,850	1491	332	140	72	61	2096	150	83	134	117	247	295	414	660	842	774
Females	17·62	5,244	1137	312	140	78	60	1736	156	97	138	193	297	312	340	504	698	763

	Persons	Males	Females	Persons	Males	Females	Persons.												
Small-pox	0·02	0·03	0·01	4	11	2	1	1	–	–	–	2	4	–	–	1	1	1	–	–
Measles	0·22	0·20	0·22	133	69	64	35	54	17	6	12	124	6	2	–	–	–	–	–	–
Scarlet Fever	0·27	0·28	0·26	164	86	77	8	13	31	32	12	96	51	9	5	1	–	1	–	–
Diphtheria	0·06	0·04	0·07	34	13	21	2	7	2	3	4	18	11	1	1	–	1	–	1	–
Whooping-cough	0·33	0·33	0·43	229	101	128	125	52	31	10	6	224	5	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·11	0·12	0·11	65	35	34	–	–	–	3	1	4	10	9	13	4	10	6	8	5	–	–
Simple Continued Fever	0·02	0·02	0·02	12	7	5	1	–	1	1	–	3	2	1	1	–	–	3	1	–	1	–
Diarrhœa and Dysentery	0·65	0·70	0·59	388	213	175	247	38	9	–	–	294	9	–	–	1	1	4	7	18	31	23
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·71	0·37	0·69	397	105	204	–	–	–	–	–	–	–	1	2	15	19	66	90	73	35	–
Tabes Mesenterica	0·30	0·42	0·29	178	96	86	92	31	9	2	4	138	13	5	3	4	3	6	5	3	2	–
Premature Births	1·44	1·46	1·50	856	421	445	7	9	2	2	1	21	21	26	114	124	120	160	96	71	25	5
Other Tub. & Scrof. Dis.	0·19	0·20	0·33	216	119	97	54	25	13	9	11	112	30	21	14	9	7	9	8	1	4	1
Diseases of Nervous System	2·46	3·14	2·75	1768	950	818	619	96	53	24	15	787	54	15	30	33	39	70	125	175	262	168
Convulsions	1·46	1·61	1·69	980	486	494	1	–	–	–	4	5	6	12	11	22	47	84	127	223	306	146
Inflammation of Brain	3·35	3·82	2·89	2416	1155	861	522	316	104	41	29	912	55	15	16	15	43	63	98	232	316	251
Paralysis	1·14	1·19	1·20	686	329	357	120	48	19	1	5	184	20	6	12	12	38	51	77	129	89	68
Organs of Circulation	0·41	0·39	0·28	248	166	82	2	3	3	3	1	12	7	4	4	10	10	21	30	54	63	53
Generative Organs	0·08	0·01	0·14	46	4	42	–	–	–	–	–	–	1	–	1	1	5	10	8	8	6	6
Puerperal Fever	0·09	–	0·18	54	–	54	–	–	–	–	–	–	–	–	2	19	23	10	–	–	–	–
Childbirth	0·08	–	0·16	49	–	49	–	–	–	–	–	–	–	–	1	14	17	17	–	–	–	–
Violence	0·57	0·85	0·29	343	257	86	16	14	10	7	9	56	14	19	18	18	38	28	48	39	44	21
Other Causes	3·81	4·05	3·52	2289	1227	1062	776	37	14	6	7	840	28	24	26	19	42	44	63	105	319	770

Marriages		4,274	
Births	Males	10,325	20,232
	Females	9,907	

Annual Rate per 1000 living { Persons Married 14·24 / Births 33·71 }

Deaths from Childbirth and Puerperal Fever 5·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 796.

438.—ASHBOURNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·90	†99	–	–	–	–	36·00	4·09	2·91	4·34	5·34	7·07	8·88	12·33	24·14	57·24	161·30
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·11	†113	–	–	–	–	40·55	4·07	2·36	4·22	5·26	5·59	9·87	12·56	26 74	59·14	153·27
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·69	†85	–	–	–	–	31·50	4·11	3·48	4·47	5·41	8·39	7·99	12·10	21·69	55·45	168·66
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·91 per cent.	19,962	502	498	477	525	498	2500	2421	2167	2026	1667	2587	2028	1728	1421	1001	416
Mean Population, 1881–91. Males	Decennial Decrease of Population 0·91 per cent.	9,712	246	237	243	268	249	1243	1203	1103	996	780	1217	952	844	688	487	199
Mean Population, 1881–91. Females	Decennial Decrease of Population 0·91 per cent.	10,250	256	261	234	257	249	1257	1218	1064	1030	887	1370	1076	884	733	514	217
Deaths from All Causes, 1881–90. Persons	17·04	3,402	579	169	70	38	44	900	99	63	88	89	183	180	213	343	573	671
Deaths from All Causes, 1881–90. Males	17·58	1,707	337	85	40	20	22	504	49	26	42	41	68	94	106	184	288	305
Deaths from All Causes, 1881–90. Females	16·54	1,695	242	84	30	18	22	396	50	37	46	48	115	86	107	159	285	366

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Measles	0·14	0·18	0·11	28	17	11	9	10	3	1	2	25	–	1	–	2	–	–	–	–
Scarlet Fever	0·20	0·18	0·22	40	17	23	2	5	6	5	5	23	12	–	1	2	2	–	–	–
Diphtheria	0·15	0·16	0·14	30	16	14	1	4	3	4	4	16	12	2	–	–	–	–	–	–
Whooping-cough	0·41	0·35	0·47	82	34	48	37	26	9	4	2	78	4	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·12	0·11	23	12	11	–	1	–	–	–	1	3	2	4	1	4	3	1	3	1	–
Simple Continued Fever	0·03	0·03	0·02	5	3	2	2	–	–	–	1	3	–	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·23	0·25	0·21	46	24	22	26	2	1	–	–	29	1	–	–	–	1	–	–	1	7	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·51	0·73	125	50	75	–	–	–	–	–	–	1	1	–	1	3	3	32	30	36	18
Tabes Mesenterica	0·10	0·12	0·08	20	12	8	10	3	1	–	–	14	4	1	–	–	–	1	–	–	–	–
Phthisis	1·39	1·19	1·58	278	116	162	5	3	1	–	1	10	7	9	32	38	61	50	34	21	12	4
Other Tub. & Scrof. Dis.	0·37	0·47	0·27	74	46	28	20	10	6	4	3	43	11	3	4	3	6	2	1	1	–	–
Diseases of Nervous System	2·55	2·81	2·30	509	273	236	139	22	5	1	2	169	4	9	8	6	12	13	25	49	108	106
Diseases of Circulatory „	1·88	1·88	1·88	376	183	193	–	–	–	–	–	–	2	3	7	5	15	21	36	80	121	86
Diseases of Respiratory „	3·35	3·49	3·22	669	339	330	124	60	26	14	13	237	21	7	7	7	14	20	32	61	120	143
Diseases of Digestive „	1·21	1·18	1·23	241	115	126	21	9	3	2	5	40	6	7	6	5	8	15	26	39	56	33
Diseases of Urinary „	0·42	0·60	0·25	84	58	26	–	–	–	–	1	1	1	1	2	1	4	7	5	12	25	25
Diseases of Generative „	0·05	0·01	0·08	9	1	8	–	–	–	–	–	–	–	–	1	–	1	1	1	2	3	–
Puerperal Fever	0·07	–	0·13	13	–	13	–	–	–	–	–	–	–	–	1	1	8	3	–	–	–	–
Childbirth	0·12	–	0·23	24	–	24	–	–	–	–	–	–	–	–	1	2	11	9	1	–	–	–
Violence	0·53	0·75	0·32	106	73	33	5	3	1	–	2	11	5	6	9	6	15	11	6	11	13	13
Other Causes	3·08	3·28	2·96	618	316	302	178	11	5	3	3	200	5	11	5	9	17	19	13	32	71	236

Marriages 1,264

Births { Males 2,991 / Females 2,863 } 5,854

Annual Rate per 1000 living { Persons Married 12·66 / Births - - 29·33 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·32 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

139.—CHESTERFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard Population* 18·45	·148	–	–	–	–	54·70	5·39	2·87	4·25	5·17	6·10	8·84	14·61	19·71	29·11	173·42
	Males	18·84	·163	–	–	–	–	59·83	5·52	2·82	4·19	4·31	5·05	8·59	15·59	22·46	34·96	174·19
	Females	18·10	·132	–	–	–	–	49·63	5·26	2·95	4·34	6·25	7·36	9·25	13·50	18·32	26·21	172·68
Mean Popn. 1885–6.	Persons	Decennial Increase 28 per cent.	3450	3034	3104	3041	3052	15841	15042	13984	10146	8861	11698	1193	8016	5586	2674	824
	Males		1683	1529	1604	1529	1512	7848	7041	6453	5056	4332	5774	6035	4060	2692	1248	403
	Females		1777	1505	1500	1521	1540	7993	8031	7531	5090	4529	6764	6158	3956	2894	1426	421
Deaths at All ages 1885–90	Persons	18,673	5576	1639	673	497	349	8935	779	347	199	193	305	389	1171	1589	1848	1429
	Males	9,850	3132	848	395	297	166	4838	387	171	237	215	443	514	664	887	970	702
	Females	8,773	2444	791	278	240	174	3927	392	176	156	248	500	476	507	712	878	727

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·04	0·04	0·04	43	21	22	6	–	–	–	1	7	2	–	–	–	–	–	–
Measles	0·47	0·45	0·50	491	243	248	112	184	84	50	27	457	33	1	1	–	–	–	–
Scarlet Fever	0·76	0·82	0·69	791	397	394	56	90	100	108	93	447	230	38	5	2	–	–	–
Diphtheria	0·49	0·37	0·60	509	258	251	2	6	13	16	11	48	27	3	–	1	3	2	1
Whooping-cough	0·41	0·35	0·48	429	192	237	193	129	57	25	8	412	13	2	1	–	1	–	–
Typhus	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·18	0·13	159	86	73	–	2	5	7	5	19	15	20	29	21	23	17	10
Simple continued Fever	0·02	0·01	0·04	25	7	18	3	1	–	3	–	8	7	3	–	1	1	–	1
Diarrhœa and Dysentery	0·70	0·69	0·70	722	376	346	458	110	15	6	5	595	17	–	–	2	1	1	–
Cholera	0·01	0·01	0·01	8	5	3	1	–	–	–	1	2	–	1	–	–	1	1	1
Other	0·39	0·24	0·56	405	130	275	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	0·36	0·39	0·33	371	211	160	139	92	28	11	3	343	14	2	–	–	17	43	103
Phthisis	1·18	1·04	1·33	1222	567	655	20	11	7	7	11	56	30	69	139	153	299	220	140
Other Tub. & Scrof. Dis.	0·39	0·41	0·36	403	226	177	135	77	23	18	15	268	45	23	14	15	16	8	19
Diseases of Nervous System	2·74	2·90	2·58	2840	1581	1259	1344	147	74	42	29	1636	83	33	38	27	53	93	159
Circulatory „	1·31	1·37	1·25	1356	695	665	4	1	2	2	2	11	12	24	28	31	69	145	205
Respiratory „	3·35	4·16	2·78	3476	2238	1858	1205	566	152	97	86	2144	168	23	37	42	56	142	286
Digestive „	1·49	1·64	0·95	1553	566	469	267	116	21	10	9	423	28	17	14	17	44	77	100
Urinary „	0·23	0·29	0·16	238	153	80	3	2	4	2	4	19	10	5	6	6	20	24	34
Generative „	0·05	0·01	0·10	55	4	51	2	–	–	–	–	2	–	–	3	3	10	12	14
Puerperal Fever	0·08	–	0·17	82	–	82	–	–	–	–	–	–	–	–	7	17	37	19	2
Childbirth	0·00	–	0·00	–	–	–	–	–	–	–	–	–	–	–	4	14	15	30	2
Violence	0·75	1·12	0·31	779	614	165	35	31	19	24	19	128	32	11	08	05	115	85	102
Other Causes	2·84	2·85	2·80	2944	1564	1380	1337	70	27	9	12	1455	37	31	27	30	63	69	62

Marriages	–	7,005	Annual Rate per 1000 living	Persons Married	13·49
Births	Males 19,189	37,033		Births – –	36·23
	Females 18,044				

Deaths from Childbirth and Puerperal Fever 4·70 per 1000 Births.

* See pages xxxvi–xxxvii.

† The death-rates under one year of age are per 1000 Births.

440.—BAKEWELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·25	†105	–	–	–	–	36·88	4·60	2·86	4·26	5·46	7·63	10·59	14·93	29·09	66·45	169·67
Males	—	16·87	†120	–	–	–	–	41·35	4·54	3·06	3·69	5·63	7·43	10·75	17·20	31·20	68·48	174·41
Females	—	15·65	†89	–	–	–	–	32·36	4·66	2·65	4·80	5·31	7·82	10·44	12·81	27·16	64·55	164·98
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·30 per cent.	31,338	759	751	754	753	755	3772	3630	3353	3028	2764	4415	3427	2840	2224	1371	511
Males		15,284	385	368	384	385	374	1896	1807	1697	1464	1315	2087	1665	1372	1064	663	254
Females		16,054	374	383	370	368	381	1876	1823	1659	1564	1449	2328	1762	1468	1160	708	257
Deaths from All Causes, 1881–90. Persons	17·50	5,483	902	238	108	72	71	1391	167	96	129	151	337	363	424	647	911	867
Males	18·61	2,845	525	127	56	37	39	784	82	52	54	74	155	179	236	332	454	443
Females	16·43	2,638	377	111	52	35	32	607	85	44	75	77	182	184	188	315	457	424

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–
Measles	0·11	0·12	0·10	35	19	16	7	18	–	3	5	33	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·19	0·19	60	29	31	6	6	12	9	9	42	12	3	1	–	2	–	–	–	–	–
Diphtheria	0·12	0·14	0·11	39	22	17	–	3	5	6	6	20	14	3	–	–	–	–	1	–	1	–
Whooping-cough	0·23	0·24	0·23	73	36	37	36	20	6	6	2	70	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–
Enteric Fever	0·12	0·11	0·12	37	17	20	–	–	–	–	2	2	1	2	5	6	6	3	9	2	1	–
Simple Continued Fever	0·01	0·01	0·01	3	1	2	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·21	0·14	55	32	23	27	3	2	–	1	33	–	–	–	–	–	2	2	2	6	10
Cholera	0·02	0·01	0·02	6	2	4	2	1	–	–	–	3	–	–	–	–	1	2	–	–	–	–
Cancer	0·58	0·42	0·74	183	64	119	–	–	–	–	–	–	–	–	–	1	3	17	41	55	45	21
Tabes Mesenterica	0·12	0·14	0·11	38	21	17	11	7	1	–	2	21	7	4	1	2	2	–	1	–	–	–
Phthisis	1·49	1·43	1·56	468	218	250	1	–	1	2	2	6	11	15	41	62	123	87	62	38	20	3
Other Tub. & Scrof. Dis.	0·41	0·43	0·39	128	65	63	23	18	5	8	6	60	20	13	9	8	10	3	3	2	–	–
Diseases of Nervous System	2·60	2·89	2·32	814	441	373	182	41	13	8	9	253	25	12	19	8	23	35	61	111	166	101
Diseases of Circulatory „	1·70	1·73	1·67	533	265	268	2	–	1	–	1	4	1	11	9	9	24	34	59	124	163	95
Diseases of Respiratory „	3·07	3·36	2·80	962	513	449	193	79	46	17	17	352	31	10	13	9	33	50	56	102	170	136
Diseases of Digestive „	1·31	1·43	1·19	410	219	191	52	19	2	6	5	84	10	3	3	6	24	35	37	78	97	33
Diseases of Urinary „	0·42	0·58	0·27	133	89	44	1	–	1	–	1	3	4	–	1	3	14	13	10	34	30	21
Diseases of Generative „	0·05	–	0·09	15	–	15	–	–	–	–	–	–	–	–	2	–	4	3	2	3	1	–
Puerperal Fever	0·11	–	0·21	34	–	34	–	–	–	–	–	–	–	–	1	4	17	11	1	–	–	–
Childbirth	0·05	–	0·09	15	–	15	–	–	–	–	–	–	–	–	–	2	9	4	–	–	–	–
Violence	0·54	0·89	0·20	168	136	32	8	4	4	3	–	19	9	6	13	13	16	28	26	11	19	8
Other Causes	4·05	4·25	3·85	1266	651	615	351	18	9	4	2	384	17	10	11	17	25	35	52	84	192	439

Marriages - - - 1,914

Births - Males - 4,384 / Females - 4,239 — 8,623

Annual Rate per 1000 living: Persons Married 12·22; Births - - 27·52

Deaths from Childbirth and Puerperal Fever - - - - 5·68 per 1000 Births.

* *See* page xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births

441.—CHAPEL-EN-LE-FRITH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons	In 17·63	†112		–			47·05	4·71	3·24	4·52	5·44	7·09	9·44	18·21	33·59	72·74	192·09
	Males	Standard 18·33	†118		–			43·61	5·31	3·33	4·25	5·41	6·72	9·61	20·00	38·71	80·56	225·00
	Females	Population* 16·97	†105		–			32·08	4·13	3·24	4·78	5·46	7·28	9·27	16·44	33·48	75·65	161·26
Mean Population during 1890	Persons	Decennial Increase of Population 21·41 per cent.						21,570										
	Males							10,592										
	Females							10,978										
Deaths Registered in 1890	Persons	16·96	552	187	93	68	49	1089	115	73	99	113	237	223	346	433	597	413
	Males	17·97	301	100	44	31	26	572	64	36	45	53	112	118	189	216	279	234
	Females	15·99	321	87	49	37	23	517	51	37	54	60	125	115	157	325	287	179
Average Deaths in 1881–90	Persons	3,658																
	Males	1,903																
	Females	1,755																

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Smallpox	0·00	0·01	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	0·23	0·26	0·23	50	25	25	11	17	9	3	3	43	7	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·32	0·20	56	34	22	3	7	8	9	10	37	10	4	2	1	2	–	–	–	–
Diphtheria	0·09	0·09	0·08	19	10	9	–	3	2	2	5	12	5	1	–	1	–	–	–	–	–
Whooping-cough	0·25	0·17	0·32	55	18	35	33	6	6	6	–	51	2	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·13	0·13	27	13	14	–	–	–	–	–	–	2	4	4	–	6	7	1	1	1
Simple Continued Fever	0·01	0·03	0·01	3	2	1	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·29	0·23	0·30	63	30	33	33	5	1	–	–	39	1	–	1	1	1	2	5	6	4
Cholera	0·01	–	0·02	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Cancer	0·67	0·53	0·80	144	56	88	–	–	–	–	–	–	–	–	1	4	9	28	43	43	16
Tabes Mesenterica	0·11	0·09	0·14	24	9	15	8	3	1	–	1	13	1	2	2	1	1	3	1	–	–
Phthisis	1·45	1·74	1·55	312	142	170	3	3	3	1	–	9	4	8	33	42	76	57	43	29	6
Other Tub. & Scrof. Dis.	0·55	0·59	0·52	119	62	57	13	21	12	5	7	58	5	8	10	10	10	9	6	4	–
Diseases of Nervous System	2·52	2·83	2·23	544	299	245	127	34	14	11	5	191	16	10	5	9	22	28	38	71	85
Diseases of Circulatory „	1·71	1·74	1·68	369	185	184	5	–	1	1	–	7	5	4	4	11	21	26	49	80	106
Diseases of Respiratory „	2·92	3·05	2·80	630	355	275	143	60	25	20	11	249	21	2	3	10	20	32	60	72	94
Diseases of Digestive „	1·30	1·01	1·46	280	130	150	47	16	2	3	4	72	13	4	5	3	14	14	54	62	53
Diseases of Urinary „	0·36	0·54	0·18	77	57	20	–	–	1	1	–	2	3	4	1	5	3	7	8	18	8
Diseases of Generative „	0·06	–	0·11	12	–	12	–	–	–	–	–	–	–	–	1	–	1	1	3	4	–
Puerperal Fever	0·10	–	0·20	22	–	22	–	–	–	–	–	–	–	–	2	5	9	4	–	–	–
Childbirth	0·06	–	0·11	12	–	12	–	–	–	–	–	–	–	–	–	3	5	2	–	–	–
Violence	0·58	0·94	0·25	125	97	28	7	1	3	3	2	16	8	13	12	7	15	14	18	11	10
Other Causes	3·21	3·45	2·96	694	369	325	279	11	6	3	1	301	9	9	9	5	25	16	32	46	82

Marriages		1,397	Annual Rate per 1000 living	Persons Married	12·67
Births	Males	3,133		Births	28·75
	Females	3,040			
		6,202		Deaths from Childbirth and Puerperal Fever	5·48 per 100 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

442.—HAYFIELD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·38	†151	–	–	–	–	58·83	5·21	3·34	4·80	5·91	7·12	9·90	18·31	38·26	75·94	174·86
Males	—	21·47	†167	–	–	–	–	64·81	4·92	3·58	5·14	5·76	7·17	10·00	21·29	39·48	81·37	187·34
Females	—	19·35	†135	–	–	–	–	53·06	5·50	3·12	4·49	6·03	7·07	9·82	15·91	37·23	70·91	164·58
Mean Population, 1881-91. Persons	Decennial Increase of Population 9·33 per cent.	37,977	966	878	910	893	888	4535	4239	4072	3962	3589	5664	4433	3441	2420	1272	350
Males		17,748	480	422	443	431	452	2228	2095	1955	1847	1633	2552	2020	1536	1112	612	158
Females		20,229	486	456	467	462	436	2307	2144	2117	2115	1956	3112	2413	1905	1308	660	192
Deaths from All Causes, 1881–90. Persons	19·49	7,403	1731	523	212	99	103	2668	221	136	190	212	403	439	630	926	966	612
Males	21·13	3,751	978	265	103	49	49	1444	103	70	95	94	183	202	327	439	498	296
Females	18·05	3,652	753	258	109	50	54	1224	118	66	95	118	220	237	303	487	468	316

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·61	0·01	–	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·45	0·46	0·44	171	82	89	50	63	27	10	8	158	11	1	–	1	–	–	–	–
Scarlet Fever	0·28	0·26	0·29	105	47	58	5	24	11	14	16	70	28	4	–	–	2	1	–	–	–	–
Diphtheria	0·14	0·18	0·11	55	32	23	6	2	8	7	8	31	15	2	3	1	–	1	–	2	–	–
Whooping-cough	0·36	0·36	0·35	135	64	71	70	38	16	4	3	131	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	1	3	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–
Enteric Fever	0·30	0·34	0·26	113	60	53	4	1	4	4	4	17	13	13	15	16	17	5	5	8	4	–
Simple Continued Fever	0·03	0·03	0·04	13	5	8	1	2	1	2	–	6	1	1	1	–	1	1	2	–	–	–
Diarrhœa and Dysentery	0·73	0·85	0·63	279	151	128	182	27	3	–	–	212	2	–	1	–	–	5	8	10	22	19
Cholera	0·02	0·02	0·02	8	4	4	1	–	–	–	–	1	1	–	–	–	2	2	–	1	–	1
Cancer	0·41	0·28	0·53	157	50	107	–	–	–	–	–	–	1	2	1	–	2	12	45	54	29	11
Tabes Mesenterica	0·27	0·33	0·22	103	59	44	43	30	8	3	3	87	4	2	1	3	3	1	2	–	–	–
Phthisis	1·71	1·93	1·52	651	343	308	7	6	3	2	1	19	7	23	85	105	142	113	85	52	18	2
Other Tub. & Scrof. Dis.	0·43	0·52	0·35	163	92	71	51	31	14	4	7	107	21	10	3	5	6	2	7	1	–	1
Diseases of Nervous System	2·75	3·06	2·47	1044	544	500	330	62	29	7	21	449	36	19	14	13	23	41	73	140	168	68
Diseases of Circulatory „	1·85	1·58	2·09	703	280	423	8	–	–	–	–	8	6	18	13	22	43	50	108	179	173	83
Diseases of Respiratory „	4·00	4·59	3·49	1519	814	705	337	160	54	25	17	593	30	8	8	5	34	46	117	230	289	159
Diseases of Digestive „	1·49	1·56	1·43	567	277	290	158	47	10	1	6	222	10	8	12	6	20	36	72	90	64	27
Diseases of Urinary „	0·47	0·60	0·37	180	106	74	3	3	3	3	1	13	4	4	5	5	16	16	26	38	33	20
Diseases of Generative „	0·05	0·02	0·07	19	4	15	1	–	–	–	–	1	–	–	1	–	3	7	1	5	1	–
Puerperal Fever	0·08	–	0·14	29	–	29	–	–	–	–	–	–	–	–	1	6	14	8	–	–	–	–
Childbirth	0·08	–	0·15	30	–	30	–	–	–	–	–	–	–	–	–	4	8	17	1	–	–	–
Violence	0·51	0·74	0·30	192	131	61	20	7	11	6	2	46	12	7	8	7	19	16	26	19	22	10
OTHER CAUSES	3·06	3·40	2·77	1161	603	558	454	20	10	7	6	497	15	13	18	13	46	58	50	97	143	211

Marriages - - - 2,196

Births - { Males - 5,863 / Females - 5,580 } 11,443

Annual Rate per 1000 living { Persons Married 11·56 / Births - - 30·13

Deaths from Childbirth and Puerperal Fever - - - - } 5·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

443.—STOCKPORT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5	10	15	20	25	35	45	55	65	75 and upwards.
Annual Death-Rate per 1000	Persons	In Workhouse 27·84	†179					71·85	5·30	3·12	4·88	7·06	8·89	15·04	24·41	42·97	86·89	142·25
	Males	Separated 26·45	†198					79·15	5·80	3·06	5·18	7·47	8·82	14·63	24·18	45·96	90·32	193·18
	Females	Phys. Infirm* 22·60	†160					63·78	5·21	3·19	4·63	6·97	8·94	12·21	19·21	41·18	84·15	175·51
Males Persons living, 1881-91.	Persons	Deduced Increase of Population: 15·47 per cent.	125,921															
	Males		58,141	3354	2953	2985	3024	3074	15310	14977	13928	12909	11897	19831	15365	11410	7257	3608	1009
	Females		67,780	1696	1467	1474	1489	1547	7561	6874	6929	5849	5444	8940	6960	4926	3197	1602	425
Deaths from All Causes	Persons		27,940	1658	1506	1511	1544	1557	7776	7203	6999	6259	6753	10921	8475	6484	4060	2006	584
	Males		13,922	7147	2211	786	508	348	11000	774	435	630	849	1762	1991	2879	3127	3185	1816
	Females		13,997	4016	1444	382	260	174	5976	399	212	306	369	786	981	1191	1447	1447	821
				3134	1067	404	248	174	5027	375	223	324	471	976	1010	1488	1680	1688	1025

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·02	0·01	22	14	8	1					1		1	2	3	3	9	-	1	2	-
Measles	0·57	0·61	0·53	715	356	359	171	282	117	64	36	670	44	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·25	0·26	0·24	315	155	160	13	36	50	67	45	211	84	10	2	5	3	1	-	-	-	-
Diphtheria	0·11	0·11	0·11	140	65	75	6	16	16	17	2	78	39	7	5	1	7	-	1	1	-	-
Whooping-cough	0·45	0·42	0·48	567	246	321	235	181	54	41	17	528	8	1	-	-	-	-	-	-	-	-
Typhus	0·02	0·03	0·01	21	15	6	-	-	-	-	-	-	4	1	3	1	5	3	2	1	1	-
Enteric Fever	0·30	0·31	0·29	378	190	198	23	11	7	10	8	58	32	33	44	47	77	36	28	18	4	1
Simple Continued Fever	0·03	0·03	0·02	33	18	15	1	5	4	4	3	17	4	3	1	1	-	1	-	5	1	-
Diarrhœa and Dysentery	0·80	0·92	0·81	1021	540	551	708	112	28	7	3	859	9	3	3	3	9	15	24	44	76	46
Cholera	0·01	0·01	0·01	11	6	5	1					1	1		1	-	3	2	2	-	1	-
Cancer	0·52	0·34	0·68	657	198	459	1	1	-	-	2	4	-	3	5	4	25	99	179	206	110	22
Tabes Mesenterica	0·33	0·37	0·30	416	215	201	211	97	24	14	13	359	22	4	7	9	7	4	3	-	1	-
Phthisis	1·96	2·12	1·82	2466	1232	1234	28	20	12	8	10	87	47	73	261	398	677	473	289	166	40	4
Other Tub. & Scrof. Dis.	0·51	0·47	0·54	643	362	281	296	197	63	28	21	472	72	27	24	6	19	8	6	3	2	-
Nervous System	3·20	3·63	2·85	4028	2178	1850	1334	261	124	54	40	1813	109	63	42	58	116	203	318	508	579	258
Circulatory	1·77	1·69	1·84	2238	988	1250	9	2	1	3	3	18	22	46	56	43	150	240	368	603	521	169
Respiratory	4·29	4·24	4·34	5406	2556	2850	1320	645	301	121	73	2460	134	37	37	61	186	364	571	855	904	382
Digestive	1·47	1·43	1·51	1860	861	999	467	207	93	71	41	879	28	22	27	27	81	119	178	244	172	54
Urinary	0·43	0·35	0·50	542	316	226	22	9	7	14	7	59	29	16	11	13	56	64	97	101	76	39
Generative	0·08	0·02	0·10	77	11	66	1	-	-	-	-	1	-	1	3	5	9	17	17	12	9	3
Puerperal Fever	0·11	-	0·21	143	-	143	-	-	-	-	-	-	-	-	7	30	61	36	-	-	-	-
Childbirth	0·12	-	0·20	157	-	157	-	-	-	-	-	-	-	-	8	27	57	47	1			
Violence	0·65	1·00	0·37	845	586	259	50	24	22	21	15	132	30	41	37	42	95	158	170	91	78	34
Other Causes	3·80	3·44	4·06	4847	2424	2423	2310	152	30	29	15	2536	54	42	46	40	116	154	177	260	568	837

Marriages - 13,516

Births { Males - 2,432 / Females - 2,303 } 30,870

Annual Rate per 1000 living { Persons Married 16·65 / Births - - 31·58

Deaths from Childbirth and Puerperal Fever - - - - - } 7·03 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·64	†145	–	–	–	–	56·60	5·44	3·08	4·31	6·12	8·13	12·55	19·64	37·81	79·02	168·58
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·53	†164	–	–	–	–	64·48	5·01	2·83	4·10	5·90	7·95	13·56	22·70	38·71	78·01	168·33
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·79	†125	–	–	–	–	48·89	5·86	3·32	4·50	6·27	8·27	11·77	17·16	37·01	80·00	168·82
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·72 per cent.	61,168	1500	1387	1402	1440	1485	7214	6889	6491	6238	5314	8660	6821	5785	4417	2521	818
Mean Population, 1881–91. Males	Decennial Decrease of Population 2·72 per cent.	28,393	731	680	709	708	739	3567	3391	3210	2948	2270	3725	2980	2586	2069	1246	401
Mean Population, 1881–91. Females	Decennial Decrease of Population 2·72 per cent.	32,775	769	707	693	732	746	3647	3498	3281	3290	3044	4936	3841	3199	2348	1275	417
Deaths from All Causes, 1881–90. Persons	21·23	12,989	2570	779	345	223	166	4083	375	200	269	325	704	856	1136	1670	1992	1379
Deaths from All Causes, 1881–90. Males	23·07	6,551	1490	420	191	110	89	2300	170	91	121	134	296	404	587	801	972	675
Deaths from All Causes, 1881–90. Females	19·64	6,438	1080	359	154	113	77	1783	205	109	148	191	408	452	549	869	1020	704

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	0·00	5	4	1	1	–	–	–	–	1	–	–	–	2	1	–	–	–	1	–
Measles	0·43	0·47	0·39	262	134	128	87	69	47	27	12	242	16	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·47	0·52	0·43	288	147	141	10	37	41	46	42	176	86	15	4	2	4	1	–	–	–	–
Diphtheria	0·10	0·10	0·11	62	27	35	3	3	9	10	12	37	19	3	–	1	–	1	–	1	–	–
Whooping-cough	0·40	0·39	0·40	242	112	130	114	69	31	13	9	236	5	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	3	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Enteric Fever	0·14	0·18	0·10	83	50	33	–	1	2	2	3	8	10	7	7	12	9	7	10	9	4	–
Simple Continued Fever	0·03	0·03	0·03	19	9	10	–	–	1	–	1	2	6	1	1	–	–	2	3	3	–	1
Diarrhœa and Dysentery	0·49	0·57	0·42	301	163	138	159	33	5	5	–	202	4	–	2	–	4	4	6	15	37	27
Cholera	0·01	0·01	0·00	5	4	1	1	–	–	–	–	1	–	–	–	–	1	–	–	2	1	–
Cancer	0·66	0·52	0·79	406	147	259	–	–	–	–	–	–	–	–	–	1	1	9	44	94	122	103	32
Tabes Mesenterica	0·21	0·27	0·15	127	78	49	41	29	11	4	3	88	12	6	4	2	7	3	2	2	1	–
Phthisis	1·94	1·95	1·93	1184	553	631	16	6	7	5	2	36	13	28	111	152	275	209	170	121	57	12
Other Tub. & Scrof. Dis.	0·61	0·75	0·48	371	213	158	126	68	24	15	16	249	36	20	16	9	11	7	10	7	6	–
Diseases of Nervous System	3·23	3·77	2·77	1977	1070	907	518	106	51	28	21	724	50	24	22	18	70	139	182	262	322	164
Diseases of Circulatory „	2·12	2·07	2·16	1296	589	707	6	–	1	–	–	7	3	24	29	20	53	89	179	320	389	183
Diseases of Respiratory „	4·04	4·42	3·71	2470	1255	1215	505	231	74	45	29	884	64	18	13	15	76	112	181	382	483	242
Diseases of Digestive „	1·29	1·38	1·22	791	391	400	137	52	10	4	2	205	12	9	13	13	35	59	99	153	142	46
Diseases of Urinary „	0·58	0·81	0·38	356	231	125	1	3	5	4	1	14	5	7	7	10	17	30	52	86	83	45
Diseases of Generative „	0·06	0·01	0·10	36	2	34	1	1	–	–	–	2	–	–	1	4	3	5	7	5	9	–
Puerperal Fever	0·09	–	0·16	53	–	53	–	–	–	–	–	–	–	–	3	15	21	14	–	–	–	–
Childbirth	0·09	–	0·16	54	–	54	–	–	–	–	–	–	–	–	–	10	25	19	–	–	–	–
Violence	0·47	0·70	0·27	289	199	90	18	14	11	4	9	56	14	14	5	13	26	33	42	36	34	16
OTHER CAUSES	3·76	4·13	3·48	2309	1170	1139	826	57	15	11	4	913	20	20	29	26	56	76	99	139	320	611

Marriages 4,460

Birth { Males 9,058 / Females 8,649 } 17,707

Annual Rate per 1000 living { Persons Married 14·58 / Births 28·95

Deaths from Childbirth and Puerperal Fever 6·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

445.—ALTRINCHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
[illegible]	—	In Standard Population* 15·02	1·17	—	—	—	—	49·75	4·40	2·20	3·58	4·28	6·09	9·74	14·44	30·21	56·73	163·19
[illegible]	—		1·29	—	—	—	—	45·50	4·69	2·38	3·57	4·66	7·35	10·52	16·15	35·84	71·27	174·44
[illegible]	—		·99	—	—	—	—	53·92	4·10	2·02	3·75	4·00	5·14	9·26	12·98	27·05	62·82	154·14
Mean Population { Persons / Males / Females	Death-rate per 1000 of Population 11·87 per cent.	67·886 / 28·477 / 39·409	1521 / 766 / 755	1416 / 712 / 704	1478 / 735 / 743	1518 / 753 / 765	1490 / 737 / 753	7423 / 3703 / 3720	7035 / 3502 / 3533	6644 / 3242 / 3402	6263 / 2846 / 3417	6007 / 2665 / 3342	9838 / 4496 / 5342	7246 / 3090 / 4156	5424 / 2566 / 2858	3817 / 1773 / 2044	2143 / 978 / 1165	706 / 343 / 423
Deaths from All Causes, 1881–90. { Persons / Males / Females	13·73 / 17·48 / 14·29	9321 / 5084 / 4767	1083 / 546 / 537	509 / 254 / 255	257 / 134 / 123	157 / 80 / 77	119 / 54 / 65	3025 / 1685 / 1340	312 / 164 / 148	146 / 77 / 69	223 / 96 / 127	257 / 149 / 108	587 / 304 / 283	705 / 340 / 365	786 / 404 / 382	1153 / 600 / 553	1410 / 697 / 713	1250 / 598 / 652

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
[illegible]	0·03	0·05	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
[illegible]	0·24	0·27	0·22	150	75	75	38	53	24	11	12	138	11	1	—	—	—	—	—
[illegible]	0·23	0·26	0·20	154	86	68	4	20	23	17	21	85	52	9	2	3	3	—	—
[illegible]	0·17	0·15	0·17	101	43	58	2	4	15	13	15	49	33	9	2	2	4	—	—
[illegible]	0·21	0·21	0·21	131	62	69	69	32	12	6	2	121	9	1	—	—	—	2	—
[illegible]	0·01	0·01	0·00	4	3	1	—	—	—	—	—	—	—	—	1	1	—	—	—
[illegible]	0·11	0·12	0·09	66	35	31	—	—	—	1	1	2	7	3	12	12	7	9	7
[illegible]	0·01	0·01	0·01	8	6	2	—	1	1	—	1	3	—	1	—	1	—	2	1
[illegible]	0·07	0·07	0·09	204	164	130	191	28	4	5	3	231	5	—	—	—	4	4	9
[illegible]	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
[illegible]	0·46	0·37	0·54	288	108	180				2		2	—	1	1	1	7	30	53
[illegible]	0·13	0·12	0·14	84	46	38	27	21	4	7	2	61	5	7	2	2	—	1	5
[illegible]	1·31	1·03	1·55	881	463	418	8	8	5	4	2	30	16	22	89	110	231	166	120
[illegible]	0·26	0·28	0·24	160	81	79	43	27	15	11	7	103	19	8	9	4	6	6	3
Nervous System	2·02	2·07	2·00	1415	744	701	358	70	31	21	14	504	36	12	23	16	52	69	103
[illegible]	1·10	0·98	1·16	777	457	542	11	2	2	1	1	14	8	15	19	18	40	74	149
[illegible]	2·05	2·05	2·06	1440	1020	880	408	156	71	31	21	686	47	19	14	22	39	105	121
[illegible]	1·03	0·81	1·22	725	305	500	84	28	7	9	2	130	12	5	10	11	30	53	89
[illegible]	0·37	0·43	0·34	242	122	105	5	1	2		2	10	3	6	5	3	15	32	54
[illegible]	0·05	0·00	0·08	30	1	29									2	3	2	3	6
[illegible]	0·07		0·14	46		46							—	—	1	2	21	15	—
[illegible]	0·07		0·14	44		44									5	2	18	14	1
[illegible]	0·04	0·05	0·03	26	24	2	16	14	11	2	7	57	28	13	12	13	20	37	26
[illegible]	2·40	3·46	1·67	1629	920	850	719	17	17	10	5	770	21	12	15	15	15	84	56

Marriages		1·94	Annual Rate per 1000 living { Persons Married	17·46	Deaths from Childbirth and Puerperal Fever	5·21 per 1000 Births
Births { Males / Females	853 / 773	17·086	Births	27·79		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

446.—RUNCORN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		19·19	†144	–	–	–	–	55·06	4·85	3·48	4·05	5·13	7·10	10·74	16·02	32·12	71·38	182·26
Males	—					20·11	†154	–	–	–	–	60·45	5·27	3·53	4·24	5·03	5·97	10·30	17·39	33·84	80·08	201·27
Females	—					18·32	†133	–	–	–	–	49·66	4·41	3·43	3·81	5·26	8·47	11·25	14·55	30·35	63·39	168·22
Mean Population, 1881–91. Persons	Decennial Increase of Population 24·95 per cent.			38,270			1162	1024	1051	1025	1010	5272	4766	4223	3781	3567	5644	4265	3183	2086	1111	372
Males				20,010			583	508	515	533	501	2640	2409	2152	2050	1988	3082	2291	1650	1058	532	158
Females				18,260			579	516	536	492	509	2632	2357	2071	1731	1579	2562	1974	1533	1028	579	214
Deaths from All Causes, 1881–90. Persons	18·62			7,127			1845	584	223	133	118	2903	231	147	153	183	401	458	510	670	793	678
Males	18·97			3,795			1018	332	100	78	68	1596	127	76	87	100	184	236	287	358	426	318
Females	18·25			3,332			827	252	123	55	50	1307	104	71	66	83	217	222	223	312	367	360
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Measles	0·62	0·63	0·61	237	126	111	51	81	42	25	16	215	19	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·44	0·49	0·38	168	99	69	17	28	23	26	29	123	38	4	2	–	1	–	–	–	–	–
Diphtheria	0·07	0·06	0·07	25	13	12	2	2	5	1	5	15	4	3	1	1	1	–	–	–	–	–
Whooping-cough	0·41	0·35	0·46	155	71	84	68	48	16	13	7	152	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·02	4	1	3	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–
Enteric Fever	0·30	0·34	0·26	115	68	47	–	1	2	6	2	11	8	9	19	16	25	11	7	7	2	–
Simple Continued Fever	0·04	0·02	0·06	16	5	11	–	1	–	–	2	3	4	1	1	2	1	2	–	–	2	–
Diarrhœa and Dysentery	0·90	0·88	0·93	345	176	169	215	57	7	2	3	284	4	2	–	1	3	1	9	5	19	17
Cholera	0·05	0·03	0·06	18	7	11	12	4	–	–	–	16	–	1	–	–	–	1	–	–	–	–
Cancer	0·60	0·47	0·73	228	94	134	–	–	–	–	1	1	–	–	2	1	5	20	45	73	53	28
Tabes Mesenterica	0·39	0·41	0·36	149	83	66	96	22	6	2	5	131	7	2	1	4	2	–	–	2	–	–
Phthisis	1·25	1·21	1·29	477	242	235	5	5	1	2	2	15	11	26	42	48	124	102	62	36	10	1
Other Tub. & Scrof. Dis.	0·29	0·30	0·27	111	61	50	32	27	8	3	4	74	17	8	4	2	3	–	2	1	–	–
Diseases of Nervous System	2·22	2·22	2·21	849	445	404	236	54	28	11	8	337	28	17	8	11	26	42	54	106	124	96
Circulatory „	1·41	1·43	1·38	539	287	252	1	–	1	–	–	2	5	12	7	8	29	57	73	119	149	78
Respiratory „	3·55	3·69	3·40	1358	738	620	371	157	51	23	17	619	24	8	7	13	38	71	109	146	191	132
Digestive „	1·12	1·10	1·14	429	220	209	109	43	6	4	5	167	13	3	11	4	18	33	53	60	52	15
Urinary „	0·39	0·41	0·37	150	83	67	9	3	1	1	–	14	7	5	4	3	8	19	23	27	25	15
Generative „	0·04	0·01	0·07	15	2	13	–	1	–	–	–	1	–	–	1	2	2	2	4	2	1	–
Puerperal Fever	0·08	–	0·17	31	–	31	–	–	–	–	–	–	–	–	2	6	16	7	–	–	–	–
Childbirth	0·11	–	0·24	43	–	43	–	–	–	–	–	–	–	–	3	8	21	11	–	–	–	–
Violence	0·94	1·43	0·40	359	286	73	20	9	12	6	6	53	26	25	26	36	49	47	27	22	33	15
OTHER CAUSES	3·38	3·49	3·36	1304	688	616	601	41	14	8	6	670	13	19	10	15	28	32	42	63	131	281

Marriages - - - 2,377

Births - { Males - 6,599 } 12,794
{ Females - 6,195 }

Annual Rate per 1000 living { Persons Married 12·42
Births - - 33·43

Deaths from Childbirth and Puerperal Fever - - - - } 5·78 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

447.—NORTHWICH.

Cause of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 { Persons	—	In 17·60	*136	–	–	–	–	50·93	4·18	2·64	4·15	4·98	6·65	9·76	14·13	30·17	68·34	156·39
{ Males	—	Standard 17·97	*164	–	–	–	–	56·03	4·75	2·17	4·13	4·29	5·84	8·75	14·15	42·60	68·21	164·02
{ Females	—	Population 17·26	*119	–	–	–	–	45·70	3·61	2·81	4·16	5·75	7·56	10·83	14·11	28·19	68·77	148·88
Mean Population 1881–90 { Persons	Decennial Increase of Population 19·13 per cent.	47,102	1464	1375	1386	1358	1362	6945	6123	5488	4577	4180	6676	4907	3758	2563	1453	532
{ Males		24,233	746	699	703	692	699	3539	3075	2751	2504	2246	3500	2515	1901	1300	727	264
{ Females		22,869	718	676	683	666	662	3405	3048	2737	2073	1934	3176	2392	1857	1263	726	268
Deaths from All Causes 1881–90 { Persons	17·76	8,376	2337	641	255	159	125	3517	256	145	130	208	444	479	581	781	993	832
{ Males	18·46	4,467	1349	318	124	80	60	1931	146	68	105	95	204	220	269	425	501	433
{ Females	17·03	3,909	988	293	131	79	65	1586	110	77	85	113	240	259	262	356	492	399

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·00	–	0·00	1		1
Measles	0·45	0·47	0·41	210	110	95
Scarlet Fever	0·31	0·39	0·32	147	73	74
Diphtheria	0·09	0·04	0·10	43	19	24
Whooping-cough	0·37	0·35	0·39	176	86	90
Typhus	0·00	–	0·00	1		1
Enteric Fever	0·15	0·14	0·14	68	36	32
Simple Continued Fever	0·02	0·01	0·02	7	3	4
Diarrhœa and Dysentery	0·50	0·53	0·47	238	130	108
Cholera	0·01	0·02	0·00	6	5	1
Cancer	0·48	0·34	0·61	227	87	140
Tabes Mesenterica	0·37	0·41	0·33	176	100	76
Phthisis	1·14	0·98	1·30	535	238	297
Other Tub. & Scrof. Dis.	0·30	0·34	0·27	141	80	61
Diseases of Nervous System	2·40	2·37	2·44	1134	574	560
" Circulatory	1·42	1·36	1·49	671	329	342
" Respiratory	3·31	3·60	3·01	1562	873	689
" Digestive	1·21	1·25	1·17	571	304	267
" Urinary	0·36	0·46	0·26	172	112	60
" Generative	0·04	–	0·08	18	–	18
Parturition (Childbirth)	0·10	–	0·20	45	–	45
Accidents	0·08	–	0·17	39	–	39
Violence	0·73	1·00	0·46	338	255	83
Other Causes	3·97	4·19	3·70	1856	1014	842

Marriages		3,120	Annual Rate per 1000 living { Persons Married	13·19	Deaths from Childbirth and Puerperal Fever	4·88 per 1000 Births.
Births { Males	8,912	17,220	{ Births	36·51		
{ Females	8,308					

* See pages xxiv–xxvii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE per 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·48	†133	–	–	–	–	47·85	4·76	2·32	4·69	6·24	6·84	2·33	14·45	29·15	69·26	166·21
Annual Death-Rate per 1000. Males	—			In Standard Population*		17·39	†149	–	–	–	–	52·43	4·13	2·15	4·09	5·35	5·49	7·56	15·17	31·85	71·28	164·17
Annual Death-Rate per 1000. Females	—			In Standard Population*		17·57	†118	–	–	–	–	43·13	5·40	2·49	5·26	7·02	8·04	10·98	13·77	26·56	67·28	168·25
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·93 per cent.			37,833			1045	913	955	974	943	4830	4643	4232	4032	3271	5131	3964	3335	2477	1412	506
Mean Population, 1881–91. Males				18,539			523	483	470	506	467	2449	2327	2144	1979	1534	2406	1906	1628	1212	700	254
Mean Population, 1881–91. Females				19,294			522	430	485	468	476	2381	2316	2088	2053	1737	2725	2058	1707	1265	712	252
Deaths from All Causes, 1881–90. Persons	17·89			6,767			1562	385	164	117	83	2311	221	98	189	204	351	370	482	722	978	841
Deaths from All Causes, 1881–90. Males	18·42			3,414			888	208	81	65	42	1284	96	46	81	82	132	144	247	386	499	417
Deaths from All Causes, 1881–90. Females	17·38			3,353			674	177	83	52	41	1027	125	52	108	122	219	226	235	336	479	424
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·28	0·32	112	51	61	25	47	15	8	4	99	12	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·33	0·31	0·34	123	58	65	3	12	17	18	20	70	40	5	3	2	1	2	–	–	–	–
Diphtheria	0·09	0·08	0·10	34	14	20	2	2	5	5	5	19	8	3	2	2	–	–	–	–	–	–
Whooping-cough	0·37	0·38	0·36	140	71	69	76	35	16	6	2	135	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Enteric Fever	0·15	0·15	0·16	57	27	30	1	–	2	4	2	9	4	9	8	8	5	5	3	5	1	–
Simple Continued Fever	0·02	0·02	0·02	6	3	3	2	–	–	–	–	2	–	1	–	–	–	1	1	–	1	–
Diarrhœa and Dysentery	0·30	0·36	0·25	115	66	49	70	10	4	–	5	89	2	1	–	–	3	–	3	4	8	5
Cholera	0·02	0·01	0·03	6	1	5	2	–	–	–	–	2	–	–	–	–	1	–	1	1	1	–
Cancer	0·59	0·47	0·71	225	88	137	–	–	1	–	–	1	1	–	–	1	5	24	48	64	58	23
Tabes Mesenterica	0·28	0·32	0·24	105	59	46	62	22	4	–	3	91	5	3	1	–	1	–	1	3	–	–
Phthisis	1·53	1·22	1·83	579	226	353	6	1	–	1	2	10	9	21	65	86	142	112	77	41	13	3
Other Tub. & Scrof. Dis.	0·58	0·63	0·53	220	117	103	63	36	15	18	10	142	19	9	12	11	9	6	9	–	2	1
Diseases of Nervous System	2·39	2·55	2·23	904	473	431	262	46	13	14	7	342	28	9	15	23	19	32	59	107	172	98
Diseases of Circulatory „	1·40	1·29	1·51	531	240	291	1	–	–	–	–	1	8	12	13	10	29	35	57	124	180	62
Diseases of Respiratory „	3·33	3·83	2·85	1260	710	550	274	117	38	25	9	463	33	2	14	16	30	51	84	160	226	181
Diseases of Digestive „	1·21	1·20	1·22	458	223	235	81	24	9	4	1	119	9	3	9	8	13	26	52	93	87	39
Diseases of Urinary	0·35	0·46	0·24	133	86	47	1	1	–	2	3	7	3	1	3	5	6	11	15	27	41	14
Diseases of Generative	0·05	0·01	0·09	19	2	17	1	–	–	–	–	1	–	–	1	–	6	1	4	–	4	2
Puerperal Fever	0·08	–	0·17	32	–	32	–	–	–	–	–	–	–	–	1	5	19	7	–	–	–	–
Childbirth	0·06	–	0·11	21	–	21	–	–	–	–	–	–	–	–	–	4	9	8	–	–	–	–
Violence	0·65	0·94	0·37	245	174	71	15	9	16	5	8	53	22	10	21	6	25	21	21	29	25	12
OTHER CAUSES	3·80	3·90	3·69	1439	724	715	615	23	9	7	2	656	13	8	19	16	28	28	47	64	159	401

Marriages – – 2,601

Births – Males 5,976 / Females 5,736 = 11,712

Annual Rate per 1000 living: Persons Married 13·75; Births – – 30·96

Deaths from Childbirth and Puerperal Fever – – – – – 4·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

449.—NANTWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Deaths and Rate per 1000 Living	Persons —	In Standard Population* 17·01	128			–		47·35	4·10	2·44	3·76	5·61	6·66	9·45	14·50	28·11	63·53	82·89
	Males —	17·91	140			–		51·47	4·75	2·83	3·58	5·06	6·02	9·11	15·32	27·52	66·90	86·40
	Females —	16·82	116			–		42·99	4·04	2·05	3·95	6·25	7·32	9·79	13·69	28·70	64·18	79·55
Mean Population, 1881–90	Persons	Decennial Increase of Population 9·15 per cent.	6,583					8704	8048	7416	6544	5773	9019	6974	5228	3725	2051	776
	Males		3,651					4367	4055	3680	3406	2947	4565	3490	2667	1875	1018	378
	Females		3,932					4337	4005	3736	3138	2826	4454	3484	2561	1850	1033	398
Deaths under 1 Year and Rate per 1000 Births†	Persons	16·94	2747	746	285	202	138	4113	354	181	246	324	604	659	756	1047	1344	1264
	Males	17·37	1539	401	148	108	81	2283	192	93	132	147	275	318	407	516	681	629
	Females	16·51	1202	330	147	94	57	1830	162	88	124	177	326	341	349	531	663	635

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	0·00		1	1		–	–	–	–	–	1	–	–	–	–	–	–	
Measles	0·37	0·39	0·35	240	128	111	50	97	47	19	11	224	15	–	–	–	–	–	–
Scarlet Fever	0·27	0·31	0·22	171	102	69	11	30	19	29	22	111	31	5	2	–	2	–	–
Diphtheria	0·19	0·19	0·18	123	63	60	10	12	17	17	16	72	35	7	4	1	1	3	–
Whooping-cough	0·30	0·29	0·30	191	94	97	108	44	14	13	5	184	7	–	–	–	–	–	–
Typhus	0·01	0·01		4	4		–	–	–	–	–	–	–	1	1	–	1	–	–
Enteric Fever	0·13	0·22	0·17	124	71	53	–	–	–	2	5	7	19	17	15	10	20	12	13
Simple Continued Fever	0·03	0·03	0·03	19	9	10	–	1	3	1	–	5	–	–	1	1	2	2	2
Diarrhœa and Dysentery	0·46	0·51	0·42	297	164	133	139	57	8	1	–	205	3	–	–	3	2	1	5
Cholera	0·02	0·02	0·02	12	6	6	4	4	1	–	–	9	–	–	–	–	–	–	1
Cancer	0·53	0·35	0·71	338	142	226	–	–	–	–	–	–	–	–	2	2	13	46	67
Tabes Mesenterica	0·27	0·30	0·25	171	96	75	115	32	5	2	1	155	3	5	1	1	3	1	2
Phthisis	1·28	1·32	1·25	826	427	399	8	10	3	2	3	26	17	37	78	137	216	163	87
Other Tub. & Scrof. Dis.	0·25	0·27	0·23	159	86	73	42	21	9	9	5	86	23	7	8	11	10	8	3
Diseases of: Nervous System	2·46	2·50	2·41	1579	810	769	503	89	30	22	13	657	39	18	34	20	39	53	102
Circulatory	1·50	1·48	1·51	964	480	484	1	1		–	1	3	13	18	20	29	54	86	144
Respiratory	3·24	3·42	3·06	2084	1109	975	345	278	79	54	29	785	67	7	11	23	59	91	146
Digestive	1·21	1·28	1·14	775	414	365	170	49	12	9	5	251	22	12	15	21	29	45	69
Urinary	0·29	0·35	0·22	186	115	71	5	1	2	3	2	12	5	3	8	5	14	19	23
Generative	0·05	0·00	0·09	31	1	30	1	1	–	–	–	2	–	–	2	3	2	5	7
Puerperal Fever	0·09	–	0·19	61	–	61	..	..	..	..	..	..	..	..	1	12	32	16	..
Childbirth	0·07	–	0·14	44	–	44	..	..	..	..	..	..	..	..	1	8	19	16	..
Violence	0·50	0·71	0·30	324	231	93	16	11	16	10	9	62	18	18	14	15	20	34	37
Other Causes	3·35	3·42	3·31	2177	1132	1045	260	43	20	19	11	353	19	20	23	27	55	89	89

Marriages	4,503	Annual Rate per 1000 living	Persons Married	13·99	Deaths from Childbirth and Puerperal Fever 4·92 per 1000 Births.
Births Males	11,370		Births	33·17	
Females	10,987				
	21,357				

* See pages xxxvi–xxxviii.

† The death-rate under one year of age are per 1000 Births.

450.—CHESTER.

CAUSES OF DEATH.	CRUDE-DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·52	†122	–	–	–	–	45·45	4·83	3·00	4·76	6·11	8·83	13·23	19·01	33·52	68·46	158·19
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·67	†133	–	–	–	–	48·49	4·91	2·98	4·65	6·52	9·35	14·68	21·55	39·37	74·49	167·40
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·43	†110	–	–	–	–	42·48	4·75	3·02	4·88	5·71	8·33	11·83	16·57	28·46	63·52	151·64
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·46 per cent.	76,954	1968	1853	1857	1916	1854	9448	9026	8745	7879	7086	10936	8578	6666	4678	2819	1093
Mean Population, 1881–91. Males	Decennial Increase of Population 4·46 per cent.	38,002	977	937	948	958	922	4742	4541	4436	4024	3513	5378	4218	3257	2169	1270	454
Mean Population, 1881–91. Females	Decennial Increase of Population 4·46 per cent.	38,952	991	916	909	958	932	4706	4485	4309	3855	3573	5558	4360	3409	2509	1549	639
Deaths from All Causes, 1881–90. Persons	18·71	14,395	2766	785	364	230	149	4294	436	262	375	433	966	1135	1267	1568	1930	1729
Deaths from All Causes, 1881–90. Males	19·60	7,450	1560	405	166	101	63	2295	223	132	187	229	503	619	702	854	946	760
Deaths from All Causes, 1881–90. Females	17·83	6,945	1206	380	198	129	86	1999	213	130	188	204	463	516	565	714	984	969

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	0·00	7	6	1	–	–	–	–	–	–	–	1	2	–	–	–	2	2	–	–
Measles	0·41	0·43	0·40	317	163	154	69	118	57	30	15	289	25	–	–	–	1	1	1	–	–	–
Scarlet Fever	0·17	0·16	0·18	131	61	70	3	21	21	21	14	80	35	11	1	2	1	1	–	–	–	–
Diphtheria	0·11	0·10	0·13	88	39	49	3	13	7	14	5	42	33	8	–	1	1	2	1	–	–	–
Whooping-cough	0·37	0·33	0·42	288	125	163	122	85	34	18	18	277	9	–	1	1	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	7	3	4	–	–	–	–	–	–	3	1	1	–	–	2	–	–	–	–
Enteric Fever	0·24	0·24	0·24	187	93	94	–	2	3	3	4	12	23	22	34	20	31	28	10	6	1	–
Simple Continued Fever	0·03	0·04	0·03	25	15	10	2	1	3	–	2	8	3	3	–	1	3	1	1	3	1	1
Diarrhœa and Dysentery	0·42	0·43	0·40	320	164	156	207	24	5	2	3	241	2	2	1	2	1	5	6	8	20	32
Cholera	0·01	0·02	0·01	8	6	2	3	–	–	–	–	3	–	–	–	1	–	2	1	1	–	–
Cancer	0·66	0·52	0·79	506	198	308	–	–	–	–	–	–	1	3	1	4	16	48	117	138	132	46
Tabes Mesenterica	0·12	0·14	0·11	94	52	42	32	10	7	3	4	56	9	10	6	2	6	3	1	1	–	–
Phthisis	1·85	2·07	1·64	1424	787	637	23	12	4	6	–	45	36	54	139	194	381	239	185	82	16	3
Other Tub. & Scrof. Dis.	0·38	0·43	0·33	294	164	130	56	46	42	18	14	176	49	27	14	8	9	6	–	1	4	–
Diseases of Nervous System	2·91	3·09	2·73	2236	1174	1062	575	103	45	29	24	776	41	13	36	27	103	174	226	305	300	235
Diseases of Circulatory	1·78	1·71	1·84	1366	649	717	5	2	–	1	–	8	12	15	28	27	62	124	184	311	386	209
Diseases of Respiratory	2·96	3·11	2·81	2277	1183	1094	469	210	73	46	26	824	50	13	16	21	71	118	183	281	412	288
Diseases of Digestive	1·41	1·52	1·31	1087	578	509	247	61	18	13	3	342	23	18	20	19	54	97	138	156	153	62
Diseases of Urinary	0·53	0·63	0·43	408	239	169	6	1	3	3	3	16	10	7	13	14	39	50	55	75	78	51
Diseases of Generative	0·05	0·01	0·09	42	5	37	3	1	1	–	–	5	1	–	2	1	4	10	6	5	6	2
Puerperal Fever	0·09	–	0·18	70	–	70	–	–	–	–	–	–	–	–	3	23	33	10	1	–	–	–
Childbirth	0·07	–	0·15	57	–	57	–	–	–	–	–	–	–	–	–	5	27	24	1	–	–	–
Violence	0·65	1·03	0·28	502	393	109	46	19	10	13	7	95	36	23	24	38	54	51	58	50	43	25
OTHER CAUSES	3·47	3·56	3·32	2654	1353	1301	895	56	31	10	7	999	35	31	33	22	69	89	90	143	368	775

Marriages 5,989

Births – Males 11,663; Females 10,945 = 22,608

Annual Rate per 1000 living: Persons Married 15·57; Births 29·38

Deaths from Childbirth and Puerperal Fever 5·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

451.—WIRRAL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard Population* 14·63	†107	-	-	-	-	37·07	3·90	2·43	3·85	4·11	5·38	8·81	13·91	26·02	58·78	148·31
	Males	15·47	†126	-	-	-	-	40·50	4·22	2·69	4·25	4·38	5·73	8·91	16·47	28·15	65·04	145·00
	Females	13·84	†93	-	-	-	-	33·59	3·58	2·13	3·36	3·86	5·05	8·75	11·78	24·99	52·86	151·05
Mean Population	Persons	Decennial Increase of Population 61·88 per cent.	33,775															
1881-90	Males		16,991	855	786	846	896	786	4049	3793	3670	4004	3433	3220	3789	2765	1741	1019	354
	Females		16,784	434	410	405	414	401	2064	1920	1935	2186	1644	2549	1875	1339	849	479	160
				421	376	441	392	385	1985	1873	1735	1818	1789	2671	1914	1426	892	540	194
Deaths (corr.)	Persons	13·62	4,460															
Average	Males	14·49	2,446	973	267	135	75	51	1501	148	89	154	141	281	334	376	453	509	525
1881-90	Females	12·84	2,155	557	134	75	41	29	836	81	52	93	72	146	197	215	329	315	252
				416	133	60	34	22	665	67	37	61	69	135	137	161	214	286	265

	Persons	Males.	Females.	Persons	Males.	Females.	Persons.												
Small-pox	0·00	0·00		1	1											1			
Measles	0·29	0·32	0·26	97	54	43	16	37	18	7	6	84	11	-	-	1	1	-	-	-	-
Scarlet Fever	0·18	0·15	0·21	61	26	35	2	9	11	10	8	40	14	3	-	1	1	2	-	-	-
Diphtheria	0·12	0·12	0·11	39	21	18	2	2	4	10	2	20	17	2	-	-	-	-	-	-	-
Whooping-cough	0·32	0·36	0·27	107	61	46	46	29	22	3	3	103	4	-	-	-	-	-	-	-	-
Typhus	0·02	0·02	0·02	7	4	3	-	-	-	-	-	-	-	2	2	-	2	-	-	-	1	-
Enteric Fever	0·16	0·16	0·15	55	28	27	-	1	2	1	1	5	3	4	7	7	12	4	4	4	4	1
Simple, Continued Fever	0·01	0·01	0·01	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-
Diarrhœa and Dysentery	0·48	0·50	0·46	163	85	78	101	17	7	1	2	128	1	-	-	-	3	3	3	5	10	10
Cholera	0·01	0·02	0·01	4	3	1	1	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-
Cancer	0·46	0·36	0·57	156	61	95	-	-	-	-	-	-	-	-	-	1	3	15	36	41	46	15
Tabes Mesenterica	0·14	0·17	0·11	48	29	19	20	6	3	1	1	31	6	5	1	1	2	-	1	1	-	-
Phthisis	1·26	1·24	1·29	426	210	216	1	2	3	-	1	7	5	16	44	57	107	97	56	24	13	1
Other Tub. & Scrof. Dis.	0·21	0·24	0·18	70	40	30	23	9	7	3	1	43	12	3	4	1	1	3	1	1	-	1
Diseases of Nervous System	1·84	1·82	1·86	620	309	311	182	33	20	15	11	261	21	10	12	6	10	15	45	67	86	71
Circulatory	1·24	1·24	1·25	420	210	210	4	3	1	-	-	8	8	8	11	7	12	36	52	82	118	78
Respiratory	2·36	2·50	2·05	799	455	344	156	75	29	15	7	282	15	4	14	7	24	39	52	85	135	112
Digestive	0·80	0·88	0·73	270	165	105	62	16	1	2	3	84	6	5	7	8	15	24	4	12	10	20
Urinary	0·41	0·32	0·45	147	80	68	1	1	1	1	-	4	1	3	3	1	14	14	21	29	34	15
Generative	0·01	-	0·01	3		3										2	3	3			1	-
Parturition, Fever	0·03	-	0·15	26	-	26	-	-	-	-	-	-	-	-	-	5	16	5	-	-	-	-
Childbirth	0·06	-	0·11	19	-	19	-	-	-	-	-	-	-	-	1	2	8	8	-	-	-	-
Violence	0·68	1·02	0·37	229	182	46	11	8	2	5	3	27	11	15	30	25	30	30	27	13	14	9
Other Causes	2·46	2·46	2·47	850	440	410	345	10	1	3	2	361	9	5	19	7	19	31	45	30	8	1

Marriages	-	1,756	Annual Rate per 1000 living	Persons Married	0·85
Births	Males 4,661			Births	26·99
	Females 4,455	9,116			

Deaths from Childbirth and Puerperal Fever - - - - 1·94 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

452.—BIRKENHEAD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—		In Standard Population*	20·70		†145	–	–	–	–	60·59	5·35	2·77	3·99	4·79	8·01	12·93	20·08	37·91	76·08	151·76
	Males	—			21·82		†157	–	–	–	–	63·75	5·41	3·03	4·34	5·23	8·82	13·87	22·07	40·39	84·15	164·20
	Females	—			19·64		†133	–	–	–	–	57·41	5·29	2·53	3·69	4·42	7·28	12·02	18·19	35·79	69·88	144·01
Mean Population, 1881–91.	Persons	Decennial Increase of Population 26·27 per cent.			117,009			3381	3055	3128	3053	3053	15670	14078	12762	11569	11043	18745	14209	9554	5693	2805	881
	Males				56,365			1696	1527	1564	1541	1525	7853	7079	6310	5465	5008	8855	6978	4644	2617	1218	338
	Females				60,644			1685	1528	1564	1512	1528	7817	6999	6452	6104	6035	9890	7231	4910	3076	1587	543
Deaths from All Causes, 1881–90.	Persons	19·21			22,477			5836	2017	830	487	324	9494	753	354	462	529	1501	1837	1918	2158	2134	1337
	Males	20·38			11,490			3199	1026	405	223	153	5006	383	191	237	262	781	968	1025	1057	1025	555
	Females	18·12			10,987			2637	991	425	264	171	4488	370	163	225	267	720	869	893	1101	1109	782
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	17	8	9	2	–	–	–	–	2	2	1	2	2	2	5	1	–	–	–
Measles	0·52	0·56	0·48	608	315	293	134	243	97	60	35	569	36	1	1	–	1	–	–	–	–	–
Scarlet Fever	0·34	0·35	0·33	399	196	203	21	74	69	47	41	252	101	28	6	5	4	3	–	–	–	–
Diphtheria	0·11	0·11	0·11	124	60	64	9	12	15	21	13	70	39	2	1	–	6	2	2	2	–	–
Whooping-cough	0·49	0·47	0·50	568	265	303	226	169	79	44	23	541	26	1	–	–	–	–	–	–	–	–
Typhus	0·07	0·08	0·06	80	43	37	–	–	1	–	–	1	2	3	6	6	18	18	16	7	3	–
Enteric Fever	0·23	0·23	0·23	268	131	137	–	4	4	12	7	27	33	34	25	29	49	34	25	10	2	–
Simple Continued Fever	0·02	0·01	0·02	19	8	11	2	3	–	–	–	5	3	1	–	–	3	1	–	4	2	–
Diarrhœa and Dysentery	0·68	0·70	0·66	792	393	399	506	146	26	8	1	687	1	3	1	2	9	11	9	27	22	20
Cholera	0·02	0·02	0·01	21	13	8	12	1	–	–	–	13	–	1	1	–	–	1	1	2	2	–
Cancer	0·52	0·39	0·64	608	220	388	–	–	1	3	2	6	1	–	3	1	24	77	165	168	121	42
Tabes Mesenterica	0·18	0·19	0·16	208	108	100	92	38	15	14	7	166	21	10	3	3	3	1	–	1	–	–
Phthisis	1·58	1·76	1·41	1847	990	857	16	18	10	8	10	62	31	50	157	224	508	426	245	118	25	1
Other Tub. & Scrof. Dis.	0·32	0·37	0·29	380	206	174	104	75	40	20	12	251	64	29	11	5	9	2	3	4	2	–
Diseases of Nervous System	2·77	3·01	2·54	3236	1699	1537	1156	276	111	54	44	1641	111	28	33	30	85	151	255	331	384	187
Diseases of Circulatory „	1·34	1·35	1·33	1568	761	807	11	4	4	4	4	27	21	31	42	32	123	226	244	332	354	136
Diseases of Respiratory „	3·68	4·04	3·35	4306	2275	2031	1010	579	215	118	73	1995	115	24	28	48	185	297	388	504	498	224
Diseases of Digestive „	1·28	1·28	1·28	1498	722	776	368	129	27	19	9	552	34	18	26	18	77	164	197	216	143	53
Diseases of Urinary „	0·40	0·46	0·34	465	261	204	8	7	12	8	3	38	9	7	15	15	55	64	78	84	81	19
Diseases of Generative „	0·05	0·01	0·09	56	3	53	2	1	–	–	–	3	–	1	1	2	12	16	10	6	3	2
Puerperal Fever	0·08	–	0·15	89	–	89	–	–	–	–	–	–	–	–	4	19	42	24	–	–	–	–
Childbirth	0·08	–	0·15	93	–	93	–	–	–	–	–	–	–	–	3	11	44	33	2	–	–	–
Violence	0·73	1·13	0·35	850	635	215	62	27	40	18	22	169	68	37	43	48	130	132	95	74	47	12
OTHER CAUSES	3·71	3·85	3·63	4377	2178	2199	2095	211	64	29	18	2417	40	44	50	29	112	149	182	268	445	641

Marriages - - - 7,013

Births - { Males - 20,356 / Females - 19,811 } 40,167

Annual Rate per 1000 living { Persons Married 11·99 / Births - - 34·33

Deaths from Childbirth and Puerperal Fever - - - - } 4·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

453.—LIVERPOOL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 36·60	1219	–	–	–	–	114·25	10·93	5·35	6·80	8·90	15·56	25·33	38·21	61·22	108·12	161·65
Annual Death-Rate per 1000. Males	—	In Standard Population* 38·46	1234	–	–	–	–	120·87	11·65	5·88	7·56	9·97	16·68	27·68	41·51	69·45	117·34	187·65
Annual Death-Rate per 1000. Females	—	In Standard Population* 33·67	1204	–	–	–	–	107·73	10·21	4·83	6·08	7·95	14·43	23·01	34·96	56·47	100·74	147·17
Mean Population 1882-91. Persons	Decennial Decrease of Population 25·31 per cent.	183,572	4797	3933	4170	4053	3948	20901	19016	18119	17830	18322	31029	24973	17643	10223	4409	1175
Mean Population 1882-91. Males	Decennial Decrease of Population 25·31 per cent.	90,400	2389	1950	2085	1987	1954	10375	9516	8973	8847	8817	15045	11668	8744	4870	1962	443
Mean Population 1882-91. Females	Decennial Decrease of Population 25·31 per cent.	93,172	2408	1983	2085	2066	1994	10526	9500	9146	8983	9505	15984	13305	8899	5353	2450	732
Deaths from All Causes 1882-91. Persons	33·13	60,815	13146	5628	2557	1516	1033	23880	2079	970	1212	1631	4839	6305	6741	6565	4770	1867
Deaths from All Causes 1882-91. Males	35·24	31,860	7102	2860	1301	747	509	12540	1109	528	654	850	2660	3500	4669	5082	2968	756
Deaths from All Causes 1882-91. Females	31·08	28,955	6044	2768	1256	769	503	11340	970	442	558	772	2229	2819	3111	3183	2448	1092

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·00	0·01	12	4	8	4	1	–	–	1	6	1	2	–	2	–	1	–	–	–
Measles	1·15	1·23	1·08	2110	1113	1006	411	791	410	252	120	1984	124	1	4	1	4	1	–	–	–
Scarlet Fever	0·52	0·51	0·52	950	464	486	48	141	162	137	152	620	261	39	12	10	5	1	1	1	–
Diphtheria	0·14	0·13	0·15	249	126	123	18	46	42	37	35	178	49	5	3	3	4	4	2	–	1
Whooping-cough	0·71	0·62	0·78	1295	564	731	456	401	184	126	65	1232	60	1	–	–	–	–	1	1	–
Typhus	0·47	0·52	0·42	856	469	387	1	2	5	5	9	22	36	23	78	90	193	216	134	65	3
Enteric Fever	0·26	0·28	0·24	473	250	223	2	10	9	14	13	48	46	51	61	50	99	65	28	22	3
Simple Continued Fever	0·04	0·05	0·04	80	44	36	10	9	3	3	3	31	12	5	3	3	7	6	4	6	3
Diarrhœa and Dysentery	1·34	1·41	1·27	2383	1277	1186	1208	535	135	41	24	2083	26	6	3	2	16	36	59	124	104
Cholera	0·02	0·03	0·01	37	27	10	10	6	1	1	1	19	1	–	1	1	–	5	1	8	1
Cancer	0·39	0·38	0·40	1267	526	741	2	2	6	2	3	15	3	3	11	15	77	247	308	333	158
Tabes Mesenterica	0·32	0·32	0·34	569	250	319	242	194	85	38	22	581	51	7	4	3	11	7	4	1	–
Phthisis	3·15	3·58	2·72	5742	3210	2532	47	28	33	23	31	162	114	173	389	608	1608	1474	800	285	65
Other Tub. & Scrof. Dis.	0·59	0·67	0·51	1080	602	478	275	211	134	75	54	749	133	52	46	21	42	26	8	2	1
Diseases of Nervous System	3·63	3·91	3·37	6673	3536	3137	2246	620	251	149	105	3369	240	92	82	81	239	417	641	744	608
Diseases of Circulatory ,,	2·23	2·28	2·19	4092	2054	2038	17	5	1	5	4	32	66	91	118	117	440	702	885	886	590
Diseases of Respiratory ,,	8·42	8·86	7·98	15452	8014	7438	2514	1594	732	379	232	5451	357	101	118	185	798	1418	2126	2857	1783
Diseases of Digestive ,,	1·68	1·72	1·60	3048	1557	1491	652	398	79	50	36	1215	81	42	53	70	213	431	450	454	184
Diseases of Urinary ,,	0·49	0·50	0·49	1267	810	457	8	45	25	19	26	123	61	28	27	26	141	209	261	215	140
Diseases of Generative ,,	0·11	0·03	0·19	202	23	179	2	5	7	4	2	20	–	–	5	19	41	51	39	17	8
Puerperal Fever	0·09	–	0·17	159	–	159	–	–	–	–	–	–	–	–	17	41	72	28	1	–	–
Childbirth	0·06	–	0·12	109	–	109	–	–	–	–	–	–	–	–	4	14	55	35	1	–	–
Violence	1·78	2·29	1·19	3176	2065	1111	843	71	74	65	56	1109	200	97	97	125	355	474	382	259	136
Other Causes	5·08	5·27	4·91	9055	4765	4570	1040	513	176	91	61	4881	184	141	86	127	379	568	549	686	991

Marriages	26,887	Annual Rate per 1000 living	Persons Married	29·29
Births Males	30,839		Births	32·64
Births Females	29,684		Deaths from Childbirth and Puerperal Fever	4·47 per 1000 Births.

* See pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

454.—TOXTETH PARK.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	25·15		†165	–	–	–	–	79·31	7·45	3·78	4·80	6·36	9·93	15·71	24·70	43·18	77·31	157·33
Males	—				26·52		†175	–	–	–	–	84·91	7·32	3·80	5·36	6·87	10·43	16·10	26·75	48·99	82·32	167·29
Females	—				23·87		†155	–	–	–	–	73·83	7·58	3·75	4·32	5·97	9·51	15·36	22·92	38·84	74·00	152·00
Mean Population, 1881-91. Persons	Decennial Increase of Population 9·71 per cent.			122,707			3677	3227	3233	3159	3168	16464	14396	12766	11640	11456	20300	15245	10332	6155	3032	921
Males				57,361			1843	1621	1535	1595	1549	8143	7141	6255	5406	5040	9205	7200	4812	2633	1205	321
Females				65,346			1834	1606	1698	1564	1619	8321	7255	6511	6234	6416	11095	8045	5520	3522	1827	600
Deaths from All Causes, 1881-90. Persons	23·89			29,313			7403	3019	1261	809	565	13057	1073	482	559	729	2015	2395	2552	2658	2344	1449
Males	25·34			14,536			3988	1576	647	403	300	6914	523	238	290	346	960	1159	1287	1290	992	537
Females	22·61			14,777			3415	1443	614	406	265	6143	550	244	269	383	1055	1236	1265	1368	1352	912
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·07	0·08	0·05	81	48	33	6	3	1	3	4	17	11	11	2	9	13	12	5	1	–	–
Measles	0·85	0·93	0·78	1045	535	510	217	393	187	116	68	961	77	4	2	–	1	–	–	–	–	–
Scarlet Fever	0·63	0·72	0·55	777	415	362	50	107	123	122	100	502	213	38	7	4	10	2	–	1	–	–
Diphtheria	0·17	0·17	0·18	213	95	118	19	30	31	30	21	131	58	10	1	6	2	2	2	–	1	–
Whooping-cough	0·71	0·69	0·72	868	395	473	341	278	114	60	34	827	41	–	–	–	–	–	–	–	–	–
Typhus	0·24	0·28	0·21	297	162	135	–	1	–	3	5	9	12	8	14	29	65	91	39	22	6	2
Enteric Fever	0·23	0·26	0·19	277	152	125	–	4	8	5	9	26	29	39	39	25	52	29	23	8	6	1
Simple Continued Fever	0·04	0·04	0·04	52	25	27	2	2	5	5	6	20	8	3	3	1	4	4	5	4	–	–
Diarrhœa and Dysentery	1·05	1·11	1·00	1290	634	656	762	262	41	17	5	1087	15	2	4	2	18	18	18	29	64	33
Cholera	0·02	0·02	0·02	25	13	12	5	3	4	2	1	15	1	–	2	1	1	–	1	2	1	1
Cancer	0·60	0·49	0·70	740	281	459	–	3	1	2	–	6	2	2	9	7	36	118	216	191	113	40
Tabes Mesenterica	0·32	0·36	0·28	388	207	181	152	108	52	15	10	337	22	11	3	3	5	3	4	–	–	–
Phthisis	2·10	2·13	2·08	2580	1224	1356	35	28	17	8	10	98	58	75	179	262	728	618	375	138	45	4
Other Tub. & Scrof. Dis.	0·50	0·62	0·39	612	357	255	192	139	63	34	28	456	39	19	19	16	27	20	8	6	2	–
Diseases of Nervous System	3·14	3·41	2·91	3858	1958	1900	1371	387	126	91	66	2041	117	39	38	39	110	165	295	403	396	215
Circulatory „	1·77	1·74	1·79	2168	999	1169	13	3	–	2	2	20	29	54	49	67	200	326	367	460	404	192
Respiratory „	4·80	5·27	4·39	5892	3022	2870	1248	799	343	190	120	2700	149	44	50	85	242	375	556	740	630	321
Digestive „	1·42	1·46	1·39	1745	837	908	464	179	43	17	18	721	51	28	23	34	97	175	201	212	143	60
Urinary „	0·55	0·67	0·46	680	382	298	17	10	23	26	6	82	24	10	16	22	65	91	138	111	94	27
Generative „	0·07	0·01	0·13	90	8	82	4	–	–	1	–	5	–	–	2	7	16	24	20	10	3	3
Puerperal Fever	0·08	–	0·15	99	–	99	–	–	–	–	–	–	–	–	8	18	49	23	1	–	–	–
Childbirth	0·07	–	0·13	85	–	85	–	–	–	–	–	–	–	–	–	9	48	23	–	–	–	–
Violence	0·85	1·14	0·61	1049	652	397	304	38	25	22	23	412	51	30	32	31	93	114	118	90	54	24
OTHER CAUSES	3·61	3·74	3·46	4402	2135	2267	2201	242	74	38	29	2584	66	55	57	52	133	157	160	230	382	526

Marriages - - - 9,386

Births - { Males - 22,726 / Females - 22,013 } 44,739

Annual Rate per 1000 living { Persons Married 15·30 / Births - - 36·46

Deaths from Childbirth and Puerperal Fever - - - - - } 4·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 { Persons / Males / Females	— / — / —	In Standard Population* 23·40 / 24·27 / 22·39	†157 / †168 / †145	– / – / –	– / – / –	– / – / –	– / – / –	71·92 / 76·23 / 67·61	7·42 / 7·46 / 7·38	3·66 / 3·55 / 3·76	4·23 / 4·51 / 3·97	5·57 / 5·75 / 5·41	8·63 / 8·69 / 8·57	14·61 / 14·51 / 13·33	21·94 / 23·67 / 20·33	40·02 / 43·77 / 36·80	81·35 / 89·50 / 75·54	161·37 / 171·17 / 155·38
Mean Population, 1881–90 { Persons / Males / Females	Decennial Increase of Population 23·70 per cent.	401,838 / 194,480 / 207,358	12136 / 6187 / 5949	10887 / 5442 / 5445	10682 / 5489 / 5493	10883 / 5582 / 5301	10676 / 5315 / 5361	55664 / 28815 / 27749	49551 / 24678 / 24873	43869 / 21863 / 22006	38961 / 18844 / 20117	37085 / 17417 / 19668	64613 / 30777 / 33836	46161 / 23979 / 22182	33099 / 15960 / 17139	18956 / 8459 / 10497	8822 / 3686 / 5136	2017 / 892 / 1625
Deaths from All Causes, 1881–90 { Persons / Males / Females	21·78 / 22·78 / 20·85	87,534 / 44,304 / 43,230	28199 / 12502 / 10497	9037 / 4629 / 4408	3754 / 1900 / 1854	2308 / 1166 / 1142	1665 / 806 / 859	39963 / 21203 / 18760	3662 / 1841 / 1821	1665 / 776 / 829	1648 / 849 / 799	2066 / 1001 / 1065	3573 / 2073 / 2900	6885 / 3479 / 3406	7262 / 3778 / 3484	7470 / 3707 / 3763	7177 / 3299 / 3878	4229 / 1636 / 2593

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·05	0·06	0·04	201	121	80	24	8	8	5	7	52	15	11	19	22	40	25	11	4	2	–	–
Measles	0·76	0·82	0·70	3042	1597	1445	625	1199	502	315	161	2802	215	10	3	2	7	1	2	–	–	–	–
Scarlet Fever	0·59	0·61	0·56	2356	1187	1169	118	341	379	347	293	1478	671	127	29	12	24	13	2	–	–	–	–
Diphtheria	0·21	0·19	0·23	846	372	474	56	109	109	111	114	499	246	52	12	5	13	8	5	6	–	–	–
Whooping-cough	0·61	0·56	0·66	2461	1096	1365	884	803	346	193	104	2330	126	2	1	–	–	1	–	–	1	–	–
Typhus	0·08	0·08	0·08	326	162	164	–	1	1	–	4	6	17	11	25	23	71	85	53	25	7	3	–
Enteric Fever	0·23	0·25	0·21	917	478	439	4	19	20	33	18	94	137	118	114	94	165	92	66	29	7	1	–
Simple Continued Fever	0·02	0·02	0·02	90	45	45	5	5	10	7	2	29	15	6	7	3	6	8	6	6	2	–	–
Diarrhœa and Dysentery	0·95	1·02	0·88	3812	1983	1829	2556	696	86	41	15	3384	24	11	3	15	19	31	50	81	119	75	–
Cholera	0·03	0·03	0·02	104	61	43	57	13	1	2	2	75	10		2	1	2	6	1	5	3	–	–
Cancer	0·51	0·36	0·64	2030	694	1336	–	3	–	4	2	9	4	1	8	6	73	318	534	556	411	110	–
Tabes Mesenterica	0·37	0·41	0·33	1484	791	693	745	352	132	47	44	1320	81	33	14	12	11	8	–	4	1	–	–
Phthisis	2·08	2·28	1·90	8365	4432	3933	109	95	64	33	37	338	238	283	593	854	2217	1983	1191	546	121	21	–
Other Tub. & Scrof. Dis.	0·49	0·58	0·42	1960	1119	861	631	458	204	120	84	1487	240	79	55	45	38	34	21	6	5	–	–
Diseases of Nervous System	2·95	3·13	2·77	11846	6093	5753	4552	1130	433	239	167	6521	393	196	105	112	315	535	837	1138	1185	819	–
" Circulatory "	1·39	1·53	1·45	5594	2592	3002	57	5	8	5	13	88	99	149	186	141	449	815	1004	1219	1052	448	–
" Respiratory "	4·63	4·97	4·30	18588	9668	8920	4263	2665	1051	552	378	8909	511	144	141	199	793	1210	1742	2150	1980	894	–
" Digestive "	1·24	1·24	1·24	4975	2395	2580	1419	490	104	59	52	2123	148	83	84	89	276	457	572	594	408	131	–
" Urinary "	0·40	0·47	0·33	1612	922	690	22	33	34	28	30	147	67	40	32	51	155	226	274	267	260	98	–
" Generative "	0·08	0·01	0·11	235	13	222	7	3	2	3	1	16	–	–	7	14	52	51	37	38	17	3	–
Puerperal Fever	0·09	–	0·17	361	–	361	–	–	–	–	–	–	–		5	81	184	86	5	–	–	–	–
Convulsions	0·07	–	0·13	271	–	271	–	–	–	–	–	–	–		11	41	119	98	3	–	–	–	–
Violence	0·71	0·98	0·45	2851	1914	937	695	98	73	64	56	985	178	104	95	121	272	442	326	228	146	47	–
Other Causes	3·26	3·89	3·21	13087	6569	6518	6880	512	188	100	86	7766	257	175	147	123	342	466	501	564	1475	1864	–

Marriages	27,889	Annual Rate per 1000 living { Persons Married	13·88	Deaths from Childbirth and Puerperal Fever 4·27 per 1000 Births.
Births { Males / Females	73,388 / 72,630	Births	36·84	

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

456.—PRESCOT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard 22·92	†157	–	–	–	–	68·70	6·55	3·09	4·46	5·89	8·50	13·60	22·08	43·21	82·75	156·57
Males	—	Population* 23·92	†170	–	–	–	–	73·27	6·41	2·96	4·56	5·52	8·14	13·96	24·29	46·91	91·29	164·64
Females	—	21·98	†142	–	–	–	–	64·11	6·69	3·23	4·35	6·33	8·92	13·19	19·74	39·54	75·31	150·32
Mean Population, 1881-91. Persons	Decennial Increase of Population 19·47 per cent.	129,443	4178	3824	3920	3819	3623	19364	16822	14643	12704	11817	20183	14698	9871	5776	2736	829
Males		67,030	2080	1929	1987	1904	1798	9698	8453	7396	6709	6400	10923	7853	5084	2878	1274	362
Females		62,413	2098	1895	1933	1915	1825	9666	8369	7247	5995	5417	9260	6845	4787	2898	1462	467
Deaths from All Causes, 1881-90. Persons	21·69	28,073	7738	2995	1270	797	503	13303	1102	453	567	696	1715	1999	2180	2496	2264	1298
Males	22·16	14,855	4291	1547	638	384	246	7106	542	219	306	353	889	1096	1235	1350	1163	596
Females	21·18	13,218	3447	1448	632	413	257	6197	560	234	261	343	826	903	945	1146	1101	702

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	14	5	9	–	–	–	–	–	–	–	–	4	5	2	2	–	–	–	1
Measles	0·93	0·96	0·91	1209	643	566	223	478	226	123	74	1124	79	2	1	–	2	1	–	–	–	–
Scarlet Fever	0·52	0·47	0·58	676	316	360	35	107	135	114	87	478	172	19	2	2	3	–	–	–	–	–
Diphtheria	0·18	0·18	0·19	239	120	119	18	49	40	44	25	176	41	7	2	–	8	2	2	–	–	1
Whooping-cough	0·50	0·44	0·58	653	294	359	264	208	87	37	27	623	28	1	–	1	–	–	–	–	–	–
Typhus	0·02	0·03	0·01	25	18	7	–	–	–	2	–	2	1	3	1	3	5	2	7	–	1	–
Enteric Fever	0·39	0·43	0·36	508	286	222	3	12	14	14	14	57	56	57	64	70	80	59	35	23	7	–
Simple Continued Fever	0·06	0·06	0·06	77	42	35	–	6	2	1	1	10	17	5	6	4	7	5	6	9	7	1
Diarrhœa and Dysentery	1·15	1·17	1·13	1488	782	706	887	307	40	16	11	1261	16	5	7	4	10	21	20	36	68	40
Cholera	0·02	0·02	0·02	25	15	10	3	1	3	–	2	9	3	–	–	–	2	2	2	6	1	–
Cancer	0·37	0·27	0·48	481	182	299	1	–	–	–	1	2	1	2	2	–	14	53	146	138	95	28
Tabes Mesenterica	0·44	0·47	0·42	573	313	260	278	146	44	13	13	494	43	11	7	4	7	2	3	1	–	1
Phthisis	1·49	1·41	1·57	1927	948	979	21	20	14	5	10	70	43	60	164	230	510	432	258	125	31	4
Other Tub. & Scrof. Dis.	0·41	0·43	0·39	534	288	246	142	121	48	46	16	373	57	20	19	13	27	11	8	4	2	–
Diseases of Nervous System	2·94	3·13	2·73	3804	2098	1706	1414	243	105	83	42	1887	109	50	47	45	182	271	308	365	360	180
Diseases of Circulatory „	1·14	1·07	1·23	1480	715	765	11	2	–	–	4	17	26	38	47	33	113	199	262	333	293	114
Diseases of Respiratory „	4·99	5·33	4·62	6456	3575	2881	1438	799	346	195	113	2891	187	43	50	74	269	404	615	875	731	317
Diseases of Digestive „	1·17	1·17	1·17	1515	782	733	413	191	37	16	9	666	43	25	22	30	75	137	169	184	124	40
Diseases of Urinary „	0·34	0·38	0·29	436	252	184	7	9	12	10	6	44	23	10	6	11	49	52	74	86	61	20
Diseases of Generative „	0·03	0·01	0·06	44	6	38	3	1	–	–	–	4	1	1	4	4	7	6	8	5	4	–
Puerperal Fever	0·12	–	0·25	156	–	156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·08	–	0·17	107	–	107	–	–	–	–	–	–	–	–	2	16	49	39	1	–	–	–
Violence	0·80	1·17	0·40	1033	782	251	57	49	36	35	28	205	60	48	64	67	140	137	128	100	56	28
Other Causes	3·59	3·55	3·55	4613	2393	2220	2520	246	81	43	20	2910	96	46	37	40	90	123	124	206	418	523

Marriages - - - 8,588

Births - Males - 25,175 / Females - 24,247 = 49,422

Annual Rate per 1000 living: Persons Married 13·27; Births - - 38·18

Deaths from Childbirth and Puerperal Fever - - - - - 5·32 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

457.—ORMSKIRK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25	35	45	55	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·14	127					18·22	5·63	2·79	1·95	5·09	7·48	11·85	16·77	31·69	59·81	157·04
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·84	140					22·75	6·09	2·74	1·66	6·16	8·38	14·42	19·70	37·89	74·34	168·15
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·53	114					14·26	5·26	2·83	2·25	4·33	6·79	9·76	14·52	27·17	61·15	146·38
Mean Population of 1881–90. Persons	Decennial Increase of Population 19·22 per cent.	91,209	2332	2119	2057	2040	2000	11078	10352	9815	9015	8705	13842	10306	7691	5573	3959	1139
Mean Population of 1881–90. Males	Decennial Increase of Population 19·22 per cent.	41,476	1175	1067	1041	1128	1068	5474	5102	4849	4393	3959	5982	4631	3351	2349	1413	480
Mean Population of 1881–90. Females	Decennial Increase of Population 19·22 per cent.	49,733	1162	1082	1136	1172	1062	5604	5250	4966	4622	4746	7860	5735	4340	3224	1856	659
Deaths at all Ages. Persons	17·82	16,252	3341	1035	405	308	229	5318	577	274	385	443	1035	1228	1290	1766	2184	1752
Deaths at all Ages. Males	20·00	8,294	1882	540	205	146	117	2890	306	133	197	223	501	643	660	880	1049	807
Deaths at all Ages. Females	16·00	7,958	1459	525	200	162	112	2468	271	141	188	220	534	585	630	876	1135	945

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·39	0·32	0·45	273	131	142	52	98	42	27	15	241	27	2	1	1	1	–	–	–	–	–
Scarlet Fever	0·21	0·25	0·18	186	105	81	5	18	22	36	33	117	61	14	2	1	6	3	–	–	–	–
Diphtheria	0·22	0·21	0·23	200	87	113	12	25	17	30	31	115	64	15	–		3	1		2	–	–
Whooping-cough	0·21	0·23	0·20	189	94	95	26	63	20	8	5	189	5									
Typhus	0·01	0·02	0·01	15	8	4	1	–	–	–	–	1	3	1	2		1	4		1	–	–
Enteric Fever	0·15	0·13	0·17	141	79	62	1	1	5	1	2	5	15	10	20	15	20	24	12	12	4	–
Simple continued Fever	0·03	0·05	0·02	25	20	5	–	–	1	–	1	2	5	3	2	1	3	4	1	1	2	–
Diarrhœa and Dysentery	0·37	0·44	0·32	341	184	160	187	42	11	5	3	248	6	2	1	2	2	6	7	15	27	25
Cholera	0·00	0·00	0·00	4	1	3	1	–	–	–	–	1	–	1	–	–	–	–	–	1	–	1
Cancer	0·49	0·40	0·57	450	166	284							1	2	2	4	9	42	98	140	112	40
Tumor-Miscellaneous	0·12	0·07	0·15	110	33	77	76	31	15	6	4	132	11	8	5	1	4	5	1	2	–	1
Phthisis	1·79	2·05	1·61	1652	851	801	25	14	14	7	6	66	31	42	140	185	412	369	216	118	49	7
Other Lung & Scarcl. Dis.	0·28	0·34	0·25	254	142	112	73	46	18	19	7	163	28	15	13	7	12	9	4	2	–	
Nervous System	2·60	2·87	2·36	2396	1192	1174	708	143	61	42	22	976	80	24	35	31	54	98	157	272	424	215
Circulation	1·49	1·73	1·28	1387	725	662	5	–	–	–	1	6	14	24	81	34	74	130	182	309	415	296
Respiratory	3·54	4·26	2·94	3262	1711	1551	741	393	116	82	59	1391	169	20	23	45	110	143	208	344	503	340
Digestive	1·48	1·72	1·28	1367	691	676	254	71	12	14	8	359	37	24	17	10	71	111	147	214	194	65
Urinary	0·84	0·73	0·93	776	220	556	5	4	5	5	2	21	9	8	6	6	24	45	59	79	80	39
Generative	0·06	0·01	0·10	55	6	49	2		1			3			4	1	12	7	9	6	7	5
Puerperal Fever	0·06		0·11	57		57										2	9	23	16	2	–	–
Childbirth	0·04		0·07	40		40										2	9	27	1	–	–	–
Accident	1·28	1·74	0·87	1179	672	507	26	30	18	17	17	108	47	21	45	37	85	83	80	46	38	23
Other Causes	5·43	5·40	5·46	4989	2109	2880	1074	98	32	9	13	1171	44	40	29	38	73	102	108	146	334	785

Marriages		5,790	Annual Rate per 1000 living	Persons Married	12·70
Births	Males	13,182		Births	28·94
	Females	12,911			
		26,093	Deaths from Childbirth and Puerperal Fever		6·77 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

458.—WIGAN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons			In Standard Population*		23·43	†161	–	–	–	–	73·38	6·78	3·32	4·73	6·32	7·90	11·78	19·73	42·57	84·36	175·82
	Males					24·33	†173	–	–	–	–	78·13	7·22	3·44	4·77	5·79	7·29	12·13	21·68	46·62	88·57	183·04
	Females					22·58	†148	–	–	–	–	68·67	6·35	3·19	4·69	6·89	8·55	11·40	17·75	38·67	80·54	169·88
Mean Population, 1881–91.	Persons	Decennial Increase of Population 19·19 per cent.		153,340			5160	4627	4591	4457	4490	23325	20161	17576	15996	14552	22777	16460	11317	7033	3254	889
	Males			77,482			2593	2299	2298	2217	2223	11630	10013	8807	8068	7531	11769	8555	5711	3449	1548	401
	Females			75,858			2567	2328	2293	2240	2267	11695	10148	8769	7928	7021	11008	7905	5606	3584	1706	488
Deaths from All Causes 1881–90.	Persons	22·18		34,017			9964	4000	1563	953	637	17117	1367	583	757	920	1799	1939	2233	2994	2745	1563
	Males	22·95		17,780			5438	2033	806	471	338	9086	723	303	385	436	858	1038	1238	1608	1371	734
	Females	21·40		16,237			4526	1967	757	482	299	8031	644	280	372	484	941	901	995	1386	1374	829
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	10	5	5	2	–	–	–	–	2	–	2	–	1	2	2	–	–	1	–
Measles	0·92	0·91	0·93	1416	708	708	301	574	260	136	65	1336	75	1	–	2	2	–	–	–	–	–
Scarlet Fever	0·89	0·92	0·86	1362	712	650	84	229	228	207	176	924	366	49	10	6	7	–	–	–	–	–
Diphtheria	0·06	0·05	0·06	90	42	48	9	23	11	9	6	58	21	3	–	3	1	1	1	1	1	–
Whooping-cough	0·55	0·42	0·68	841	329	512	355	276	104	60	22	817	24	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	16	9	7	–	–	1	–	1	2	4	–	–	1	5	2	1	–	1	–
Enteric Fever	0·31	0·32	0·30	475	249	226	2	9	6	14	19	50	56	60	60	74	85	43	22	22	3	–
Simple Continued Fever	0·04	0·03	0·04	61	27	34	2	1	8	4	6	21	11	5	6	5	6	3	3	–	1	–
Diarrhœa and Dysentery	1·12	1·13	1·10	1712	875	837	1067	366	53	24	9	1519	13	5	–	2	14	10	17	39	60	33
Cholera	0·01	0·02	0·01	22	15	7	2	1	–	–	–	3	3	–	1	–	–	2	2	7	4	–
Cancer	0·34	0·25	0·43	520	194	326	–	–	1	–	1	2	3	1	6	3	21	71	120	156	97	40
Tabes Mesenterica	0·40	0·46	0·33	608	360	248	285	204	44	15	13	561	20	10	9	–	2	2	2	2	–	–
Phthisis	1·30	1·22	1·38	1998	949	1049	48	54	19	11	8	140	57	75	222	284	495	349	255	99	20	2
Other Tub. & Scrof. Dis.	0·42	0·44	0·40	645	344	301	186	144	70	37	24	461	58	26	25	21	21	18	8	4	2	1
Diseases of Nervous System	2·60	2·75	2·45	3990	2133	1857	1588	310	150	85	62	2195	156	71	44	42	103	145	228	412	393	201
Diseases of Circulatory „	1·39	1·27	1·52	2135	982	1153	18	1	2	1	3	25	40	54	59	64	139	236	354	535	478	151
Diseases of Respiratory „	5·38	5·78	4·97	8250	4481	3769	2214	1196	443	251	160	4264	230	52	73	105	287	393	631	980	884	351
Diseases of Digestive „	1·38	1·42	1·35	2121	1100	1021	741	312	43	25	14	1135	47	29	27	28	63	127	184	267	181	33
Diseases of Urinary „	0·41	0·46	0·36	627	356	271	11	31	23	13	12	90	42	11	17	26	50	77	83	101	97	33
Diseases of Generative „	0 04	0·01	0·07	60	4	56	1	–	1	–	–	2	–	–	1	3	13	13	15	10	3	–
Puerperal Fever	0·13	–	0·27	205	–	205	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·09	–	0·18	140	–	140	–	–	–	–	–	–	–	–	9	49	104	42	1	–	–	–
Violence	0·96	1·58	0·34	1479	1223	256	58	60	43	34	20	215	81	74	117	115	207	212	202	149	82	25
OTHER CAUSES	3·42	3·49	3·35	5234	2683	2551	2990	209	53	27	16	3295	60	55	66	65	122	128	103	210	437	693

Marriages - - - 11,750

Births - { Males - 31,354 / Females - 30,686 } 62,040

Annual Rate per 1000 living { Persons Married 15·33 / Births - - 40·46

Deaths from Childbirth and Puerperal Fever - - - - - 5·56 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

459.—WARRINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Means, 1881–90	Persons	–		In Registered Sub-districts		21·57	·145		–	–	–	65·13	6·10	3·09	4·01	4·06	7·61	13·19	13·94	57·41	83·63	183·27
	Males	–				22·67	·160		–	–	–	68·35	6·66	3·11	4·01	4·05	7·29	17·80	20·79	77·14	126·30	
	Females	–				20·54	·131		–	–	–	59·92	6·14	3·08	4·01	5·25	7·85	11·40	17·82	74·62	175·10	
Middle Period, 1881–90	Persons	Decennial Increase of Population 20·94 per cent.				77,570	2,928	2,882	2,944	2,855	2,932	14,540	10,017	8,830	7,951	7,341	11,737	8,256	8,857	3,577	1,629	167
	Males					38,726	1,501	1,490	1,518	1,447	1,508	7,464	5,018	4,476	4,042	3,924	6,072	4,276	4,782	1,780	784	223
1881–90.	Females					38,844	1,427	1,392	1,426	1,408	1,424	7,076	4,999	4,354	3,909	3,417	5,656	3,980	4,075	1,797	845	240
Last Year, 1890	Persons	–				14,484	426	362	357	308	280	1,733	644	276	318	342	882	1,043	1,167	1,368	1,355	849
	Males	–				6,929	238	190	209	206	148	991	344	140	170	159	451	579	694	749	697	448
1881–90.	Females	–				7,555	188	172	148	102	132	742	300	136	148	183	431	464	515	619	658	401

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.															
Small-pox	0·04	0·00	0·01	5	1	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–
Measles	0·94	0·92	0·96	730	369	361	140	324	134	61	33	692	33	3	–	–	1	1	1	–	–	–
Scarlet Fever	0·56	0·55	0·56	438	218	220	95	76	54	66	60	351	125	19	2	2	4	2	–	–	–	–
Diphtheria	0·13	0·14	0·12	99	54	45	7	16	19	14	13	69	19	3	3	–	2	3	2	–	–	–
Whooping-cough	0·58	0·54	0·63	450	214	236	204	126	63	31	13	437	12	1	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·02	0·02	17	9	8	–	–	–	1	–	1	2	–	3	3	1	2	2	3	–	–
Typhus Fever	0·15	0·17	0·14	120	68	52	–	1	–	3	5	9	15	17	23	11	17	13	10	4	1	1
Simple Continued Fever	0·04	0·03	0·05	29	12	17	–	3	3	3	2	10	8	2	1	1	–	3	–	3	2	–
Diarrhœa and Dysentery	0·79	0·82	0·76	614	329	285	336	103	16	9	1	522	8	–	2	–	6	9	4	18	30	15
Cholera	0·08	0·09	0·07	60	34	26	35	12	2	1	1	49	2	–	–	–	–	2	2	3	–	3
Cancer	0·37	0·31	0·43	288	125	163	1	–	1	–	1	3	–	1	2	2	18	44	75	81	48	14
Tabes Mesenterica	0·39	0·41	0·38	301	164	137	147	75	23	5	5	255	15	7	3	4	2	1	1	1	1	–
Phthisis	1·39	1·45	1·33	1076	577	499	16	11	8	6	6	47	30	41	105	122	274	227	148	64	16	2
Other Tub. & Scrof. Dis.	0·48	0·55	0·41	371	218	153	146	89	33	24	10	302	34	11	7	4	5	3	4	1	–	–
Tubercular Diseases	2·96	2·99	2·93	2290	1170	1120	842	177	66	41	32	1158	80	35	27	25	64	58	159	228	257	84
Cerebral Diseases	1·51	1·14	1·87	1167	443	724	3	3	3	1	1	11	16	25	24	25	76	109	137	209	197	62
Bronchitis	3·96	4·24	3·66	3071	1693	1378	778	384	159	88	56	1465	98	21	24	35	116	196	288	356	323	149
Pneumonia	1·83	1·96	1·70	1414	780	634	278	151	18	9	7	463	35	17	16	20	54	77	90	103	83	33
Pleurisy	0·31	0·36	0·25	238	144	94	2	2	6	2	7	27	11	3	2	10	20	33	36	47	34	13
Congestion	0·04	0·01	0·06	33	2	31	1	–	1	1	–	3	–	–	–	–	5	6	10	2	6	1
Puerperal Fever	0·10		0·10	80		80												4	16	33	26	1
Other Puerperal Diseases	0·10		0·10	77		77												1	12	32	27	3
Violence	0·79	1·17	0·38	610	468	142	33	33	20	13	10	109	56	32	39	30	79	83	67	61	41	13
Other Causes	3·46	3·56	3·37	2677	1419	1267	1238	80	28	15	14	1375	57	48	29	28	70	83	89	149	327	469

Births — Males 14,967; Females 14,499 — 29,466

Annual Rate per 1000 living: Persons Married 14·78; Births 37·99

Deaths from Childbirth and Puerperal Fever 5·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·32	†155	–	–	–	–	66·00	6·22	3·37	5·23	5·84	7·01	10·37	16·78	37·60	76·42	171·55
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·34	†173	–	–	–	–	73·51	6·37	3·77	5·13	5·18	6·27	10·00	18·36	41·56	84·07	165·91
Annual Death-Rate per 1000. Females	—	In Standard Population* 20·35	†136	–	–	–	–	58·74	6·07	2·98	5·33	6·51	7·76	10·73	15·30	34·19	69·87	176·64
Mean Population, 1881-91. Persons	Decennial Increase of Population 25·66 per cent.	63,543	2116	1789	1851	1754	1787	9297	8071	7157	6655	5907	9536	6962	4881	3048	1565	464
Mean Population, 1881-91. Males	Decennial Increase of Population 25·66 per cent.	31,409	1045	879	917	849	878	4568	4019	3503	3332	2972	4846	3459	2358	1410	722	220
Mean Population, 1881-91. Females	Decennial Increase of Population 25·66 per cent.	32,134	1071	910	934	905	909	4729	4052	3654	3323	2935	4690	3503	2523	1638	843	244
Deaths from All Causes, 1881-90. Persons	20·33	12,919	3683	1375	531	325	222	6136	502	241	348	345	668	722	819	1146	1196	796
Deaths from All Causes, 1881-90. Males	21·37	6,712	2101	728	256	153	120	3358	256	132	171	154	304	346	433	586	607	365
Deaths from All Causes, 1881-90. Females	19·32	6,207	1582	647	275	172	102	2778	246	109	177	191	364	376	386	560	589	431

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	0·01	13	9	4	–	–	–	–	–	–	–	2	3	5	2	–	1	–	–	–
Measles	0·73	0·78	0·69	467	244	223	109	195	86	37	12	439	28	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·71	0·72	0·71	454	227	227	23	79	61	79	60	302	125	18	2	4	1	2	–	–	–	–
Diphtheria	0·08	0·09	0·08	54	29	25	2	4	4	9	8	27	19	2	1	–	1	–	1	3	–	–
Whooping-cough	0·43	0·40	0·47	276	126	150	124	80	45	18	8	275	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–
Enteric Fever	0·22	0·28	0·19	149	87	62	–	1	3	–	5	9	17	21	26	10	30	15	12	6	2	1
Simple Continued Fever	0·05	0·04	0·06	29	11	18	1	–	2	1	2	6	3	–	2	–	5	3	1	3	4	2
Diarrhœa and Dysentery	1·15	1·22	1·09	732	382	350	460	125	18	9	6	618	7	1	3	1	9	3	9	17	38	26
Cholera	0·04	0·04	0·03	23	13	10	4	3	2	3	1	13	–	–	–	1	1	–	2	3	3	–
Cancer	0·37	0·27	0·46	232	84	148	–	–	–	–	–	–	–	1	1	1	11	27	49	64	57	21
Tabes Mesenterica	0·43	0·48	0·38	271	150	121	141	60	20	7	5	233	11	7	8	2	4	2	1	3	–	–
Phthisis	1·42	1·26	1·57	901	395	506	22	15	6	7	3	53	21	38	114	134	199	163	97	57	24	1
Other Tub. & Scrof. Dis.	0·42	0·43	0·40	264	136	128	76	53	24	14	8	175	36	18	9	8	6	6	2	3	1	–
Diseases of Nervous System	2·22	2·38	2·06	1411	749	662	451	104	43	20	13	631	55	23	18	17	27	62	82	168	204	124
Diseases of Circulatory „	1·45	1·23	1·66	919	386	533	4	2	3	2	6	17	13	17	29	24	52	89	159	205	219	95
Diseases of Respiratory „	4·68	5·15	4·23	2977	1617	1360	877	428	155	72	50	1582	82	23	27	24	83	104	187	314	332	219
Diseases of Digestive „	1·40	1·53	1·27	890	482	408	298	128	16	9	8	459	16	17	21	14	28	52	76	105	78	24
Diseases of Urinary „	0·35	0·44	0·26	221	138	83	4	10	2	7	4	27	9	3	2	2	21	25	20	48	46	18
Diseases of Generative „	0·04	0·02	0·06	25	5	20	2	1	–	–	–	3	–	–	1	1	1	4	5	6	3	1
Puerperal Fever	0·13	–	0·25	80	–	80	–	–	–	–	–	–	–	–	6	20	33	21	–	–	–	–
Childbirth	0·10	–	0·20	65	–	65	–	–	–	–	–	–	–	–	1	14	30	19	1	–	–	–
Violence	0·78	1·22	0·35	497	384	113	20	24	21	12	8	85	20	21	48	38	68	60	55	51	32	19
Other Causes	3·10	3·35	2·83	1965	1056	909	1065	63	20	19	15	1182	38	28	26	25	56	65	58	89	153	245

Marriages - - - 4,711

Births { Males - 12,124 / Females - 11,645 } 23,769

Annual Rate per 1000 living { Persons Married 14·83 / Births - - 37·41

Deaths from Childbirth and Puerperal Fever - - - - - 6·10 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

461.—BOLTON

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	In Standard Population* 24·17	†163	–	–	–	–	66·27	5·66	3·15	4·41	5·91	7·77	12·68	21·13	42·90	87·77	187·01
	Males	21·55	†178	–	–	–	–	72·14	5·91	3·16	4·32	5·92	7·79	13·78	23·59	40·41	96·22	201·15
	Females		†147	–	–	–	–	60·54	5·38	3·14	4·50	5·90	7·74	11·68	19·00	39·06	81·13	177·28
Mean Population (estimated)	Persons	Decennial Increase of Population 17·88 per cent.	6076	5571	5535	5361	5465	28008	23152	23547	21866	20066	32787	24454	17169	10465	4873	1278
	Males		3033	2718	2740	2643	2704	13838	12429	11546	10601	9678	15612	11693	7971	4779	2144	521
	Females		3043	2853	2795	2718	2761	14170	12726	12001	11265	10388	17175	12761	9198	5686	2729	757
Deaths (registered)	Persons	20·05	11413	3919	1584	963	683	18562	1423	742	965	1182	2546	3101	3628	4490	4277	2390
All Causes	Males	23·02	6305	2070	797	495	348	9983	768	365	458	555	1216	1611	1880	2218	2093	1048
	Females	19·11	5108	1849	817	470	335	8579	655	377	507	627	1330	1490	1748	2272	2214	1342

	Persons	Males	Females	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·02	0·02	36	19	17	1	–	–	–	–	1	2	1	6	10	10	5	1	–	–	–
Measles	0·45	0·51	0·39	1386	715	649	321	534	239	124	72	1290	67	4	–	1	1	1	–	–	–	–
Scarlet Fever	0·20	0·21	0·19	626	309	317	29	97	113	92	75	406	172	28	12	3	4	1	–	–	–	–
Diphtheria	0·06	0·06	0·10	197	93	104	10	22	28	18	26	104	56	8	5	3	5	3	4	1	–	–
Whooping-cough	0·54	0·52	0·56	1131	524	607	465	335	145	97	46	1088	41	2	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	33	22	11	1	–	–	–	–	1	2	2	4	4	7	3	3	5	2	–
Enteric Fever	0·21	0·24	0·18	443	246	197	–	2	12	9	8	31	58	68	51	53	76	56	25	18	7	–
Simple Continued Fever	0·04	0·03	0·04	74	32	42	5	9	9	7	5	35	9	1	9	1	4	3	4	3	4	1
Diarrhœa and Dysentery	1·05	1·17	0·95	2206	1172	1034	1418	372	46	17	9	1862	16	5	6	6	18	27	33	68	90	75
Cholera	0·03	0·04	0·03	73	39	34	25	8	1	–	1	35	2	2	–	1	2	4	7	10	6	4
Cancer	0·40	0·24	0·55	845	242	603	–	1	–	–	1	2	2	2	2	7	32	114	215	241	179	49
Fever, Miscellaneous	0·25	0·29	0·21	525	288	237	238	109	49	16	12	424	38	25	9	5	6	4	7	4	3	–
Phthisis	1·65	1·58	1·74	3465	1787	1678	30	28	17	14	11	100	58	125	339	457	852	755	473	237	60	9
Other Tubercular Diseases	0·31	0·37	0·27	655	369	286	178	132	84	36	32	457	67	35	25	17	19	15	11	8	1	–
Nervous System	2·77	2·97	2·54	5756	2984	2772	2020	376	191	130	80	2797	221	89	71	78	151	228	404	702	753	202
Circulation	1·37	1·14	1·60	2867	1143	1524	15	4	4	2	3	28	37	57	65	82	185	309	498	660	583	141
Respiration	5·08	5·46	4·71	10574	5934	5140	2451	1339	481	293	208	4772	297	76	107	135	440	704	1067	1516	1394	566
Digestion	1·26	1·23	1·29	2629	1299	1330	702	293	30	25	18	1068	68	47	58	51	125	215	310	360	238	80
Urinary	0·35	0·45	0·27	730	431	299	11	21	10	11	9	62	25	10	16	24	68	92	116	139	109	53
Generative	0·66	0·01	0·10	115	10	105	4	–	–	–	–	4	–	1	1	5	21	9	22	18	8	1
Puerperal Fever	0·11		0·21	228	–	228	–	–	–			–	–	–	6	49	109	43	3	–	–	–
Convulsions	0·08		0·15	189	–	189	–	–	–			–	–	–	4	26	71	84	2	–	–	–
Accidents	0·64	0·89	0·38	1343	999	344	56	28	50	50	30	214	82	55	73	80	149	108	103	156	97	47
Other Causes	3·51	3·46	3·56	6902	3478	3424	3438	199	66	22	28	3753	166	99	88	78	181	200	327	342	730	1101

Marriages – 15,847

Births { Males – 36,487 / Females – 34,634 } 70,121

Annual Rate per 1000 living { Persons Married 15·1 / Births 33·45 }

Deaths from Childbirth and Puerperal Fever – 5·75 per 1000 Births

* See pages [illegible]

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 22·53 24·01 21·14			†159	–	–	–	–	64·63	5·73	2·80	4·65	5·94	8·15	12·40	20·50	41·59	89·25	184·38
Males	—						†173	–	–	–	–	70·42	6·12	3·01	4·94	5·71	8·27	14·00	23·41	46·27	95·92	197·72
Females	—						†144	–	–	–	–	58·89	5·34	2·59	4·39	6·14	8·05	11·00	18·10	37·77	84·16	175·26
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·02 per cent.			133,507			3494	3229	3236	3348	3203	16510	15261	14483	13924	12802	21084	16003	11481	7478	3508	973
Males				63,221			1720	1623	1642	1645	1583	8213	7576	7081	6707	5899	9820	7451	5199	3361	1519	395
Females				70,286			1774	1606	1594	1703	1620	8297	7685	7402	7217	6903	11264	8552	6282	4117	1989	578
Deaths from All Causes, 1881–90. Persons	20·56			27,450			6683	2227	844	545	371	10670	874	405	648	761	1719	1984	2354	3110	3131	1794
Males	22·14			13,994			3736	1147	464	250	187	5784	464	213	331	337	812	1043	1217	1555	1457	781
Females	19·14			13,456			2947	1080	380	295	184	4886	410	192	317	424	907	941	1137	1555	1674	1013
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·04	0·04	0·03	49	25	24	7	1	–	2	2	12	3	1	1	8	11	4	8	1	–	–
Measles	0·52	0·56	0·48	696	358	338	159	288	115	57	34	653	42	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·31	0·36	0·26	408	228	180	18	74	68	73	58	291	98	11	3	4	1	–	–	–	–	–
Diphtheria	0·10	0·12	0·09	139	78	61	13	15	11	24	9	72	50	5	3	2	1	3	1	2	–	–
Whooping-cough	0·33	0·34	0·32	440	218	222	210	122	48	27	13	420	19	1	–	–	–	–	–	–	–	–
Typhus	0·03	0·03	0·02	34	20	14	–	–	–	–	–	–	–	1	6	5	9	4	4	3	1	1
Enteric Fever	0·20	0·21	0·19	271	134	137	1	3	6	8	7	25	31	27	31	24	48	37	25	11	10	2
Simple Continued Fever	0·08	0·07	0·07	97	45	52	7	6	10	5	7	35	16	8	7	3	4	7	8	3	4	2
Diarrhœa and Dysentery	0·91	0·97	0·85	1210	614	596	767	145	19	13	7	951	9	2	5	3	7	15	34	55	82	47
Cholera	0·01	0·02	0·01	15	10	5	2	–	–	–	–	2	1	–	–	2	3	2	4	1	–	–
Cancer	0·42	0·28	0·55	565	178	387	–	1	1	1	1	4	1	–	2	4	29	85	150	158	106	26
Tabes Mesenterica	0·24	0·27	0·21	317	170	147	147	73	28	13	5	266	15	11	8	5	3	3	3	3	–	–
Phthisis	1·85	2·09	1·66	2469	1302	1167	26	29	14	7	3	79	45	68	237	309	646	508	343	166	57	11
Other Tub. & Scrof. Dis.	0·32	0·42	0·24	432	264	168	128	84	52	19	20	303	53	19	12	10	15	10	4	4	2	–
Diseases of Nervous System	3·07	3·47	2·71	4103	2196	1907	1421	345	108	87	50	2011	153	43	48	48	111	171	283	465	552	218
Diseases of Circulatory „	1·80	1·70	1·89	2403	1072	1331	10	3	3	1	2	19	27	55	62	67	165	236	406	637	544	165
Diseases of Respiratory „	4·84	5·20	4·52	6459	3286	3173	1374	749	272	155	109	2659	154	29	52	82	204	357	539	916	981	486
Diseases of Digestive „	1·23	1·30	1·16	1640	822	818	386	142	29	12	5	574	38	27	43	24	90	137	214	269	167	57
Diseases of Urinary „	0·31	0·37	0·25	409	232	177	9	12	4	4	7	36	13	11	19	18	43	55	65	67	64	18
Diseases of Generative „	0·04	0·00	0·07	54	2	52	–	–	–	1	–	1	–	3	1	3	14	6	8	12	4	2
Puerperal Fever	0·12	–	0·23	164	–	164	–	–	–	–	–	–	–	–	3	34	84	43	–	–	–	–
Childbirth	0·08	–	0·16	110	–	110	–	–	–	–	–	–	–	–	1	17	46	46	–	–	–	–
Violence	0·66	1·01	0·34	876	639	237	45	22	22	20	16	125	68	46	42	46	104	127	110	116	61	31
OTHER CAUSES	3·05	3·31	2·83	4090	2101	1989	1953	113	34	16	16	2132	38	36	62	43	81	108	145	221	496	728

Marriages - - - 10,645

Births - { Males - 21,613 / Females - 20,527 } 42,140

Annual Rate per 1000 living { Persons Married 15·95 / Births - - 31·56

Deaths from Childbirth and Puerperal Fever - - - - - 6·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·19	†139	–	–	–	–	54·15	4·95	2·91	4·42	5·92	6·92	16·22	16·17	35·10	72·81	172·07
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·25	†150	–	–	–	–	57·89	4·78	2·96	5·19	6·80	7·44	11·60	17·68	40·13	78·11	178·24
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·19	†127	–	–	–	–	50·47	5·12	2·87	3·76	5·22	6·48	9·51	14·85	31·06	68·89	167·81
Mean Population, 1881-91. Persons	Decennial Increase of Population 28·37 per cent.	83,142	2242	1973	2044	2076	2067	10402	9792	9328	8611	8174	13120	9752	6875	4295	2492	641
Mean Population, 1881-91. Males	Decennial Increase of Population 28·37 per cent.	39,264	1108	963	1007	1041	1046	5165	4855	4598	4005	3534	6004	5053	3242	1874	992	282
Mean Population, 1881-91. Females	Decennial Increase of Population 28·37 per cent.	43,878	1134	1010	1037	1035	1021	5237	4937	4730	4606	4640	7056	5089	3633	2321	1500	359
Deaths from All Causes, 1881-90. Persons	17·38	14,446	3502	1192	436	284	219	5633	495	273	381	484	908	997	1112	1476	1536	1101
Deaths from All Causes, 1881-90. Males	16·57	7,292	1915	609	229	140	97	2990	252	136	208	247	451	543	568	752	728	467
Deaths from All Causes, 1881-90. Females	16·31	7,156	1587	583	207	144	122	2643	253	137	173	237	457	454	544	724	808	636

	Persons	Males	Females	Persons	Males.	Females.	Persons.											
Small-pox	0·01	0·02	0·01	11	6	5	–	–	–	–	–	–	–	–	4	4	2	–	1	–	–
Measles	0·43	0·49	0·39	361	192	169	86	157	46	30	19	338	20	3	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·30	0·31	251	116	135	13	35	50	39	31	168	61	12	3	2	5	–	–	–	–
Diphtheria	0·21	0·19	0·24	177	73	104	7	18	14	28	27	94	54	9	6	3	4	2	2	2	1
Whooping-cough	0·28	0·27	0·28	230	105	125	87	80	33	16	8	223	7	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·22	0·26	0·19	184	102	82	1	–	5	3	3	12	19	17	29	33	26	17	20	7	4
Simple Continued Fever	0·02	0·02	0·02	13	6	7	–	–	2	1	1	4	2	1	1	–	1	–	4	–	–
Diarrhœa and Dysentery	0·64	0·69	0·60	530	269	261	353	80	7	6	6	452	2	–	–	3	3	4	5	13	27
Cholera	0·04	0·04	0·04	30	14	16	17	4	1	–	–	22	2	–	–	–	3	1	1	1	1
Cancer	0·32	0·37	0·64	431	146	285	1	–	1	1	–	3	1	3	2	–	14	42	88	134	108
Tabes Mesenterica	0·22	0·22	0·21	180	87	93	96	30	13	1	5	147	8	12	3	1	6	1	–	1	1
Phthisis	1·47	1·49	1·46	1226	585	641	33	25	13	8	3	87	26	17	115	161	287	240	150	85	26
Other Tub. & Scrof. Dis.	0·46	0·56	0·42	401	218	183	140	81	30	27	17	295	43	14	9	8	16	6	6	1	3
Diseases of Nervous System	2·16	2·35	1·99	1792	921	871	547	134	53	32	25	791	56	18	27	20	42	73	114	221	264
Diseases of Circulatory	1·27	1·18	1·35	1057	465	592	13	3	1	1	1	19	9	21	28	30	65	110	163	240	266
Diseases of Respiratory	3·82	4·17	3·51	3174	1636	1538	715	386	118	66	50	1335	89	28	30	35	118	171	254	388	496
Diseases of Digestive	1·07	1·14	1·01	892	449	443	240	71	17	4	5	337	13	15	16	25	41	70	93	190	116
Diseases of Urinary	0·42	0·55	0·31	353	215	138	7	7	3	4	3	24	10	3	10	15	25	45	49	67	72
Diseases of Generative	0·05	0·00	0·08	38	1	37	–	–	–	–	–	–	–	–	1	3	7	5	9	9	4
Puerperal Fever	0·11	–	0·21	93	–	93	–	–	–	–	–	–	–	–	4	23	46	18	2	–	–
Childbirth	0·06	–	0·12	51	–	51	–	–	–	–	–	–	–	–	1	11	20	19	–	–	–
Violence	0·81	1·36	0·32	675	535	140	83	23	9	8	8	100	32	38	61	79	103	97	67	42	42
Other Causes	2·77	2·90	2·60	2297	1150	1147	1087	58	21	9	7	1182	31	32	34	38	73	74	85	134	225

Marriages	–	–	1,983	Annual Rate per 1000 living	Persons Married 14·10
Births	Males	12,717	25,280		Births 30·41
	Females	12,563		Deaths from Childbirth and Puerperal Fever	5·70 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

464.—CHORLTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·33	†161	–	–	–	–	70·64	6·16	3·08	4·13	5·29	8·19	13·83	21·61	42·44	86·16	171·46
Annual Death-Rate per 1000. Males	—	In Standard Population* 24·73	†176	–	–	–	–	77·07	6·11	3·03	4·18	5·60	8·53	15·07	24·32	45·93	94·41	176·56
Annual Death-Rate per 1000. Females	—	In Standard Population* 22·01	†146	–	–	–	–	64·32	6·21	3·13	4·09	5·02	7·89	12·72	19·33	39·72	80·58	168·61
Mean Population, 1881-91. Persons	Decennial Increase of Population 16·04 per cent.	279,046	7624	6975	6981	6827	6742	35149	31142	22339	28141	28261	47455	34513	23280	13630	6349	1787
Mean Population, 1881-91. Males	Decennial Increase of Population 16·04 per cent.	131,875	3758	3439	3469	3388	3380	17434	15412	14573	13234	12904	22145	16370	10638	5966	2559	640
Mean Population, 1881-91. Females	Decennial Increase of Population 16·04 per cent.	147,171	3866	3536	3512	3439	3362	17715	15730	14766	14907	15357	25310	18143	12642	7664	3790	1147
Deaths from All Causes, 1881-90. Persons	20·90	58,317	14802	5644	2135	1308	941	24830	1918	904	1162	1494	3886	4774	5031	5784	5470	3064
Deaths from All Causes, 1881-90. Males	22·24	29,324	8240	2982	1089	670	455	13436	941	442	553	723	1889	2467	2587	2740	2416	1130
Deaths from All Causes, 1881-90. Females	19·70	28,993	6562	2662	1046	638	486	11394	977	462	609	771	1997	2307	2444	3044	3054	1934

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	0·00	0·00	8	3	5	1	–	1	–	1	3	–	–	–	2	1	2	–	–	–	–
Measles	0·71	0·77	0·66	1977	1013	964	402	805	353	191	84	1835	129	5	1	3	3	–	–	1	–	–
Scarlet Fever	0·32	0·33	0·30	886	440	446	44	117	130	140	133	564	250	49	9	4	6	4	–	–	–	–
Diphtheria	0·19	0·20	0·18	529	259	270	19	54	73	68	71	285	177	24	11	4	13	8	4	2	1	–
Whooping-cough	0·56	0·57	0·54	1556	757	799	596	494	232	113	62	1497	56	1	1	1	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	54	27	27	1	–	–	1	2	4	6	2	5	3	12	10	7	–	5	–
Enteric Fever	0·21	0·26	0·17	592	347	245	2	5	13	8	20	48	48	50	92	90	127	83	39	12	3	–
Simple Continued Fever	0·02	0·02	0·02	60	28	32	6	9	1	6	3	25	5	1	6	3	6	2	4	7	1	–
Diarrhœa and Dysentery	0·90	0·99	0·82	2569	1302	1267	1652	431	73	26	9	2191	26	10	2	8	13	9	30	74	90	56
Cholera	0·03	0·04	0·02	82	48	34	38	9	2	–	1	50	3	–	–	1	4	3	6	7	8	–
Cancer	0·52	0·36	0·67	1449	470	979	1	–	1	2	1	5	1	2	3	9	73	210	384	433	254	75
Tabes Mesenterica	0·33	0·37	0·29	922	492	430	437	231	73	32	31	804	52	20	16	6	12	5	4	3	–	–
Phthisis	2·04	2·31	1·81	5701	3043	2658	55	55	30	20	15	175	98	155	447	663	1537	1417	775	332	92	10
Other Tub. & Scrof. Dis.	0·57	0·67	0·49	1603	882	721	476	389	139	97	81	1182	168	83	44	32	34	21	22	13	4	–
Diseases of Nervous System	2·74	2·95	2·56	7654	3889	3765	2438	641	229	135	101	3544	208	100	80	82	239	385	673	928	963	452
Diseases of Circulatory „	1·35	1·24	1·44	3754	1634	2120	27	7	3	7	3	47	47	81	87	90	304	492	624	892	780	310
Diseases of Respiratory „	4·80	5·24	4·40	13388	6910	6478	2860	1631	543	309	212	5555	316	97	105	154	586	908	1285	1758	1755	869
Diseases of Digestive „	1·10	1·13	1·07	3071	1495	1576	739	255	46	40	25	1105	90	50	64	62	184	329	365	393	322	107
Diseases of Urinary „	0·45	0·55	0·35	1243	728	515	16	17	19	22	23	97	41	20	19	42	110	199	216	222	214	63
Diseases of Generative „	0·06	0·01	0·11	176	10	166	4	1	–	1	–	6	–	–	6	15	38	41	27	23	17	3
Puerperal Fever	0·10	–	0·20	289	–	289	–	–	–	–	–	–	–	–	17	56	154	61	1	–	–	–
Childbirth	0·06	–	0·12	175	–	175	–	–	–	–	–	–	–	–	7	21	71	74	2	–	–	–
Violence	0·42	0·57	0·29	1174	754	420	265	49	46	24	24	408	61	37	39	36	91	125	126	105	97	49
Other Causes	3·40	3·64	3·17	9465	4793	4672	4723	444	128	66	39	5400	136	117	101	107	268	386	437	579	864	1070

Marriages - - - 23,278

Births - { Males - 46,684 / Females - 45,051 } 91,735

Annual Rate per 1000 living { Persons Married 16·68 / Births - 32·87

Deaths from Childbirth and Puerperal Fever - - - - - 5·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

465.—SALFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000 { Persons / Males / Females	— / — / —	In Mid-Year { Persons 26·92 / Males 25·40 / Females 28·52 } Population*	4·183 / 4·197 / 4·169	- / - / -	- / - / -	- / - / -	- / - / -	85·42 / 84·03 / 79·86	8·69 / 8·82 / 8·56	3·83 / 3·83 / 3·85	5·44 / 5·33 / 5·56	6·25 / 6·42 / 6·08	8·93 / 8·76 / 8·68	15·51 / 14·73 / 14·37	23·71 / 23·47 / 22·54	40·83 / 42·20 / 44·28	61·31 / 58·13 / 57·81	175·46 / 197·11 / 155·12
Mean Population (Estimated to Middle of 1891) { Persons / Males / Females	Decennial Increase of Population 47 per cent.	126,784 / 59,540 / 67,244	5,018 / 2,506 / 2,512	5,044 / 2,503 / 2,541	5,048 / 2,508 / 2,540	5,065 / 2,567 / 2,498	5,049 / 2,508 / 2,541	25,225 / 12,592 / 12,633	24,464 / 11,747 / 12,717	21,475 / 10,554 / 10,921	19,223 / 9,408 / 9,815	18,156 / 8,529 / 9,627	15,335 / 7,209 / 8,126	23,824 / 11,444 / 12,380	15,596 / 7,209 / 8,387	9,678 / 3,860 / 4,818	3,203 / 1,357 / 1,846	1,140 / 587 / 553
Deaths at all Ages in 1881–90 { Persons / Males / Females	24·72 / 25·97 / 23·55	47,712 / 24,140 / 23,572	1,208 / 599 / 609	584 / 279 / 305	360 / 160 / 200	296 / 135 / 161	223 / 100 / 123	2,671 / 1,273 / 1,398	908 / 411 / 497	811 / 358 / 453	1045 / 550 / 495	1335 / 1458 / 1877	1797 / 1913 / 2884	2589 / 2078 / 3511	2548 / 3926 / 6474	4064 / 4225 / 8289	2564 / 2225 / 4789	1975 / 733 / 1242
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Smallpox	0·01	0·01	0·01	15	8	7	2	–	–	1	–	3	–	–	2	2	4	3	–	–	1	–
Measles	0·58	0·84	0·32	1502	778	724	332	617	205	149	81	1434	65	1	1	1	–	–	–	–	–	–
Scarlet Fever	0·57	0·22	0·70	1378	671	702	66	208	243	211	196	924	371	50	11	7	3	4	1	–	–	–
Diphtheria	0·26	0·31	0·32	664	344	320	36	81	73	91	91	372	180	34	6	1	6	–	1	2	2	–
Whooping-cough	0·70	0·63	0·76	1349	587	762	530	449	164	99	63	1305	52	2	–	–	–	–	–	–	–	–
Typhus	0·03	0·03	0·03	56	24	32	–	–	1	–	–	1	5	2	6	3	12	17	4	6	–	1
Enteric Fever	0·29	0·43	0·29	698	409	289	8	12	26	21	15	77	81	82	117	98	132	65	47	15	3	–
Continued Fever	0·03	0·03	0·03	47	20	27	3	9	1	2	3	18	6	5	2	1	3	2	3	3	1	–
Diarrhœa and Dysentery	1·17	1·35	1·36	2824	1485	1339	1938	541	78	15	9	2581	22	6	3	7	11	9	23	50	76	35
Cholera	0·02	0·03	0·02	49	24	25	19	4	1	1	3	28	–	–	–	1	1	2	5	8	4	–
Phthisis	0·65	0·33	0·65	934	282	652	–	2	1	6	–	9	5	1	2	7	46	161	228	244	131	36
Tabes Mesenterica	0·33	0·26	0·41	928	516	412	542	195	58	28	15	838	50	13	12	3	6	–	3	3	–	–
Atrophy	2·41	2·09	2·15	4649	2501	2148	101	54	36	29	26	246	110	149	388	360	1172	1117	646	256	58	3
Debility and Senile Decay	0·70	0·83	0·67	1465	793	672	447	345	157	77	81	1107	198	52	33	20	27	17	4	5	2	–
Nervous System	2·76	3·16	2·70	5546	2844	2702	2020	425	189	105	84	2823	205	70	78	68	159	274	437	627	596	229
Heart	1·14	1·07	1·40	2586	1281	1305	13	5	2	3	3	26	52	79	75	63	223	426	527	559	413	144
Lungs	5·07	5·24	5·07	10202	5125	5077	2300	1451	523	502	188	4964	298	63	100	106	378	749	1090	1391	1136	474
Pleura	1·15	1·24	1·15	2250	1096	1154	682	254	53	31	12	1032	64	28	42	37	111	193	241	254	168	64
Pneumonia	0·74	0·48	0·37	848	476	372	14	30	20	27	19	110	48	23	22	16	76	98	141	148	89	37
Other Diseases	0·09	0·03	0·09	99	10	89	2	1	2	1	1	7	1	–	7	6	12	43	20	20	7	3
Premature Birth	0·21		0·21	208		208	–	–	–	–	–	–	–	–	7	57	57	41	–	–	–	–
Childbirth	0·12		0·12	124		124	–	–	–	–	–	–	–	–	7	12	41	43	–	–	–	–
Violence	0·46	0·73	0·47	1320	850	470	216	66	46	45	34	407	108	50	48	49	104	181	139	127	75	37
Other Causes	3·36	4·13	3·85	7636	4804	3802	3002	335	121	52	41	3551	117	101	76	62	173	334	399	346	800	853

Marriages		1,[illegible]	Annual Rate per 1000 living { Persons Married 16·09 / Births 37·55	Deaths from Childbirth and Puerperal Fever	4·58 per 1000 Births.
Births	Males / Females	[illegible] / 71,[illegible]			

* *See page* xxvi–xxvii.

† The death-rates under one year of age are per 1000 Births.

466.—MANCHESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 29·09	†193	–	–	–	–	92·84	7·94	4·19	6·04	7·18	12·01	19·68	31·50	51·28	85·55	146·03
Males	—	31·25	†211	–	–	–	–	100·70	8·21	4·23	6·50	7·87	13·01	22·14	34·84	56·02	90·15	159·24
Females	—	27·06	†175	–	–	–	–	85·24	7·69	4·16	5·61	6·56	11·03	17·28	28·44	47·34	82·02	138·01
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·43 per cent.	146,947	4254	3677	3808	3739	3613	19091	16620	15231	14695	14225	23948	18834	13257	7445	2921	630
Males		71,464	2113	1814	1896	1804	1757	9384	8176	7580	7188	6772	11856	9286	6334	3381	1269	238
Females		75,483	2141	1863	1912	1936	1855	9707	8444	7701	7507	7453	12092	9548	6923	4064	1652	392
Deaths from All Causes, 1881–90. Persons	26·94	39,591	10217	4172	1622	1036	677	17724	1320	641	888	1022	2877	3706	4176	3818	2499	920
Males	28·92	20,665	5644	2167	809	512	318	9450	671	321	467	533	1545	2056	2207	1894	1144	379
Females	25·07	18,926	4573	2005	813	524	359	8274	649	320	421	489	1334	1650	1969	1924	1355	541

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·00	8	5	3	3	1	–	–	–	4	1	–	1	1	–	1	–	–	–	–
Measles	0·93	0·96	0·90	1368	686	682	259	545	253	155	83	1295	71	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·33	0·28	444	236	208	44	67	70	84	52	317	104	12	4	1	4	1	1	–	–	–
Diphtheria	0·14	0·13	0·14	200	93	107	10	45	32	26	26	139	39	6	5	2	4	3	2	–	–	–
Whooping-cough	0·75	0·68	0·81	1095	485	610	363	351	174	105	52	1045	50	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	23	13	10	1	1	–	1	2	5	6	2	2	2	2	1	3	–	–	–
Enteric Fever	0·18	0·20	0·17	267	140	127	3	3	6	7	8	27	26	30	38	36	41	28	29	8	3	1
Simple Continued Fever	0·02	0·02	0·02	32	14	18	4	1	3	6	1	15	4	–	3	1	3	–	1	1	4	–
Diarrhœa and Dysentery	1·25	1·35	1·16	1842	965	877	1211	389	60	16	14	1690	14	1	3	5	5	20	20	43	30	11
Cholera	0·03	0·04	0·03	50	28	22	25	11	1	–	–	37	–	–	–	–	3	1	4	4	1	–
Cancer	0·67	0·55	0·79	987	391	596	–	2	1	–	1	4	2	5	17	10	68	204	287	259	111	20
Tabes Mesenterica	0·47	0·53	0·41	688	381	307	296	182	68	32	17	595	39	20	7	8	5	7	5	1	1	–
Phthisis	2·22	2·51	1·94	3261	1795	1466	16	18	16	15	13	78	65	93	259	354	925	821	445	179	41	1
Other Tub. & Scrof. Dis.	0·64	0·73	0·57	947	520	427	250	196	92	54	33	625	112	45	31	29	47	30	20	7	1	–
Diseases of Nervous System	3·15	3·51	2·80	4626	2510	2116	1927	503	181	106	76	2793	152	59	57	39	110	204	339	434	330	109
Circulatory „	1·66	1·58	1·74	2441	1131	1310	6	5	4	1	8	24	33	71	85	69	271	418	516	515	340	99
Respiratory „	6·38	6·71	6·06	9366	4792	4574	1846	1233	480	231	176	4016	258	72	105	127	476	771	1222	1261	815	243
Digestive „	1·41	1·45	1·37	2071	1037	1034	530	222	25	28	14	819	57	26	33	44	144	226	291	265	129	37
Urinary „	0·64	0·82	0·48	945	586	359	8	27	6	13	19	73	35	24	26	37	104	171	208	159	87	21
Generative „	0·12	0·00	0·23	177	2	175	2	1	1	1	–	5	–	1	6	11	39	51	34	17	13	–
Puerperal Fever	0·09	–	0·18	138	–	138	–	–	–	–	–	–	–	–	9	43	58	27	1	–	–	–
Childbirth	0·08	–	0·16	119	–	119	–	–	–	–	–	–	–	–	6	22	46	44	1	–	–	–
Violence	1·50	2·07	0·96	2202	1479	723	255	64	62	64	51	496	155	101	95	104	270	312	292	223	109	45
Other Causes	4·28	4·72	3·86	6294	3376	2918	3158	305	87	41	31	3622	97	71	96	77	252	365	455	442	484	333

Marriages 14,583

Births Males 26,689 / Females 26,142 — 52,831

Annual Rate per 1000 living: Persons Married 19·85; Births 35·95

Deaths from Childbirth and Puerperal Fever 4·86 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

467.—PRESTWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 29·94	†156	–	–	–	–	74·71	9·07	4·30	6·19	8·29	12·54	21·09	34·18	61·12	113·27	205·73
Annual Death-Rate per 1000. Males	—	In Standard Population* 33·35	†171	–	–	–	–	80·77	9·93	4·39	6·67	8·75	13·88	25·24	39·44	68·07	124·47	208·61
Annual Death-Rate per 1000. Females	—	In Standard Population* 27·07	†141	–	–	–	–	68·70	9·41	4·20	5·74	7·89	11·29	18·04	29·52	55·32	104·45	189·56
Mean Population 1884–91. Persons	Decennial Increase of Population 23·39 per cent.	135,412	3929	3506	3512	3503	3389	17929	15827	14410	13627	12847	21961	16391	11166	6875	3420	959
Mean Population 1884–91. Males	Decennial Increase of Population 23·39 per cent.	65,149	1980	1743	1746	1705	1684	8918	7892	7101	6538	5889	10586	7945	5264	3126	1508	395
Mean Population 1884–91. Females	Decennial Increase of Population 23·39 per cent.	70,263	1949	1763	1766	1798	1705	9011	7935	7309	7089	6958	11375	8446	5902	3749	1912	564
Deaths from All Causes, 1884–90. Persons	27·82	37,674	7393	3035	1378	898	690	13394	1531	619	843	1095	2753	3605	3817	4202	3874	1971
Deaths from All Causes, 1884–90. Males	30·24	19,703	4106	1592	681	458	356	7293	784	312	436	545	1469	2065	2071	2128	1877	993
Deaths from All Causes, 1884–90. Females	25·58	17,971	3287	1443	697	440	334	6101	747	307	407	550	1284	1609	1746	2074	1997	1068

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·10	0·11	0·08	130	71	59	8	2	4	3	2	19	13	7	7	20	32	18	10	4	–	–
Measles	0·73	0·82	0·65	984	533	451	296	393	160	83	63	995	52	3	2	–	–	2	–	–	–	–
Scarlet Fever	1·06	1·10	1·03	1441	718	723	52	102	268	251	215	948	391	71	10	3	9	2	2	–	–	–
Diphtheria	0·35	0·35	0·35	472	226	246	35	57	59	70	66	287	143	20	3	3	6	4	3	4	–	–
Whooping-cough	0·54	0·47	0·61	734	308	426	282	230	103	58	34	702	32	–	–	–	–	–	–	–	–	–
Typhus	0·07	0·08	0·07	101	51	50	–	–	–	–	1	1	1	1	6	13	27	32	14	3	3	–
Enteric Fever	0·40	0·45	0·36	545	295	250	4	10	6	7	8	35	38	48	124	83	107	63	30	13	4	–
Simple Continued Fever	0·02	0·03	0·02	31	17	14	3	4	2	2	2	13	7	2	2	2	1	1	2	–	1	–
Diarrhœa and Dysentery	0·86	1·03	0·70	1297	672	625	737	268	40	17	11	1073	14	2	1	3	9	13	21	84	76	32
Cholera	0·02	0·02	0·03	26	10	16	9	5	1	–	1	16	2	1	1	1	3	1	–	1	1	–
Cancer	0·55	0·36	0·72	743	237	506	–	1	1	1	–	3	2	1	1	4	26	110	196	234	133	35
Tabes Mesenterica	0·30	0·35	0·25	403	228	175	196	81	37	17	7	338	28	8	5	4	6	9	1	4	–	–
Phthisis	3·00	3·50	2·53	4058	2279	1779	33	23	18	12	10	96	69	94	288	433	1027	964	650	302	102	13
Other Tub. & Scrof. Dis.	0·51	0·54	0·48	690	352	338	176	126	52	50	28	432	99	48	27	24	24	17	11	4	4	–
Diseases of Nervous System	4·07	4·05	3·54	5516	3031	2485	1148	308	131	69	57	1713	140	57	75	82	331	579	669	813	764	293
Diseases of Circulatory „	1·82	1·70	1·93	2467	1110	1357	13	5	2	4	1	25	37	51	63	48	194	342	441	594	502	170
Diseases of Respiratory „	6·30	7·01	5·64	8526	4567	3959	1459	934	336	180	119	3028	232	52	81	125	406	694	1022	1272	1181	433
Diseases of Digestive „	1·28	1·38	1·18	1730	899	831	413	181	33	11	20	658	45	37	30	34	89	142	216	235	182	62
Diseases of Urinary „	0·64	0·82	0·47	868	535	333	15	18	11	8	11	63	41	9	21	28	80	143	154	152	127	50
Diseases of Generative „	0·07	0·01	0·13	99	7	92	1	1	1	1	–	4	–	3	2	8	12	20	25	13	10	2
Puerperal Fever	0·13	–	0·25	174	–	174	–	–	–	–	–	–	–	–	9	45	77	43	–	–	–	–
Childbirth	0·08	–	0·15	103	–	103	–	–	–	–	–	–	–	–	3	11	54	34	1	–	–	–
Violence	0·57	0·82	0·35	775	531	244	33	30	29	16	9	177	70	31	24	29	68	103	107	90	53	24
Other Causes	4·25	4·64	3·88	5761	3026	2735	2480	206	84	43	25	2838	75	73	58	57	166	250	244	410	733	857

Marriages	10,501	Annual Rate per 1000 living	Persons Married	15·51	Deaths from Childbirth and Puerperal Fever 5·85 per 1000 Births.
Births Males	24,061		Births	34·98	
Births Females	23,510				
Births	47,571				

* See pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

468.—ASHTON-UNDER-LYNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 24·18	†172	–	–	–	–	71·91	6·21	3·43	5·38	7·29	8·31	12·77	20·92	44·06	91·04	191·16
Annual Death-Rate per 1000. Males	—	In Standard Population* 25·45	†189	–	–	–	–	78·25	6·47	3·44	5·30	7·08	8·42	13·82	23·55	47·44	95·80	204·40
Annual Death-Rate per 1000. Females	—	In Standard Population* 22·99	†154	–	–	–	–	65·63	5·96	3·43	5·45	7·47	8·22	11·87	18·76	41·44	87·36	182·14
Mean Population, 1881-91. Persons	Decennial Increase of Population 6·96 per cent.	159,801	4284	3925	3948	3912	3909	19978	18683	17498	16631	14842	24462	19033	14111	8965	4421	1177
Mean Population, 1881-91. Males	Decennial Increase of Population 6·96 per cent.	75,499	2142	1989	1958	1936	1921	9946	9164	8588	8026	6881	11409	8797	6362	3921	1928	477
Mean Population, 1881-91. Females	Decennial Increase of Population 6·96 per cent.	84,302	2142	1936	1990	1976	1988	10032	9519	8910	8605	7961	13053	10236	7749	5044	2493	700
Deaths from All Causes, 1881-90. Persons	22·37	35,746	8996	2036	1187	736	512	14367	1160	601	894	1082	2034	2431	2952	3950	4025	2250
Deaths from All Causes, 1881-90. Males	23·76	17,940	5020	1520	573	385	285	7783	593	295	425	487	961	1216	1498	1860	1847	975
Deaths from All Causes, 1881-90. Females	21·12	17,806	3976	1416	614	351	227	6584	567	306	469	595	1073	1215	1454	2090	2178	1275

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·03	0·03	47	24	23	5	–	2	1	1	9	4	3	2	12	8	5	3	–	–	1
Measles	0·48	0·54	0·43	768	406	362	202	313	122	63	26	726	40	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·43	0·46	0·40	682	346	336	42	96	129	112	84	463	197	14	3	1	2	2	–	–	–	–
Diphtheria	0·09	0·09	0·09	141	67	74	6	23	12	19	22	82	37	13	3	1	3	–	–	1	1	–
Whooping-cough	0·42	0·40	0·45	678	301	377	315	206	70	44	22	657	19	1	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	12	7	5	–	1	1	–	–	2	2	2	3	1	–	1	1	–	–	–
Enteric Fever	0·24	0·26	0·23	388	194	194	2	5	10	11	7	35	37	40	55	39	75	37	37	23	10	–
Simple Continued Fever	0·06	0·05	0·07	98	35	63	7	7	5	5	6	30	19	11	7	6	4	8	8	4	1	–
Diarrhœa and Dysentery	0·83	0·95	0·72	1327	718	609	865	214	30	13	12	1134	18	5	3	5	9	13	12	38	49	41
Cholera	0·02	0·02	0·01	27	15	12	6	2	1	2	–	11	2	1	1	1	1	–	5	2	3	–
Cancer	0·43	0·26	0·59	695	200	495	–	2	–	–	–	2	–	2	4	3	22	94	188	230	124	26
Tabes Mesenterica	0·31	0·34	0·28	493	253	240	264	114	38	16	7	439	19	13	6	4	6	2	1	3	–	–
Phthisis	2·01	2·13	1·91	3217	1606	1611	57	42	12	20	13	144	57	115	352	492	800	620	370	202	55	10
Other Tub. & Scrof. Dis.	0·37	0·44	0·31	588	330	258	169	105	59	34	27	394	72	28	24	13	25	14	7	9	2	–
Diseases of Nervous System	3·16	3·48	2·87	5049	2629	2420	1624	417	206	97	62	2406	139	68	80	61	113	229	356	639	687	271
Diseases of Circulatory „	1·65	1·48	1·80	2631	1116	1515	17	1	4	6	4	32	34	62	64	68	160	286	473	617	665	170
Diseases of Respiratory „	5·11	5·56	4·70	8159	4199	3960	1788	945	345	209	153	3440	221	55	78	101	273	467	744	1215	1131	434
Diseases of Digestive „	1·33	1·47	1·21	2126	1110	1016	536	190	38	18	18	800	49	46	47	42	106	166	254	315	239	62
Diseases of Urinary „	0·37	0·44	0·30	589	335	254	7	15	10	17	8	57	34	8	16	29	48	56	98	106	93	44
Diseases of Generative „	0·06	0·01	0·10	89	5	84	1	–	1	–	–	2	–	1	–	7	21	15	15	19	4	5
Puerperal Fever	0·12	–	0·22	189	–	189	–	–	–	–	–	–	–	–	4	56	76	50	3	–	–	–
Childbirth	0·08	–	0·16	132	–	132	–	–	–	–	–	–	–	–	4	20	54	53	1	–	–	–
Violence	0·62	0·94	0·34	994	706	288	70	28	27	17	14	156	82	41	51	52	101	128	143	127	70	43
Other Causes	4·14	4·42	3·89	6627	3338	3289	3013	210	65	32	26	3346	78	72	85	67	127	185	233	400	891	1143

Marriages – – – 12,654

Births – {Males – 26,514 / Females – 25,789} 52,303

Annual Rate per 1000 living {Persons Married 15·84 / Births – – 32·73}

Deaths from Childbirth and Puerperal Fever – – – – – 6·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

469.—OLDHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 25·40	†169	-	-	-	-	76·35	7·47	3·81	5·65	6·75	9·34	13·74	22·70	43·74	93·47	190·67
Annual Death-Rate per 1000. Males	—	In Standard Population* 27·30	†187	-	-	-	-	84·16	8·09	3·69	5·79	7·49	9·60	15·93	26·15	48·39	100·17	198·59
Annual Death-Rate per 1000. Females	—	In Standard Population* 23·59	†150	-	-	-	-	68·78	6·86	3·92	5·51	6·02	9·10	11·73	19·69	39·21	86·96	185·80
Mean Population, 1881–91. Persons	Increased Increase of Population 19·41 per cent.	184,807	4288	4559	4705	4674	4495	23421	21249	20156	19020	17845	15884	22482	15935	9625	4216	1017
Mean Population, 1881–91. Males	Increased Increase of Population 19·41 per cent.	89,982	2189	2340	2396	2376	2322	11623	10421	9862	9157	8337	7411	10800	7440	4650	1893	427
Mean Population, 1881–91. Females	Increased Increase of Population 19·41 per cent.	94,825	2099	2219	2309	2298	2173	11798	10878	10294	9863	9508	7473	11682	8495	4975	2323	590
Deaths in Three Years, 1888–90. Persons	22·78	42,109	1053	1090	1542	998	713	17881	1591	767	1075	1295	2584	3090	3015	2010	3049	1933
Annual Mean Number, 1888–90. Males	24·67	21,870	586	2128	823	487	364	9858	853	364	522	592	1789	1720	1368	2105	1802	848
Annual Mean Number, 1888–90. Females	21·04	20,221	4642	1862	719	511	349	8183	737	403	553	618	1395	1370	1677	2105	2080	1085

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Scarlet Fever	0·02	0·03	0·01	31	23	8	3	2	-	1	3	9	2	1	-	2	11	4	-	-	2	-
Measles	0·67	0·72	0·62	1280	695	595	312	517	155	111	63	1158	70	1	1	-	-	-	-	-	-	-
Scarlet Fever	0·46	0·47	0·45	849	421	428	48	123	142	148	109	565	230	36	6	1	5	-	-	-	-	-
Diphtheria	0·16	0·17	0·13	276	147	129	19	43	36	42	30	170	78	7	5	1	7	5	2	1	-	-
Whooping-cough	0·54	0·51	0·57	1004	453	551	418	309	144	58	38	967	36	-	1	-	-	-	-	-	-	-
Typhus	0·01	0·01	0·00	11	8	3	-	-	-	-	-	-	1	1	1	2	2	3	-	1	-	1
Enteric Fever	0·21	0·23	0·20	391	202	189	5	13	13	13	7	51	46	43	51	45	72	45	28	9	1	-
Simple Continued Fever	0·02	0·02	0·02	31	16	15	2	3	6	1	3	14	7	4	2	2	-	-	2	-	-	-
Diarrhœa and Dysentery	0·62	0·68	0·56	1145	602	543	704	191	31	4	9	939	13	3	5	4	22	19	26	87	49	28
Cholera	0·03	0·03	0·03	58	27	31	13	6	1	-	-	25	6	3	1	-	3	4	6	5	5	-
Cancer	0·46	0·26	0·64	851	231	620	-	1	1	-	1	3	1	1	2	7	36	110	209	275	158	49
Tabes Mesenterica	0·33	0·36	0·30	608	322	286	282	154	43	22	11	512	28	15	16	4	9	8	10	3	3	-
Phthisis	2·21	2·36	1·89	4086	2266	1820	67	69	22	26	20	204	92	152	445	519	1060	333	535	241	55	11
Other Tub. & Scrof. Dis.	0·51	0·58	0·44	940	517	423	311	202	78	50	34	675	105	55	51	26	20	16	6	5	1	-
Diseases of Nervous System	3·35	3·72	3·00	6188	3350	2838	2389	579	247	130	90	3435	230	87	40	62	142	248	338	639	623	232
Diseases of Circulatory	1·66	1·56	1·75	3064	1382	1682	10	7	3	1	6	26	50	83	95	78	241	379	538	764	673	169
Diseases of Respiratory	5·26	6·33	4·34	10267	5612	4655	2349	1273	451	281	203	4557	325	71	87	154	492	664	986	1428	1276	440
Diseases of Digestive	1·33	1·48	1·25	2565	1264	1301	623	298	39	19	20	999	74	51	60	51	157	157	309	392	249	65
Diseases of Urinary	0·44	0·52	0·37	813	461	352	13	26	20	14	16	89	34	13	23	36	82	107	145	195	99	45
Diseases of Generative	0·05	0·01	0·10	100	7	93	-	1	1	-	-	2	-	-	1	5	20	21	26	18	6	1
Puerperal Fever	0·14	-	0·28	267	-	267	-	-	-	-	-	-	-	-	7	63	129	65	3	-	-	-
Childbirth	0·09	-	0·17	163	-	163	-	-	-	-	-	-	-	-	7	21	75	58	2	-	-	-
Violence	0·20	0·37	0·03	1092	767	265	59	38	33	42	23	195	56	45	50	47	127	128	146	130	75	33
Other Causes	3·86	3·60	3·14	6242	3216	3016	2011	235	77	35	28	3286	94	93	10	95	242	216	290	355	673	889

Marriages	14,795	Annual Rate per 1000 living	Persons Married	15·94
Births — Males	31,582		Births	33·83
Births — Females	30,913			
	62,495		Deaths from Childbirth and Puerperal Fever	6·88 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

470.—ROCHDALE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 21·77	†145	–	–	–	–	58·92	5·83	3·55	5·32	6·56	7·58	11·81	20·01	42·43	86·34	181·75
Males	—	Standard 23·59	†163	–	–	–	–	65·28	6·09	3·21	5·31	6·58	7·36	14·23	24·10	48·01	96·86	201·17
Females	—	Population* 20·06	†127	–	–	–	–	52·73	5·58	3·87	5·33	6·54	7·77	9·79	16·60	37·96	78·31	169·13
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·59 per cent.	122,883	2864	2619	2808	2737	2786	13814	13496	13166	12743	11785	19567	15271	11374	7413	3383	871
Males		57,703	1403	1318	1382	1358	1351	6812	6681	6504	6159	5376	8946	6957	5165	3295	1465	343
Females		65,180	1461	1301	1426	1379	1435	7002	6815	6662	6584	6409	10621	8314	6209	4118	1918	528
Deaths from All Causes, 1881–90. Persons	19·58	24,056	4847	1822	664	467	339	8139	787	467	678	773	1483	1804	2276	3145	2921	1583
Males	21·36	12,328	2756	959	338	217	177	4447	407	209	327	354	658	990	1245	1582	1419	690
Females	17·99	11,728	2091	863	326	250	162	3692	380	258	351	419	825	814	1031	1563	1502	893

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·10	0·10	0·09	119	60	59	14	1	2	3	2	22	7	10	12	19	31	11	6	1	–	–
Measles	0·31	0·33	0·29	377	191	186	105	152	53	22	20	352	24	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·25	0·27	0·24	312	153	159	14	45	44	60	36	199	93	13	2	–	5	–	–	–	–	–
Diphtheria	0·08	0·08	0·08	94	45	49	5	13	23	8	12	61	22	2	2	2	1	1	–	3	–	–
Whooping-cough	0·39	0·37	0·41	482	213	269	214	143	46	38	23	464	18	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	14	8	6	–	–	–	1	–	1	–	3	1	1	3	1	2	2	–	–
Enteric Fever	0·22	0·26	0·19	274	148	126	1	4	1	3	7	16	31	23	38	44	46	42	20	8	6	–
Simple Continued Fever	0·03	0·03	0·04	41	17	24	4	1	2	4	–	11	7	6	3	2	3	1	3	3	1	1
Diarrhœa and Dysentery	0·44	0·51	0·38	544	294	250	294	86	16	6	1	403	7	1	2	5	4	4	7	29	51	31
Cholera	0·02	0·01	0·02	20	8	12	3	1	2	1	1	8	2	–	–	–	1	–	6	1	2	–
Cancer	0·51	0·33	0·66	622	189	433	–	–	2	1	1	4	1	–	2	–	18	72	142	227	134	22
Tabes Mesenterica	0·24	0·24	0·23	294	141	153	114	72	25	8	9	228	15	17	10	7	9	4	2	1	–	1
Phthisis	1·95	2·15	1·77	2393	1242	1151	16	20	9	6	10	61	45	89	262	306	547	462	349	225	43	4
Other Tub. & Scrof. Dis.	0·51	0·61	0·41	624	354	270	193	143	56	32	25	449	58	32	29	14	12	11	7	7	5	–
Diseases of Nervous System	2·99	3·37	2·66	3681	1947	1734	992	235	109	77	40	1453	129	64	56	53	114	148	309	528	575	252
Diseases of Circulatory „	1·99	1·92	2·05	2442	1107	1335	11	6	4	4	4	29	23	60	66	67	121	273	406	611	594	192
Diseases of Respiratory „	4·28	4·87	3·75	5256	2810	2446	1154	633	191	141	99	2218	169	25	42	56	156	288	474	782	705	341
Diseases of Digestive „	1·27	1·42	1·13	1556	820	736	315	148	23	15	13	514	33	35	32	32	64	123	200	256	214	53
Diseases of Urinary „	0·41	0·52	0·31	503	302	201	8	9	7	10	7	41	16	10	19	17	53	73	74	96	73	31
Diseases of Generative	0·05	0·02	0·09	68	11	57	2	–	–	–	–	2	–	–	2	3	9	14	15	9	14	–
Puerperal Fever	0·11	–	0·21	138	–	138	–	–	–	–	–	–	–	–	3	27	82	25	1	–	–	–
Childbirth	0·07	–	0·13	82	–	82	–	–	–	–	–	–	–	–	3	14	41	22	2	–	–	–
Violence	0·58	0·89	0·30	709	516	193	27	26	24	12	15	104	42	25	42	35	69	107	92	100	53	40
OTHER CAUSES	2·77	3·05	2·54	3411	1752	1659	1361	84	25	15	14	1499	45	52	50	69	94	121	159	256	451	615

Marriages - - 9,097

Births - {Males - 16,893 / Females - 16,469} 33,362

Annual Rate per 1000 living {Persons Married 14·81 / Births - - 27·15

Deaths from Childbirth and Puerperal Fever - - - - - 6·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

471.—HASLINGDEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	Persons	—	In Standard Population*	21·58	†153	–	–	–	–	62·64	5·68	3·11	4·51	5·30	7·16	10·79	18·54	40·44	84·95	190·16
	Males	—		22·35	†171	–	–	–	–	67·87	5·48	2·91	4·21	5·18	6·75	10·38	20·43	42·70	95·42	146·74
	Females	—		20·86	†136	–	–	–	–	57·50	5·87	3·30	4·79	5·40	7·59	10·62	16·89	38·42	78·20	185·54
Mean Population, 1881-91.	Persons	Decennial Increase of Population 8·52 per cent.		52,350	2648	2478	2487	2474	2464	12491	11372	10741	10289	9665	8826	11892	8508	5461	3469	696
	Males			47,163	1315	1237	1266	1248	1182	6188	5545	5293	4949	4426	3875	5356	3744	2573	1649	281
	Females			52,184	1333	1241	1221	1226	1282	6303	5827	5500	5339	5239	4951	6536	4764	2888	1820	415
Deaths from All Causes.	Persons	19·44		19,370	4750	1716	651	414	293	7824	645	334	464	542	1123	1283	1577	2237	2124	1190
	Males	20·50		9,670	2642	905	341	188	154	4230	305	152	208	243	448	611	807	1073	1056	550
	Females	18·47		9,700	2108	811	310	226	139	3594	342	182	256	279	675	672	771	1162	1087	640

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	0·65	0·70	0·62	650	328	322	162	271	106	49	27	615	34	1	–	–	–	–	–	–	–
Scarlet Fever	0·54	0·56	0·51	539	263	276	19	92	83	85	66	346	164	22	3	1	1	2	–	–	–
Diphtheria	0·08	0·09	0·07	79	43	36	5	22	10	8	10	55	17	4	1	1	–	–	1	–	–
Whooping-cough	0·47	0·46	0·48	467	215	252	218	158	57	13	10	456	11	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	5	3	2	–	1	–	–	–	1	–	–	–	–	–	3	–	–	1	–
Enteric Fever	0·26	0·27	0·25	260	129	131	2	2	5	5	7	21	20	32	28	28	50	35	23	15	4	4
Simple Continued Fever	0·01	0·00	0·02	13	2	11	–	2	2	1	1	6	–	–	–	–	2	–	–	3	2	–
Diarrhœa and Dysentery	0·75	0·78	0·73	745	366	379	483	87	12	7	6	595	8	1	1	–	7	6	10	27	53	37
Cholera	0·03	0·03	0·03	27	12	15	10	3	1	1	–	15	2	–	1	–	–	1	4	2	–	2
Cancer	0·44	0·29	0·56	433	139	294	–	–	–	–	–	–	–	–	2	3	16	53	135	138	85	21
Tabes Mesenterica	0·23	0·25	0·21	228	117	111	87	48	23	5	2	165	19	9	2	7	4	6	3	5	1	–
Phthisis	1·50	1·53	1·47	1491	722	769	14	23	9	1	3	50	23	43	181	244	392	267	263	102	42	4
Other Tub. & Scrof. Dis.	0·29	0·49	0·09	302	233	69	136	88	32	24	18	298	490	16	14	6	9	3	2	4	–	–
Diseases of Nervous System	2·78	3·00	2·58	2761	1415	1346	804	197	72	39	35	1147	82	51	33	32	74	111	216	395	481	190
Circulatory ,,	1·69	1·54	1·82	1678	728	950	10	1	1	1	2	14	16	34	37	83	101	171	260	494	407	192
Respiratory ,,	4·43	4·96	3·95	4401	2342	2059	1057	523	167	120	69	1936	114	24	45	53	150	253	520	615	578	393
Digestive ,,	1·23	1·31	1·16	1223	618	605	343	96	19	13	8	479	28	15	26	15	52	38	178	171	142	49
Urinary ,,	0·45	0·56	0·36	450	263	187	9	5	1	8	7	30	11	9	13	22	44	54	61	85	64	35
Generative ,,	0·06	0·00	0·11	57	2	55	–	2	–	–	–	2	–	1	2	3	5	15	12	12	4	1
Puerperal Fever	0·13	–	0·25	131		131	–	–	–	–	–	–	–		19	23	57	16	1	–	–	–
Childbirth	0·10	–	0·19	101		101	–	–	–	–	–	–	–		1	14	30	4	2	–	–	–
Violence	0·51	0·71	0·32	532	344	188	39	23	20	23	11	116	20	18	17	14	27	12	6	18	16	
Other Causes	2·70	2·96	2·45	2825	1395	1430	1352	72	22	11	5	1462	36	54	49	43	88	88	106	157	237	550

Marriages		8,240	Annual Rate per 1000 living	Persons Married	16·59	Deaths from Childbirth and Puerperal Fever 7·49 per 1000 Births.
Births	Males	15,489 / 30,978		Births	31·18	
	Females	15,489				

* See pages [illegible]

† The death-rates under one year of age are per 1000 Births.

472.—BURNLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000, Persons	—	In 23·65	†184	–	–	–	–	77·13	6·03	3·23	4·84	5·86	7·05	10·95	19·27	39·74	86·10	190·30
Annual Death-Rate per 1000, Males	—	Standard 25·18	†205	–	–	–	–	86·67	6·00	3·49	4·79	5·83	6·75	10·92	21·69	43·23	93·49	192·84
Annual Death-Rate per 1000, Females	—	Population* 22·20	†162	–	–	–	–	68·00	6·06	2·97	4·89	5·88	7·32	10·97	17·08	36·65	79·94	188·17
Mean Population, 1881-91, Persons	Decennial Increase of Population 39·67 per cent.	141,807	4124	3768	3790	3615	3587	18884	16851	15565	14604	13603	22937	16935	11452	6972	3179	825
Mean Population, 1881-91, Males		68,252	2028	1813	1816	1786	1792	9235	8251	7616	7034	6380	10976	8204	5455	3280	1444	377
Mean Population, 1881-91, Females		73,555	2096	1955	1974	1829	1795	9649	8600	7949	7570	7223	11961	8731	5997	3692	1735	448
Deaths from All Causes, 1881-90, Persons	21·40	30,342	9360	3010	1045	649	501	14565	1016	502	707	797	1616	1854	2207	2771	2737	1570
Deaths from All Causes, 1881-90, Males	23·13	15,789	5302	1583	528	336	255	8004	495	266	337	372	741	896	1183	1418	1350	727
Deaths from All Causes, 1881-90, Females	19·79	14,553	4058	1427	517	313	246	6561	521	236	370	425	875	958	1024	1353	1387	843

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·00	9	6	3	1	1	–	–	–	2	–	–	1	1	1	2	2	–	–	–
Measles	0·74	0·76	0·72	1049	521	528	284	429	160	72	51	996	48	5	–	–	–	–	–	–	–	–
Scarlet Fever	0·40	0·46	0·35	567	312	255	40	73	98	118	84	413	136	12	2	1	1	2	–	–	–	–
Diphtheria	0·10	0·09	0·10	140	63	77	13	20	19	21	20	93	35	3	4	–	1	–	1	2	–	1
Whooping-cough	0·40	0·36	0·44	570	247	323	249	184	70	36	17	556	14	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	20	12	8	–	–	–	–	1	1	3	1	4	3	4	3	1	–	–	–
Enteric Fever	0·30	0·32	0·28	423	218	205	–	4	6	10	8	28	43	47	77	56	79	41	31	12	8	1
Simple Continued Fever	0·06	0·06	0·06	79	38	41	13	7	8	6	2	36	17	4	7	1	3	5	3	2	1	–
Diarrhœa and Dysentery	1·11	1·23	0·99	1568	839	729	1134	211	38	14	6	1403	10	3	2	3	9	12	15	40	47	24
Cholera	0·04	0·04	0·04	57	29	28	26	7	4	2	2	41	4	–	1	2	1	1	–	3	4	–
Cancer	0·33	0·23	0·42	467	160	307	–	2	2	–	–	4	1	4	2	6	18	69	129	134	83	17
Tabes Mesenterica	0·39	0·43	0·34	546	293	253	261	133	40	21	8	463	19	12	14	9	7	9	4	6	3	–
Phthisis	1·49	1·52	1·46	2109	1037	1072	31	28	9	11	11	90	49	74	235	282	479	404	269	170	50	7
Other Tub. & Scrof. Dis.	0·33	0·37	0·30	471	253	218	148	98	37	28	21	332	51	21	17	11	20	5	10	3	1	–
Diseases of Nervous System	2·92	3·21	2·65	4143	2190	1953	1599	316	96	70	62	2143	126	58	64	52	99	165	290	457	472	217
Diseases of Circulatory	1·45	1·38	1·51	2051	943	1108	18	4	6	4	9	41	31	50	40	52	172	244	384	512	391	134
Diseases of Respiratory	5·13	5·84	4·48	7280	3984	3296	2056	1017	333	174	129	3709	207	49	61	88	229	391	561	815	823	347
Diseases of Digestive	1·56	1·68	1·45	2210	1146	1064	743	284	46	20	22	1115	65	37	52	48	92	118	187	231	204	61
Diseases of Urinary	0·35	0·44	0·27	501	299	202	13	7	10	3	10	43	28	15	18	18	47	59	75	86	85	27
Diseases of Generative	0·04	0·01	0·07	58	4	54	5	–	–	1	–	6	–	–	–	2	9	13	17	7	3	1
Puerperal Fever	0·12	–	0·24	177	–	177	–	–	–	–	–	–	–	–	3	46	78	44	1	–	–	–
Childbirth	0·09	–	0·16	121	–	121	–	–	–	–	–	–	–	–	4	21	55	40	1	–	–	–
Violence	0·55	0·84	0·28	777	570	207	46	33	32	20	23	154	78	53	34	38	98	91	85	78	52	21
Other Causes	3·48	3·83	3·17	4949	2625	2324	2680	152	31	18	15	2896	56	54	60	57	114	136	141	213	510	712

Marriages - - - 12,137

Births { Males - 25,863 / Females - 25,044 } 50,907

Annual Rate per 1000 living { Persons Married 17·12 / Births - - 35·90

Deaths from Childbirth and Puerperal Fever - - - - - } 5·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

473.—CLITHEROE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Deaths and Rates per 1000 living	Persons	In Registered Populations* 17·45	†119	–	–	–	–	44·15	4·23	2·15	4·07	5·27	6·35	10·77	16·15	30·73	74·20	138·59
	Males	17·83	†135	–	–	–	–	48·20	1·61	2·25	4·06	4·38	5·77	9·47	14·77	29·74	76·46	205·42
1881–90	Females	16·99	†103	–	–	–	–	39·47	5·82	2·02	4·11	6·09	6·86	11·93	17·35	31·53	73·05	166·57
Mean Annual Deaths 1881–90	Persons	Proportional Decrease of Population 1·21 per cent.	587	568	537	538	574	2804	2649	2610	2584	2144	3152	2681	2003	1830	969	576
	Males		304	285	256	249	290	1480	1366	1273	1274	1068	1625	1390	948	770	423	254
	Females		283	283	281	289	288	1424	1283	1337	1310	1116	1703	1291	1055	760	546	322
Deaths from Diarrhœa, Average of 10 Years 1881–90	Persons	17·78	782	247	94	59	46	1228	112	56	97	115	217	280	388	474	694	517
	Males	17·42	440	128	51	31	26	676	63	31	51	46	96	128	197	239	372	317
	Females	17·15	342	119	43	28	20	552	49	25	46	68	121	152	184	244	316	200

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·41	0·40	0·42	96	46	50	25	39	13	8	4	89	7	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·26	0·26	60	30	30	4	10	8	10	7	39	13	5	2	–	–	–	–	–
Diphtheria	0·04	0·03	0·05	10	3	7	1	–	–	–	3	4	5	–	1	–	–	–	–	–
Whooping-cough	0·29	0·24	0·34	67	39	28	22	21	5	3	3	64	3	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·13	0·13	0·07	31	25	6	–	–	–	–	–	–	2	4	4	3	7	5	3	3
Simple Continued Fever	0·03	0·00	0·04	7	2	5	1	1	–	–	1	3	–	–	1	–	1	–	–	2
Diarrhœa and Dysentery	0·40	0·40	0·38	93	49	44	52	11	1	–	–	64	1	–	–	1	1	1	2	4
Cholera	0·02	0·02	0·02	4	2	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	0·44	0·40	0·48	103	47	56	–	–	–	–	–	–	1	–	–	3	9	23	35	37
Acute Miscellaneous	0·17	0·17	0·16	39	20	19	13	6	4	1	–	29	2	1	2	–	3	–	1	1
Heart Disease	1·36	1·16	1·55	317	135	182	3	–	–	1	1	5	1	12	32	46	76	57	47	35
Chronic Lung & Scrof. Dis.	0·26	0·28	0·24	61	33	28	22	11	9	4	1	47	4	1	2	–	2	1	2	1
Nervous System	2·26	2·26	2·26	527	263	264	126	31	15	7	6	185	25	6	11	10	19	27	30	64
Kidneys	1·55	1·54	1·56	361	172	189	–	–	–	–	–	–	4	4	8	4	13	23	52	94
Digestive System	3·61	3·66	3·56	843	468	375	156	70	24	18	13	281	18	5	10	16	36	47	65	103
Respiratory	1·16	1·14	1·16	271	133	138	27	23	5	2	2	59	7	3	6	6	5	21	39	35
Urinary	0·37	0·34	0·41	85	48	37	2	1	2	2	–	7	5	–	–	1	4	9	9	19
Generative	0·05	0·00	0·09	11	3	8	1	–	–	–	–	1	–	–	1	–	–	1	3	4
Pregnancy, Fever	0·10	–	0·21	24	–	24	–	–	–	–	–	–	–	–	–	3	12	8	1	–
Childbirth	0·12	–	0·25	27	–	27	–	–	–	–	–	–	–	–	1	3	5	18	–	–
Violence	0·48	0·69	0·26	113	80	33	7	7	5	1	3	23	5	5	6	5	10	16	15	15
Other Causes	3·88	3·88	3·88	909	453	456	313	16	3	3	1	336	15	7	19	14	20	37	34	61

Marriages	1,363	Annual Rate per 1000 living	Persons Married	13·43	Deaths from Childbirth and Puerperal Fever	7·69 per 1000 Births.
Births Males	3,392		Births	28·41		
Females	3,253					
	6,645					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

474.—BLACKBURN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 24·78	†178	–	–	–	–	78·16	6·60	3·43	4·83	5·98	8·05	12·92	22·09	45·14	87·65	183·62
Annual Death-Rate per 1000. Males	—	In Standard Population* 26·40	†195	–	–	–	–	85·55	6·91	3·75	4·96	6·25	8·32	13·83	24·22	48·34	96·28	195·06
Annual Death-Rate per 1000. Females	—	In Standard Population* 23·25	†161	–	–	–	–	70·95	6·29	3·12	4·72	5·76	7·83	12·13	20·31	42·48	80·73	174·85
Mean Population, 1881-91. Persons	Decennial Increase of Population 16·45 per cent.	190,429	5461	4942	5054	4868	4691	25016	22603	21101	19930	18551	30248	22316	15750	9401	4347	1166
Mean Population, 1881-91. Males	Decennial Increase of Population 16·45 per cent.	89,982	2705	2433	2505	2395	2318	12356	11215	10343	9357	8432	13984	10402	7177	4276	1934	506
Mean Population, 1881-91. Females	Decennial Increase of Population 16·45 per cent.	100,447	2756	2509	2549	2473	2373	12660	11388	10758	10573	10119	16264	11914	8573	5125	2413	660
Deaths from All Causes, 1881–90. Persons	22·49	42,835	11942	4353	1527	1026	705	19553	1491	724	963	1110	2436	2884	3479	4244	3810	2141
Deaths from All Causes, 1881–90. Males	24·43	21,981	6630	2296	780	492	373	10571	775	388	464	527	1163	1439	1738	2067	1862	987
Deaths from All Causes, 1881–90. Females	20·76	20,854	5312	2057	747	534	332	8982	716	336	499	583	1273	1445	1741	2177	1948	1154

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·03	0·01	37	24	13	6	1	–	–	–	7	1	1	1	2	17	8	–	–	–	–
Measles	0·78	0·87	0·70	1485	781	704	355	662	213	116	68	1414	69	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·64	0·68	0·61	1227	610	617	79	228	208	203	153	871	284	51	5	4	11	–	1	–	–	–
Diphtheria	0·04	0·04	0·03	72	37	35	4	6	10	9	8	37	20	5	3	1	–	3	2	–	1	–
Whooping-cough	0·50	0·44	0·55	953	400	553	424	286	111	72	32	925	28	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	20	12	8	–	–	1	–	–	1	1	4	5	2	2	3	–	1	1	–
Enteric Fever	0·37	0·40	0·34	699	356	343	3	7	9	16	26	61	88	94	101	96	136	60	40	17	5	1
Simple Continued Fever	0·03	0·02	0·03	50	22	28	3	1	2	6	6	18	15	1	3	1	5	–	2	1	3	1
Diarrhœa and Dysentery	1·05	1·15	0·96	1997	1032	965	1249	327	47	13	9	1645	23	3	2	8	17	23	31	61	116	68
Cholera	0·01	0·02	0·01	28	19	9	6	2	–	–	–	8	3	–	2	–	5	2	5	1	1	1
Cancer	0·38	0·25	0·49	722	226	496	1	–	2	1	–	4	3	1	1	8	29	115	216	203	113	29
Tabes Mesenterica	0·51	0·55	0·47	969	498	471	538	245	59	27	13	882	31	16	11	4	9	5	3	5	3	–
Phthisis	1·57	1·72	1·43	2987	1548	1439	38	58	19	13	6	134	71	91	294	408	761	615	368	195	48	2
Other Tub. & Scrof. Dis.	0·37	0·46	0·28	700	416	284	232	171	65	36	28	532	62	33	16	22	19	8	7	1	–	–
Diseases of Nervous System	3·20	3·60	2·83	6083	3242	2841	2260	471	188	120	81	3120	182	79	78	52	153	252	457	679	733	398
Diseases of Circulatory „	1·35	1·29	1·40	2567	1161	1406	9	4	3	5	2	23	47	84	82	86	198	352	468	596	477	154
Diseases of Respiratory „	5·78	6·48	5·15	11003	5830	5173	2490	1343	449	290	203	4775	314	68	132	147	429	698	1073	1532	1307	528
Diseases of Digestive „	1·46	1·54	1·39	2785	1390	1395	816	318	45	17	21	1217	67	44	50	59	146	198	306	386	244	68
Diseases of Urinary „	0·36	0·45	0·28	692	407	285	17	20	8	11	7	63	32	18	29	22	79	81	104	114	116	34
Diseases of Generative „	0·04	0·00	0·06	67	3	64	–	–	–	–	–	–	–	1	3	3	10	16	21	9	4	–
Puerperal Fever	0·09	–	0·17	172	–	172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·10	–	0·19	192	–	192	–	–	–	–	–	–	–	–	7	25	78	81	1	–	–	–
Violence	0·56	0·83	0·32	1066	749	317	67	42	43	44	21	217	67	57	46	52	115	124	139	139	79	31
OTHER CAUSES	3·27	3·60	3·05	6262	3218	3044	3345	161	45	27	21	3599	83	72	81	68	146	190	234	304	559	926

Marriages - - - 15,735

Births - { Males - 33,927 / Females - 33,062 } 66,989

Annual Rate per 1000 living { Persons Married 16·53 / Births - - 35·18

Deaths from Childbirth and Puerperal Fever - - - - - 5·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Deaths.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 20·22	†152	–	–	–	–	58·35	4·76	3·14	4·03	5·90	7·89	11·00	17·56	35·73	76·53	177·16
Annual Death-Rate per 1000. Males	—	Standard 21·23	†171	–	–	–	–	65·60	5·04	3·40	4·32	4·88	7·10	10·84	19·94	37·01	79·32	192·55
Annual Death-Rate per 1000. Females	—	Population* 19·25	†132	–	–	–	–	51·34	4·49	2·88	3·77	6·80	8·89	11·14	15·44	34·62	73·99	162·50
Mean Population, 1881-91. Persons	Decennial Increase of Population 15·35 per cent.	51,394	1466	1360	1406	1348	1321	6901	6381	5830	5355	4764	7502	5647	4010	2824	1609	578
Mean Population, 1881-91. Males		24,671	716	622	691	638	658	3325	3155	2849	2572	2234	3534	2684	1886	1316	764	282
Mean Population, 1881-91. Females		26,723	750	668	715	710	663	3576	3226	2981	2783	2530	3968	2963	2124	1508	838	296
Deaths from All Causes, 1881-90. Persons	19·82	10,187	2040	765	297	176	149	4027	304	183	216	281	592	621	704	1009	1926	1024
Deaths from All Causes, 1881-90. Males	21·31	5,257	1511	387	165	85	79	2227	159	97	111	109	251	291	376	467	696	543
Deaths from All Causes, 1881-90. Females	18·45	4,930	1129	378	132	91	70	1800	145	86	105	172	341	330	328	522	620	481

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Measles	0·31	0·34	0·28	158	83	75	44	63	19	12	4	142	13	2	–	1	–	–	–	–
Scarlet Fever	0·29	0·35	0·23	148	86	62	10	29	24	20	23	106	35	4	1	1	–	1	–	–
Diphtheria	0·06	0·05	0·06	28	13	15	2	6	2	4	5	19	8	–	–	–	1	–	–	–
Whooping-cough	0·27	0·28	0·27	141	69	72	69	43	19	3	3	137	4	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Enteric Fever	0·30	0·36	0·24	154	90	64	–	4	6	6	3	19	15	13	23	16	23	21	7	9	8	1
Simple Continued Fever	0·01	0·02	0·01	7	4	3	1	–	1	1	1	4	1	–	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·56	0·55	0·57	288	136	152	171	40	3	5	2	221	3	2	–	1	2	3	3	11	20	20
Cholera	0·01	0·01	0·01	5	3	2	–	–	–	–	–	–	1	1	–	–	–	1	–	2	–	–
Cancer	0·48	0·33	0·61	245	82	163	–	–	–	–	–	–	–	–	1	–	5	23	46	77	70	23
Tabes Mesenterica	0·41	0·52	0·31	213	129	84	126	44	13	4	4	191	6	9	2	3	1	2	–	–	–	–
Phthisis	1·55	1·43	1·65	794	352	442	13	11	5	1	–	30	14	31	78	113	215	138	89	61	22	3
Other Tub. & Scrof. Dis.	0·60	0·68	0·53	309	169	140	123	67	32	10	6	238	24	11	8	10	7	3	3	2	2	1
Diseases of Nervous System	2·39	2·65	2·15	1227	653	574	412	73	28	16	14	543	30	17	15	17	31	35	64	155	199	121
Diseases of Circulatory ,,	1·55	1·49	1·59	794	368	426	2	1	–	1	–	4	12	22	16	15	54	77	115	173	198	108
Diseases of Respiratory ,,	4·70	5·14	4·30	2415	1267	1148	570	257	109	61	50	1056	64	15	21	27	82	120	168	296	357	219
Diseases of Digestive ,,	1·25	1·28	1·22	641	314	325	141	70	11	6	5	233	15	9	12	13	17	49	80	88	82	43
Diseases of Urinary ,,	0·49	0·55	0·24	198	136	62	3	1	4	4	5	17	8	6	2	3	9	19	21	34	60	19
Diseases of Generative ,,	0·05	0·00	0·09	24	1	23	–	–	–	–	–	–	–	–	–	1	5	3	9	3	1	2
Puerperal Fever	0·14	–	0·27	73	–	73	–	–	–	–	–	–	–	–	–	19	38	16	–	–	–	–
Childbirth	0·08	–	0·15	40	–	40	–	–	–	–	–	–	–	–	–	7	17	16	–	–	–	–
Violence	0·65	1·04	0·28	333	257	76	15	12	12	13	13	65	29	20	12	14	46	33	36	39	24	25
Other Causes	3·78	4·24	3·39	1948	1043	905	929	44	9	9	11	1002	22	21	25	23	35	61	61	78	182	430

Marriages - - 3,021

Births { Males - 8,850 / Females - 8,555 } 17,405

Annual Rate per 1000 living { Persons Married 14·09 / Births - - 33·87

Deaths from Childbirth and Puerperal Fever - - - - 6·49 per 1000 Births.

* See pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

476.—PRESTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 26·53 Standard 28·16 Population* 25·00	†203	–	–	–	–	86·40	6·05	3·29	4·94	6·87	10·58	16·50	24·40	43·48	83·15	179·00
Males	—		†223	–	–	–	–	94·96	6·39	3·23	5·05	6·88	10·81	18·48	26·99	45·90	87·69	183·39
Females	—		†182	–	–	–	–	78·05	5·71	3·35	4·83	6·87	10·40	14·88	22·31	41·50	79·61	175·37
Mean Population, 1881-91. Persons	Decennial Increase of Population 11·13 per cent.	136,350	3734	3370	3339	3334	3240	17017	15463	14659	14204	12967	20818	16050	12043	7909	3982	1238
Males		63,609	1867	1665	1622	1646	1607	8407	7670	7216	6789	5745	9382	7257	5364	3473	1746	560
Females		72,741	1867	1705	1717	1688	1633	8610	7793	7443	7415	7222	11436	8793	6679	4436	2236	678
Deaths from All Causes, 1881-90. Persons	25·28	34,464	9781	2743	1053	679	447	14703	935	482	701	891	2203	2649	2938	3435	3311	2216
Males	27·35	17,399	5481	1413	515	333	241	7983	490	233	343	395	1014	1341	1448	1594	1531	1027
Females	23·46	17,065	4300	1330	538	346	206	6720	445	249	358	496	1189	1308	1490	1841	1780	1189

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·04	0·06	0·03	60	37	23	8	2	–	–	1	11	1	1	2	5	13	20	4	3	–	–
Measles	0·67	0·71	0·63	909	450	459	226	353	135	85	55	854	52	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·40	0·44	0·36	540	277	263	33	94	109	89	75	400	109	13	5	3	8	2	–	–	–	–
Diphtheria	0·15	0·14	0·16	206	88	118	17	45	24	35	26	147	45	8	–	–	4	–	–	1	1	–
Whooping-cough	0·53	0·52	0·54	723	333	390	316	208	97	53	33	707	16	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	4	1	3	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
Enteric Fever	0·41	0·47	0·37	565	299	266	4	11	10	9	13	47	59	54	72	62	105	60	58	37	10	1
Simple Continued Fever	0·03	0·04	0·03	43	24	19	2	1	2	3	6	14	10	1	4	2	2	1	3	3	2	1
Diarrhœa and Dysentery	1·86	2·14	1·62	2534	1359	1175	1890	288	52	14	8	2252	10	2	5	2	19	13	30	43	91	67
Cholera	0·02	0·02	0·03	34	13	21	15	4	2	–	–	21	2	–	–	1	2	3	–	4	1	–
Cancer	0·56	0·37	0·73	766	237	529	1	2	–	1	1	5	1	1	2	2	26	84	202	218	167	58
Tabes Mesenterica	0·32	0·34	0·29	432	218	214	210	95	25	13	9	352	18	12	4	9	11	12	9	3	2	–
Phthisis	2·23	2·27	2·19	3040	1446	1594	24	27	15	7	11	84	47	71	234	380	817	678	415	232	73	9
Other Tub. & Scrof. Dis.	0·54	0·62	0·48	740	394	346	229	143	67	48	21	508	76	25	29	21	26	21	11	17	5	1
Diseases of Nervous System	3·30	3·72	2·94	4507	2367	2140	1491	230	91	61	41	1914	94	57	54	38	162	316	394	518	618	342
Circulatory „	1·82	1·77	1·86	2483	1128	1355	11	1	4	1	4	21	35	43	44	58	158	283	423	598	568	252
Respiratory „	5·60	6·26	5·03	7644	3983	3661	1739	820	298	175	103	3135	180	49	77	82	285	526	779	1003	987	541
Digestive „	1·40	1·50	1·31	1907	953	954	559	166	28	16	9	778	37	31	24	43	100	136	210	259	201	88
Urinary „	0·58	0·65	0·52	788	413	375	39	22	11	7	7	86	22	16	13	26	71	110	93	154	127	70
Generative „	0·06	0·01	0·10	81	7	74	1	–	–	–	–	1	–	1	6	7	13	14	15	14	9	1
Puerperal Fever	0·16	–	0·30	215	–	215	–	–	–	–	–	–	–	–	9	52	104	48	2	–	–	–
Childbirth	0·09	–	0·17	123	–	123	–	–	–	–	–	–	–	–	4	12	53	52	2	–	–	–
Violence	0·58	0·86	0·33	790	548	242	51	42	31	34	18	176	62	37	53	26	87	102	84	77	51	35
OTHER CAUSES	3·93	4·44	3·44	5330	2824	2506	2915	189	52	28	6	3190	58	57	59	59	136	168	204	251	398	750

Marriages – – 11,513

Births – { Males – 24,617 / Females – 23,589 } 48,206

Annual Rate per 1000 living { Persons Married 16·89 / Births – – 35·35

Deaths from Childbirth and Puerperal Fever – – – – – 7·01 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

477.—FYLDE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard Population*		19·98	†143	–	–	–	–	53·81	6·73	2·85	3·98	6·53	7·94	11·50	15·92	29·42	67·46	163·19
	Males			19·98	†157	–	–	–	–	52·03	6·77	2·85	4·16	6·59	8·39	11·20	16·71	32·95	72·70	175·00
	Females			17·94	†129	–	–	–	–	48·66	6·68	2·85	3·82	6·48	7·50	11·73	14·10	26·71	63·01	153·40
Mean Population 1881-90.	Persons	Decennial Increase of Population 37·76 per cent.		48,634	1256	1140	1149	1117	1088	5720	5440	5263	4970	4409	7317	5856	4388	3022	1684	585
	Males			22,404	605	565	570	557	542	2839	2717	2629	2355	1926	3288	2589	1891	1311	773	256
	Females			26,120	611	575	579	560	556	2881	2723	2634	2615	2483	4109	3247	2497	1711	911	309
Deaths from Accidents 1881-90.	Persons			8,047	2020	545	224	105	113	3078	366	150	198	288	581	671	668	889	1136	922
	Males			4,477	1138	281	126	74	57	1676	184	75	98	127	269	280	316	402	562	448
	Females			4,470	882	264	98	92	56	1402	182	75	100	161	312	391	352	457	574	474

	Persons	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·00	–	0·00	1	–	1
Measles	0·29	0·32	0·27	142	71	71
Scarlet Fever	0·27	0·31	0·24	133	70	63
Diphtheria	0·32	0·28	0·36	156	62	94
Whooping-cough	0·27	0·28	0·26	130	63	67
Typhus	0·01	0·01	0·01	6	3	3
Enteric Fever	0·25	0·25	0·25	123	57	66
Simple Continued Fever	0·04	0·06	0·03	20	13	7
Diarrhœa and Dysentery	0·56	0·65	0·48	274	149	125
Cholera	0·04	0·04	0·04	18	8	10
Cancer	0·50	0·38	0·61	243	85	158
Tabes Mesenterica	0·24	0·28	0·21	116	62	54
Phthisis	1·49	1·46	1·52	725	328	397
Other Tub. & Scrof. Dis.	0·31	0·37	0·26	153	84	69
Diseases of Nervous System	2·47	2·74	2·23	1199	616	583
Diseases of Circulatory	1·60	1·49	1·68	776	336	440
Diseases of Respiratory	3·35	3·58	3·16	1649	825	824
Diseases of Digestive	1·55	1·76	1·39	754	390	364
Diseases of Urinary	0·44	0·59	0·32	215	132	83
Diseases of Generative	0·06	–	0·11	30	–	30
Puerperal Fever	0·10	–	0·19	49	–	49
Childbirth	0·10	–	0·18	48	–	48
Violence	0·64	1·14	0·20	309	256	53
Other Causes	3·50	3·93	3·11	1697	886	811

Persons.																				
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
40	54	11	10	9	124	16	–	1	1	–	–	–	–	–	–	–	–	–	–	–
8	20	20	12	14	74	42	9	4	1	2	–	1	–	–	–	–	–	–	–	–
8	16	18	27	14	83	55	10	2	1	3	1	1	–	–	–	–	–	–	–	–
60	40	14	7	2	123	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–
1	1	1	2	1	6	18	10	18	19	19	17	7	4	5	2	–	–	–	–	–
3	4	4	2	2	15	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–
184	28	2	1	–	215	2	1	–	4	4	6	3	11	12	16	–	–	–	–	–
10	–	–	–	–	10	1	–	–	2	1	2	–	–	1	1	–	–	–	–	–
–	–	–	1	–	1	1	–	1	1	7	26	42	78	60	26	–	–	–	–	–
50	19	6	3	6	84	14	4	2	6	4	–	1	–	1	–	–	–	–	–	–
4	6	1	4	1	16	10	16	73	105	210	152	84	26	21	2	–	–	–	–	–
41	26	21	10	6	104	17	11	4	6	4	5	1	1	–	–	–	–	–	–	–
341	61	38	23	17	480	44	11	12	15	31	66	99	131	187	123	1	–	–	–	–
1	–	–	–	2	3	12	8	14	11	51	78	89	174	230	105	–	–	–	–	–
373	160	60	41	24	658	59	12	15	32	63	108	108	180	246	170	1	–	–	–	–
187	68	12	6	8	281	27	14	11	17	32	59	74	93	107	39	–	–	–	–	–
3	3	1	–	1	8	4	4	5	5	17	19	38	41	52	22	–	–	–	–	–
–	–	–	–	–	–	–	–	–	3	1	11	7	5	2	2	–	–	–	–	–
–	–	–	–	–	–	–	–	–	15	21	13	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	1	10	22	15	–	–	–	–	–	–	–	–	–
18	11	3	5	5	47	15	12	18	26	47	40	35	36	24	9	–	–	–	–	–
698	28	7	12	1	746	18	28	19	19	39	51	75	99	108	95	–	–	–	–	–

Marriages - - 3,891

Births - { Males - 7,228 / Females - 6,931 } 14,159

Annual Rate per 1000 living { Persons Married 14·77 / Births - - 29·13

Deaths from Childbirth and Puerperal Fever - - - - 6·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

478.—GARSTANG.

CAUSE OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—		4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·35	†102	–	–	–	–	35·34	4·31	2·87	3·67	5·29	6·86	8·28	10·41	24·84	53·42	151·27
Males	—	13·97	†119	–	–	–	–	39·81	3·94	2·49	2·75	4·18	5·70	8·47	8·97	26·67	49·47	148·80
Females	—	14·71	†84	–	–	–	–	31·01	4·68	3·32	4·82	6·53	8·04	8·07	11·91	22·79	58·09	154·05
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·72 per cent.	12,263	306	300	303	308	280	1497	1437	1394	1308	1040	1692	1293	1047	793	526	236
Males		6,371	161	145	152	142	136	736	711	762	727	550	859	661	535	420	285	125
Females		5,892	145	155	151	166	144	761	726	632	581	490	833	632	512	373	241	111
Deaths from All Causes, 1881-90. Persons	15·50	1,901	341	90	39	33	26	529	62	40	48	55	116	107	109	197	281	357
Males	15·30	975	199	45	17	20	12	293	28	19	20	23	49	56	48	112	141	186
Females	15·72	926	142	45	22	13	14	236	34	21	28	32	67	51	61	85	140	171

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·19	0·15	21	12	9	4	9	4	1	2	20	1	–	–	–	–	–
Scarlet Fever	0·22	0·13	0·32	27	8	19	3	3	1	7	1	15	10	2	–	–	–	–
Diphtheria	0·13	0·09	0·17	16	6	10	1	1	2	1	3	8	6	2	–	–	–	–
Whooping-cough	0·17	0·14	0·20	21	9	12	14	4	2	–	1	21	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·16	0·27	26	10	16	–	–	–	–	1	1	–	5	3	4	6	1
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	1	–	–	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·45	0·42	0·48	55	27	28	18	5	2	1	–	26	1	–	–	–	2	2
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·32	0·30	0·34	39	19	20	–	–	–	–	–	–	–	–	1	–	–	2
Tabes Mesenterica	0·15	0·17	0·14	19	11	8	8	3	1	1	–	13	1	3	1	–	–	1
Phthisis	0·81	0·63	1·00	99	40	59	–	–	–	–	–	–	2	6	14	14	24	26
Other Tub. & Scrof. Dis.	0·30	0·36	0·24	37	23	14	12	4	2	3	2	23	4	1	2	4	–	1
Diseases of Nervous System	2·03	1·95	2·12	249	124	125	51	9	6	4	3	73	8	4	4	4	8	9
Diseases of Circulatory „	1·72	1·55	1·90	211	99	112	1	–	–	–	–	1	1	3	3	4	5	7
Diseases of Respiratory „	3·11	3·30	2·90	381	210	171	82	38	12	11	8	151	17	4	3	4	17	21
Diseases of Digestive „	1·20	1·19	1·21	147	76	71	25	10	3	1	1	40	3	2	5	7	15	3
Diseases of Urinary „	0·38	0·49	0·25	46	31	15	1	–	–	1	–	2	–	–	–	–	6	2
Diseases of Generative „	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	–	2	2
Puerperal Fever	0·07	–	0·14	8	–	8	–	–	–	–	–	–	–	–	–	2	5	1
Childbirth	0·09	–	0·19	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4
Violence	0·53	0·77	0·27	65	49	16	6	3	1	2	2	14	1	1	7	2	10	10
OTHER CAUSES	3·36	3·44	3·29	414	220	194	115	1	2	–	2	120	7	6	5	7	13	15

OTHER CAUSES	3·36	3·44	3·29	414	220	194	115	1	2	–	2	120	7	6	5	7	13	15	17	17	40	167

Marriages 711

Births { Males 1,669 / Females 1,685 } 3,354

Annual Rate per 1000 living { Persons Married 11·60 / Births 27·35

Deaths from Childbirth and Puerperal Fever 5·66 per 1000 Births.

* *See* pages xxxvi–xxxviii,

† The death-rates under one year of age are per 1000 Births.

479.—LANCASTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons	In Standard Population*		21·39	†146	–	–	–	–	57·03	4·85	3·40	6·07	7·24	10·55	17·11	21·65	35·03	71·08	160·26
	Males			22·93	†161	–	–	–	–	61·22	5·07	3·65	6·59	8·38	11·35	19·05	24·02	39·97	78·18	165·32
	Females			19·94	†131	–	–	–	–	52·76	4·63	3·15	5·65	6·12	9·76	15·21	19·45	30·72	64·77	156·74
Mean Estimated Population 1881–90	Persons	Decennial Increase of Population 27·36 per cent.		46,431	1226	1096	1149	1123	1099	5693	5192	4978	4662	4419	7821	5374	3973	2807	1527	541
	Males			22,927	626	588	585	569	547	2915	2575	2495	2356	2196	3953	2666	1911	1316	718	222
	Females			23,504	600	508	564	554	543	2858	2569	2483	2456	2223	3867	2708	2062	1491	809	319
Deaths from All Causes 1881–90	Persons			9,785	2092	767	299	162	117	3437	249	169	283	320	772	949	860	984	1085	867
	Males			5,163	1179	356	102	84	58	1779	130	94	150	184	415	501	459	826	561	367
	Females			4,622	913	351	197	78	59	1598	119	75	133	136	357	448	401	458	524	500

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Measles	0·55	0·57	0·54	256	130	126	75	99	31	24	10	239	14	2	–	–	–	–	1	–	–	–
Scarlet Fever	0·21	0·17	0·24	96	40	56	7	20	8	19	12	66	24	3	2	–	–	1	–	–	–	–
Diphtheria	0·02	0·02	0·02	10	5	5	–	2	–	1	–	3	3	–	1	1	–	–	1	1	–	–
Whooping-cough	0·37	0·31	0·44	173	70	103	56	53	13	10	4	136	7	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·22	0·24	0·20	101	55	46	–	1	–	–	3	4	6	9	11	16	28	13	8	5	1	–
Simple Continued Fever	0·01	0·01	0·02	6	2	4	–	–	1	1	–	2	1	–	–	–	–	2	1	–	–	–
Diarrhœa and Dysentery	0·76	0·75	0·77	352	171	181	202	42	4	1	–	249	4	1	3	1	10	13	19	23	31	7
Cholera	0·02	0·01	0·02	7	2	5	1	2	–	–	–	3	–	–	–	–	–	–	1	2	–	1
Cancer	0·50	0·34	0·65	231	79	152	–	–	–	–	1	1	3	1	1	1	2	25	53	67	61	17
Tabes Mesenterica	0·24	0·26	0·22	111	59	52	45	27	9	3	3	87	6	7	6	–	3	2	1	–	–	–
Phthisis	2·24	2·23	2·25	1041	512	529	10	3	1	6	–	20	11	33	99	137	280	233	145	61	20	2
Other Tub. & Scrof. Dis.	0·53	0·59	0·48	247	135	112	78	46	11	2	11	148	27	17	17	7	10	7	8	5	1	–
1 Nervous System	3·71	4·44	2·99	1721	1018	703	373	105	25	23	18	544	35	26	26	40	123	239	191	186	155	126
2 Circulatory ,,	1·67	1·70	1·65	777	389	388	7	1	1	–	2	11	8	10	8	15	45	71	111	184	222	92
3 Respiratory ,,	4·01	4·39	3·63	1860	1007	853	405	217	81	47	39	789	41	19	27	35	96	118	135	200	252	156
4 Digestive ,,	1·16	1·18	1·14	539	271	268	100	45	7	3	6	161	15	12	26	8	26	15	64	80	62	46
5 Urinary ,,	0·48	0·60	0·36	221	137	84	3	5	2	4	–	14	4	2	5	5	23	34	33	30	35	13
6 Generative ,,	0·07	0·02	0·11	31	4	27	–	–	–	–	–	–	–	–	1	1	5	3	10	4	3	1
Puerperal Fever	0·07	–	0·14	34	–	34	–	–	–	–	–				1	7	21	5	–	–	–	–
Childbirth	0·09	–	0·17	41	–	41	–	–	–	–	–			–	1	7	21	12	–	–	–	–
Violence	0·59	0·96	0·23	276	221	55	13	10	7	10	7	47	14	16	19	22	39	25	32	33	19	11
Other Causes	3·54	3·73	3·38	1650	854	796	687	22	8	8	2	733	26	11	29	17	38	59	49	83	201	493

Marriages		3,416	Annual Rate per 1000 living	Persons Married	14·69
Births	Males	7,846		Births	30·84
	Females	6,972	Deaths from Childbirth and Puerperal Fever		5·25 per 1000 Births.

* See pages xxiii–xxxvi.

† The death-rates under one year of age are per 1000 Births.

480.—LUNESDALE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—			In Standard Population* 13·81			†107	–	–	–	–	35·22	4·03	2·66	2·61	4·82	5·14	7·14	11·46	22·20	55·03	160·61
Annual Death Rate per 1000. Males	—			In Standard Population* 13·75			†117	–	–	–	–	38·53	3·46	3·49	2·23	4·71	4·57	7·18	11·00	26·25	48·26	158·11
Annual Death Rate per 1000. Females	—			In Standard Population* 13·86			†96	–	–	–	–	31·93	4·62	1·84	3·04	4·94	5·68	7·11	11·92	17·84	62·05	163·79
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·01 per cent.			7,240			178	185	171	183	183	900	844	752	765	664	992	742	611	500	338	132
Mean Population, 1881-91. Males				3,654			89	92	83	91	94	449	433	372	403	340	481	362	309	259	172	74
Mean Population, 1881-91. Females				3,586			89	93	88	92	89	451	411	380	362	324	511	380	302	241	166	58
Deaths from All Causes, 1881-90. Persons	15·28			1,106			218	54	23	15	7	317	34	20	20	32	51	53	70	111	186	212
Deaths from All Causes, 1881-90. Males	15·76			576			121	29	12	5	6	173	15	13	9	16	22	26	34	68	83	117
Deaths from All Causes, 1881-90. Females	14·78			530			97	25	11	10	1	144	19	7	11	16	29	27	36	43	103	95
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·08	0·08	0·08	6	3	3	–	2	–	1	–	3	–	1	1	1	–	–	–	–	–	–
Scarlet Fever	0·06	0·08	0·03	4	3	1	–	–	1	1	–	2	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·18	0·16	0·20	13	6	7	–	–	4	1	1	6	5	1	–	–	–	–	1	–	–	–
Whooping-cough	0·19	0·22	0·17	14	8	6	8	4	2	–	–	14	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·12	0·11	0·14	9	4	5	–	–	–	1	–	1	1	–	1	2	–	1	3	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·14	0·22	13	5	8	7	1	–	–	–	8	–	–	–	–	–	–	1	1	1	2
Cholera	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·50	0·33	0·67	36	12	24	–	–	–	–	–	–	–	–	–	–	1	2	6	5	16	6
Tabes Mesenterica	0·15	0·14	0·17	11	5	6	5	–	1	–	–	6	1	–	–	1	1	1	–	1	–	–
Phthisis	1·22	1·18	1·25	88	43	45	2	1	–	–	–	3	–	3	11	11	24	17	5	9	4	1
Other Tub. & Scrof. Dis.	0·26	0·33	0·20	19	12	7	7	5	2	2	–	16	1	–	1	–	–	–	1	–	–	–
Diseases of Nervous System	1·98	2·30	1·65	143	84	59	42	13	2	–	2	59	6	8	1	2	2	6	5	14	16	24
Diseases of Circulatory ,,	1·53	1·48	1·59	111	54	57	–	–	–	–	–	–	2	–	1	2	3	4	16	25	38	20
Diseases of Respiratory ,,	2·64	2·82	2·45	191	103	88	44	22	5	8	2	81	10	1	2	1	9	5	11	15	38	18
Diseases of Digestive ,,	1·11	1·15	1·06	80	42	38	9	1	2	1	1	14	1	2	1	4	2	8	7	17	19	5
Diseases of Urinary ,,	0·22	0·25	0·20	16	9	7	–	–	–	–	–	–	1	–	–	–	–	–	1	3	8	3
Diseases of Generative ,,	0·04	–	0·08	3	–	3	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Puerperal Fever	0·06	–	0·11	4	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
Childbirth	0·06	–	0·11	4	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Violence	0·46	0·71	0·20	33	26	7	2	3	2	–	1	8	3	2	–	4	1	3	3	7	1	1
OTHER CAUSES	4·22	4·25	4·17	306	156	150	92	2	2	–	–	96	2	1	1	1	4	3	7	14	45	132

Marriages 451

Births { Males 1,034 / Females 1,006 } 2,040

Annual Rate per 1000 living { Persons Married 12·46 / Births 28·18

Deaths from Childbirth and Puerperal Fever 3·92 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

481.—ULVERSTONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	In Standard Population*		17·30	†118	–				44·89	4·69	3·21	5·17	6·80	7·90	10·30	15·37	28·37	60·70	165·95
	Males			17·79	†130	–				49·22	4·46	3·06	4·37	6·59	7·28	9·85	17·74	30·02	62·50	175·85
	Females			16·84	†106	–				40·75	4·94	3·36	6·03	7·02	8·50	10·76	12·99	25·23	59·06	157·67
Mean Population, 1885–91	Persons	Decennial Increase of Population 0·32 per cent.		43,751	1204	1201	1205	1215	1205	6030	5794	5079	3944	3515	6090	4863	3617	2513	1542	614
	Males			21,942	637	596	635	588	619	3075	2918	2582	2037	1776	3008	2457	1815	1229	736	288
	Females			21,809	627	605	570	627	625	3054	2876	2497	1907	1739	3082	2406	1802	1284	806	326
Deaths from all Causes, 1881–90	Persons	17·96		7,858	1787	523	322	139	103	2874	272	163	204	239	481	501	556	713	936	1019
	Males	18·54		4,067	1008	286	117	70	43	1524	130	79	89	117	219	243	322	380	460	505
	Females	17·38		3,791	779	237	205	69	60	1350	142	84	115	122	262	259	234	333	476	514

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·39	0·37	0·42	261	148	115	75	97	38	20	7	237	21	2	–	–	–	1	–	–	–	–
Scarlet Fever	0·12	0·10	0·15	54	24	33	3	2	11	10	4	37	10	5	–	1	1	–	–	–	–	–
Diphtheria	0·16	0·15	0·17	68	32	36	2	4	8	12	10	36	23	4	1	–	1	–	2	1	–	–
Whooping-cough	0·34	0·25	0·43	148	55	93	62	44	18	8	5	137	11	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Enteric Fever	0·35	0·35	0·35	144	72	72	–	2	3	1	1	7	13	19	20	11	30	18	15	8	3	2
Simple Continued Fever	0·02	0·02	0·02	10	5	5	–	–	1	–	1	2	3	1	1	–	–	1	–	1	–	1
Diarrhœa and Dysentery	0·54	0·54	0·55	238	118	120	160	36	3	2	1	202	1	2	–	–	2	3	3	5	9	11
Cholera	0·02	0·03	0·01	10	7	3	4	1	–	–	–	5	–	–	–	–	1	1	1	1	1	–
Cancer	0·45	0·31	0·59	195	67	128	–	–	–	–	–	–	2	–	–	1	5	24	33	60	48	22
Tumors Miscellaneous	0·19	0·21	0·17	86	45	38	41	14	3	1	1	60	6	2	4	2	2	5	2	–	–	–
Phthisis	1·75	1·85	1·65	674	297	377	8	5	6	3	1	23	17	22	78	85	180	113	91	44	21	–
Other Local Acute Dis.	0·34	0·41	0·27	149	90	59	54	20	6	5	4	89	16	11	5	10	5	2	5	4	2	–
Nervous System	2·28	2·27	2·28	986	498	488	261	51	30	16	15	373	45	21	12	15	28	44	55	105	156	142
Circulatory	1·56	1·55	1·58	686	339	347	2	–	1	1	–	4	6	9	17	12	25	52	72	139	187	199
Respiratory	3·47	3·42	3·53	1,505	904	601	404	170	71	51	37	733	47	14	11	17	57	72	96	144	203	211
Digestive	1·48	1·36	1·59	598	249	349	92	33	7	2	3	137	19	13	16	15	29	38	64	78	97	52
Urinary	0·75	0·41	0·99	196	97	99	3	–	3	2	3	10	6	1	1	7	10	21	25	23	29	13
Generative	0·04	0·01	0·07	18	2	16	1	1	–	–	–	2	–	2	–	–	3	2	4	4	3	–
Puerperal Fever	0·10		0·21	45		45	–	–	–	–	–	–	–	–	2	12	19	11	1	–	–	–
Childbirth	0·08		0·17	37		37	–	–	–	–	–	–	–	–	2	3	18	13	1	–	–	–
Violence	0·64	1·08	0·19	279	237	42	12	8	8	1	3	32	12	17	14	28	35	43	38	30	19	11
Other Causes	5·42	5·34	5·49	1454	795	659	603	28	6	4	7	648	14	18	19	20	30	38	47	67	159	394

Marriages	–	2,026	Annual Rate per 1000 living	Persons Married	15·33
Births	Males	7,748		Births	34·32
	Females	7,495			
		15,243		Deaths from Childbirth and Puerperal Fever	5·43 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

482.—BARROW-IN-FURNESS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·01	†137	–	–	–	–	55·14	5·05	3·64	5·26	4·95	6·46	11·31	15·54	33·57	69·88	157·06
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·13	†146	–	–	–	–	53·40	5·25	3·23	5·41	4·05	5·75	10·77	16·25	33·07	70·48	175·76
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·91	†127	–	–	–	–	51·86	4·84	4·03	5·10	6·19	7·40	12·00	14·66	34·12	68·31	144·33
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·42 per cent.	49,485	1621	1452	1506	1436	1493	7508	6518	5473	4674	4893	8297	6019	3566	1698	676	163
Mean Population, 1881–91. Males	Decennial Increase of Population 9·42 per cent.	26,424	794	733	779	727	736	3769	3277	2722	2477	2841	4715	3370	1963	892	332	66
Mean Population, 1881–91. Females	Decennial Increase of Population 9·42 per cent.	23,061	827	719	727	709	757	3739	3241	2751	2197	2052	3582	2649	1603	806	344	97
Deaths from All Causes, 1881–90. Persons	16·62	8,222	2512	893	374	211	150	4140	329	199	246	242	536	681	554	570	469	256
Deaths from All Causes, 1881–90. Males	16·30	4,308	1372	457	198	102	72	2201	172	88	134	115	271	363	319	295	234	116
Deaths from All Causes, 1881–90. Females	16·97	3,914	1140	436	176	109	78	1939	157	111	112	127	265	318	235	275	235	140

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Measles	0·85	0·82	0·88	420	218	202	107	165	69	32	18	391	27	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·24	0·25	0·24	120	65	55	14	20	25	11	14	84	27	6	2	–	–	–	–	–	–	–
Diphtheria	0·12	0·12	0·13	61	32	29	4	10	10	11	7	42	12	2	2	–	–	1	–	–	–	–
Whooping-cough	0·45	0·39	0·52	223	102	121	96	69	21	20	9	215	8	–	–	–	–	–	2	1	–	–
Typhus	0·01	0·01	0·01	5	2	3	–	–	–	–	–	–	2	–	–	–	2	–	1	–	–	–
Enteric Fever	0·46	0·46	0·45	226	122	104	2	1	4	6	6	19	25	24	29	21	43	30	12	13	3	2
Simple Continued Fever	0·15	0·19	0·10	73	49	24	7	7	8	6	2	30	5	4	2	7	5	5	9	4	1	1
Diarrhœa and Dysentery	0·54	0·57	0·51	268	151	117	189	45	7	–	1	242	1	1	–	–	1	2	2	2	9	8
Cholera	0·01	0·01	0·01	5	3	2	2	1	–	–	1	4	–	–	–	–	–	1	–	–	–	–
Cancer	0·30	0·18	0·44	149	48	101	–	1	1	–	–	2	2	–	1	–	6	37	40	36	20	5
Tabes Mesenterica	0·30	0·29	0·30	146	76	70	68	47	8	4	1	128	5	1	2	1	5	1	1	2	–	–
Phthisis	1·22	1·06	1·40	602	280	322	7	11	3	3	1	25	20	26	88	85	148	122	63	20	5	–
Other Tub. & Scrof. Dis.	0·40	0·36	0·46	199	94	105	48	31	23	11	7	120	21	15	9	8	11	11	3	1	–	–
Diseases of Nervous System	2·22	2·25	2·19	1101	595	506	432	110	52	38	28	660	54	20	20	13	29	49	65	87	75	29
Diseases of Circulatory „	0·96	0·98	0·94	475	258	217	6	2	2	1	1	12	8	14	12	14	45	72	79	110	83	26
Diseases of Respiratory „	3·37	3·39	3·35	1669	896	773	538	244	99	44	32	957	43	25	15	20	72	121	125	130	113	48
Diseases of Digestive „	1·17	1·06	1·30	579	280	299	187	59	16	4	5	271	18	15	10	12	27	50	49	71	46	10
Diseases of Urinary „	0·30	0·31	0·29	150	83	67	5	8	1	1	4	19	8	4	6	4	15	28	17	27	18	4
Diseases of Generative „	0·02	–	0·04	10	–	10	–	–	–	–	–	–	–	–	1	2	–	6	–	1	–	–
Puerperal Fever	0·09	–	0·19	43	–	43	–	–	–	–	–	–	–	–	4	7	18	14	–	–	–	–
Childbirth	0·09	–	0·20	45	–	45	–	–	–	–	–	–	–	–	–	5	18	21	1	–	–	–
Violence	0·71	1·04	0·33	350	274	76	34	14	14	8	6	76	22	14	19	25	53	55	45	21	16	4
Other Causes	2·64	2·55	2·69	1301	678	623	766	48	11	11	7	843	21	28	23	17	32	54	39	45	80	119

Marriages 3,333

Births { Males 9,409 / Females 8,967 } 18,376

Annual Rate per 1000 living { Persons Married 13·47 / Births 37·13

Deaths from Childbirth and Puerperal Fever 4·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

483.—SEDBERGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons		—	In Standard Population*		14·40	†109	–	–	–	–	31·21	4·65	1·93	2·50	5·83	8·24	10·71	13·02	25·05	55·73	146·67
	Males		—			14·73	†120	–	–	–	–	34·31	4·26	1·54	2·75	9·38	5·33	11·30	12·65	29·48	62·30	147·37
	Females		—			14·08	478	–	–	–	–	28·02	5·07	2·40	2·16	3·31	10·90	10·05	13·37	22·97	49·15	145·83
Mean Population 1881–90.	Persons	Decennial Decrease of Population 0·96 per cent.		4,980			97	92	100	91	91	471	452	467	440	309	310	439	338	280	240	105
	Males			2,076			47	46	52	45	49	239	235	259	255	128	244	230	166	141	122	57
	Females			1,984			50	46	48	46	42	232	217	208	185	181	266	209	172	148	118	48
Deaths from All Causes 1881–90.	Persons	17·29		702			104	16	12	8	7	147	21	9	11	18	42	47	44	75	144	154
	Males	18·11		376			64	5	5	4	4	82	10	4	7	13	13	26	21	41	76	74
	Females	16·43		326			40	11	7	4	3	65	11	5	4	6	29	21	23	34	68	76

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·10	0·25	7	2	5	–	2	1	1	–	4	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	–	0·10	2	–	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·02	0·05	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	0·22	0·19	0·25	9	4	5	5	1	1	2	–	9	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·19	0·05	5	4	1	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–	1
Simple Continued Fever	0·02	–	0·05	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3
Diarrhœa and Dysentery	0·27	0·10	0·45	11	2	9	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cholera	0·05	0·10	–	2	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·72	0·55	26	15	11	–	–	–	–	–	–	–	–	–	–	–	2	2	9	10	3
Tabes Mesenterica	0·02	0·05	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Phthisis	1·35	1·35	1·31	54	28	26	1	–	–	–	–	1	1	2	3	6	17	13	5	4	1	1
Other Tub. & Scrof. Dis.	0·42	0·53	0·30	17	11	6	2	2	2	–	–	6	2	2	2	3	1	1	–	–	–	–
Diseases of Nervous System	2·64	2·75	2·59	107	57	50	19	–	4	–	2	25	3	1	2	1	1	4	7	12	9	2
Circulatory ,,	1·82	1·88	1·76	74	39	35	–	–	–	–	–	–	–	–	1	1	5	5	11	14	14	11
Respiratory ,,	2·91	3·04	2·77	118	63	55	15	5	3	3	3	29	2	1	1	1	2	7	5	17	25	13
Digestive ,,	1·16	0·92	1·41	47	19	28	3	3	1	–	–	9	1	–	–	–	1	4	7	5	8	2
Urinary ,,	0·30	0·53	0·05	12	11	1	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	1
Generative ,,	0·10	–	0·20	4	–	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Puerperal Fever	0·07	–	0·15	3	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Childbirth	0·10	–	0·20	4	–	4	–	–	–	–	–	–	–	–	1	1	–	2	1	2	1	2
Violence	0·54	0·43	0·65	14	9	5	1	–	–	1	–	2	–	–	–	1	1	1	3	1	2	2
Other Causes	4·52	5·18	3·81	183	108	75	53	2	–	1	2	58	2	2	–	3	4	1	4	9	24	7

Marriages		203	Annual Rate per 1000 living	Persons Married	13·10
Births	Males	532		Births	25·69
	Females	511	1,043		

Deaths from Childbirth and Puerperal Fever 6·71 per 1000 Births.

* See pages xxxv–xxxvi.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·23	†105	–	–	–	–	37·26	5·04	2·63	3·84	5·27	6·70	7·76	13·40	27·17	63·06	152·28
Annual Death-Rate per 1000. Males	—	Standard 15·00	†110	–	–	–	–	37·70	6·40	3·41	3·55	4·70	5·27	7·18	14·13	26·55	62·84	161·29
Annual Death-Rate per 1000. Females	—	Population* 15·44	†100	–	–	–	–	36·82	3·75	1·78	4·14	5·77	7·99	8·27	12·68	27·79	63·30	143·75
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·96 per cent.	13,935	363	350	355	348	339	1755	1608	1522	1431	1234	1969	1508	1119	909	628	252
Mean Population, 1881–91. Males		6,871	178	194	177	166	171	886	781	792	731	575	930	710	559	452	331	124
Mean Population, 1881–91. Females		7,064	185	156	178	182	168	869	827	730	700	659	1039	798	560	457	297	128
Deaths from All Causes, 1881–90. Persons	16·66	2,321	427	117	47	32	31	654	81	40	55	65	132	117	150	247	396	384
Deaths from All Causes, 1881–90. Males	17·04	1,171	226	57	24	12	15	334	50	27	26	27	49	51	79	120	208	200
Deaths from All Causes, 1881–90. Females	16·28	1,150	201	60	23	20	16	320	31	13	29	38	83	66	71	127	188	184

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·19	0·23	0·16	27	16	11	9	7	3	2	–	21	2	1	1	1	–	1	–	–	–	–
Scarlet Fever	0·12	0·17	0·07	17	12	5	2	1	3	1	3	10	4	3	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·12	0·17	20	8	12	2	4	–	3	2	11	8	1	–	–	–	–	–	–	–	–
Whooping-cough	0·17	0·15	0·18	23	10	13	11	7	3	1	–	22	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·19	0·17	0·20	26	12	14	–	–	2	–	1	3	2	1	2	5	4	5	1	2	1	–
Simple Continued Fever	0·02	0·03	0·01	3	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·11	0·09	0·13	15	6	9	4	–	1	–	–	5	–	1	–	–	–	–	2	3	1	3
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·62	0·54	0·69	86	37	49	–	–	–	–	–	–	–	–	–	–	1	3	6	19	40	17
Tabes Mesenterica	0·18	0·13	0·23	25	9	16	14	5	–	1	1	21	2	–	1	–	–	1	–	–	–	–
Phthisis	1·43	1·40	1·56	206	96	110	6	–	1	–	3	10	3	9	16	29	44	32	35	20	7	1
Other Tub. & Scrof. Dis.	0·57	0·65	0·48	79	45	34	24	16	12	2	2	56	9	5	–	1	4	2	–	1	1	–
Diseases of Nervous System	2·51	2·53	2·49	350	174	176	79	23	8	2	6	118	14	–	6	5	9	8	18	46	72	54
Diseases of Circulatory „	2·30	2·34	2·26	321	161	160	1	–	–	–	–	1	3	2	6	3	10	18	32	61	113	72
Diseases of Respiratory „	2·64	2·82	2·46	368	194	174	77	41	7	11	6	142	18	2	1	5	19	17	18	26	58	62
Diseases of Digestive „	0·93	1·08	0·78	129	74	55	24	4	2	3	–	33	3	5	4	3	10	2	9	21	26	13
Diseases of Urinary „	0·40	0·54	0·27	56	37	19	–	1	–	1	1	3	3	–	2	–	5	2	8	13	9	11
Diseases of Generative „	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Puerperal Fever	0·06	–	0·11	8	–	8	–	–	–	–	–	–	–	–	1	1	3	3	–	–	–	–
Childbirth	0·10	–	0·20	14	–	14	–	–	–	–	–	–	–	–	2	3	3	6	–	–	–	–
Violence	0·48	0·76	0·21	67	52	15	2	2	2	1	3	10	5	4	5	7	7	5	5	10	6	3
OTHER CAUSES	3·41	3·28	3·57	476	225	251	170	6	3	4	3	186	4	6	8	2	12	11	15	24	61	147

Marriages 880

Births { Males 2,052 / Females 2,002 } 4,054

Annual Rate per 1000 living { Persons Married 12·63 / Births 29·09

Deaths from Childbirth and Puerperal Fever 5·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

485.—SKIPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons	In Standard Population* 18·41	†126	–	–		–	48·29	4·92	3·13	5·94	5·61	6·97	11·07	15·97	31·31	89·86	182·42
	Males	In Standard Population* 18·63	†138	–	–		–	53·34	5·11	2·84	5·42	5·27	6·29	11·01	16·53	31·60	87·21	189·97
	Females	In Standard Population* 18·20	†114	–	–		–	43·31	4·73	3·38	6·41	5·91	7·56	11·15	15·47	31·03	87·56	179·71
Mean Population, 1881–90.	Persons	Decennial Increase of Population .4·91 per cent.	38,022					2987	3930	3980	3941	3924	4799	4288	4034	3824	3554	5786	4245	3243	2449	1370	656
	Males		18,945					479	478	499	471	459	2377	2031	1862	1826	1631	2764	1949	1393	1054	634	299
	Females		19,087					508	482	481	470	474	2415	2157	2502	1998	1925	3082	2269	1894	1251	699	297
Deaths from All Causes, 1881–90.	Persons		6395					1463	455	164	132	109	2344	211	126	227	200	463	470	518	764	971	791
	Males		3,557					818	241	87	68	54	1268	109	46	99	87	176	209	256	382	469	449
	Females		3,438					645	214	77	64	46	1046	102	80	128	113	287	248	262	382	472	372

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
Measles	0·32	0·33	0·31	122	61	61	24	45	20	13	8	110	8	2	–	1	–	–	1	–	–	–
Scarlet Fever	0·32	0·29	0·35	122	53	69	3	20	19	21	12	75	33	5	3	1	4	1	–	–	–	–
Diphtheria	0·06	0·07	0·05	18	12	6	2	3	2	1	4	12	3	1	–	–	–	–	–	2	–	–
Whooping-cough	0·17	0·17	0·16	63	32	31	37	13	4	4	2	60	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	3	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Enteric Fever	0·19	0·21	0·18	73	38	35	–	–	1	4	3	8	8	7	16	7	10	6	7	4	–	–
Simple Continued Fever	0·05	0·07	0·04	20	12	8	–	2	2	1	–	5	4	–	–	1	1	2	3	2	1	1
Diarrhœa and Dysentery	0·54	0·40	0·67	128	74	54	76	10	6	3	2	96	2	–	–	1	–	3	4	4	10	9
Cholera	0·04	0·06	0·03	17	11	6	5	7	–	1	–	13	–	1	2	–	–	–	–	–	1	–
Cancer	0·54	0·42	0·65	205	77	128	1	–	–	–	–	1	1	–	–	3	5	13	44	69	51	22
Tabes Mesenterica	0·39	0·35	0·43	110	64	46	62	21	5	3	1	92	–	6	6	–	2	–	1	2	1	–
Phthisis	1·83	1·74	1·92	697	320	377	4	5	4	–	–	13	13	29	112	93	157	124	81	48	19	8
Other Tub. & Scrof. Dis.	0·36	0·39	0·33	136	71	65	42	28	8	7	6	91	12	8	6	5	5	3	2	1	5	–
Diseases of: Nervous System	2·79	2·98	2·63	1062	544	518	344	57	25	20	17	461	35	16	16	4	29	46	62	118	153	122
Circulatory	1·82	1·63	1·95	749	350	383	6	1	1	–	1	9	8	11	17	15	34	62	87	179	212	85
Respiratory	3·97	4·83	3·06	1515	795	720	315	192	52	43	28	630	41	14	11	17	35	64	99	169	250	186
Digestive	1·68	1·18	0·89	642	216	176	67	21	5	3	4	98	13	7	9	8	22	26	33	49	88	37
Urinary	0·78	0·51	0·26	146	94	52	2	1	1	–	1	5	2	5	3	2	14	21	18	32	26	22
Generative	0·06	0·02	0·09	21	4	17	1	–	–	–	–	1	–	–	–	–	1	3	6	5	5	–
Puerperal Fever	0·09	–	0·18	35	–	35	–	–	–	–	–	–	–	–	–	2	12	14	7	–	–	–
Childbirth	0·08	–	0·15	29	–	29	–	–	–	–	–	–	–	–	–	3	5	13	7	1	–	–
Violence	0·47	0·72	0·23	178	132	46	6	8	9	4	9	36	14	1	6	9	18	21	25	23	19	9
Other Causes	3·62	3·34	3·89	1482	610	872	406	21	4	5	2	438	11	12	14	15	41	57	48	54	141	291

Marriages	–	2,794	Annual Rate per 1000 living	Persons Married	14·69
Births	Males	5,929		Births	30·43
	Females	5,843			
		11,872			

Deaths from Childbirth and Puerperal Fever – – – – – 5·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

486.—PATELEY BRIDGE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·86	†113	–	–	–	–	38·21	5·11	2·16	3·90	5·96	7·72	7·73	11·56	30·90	62·71	168·87
Males	—	15·60	†126	–	–	–	–	42·12	4·80	1·31	2·39	4·73	8·50	8·27	11·72	29·25	60·61	169·01
Females	—	16·10	†100	–	–	–	–	34·44	5·44	3·00	5·60	7·21	6·97	7·24	11·40	32·75	65·24	168·75
Mean Population, 1881–91. Persons	Decennial Decrease of Population 13·23 per cent.	8,353	206	212	229	198	215	1060	999	924	794	671	1153	867	770	602	362	151
Males		4,202	99	98	108	102	113	520	521	457	419	338	565	411	384	318	198	71
Females		4,151	107	114	121	96	102	540	478	467	375	333	588	456	386	284	164	80
Deaths from All Causes, 1881–90. Persons	17·48	1,460	267	69	32	21	16	405	51	20	31	40	89	67	89	186	227	255
Males	17·52	736	148	35	17	12	7	219	25	6	10	16	48	34	45	93	120	120
Females	17·44	724	119	34	15	9	9	186	26	14	21	24	41	33	44	93	107	135

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·13	0·12	0·14	11	5	6	3	4	–	1	–	8	3	–	–	–	–	–	–	–
Scarlet Fever	0·29	0·31	0·27	24	13	11	–	2	6	1	5	14	7	3	–	–	–	–	–	–
Diphtheria	0·11	0·07	0·14	9	3	6	–	1	–	–	1	2	3	2	1	1	–	–	–	–
Whooping-cough	0·13	0·12	0·14	11	5	6	6	–	1	2	1	10	1	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Enteric Fever	0·08	0·12	0·05	7	5	2	–	–	–	–	–	–	–	–	1	–	3	–	2	–	1	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·19	0·24	18	8	10	4	1	–	–	–	5	1	–	1	1	1	–	–	2	5	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·40	0·65	44	17	27	–	–	–	–	1	1	–	–	–	–	2	6	10	8	10	7
Tabes Mesenterica	0·18	0·19	0·17	15	8	7	4	–	1	1	1	7	2	1	–	1	4	–	–	–	–	–
Phthisis	1·48	1·57	1·40	124	66	58	–	1	–	–	–	1	4	4	10	20	33	19	21	11	1	–
Other Tub. & Scrof. Dis.	0·23	0·21	0·24	19	9	10	2	6	1	2	1	12	1	–	1	1	1	1	1	1	–	–
Diseases of Nervous System	2·60	2·48	2·72	217	104	113	67	13	4	8	1	93	5	–	2	1	3	6	6	23	40	38
Diseases of Circulatory „	1·86	1·62	2·10	155	68	87	–	–	–	–	–	–	–	3	2	3	8	6	14	44	54	21
Diseases of Respiratory „	3·42	3·69	3·16	286	155	131	66	24	14	3	4	111	10	2	2	4	4	15	16	29	51	42
Diseases of Digestive „	1·35	1·45	1·25	113	61	52	15	6	1	2	–	24	4	3	2	–	6	2	9	35	18	10
Diseases of Urinary „	0·31	0·40	0·22	26	17	9	–	–	–	–	–	–	1	–	1	–	9	–	–	4	7	4
Diseases of Generative „	0·06	–	0·12	5	–	5	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–
Puerperal Fever	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–
Childbirth	0·10	–	0·19	8	–	8	–	–	–	–	–	–	–	–	–	1	3	4	–	–	–	–
Violence	0·44	0·64	0·24	37	27	10	3	5	3	–	–	11	6	–	1	2	3	1	4	5	4	–
OTHER CAUSES	3·86	3·88	3·86	322	162	160	97	6	1	1	1	106	3	1	5	4	5	3	6	22	36	131

Marriages - - - 496

Births - {Males - 1,174 / Females - 1,190} 2,364

Annual Rate per 1000 living {Persons Married 11·88 / Births - - 28·30}

Deaths from Childbirth and Puerperal Fever - - - - - } 5·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

487.—RIPON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·80	†105	–	–	–	–	38·21	3·93	2·53	3·46	4·69	6·14	8·03	13·67	25·93	59·42	145·67
Annual Death-Rate per 1000. Males	—	Standard 14·71	†109	–	–	–	–	41·49	3·95	1·94	2·65	3·80	4·86	8·02	15·15	26·57	61·40	141·56
Annual Death-Rate per 1000. Females	—	Population* 14·89	†102	–	–	–	–	34·90	3·91	3·15	4·21	5·39	7·18	8·04	12·34	25·33	57·56	149·17
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·37 per cent.	16,252	405	373	388	385	370	1921	1858	1742	1647	1366	2189	1768	1463	1157	796	335
Mean Population, 1881–91. Males		7,782	194	190	205	193	182	964	911	878	791	695	988	885	693	557	386	154
Mean Population, 1881–91. Females		8,469	211	183	183	192	188	957	947	864	856	761	1211	933	770	600	410	181
Deaths from All Causes, 1881–90. Persons	16·67	2,710	492	134	47	38	23	734	73	44	57	64	135	142	200	300	473	488
Deaths from All Causes, 1881–90. Males	17·01	1,329	250	84	21	22	14	400	36	17	21	23	48	67	105	148	237	218
Deaths from All Causes, 1881–90. Females	16·37	1,380	243	50	26	16	9	334	37	27	36	41	87	75	95	152	236	270

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·18	0·11	23	14	9	4	9	1	3	2	19	2	–	–	–	1	–	1	–	–
Scarlet Fever	0·14	0·12	0·15	23	10	13	1	7	2	3	4	17	4	1	–	–	1	–	–	–	–
Diphtheria	0·07	0·09	0·05	11	7	4	1	3	2	1	1	8	3	–	–	–	–	–	–	–	–
Whooping-cough	0·23	0·27	0·19	37	21	16	18	11	1	2	1	33	3	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·28	0·36	0·20	45	20	25	–	2	–	1	–	3	3	2	6	7	8	6	5	4	1	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·24	0·14	31	19	12	16	2	–	1	–	19	1	–	–	–	–	–	1	1	7	2	–
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·54	0·45	0·61	87	35	52	–	–	–	–	–	–	–	–	1	–	2	5	22	23	20	6	–
Tabes Mesenterica	0·07	0·09	0·06	12	7	5	4	2	–	1	–	7	2	1	1	1	–	–	–	–	–	–	–
Phthisis	1·48	1·43	1·53	241	111	130	5	3	1	2	1	12	4	10	29	30	60	38	29	19	10	–	–
Other Tub. & Scrof. Dis.	0·23	0·23	0·24	38	18	20	7	9	3	2	3	24	7	4	–	–	2	–	–	–	1	–	–
Diseases of: Nervous System	2·97	3·12	2·84	423	242	241	176	24	10	6	5	221	11	4	2	2	6	16	25	32	80	55	7
Diseases of: Circulatory „	1·62	1·38	1·84	263	107	156	1	–	1	–	1	3	–	5	4	5	7	14	31	56	88	50	18
Diseases of: Respiratory „	2·88	3·22	2·57	468	250	218	86	36	14	7	4	147	14	4	2	4	11	15	26	62	105	75	25
Diseases of: Digestive „	0·99	1·19	0·81	161	92	69	24	15	–	2	–	41	5	1	2	3	8	11	15	21	30	24	4
Diseases of: Urinary „	0·40	0·48	0·33	65	37	28	1	–	–	–	–	1	1	1	2	1	6	7	11	14	13	5	–
Diseases of: Generative „	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	–	–	4	3	3	3	–	–
Puerperal Fever	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Childbirth	0·12	–	0·22	19	–	19	–	–	–	–	–	–	–	–	1	–	8	7	1	–	–	–	–
Violence	0·56	0·82	0·32	91	64	27	1	1	6	5	1	14	7	3	4	2	2	7	13	15	9	9	–
Other Causes	3·63	3·43	3·85	592	265	327	147	9	6	2	–	164	6	7	3	6	4	10	19	29	88	256	107

Marriages	1,103	Annual Rate per 1000 living	Persons Married 13·57
Births: Males	2,378		Births 25·79
Births: Females	2,286		
	4,664		

Deaths from Childbirth and Puerperal Fever 5·15 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·46	†107	–	–	–	–	37·34	5·31	2·28	3·61	6·13	6·78	9·54	8·92	21·30	53·60	151·67
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·30	†120	–	–	–	–	40·78	5·15	1·97	2·70	4·87	5·12	9·28	8·33	22·43	55·78	161·79
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·61	†93	–	–	–	–	33·90	5·47	2·60	4·60	7·30	8·34	9·79	9·46	20·10	51·49	143·15
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·91 per cent.	12,010	312	297	291	323	306	1529	1469	1313	1135	979	1564	1279	1031	845	597	269
Mean Population, 1881–91. Males	Decennial Increase of Population 0·91 per cent.	5,958	155	146	148	169	147	765	738	659	592	472	761	625	492	437	294	123
Mean Population, 1881–91. Females	Decennial Increase of Population 0·91 per cent.	6,052	157	151	143	154	159	764	731	654	543	507	803	6 54	539	408	303	146
Deaths from All Causes, 1881–90. Persons	16·72	2,008	385	104	34	22	26	571	78	30	41	60	106	122	92	180	320	408
Deaths from All Causes, 1881–90. Males	16·80	1,001	218	44	19	15	16	312	38	13	16	23	39	58	41	98	164	199
Deaths from All Causes, 1881–90. Females	16·64	1,007	167	60	15	7	10	259	40	17	25	37	67	64	51	82	156	209

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·21	0·27	0·15	25	16	9	8	9	1	2	1	21	4	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·18	0·12	18	11	7	–	1	2	2	1	6	8	3	1	–	–	–	–	–
Diphtheria	0·24	0·27	0·21	29	16	13	1	1	4	2	2	10	15	2	2	–	–	–	–	–
Whooping-cough	0·36	0·24	0·48	43	14	29	19	15	3	2	1	40	3	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·17	0·08	15	10	5	–	–	–	–	–	–	1	–	4	4	2	2	1	1
Simple Continued Fever	0·02	0·05	–	3	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·44	0·44	0·45	53	26	27	36	1	1	–	1	39	1	–	1	–	1	3	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·48	0·42	0·55	58	25	33	–	–	–	–	1	1	–	–	–	1	1	5	7	13
Tabes Mesenterica	0·28	0·30	0·26	34	18	16	15	6	–	1	2	24	4	4	1	–	1	–	–	–
Phthisis	1·42	1·07	1·75	170	64	106	–	1	1	–	–	2	5	6	14	31	44	38	17	10
Other Tub. & Scrof. Dis.	0·29	0·27	0·31	35	16	19	5	7	–	2	5	19	4	2	2	4	1	–	1	–
Diseases of Nervous System	2·18	2·28	2·08	262	136	126	65	9	6	4	1	85	7	6	4	3	10	10	9	27
Diseases of Circulatory „	2·12	2·18	2·07	255	130	125	1	–	–	–	–	1	7	–	1	2	5	12	18	40
Diseases of Respiratory „	2·60	2·94	2·26	312	175	137	61	34	10	5	5	115	5	–	4	2	10	15	10	35
Diseases of Digestive „	1·04	1·01	1·07	125	60	65	29	12	3	1	–	45	2	–	1	3	6	6	12	12
Diseases of Urinary „	0·34	0·40	0·28	41	24	17	–	1	1	–	1	3	2	2	–	3	1	3	3	9
Diseases of Generative „	0·05	0·02	0·08	6	1	5	–	–	–	–	–	–	–	–	–	–	3	–	–	1
Puerperal Fever	0·08	–	0·17	10	–	10	–	–	–	–	–	–	–	–	–	3	5	2	–	–
Childbirth	0·10	–	0·20	12	–	12	–	–	–	–	–	–	–	–	1	2	5	4	–	–
Violence	0·52	0·67	0·36	62	40	22	6	1	–	1	3	11	3	3	1	–	3	8	4	8
OTHER CAUSES	3·67	3·60	3·71	439	215	224	139	5	2	–	2	148	6	2	3	1	8	14	9	23

Marriages	593		Annual Rate per 1000 living	Persons Married	9·88
Births Males	1,812			Births	30·00
Births Females	1,791	3,603			
Deaths from Childbirth and Puerperal Fever			6·11 per 1000 Births.		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

189.—KNARESBOROUGH.

Cause of Death	Crude Death Rate per 1000	All Ages.	Under 1 Year.	1	2–	3 –	4 –	Total under 5 Years.	5 –	10–	15 –	20–	25 –	35–	45 –	55–	65–	75 and upwds.
Annual Death-rate per 1000.	Persons	In Standard Population*	†130	–	–	–	–	42·42	4·33	2·25	3·58	4·84	6·48	10·78	14·16	48·91	69·72	169·25
	Males		†147		–	–	–	46·62	3·94	2·43	3·35	5·38	7·16	11·98	17·15	48·49	73·40	186·14
	Females		†114		–	–	–	38·32	4·70	2·06	3·76	4·35	5·69	9·86	11·81	49·85	65·88	156·56
Mean Popn. 1881–91.	Persons	Decennial Increase of Population 19·98 per cent.	24,896															
	Males		11,250															
	Females		13,646															
Deaths in Ann. Returns, 1881–91.	Persons		4,211															
	Males		2,122															
	Females		2,089															

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	0·00	–	0·00	1	–	1	1	–	–				1	–	–	–	–	–	–
Measles	0·05	0·05	0·04	12	6	6	4	5	1	1	1		12	–	–	–	–	–	–
Scarlet Fever	0·22	0·20	0·23	55	23	32	2	11	7	10	8		38	10	4	1		–	–
Diphtheria	0·08	0·11	0·04	20	12	8	1		1	2	3		7		2	1	1	–	–
Whooping-cough	0·20	0·20	0·21	49	21	28	24	18	2	3	1		48	1	–			–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–		–	–	–	–	–	1	–
Enteric Fever	0·07	0·07	0·07	18	8	10	–	–	–	–	1		1	2	3	2	2	3	5
Simple Continued Fever	0·01	0·02	–	2	2	–			1				1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·31	0·37	0·26	78	42	36	40	4	–	–	1		54	2	1	–	–	–	–
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–		–	–	–	–	–	2	–
Cancer	0·59	0·72	0·47	150	59	91	–	–	–				1			3	3	23	18
Tabes Mesenterica	0·36	0·41	0·32	90	46	44	55	18	3	1	3		80	2	4	1	2	–	–
Premature	1·41	1·42	1·39	352	186	166	2		1		1		4		10	31	41	30	23
Other Uncl. & Ill-def. Dis.	0·35	0·39	0·27	81	44	37	19	13	6	6	3		47	1	5	1	7	3	4
Diseases of: Nervous System	2·49	2·77	2·26	620	312	308	138	29	10	4	6		187	17	10	11	11	19	26
Circulation	1·78	1·91	1·68	444	215	229	2		1				3		7	10	6	15	30
Respiration	2·93	3·35	2·50	729	374	355	140	68	22	12	16		258	22	2	4	7	20	40
Digestive	1·30	1·48	1·16	324	166	158	55	16	5	3	3		77	9	3	6	6	17	28
Urinary	0·49	0·59	0·42	123	79	44	1	1	2	1	1		6	5	2	1	4	7	13
Generative	0·09	0·01	0·17	22	1	21	–	–	–				–	–	–	–	1	5	8
Puerperal Fever	0·06	–	0·12	16	–	16	–		–				–	–	–	5	7	4	–
Convulsions	0·08	–	0·15	21	–	21									1		16	16	16
Violence	0·85	0·65	1·04	106	73	33	5	2	2		3		12	7	3	8	4	13	10
Other Causes	3·62	4·01	3·27	896	451	445	298	16	3		2		319	7	4	12	12	25	29

Marriages		1·81	Annual Rate per 1000 living	Persons Married	17·50	Deaths from Childbirth and Puerperal Fever		6·07 per 1000 Births.	
Births	Males	3·93		Births	24·49				
	Females	3·66							

* *See* pages xxxvi–xxxvii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·95	†107	–	–	–	–	35·92	3·66	2·79	4·95	6·01	7·04	7·60	12·58	25·97	60·08	155·89
Males	—	Standard 14·87	†121	–	–	–	–	38·34	4·05	2·46	4·56	5·07	5·89	8·43	13·34	27·00	61·83	151·27
Females	—	Population* 15·03	†93	–	–	–	–	33·63	3·27	3·20	5·32	6·86	8·06	6·87	11·90	24·96	58·46	160·12
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·43 per cent.	15,589	360	331	363	332	354	1740	1776	1900	1515	1297	2030	1644	1423	1159	774	331
Males		7,637	184	164	175	153	169	845	888	1055	745	612	950	771	667	574	372	158
Females		7,952	176	167	188	179	185	895	888	845	770	685	1080	873	756	585	402	173
Deaths from All Causes, 1881–90. Persons	16·84	2,625	412	110	46	30	27	625	65	53	75	78	143	125	179	301	465	516
Males	16·83	1,285	231	47	16	15	15	324	36	26	34	31	56	65	89	155	230	239
Females	16·85	1,340	181	63	30	15	12	301	29	27	41	47	87	60	90	146	235	277

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·12	0·10	0·13	18	8	10	5	7	1	–	1	14	4	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·18	0·15	26	14	12	–	–	2	5	3	10	13	3	–	–	–	–	–	–
Diphtheria	0·11	0·07	0·15	17	5	12	2	2	–	1	2	7	6	2	2	–	–	–	–	–
Whooping-cough	0·19	0·14	0·23	29	11	18	19	8	1	1	–	29	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·08	0·14	17	6	11	–	–	–	–	–	–	–	1	2	2	6	3	2	1	–	–
Simple Continued Fever	0·02	0·03	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·15	0·16	0·15	24	12	12	15	1	1	1	1	19	–	–	–	–	1	–	–	1	3	–
Cholera	0·03	0·04	0·03	5	3	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	–
Cancer	0·69	0·52	0·86	108	40	68	–	–	–	–	–	–	–	–	1	–	2	6	14	33	38	14
Tabes Mesenterica	0·15	0·16	0·14	23	12	11	12	3	3	1	1	20	1	–	–	–	–	1	–	1	–	–
Phthisis	1·67	1·58	1·75	260	121	139	–	1	–	2	–	3	2	13	41	47	54	32	37	21	8	2
Other Tub. & Scrof. Dis.	0·33	0·31	0·34	51	24	27	6	9	4	4	3	26	9	8	1	–	5	–	–	1	1	–
Diseases of Nervous System	2·66	2·96	2·36	414	226	188	109	25	13	2	5	154	2	6	3	2	11	11	24	48	90	63
Diseases of Circulatory „	1·71	1·61	1·81	267	123	144	–	–	1	–	1	2	1	1	2	4	11	23	30	61	86	46
Diseases of Respiratory „	2·85	2·47	3·21	444	189	255	86	37	12	9	8	152	13	7	1	2	16	9	23	45	88	88
Diseases of Digestive „	0·98	1·07	0·89	153	82	71	24	9	4	3	2	42	–	2	3	3	2	3	17	36	27	18
Diseases of Urinary „	0·53	0·77	0·29	82	59	23	3	–	–	–	–	3	1	4	2	1	1	6	5	17	25	17
Diseases of Generative „	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	1
Puerperal Fever	0·04	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–
Violence	0·57	0·77	0·38	89	59	30	4	1	4	1	–	10	7	2	9	8	9	7	11	8	10	8
OTHER CAUSES	3·67	3·80	3·58	575	288	287	127	7	–	–	–	134	5	4	7	7	15	18	15	26	85	259

Marriages - - - 776

Births - {Males - 1,914 / Females - 1,946} 3,860

Annual Rate per 1000 living {Persons Married 9·96 / Births - - 24·76}

Deaths from Childbirth and Puerperal Fever - - - - - } 3·37 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

491.—WHARFEDALE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Average Death-Rate per 1000.	Persons –	In Standard Population* 17·81 18·44 17·23	48·35	5·17	3·07	4·55	5·21	7·01	9·08	17·41	30·96	70·56	167·67
	Males –		†145	–	–	–	–	53·81	4·71	2·94	4·07	4·54	6·09	10·62	16·96	32·14	74·00	161·49
	Females –		42·85	5·62	3·20	4·98	5·73	7·28	8·83	18·01	29·81	71·14	151·48
Mean Population, 1881–91.	Persons –	Decennial Increase 48,981	1288	1211	1182	1203	1151	6835	5513	5980	4950	4646	7444	6744	4178	2946	1556	845
	Males –	2,467	651	625	592	611	579	3029	2719	2753	2358	2048	3378	3021	2056	1397	773	245
	Females –	2,514	637	615	590	592	572	3006	2794	2627	2592	2598	4066	3723	2122	1549	783	970
Deaths from Causes All Causes, 1881–90.	Persons –	17·18	1798	629	244	145	102	2918	285	165	227	243	522	556	647	906	1179	810
	Males –	18·68	1002	344	121	85	48	1630	128	81	96	93	226	289	347	449	574	405
	Females –	16·07	746	285	123	60	54	1288	157	84	131	150	296	267	300	460	557	409

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – –	0·32	0·39	0·26	130	68	91	41	61	25	10	7	144	12	1	–	1	1	–	–	–	–
Scarlet Fever – –	0·25	0·24	0·28	125	54	71	9	15	14	17	15	70	42	11	–	1	1	–	–	–	–
Diphtheria – –	0·13	0·10	0·16	64	24	40	1	3	10	7	10	31	25	4	–	1	–	2	–	1	–
Whooping-cough –	0·35	0·34	0·36	172	79	93	68	58	28	11	3	168	4	–	–	–	–	–	–	–	–
Typhus – – –	0·02	0·02	0·02	9	4	5	–	–	–	–	–	–	1	1	3	2	1	–	–	1	–
Enteric Fever – –	0·22	0·25	0·18	107	60	47	2	5	3	3	1	14	9	12	9	9	19	13	10	10	2	–
Simple Continued Fever	0·03	0·03	0·04	17	8	9	–	3	1	1	1	6	2	1	–	1	1	1	–	2	3	–
Diarrhœa and Dysentery	0·31	0·40	0·23	152	93	59	20	10	2	–	2	119	4	1	–	1	–	3	1	6	2	14
Cholera – – –	0·01	0·00	0·02	5	1	4	2	–	1	–	–	3	–	1	–	–	–	–	–	–	–	1
Cancer – – –	0·55	0·48	0·67	271	101	170	1	–	–	–	1	2	–	–	–	1	9	32	63	74	67	24
Tabes Mesenterica –	0·25	0·27	0·24	124	63	58	41	32	11	2	5	91	7	7	4	5	4	1	–	1	1	–
Tubercle – – –	1·59	1·68	1·53	783	395	391	6	2	2	–	2	12	14	30	95	122	208	150	85	54	17	–
Other Tub. & Scrof. Dis.	0·37	0·43	0·29	182	107	75	46	37	24	9	2	118	30	11	9	7	4	2	–	1	–	–
Diseases of Nervous System –	2·61	2·90	2·35	1280	681	599	386	102	41	24	15	568	35	22	17	11	32	39	79	146	215	122
" Circulatory " –	1·67	1·57	1·76	819	369	450	2	1	1	2	3	9	8	16	21	14	50	66	107	157	247	84
" Respiratory " –	3·18	3·61	2·77	1555	847	708	316	185	51	43	27	622	48	14	17	11	50	85	132	201	242	133
" Digestive " –	1·06	1·14	1·00	522	267	255	101	45	1	2	–	149	9	8	6	11	34	42	68	80	88	37
" Urinary " –	0·31	0·41	0·23	153	97	56	3	2	5	–	1	11	2	2	4	3	11	17	14	27	42	24
" Generative " –	0·06	0·02	0·09	27	4	23	1	–	–	–	–	1	–	–	–	2	6	6	5	2	4	1
Puerperal Fever – –	0·07	–	0·14	35	–	35	–	–	–	–	–	–	–	–	2	2	17	7	–	–	–	–
Childbirth, " –	0·07	–	0·14	32	–	32	–	–	–	–	–	–	–	–	2	2	17	10	–	–	–	–
Violence – – –	0·49	0·58	0·39	191	135	56	16	6	9	7	1	39	13	4	14	10	11	26	32	21	14	17
Other Causes – –	3·43	3·64	3·22	1329	857	772	666	53	15	7	6	747	29	19	24	18	46	54	62	91	188	350

Marriages – –	– –	3,018	Annual Rate per 1000 Living	Persons Married	12·31
Births –	Males –	7,290		Births – –	28·94
	Females –	6,924	14,174		

Deaths from Childbirth, and Puerperal Fever – – – – – 4·78 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·91	†146	–	–	–	–	57·32	6·86	4·73	6·02	6·37	7·55	11·06	16·63	37·09	80·49	181·61
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·83	†162	–	–	–	–	63·45	6·57	4·68	5·18	6·08	7·15	12·22	19·99	40·78	84·81	175·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 20·05	†129	–	–	–	–	51·20	7·15	4·78	6·80	6·61	7·89	10·05	13·69	33·83	76·57	187·54
Mean Population, 1881-91. Persons	Decennial Increase of Population 13·28 per cent.	65,180	1587	1571	1502	1555	1527	7742	7173	7016	6894	6374	10047	7743	5875	3928	1855	533
Mean Population, 1881-91. Males	Decennial Increase of Population 13·28 per cent.	30,979	790	790	749	783	757	3869	3593	3463	3321	2863	4575	3575	2742	1844	882	252
Mean Population, 1881-91. Females	Decennial Increase of Population 13·28 per cent.	34,201	797	781	753	772	770	3873	3580	3553	3573	3511	5472	4168	3133	2084	973	281
Deaths from All Causes, 1881-90. Persons	19·32	12,593	2665	967	365	238	203	4438	492	332	415	406	759	856	977	1457	1493	968
Deaths from All Causes, 1881-90. Males	20·83	6,452	1522	521	188	125	99	2455	236	162	172	174	327	437	548	752	748	441
Deaths from All Causes, 1881-90. Females	17·96	6,141	1143	446	177	113	104	1983	256	170	243	232	432	419	429	705	745	527

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·00	0·01	4	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Measles	0·31	0·36	0·26	199	110	89	49	79	27	17	12	184	15	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·75	0·82	0·69	491	254	237	25	67	75	63	57	287	148	30	5	7	10	4	–	–	–	–
Diphtheria	0·06	0·05	0·07	39	16	23	3	9	3	5	8	28	8	1	1	–	–	–	–	1	–	–
Whooping-cough	0·22	0·19	0·25	143	59	84	71	46	12	9	5	143	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	3	2	1	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·20	0·20	0·20	129	61	68	–	1	1	1	4	7	10	22	22	15	25	16	8	2	2	–
Simple Continued Fever	0·03	0·03	0·03	21	10	11	4	4	2	1	1	12	4	2	–	–	–	1	1	–	1	–
Diarrhœa and Dysentery	0·42	0·46	0·38	271	141	130	150	34	12	5	2	203	1	5	–	1	2	5	1	15	22	16
Cholera	0·01	0·01	0·01	5	2	3	–	–	1	–	1	2	–	–	–	–	–	1	1	–	1	–
Cancer	0·44	0·32	0·56	289	99	190	–	–	1	–	–	1	1	–	2	1	9	45	64	88	62	16
Tabes Mesenterica	0·15	0·18	0·12	96	55	41	27	27	4	2	1	61	8	6	9	3	3	3	2	1	–	–
Phthisis	2·16	2·09	2·23	1410	648	762	9	8	6	4	5	32	35	74	188	204	317	233	157	128	40	2
Other Tub. & Scrof. Dis.	0·41	0·48	0·35	270	150	120	46	42	16	17	10	131	52	26	25	12	11	8	3	1	1	–
Diseases of Nervous System	2·66	2·90	2·44	1735	899	836	560	124	28	22	31	765	56	26	29	15	33	58	113	205	286	149
Diseases of Circulatory „	1·76	1·70	1·81	1148	528	620	2	–	–	–	1	3	17	40	27	32	66	112	179	302	285	85
Diseases of Respiratory „	4·39	5·05	3·79	2861	1565	1296	660	369	124	57	38	1248	64	29	26	35	98	160	220	303	375	213
Diseases of Digestive „	1·28	1·40	1·16	833	435	398	207	93	19	8	7	334	20	19	20	11	26	45	76	118	129	35
Diseases of Urinary „	0·44	0·55	0·34	286	170	116	2	6	2	7	4	21	16	10	10	12	32	30	34	50	45	26
Diseases of Generative „	0·03	0·01	0·06	22	3	19	–	–	–	–	–	–	1	–	–	1	2	6	5	4	3	–
Puerperal Fever	0·07	–	0·14	48	–	48	–	–	–	–	–	–	–	–	5	13	22	7	1	–	–	–
Childbirth	0·07	–	0·13	46	–	46	–	–	–	–	–	–	–	–	1	9	16	20	–	–	–	–
Violence	0·39	0·59	0·20	253	184	69	11	13	10	7	9	50	12	16	7	14	31	28	33	26	23	13
Other Causes	3·06	3·43	2·73	1991	1060	931	839	45	22	13	6	925	24	25	36	21	55	73	79	122	218	413

Marriages - - - 4,915

Births { Males - 9,376 / Females - 8,829 } 18,205

Annual Rate per 1000 living { Persons Married 15·08 / Births - - 27·93

Deaths from Childbirth and Puerperal Fever - - - - - 5·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

493. TODMORDEN.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
[illegible]	Persons	—			In Statistical Population*	19·71		0·31					51·49	5·86	4·26	4·43	5·24	6·73	5·18	12·35	37·15	87·40	69·41
[illegible]	Males	—				19·83		† 42					55·67	6·07	3·41	4·45	5·40	6·35	10·28	13·46	41·80	88·43	63·46
[illegible]	Females	—				18·45		† 19					47·51	5·66	5·32	4·49	5·46	6·15	9·14	14·49	35·69	79·34	152·80
Measles	Persons	Deduction for Increase of Population 5·50 per cent.			36,565			884	842	870	811	842	4129	3857	3687	3557	3414	3857	4573	4015	3450	1466	399
[illegible]	Males				18,792			479	434	441	420	463	2237	1940	1849	1756	2080	1788	2411	1979	1052	393	135
[illegible]	Females				17,773			405	408	429	391	379	2012	1917	1838	1801	1736	2069	2162	1836	1398	667	175
[illegible]	Persons	18·44			6,741			1223	470	188	115	96	2152	225	124	157	179	383	457	556	896	1055	567
All Causes	Males	19·03			3,483			701	264	91	62	50	1168	116	63	77	81	192	228	291	451	522	247
[illegible]	Females	17·84			3,258			582	206	97	53	46	984	109	61	80	98	191	229	265	445	533	320
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox		0·01	0·02	–	3	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
Measles		0·45	0·46	0·44	163	80	83	37	64	22	13	16	152	10	1	–	–	–	–	–	–	–	–
Scarlet Fever		0·49	0·55	0·43	179	97	82	8	28	34	36	22	128	12	4	1	1	2	1	–	–	–	–
Diphtheria		0·06	0·10	0·02	21	18	3	–	4	3	5	3	15	5	–	–	–	–	1	–	–	–	–
Whooping-cough		0·29	0·29	0·28	105	51	54	62	23	10	5	3	103	2	–	–	–	–	–	–	–	–	–
Typhus		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever		0·26	0·31	0·22	96	54	42	–	–	–	1	1	2	10	12	12	14	19	16	5	4	2	–
Simple Continued Fever		0·02	0·02	0·02	8	4	4	–	–	–	–	–	–	4	2	–	–	1	–	–	1	–	–
Diarrhœa and Dysentery		0·43	0·49	0·37	156	85	71	74	25	2	1	1	103	4	–	–	–	1	3	1	7	22	15
Cholera		0·05	0·07	0·03	17	13	4	2	–	–	–	1	3	–	1	3	–	1	1	2	2	3	1
Cancer		0·51	0·29	0·71	186	50	136	–	–	–	–	1	1	–	–	–	–	3	20	41	61	39	15
Tabes Mesenterica		0·16	0·17	0·16	60	29	31	21	16	6	2	–	45	2	2	3	1	1	2	1	1	2	–
Phthisis		1·61	1·75	1·48	588	306	282	4	3	4	–	2	13	6	20	58	74	128	111	80	60	35	5
Other Tub. & Scrof. Dis.		0·27	0·29	0·25	98	50	48	24	15	7	4	1	51	13	12	8	4	5	1	1	1	–	1
Diseases of	Nervous System	2·61	2·67	2·56	954	467	487	220	37	17	8	9	290	22	13	7	11	26	9	68	132	74	38
	Circulatory	1·99	1·67	2·27	727	282	445	1	1	1	1	–	4	6	14	14	14	44	60	89	211	233	96
	Respiratory	3·87	4·48	3·31	1414	784	630	303	176	51	29	15	574	43	8	13	13	31	71	87	178	233	111
	Digestive	1·66	1·49	1·79	607	259	348	122	51	9	3	6	191	11	5	9	8	15	32	46	73	67	48
	Urinary	0·38	0·54	0·25	139	95	44	–	3	2	2	4	11	5	3	–	5	11	12	17	19	37	16
	Generative	0·07	0·01	0·13	24	2	22	1	–	1	–	–	2	–	1	1	1	5	7	5	1	1	–
Puerperal Fever		0·08	–	0·15	29	–	29	–	–	–	–	–	–	–	–	1	–	12	3	1	–	–	–
Childbirth		0·09	–	0·17	32	–	32	–	–	–	–	–	–	–	–	1	6	17	3	4	–	–	–
Violence		0·85	0·86	0·80	307	159	97	6	6	12	11	6	41	18	19	7	7	20	21	30	23	10	7
OTHER CAUSES		2·82	3·02	2·60	1015	546	487	308	20	7	3	5	343	21	13	15	7	40	44	45	73	185	215

Marriages - - - 1,716 | Annual Rate per 1000 living { Persons Married 17·40 | Deaths from Child-bearing, Pregnancy, Childbirth, and Puerperal Fever 0·20 per 1000 Births

Births { Males - 4,947 / Females - 4,676 = 9,623 | { Births - - 26·08

See pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·58	†137	–	–	–	–	56·05	6·12	3·54	5·35	6·89	7·83	11·18	17·02	37·04	79·12	183·76
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·71	†152	–	–	–	–	62·69	6·63	3·06	4·30	7·44	6·72	11·76	18·95	42·55	84·97	195·06
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·51	†120	–	–	–	–	49·64	5·62	3·98	6·36	6·39	8·84	10·64	15·26	32·23	73·82	175·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·73 per cent.	22,380	563	537	524	530	540	2694	2515	2376	2335	2090	3385	2586	2062	1412	728	197
Mean Population, 1881–91. Males	Decennial Increase of Population 0·73 per cent.	10,780	278	258	270	245	273	1324	1251	1144	1140	995	1621	1233	987	658	346	81
Mean Population, 1881–91. Females	Decennial Increase of Population 0·73 per cent.	11,600	285	279	254	285	267	1370	1264	1232	1195	1095	1764	1353	1075	754	382	116
Deaths from All Causes, 1881–90. Persons	19·58	4,383	902	320	154	76	58	1510	154	84	125	144	265	289	351	523	576	362
Deaths from All Causes, 1881–90. Males	20·82	2,244	521	174	79	30	26	830	83	35	49	74	109	145	187	280	294	158
Deaths from All Causes, 1881–90. Females	18·44	2,139	381	146	75	46	32	680	71	49	76	70	156	144	164	243	282	204

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.										
Small-pox	0·00	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·34	0·34	0·33	75	37	38	21	29	16	4	2	72	3	–	–	–	–	–	–	–
Scarlet Fever	0·38	0·37	0·38	84	40	44	3	12	11	11	14	51	21	9	2	1	–	–	–	–
Diphtheria	0·20	0·19	0·21	44	20	24	–	7	6	4	4	21	13	4	2	–	2	–	1	–	1	–
Whooping-cough	0·29	0·30	0·29	66	32	34	36	16	8	3	1	64	2	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–
Enteric Fever	0·32	0·33	0·30	71	36	35	1	–	2	2	1	6	7	10	12	9	10	8	1	6	2	–
Simple Continued Fever	0·02	0·02	0·02	4	2	2	–	–	–	–	1	1	–	1	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·41	0·39	0·43	92	42	50	48	10	3	1	–	62	2	–	–	2	1	2	3	3	10	7
Cholera	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Cancer	0·46	0·30	0·62	104	32	72	–	–	–	–	–	–	–	–	–	–	4	17	23	24	27	9
Tabes Mesenterica	0·29	0·26	0·31	64	28	36	31	18	3	4	1	57	4	2	–	–	1	–	–	–	–	–
Phthisis	2·12	1·65	2·58	474	210	264	19	13	5	1	4	42	4	12	59	59	109	78	53	45	11	2
Other Tub. & Scrof. Dis.	0·41	0·45	0·37	92	49	43	23	21	11	2	6	63	8	5	6	3	5	1	1	–	–	–
Diseases of Nervous System	2·87	3·09	2·67	643	333	310	207	47	16	12	9	291	28	10	6	12	7	32	38	58	113	48
Diseases of Circulatory „	1·95	2·00	1·91	437	216	221	–	1	1	–	1	3	5	10	11	8	22	30	66	116	124	42
Diseases of Respiratory „	3·92	4·46	3·42	878	481	397	190	89	45	23	9	356	31	2	5	11	28	41	77	122	134	71
Diseases of Digestive „	1·23	1·35	1·13	276	145	131	44	26	7	1	–	78	3	3	7	7	12	17	36	59	39	15
Diseases of Urinary „	0·33	0·49	0·18	74	53	21	1	2	2	–	1	6	4	2	2	–	4	6	12	12	20	6
Diseases of Generative „	0·04	–	0·08	9	–	9	–	–	1	–	–	1	–	–	–	1	1	3	1	1	–	1
Puerperal Fever	0·10	–	0·19	22	–	22	–	–	–	–	–	–	–	–	3	6	10	3	–	–	–	–
Childbirth	0·07	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	2	2	11	–	–	–	–
Violence	0·58	0·90	0·28	129	97	32	2	9	8	5	1	25	7	5	1	4	24	19	12	21	7	4
OTHER CAUSES	3·22	3·57	2·90	723	385	338	275	20	9	3	3	310	12	9	9	15	22	20	27	55	87	157

Marriages - - - 1,340

Births - Males - 3,438 / Females - 3,170 — 6,608

Annual Rate per 1000 living: Persons Married 11·97; Births - - 29·53

Deaths from Childbirth and Puerperal Fever - - - - 5·60 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

495.—HUDDERSFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·50	†153	–	–	–	–	62·21	5·94	3·57	5·66	6·66	8·28	12·14	18·29	35·47	76·89	185·91
Males	—	23·44	†171	–	–	–	–	68·27	5·76	3·46	5·67	6·66	8·96	13·82	22·35	42·39	87·67	198·91
Females	—	19·68	†135	–	–	–	–	56·21	6·12	3·69	5·66	6·65	7·68	10·64	14·53	29·47	68·08	173·74
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·65 per cent.	102,456	3805	3586	3662	3775	3726	18554	18951	17689	17144	16017	25686	13402	11091	9608	4963	1444
Males		77,181	1989	1758	1812	1880	1848	9287	8836	8767	8162	7383	12061	6011	6954	4494	2251	645
Females		84,975	1816	1838	1850	1895	1878	9377	9215	8922	8982	8634	13625	7391	7487	5114	2712	799
Deaths from Accidents. Persons	19·86	32,247	7094	2508	946	693	460	11611	1073	632	971	1066	2128	2319	2577	3408	3816	2929
Males	22·02	17,002	4007	1318	477	313	225	6340	509	303	463	492	1081	1245	1489	1801	1956	1283
Females	17·89	15,245	3087	1190	469	380	235	5271	564	329	508	574	1047	1074	1088	1607	1860	1646

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	0·00	0·00	6	3	3	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–
Measles	0·32	0·26	0·39	690	359	331	166	275	115	54	36	646	42	2	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·21	0·35	377	166	211	19	45	70	57	69	251	109	16	5	1	4	–	–	–	–
Diphtheria	0·12	0·11	0·12	189	88	101	10	11	22	39	24	106	55	15	6	1	1	1	1	1	1
Whooping-cough	0·40	0·38	0·42	657	297	360	220	206	77	43	19	644	12	1	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	20	12	8	–	–	–	–	–	–	1	3	2	7	3	1	1	2	–
Enteric Fever	0·17	0·22	0·14	284	167	117	1	4	2	4	6	17	22	24	36	39	54	37	21	27	7
Simple Continued Fever	0·03	0·03	0·03	51	24	27	6	1		2	–	9	7	5	4	3	5	3	3	7	3
Diarrhœa and Dysentery	0·39	0·43	0·37	634	322	312	540	78	11	1	3	433	8	1	3	6	3	12	16	25	54
Cholera	0·03	0·04	0·01	46	34	12	8	3	1	–	1	13	1	–	1	1	3	2	3	7	7
Cancer	0·55	0·43	0·66	896	332	564	–	1	1	1	–	3	–	1	2	4	34	123	224	249	203
Tabes Mesenterica	0·24	0·25	0·17	342	195	147	150	61	31	12	6	260	23	16	16	12	8	3	4	5	4
Phthisis	2·41	2·69	2·15	3912	2085	1827	41	29	17	13	9	109	81	144	473	538	936	725	470	295	123
Other Tub. & Scrof. Dis.	0·52	0·61	0·44	850	472	378	186	161	64	48	33	491	137	71	51	39	26	14	11	7	3
Nervous System	2·95	3·39	2·56	4800	2624	2176	1058	443	160	101	70	2482	169	82	68	45	110	148	259	483	499
Organs of Circulation	1·67	1·68	1·66	2716	1305	1411	3	2	–	2	5	12	28	51	65	67	145	282	380	713	694
Organs of Respiration	4·06	4·67	3·51	6603	3622	2981	1547	793	272	152	130	2894	260	49	52	68	226	316	488	777	958
Digestive Organs	1·20	1·30	1·11	1950	1005	945	399	234	80	18	21	752	55	28	37	36	81	130	241	261	271
Urinary Organs	0·43	0·58	0·30	704	449	255	7	6	2	5	4	24	12	13	9	27	64	83	101	132	155
Generative Organs	0·06	0·01	0·10	100	11	89	–	1	–	–	–	1	–	1	4	5	22	25	24	13	7
Puerperal Fever	0·08	–	0·16	132	–	132	–	–	–	–	–	–	–	–	4	29	66	33	–	–	–
Childbirth	0·08	–	0·15	130	–	130	–	–	–	–	–	–	–	–	2	21	63	43	1	–	–
Violence	0·50	0·94	0·27	858	728	130	27	30	34	19	20	130	46	42	54	52	118	145	143	112	73
Other Causes	3·25	3·58	2·91	5220	2762	2458	2257	124	47	32	14	2474	74	67	77	64	140	183	182	294	502

Marriages	12,607	Annual Rate per 1000 living { Persons Married 15·53	Deaths from Childbirth and Puerperal Fever 5·66 per 1000 Births.		
Births { Males 23,341	46,353	Births 28·51			
Females 22,912					

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 20·94			†147	–	–	–	–	58·45	5·26	3·32	5·24	5·98	7·37	11·33	19·34	37·35	79·10	187·58
Males	—			22·63			†159	–	–	–	–	63·19	5·17	3·24	5·03	5·76	7·79	13·75	23·85	45·27	91·71	188·69
Females	—			19·34			†135	–	–	–	–	53·82	5·35	3·40	5·44	6·16	7·00	9·22	15·55	30·84	69·61	186·78
Mean Population, 1881-91. Persons	Decennial Increase of Population 8·71 per cent.			177,861			4494	4026	4142	4117	4113	20892	19813	19219	18532	16749	27825	21613	15758	10639	5338	1433
Males				84,111			2210	2022	2098	1995	2005	10330	9773	9560	8823	7743	12920	10052	7192	4802	2315	601
Females				93,750			2284	2004	2044	2122	2108	10562	10040	9659	9709	9006	14905	11561	8566	5837	3073	832
Deaths from All Causes, 1881-90. Persons	19·30			34,334			7454	2657	1004	627	470	12212	1042	638	972	1001	2050	2448	3047	3974	4262	2688
Males	21·12			17,767			4057	1401	523	312	235	6528	505	310	444	446	1006	1382	1715	2174	2123	1134
Females	17·67			16,567			3397	1256	481	315	235	5684	537	328	528	555	1044	1066	1332	1800	2139	1554
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·00	0·01	9	3	6	–	1	–	–	–	1	–	–	2	2	1	1	2	–	–	–
Measles	0·35	0·37	0·33	627	313	314	180	250	86	52	25	593	28	3	2	–	–	1	–	–	–	–
Scarlet Fever	0·31	0·36	0·26	551	303	248	43	94	107	92	66	402	119	15	6	4	3	1	1	–	–	–
Diphtheria	0·14	0·13	0·14	243	108	135	18	28	33	33	46	158	54	17	4	2	1	1	2	2	1	1
Whooping-cough	0·32	0·31	0·32	565	263	302	253	178	68	26	24	549	16	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	11	8	3	–	–	–	1	–	1	2	1	1	2	1	2	–	1	–	–
Enteric Fever	0·23	0·27	0·19	409	230	179	4	2	2	7	9	24	30	42	65	50	72	50	43	19	12	2
Simple Continued Fever	0·05	0·05	0·05	95	46	49	1	4	6	7	9	27	17	13	3	3	5	4	9	9	5	–
Diarrhœa and Dysentery	0·36	0·38	0·35	644	320	324	339	95	13	7	4	458	13	4	4	4	10	13	12	33	49	44
Cholera	0·02	0·02	0·02	42	21	21	8	4	4	–	2	18	3	2	1	1	1	1	–	7	5	3
Cancer	0·50	0·34	0·65	897	287	610	–	2	2	–	–	4	1	–	5	6	32	114	238	270	189	38
Tabes Mesenterica	0·20	0·24	0·18	363	198	165	150	67	22	8	14	261	27	18	18	10	12	7	6	3	1	–
Phthisis	2·04	2·28	1·81	3623	1922	1701	45	48	14	9	9	125	65	129	426	467	777	693	518	307	105	11
Other Tub. & Scrof. Dis.	0·51	0·56	0·46	907	472	435	199	180	85	42	47	553	113	51	48	34	41	23	23	17	4	–
Diseases of Nervous System	3·10	3·50	2·75	5520	2941	2579	1968	412	161	71	54	2666	177	72	68	49	105	192	356	626	820	389
Diseases of Circulatory „	1·70	1·73	1·67	3020	1455	1565	18	3	6	4	4	35	32	61	68	73	186	308	500	771	717	269
Diseases of Respiratory „	4·23	4·93	3·59	7512	4143	3369	1580	843	289	199	115	3026	173	47	55	83	251	403	627	1004	1163	680
Diseases of Digestive „	1·25	1·28	1·22	2223	1079	1144	489	254	35	19	11	808	45	39	36	48	101	152	230	339	327	98
Diseases of Urinary „	0·44	0·57	0·33	783	477	306	7	12	6	5	6	36	17	15	20	23	73	76	133	166	160	64
Diseases of Generative „	0·05	0·01	0·08	82	7	75	2	–	–	–	–	2	–	1	2	4	12	17	23	12	9	–
Puerperal Fever	0·08	–	0·16	146	–	146	–	–	–	–	–	–	–	–	4	27	68	46	1	–	–	–
Childbirth	0·07	–	0·13	118	–	118	–	–	–	–	–	–	–	–	5	16	47	50	–	–	–	–
Violence	0·50	0·80	0·23	895	676	219	26	29	28	24	15	122	34	42	45	41	109	134	122	128	81	37
OTHER CAUSES	2 83	2·98	2·74	5049	2495	2554	2124	151	37	21	10	2343	76	66	84	52	142	159	201	260	614	1052

Marriages 14,397

Births { Males 25,559 / Females 25,117 } 50,676

Annual Rate per 1000 living { Persons Married 16·19 / Births 28·49

Deaths from Childbirth and Puerperal Fever 5·21 per 1000 Births.

* *See* pages xxxvi-xxxviii

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	Persons	In Standard Population*	20·96															
	Males		21·31															
	Females		20·63															
Mean Population living in 1881.	Persons	Decennial Increase of Population 9·72 per cent.	326,782	8511	7584	7086	7777	7040	39998	36817	35481	34416	31550	54438	39387	29103	18450	8695	2287
	Males		153,389	4277	3754	3788	3848	3776	19443	18276	17389	16184	14014	23387	18265	13326	8278	3816	1010
	Females		173,443	4234	3830	3898	3929	3864	19755	18541	18092	18232	17536	28051	21121	15777	10172	4879	1277
Deaths from All Causes in 1881-90.	Persons	19·90	65,011	15670	5691	2120	1194	861	25536	2021	1205	1004	1967	3994	4530	5569	7110	7159	4016
	Males	21·64	33,198	8804	2985	1105	612	424	13930	995	568	845	840	1797	2324	2959	3619	3574	1846
	Females	18·35	31,813	6866	2706	1015	582	437	11606	1026	637	1058	1127	2197	2206	2610	3491	3585	2170

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	0·01	0·00	11	8	3	–	–	1	–	1	2	1	–	1	1	2	2	3	–	–	–	–
Measles	0·50	0·55	0·46	1639	844	795	394	651	272	134	88	1539	91	7	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·30	0·32	0·29	993	497	496	47	100	185	161	131	684	255	37	4	5	5	1	3	–	–	–	–
Diphtheria	0·06	0·06	0·06	197	86	111	9	22	28	17	30	106	57	14	6	–	4	5	1	2	2	–	–
Whooping-cough	0·42	0·42	0·42	1360	640	720	605	435	156	80	44	1320	38	1	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	16	10	6		–	1	1	1	3	2	2	2	2	2	–	–	1	–	–	–
Enteric Fever	0·18	0·22	0·15	595	333	262	1	4	3	9	12	34	59	54	87	62	104	69	46	45	15	2	–
Simple, Continued Fever	0·04	0·04	0·04	143	67	76	5	9	14	15	7	50	24	7	2	3	8	11	7	10	3	3	–
Diarrhœa and Dysentery	0·74	0·81	0·67	2415	1245	1170	1440	368	63	29	11	1911	29	12	13	10	16	31	61	98	148	86	2
Cholera	0·02	0·02	0·02	68	30	38	18	4	1	–	1	24	2	1	3	–	4	7	5	8	13	2	–
Cancer	0·56	0·26	0·72	1813	557	1256	–	–	2	3	4	9	3	5	6	10	65	243	466	539	373	94	–
Tabes Mesenterica	0·24	0·25	0·23	784	383	401	284	166	64	24	13	551	54	49	84	23	33	20	9	8	3	–	–
Phthisis	2·03	2·17	1·91	6633	3329	3304	53	56	36	27	9	181	130	232	815	916	1619	1246	866	432	164	12	–
Other Tub. & Scrof. Dis.	0·48	0·56	0·41	1568	853	715	424	331	147	96	49	1047	194	104	64	45	45	26	19	15	7	2	–
Nervous System	2·91	3·31	2·55	9503	5077	4426	3053	762	289	142	120	4366	317	160	135	121	243	370	672	1159	1374	586	–
Circulatory	1·57	1·51	1·62	5129	2323	2806	13	3	1	7	6	30	70	145	174	147	366	630	890	1218	1129	370	–
Respiratory	4·58	5·04	3·79	14268	7729	6539	3150	1813	615	324	204	6106	362	93	102	151	489	767	1294	1983	2025	875	–
Digestive	1·24	1·29	1·15	3985	1979	1986	951	450	61	25	38	1525	97	56	71	93	249	279	411	599	463	180	–
Urinary	0·37	0·48	0·27	1210	734	476	14	19	13	13	16	75	33	22	45	45	97	145	175	254	231	88	–
Generative	0·06	0·01	0·10	193	12	181	3	3	3	1	–	10	–	1	12	7	25	41	50	31	11	5	–
Puerperal Fever	0·09		0·17	290	–	290	–	–	–	–	–	–	–	–	9	51	149	89	1	–	–	–	–
Childbirth	0·07		0·12	213	–	213	–	–	–	–	–	–	–	–	11	34	99	73	3	–	–	–	–
Violence	0·49	0·76	0·28	1607	1159	478	167	48	52	40	42	349	81	81	102	99	163	175	190	207	129	59	–
Other Causes	3·15	3·44	2·92	10289	5303	4986	5039	387	108	46	34	5614	122	142	141	115	288	298	380	504	1064	1667	–

Marriages		25,467	Annual Rate per 1000 living	Persons Married	15·59
Births	Males	49,634		Births	29·80
	Females	47,745			
		97,379	Deaths from Childbirth and Puerperal Fever		5·26 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	23·04 21·81		†174	–	–	–	–	74·23	7·51	3·66	4·34	5·14	7·07	11·28	17·74	38·26	79·59	192·64
Males	—						†191	–	–	–	–	81·57	7·98	3·72	4·14	4·84	6·31	11·35	20·13	41·98	87·99	202·80
Females	—						†157	–	–	–	–	67·13	7·06	3·60	4·54	5·44	7·85	11·41	15·44	34·98	73·08	186·16
Mean Population, 1881-91. Persons	Decennial Increase of Population 21·82 per cent.			64,567			2165	1847	1865	1817	1762	9456	8176	7239	6363	5819	9939	7541	5180	3076	1411	367
Males				31,946			1081	902	923	880	863	4649	3998	3577	3216	2916	5009	3843	2538	1441	616	143
Females				32,621			1084	945	942	937	899	4807	4178	3662	3147	2903	4930	3698	2642	1635	795	224
Deaths from All Causes, 1881-90. Persons	21·62			13,960			4233	1562	578	395	251	7019	614	265	276	299	703	858	919	1177	1123	707
Males	22·59			7,218			2340	817	315	195	125	3792	319	133	133	141	316	436	511	605	542	290
Females	20·67			6,742			1893	745	263	200	126	3227	295	132	143	158	387	422	408	572	581	417
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	6	4	2	2	–	1	–	–	3	–	–	2	1	–	–	–	–	–	–
Measles	0·50	0·53	0·47	320	168	152	71	126	53	32	17	299	18	1	–	–	2	–	–	–	–	–
Scarlet Fever	0·98	1·06	0·89	630	340	290	27	76	97	93	74	367	203	44	7	3	5	1	–	–	–	–
Diphtheria	0·08	0·07	0·09	52	22	30	–	4	6	12	5	27	18	1	2	2	1	–	1	–	–	–
Whooping-cough	0·58	0·52	0·64	374	165	209	143	116	56	30	18	363	11	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	6	3	3	–	–	–	1	–	1	1	–	2	–	–	1	–	–	1	–
Enteric Fever	0·25	0·24	0·26	163	77	86	2	3	2	4	7	18	17	33	21	27	23	11	6	7	–	–
Simple Continued Fever	0·06	0·06	0·05	36	20	16	2	4	3	1	4	14	5	2	3	5	3	1	1	–	2	–
Diarrhœa and Dysentery	1·39	1·42	1·37	900	454	446	642	156	19	8	2	827	6	1	1	3	3	4	9	13	14	19
Cholera	0·02	0·02	0·02	12	7	5	4	4	–	–	–	8	1	–	–	–	2	–	1	–	–	–
Cancer	0·44	0·23	0·64	282	74	208	–	–	–	–	–	–	1	–	2	1	18	43	72	89	45	11
Tabes Mesenterica	0·48	0·50	0·47	311	159	152	163	86	17	10	3	279	15	8	1	–	5	1	2	–	–	–
Phthisis	1·46	1·61	1·31	940	514	426	17	10	5	3	2	37	30	47	99	114	246	200	107	46	13	1
Other Tub. & Scrof. Dis.	0·28	0·33	0·24	183	105	78	45	49	15	7	4	120	23	7	8	3	8	7	3	1	3	–
Diseases of Nervous System	3·53	3·86	3·21	2280	1233	1047	892	239	88	66	34	1319	90	27	21	15	39	75	143	221	236	94
Circulatory „	1·24	1·22	1·25	798	391	407	6	2	–	–	–	8	7	15	21	17	46	124	151	203	159	47
Respiratory „	4·37	4·93	3·82	2822	1575	1247	659	468	164	91	59	1441	82	20	22	28	96	168	223	317	298	127
Digestive „	1·10	1·11	1·09	710	354	356	193	25	9	8	3	308	15	7	8	12	36	61	65	108	66	24
Urinary „	0·35	0·38	0·32	224	121	103	7	4	3	3	4	21	14	5	6	5	16	27	38	44	37	11
Generative „	0·03	0·01	0·05	21	4	17	–	–	–	–	–	–	–	–	–	1	4	6	3	4	2	1
Puerperal Fever	0·10	–	0·19	62	–	62	–	–	–	–	–	–	–	–	4	15	31	11	1	–	–	–
Childbirth	0·09	–	0·18	59	–	59	–	–	–	–	–	–	–	–	5	5	25	24	–	–	–	–
Violence	0·62	0·90	0·34	398	287	111	68	11	10	8	6	103	23	24	19	19	43	51	45	32	19	20
Other Causes	3·65	3·57	3·75	2371	1141	1230	1290	109	30	18	9	1456	34	23	22	23	51	42	48	92	228	352

Marriages - - - 4,842

Birth - { Males - 12,224 / Females - 12,069 } 24,293

Annual Rate per 1000 living { Persons Married 15·00 / Births - - 37·62

Deaths from Childbirth and Puerperal Fever - - - - } 4·98 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate (Persons) per 1000	—	In Standard Population* 23·36	·179	-	-	-	-	75·46	7·11	3·87	4·25	5·75	7·07	10·12	20·24	41·16	84·75	190·96
Annual Death-Rate (Males) per 1000	—	In Standard Population* 24·30	·186	-	-	-	-	80·76	6·02	3·56	4·16	6·49	7·30	9·46	21·27	47·53	95·34	164·29
Annual Death-Rate (Females) per 1000	—	In Standard Population* 22·46	·155	-	-	-	-	69·46	8·16	4·18	4·05	4·87	6·85	10·78	19·29	35·78	77·18	240·42
Mean Population, 1881–91. Persons	Decennial Increase of Population, 6·32 per cent.	23,812	753	698	674	633	674	3432	3036	2684	2468	2261	3732	2.77	2020	1329	699	166
Mean Population, 1881–91. Males	Decennial Increase of Population, 6·32 per cent.	12,002	374	336	325	314	324	1673	1459	1320	1240	1021	1849	1475	998	608	274	70
Mean Population, 1881–91. Females	Decennial Increase of Population, 6·32 per cent.	11,790	379	362	349	320	345	1758	1557	1364	1228	1170	1883	1300	1068	721	396	96
Deaths from All Causes, 1881–90. Persons	—	5,489	1485	548	224	149	124	2531	216	104	105	130	264	301	417	547	567	317
Deaths from All Causes, 1881–90. Males	—	2,768	818	282	124	74	64	1362	80	46	54	73	146	149	211	289	266	145
Deaths from All Causes, 1881–90. Females	—	2,721	667	266	100	66	63	1169	127	57	51	57	129	152	206	258	301	202

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·46	0·48	0·44	114	58	56	29	24	24	14	8	109	5	-	-	-	-	-	-	-	-
Scarlet Fever	0·69	1·02	0·35	216	125	123	8	27	33	38	46	152	30	12	2	-	-	-	-	-	-
Diphtheria	0·09	0·11	0·05	25	15	10	3	6	4	2	3	18	-	-	-	-	-	-	-	-	-
Whooping-cough	0·48*	0·43	0·50	119	55	64	40	41	21	8	9	119	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	0·27	0·33	0·22	66	40	26	-	2	1	1	-	4	7	11	10	5	17	6	2	6	-
Simple Continued Fever	0·03	0·04	0·02	7	5	2	-	1	3	-	-	4	1	-	-	-	1	-	1	-	-
Diarrhœa and Dysentery	1·23	1·30	1·14	303	157	146	222	47	8	1	1	279	1	-	1	-	1	1	3	5	8
Cholera	0·02	0·01	0·03	5	1	4	1	1	-	-	1	3	-	-	-	-	1	-	-	1	-
Cancer	0·56	0·29	0·81	138	35	103	-	-	-	-	-	-	-	1	-	1	11	14	37	42	23
Tabes Mesenterica	0·40	0·48	0·35	100	58	42	55	25	7	-	1	88	3	1	1	1	2	2	-	1	-
Phthisis	1·75	1·94	1·58	435	234	201	7	11	2	2	4	26	6	20	40	64	93	81	61	34	9
Other Tub. & Scrof. Dis.	0·39	0·34	0·43	96	41	55	20	21	12	5	6	64	12	7	6	2	2	2	1	-	-
Diseases of Nervous System	3·29	3·64	2·96	817	439	378	287	65	22	13	10	397	33	29	9	4	12	37	61	93	123
Diseases of Circulatory "	1·33	1·29	1·37	331	156	175	1	1	-	-	-	2	3	2	9	8	27	58	70	85	63
Diseases of Respiratory "	5·26	5·72	4·74	1309	689	621	294	180	69	44	27	615	31	11	7	10	38	66	97	165	147
Diseases of Digestive "	0·97	1·01	0·92	240	122	118	56	43	5	3	2	109	3	2	3	7	11	14	27	31	27
Diseases of Urinary "	0·40	0·49	0·32	100	59	41	3	3	2	3	3	18	3	2	3	1	4	7	16	28	19
Diseases of Generative "	0·05	0·02	0·07	12	3	9	-	-	-	-	-	-	-	-	1	1	2	-	3	4	3
Puerperal Fever	0·08		0·16	20		20		-								7	9	3	1	-	-
Childbirth	0·05		0·11	14		14		-								2	4	4		-	-
Violence	0·43	0·56	0·30	106	68	38	14	3	1	1	2	22	4	6	4	7	6	13	11	8	13
Other Causes	3·89	4·09	3·71	965	479	486	145	39	10	5	2	201	9	6	9	10	21	17	27	43	140

Marriages -		1,382	Annual Rate per 1000 living	Persons Married	11·14
Births -	Males - 4,398	8,710		Births - -	35·10
	Females - 4,312				

Deaths from Childbirth and Puerperal Fever - - - - 3·99 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000. Persons	—	In 21·03 Standard 21·65 Population.* 20·45	†160	–	–	–	–	64·25	5·72	3·19	4·92	5·74	6·98	9·03	16·22	33·96	80·92	197·91
Males	—		†172	–	–	–	–	69·55	5·42	3·17	4·71	5·10	5·93	9·38	18·72	37·08	82·77	204·07
Females	—		†148	–	–	–	–	59·12	6·00	3·20	5·14	6·36	7·99	8·68	13·88	31·20	79·32	192·86
Mean Population, 1881-91. Persons	Decennial Increase of Population 23·89 per cent.	60,899	1787	1611	1619	1597	1581	8195	7312	6653	6174	5658	9614	7111	5110	3207	1483	382
Males		29,907	869	809	793	777	781	4029	3613	3278	3122	2747	4743	3540	2473	1505	685	172
Females		30,992	918	802	826	820	800	4166	3699	3375	3052	2911	4871	3571	2637	1702	798	210
Deaths from All Causes, 1881-90. Persons	19·23	11,711	3246	1159	424	234	202	5265	418	212	304	325	671	642	829	1089	1200	756
Males	19·87	5,942	1763	622	208	111	98	2802	196	104	147	140	282	332	463	558	567	351
Females	18·61	5,769	1483	537	216	123	104	2463	222	108	157	185	389	310	366	531	633	405

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·01	6	2	4	–	–	–	–	–	–	–	–	–	4	1	–	1	–	–
Measles	0·49	0·50	0·48	299	149	150	53	126	47	29	17	272	26	1	–	–	–	–	–	–	–
Scarlet Fever	0·50	0·50	0·51	306	149	157	18	58	48	39	35	198	88	14	3	2	–	1	–	–	–
Diphtheria	0·10	0·09	0·11	63	30	33	11	12	6	7	8	44	12	2	1	1	1	–	–	1	1
Whooping-cough	0·38	0·33	0·42	229	99	130	84	90	30	8	9	221	8	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·23	0·27	0·19	140	80	60	–	2	3	–	7	12	10	16	35	26	19	6	7	8	1	–
Simple Continued Fever	0·09	0·07	0·10	52	22	30	4	6	7	1	4	22	9	4	4	2	3	2	5	–	1	–
Diarrhœa and Dysentery	0·82	0·90	0·74	498	269	229	371	51	7	3	3	435	4	2	–	1	2	4	7	11	16	16
Cholera	0·02	0·02	0·01	10	7	3	3	2	–	–	–	5	–	–	1	–	–	–	2	–	1	1
Cancer	0·56	0·39	0·72	338	116	222	2	–	–	1	1	4	1	3	1	1	17	46	81	97	77	10
Tabes Mesenterica	0·28	0·33	0·22	168	100	68	88	45	6	10	4	153	6	1	5	1	–	1	1	–	–	–
Phthisis	1·71	1·63	1·79	1040	486	554	15	21	8	4	8	56	30	45	135	158	269	146	105	67	29	–
Other Tub. & Scrof. Dis.	0·37	0·43	0·30	223	130	93	56	40	24	8	9	137	28	22	10	8	11	3	1	3	–	–
Diseases of Nervous System	2·90	3·15	2·67	1768	942	826	635	173	66	33	28	935	63	23	22	21	32	53	104	195	221	99
Circulatory „	1·44	1·36	1·51	875	407	468	5	4	–	1	–	10	11	8	16	14	50	101	141	222	228	74
Respiratory „	3·97	4·41	3·55	2419	1320	1099	637	346	127	61	54	1225	56	9	21	28	84	120	175	269	284	148
Digestive „	1·08	1·11	1·04	655	332	323	192	108	17	5	6	328	19	16	15	8	21	35	55	75	53	25
Urinary „	0·35	0·43	0·27	212	128	84	8	6	3	4	1	22	9	8	4	8	20	20	30	37	43	6
Generative „	0·05	–	0·09	28	–	28	–	–	1	–	–	1	–	–	1	2	5	4	6	6	1	2
Puerperal Fever	0·08	–	0·16	49	–	49	–	–	–	–	–	–	–	–	2	6	36	5	–	–	–	–
Childbirth	0·08	–	0·16	49	–	49	–	–	–	–	–	–	–	–	2	6	28	13	–	–	–	–
Violence	0·46	0·67	0·26	282	201	81	46	13	8	6	2	75	20	14	8	12	23	31	45	26	19	9
Other Causes	3·26	3·27	3·30	2001	972	1029	1018	56	16	14	6	1110	18	24	18	20	46	49	64	71	215	366

Marriages – – 2,794

Births – {Males 10,257 / Females 10,014} 20,271

Annual Rate per 1000 living {Persons Married 9·18 / Births – – 33·29}

Deaths from Childbirth and Puerperal Fever – – – – – 4·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

501.—LEEDS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25	35–	45–	55–	65–	75 and upwds
Annual Death-Rate per 1000 living	Persons			In Statistical Department*	24·35		†174	–				72·58	7·22	3·60	5·19	6·37	8·54	13·83	24·13	43·76	86·68	180·14
	Males				25·05		†192					79·01	7·10	3·50	6·01	7·09	8·72	15·38	25·88	48·87	98·42	200·19
	Females				23·56		†155					65·28	7·34	3·70	4·39	5·77	8·36	12·45	23·58	39·38	77·47	168·01
Mean Population, 1881-91.	Persons	Decrease 1881-91					5971	5243	5197	5084	5107	26602	23529	19970	21938	20457	16967	12760	17608	10503	5187	1439
	Males	42·7 per cent.					2939	2579	2575	2513	2549	13154	11608	10892	9854	9255	7775	5922	8560	4946	2226	599
	Females	Increase 1881-91					3032	2664	2622	2571	2558	13447	11921	11168	11446	11182	17472	12887	17048	5557	2961	891
Deaths at all Ages	Persons	22·70			46·48		11878	4122	1601	960	751	19307	1699	791	1103	1301	2876	3472	4003	4084	4496	2576
	Males	24·75			24·04		6631	2120	790	486	367	10394	824	378	501	656	1380	1880	2200	2417	2292	1079
	Females	20·67			22·44		5242	2002	811	474	384	8913	875	413	512	645	1446	1592	1803	2067	2204	1497
		Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Smallpox		0·03	0·03	0·03	30	31	28	2	1	2	–	3	14	–	3	5	8	17	7	4	1	–	–
Measles		1·47	0·48	0·46	869	476	406	197	401	163	77	65	903	63	–	1	1	–	1	–	–	–	–
Scarlet Fever		0·61	0·63	0·59	1265	633	631	48	164	195	171	103	731	382	76	14	12	15	1	–	–	–	–
Diphtheria		0·08	0·07	0·09	177	75	102	6	15	29	11	34	95	36	16	2	4	3	3	2	3	–	–
Whooping-cough		0·35	0·48	0·61	1,039	475	564	445	374	150	87	47	1103	36	–	–	–	–	–	–	–	–	–
Typhus		0·02	0·02	0·01	34	21	13	1	–	–	–	–	1	1	1	4	6	8	10	3	–	–	–
Enteric Fever		0·20	0·25	0·25	616	340	276	3	11	19	9	8	51	70	73	119	85	103	51	40	25	9	–
Simple Continued Fever		0·03	0·03	0·03	62	31	31	6	4	2	3	4	19	11	1	6	4	4	3	5	2	6	1
Diarrhœa and Dysentery		1·09	1·25	0·97	2246	1192	1054	1649	305	49	13	7	2023	22	3	6	5	10	8	17	11	65	46
Cholera		0·02	0·02	0·02	41	24	18	23	4	1	–		28	1			2		3		5	2	–
Cancer		0·42	0·43	0·79	1288	439	858	4	2			3	9	3	8	3	10	53	203	340	373	226	52
Tabes Mesenterica		0·30	0·30	0·30	627	303	324	329	124	69	47	9	578	29	21	19	7	10	8	–	1	–	
Phthisis		1·46	2·04	1·04	4036	2617	1709	27	32	16	12	18	105	87	132	395	516	1015	992	585	294	86	16
Other Tub. & Scrof. Dis.		0·45	0·56	0·46	1,48	651	497	311	227	89	81	40	758	156	75	46	27	39	24	16	7	–	–
Nervous System		3·11	3·42	2·84	6444	3457	3,87	2241	471	178	97	54	3041	177	97	51	64	156	275	478	771	920	402
Circulatory		1·61	1·69	1·53	3338	1694	1764	19	3	4	2	2	30	30	61	72	74	201	447	655	751	676	272
Respiratory		5·76	5·51	4·26	9845	5292	4626	2 29	1318	473	265	166	4951	288	68	109	124	369	550	941	1229	1242	603
Digestive		1·11	1·17	1·05	2387	1156	1137	488	256	47	20	11	822	52	37	42	50	109	205	277	324	284	105
Urinary		0·83	0·66	0·41	1888	699	1189	46	24	14	14	10	77	37	8	22	43	84	158	182	232	176	79
Generative		0·10	0·01	0·18	246	14	232	3	1	–	1	–	5	–	–	2	9	37	67	49	23	9	4
Puerperal Fever		0·09		0·17	189		189	–	–	–	–	–	–	–	–	–	6	47	78	13	1	–	–
Childbirth		0·08		0·15	178		178	–	–	–	–	–	–	–	–	–	4	53	77	1	1	–	–
Violence		0·81	1·14	0·51	1677	1074	603	231	54	46	45	44	420	107	59	73	68	103	138	205	164	141	61
Other Causes		3·56	3·89	3·26	7369	3664	3705	1688	332	102	37	25	2184	102	77	117	88	148	230	280	369	671	365

Marriages		20,114	Annual Rate per 1000 living	Persons Married	19·43
Births	Males - 34,513 / Females - 33,747	68,260		Births - -	32·98

Deaths from Childbirth and Puerperal Fever - - - - - 5·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		21·88	†165	–	–	–	–	69·16	6·60	3·63	5·60	6·12	7·15	11·00	17·22	35·03	76·13	176·24
Males	—					23·32	†181	–	–	–	–	75·70	6·69	3·28	5·23	5·58	6·83	11·80	20·00	39·04	86·80	191·36
Females	—					20·52	†149	–	–	–	–	62·75	6·51	3·97	5·94	6·58	7·44	10·28	14·73	31·56	67·33	165·81
Mean Population, 1881-91. Persons	Decennial Increase of Population 5·78 per cent.			158,154			4265	3882	3915	3928	3913	19903	18294	17676	17164	15224	24502	18568	13566	8355	3854	1048
Males				75,554			2127	1922	1945	1964	1894	9852	8984	8724	8204	7006	11472	8858	6406	3878	1742	428
Females				82,600			2138	1960	1970	1964	2019	10051	9310	8952	8960	8218	13030	9710	7160	4477	2112	620
Deaths from All Causes, 1881-90. Persons	19·82			31,346			8195	3177	1175	696	522	13765	1207	641	961	932	1753	2043	2336	2927	2934	1847
Males	21·34			16,120			4570	1677	593	361	257	7458	601	286	429	391	784	1045	1281	1514	1512	819
Females	18·43			15,226			3625	1500	582	335	265	6307	606	355	532	541	969	998	1055	1413	1422	1028
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·02	0·03	35	14	21	3	5	2	–	–	10	7	1	5	2	4	2	4	–	–	–
Measles	0·48	0·51	0·45	756	385	371	163	315	132	61	42	713	43	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·51	0·52	0·49	802	394	408	54	117	131	127	103	532	220	34	6	3	3	4	–	–	–	–
Diphtheria	0·11	0·11	0·10	168	83	85	11	26	23	31	16	107	41	8	5	1	1	2	2	1	–	–
Whooping-cough	0·48	0·44	0·50	752	336	416	324	243	88	53	25	733	18	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	20	7	13	–	–	–	–	–	–	1	3	5	1	6	1	2	1	–	–
Enteric Fever	0·25	0·26	0·23	389	197	192	3	5	4	8	14	34	39	41	59	41	73	50	25	19	7	1
Simple Continued Fever	0·06	0·05	0·06	92	41	51	5	6	7	6	6	30	8	8	7	4	5	12	9	8	1	–
Diarrhœa and Dysentery	0·72	0·78	0·67	1139	588	551	694	187	28	11	3	923	14	4	4	4	11	18	16	38	58	49
Cholera	0·02	0·02	0·02	34	18	16	12	2	1	–	1	16	2	1	2	1	1	1	5	1	2	2
Cancer	0·46	0·32	0·60	735	239	496	–	–	1	1	–	2	–	2	2	2	17	105	191	224	159	31
Tabes Mesenterica	0·27	0·29	0·25	430	220	210	166	108	40	9	11	334	31	16	18	10	14	1	4	2	–	–
Phthisis	1·86	1·91	1·81	2936	1444	1492	47	31	21	15	14	128	74	124	393	422	662	537	354	194	45	3
Other Tub. & Scrof. Dis.	0·52	0·62	0·43	822	465	357	215	192	75	41	37	560	102	58	34	26	19	10	9	4	–	–
Diseases of Nervous System	2·97	3·38	2·58	4696	2564	2132	1826	427	164	98	72	2587	177	75	73	43	97	155	288	445	519	237
Circulatory „	1·43	1·44	1·41	2256	1088	1168	9	3	2	2	6	22	29	53	88	79	175	274	389	544	470	133
Respiratory „	4·30	4·80	3·85	6800	3624	3176	1685	1009	341	163	118	3316	215	65	58	75	196	382	499	806	830	358
Digestive „	1·19	1·28	1·11	1883	969	914	485	290	32	17	10	834	42	41	44	43	73	120	184	246	191	65
Urinary „	0·34	0·44	0·24	536	336	200	12	12	11	–	6	41	31	16	11	19	52	60	88	95	93	30
Generative „	0·06	0·01	0·10	93	9	84	2	1	–	1	–	4	1	–	5	4	5	19	25	10	19	1
Puerperal Fever	0·09	–	0·17	142	–	142	–	–	–	–	–	–	–	–	9	32	64	37	–	–	–	–
Childbirth	0·09	–	0·18	145	–	145	–	–	–	–	–	–	–	–	4	27	70	42	2	–	–	–
Violence	0·46	0·78	0·22	734	550	184	68	19	17	29	19	152	35	36	59	35	86	82	100	68	53	28
OTHER CAUSES	3·12	3·40	2·91	4951	2549	2402	2411	179	55	23	19	2687	77	54	70	58	119	129	140	221	487	909

Marriages 13,772

Births { Males 25,222 / Females 24,396 } 49,618

Annual Rate per 1000 living { Persons Married 17·42 / Births 31·37

Deaths from Childbirth and Puerperal Fever 5·78 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

503.—WAKEFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard Population* 22·35	†150	–	–	–	4	62·90	7·07	3·81	5·48	6·80	8·87	13·91	20·77	39·34	77·86	176·06
	Males		†168	–	–	–	–	68·41	7·13	3·92	5·67	6·19	8·65	14·94	23·19	42·29	85·42	171·86
	Females	In Standard Population* 21·36	†131	–	–	–	–	57·46	7·01	3·69	5·27	7·55	9·11	12·80	18·26	36·57	70·61	179·38
Mean Popn. 1881–91.	Persons	Decennial Increase of Population 11·88 per cent.	2870	2849	2659	2679	2568	13495	12013	10684	9210	8506	14381	11059	7501	4546	2340	756
	Males		1443	1336	1307	1334	1297	6667	6006	5406	4330	4064	7443	5717	3821	2282	1097	344
	Females		1457	1313	1352	1365	1271	6758	6007	5278	4880	4091	6940	5342	3680	2308	1243	422
Deaths from All Causes.	Persons	21·28	5977	1822	736	446	363	8844	849	407	505	578	1276	1438	1568	1788	1822	1331
1881–90	Males	22·09	2881	916	378	219	187	4581	428	212	274	293	644	853	886	942	918	574
	Females	20·46	2196	906	358	227	196	3883	421	195	231	309	632	684	672	844	874	757

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Smallpox	0·03	0·03	0·02	25	15	10	4	2	–	–	1	7	–	1	1	6	2	3	4	1	–	–
Measles	0·38	0·43	0·34	369	209	159	72	149	63	27	25	336	22			1	–	–	–	–	–	–
Scarlet Fever	0·68	0·84	0·92	827	401	426	42	105	145	135	111	508	244	51	6	6	8	2	1	1	–	–
Diphtheria	0·23	0·21	0·25	220	102	118	11	24	26	24	31	116	77	17	–	1	–	5	1	1	2	–
Whooping-cough	0·45	0·41	0·50	428	196	232	178	150	52	25	13	418	10	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	5	2	3	–	–	–	–	–	–	–	2	–	–	1	–	1	1	–	–
Enteric Fever	0·24	0·27	0·22	230	129	101	–	1	7	2	2	12	20	32	20	31	51	33	17	11	3	–
Simple Continued Fever	0·01	0·01	0·01	13	7	6	–	2	1	1	1	5	1	–	–	–	1	2	2	2	–	–
Diarrhœa and Dysentery	0·85	0·87	0·84	807	419	388	504	147	18	7	7	683	12	5	1	5	6	5	13	16	31	30
Cholera	0·00	0·00	0·01	4	1	3	1	–	–	–	–	1	1	–	–	–	–	–	1	1	–	–
Cancer	0·44	0·21	0·63	415	123	292	–	1	1	–	–	2	–	1	1	1	23	58	117	129	59	24
Tabes Mesenterica	0·37	0·38	0·36	351	184	167	140	99	19	8	12	278	16	15	8	8	10	2	2	8	4	–
Diseases	1·91	1·94	1·89	1807	930	877	23	14	13	6	12	68	56	67	191	256	413	363	282	147	30	4
Other Local Acute Dis.	0·35	0·38	0·33	333	180	153	87	60	24	14	15	200	36	26	16	9	23	9	8	3	2	2
Diseases of Nervous System	3·31	3·67	2·94	3122	175	1364	929	204	83	36	28	1280	100	60	58	51	165	306	267	316	358	161
Circulatory "	1·40	1·36	1·44	1321	652	669	7	–	1	1	3	12	14	24	35	39	78	172	225	260	365	133
Respiratory "	4·43	4·78	4·16	4179	2247	1932	1067	589	224	110	71	2061	121	27	34	53	105	221	416	464	506	285
Digestive "	1·11	1·10	1·11	1086	569	517	271	132	27	14	10	454	54	11	19	18	45	76	108	143	122	51
Urinary "	0·21	0·37	0·25	202	178	114	1	9	4	5	5	24	12	8	6	10	24	32	56	57	54	19
Generative "	0·02	0·00	0·06	23	2	21	–	–	–	–	–	–	–	–	–	1	4	3	4	5	5	1
Puerperal Fever	0·09	–	0·19	86	–	86	–	–	–	–	–	–	–	–	3	14	16	25	–	–	–	–
Childbirth	0·09	–	0·18	85	–	85	–	–	–	–	–	–	–	–	9	14	35	26	2	–	–	–
Violence	0·89	1·24	0·55	756	593	163	42	18	14	29	13	116	35	39	58	40	109	143	101	81	40	32
Other Causes	3·21	3·56	3·46	3318	1704	1614	1536	116	44	21	3	1961	38	22	39	36	75	65	102	137	264	301

Marriages		7,079	Annual Rate per 1000 living	Persons Married	15·00
Births	Males 17,176	33,932		Births	35·94
	Females 16,756				

Deaths from Childbirth and Puerperal Fever 5·10 per 1000 Births.

* See page xxiv. ante.

† The death-rates under one year of age are per 1000 Births.

504.—PONTEFRACT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 19·52	†149	–	–	–	–	63·56	7·04	3·34	4·37	5·04	6·30	9·50	13·82	30·30	65·77	159·34
Males	—	20·43	†164	–	–	–	–	69·44	6·92	3·20	3·42	4·02	5·90	9·42	15·77	32·82	68·99	182·52
Females	—	18·67	†133	–	–	–	–	57·66	7·17	3·49	5·59	6·30	6·77	9·60	11·68	27·74	62·87	142·03
Mean Population, 1881–91. Persons	Decennial Increase of Population 18·27 per cent.	52,243	1751	1579	1592	1543	1546	8011	7013	5985	4986	4505	7665	5872	3937	2452	1335	482
Males		27,294	877	788	800	768	782	4015	3483	3094	2805	2489	4105	3174	2054	1237	632	206
Females		24,949	874	791	792	775	764	3996	3530	2891	2181	2016	3560	2698	1883	1215	703	276
Deaths from All Causes, 1881–90. Persons	19·53	10,205	3064	1102	463	267	196	5092	494	200	218	227	483	558	544	743	878	768
Males	19·81	5,407	1716	595	231	144	102	2788	241	99	96	100	242	299	324	406	436	376
Females	19·23	4,798	1348	507	232	123	94	2304	253	101	122	127	241	259	220	337	442	392

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·40	0·41	0·39	208	111	97	49	74	44	14	14	195	13	–	–	–	–	–
Scarlet Fever	0·94	0·96	0·92	491	261	230	22	68	80	77	61	308	145	26	4	2	2	4	–	–	–	–
Diphtheria	0·24	0·21	0·26	123	58	65	8	12	20	19	15	74	33	8	1	–	2	3	1	1	–	–
Whooping-cough	0·43	0·38	0·48	224	104	120	92	76	31	17	3	219	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Enteric Fever	0·23	0·23	0·22	119	63	56	–	2	6	5	6	19	18	15	11	13	25	10	5	3	–	–
Simple Continued Fever	0·03	0·02	0·04	15	6	9	2	2	–		2	6	5	1	–	–	–	–	–	1	1	1
Diarrhœa and Dysentery	0·97	0·89	1·07	508	242	266	307	116	26	8	–	457	8	1	–	–	3	5	3	9	14	8
Cholera	0·00	0·00	0·00	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·45	0·29	0·62	234	80	154	–	–	1	–	–	1	–	–	–	2	10	34	58	60	52	17
Tabes Mesenterica	0·30	0·30	0·31	159	82	77	62	48	16	7	2	135	8	4	3	2	3	2	–	2	–	–
Phthisis	1·42	1·48	1·34	740	405	335	11	14	8	4	8	45	29	34	78	85	169	148	81	50	20	1
Other Tub. & Scrof. Dis.	0·34	0·37	0·31	177	100	77	45	38	15	11	4	113	23	12	5	3	3	12	2	3	1	–
Diseases of Nervous System	3·16	3·32	2·98	1650	907	743	706	172	58	35	32	1003	69	32	20	14	36	40	58	123	156	99
Circulatory „	1·18	1·10	1·27	618	300	318	5	1	3	1	–	10	9	12	13	22	29	56	97	131	174	65
Respiratory „	3·49	3·79	3·16	1821	1033	788	538	277	99	50	32	996	57	12	18	19	46	72	102	173	192	134
Digestive „	1·03	1·07	0·97	536	293	243	146	78	17	4	3	248	19	6	9	8	27	43	55	59	48	14
Urinary „	0·31	0·36	0·26	162	98	64	1	8	6	2	4	21	7	3	3	8	6	24	20	30	27	13
Generative „	0·04	0·00	0·08	22	1	21	–	2	–	–	–	2	–	–	3	1	7	5	2	1	1	–
Puerperal Fever	0·10	–	0·22	54	–	54	–	–	–	–	–	–	–	–	6	9	29	10	–	–	–	–
Childbirth	0·09	–	0·19	48	–	48	–	–	–	–	–	–	–	–	2	11	16	18	1	–	–	–
Violence	0·60	0·88	0·30	314	240	74	18	14	9	7	5	53	25	16	31	16	41	41	32	36	15	8
OTHER CAUSES	3·77	3·75	3·83	1977	1021	956	1051	100	24	6	5	1186	21	16	11	12	28	31	27	60	177	408

Marriages - - 3,838

Births - { Males - 10,479 / Females - 10,109 } 20,588

Annual Rate per 1000 living { Persons Married 14·69 / Births - - 39·41

Deaths from Childbirth and Puerperal Fever - - - - - 4·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

505.—HEMSWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Populations* 17·24	†139	-	-	-	-	49·35	4·44	2·25	5·11	6·89	6·40	10·37	12·91	24·43	63·06	172·79
Males	—	17·60	†135	-	-	-	-	50·32	4·27	1·93	5·41	6·24	6·49	11·37	16·30	24·73	66·67	173·46
Females	—	16·86	†125	-	-	-	-	48·32	4·61	2·62	4·71	7·79	6·28	8·64	8·93	24·12	59·80	173·05
Mean Population, 1881–91. Persons	Decennial Increase of Population 31·74 per cent.	12,869	836	364	368	355	363	1846	1599	1554	1194	1132	1038	1418	989	663	379	147
Males		6,896	211	186	190	185	180	952	796	830	684	657	1078	758	540	352	180	69
Females		5,973	185	178	178	170	185	894	803	724	510	475	860	660	450	311	199	78
Deaths from All Causes, 1881–90. Persons	17·18	2,211	594	185	54	47	31	911	71	35	61	78	124	147	129	162	239	254
Males	17·13	1,181	314	97	28	23	17	479	34	16	37	41	70	90	88	87	120	119
Females	17·24	1,030	280	88	26	24	14	432	37	19	24	37	54	57	41	75	119	135

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·02	0·03	–	2	2	–
Measles	0·38	0·36	0·39	49	26	23
Scarlet Fever	0·41	0·36	0·45	53	26	27
Diphtheria	0·05	0·04	0·07	7	3	4
Whooping-cough	0·54	0·61	0·47	70	43	27
Typhus	–	–	–	–	–	–
Enteric Fever	0·37	0·39	0·33	47	27	20
Simple Continued Fever	0·02	0·01	0·03	3	1	2
Diarrhœa and Dysentery	0·47	0·51	0·44	61	35	26
Cholera	0·02	0·04	–	3	3	–
Cancer	0·54	0·33	0·77	69	23	46
Tabes Mesenterica	0·44	0·59	0·47	69	41	28
Phthisis	1·14	1·17	1·10	147	81	66
Other Tub. & Scrof. Dis.	0·29	0·25	0·33	37	17	20
Nervous System	2·29	2·10	2·51	295	145	150
Circulatory	1·55	1·53	1·59	200	105	95
Respiratory	3·39	3·52	3·23	436	243	193
Digestive	1·05	0·94	1·17	135	65	70
Urinary	0·39	0·32	0·32	41	22	19
Generative	0·02	–	0·03	3	-	3
Puerperal Fever	0·09	–	0·18	11	-	11
Childbirth	0·07	–	0·15	9	-	9
Violence	0·85	1·36	0·35	115	94	21
Other Causes	2·73	2·64	2·86	350	180	170

Persons.	1–	2–	3–	4–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
8	19	6	5	5	43	5	1	-	-	-	-	-	-	-
3	5	16	9	5	35	13	3	2	-	-	-	-	-	-
-	-	-	1	1	2	3	1	-	-	-	1	-	-	-
26	23	8	5	3	69	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	1	-	5	1	10	6	5	8	6	5	1	-
-	-	-	1	-	1	-	-	-	-	-	1	-	1	-
37	11	1	-	-	49	1	-	-	-	-	-	-	7	4
-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	11	14	21	16	4
42	16	2	2	3	65	2	-	1	1	-	-	-	-	-
-	3	1	-	2	6	2	6	19	27	36	31	11	5	3	1
10	15	-	4	3	31	3	-	-	2	1	-	-	-	-	-
126	13	3	2	2	146	7	4	5	2	9	8	11	28	41	34
-	-	-	1	-	1	2	2	3	12	9	14	30	36	56	35
124	53	14	6	3	202	10	1	3	7	14	31	21	26	58	69
35	15	2	2	1	55	2	3	1	1	6	4	10	17	17	13
-	-	1	-	1	2	3	-	-	1	3	1	3	9	11	8
-	-	-	-	-	-	-	-	-	-	-	-	-	2		
-	-	-	-	-		-	-	-	2	6	3	-	-	-	-
-	-	-	-	-		-	-	-	3	3	3	-	-	-	-
3	1	7	2	-	13	6	2	16	7	23	22	11	8	10	7
169	10	4	3	1	187	10	2	5	6	5	11	7	12	20	85

Marriages	-	-	788
Births	Males -	2,325	4,570
	Females -	2,245	

Annual Rate per 1000 living { Persons Married 11·24 / Births - - 35·51 }

Deaths from Childbirth and Puerperal Fever - - - } 4·38 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·12	†164	–	–	–	–	66·70	6·93	3·61	5·18	5·37	6·84	11·04	16·55	30·31	78·63	170·55
Annual Death-Rate per 1000. Males	—	21·90	†179	–	–	–	–	72·74	7·26	3·81	4·74	4·60	6·12	10·65	18·25	32·28	83·11	178·43
Annual Death-Rate per 1000. Females	—	20·37	†149	–	–	–	–	60·74	6·61	3·40	5·76	6·36	7·71	11·51	14·62	28·31	74·23	163·73
Mean Population, 1881–91. Persons	Decennial Increase Population 21·67 per cent.	87,130	2979	2691	2651	2613	2584	13518	11538	9911	8297	7889	13328	9717	6563	3886	1933	550
Mean Population, 1881–91. Males		45,866	1484	1341	1307	1331	1249	6712	5742	5064	4686	4432	7300	5270	3485	1961	959	255
Mean Population, 1881–91. Females		41,264	1495	1350	1344	1282	1335	6806	5796	4847	3611	3457	6028	4447	3078	1925	974	295
Deaths from All Caus. Persons	20·35	17,735	5609	1883	722	457	345	9016	800	358	430	424	912	1073	1086	1178	1520	938
Deaths from All Caus. Males	20·60	9,447	3133	983	367	240	159	4882	417	193	222	204	447	561	636	633	797	455
Deaths from All Caus. Females	20·09	8,288	2476	900	355	217	186	4134	383	165	208	220	465	512	450	545	723	483

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	0·01	13	8	5	3	1	1	–	–	5	1	–	–	1	3	1	2	–	–	–
Measles	0·56	0·55	0·57	486	251	235	96	191	87	50	23	447	32	4	1	–	1	1	–	–	–	–
Scarlet Fever	0·86	0·83	0·89	750	381	369	47	126	128	102	120	523	183	29	3	3	8	–	1	–	–	–
Diphtheria	0·11	0·08	0·14	92	36	56	13	6	12	12	9	52	31	4	1	1	2	1	–	–	–	–
Whooping-cough	0·53	0·45	0·62	460	205	255	221	123	62	25	15	446	14	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·30	0·28	0·31	258	129	129	9	13	4	8	7	41	28	29	28	24	37	30	22	10	9	–
Simple Continued Fever	0·02	0·02	0·01	16	11	5	–	1	–	2	1	4	6	1	–	–	1	1	2	1	–	–
Diarrhœa and Dysentery	1·11	1·12	1·10	967	513	454	600	201	24	11	5	841	9	6	1	–	4	4	13	17	34	38
Cholera	0·01	0·01	0·01	9	5	4	1	2	–	–	–	3	–	1	–	–	–	1	2	2	–	–
Cancer	0·40	0·24	0·57	347	112	235	–	1	–	1	–	2	2	1	2	–	19	58	85	88	68	22
Tabes Mesenterica	0·21	0·22	0·20	181	99	82	58	49	19	10	7	143	14	5	3	1	4	5	3	3	–	–
Phthisis	1·66	1·62	1·71	1448	742	706	32	41	9	23	10	115	57	64	150	175	298	282	192	73	41	1
Other Tub. & Scrof. Dis.	0·54	0·57	0·50	470	262	208	124	128	34	19	13	318	66	30	11	13	15	10	5	1	1	–
Diseases of Nervous System	2·80	2·87	2·73	2443	1316	1127	1106	200	78	50	35	1469	102	41	31	20	44	58	116	167	258	137
Diseases of Circulatory „	1·38	1·23	1·56	1205	563	642	4	2	1	–	2	9	17	14	33	27	92	148	172	279	310	104
Diseases of Respiratory „	4·11	4·32	3·87	3579	1981	1598	1192	540	194	106	67	2099	110	20	37	39	78	157	199	260	382	198
Diseases of Digestive „	1·05	1·08	1·03	917	493	424	304	124	15	6	5	454	22	17	15	12	30	58	71	93	111	34
Diseases of Urinary „	0·30	0·35	0·25	262	160	102	4	13	5	5	2	29	18	6	8	7	20	35	30	41	49	19
Diseases of Generative „	0·03	0·00	0·05	24	2	22	2	–	–	1	–	3	–	–	–	3	3	3	8	3	–	1
Puerperal Fever	0·11	–	0·24	99	–	99	–	–	–	–	–	–	–	–	9	16	45	28	1	–	–	–
Childbirth-	0·07	–	0·15	62	–	62	–	–	–	–	–	–	–	–	4	9	26	21	2	–	–	–
Violence	0·87	1·38	0·31	760	632	128	40	14	17	14	15	100	43	60	66	47	115	112	105	52	45	15
OTHER CAUSES	3·31	3·36	3·26	2887	1546	1341	1753	107	32	12	9	1913	45	26	27	26	67	59	55	88	212	369

Marriages - - 6,106

Births - { Males - 17,521 / Females - 16,628 } 34,149

Annual Rate per 1000 living { Persons Married 14·02 / Births - - 39·19

Deaths from Childbirth and Puerperal Fever - - - - 4·71 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

507.—WORTLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000. Persons	—	In 1881-85 Aggregate Population.* 20·54	†134	–	–	–	–	50·18	6·26	3·45	5·12	6·91	9·61	15·89	21·27	37·33	79·87	186·91
Males	—		†145	–	–	–	–	53·54	5·79	3·31	4·74	5·49	8·79	14·71	24·70	41·25	80·97	192·92
Females	—		†123	–	–	–	–	46·88	6·74	3·59	5·50	8·40	10·55	15·30	18·08	34·86	79·78	181·89
Mean Popn. Persons	Decennial Increase of Population, 12·35 per cent.	55,627	1740	1538	1532	1500	1564	7876	6995	6528	5088	4880	8144	6183	4544	3048	1235	466
1885. Males		28,739	835	769	762	740	792	3898	3508	3324	2516	2416	4022	3073	2306	1515	731	242
1885. Females		26,788	905	769	770	760	774	3978	3487	3204	2572	2464	4122	3062	2238	1533	804	224
Deaths 9 mos. Persons		11,086	2527	760	296	215	154	3952	438	225	276	337	789	677	999	1144	1226	871
All Causes. Males		5,895	1386	379	142	100	80	2087	203	110	142	149	389	346	559	625	665	449
1885. Females		5,551	1141	381	154	115	74	1865	235	115	134	188	400	471	491	519	561	422

	Persons	Males	Females	Persons.	Males	Females	Persons.											
Smallpox	0·06	0·06	0·04	34	23	11	6	–	–	–	1	7	2	1	4	5	6	4	1	1	1	–
Measles	0·23	0·23	0·33	154	66	88	27	68	21	10	9	135	16	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·32	0·36	0·28	180	103	157	14	36	39	44	37	170	86	21	5	3	5	1	–	–	–	–
Diphtheria	0·25	0·18	0·32	149	32	67	14	9	12	13	13	67	35	5	2	–	5	3	–	2	–	–
Whooping-cough	0·33	0·29	0·37	183	84	99	70	64	20	18	4	176	6	–	–	–	–	–	1	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·17	0·18	0·16	95	51	44	3	–	4	1	1	9	10	13	10	14	16	7	8	2	4	2
Simple Continued Fever	0·02	0·03	0·01	13	9	4	1	–	1	1	1	4	1	1	1	–	–	1	1	3	1	–
Diarrhœa and Dysentery	0·43	0·43	0·42	237	124	113	146	20	4	2	2	174	2	2	1	1	–	3	5	2	19	22
Cholera	0·00	0·00	0·00	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Cancer	0·44	0·33	0·57	247	95	152	–	–	1	–	–	1	1	–	1	2	3	22	52	67	75	18
Tabes Mesenterica	0·17	0·19	0·16	97	55	42	47	23	4	1	3	83	4	3	1	2	3	–	1	–	–	–
Phthisis	1·91	1·83	2·00	1060	525	535	8	10	2	4	6	30	27	38	95	134	263	223	131	88	30	2
Other Tub. & Scrof. Dis.	0·50	0·43	0·56	275	125	150	75	59	26	15	8	183	39	20	7	7	9	6	3	–	–	1
Diseases of: Nervous System	4·67	4·45	3·68	2,595	1279	986	519	106	32	16	12	685	57	29	34	34	147	276	279	276	289	167
Respiratory	1·66	1·61	1·72	923	463	460	4	–	–	2	1	7	9	10	17	27	41	106	129	219	348	114
Digestive	4·13	4·08	3·86	2292	1173	1033	362	251	91	67	32	1003	80	19	29	30	88	140	168	242	321	72
Urinary	1·96	1·66	1·95	1086	477	981	118	45	8	4	4	179	12	15	14	10	34	97	99	194	83	34
Generative	0·38	0·45	0·31	211	129	82	3	6	2	2	1	14	8	3	3	3	26	28	32	39	35	10
Parturition, Fever	0·04	0·00	0·09	24	1	23	1	–	–	–	–	1	–	1	–	–	6	6	5	2	1	3
Childbirth	0·13	–	0·26	70	–	70	–	–	–	–	–	–	–	–	2	22	36	10	–	–	–	–
Old Age	0·08	–	0·17	45	–	45	–	–	–	–	–	–	–	–	10	4	16	14	1	–	–	–
Violence	0·64	0·80	0·47	345	257	88	22	21	11	4	11	69	12	18	21	21	33	41	40	36	36	14
Other Causes	2·91	2·82	2·97	1027	632	795	556	37	17	5	1	916	31	24	18	17	35	50	50	65	131	280

Marriages - - - 3,574

Births - Males 9,745 } 18,838
Females 9,093 }

Annual Rate per 1000 living { Persons Married 12·87 / Births - - 33·93

Deaths from Childbirth and Puerperal Fever - - - - - 6·40 per 1000 Births

* See pages xxvi–xxvii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		20·72	†159	–	–	–	–	64·65	6·45	2·81	3·87	5·23	6·79	10·63	17·46	33·50	76·19	171·35
Males	—					22·27	†174	–	–	–	–	71·02	6·55	2·68	4·09	5·20	6·84	11·57	19·42	38·97	84·85	185·92
Females	—					19·25	†143	–	–	–	–	58·34	6·36	2·93	3·69	5·27	6·75	9·72	15·62	28·77	69·36	161·68
Mean Population, 1881-91. Persons	Decennial Increase of Population 20·53 per cent.			126,162			3643	3191	3063	3100	3165	16162	14923	14076	13430	12380	19797	14882	10170	6310	3142	890
Males				60,579			1796	1613	1506	1537	1582	8034	7370	6831	6185	5678	9536	7349	4927	2928	1386	355
Females				65,583			1847	1578	1557	1563	1583	8128	7553	7245	7245	6702	10261	7533	5243	3382	1756	535
Deaths from All Causes, 1881-90. Persons	18·79			23,710			6371	2276	850	540	411	10448	963	395	520	648	1345	1582	1776	2114	2394	1525
Males	20·40			12,356			3569	1198	446	286	207	5706	483	183	253	295	652	850	957	1141	1176	660
Females	17·31			11,354			2802	1078	404	254	204	4742	480	212	267	353	693	732	819	973	1218	865
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·13	0·16	0·10	159	96	63	28	2	3	5	2	40	9	6	17	30	23	16	12	5	1	–
Measles	0·41	0·47	0·36	523	287	236	135	207	75	42	27	486	36	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·64	0·65	0·62	804	396	408	39	116	124	118	110	507	240	35	11	2	6	3	–	–	–	–
Diphtheria	0·08	0·08	0·07	99	50	49	1	14	9	14	8	46	37	9	–	3	1	3	–	–	–	–
Whooping-cough	0·52	0·46	0·57	653	278	375	270	221	74	31	28	624	29	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	10	5	5	–	–	–	–	1	1	2	2	1	–	2	2	–	–	–	–
Enteric Fever	0·15	0·17	0·13	186	102	84	4	3	3	4	5	19	20	19	24	15	36	21	19	8	4	1
Simple Continued Fever	0·02	0·02	0·02	25	11	14	1	2	3	–	1	7	4	–	2	1	1	1	1	5	3	–
Diarrhœa and Dysentery	0·88	0·98	0·78	1104	595	509	773	156	22	13	4	968	9	3	1	5	9	8	12	13	41	35
Cholera	0·01	0·01	0·01	13	7	6	7	2	–	–	–	9	–	–	–	–	1	–	2	–	1	–
Cancer	0·48	0·27	0·67	605	164	441	–	1	1	–	–	2	1	1	2	3	18	86	162	158	127	45
Tabes Mesenterica	0·29	0·31	0·26	383	190	173	184	90	35	13	6	328	13	6	6	2	–	3	2	2	1	–
Phthisis	1·78	2·10	1·49	2246	1271	975	23	29	12	6	13	83	54	70	188	257	547	468	334	183	55	7
Other Tub. & Scrof. Dis.	0·48	0·56	0·40	601	338	263	151	132	68	47	30	428	68	31	15	14	16	14	7	5	–	3
Diseases of Nervous System	2·97	3·40	2·57	3746	2058	1688	1422	286	112	61	45	1926	130	49	57	38	93	108	229	412	502	202
Circulatory „	1·33	1·25	1·40	1676	756	920	16	2	2	2	4	26	21	52	41	46	116	213	280	334	407	140
Respiratory „	3·99	4·69	3·35	5034	2839	2195	1294	733	239	138	83	2487	163	33	45	64	161	246	342	548	637	308
Digestive „	1·02	1·03	1·01	1284	624	660	317	138	15	11	12	493	42	22	21	39	64	102	138	170	137	56
Urinary „	0·33	0·43	0·23	412	260	152	3	4	6	6	7	26	10	5	11	13	33	56	87	77	66	28
Generative „	0·04	0·00	0·08	54	2	52	–	–	–	1	–	1	–	1	5	2	8	18	5	9	5	–
Puerperal Fever	0·11	–	0·21	136	–	136	–	–	–	–	–	–	–	–	5	46	51	33	1	–	–	–
Childbirth	0·07	–	0·14	94	–	94	–	–	–	–	–	–	–	–	5	9	35	44	1	–	–	–
Violence	0·31	0·44	0·20	396	264	132	66	13	13	11	11	114	20	7	13	23	32	49	47	34	37	20
OTHER CAUSES	2·74	2·91	2·63	3487	1763	1724	1637	125	34	17	14	1827	55	43	50	36	92	88	95	151	370	680

Marriages - - - 6,159

Births - Males - 20,478 / Females - 19,635 — 40,113

Annual Rate per 1000 living: Persons Married 10·24; Births - - 31·79

Deaths from Childbirth and Puerperal Fever - - - - - 5·73 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year	1	2	3—	4—	1 and under 5 Years.	5—	10—	15—	20—	25—	35—	45	55	65	75 and upwards
Annual Death-Rate per 1000	Persons	In Sheffield	1·176	–	–	–	–	77·67	7·87	3·91	5·12	6·28	8·93	14·86	23·59	45·27	88·91	184·14
	Males	Registration Area	1·199	–	–	–	–	83·91	7·97	3·79	5·18	6·37	9·37	16·50	28·56	51·82	101·27	192·49
	Females		1·044	–	–	–	–	72·42	7·97	4·04	5·06	6·19	8·44	13·03	18·60	38·02	77·80	178·29
Mean Population, 1881-91.	Persons	Decennial Increase of Population 11·5 per cent.	129,995					12,752	4688	1872	1106	781	21,399	1772	839	953	1088	2689	3566	3814	4287	3711	2089
	Males		58,140					6242	2415	940	554	393	11,043	874	407	505	568	1417	2061	2347	2661	1958	859
	Females		71,855					6510	2273	932	552	388	10,356	898	432	448	520	1272	1445	1472	1864	1753	1150
Deaths (corr. Average 1881-90.	Persons		2,153					1,587	446	64	16	4	2,117	24	3	3	3	3	17	15	44	70	64
	Males		1,111					811	232	34	8	2	1,087	13	2	2	2	2	9	8	24	37	34
	Females		1,042					776	214	30	8	2	1,030	11	1	1	1	1	8	7	20	33	30

	Persons	Males.	Females	Persons	Males	Females.	Persons.													
Small-pox	0·30	0·35	0·25	582	345	237	75	11	12	12	15	125	49	48	80	89	102	59	19	6	5	–
Measles	0·55	0·56	0·54	1098	581	517	216	426	198	88	77	1005	58	3	–	–	2	–	–	–	–	–
Scarlet Fever	0·82	0·79	0·86	1597	777	820	66	188	262	228	210	954	511	100	12	9	6	4	1	–	–	–
Diphtheria	0·08	0·06	0·10	156	64	92	9	17	16	17	20	79	50	13	4	2	1	3	1	3	–	–
Whooping-cough	0·57	0·47	0·67	1105	467	638	425	355	176	78	37	1071	34	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	40	21	19	–	–	–	2	–	2	2	2	4	6	10	7	4	2	1	–
Enteric Fever	0·23	0·25	0·20	447	252	195	–	9	8	11	17	45	51	42	50	44	70	50	58	18	2	1
Simple Continued Fever	0·03	0·03	0·03	57	27	30	1	4	5	4	4	18	18	3	3	1	5	4	2	1	3	
Diarrhœa and Dysentery	1·22	1·23	1·21	2392	1208	1184	1587	446	64	16	4	2117	24	3	3	3	3	17	15	44	70	64
Cholera	0·03	0·03	0·03	60	31	29	31	12	3	1	–	47	1		1	3	–	1	2	2	3	–
Cancer	0·50	0·34	0·67	976	333	643	1	1	–	–	–	2	3	3	6	7	46	161	287	284	141	36
Tabes Mesenterica	0·46	0·50	0·43	897	487	410	470	239	71	23	14	822	34	12	6	2	8	4	4	3	1	1
Phthisis	1·99	2·40	1·56	3875	2335	1540	44	61	19	12	11	147	91	147	288	387	936	949	565	291	73	11
Other Tub. & Scrof. Dis.	0·51	0·57	0·44	981	564	417	322	219	78	66	38	723	98	50	27	12	26	26	13	5	1	–
Nervous System	3·39	3·64	3·13	6576	3531	3045	2845	571	184	112	73	3785	176	91	65	70	110	269	469	651	639	254
Circulatory	1·46	1·46	1·47	2837	1414	1423	13	4	2	1	3	23	38	74	94	77	258	464	557	615	484	149
Respiratory	5·54	6·14	4·92	10746	5942	4804	2537	1520	585	303	171	5116	253	54	104	115	372	679	989	1310	1240	484
Digestive	1·11	1·11	1·10	2156	1069	1087	547	267	39	17	12	882	56	37	32	40	115	178	258	306	182	60
Urinary	0·43	0·55	0·30	837	319	288	11	18	12	9	8	58	26	22	24	18	74	113	147	170	130	46
Generative	0·06	0·01	0·12	122	8	114	1	–	–	–	–	1	1		3	9	21	29	29	20	7	2
Puerperal Fever	0·11		0·22	214	–	214									24	39	109	40	2	–	–	–
Childbirth	0·08		0·17	156		156									11	24	82	59	3	–	–	–
Violence	0·76	1·03	0·46	1486	1042	444	136	49	64	63	49	361	101	49	65	69	177	192	173	155	86	47
Other Causes	3·39	3·43	3·39	6581	3470	3111	3115	271	74	38	37	3535	79	86	68	65	176	247	229	340	645	851

Marriages	2,578	Annual Rate per 1000 living	Persons Married	21·43
Births Males	2,284		Births	37·28
Females	2,204			
	4,788			

Deaths from Childbirth and Puerperal Fever 5·16 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·43	†150	–	–	–	–	58·12	5·93	3·62	4·77	5·86	6·61	10·01	16·58	31·69	69·66	162·62
Males	—	19·84	†167	–	–	–	–	62·28	6·04	3·59	4·24	5·10	5·93	9·88	18·30	34·56	74·89	156·09
Females	—	19·03	†133	–	–	–	–	53·95	5·82	3·66	5·43	6·78	7·38	10·16	14·73	28·84	65·06	167·85
Mean Population, 1881-91. Persons	Decennial Increase of Population 21·25 per cent.	83,549	2762	2555	2434	2530	2454	12735	11448	9831	8006	7099	12147	9448	6369	3872	1984	610
Males		43,161	1393	1277	1214	1259	1230	6373	5661	4935	4414	3886	6454	5008	3301	1930	928	271
Females		40,388	1369	1278	1220	1271	1224	6362	5787	4896	3592	3213	5693	4440	3068	1942	1056	339
Deaths from All Causes, 1881–90. Persons	18·72	15,640	4716	1511	576	319	279	7401	679	356	382	416	803	946	1056	1227	1382	992
Males	18·86	8,140	2648	737	289	157	138	3969	342	177	187	198	383	495	604	667	695	423
Females	18·57	7,500	2068	774	287	162	141	3432	337	179	195	218	420	451	452	560	687	569

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·06	0·06	0·05	47	28	19	9	2	–	2	–	13	4	2	4	9	5	7	2	1	–	–
Measles	0·49	0·48	0·51	409	205	204	104	159	70	27	20	380	25	2	1	–	1	–	–	–	–	–
Scarlet Fever	0·76	0·72	0·80	634	312	322	49	88	100	72	97	406	182	33	5	2	5	1	–	–	–	–
Diphtheria	0·06	0·06	0·06	51	27	24	4	5	8	4	5	26	14	2	–	3	3	2	–	1	–	–
Whooping-cough	0·54	0·44	0·64	450	191	259	195	133	61	32	13	434	16	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	8	5	3	–	–	–	–	–	–	–	3	2	–	1	1	–	1	–	–
Enteric Fever	0·33	0·37	0·28	274	159	115	7	5	11	3	5	31	34	32	33	29	33	36	23	12	5	1
Simple Continued Fever	0·03	0·03	0·03	26	13	13	1	2	2	1	–	6	6	3	–	–	1	5	2	3	–	–
Diarrhœa and Dysentery	0·81	0·80	0·83	680	344	336	425	126	31	7	3	592	9	–	–	2	3	6	7	10	27	24
Cholera	0·01	0·01	0·00	7	5	2	4	–	–	–	–	4	–	–	1	–	–	1	1	–	–	–
Cancer	0·42	0·29	0·57	354	124	230	–	1	–	–	–	1	1	–	4	3	16	47	97	93	72	20
Tabes Mesenterica	0·31	0·32	0·29	256	138	118	125	57	13	12	5	212	10	7	4	4	5	7	3	3	1	–
Phthisis	1·32	1·28	1·37	1105	553	552	14	17	12	4	6	53	37	54	116	149	261	194	150	70	20	1
Other Tub. & Scrof. Dis.	0·38	0·37	0·38	314	161	153	109	68	33	11	10	231	34	24	7	6	5	6	–	–	1	–
Diseases of Nervous System	2·80	2·90	2·69	2340	1252	1088	1102	146	44	28	30	1350	83	42	19	11	37	53	118	193	289	145
Diseases of Circulatory „	1·13	1·03	1·23	940	444	496	1	–	–	–	2	3	11	19	37	34	60	108	160	206	201	101
Diseases of Respiratory „	3·59	3·71	3·45	3001	1603	1398	810	398	127	86	53	1474	94	29	31	35	88	139	191	296	380	244
Diseases of Digestive „	1·26	1·22	1·31	1054	526	528	304	162	25	7	4	502	19	18	17	16	52	72	86	126	104	42
Diseases of Urinary „	0·37	0·42	0·31	308	181	127	2	11	4	1	5	23	9	8	9	7	21	38	46	65	59	23
Diseases of Generative „	0·05	0·01	0·09	40	4	36	1	1	–	–	–	2	–	–	–	3	5	15	7	3	4	1
Puerperal Fever	0·12	–	0·24	97	–	97	–	–	–	–	–	–	–	–	10	24	45	16	2	–	–	–
Childbirth	0·09	–	0·19	78	–	78	–	–	–	–	–	–	–	–	2	7	29	36	4	–	–	–
Violence	0·79	1·23	0·33	663	529	134	33	15	16	13	11	88	52	46	57	39	73	98	81	64	35	30
OTHER CAUSES	2·99	3·10	2·91	2504	1336	1168	1417	115	19	9	10	1570	39	32	23	33	49	58	76	80	184	360

Marriages 5,934

Births { Males 15,864 / Females 15,564 } 31,428

Annual Rate per 1000 living { Persons Married 14·20 / Births 37·62

Deaths from Childbirth and Puerperal Fever 5·57 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

511.—DONCASTER.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	Persons	In Standard Population* 17·40	142	–	–	–	–	55·52	4·75	2·98	3·53	4·91	6·49	9·39	13·71	27·38	59·89	155·08
	Males	18·20	156	–	–	–	–	58·18	4·88	2·78	3·31	4·38	6·05	9·43	14·95	30·21	63·35	164·61
	Females	16·65	127	–	–	–	–	48·88	4·62	3·17	3·77	5·47	6·94	9·77	12·45	24·47	55·67	147·24
Mean Population, 1881–91.	Persons	Decennial Increase 58,677	1997	1489	1564	1534	1481	7745	7195	6554	5666	5136	8454	6952	4952	3446	2027	820
	Males	29,397	809	750	800	765	738	3862	3644	3272	2861	2649	4015	3491	2495	1685	960	370
	Females	17·88 per cent.	858	749	764	769	743	3883	3551	3282	2805	2487	4149	3275	2457	1761	1057	452
Deaths from All Causes, 1881–90.	Persons	10,456	2751	776	301	175	142	4145	342	195	209	252	549	639	679	940	1214	1281
	Males	5,442	1547	394	140	83	83	2247	178	91	98	116	261	319	373	509	636	614
	Females	4,994	1204	382	161	92	59	1898	164	104	102	136	288	320	306	431	578	667

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·01	0·01	7	4	3	1	–	–	1	–	2	–	–	1	–	–	–	–	1
Measles	0·27	0·25	0·29	159	74	85	32	51	28	19	14	144	11	2	–	–	2	–	–	–	–	–
Scarlet Fever	0·40	0·41	0·39	236	122	114	5	39	38	36	35	153	63	14	3	1	–	2	–	–	–	–
Diphtheria	0·10	0·11	0·09	58	32	26	1	4	2	3	11	21	16	8	3	5	1	–	1	1	2	–
Whooping-cough	0·44	0·39	0·50	260	115	145	134	75	35	10	8	262	8	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	–	1	1		–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·26	0·15	0·16	91	44	47	–	–	1	1	5	7	8	11	11	14	16	9	6	7	2	–
Simple Continued Fever	0·02	0·02	0·01	12	6	6	–	1	1	1	–	3	1	3		2	–	2	–	1		–
Diarrhœa and Dysentery	0·72	0·70	0·70	420	213	207	275	64	9	3	–	350	2	4	1	–	4	4	4	9	17	25
Cholera	0·01	0·01	0·01	5	3	2	4	–	–	–	–	4	–	–		–	–	–	–	–	–	1
Cancer	0·62	0·44	0·80	362	129	233	–	–	1	1	–	2	1	–	2	–	4	38	80	98	91	30
Tabes Mesenterica	0·36	0·36	0·29	192	107	85	108	35	11	6	4	164	10	6	4	3	1	3	1	–	–	–
Phthisis	1·22	1·19	1·25	718	361	365	8	7	7	2	3	27	20	37	65	87	184	154	86	49	14	2
Other Tub. & Scrof. Dis.	0·30	0·32	0·27	175	96	79	50	32	13	4	7	106	22	17	8	7	4	7	2	1		2
Diseases of: Nervous System	2·87	2·70	2·44	1509	798	711	591	95	34	16	10	746	40	22	12	8	20	58	68	152	215	164
Circulatory ,,	1·35	1·36	1·34	794	402	392	2	–	2	–	–	4	11	7	14	15	55	80	105	156	213	144
Respiratory ,,	3·52	3·48	3·56	2065	1147	918	570	259	94	51	29	1012	45	14	14	14	50	87	117	206	295	241
Digestive ,,	1·04	1·12	0·96	611	351	260	118	43	11	7	5	184	12	11	7	10	36	46	72	105	80	32
Urinary ,,	0·25	0·48	0·23	210	143	67	–	3	2	2	–	7	16	3	2	4	15	20	33	45	37	28
Generative ,,	0·05	0·01	0·09	30	3	27	–	1	–	1	–	2	–	–		1	6	4	5	7	1	4
Puerperal Fever	0·08		0·17	48	–	48	–	–	–	–	–	–	–	–	2	15	23	8	–	–	–	–
Childbirth	0·09	–	0·18	53	–	53	–	–	–	–	–	–	–	–	3	10	19	20	1	–	–	–
Violence	0·49	1·02	0·36	407	303	104	24	9	10	9	7	56	32	19	29	28	54	56	38	35	36	24
Other Causes	3·43	3·44	3·45	2015	1018	997	822	58	13	3	4	900	24	17	19	22	43	46	50	79	221	504

Marriages	4,010	Annual Rate per 1000 living	Persons Married	15·67	Deaths from Childbirth and Puerperal Fever 8·21 per 1000 Births.
Births Males	2,913		Births	33·02	
Females	2,865				
	19,378				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*	16·38		†133	–	–	–	–	48·73	7·01	3·24	5·56	5·72	7·91	8·94	10·39	19·77	52·20	145·41
Males	—				16·56		†141	–	–	–	–	51·50	7·24	3·20	4·48	5·04	7·57	8·89	9·38	20·19	55·71	159·80
Females	—				16·21		†124	–	–	–	–	45·89	6·79	3·28	6·65	6·38	8·23	8·99	11·33	19·34	48·87	132·13
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·90 per cent.			15,539			377	387	383	354	366	1847	1839	1789	1474	1136	1808	1599	1473	1285	864	425
Males				7,698			184	180	196	183	191	934	911	906	737	556	885	787	714	644	420	204
Females				7,841			193	187	187	171	175	913	928	883	737	580	923	812	759	641	444	221
Deaths from All Causes, 1881–90. Persons	19·28			2,996			607	146	63	37	47	900	129	58	82	65	143	143	153	254	451	618
Males	19·89			1,531			328	81	35	18	19	481	66	29	33	28	67	70	67	130	234	326
Females	18·68			1,465			279	65	28	19	28	419	63	29	49	37	76	73	86	124	217	292
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·03	–	2	2	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Measles	0·12	0·13	0·10	18	10	8	9	3	2	–	3	17	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·80	0·82	0·79	125	63	62	4	8	9	11	21	53	55	12	2	1	2	–	–	–	–	–
Diphtheria	0·28	0·29	0·27	43	22	21	2	2	4	4	3	15	14	10	2	–	1	–	–	–	–	–
Whooping-cough	0·37	0·34	0·41	58	26	32	30	17	4	5	1	57	1	–	–	–	–	–	–	–	1	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·10	0·27	29	8	21	–	–	–	–	–	–	2	2	3	3	5	4	4	3	3	–
Simple Continued Fever	0·03	0·03	0·03	4	2	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·52	0·53	0·51	81	41	40	40	7	1	2	1	51	1	–	1	1	1	1	1	3	6	15
Cholera	0·03	0·03	0·04	5	2	3	3	–	–	–	–	3	–	–	–	–	–	–	–	1	1	–
Cancer	0·61	0·44	0·78	95	34	61	–	–	–	–	–	–	–	–	1	1	1	8	18	23	30	14
Tabes Mesenterica	0·26	0·29	0·24	41	22	19	11	7	4	2	2	26	4	2	2	3	3	–	–	–	–	1
Phthisis	1·44	1·27	1·59	223	98	125	1	2	1	–	1	5	3	7	35	29	59	33	23	21	7	1
Other Tub. & Scrof. Dis.	0·25	0·25	0·26	39	19	20	9	5	3	–	1	18	5	3	3	2	5	–	1	2	–	–
Diseases of Nervous System	2·74	3·01	2·47	426	232	194	129	18	8	2	–	157	7	4	5	3	9	15	20	34	88	84
Diseases of Circulatory „	1·56	1·64	1·49	243	126	117	1	–	1	–	1	3	2	2	4	4	11	17	24	49	71	56
Diseases of Respiratory „	2·85	3·03	2·68	443	233	210	90	50	18	6	4	168	10	–	4	4	6	8	17	44	93	89
Diseases of Digestive „	1·35	1·45	1·24	209	112	97	45	7	2	1	2	57	3	1	6	5	5	15	17	33	44	23
Diseases of Urinary „	0·33	0·52	0·15	52	40	12	–	–	–	–	1	1	4	–	–	–	1	6	3	5	18	14
Diseases of Generative „	0·08	0·01	0·15	13	1	12	–	–	–	–	–	–	–	–	–	–	2	4	2	3	1	1
Puerperal Fever	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	3	2	3	–	–	–	–
Childbirth	0·10	–	0·20	16	–	16	–	–	–	–	–	–	–	–	2	1	6	7	–	–	–	–
Violence	0·61	0·87	0·36	95	67	28	2	2	4	3	3	14	9	6	6	3	9	9	8	8	12	11
OTHER CAUSES	4·69	4·81	4·54	727	371	356	230	18	2	1	2	253	7	8	7	2	14	13	15	24	75	309

Marriages - - 1,012

Births - Males 2,328 } 4,571
Females 2,243 }

Annual Rate per 1000 living { Persons Married 13·03
Births - - 29·42

Deaths from Childbirth and Puerperal Fever - - - - - } 5·25 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

513.—GOOLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000 { Persons / Males / Females	– / – / –	In Standard Populations*	17·59 / 18·41 / 16·82		·140 / ·154 / ·127	– / – / –	– / – / –	– / – / –	– / – / –	51·77 / 56·55 / 47·07	5·28 / 6·01 / 4·59	3·35 / 3·60 / 3·09	3·84 / 4·01 / 3·66	5·43 / 4·34 / 6·55	6·39 / 5·37 / 7·48	10·72 / 10·60 / 10·84	14·66 / 15·84 / 13·44	27·20 / 30·62 / 23·99	60·35 / 65·83 / 55·36	135·96 / 167·18 / 146·86
Mean Population living { Persons / Males / Females	Decennial Increase of Population 24·71 per cent.			21,575 / 11,091 / 10,484	638 / 326 / 312	641 / 328 / 313	619 / 283 / 336	615 / 309 / 306	585 / 287 / 298	3073 / 1526 / 1547	3765 / 1848 / 1917	2291 / 1195 / 1096	2110 / 1071 / 1039	1914 / 968 / 946	1463 / 1009 / 1554	2389 / 1217 / 1172	1815 / 922 / 893	1294 / 657 / 637	749 / 357 / 392	396 / 137 / 175
Deaths from All Causes { Persons / Males / Females	18·24 / 18·32 / 17·57			4,009 / 2,081 / 1,928	1080 / 604 / 476	275 / 153 / 122	111 / 48 / 63	71 / 30 / 41	57 / 28 / 29	1594 / 863 / 731	146 / 81 / 65	80 / 43 / 37	81 / 43 / 38	104 / 42 / 62	202 / 88 / 114	256 / 129 / 127	266 / 146 / 120	352 / 192 / 160	452 / 235 / 217	476 / 240 / 236

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Smallpox	0·01		0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Measles	0·40	0·45	0·36	87	49	40	20	40	12	5	4	81	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·38	0·39	0·37	84	43	41	6	8	13	15	2	50	24	10	–	–	–	–	–	–	–
Diphtheria	0·06	0·05	0·07	14	6	8	1	1	2	1	2	7	6	1	–	–	–	–	–	–	–
Whooping-cough	0·46	0·39	0·53	101	43	58	41	28	15	5	9	98	3	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·14	0·31	0·17	53	34	19	–	–	–	2	1	3	10	5	6	4	6	9	3	3	1
Simple Continued Fever	0·03	0·05	0·02	7	5	2	–	–	–	–	–	–	1	1	2	1	1	1	1	–	–
Diarrhœa and Dysentery	0·84	0·85	0·77	177	93	84	113	21	3	–	–	136	2	–	–	–	1	2	2	8	9	17
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·60	0·41	0·78	131	45	86	–	–	2	–	–	2	–	–	1	2	1	21	26	37	35	16
Tabes Mesenterica	0·25	0·25	0·26	55	27	28	28	11	2	2	–	43	5	2	2	2	1	–	–	–	–	–
Phthisis	1·31	1·07	1·54	287	118	169	4	3	1	1	1	10	9	15	23	33	67	65	30	30	5	1
Other Tub. & Scrof. Dis.	0·32	0·23	0·36	71	31	40	16	6	5	2	7	36	10	10	6	2	2	3	1	1	–	–
Diseases of { Nervous System	3·77	2·84	4·79	808	312	496	340	36	15	8	6	405	9	12	7	3	9	20	48	46	79	69
Circulatory "	1·68	1·49	1·87	365	164	201	2	–	–	–	–	2	3	–	–	10	18	29	39	66	96	56
Respiratory "	3·94	3·31	4·58	617	351	283	184	52	29	19	11	295	18	7	5	8	12	25	45	67	96	69
Digestive "	1·10	1·15	1·06	244	126	118	55	29	3	3	1	91	4	2	2	5	7	18	22	40	31	19
Urinary "	0·51	0·45	0·47	69	50	19	–	3	1	–	–	4	3	2	1	1	5	5	10	11	19	9
Generative "	0·04	–	0·07	8	–	8	–	–	–	–	–	–	–	1	–	–	1	3	3	–	–	–
Puerperal Fever	0·10	–	0·19	21	–	21	–	–	–	–	–	–	–	–	1	6	2	5	–	–	–	–
Convulsions	0·08	–	0·16	18	–	18	–	–	–	–	–	–	–	–	–	5	8	4	–	–	–	–
Violence	0·45	1·50	0·40	99	165	44	5	6	5	3	3	22	22	14	12	14	28	23	31	33	18	13
Other Causes	3·60	3·66	3·58	790	404	386	345	31	5	5	3	409	3	5	6	7	17	23	16	30	60	208

Marriages		1,003	Annual Rate per 1000 living { Persons Married	14·59	Deaths from Childbirth and Puerperal Fever 5·07 per 1000 Births.
Births { Males	3,983	7,802	Births	35·40	
Females	3,759				

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·76	†116	–	–	–	–	42·76	5·46	3·41	4·78	5·48	5·68	9·26	12·74	25·34	56·13	147·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·17	†134	–	–	–	–	47·94	5·72	3·16	3·88	4·95	5·58	8·65	14·41	27·22	56·46	144·03
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·38	† 98	–	–	–	–	37·45	5·21	3·65	5·75	5·98	5·77	9·85	11·13	23·59	55·80	151·48
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·35 per cent.	15,550	413	371	412	365	406	1967	1886	1762	1505	1241	2008	1641	1397	1097	718	328
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·35 per cent.	7,685	207	182	199	188	219	995	927	886	774	606	968	798	687	529	356	159
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·35 per cent.	7,865	206	189	213	177	187	972	959	876	731	635	1040	843	710	568	362	169
Deaths from All Causes, 1881–90. Persons	17·71	2,754	557	132	61	60	31	841	103	60	72	68	114	152	178	278	403	485
Deaths from All Causes, 1881–90. Males	18·40	1,414	326	66	32	36	17	477	53	28	30	30	54	69	99	144	201	229
Deaths from All Causes, 1881–90. Females	17·04	1,340	231	66	29	24	14	364	50	32	42	38	60	83	79	134	202	256

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·20	0·20	0·20	31	15	16	5	10	3	3	1	22	6	1	–	1	1	–	–	–
Scarlet Fever	0·30	0·29	0·31	46	22	24	2	7	5	8	5	27	13	3	1	1	1	–	–	–
Diphtheria	0·17	0·22	0·13	27	17	10	1	1	2	7	1	12	9	4	1	–	–	–	–	1
Whooping-cough	0·21	0·22	0·19	32	17	15	16	11	2	1	–	30	2	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·17	0·17	0·18	27	13	14	–	–	–	–	–	–	4	1	5	3	2	1	5	4
Simple Continued Fever	0·03	0·05	0·01	5	4	1	–	–	–	–	–	–	–	–	–	–	1	2	1	1
Diarrhœa and Dysentery	0·54	0·55	0·53	84	42	42	52	6	–	2	2	62	1	1	–	–	–	–	–	5
Cholera	0·01	0·03	–	2	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	0·75	0·53	0·97	117	41	76	–	–	–	–	–	–	–	–	1	–	3	12	18	33
Tabes Mesenterica	0·21	0·25	0·17	32	19	13	17	7	2	3	–	29	2	–	–	–	–	1	–	–
Phthisis	1·37	1·29	1·45	213	99	114	1	–	–	–	1	2	9	10	28	41	45	32	26	13
Other Tub. & Scrof. Dis.	0·32	0·38	0·27	50	29	21	12	7	5	4	3	31	7	8	1	1	1	1	–	–
Diseases of Nervous System	2·40	2·63	2·17	373	202	171	95	16	12	6	4	133	7	7	7	5	7	15	23	37
Diseases of Circulatory „	1·78	1·80	1·77	277	138	139	1	–	–	–	–	1	4	4	5	1	7	17	33	61
Diseases of Respiratory „	2·83	2·91	2·75	440	224	216	105	35	14	18	10	182	19	3	2	3	12	17	32	47
Diseases of Digestive „	0·97	1·13	0·81	151	87	64	27	13	3	–	1	44	5	2	6	3	4	14	8	26
Diseases of Urinary „	0·38	0·55	0·22	59	42	17	1	1	1	–	–	3	–	–	1	1	2	7	7	13
Diseases of Generative „	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2
Puerperal Fever	0·08	–	0·17	13	–	13	–	–	–	–	–	–	–	–	1	–	5	7	–	–
Childbirth	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	2	4	2	–	–
Violence	0·73	0·98	0·50	114	75	39	8	5	8	6	1	28	10	7	5	4	9	8	11	10
Other Causes	4·14	4·21	4·03	643	325	318	214	13	3	2	2	234	5	9	7	2	9	17	11	26

Diseases of Nervous System	2·40	2·63	2·17	373	202	171	95	16	12	6	4	133	7	7	7	5	7	15	23	37	74	58
Diseases of Circulatory „	1·78	1·80	1·77	277	138	139	1	–	–	–	–	1	4	4	5	1	7	17	33	61	95	49
Diseases of Respiratory „	2·83	2·91	2·75	440	224	216	105	35	14	18	10	182	19	3	2	3	12	17	32	47	59	64
Diseases of Digestive „	0·97	1·13	0·81	151	87	64	27	13	3	–	1	44	5	2	6	3	4	14	8	26	19	20
Diseases of Urinary „	0·38	0·55	0·22	59	42	17	1	1	1	–	–	3	–	–	1	1	2	7	7	13	13	12
Diseases of Generative „	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	–
Puerperal Fever	0·08	–	0·17	13	–	13	–	–	–	–	–	–	–	–	1	–	5	7	–	–	–	–
Childbirth	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–
Violence	0·73	0·98	0·50	114	75	39	8	5	8	6	1	28	10	7	5	4	9	8	11	10	15	7
Other Causes	4·14	4·21	4·03	643	325	318	214	13	3	2	2	234	5	9	7	2	9	17	11	26	72	251

Marriages - - - 914

Births - { Males - 2,431 / Females - 2,361 } 4,792

Annual Rate per 1000 living { Persons Married 11·76 / Births - - 30·82

Deaths from Childbirth and Puerperal Fever - - - - - 4·38 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

515.—TADCASTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·32	·141	—	·	—		5·71	6·14	3·55	4·41	5·90	6·48	8·87	12·26	24·28	58·86	168·97
Males	—	17·01	·163	—		—		6·56	6·01	2·97	4·18	4·26	5·82	7·85	13·07	30·20	61·73	177·30
Females	—	17·57	·118	—		—		4·89	6·27	4·16	4·72	7·75	7·21	9·96	11·43	22·31	55·85	161·62
Males Persons	Deaths at Ages	24·46	743	688	721	699	709	3516	3159	2803	2356	2119	3565	2869	1990	1524	926	348
Males	Proportion per cent.	12·82	387	326	350	350	361	1754	1547	1414	1317	1126	1874	1383	1010	771	473	163
Females	to Population	12·54	356	357	371	349	348	1702	1612	1389	1039	993	1691	1297	980	753	453	185
Deaths from Childbirth Females		1·519	1182	322	135	76	68	1783	194	99	104	189	231	236	244	370	545	588
Mortality from Childbirth Males		1·51	693	161	72	35	31	992	95	42	55	48	109	107	132	202	292	289
Puerperal Females		2·158	489	161	63	41	37	791	101	57	49	77	122	129	112	168	253	299

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·32	0·34	0·30	80	44	36	16	32	10	10	2	70	7	3	–	–	–				
Scarlet Fever	0·61	0·63	0·58	152	81	71	8	20	22	20	25	95	45	4	4	–	3	–	1	–	–	–	
Diphtheria	0·18	0·15	0·21	45	19	26	1	11	3	6	4	25	13	4	–	–	1	2					
Whooping-cough	0·37	0·34	0·40	92	44	48	51	24	12	–	1	88	4	–	–	–	–						
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·24	0·24	0·23	59	31	28	–	3	1	1	1	6	4	7	7	5	14	6	6	2	2	–	
Simple Continued Fever	0·04	0·02	0·06	9	3	7	1	–	–	1	–	2	2	–	1	–	–	1	–	1	–	2	
Diarrhœa and Dysentery	0·82	0·87	0·77	205	112	93	129	32	5	3	4	173	5	–	–	–	3	2	–	–	10	12	
Cholera	0·02	0·04	0·01	6	5	1	–	1	–	–	–	1	1	–	–	–	–	1	3	–	–	–	
Cancer	0·40	0·29	0·51	99	37	62	–	1	–	–	–	1	–	–	–	–	1	10	19	32	27	9	
Tabes Mesenterica	0·31	0·32	0·30	78	41	37	42	13	5	1	2	63	4	5	1	1	3	1	–	–	–	–	
Phthisis	1·44	1·29	1·61	360	165	195	2	1	1	1	–	5	13	17	36	52	92	69	46	24	5	1	
Other Tub. & Scrof. Dis.	0·32	0·31	0·33	80	40	40	17	8	5	1	5	36	15	6	7	4	7	1	2	–	2	–	
Diseases of: Nervous System	2·53	2·56	2·48	632	331	301	247	32	17	9	5	310	26	11	7	9	9	19	31	56	98	59	
Circulatory	1·30	1·27	1·33	325	163	162	–	–	–	–	–	–	2	10	8	8	10	23	35	78	95	58	
Respiratory	2·97	3·10	2·85	741	397	344	181	87	36	17	16	337	26	9	4	12	16	24	29	78	105	101	
Digestive	1·01	1·07	0·95	253	137	116	47	26	5	–	–	78	10	7	1	6	10	11	24	42	45	16	
Urinary	0·28	0·38	0·17	70	49	21	3	1	–	1	1	6	2	–	–	1	6	3	7	14	23	9	
Generative	0·06	0·02	0·11	15	2	13	1	–	–	–	–	1	–	–	–	–	–	3	2	2	7	–	
Puerperal Fever	0·10		0·20	24	–	24	–	–	–	–	–	–	–	–	–	7	10	7					
Childbirth	0·10		0·20	24	–	24	–	–	–	–	–	–	–	–	–	1	1	13	2	–	–		
Violence	0·68	1·03	0·25	170	136	34	10	6	3	2	1	22	8	11	12	10	15	20	21	17	14	12	
Other Causes	4·00	3·41	4·80	999	525	474	426	24	10	3	1	464	7	5	14	9	18	17	14	30	112	99	

Marriages	1,429	Annual Rate per 1000 Living	Persons Married	11·45	Deaths from Childbirth and Puerperal Fever 5·73 per 1000 Births.
Births Males	4,247		Births	33·55	
Females	4,129				
	8,376				

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 20·12	†154	–	–	–	–	55·46	5·08	3·34	5·20	6·32	8·33	13·41	18·43	33·78	70·56	167·38
Males	—	Standard 21·27	†161	–	–	–	–	58·27	4·98	2·79	5·15	6·82	9·32	14·79	21·30	37·88	80·48	179·63
Females	—	Population* 19·03	†146	–	–	–	–	52·61	5·19	3·92	5·24	5·83	8·36	12·08	15·78	30·10	62·37	159·23
Mean Population, 1881-91. Persons	Decennial Increase of Population 6·28 per cent.	79,105	2066	1909	1937	1931	1889	9732	8792	8406	8157	7496	12116	8991	6776	4724	2833	1082
Males		38,975	1058	931	965	1007	937	4898	4381	4272	4115	3754	5931	4422	3253	2236	1281	432
Females		40,130	1008	978	972	924	952	4834	4411	4134	4042	3742	6185	4569	3523	2488	1552	650
Deaths from All Causes, 1881-90. Persons	20·17	15,954	3774	897	329	226	171	5397	447	281	424	474	1070	1206	1249	1596	1999	1811
Males	21·07	8,213	2031	453	168	113	89	2854	218	119	212	256	553	654	693	847	1031	776
Females	19·29	7,741	1743	444	161	113	82	2543	229	162	212	218	517	552	556	749	968	1035

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–
Measles	0·30	0·32	0·28	239	126	113	67	82	39	17	9	214	23	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·23	0·20	0·25	180	78	102	10	24	23	29	28	114	47	8	6	2	2	1	–	–	–	–
Diphtheria	0·08	0·08	0·09	66	31	35	6	1	9	9	7	32	25	2	2	2	2	–	–	1	–	–
Whooping-cough	0·38	0·34	0·42	303	133	170	151	93	30	16	7	297	6	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	3	2	1	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–
Enteric Fever	0·35	0·38	0·31	275	149	126	2	3	7	5	8	25	28	33	36	39	56	26	21	8	1	2
Simple Continued Fever	0·01	0·00	0·02	8	1	7	1	–	1	1	–	3	2	–	–	–	–	1	–	1	1	–
Diarrhœa and Dysentery	1·01	1·07	0·95	799	418	381	615	68	10	5	2	700	1	–	1	1	5	5	10	14	26	36
Cholera	0·07	0·07	0·07	56	27	29	51	2	–	–	1	54	–	–	–	–	–	–	–	1	1	–
Cancer	0·62	0·45	0·79	490	174	316	–	–	1	–	–	1	–	2	1	3	18	51	124	131	109	50
Tabes Mesenterica	0·27	0·29	0·24	210	114	96	101	34	16	9	1	161	12	12	7	3	6	5	1	2	1	–
Phthisis	1·98	2·10	1·87	1568	819	749	8	10	8	4	6	36	37	65	156	185	402	334	219	101	31	2
Other Tub. & Scrof. Dis.	0·49	0·48	0·50	389	188	201	90	53	27	26	25	221	65	25	24	15	20	11	7	1	–	–
Diseases of Nervous System	3·17	3·38	2·98	2509	1315	1194	569	103	27	23	18	740	51	33	45	28	115	198	223	329	464	283
Circulatory „	1·74	1·78	1·70	1375	694	681	7	2	1	2	–	12	6	13	28	30	77	138	181	330	370	190
Respiratory „	3·18	3·43	2·94	2516	1337	1179	582	273	86	50	30	1021	60	15	24	44	99	141	161	292	372	287
Digestive „	1·22	1·29	1·16	968	501	467	261	72	5	5	5	348	12	12	16	18	47	78	88	132	157	60
Urinary „	0·53	0·69	0·38	419	268	151	4	4	2	2	3	15	10	11	6	6	39	48	54	68	107	55
Generative „	0·05	0·01	0·09	39	2	37	–	1	–	–	–	1	–	–	–	1	12	9	9	3	4	–
Puerperal Fever	0·06	–	0·12	49	–	49	–	–	–	–	–	–	–	–	4	11	18	15	1	–	–	–
Childbirth	0·07	–	0·14	56	–	56	–	–	–	–	–	–	–	–	2	10	27	17	–	–	–	–
Violence	0·62	0·92	0·32	489	360	129	57	11	10	12	10	100	29	20	34	29	57	49	58	52	30	31
Other Causes	3·73	3·77	3·67	2944	1473	1471	1192	61	27	11	10	1301	33	28	32	47	63	78	92	130	325	815

Marriages - - 6,186

Births - { Males - 12,588 / Females - 11,923 } 24,511

Annual Rate per 1000 living { Persons Married 15·64 / Births - - 30·99

Deaths from Childbirth and Puerperal Fever - - - - - 4·28 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

317.—POCKLINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death-Rate per 1000	Persons	In Standard Population* 15·07	†129	–	–	–	–	41·27	4·51	2·41	8·77	6·22	8·76	8·75	11·66	22·05	52·03	152·17
	Males	15·08	†131	–	–	–	–	46·73	4·40	1·97	3·12	4·50	6·08	7·38	10·89	24·74	57·00	142·07
	Females	15·06	†126	–	–	–	–	35·84	4·61	2·86	4·62	8·11	7·45	10·09	12·52	19·20	46·15	162·66
Mean Population living at Census 1881	Persons	15,020	383	345	357	364	356	1805	1708	1702	1688	1271	1850	1485	1312	1129	778	322
	Males	7,737	193	171	180	182	175	901	849	803	902	667	947	792	689	582	409	164
	Females	7,283	190	174	177	182	181	904	858	839	786	604	913	693	623	547	368	158
Deaths from All Causes 1881–90	Persons	2,597	506	97	51	27	24	745	77	41	64	79	125	130	153	249	384	490
	Males	1,326	256	49	14	11	11	421	37	17	30	30	57	54	76	144	228	253
	Females	1,271	250	48	17	16	13	324	40	24	34	49	68	76	78	105	156	237

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·08	0·10	13	6	7	1	4	2	1	1	9	3	–	1	–	–	–	–
Scarlet Fever	0·37	0·27	0·48	56	21	35	2	3	10	10	10	35	18	1	–	1	1	–	–
Diphtheria	0·04	0·03	0·05	6	2	4	–	–	–	2	–	2	1	1	–	–	1	–	–
Whooping cough	0·25	0·23	0·26	37	18	19	20	14	1	1	1	37	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·19	0·21	30	15	15	–	–	–	2	1	3	4	–	3	3	2	4	4
Simple Continued Fever	0·03	0·05	0·01	5	4	1	–	–	–	–	–	–	2	1	–	–	–	–	1
Diarrhœa and Dysentery	0·46	0·43	0·41	67	37	30	42	8	–	–	–	50	1	–	1	–	–	1	1
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·56	0·37	0·76	84	29	55	–	–	–	–	–	–	–	–	–	–	4	17	23
Tabes Mesenterica	0·15	0·13	0·18	23	10	13	8	–	–	1	–	9	3	1	3	–	1	2	1
Decline	1·35	1·19	1·51	202	92	110	1	1	–	–	–	2	5	11	30	34	49	31	16
Other Tab. & Scrof. Dis.	0·21	0·24	0·22	32	16	16	7	5	2	2	2	18	4	3	1	1	3	–	1
Nervous System	3·00	2·91	3·09	450	225	225	132	15	3	4	2	156	5	4	6	7	13	19	26
Circulatory	2·13	2·11	2·13	318	163	155	–	–	–	–	–	–	2	4	3	10	10	18	27
Respiratory	2·44	2·79	2·07	367	216	151	97	34	10	1	4	146	11	4	4	7	18	13	24
Digestive	1·25	1·33	1·17	188	103	85	34	4	–	–	2	40	10	3	3	3	4	12	21
Urinary	0·36	0·53	0·19	54	40	14	2	1	–	–	–	3	–	1	–	–	–	–	–
Generative	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	–	–	–	2
Puerperal Fever	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	2	5	2	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	–	3	3	–
Violence	0·42	0·59	0·23	63	46	17	5	–	2	1	–	8	3	3	4	4	10	5	2
Other Causes	3·45	3·66	3·27	520	283	237	245	8	1	1	1	226	5	4	5	2	4	11	9

Marriages	891	Annual Rate per 1000 living	Persons Married	11·86	Deaths from Childbirth and Puerperal Fever	3·42 per 1000 Births.
Births Males 2,228 / Females 2,163	4,391		Births	29·23		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 15·98	†127	–	–	–	–	44·94	5·06	3·74	6·09	6·81	7·45	8·87	12·10	20·08	49·56	153·95
Males	—	16·74	†140	–	–	–	–	50·19	5·22	4·61	7·60	6·87	7·53	7·44	12·67	19·05	55·04	158·33
Females	—	15·26	†113	–	–	–	–	39·95	4·89	2·71	4·17	7·25	7·37	10·38	11·52	21·16	43·88	150·31
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·51 per cent.	13,054	338	299	327	312	325	1602	1541	1526	1362	1028	1571	1308	1157	986	682	291
Males		6,680	161	144	167	150	159	781	785	824	763	518	770	672	584	504	347	132
Females		6,374	177	155	160	162	167	821	756	702	599	510	801	636	573	482	335	159
Deaths from All Causes, 1881–90. Persons	18·12	2,365	503	110	53	34	20	720	78	57	83	70	117	116	140	198	338	448
Males	18·56	1,240	280	55	28	15	14	392	41	38	55	33	58	50	74	96	191	209
Females	17·65	1,125	223	55	25	19	6	328	37	19	25	37	59	66	66	102	147	239

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	0·21	0·30	0·13	28	20	8	4	11	5	4	–	24	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·25	0·24	32	17	15	1	3	6	5	6	21	7	–	3	–	–	1	–	–	–	–
Diphtheria	0·17	0·16	0·17	22	11	11	–	1	1	2	2	6	9	4	1	1	–	–	–	–	1	–
Whooping-cough	0·17	0·13	0·20	22	9	13	16	3	3	–	–	22	–	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Enteric Fever	0·13	0·13	0·13	17	9	8	–	–	–	–	1	1	3	3	1	2	2	1	1	2	1	–
Simple Continued Fever	0·05	0·06	0·03	6	4	2	–	–	1	–	–	1	1	–	–	–	2	–	–	1	1	–
Diarrhœa and Dysentery	0·38	0·36	0·39	49	24	25	29	5	–	–	–	34	–	1	–	–	–	–	2	4	2	6
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·54	0·34	0·75	71	23	48	–	1	–	–	–	1	–	–	–	–	–	10	12	23	18	7
Tabes Mesenterica	0·31	0·31	0·30	40	21	19	26	9	1	–	–	36	1	1	1	–	–	–	1	–	–	–
Phthisis	1·69	1·63	1·74	220	109	111	2	–	–	2	2	6	3	15	29	32	50	35	25	17	6	2
Other Tub. & Scrof. Dis.	0·35	0·40	0·30	46	27	19	11	6	–	4	2	23	4	6	3	3	4	1	2	–	–	–
Diseases of Nervous System	2·28	2·20	2·37	298	147	151	90	11	4	3	–	108	7	5	5	4	7	6	19	24	49	64
Diseases of Circulatory „	1·58	1·44	1·73	206	96	110	–	–	1	–	1	2	4	2	5	1	10	15	19	41	70	37
Diseases of Respiratory „	2·80	2·93	2·65	365	196	169	76	34	20	12	5	147	16	3	4	2	8	9	26	31	63	56
Diseases of Digestive „	1·14	1·41	0·86	149	94	55	31	9	4	1	–	45	4	3	4	3	2	12	9	24	30	13
Diseases of Urinary „	0·47	0·60	0·33	61	40	21	2	3	–	–	–	5	1	–	2	1	5	2	5	8	20	12
Diseases of Generative „	0·08	0·03	0·13	10	2	8	–	–	–	–	–	–	–	–	–	1	–	1	4	–	2	2
Puerperal Fever	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	–	3	4	2	–	–	–	–
Childbirth	0·06	–	0·13	8	–	8	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–
Violence	0·96	1·35	0·55	125	90	35	5	4	4	1	1	15	8	12	14	13	13	13	10	8	9	10
OTHER CAUSES	4·38	4·50	4·32	574	298	276	210	10	3	–	–	223	5	2	9	2	5	6	3	15	65	239

Marriages - - 902

Births - Males - 1,996 / Females - 1,965 } 3,961

Annual Rate per 1000 living { Persons Married 13·82 / Births - - 30·34

Deaths from Childbirth and Puerperal Fever } 4·29 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

519.—BEVERLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·16	+132	–	–	–	–	45·47	4·13	2·73	4·32	6·96	8·71	16·09	14·24	26·81	60·90	164·94
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·04	+147	–	–	–	–	50·75	4·19	2·71	3·79	6·52	8·20	11·60	16·52	28·61	67·27	171·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·34	+116	–	–	–	–	40·29	4·07	2·76	4·30	7·40	9·21	16·39	11·96	24·69	55·30	160·00
Mean Population, 1881-91. Persons	Decennial Increase of Population 2·33 per cent.	23,734	620	593	561	592	606	2978	2787	2561	2336	1882	1248	2621	2072	1623	1084	462
Mean Population, 1881-91. Males	Decennial Increase of Population 2·33 per cent.	11,785	312	295	297	285	317	1506	1385	1265	1214	982	1599	1302	1035	797	498	202
Mean Population, 1881-91. Females	Decennial Increase of Population 2·33 per cent.	11,949	308	304	264	307	289	1472	1402	1306	1122	1000	1649	1319	1037	826	586	260
Deaths from All Causes, 1881-90. Persons	18·88	4,481	968	293	70	65	58	1354	115	70	101	158	283	288	295	427	648	762
Deaths from All Causes, 1881-90. Males	19·74	2,326	553	123	35	35	15	761	58	34	46	64	132	151	171	228	335	346
Deaths from All Causes, 1881-90. Females	18·03	2,155	405	100	35	30	23	593	57	36	55	74	151	137	124	199	313	416

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·03	0·01	4	3	1	1	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–
Measles	0·10	0·05	0·10	38	26	12	11	16	2	1	4	34	2	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·26	0·28	64	31	33	4	12	8	9	6	39	20	1	2	1	–	–	1	–	–	–
Diphtheria	0·13	0·14	0·13	31	16	15	1	3	2	2	3	11	14	2	1	–	1	1	1	–	–	–
Whooping-cough	0·22	0·20	0·23	53	24	28	20	19	9	4	–	52	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remittent Fever	0·35	0·34	0·41	89	40	49	1	–	–	1	–	2	5	5	10	18	22	14	5	6	2	–
Simple Continued Fever	0·05	0·05	0·04	8	3	5	–	–	1	2	1	4	2	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·51	0·60	0·43	123	71	51	86	16	2	–	1	105	1	–	–	–	1	3	–	–	–	–
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7	5
Cancer	0·60	0·36	0·84	142	42	100	–	–	–	–	–	–	–	1	1	–	4	20	24	38	40	14
Tabes Mesenterica	0·23	0·25	0·20	55	31	24	27	9	5	1	1	43	4	2	–	1	2	1	–	1	1	–
Phthisis	1·64	1·66	1·62	390	196	194	4	5	3	–	–	12	4	22	38	50	109	70	51	25	8	1
Other Tub. & Scrof. Dis.	0·17	0·19	0·16	41	22	19	8	5	2	3	3	21	9	6	2	2	–	1	–	–	–	–
Diseases of Nervous System	2·38	2·63	2·94	864	452	351	203	39	11	16	7	276	13	3	12	10	30	58	55	97	132	120
Diseases of Circulatory	1·86	1·85	1·87	441	218	223	3	–	–	–	–	3	1	7	5	8	19	35	44	82	148	89
Diseases of Respiratory	2·68	2·86	2·40	636	337	287	105	65	14	11	10	269	10	3	4	6	20	19	37	71	104	81
Diseases of Digestive	1·06	1·10	1·02	253	130	123	42	16	4	2	–	64	6	3	2	6	14	17	25	39	45	31
Diseases of Urinary	0·48	0·62	0·25	108	73	30	–	–	2	–	–	2	1	–	1	2	8	9	11	15	37	17
Diseases of Generative	0·06	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	1	3	3	5	2	1	–
Puerperal Fever	0·07	–	0·13	16	–	16	–	–	–	–	–	–	–	–	1	3	8	4	–	–	–	–
Childbirth	0·08	–	0·17	20	–	20	–	–	–	–	–	–	–	–	2	5	7	6	–	–	–	–
Violence	0·68	0·89	0·37	149	105	44	16	5	4	1	–	27	10	4	10	11	17	12	15	20	6	15
Other Causes	4·32	4·29	4·30	1021	505	516	366	16	1	5	3	390	13	10	8	13	17	13	21	30	117	389

Marriages	–	1,390	Annual Rate per 1000 living	Persons Married	15·15
Births	Males	3,760		Births	30·60
	Females	3,482			
		7,242		Deaths from Childbirth and Puerperal Fever	4·96 per 1000 Births.

* *See* page xxxvi xxxvii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 19·35			†152	–	–	–	–	60·48	6·40	3·25	4·38	5·12	6·45	10·63	15·95	28·83	66·10	161·49
Annual Death-Rate per 1000. Males	—			In Standard Population* 20·53			†168	–	–	–	–	65·95	6·66	3·10	4·23	5·07	6·02	10·63	17·46	31·83	76·04	179·51
Annual Death-Rate per 1000. Females	—			In Standard Population* 18·24			†134	–	–	–	–	54·96	6·14	3·39	4·52	5·17	6·86	10·62	14·49	26·23	58·61	150·48
Mean Population, 1881–91. Persons	Decennial Increase of Population 35·92 per cent.			117,805			3544	3233	3252	3216	3257	16502	14752	13121	11099	10389	17979	13900	9481	5997	3401	1184
Mean Population, 1881–91. Males				57,438			1778	1641	1633	1590	1642	8284	7293	6552	5324	4934	8750	6941	4663	2787	1461	449
Mean Population, 1881–91. Females				60,367			1766	1592	1619	1626	1615	8218	7459	6569	5775	5455	9229	6959	4818	3210	1940	735
Deaths from All Causes, 1881–90. Persons	19·02			22,406			6390	1985	732	540	333	9980	944	426	486	532	1160	1477	1512	1729	2248	1912
Deaths from All Causes, 1881–90. Males	20·04			11,510			3619	1020	380	266	178	5463	486	203	225	250	527	738	814	887	1111	806
Deaths from All Causes, 1881–90. Females	18·05			10,896			2771	965	352	274	155	4517	458	223	261	282	633	739	698	842	1137	1106
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·06	0·08	0·05	72	44	28	6	5	1	3	1	16	7	5	10	6	12	8	4	3	1	–
Measles	0·33	0·34	0·32	388	193	195	80	155	57	43	21	356	29	1	–	1	1	–	–	–	–	–
Scarlet Fever	0·71	0·79	0·64	858	453	385	35	102	89	142	106	474	300	39	10	6	6	3	–	–	–	–
Diphtheria	0·08	0·07	0·08	91	40	51	5	10	11	18	6	50	30	4	–	2	2	2	–	1	–	–
Whooping-cough	0·44	0·40	0·48	515	227	288	217	159	66	37	13	492	22	–	–	–	1	–	–	–	–	–
Typhus	0·01	0·00	0·01	7	1	6	–	–	–	–	–	–	–	1	–	1	5	–	–	–	–	–
Enteric Fever	0·21	0·22	0·19	242	128	114	7	7	4	12	8	38	21	26	27	29	43	21	22	9	4	2
Simple Continued Fever	0·03	0·03	0·03	41	20	21	3	2	2	6	2	15	4	2	1	1	2	4	1	6	4	1
Diarrhœa and Dysentery	1·11	1·18	1·04	1307	680	627	936	173	21	10	2	1142	12	–	2	4	9	10	12	22	39	55
Cholera	0·01	0·01	0·00	9	6	3	3	2	–	–	–	5	1	–	–	–	–	1	1	–	–	1
Cancer	0·52	0·35	0·69	618	202	416	1	–	1	–	–	2	2	2	4	2	20	86	143	166	138	53
Tabes Mesenterica	0·38	0·42	0·35	449	239	210	269	92	18	11	8	398	18	11	11	3	1	1	2	2	1	1
Phthisis	1·53	1·54	1·52	1801	884	917	35	22	18	13	10	98	67	103	196	213	393	377	204	102	45	3
Other Tub. & Scrof. Dis.	0·38	0·43	0·33	445	248	197	109	85	47	23	21	285	68	32	22	10	12	11	3	2	–	–
Diseases of Nervous System	3·06	3·30	2·84	3609	1895	1714	1300	252	91	45	41	1729	89	47	43	35	110	185	240	346	491	294
Diseases of Circulatory „	1·27	1·37	1·17	1498	789	709	5	2	–	2	1	10	27	27	34	32	102	218	240	258	337	213
Diseases of Respiratory „	3·62	3·86	3·38	4259	2217	2042	1087	640	238	124	61	2150	108	28	28	46	120	188	296	397	551	347
Diseases of Digestive „	0·88	0·93	0·84	1039	534	505	280	103	13	5	5	406	20	21	10	16	58	77	109	128	124	70
Diseases of Urinary „	0·36	0·45	0·28	429	258	171	10	8	9	6	5	38	18	7	6	8	35	60	48	83	87	39
Diseases of Generative „	0·05	0·01	0·09	59	4	55	2	–	–	–	–	2	1	–	–	1	15	8	18	4	8	2
Puerperal Fever	0·08	–	0·16	97	–	97	–	–	–	–	–	–	–	–	3	23	40	30	1	–	–	–
Childbirth	0·07	–	0·13	78	–	78	–	–	–	–	–	–	–	–	6	10	30	30	2	–	–	–
Violence	0·49	0·75	0·25	580	432	148	50	14	15	17	6	102	52	29	33	45	59	59	54	67	50	30
OTHER CAUSES	3·34	3·51	3·18	3935	2016	1919	1950	152	31	23	16	2172	48	41	40	38	84	98	112	133	368	801

Marriages - - - 9,265

Births - Males - 21,520 / Females - 20,613 — 42,133

Annual Rate per 1000 living: Persons Married 15·73; Births - - 35·77

Deaths from Childbirth and Puerperal Fever - - - - - 4·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

521.—HULL.

Causes of Death.	Crude Death Rate Each Year	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	–	In Standard	†167	–	–	–	–	68·80	7·25	3·73	4·87	6·55	9·30	15·35	21·27	37·76	77·26	167·99
Males	–	22·22	†181	–	–	–	–	75·21	7·93	3·69	5·44	7·05	10·57	17·38	24·51	45·10	94·32	189·25
Females	–	20·63	†152	–	–	–	–	62·59	6·58	3·76	4·36	5·83	8·13	13·24	18·05	30·78	65·71	135·37
Mean Population, 1887–91. Persons	Decrease of Population 0·95 per cent.	78,084	2215	1988	2003	1996	1975	10177	9043	8104	7512	7269	12330	9546	6713	4709	2947	754
Males		38,229	1086	978	994	973	976	5007	4501	4019	3586	3428	6132	4803	3359	2363	1467	379
Females		39,855	1129	1010	1009	1023	999	5170	4542	4094	3926	3841	6237	4683	3353	2347	1480	375
Deaths from All Causes. Persons	22·47	17,548	4378	1895	540	403	286	7502	656	302	366	476	1027	1465	1428	1694	1756	1266
Males	24·55	9,387	2419	724	274	196	143	3756	357	148	195	252	639	845	821	926	910	578
Females	20·48	8,161	1959	671	266	207	143	3746	299	154	171	224	388	620	607	768	846	748

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	0·01	0·01	7	2	5
Measles	0·36	0·37	0·35	285	143	142
Scarlet Fever	0·80	0·89	0·80	625	307	318
Diphtheria	0·09	0·09	0·09	69	34	35
Whooping-cough	0·46	0·41	0·51	362	157	205
Typhus	0·01	0·01	0·01	6	2	4
Enteric Fever	0·24	0·29	0·20	191	112	79
Simple Continued Fever	0·08	0·08	0·07	59	32	27
Diarrhœa and Dysentery	0·97	1·02	0·93	759	389	370
Cholera	0·01	0·01	0·01	7	4	3
Cancer	0·65	0·48	0·82	511	183	328
Tabes Mesenterica	0·32	0·31	0·31	252	120	132
Phthisis	1·80	2·09	1·52	1486	800	686
Other Tub. & Scrof. Dis.	0·42	0·51	0·34	330	195	135
Diseases of Nervous System	3·39	3·63	2·99	2577	1386	1191
" Circulation	1·80	1·96	1·64	1404	751	653
" Respiratory	4·96	5·28	3·98	3863	1997	1566
" Digestive	1·12	1·22	1·02	872	467	405
" Urinary	0·48	0·65	0·32	376	250	126
" Generative	0·08	0·01	0·15	64	4	60
Puerperal Fever	0·08	–	0·16	63	–	63
Convulsions	0·06	–	0·11	45	–	45
Violence	0·94	1·44	0·45	732	552	180
Other Causes	3·73	3·89	3·54	2907	1490	1417

	Persons.	Males.	Females.	Persons.	Males.	Females.
Diseases of Nervous System	3·39	3·63	2·99	2577	1386	1191
" Circulation	1·80	1·96	1·64	1404	751	653
" Respiratory	4·96	5·28	3·98	3863	1997	1566
" Digestive	1·12	1·22	1·02	872	467	405
" Urinary	0·48	0·65	0·32	376	250	126
" Generative	0·08	0·01	0·15	64	4	60
Puerperal Fever	0·08	–	0·16	63	–	63
Convulsions	0·06	–	0·11	45	–	45
Violence	0·94	1·44	0·45	732	552	180
Other Causes	3·73	3·89	3·54	2907	1490	1417

Persons.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
65	106	40	28	19	267	15	–	1	–	–	–	–	–	–	–
26	56	97	97	96	372	240	28	4	4	7	4	1	–	–	–
6	7	5	10	5	33	25	1	1	1	5	1	1	–	1	–
147	120	44	29	11	351	10	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	1	–	–	1	1	1	1	1	–	–
4	2	5	2	6	19	22	17	27	25	38	27	7	5	1	2
2	2	7	4	7	22	12	5	1	2	4	6	3	1	3	–
555	93	19	6	3	676	5	5	1	2	2	8	12	20	24	24
4	1	–	–	–	5	–	–	–	–	–	1	1	–	–	–
–	–	–	1	–	1	–	2	–	6	29	96	124	126	93	34
154	47	14	7	3	225	7	6	3	2	5	1	1	1	–	–
21	19	8	7	6	61	43	40	120	175	414	350	170	67	16	3
72	61	37	23	17	209	49	23	17	9	19	4	7	2	–	–
979	167	32	44	21	1243	59	30	25	30	85	134	130	286	321	174
3	2	1	2	3	11	10	34	23	42	160	219	244	261	274	156
555	510	161	94	51	1671	70	22	23	35	120	225	295	195	445	223
221	81	8	8	7	325	20	15	18	24	36	76	98	111	92	45
4	6	3	5	6	24	13	3	6	12	33	59	62	67	67	23
–	–	–	–	–	–	–	–	1	4	14	15	14	9	7	–
–	–	–	–	–	–	–	–	2	12	25	24	–	–	–	–
–	–	–	–	–	–	–	–	7	6	17	10	3	–	–	–
49	17	11	21	17	115	54	28	45	58	88	116	79	79	47	25
1241	98	39	16	8	1402	31	24	40	35	118	87	109	152	345	374

Marriages	–	3,179	
Births	Males	13,532	26,264
	Females	12,732	

Annual Rate per 1000 living { Persons Married 20·95 / Births 33·64

Deaths from Childbirth and Puerperal Fever 4·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard 13·49	†107	–	–	–	–	33·95	4·21	3·27	4·27	4·79	6·73	7·88	10·89	18·24	49·14	141·38
Males	—	Population* 13·91	†122	–	–	–	–	38·30	5·47	4·00	4·16	3·64	6·86	7·82	10·76	18·21	50·42	138·78
Females	—	13·09	† 91	–	–	–	–	29·74	3·04	2·57	4·39	5·95	6·61	7·95	11·02	18·27	47·79	143·81
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·75 per cent.	8,594	226	199	217	222	214	1078	1021	917	819	710	1070	888	753	669	466	203
Males		4,265	106	98	97	121	108	530	494	450	409	357	525	435	381	346	240	98
Females		4,329	120	101	120	101	106	548	527	467	410	353	545	453	372	323	226	105
Deaths from All Causes, 1881–90. Persons	15·94	1,370	262	49	16	21	18	366	43	30	35	34	72	70	82	122	229	287
Males	16·62	709	151	27	7	9	9	203	27	18	17	18	36	34	41	63	121	136
Females	15·27	661	111	22	9	12	9	163	16	12	18	21	36	36	41	59	108	151

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·03	0·07	–	3	3	–	2	–	–	–	1	3	–	–	–	–	–	–
Scarlet Fever	0·51	0·52	0·51	44	22	22	1	5	3	10	6	25	10	7	1	–	–	1	–	–	–	–
Diphtheria	0·08	0·12	0·05	7	5	2	–	–	–	–	1	1	3	2	–	–	–	–	1	–	–	–
Whooping-cough	0·26	0·23	0·28	22	10	12	12	5	1	3	–	21	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·16	0·18	15	7	8	–	–	–	–	–	–	2	–	4	2	–	2	1	–	4	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·22	0·28	0·16	19	12	7	14	1	–	–	–	15	1	–	1	–	–	–	–	1	–	1
Cholera	0·02	0·02	0·02	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Cancer	0·52	0·28	0·76	45	12	33	–	–	–	1	–	1	–	–	–	–	–	5	5	13	17	4
Tabes Mesenterica	0·42	0·45	0·39	36	19	17	29	3	1	–	–	33	2	1	–	–	–	–	–	–	–	–
Phthisis	1·20	1·06	1·34	103	45	58	–	–	1	1	–	2	2	7	11	11	29	21	9	8	3	–
Other Tub. & Scrof. Dis.	0·15	0·14	0·16	13	6	7	2	4	1	–	–	7	1	2	–	2	–	–	–	1	–	–
Diseases of Nervous System	2·61	2·67	2·54	224	114	110	67	13	3	2	4	89	7	2	–	3	7	2	14	20	44	36
Diseases of Circulatory „	1·58	1·69	1·48	136	72	64	–	–	–	–	–	–	2	2	3	1	7	2	15	28	38	38
Diseases of Respiratory „	2·04	2·18	1·89	175	93	82	24	8	3	2	4	41	3	–	2	2	4	15	11	11	43	43
Diseases of Digestive „	1·06	1·03	1·09	91	44	47	11	3	–	–	–	14	2	–	2	–	3	9	8	17	23	13
Diseases of Urinary „	0·29	0·49	0·09	25	21	4	–	–	1	1	–	2	–	2	–	–	1	1	–	7	6	6
Diseases of Generative „	0·06	–	0·12	5	–	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–
Puerperal Fever	0·09	–	0·18	8	–	8	–	–	–	–	–	–	–	–	1	3	2	2	–	–	–	–
Childbirth	0·03	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Violence	0·69	1·24	0·14	59	53	6	2	2	1	1	1	7	3	1	5	6	13	5	5	4	5	5
OTHER CAUSES	3·89	3·97	3·80	333	169	164	97	5	1	–	1	104	4	4	4	2	6	3	11	10	44	141

Marriages 410

Births { Males 1,238 / Females 1,215 } 2,453

Annual Rate per 1000 living { Persons Married 9·54 / Births 28·54

Deaths from Childbirth and Puerperal Fever 4·48 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

523.—SKIRLAUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000 { Persons / Males / Females	— / — / —	In 13·81 Standard 14·24 Population.* 13·40	†122 †130 †112	– / – / –	– / – / –	– / – / –	– / – / –	37·97 42·78 33·39	4·53 5·28 3·83	2·77 2·75 2·79	3·19 1·85 4·48	4·02 2·74 5·30	5·89 5·62 6·14	6·65 5·94 7·38	9·76 10·69 8·89	16·41 20·36 13·39	53·26 57·75 48·85	155·12 162·37 149·11
Mean Popn. { Persons / Males / Females, 1885–91.	Decrease. Decrease of Population 5·61 per cent.	9,550 4,724 4,826	246 119 127	246 113 123	236 119 117	245 116 129	246 122 124	1220 589 620	1149 542 607	1047 510 537	1091 549 542	797 401 396	1171 552 619	1037 522 515	830 421 409	644 334 310	430 213 217	205 93 112
Deaths from { Persons / Males / Females, 1881–90.	15·65 16·19 15·13	1,495 765 730	325 180 145	65 36 29	25 13 12	26 13 13	18 10 8	459 252 207	52 29 23	29 14 15	32 10 22	52 14 38	69 31 38	69 31 38	81 45 36	125 68 57	289 183 106	318 151 167

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·05	0·05	0·04	5	3	2	4	1	–	–	–	–	5	–	–	–	–	–	–
Scarlet Fever	0·47	0·49	0·46	45	23	22	1	3	8	8	6	26	13	5	–	–	–	–	–
Diphtheria	0·06	0·11	0·02	6	5	1	–	–	–	1	1	2	2	2	–	–	–	1	–
Whooping-cough	0·35	0·34	0·35	35	16	17	16	10	2	2	1	31	2	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·25	0·12	18	12	6	1	1	–	1	1	4	–	2	–	1	–	–	–
Simple Continued Fever	0·07	0·06	0·08	7	3	4	1	–	–	–	–	1	3	–	1	1	–	–	–
Diarrhœa and Dysentery	0·29	0·34	0·25	28	16	12	18	3	–	–	–	21	1	–	–	–	–	3	3
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·73	0·57	0·87	69	27	42	–	–	–	–	–	–	–	–	–	3	9	13	19	22	3
Tubercular Meningitis	0·05	0·08	0·04	5	4	1	1	2	1	–	–	4	1	–	–	1	–	–	1	–	–
Phthisis	1·07	1·18	0·96	102	56	46	–	1	–	–	1	2	5	6	15	24	15	8	4	10	1
Other Tubercular Diseases	0·23	0·25	0·21	22	11	11	2	3	2	2	1	10	2	4	4	1	1	–	–	–	–
Nervous System	1·23	1·41	1·04	203	114	89	60	5	2	4	3	74	5	3	2	2	8	7	10	16	44	42
Circulatory System	1·81	1·85	1·78	173	89	84	1	–	–	–	–	1	1	1	3	3	3	7	13	28	59	54
Respiratory System	2·49	2·42	2·57	238	133	105	62	29	7	2	3	94	16	2	–	2	5	6	14	25	36	44
Digestive System	1·77	1·44	2·15	74	32	42	13	7	–	–	1	21	1	2	–	–	6	4	4	9	16	11
Urinary System	0·34	0·42	0·27	32	20	12	–	–	–	1	–	1	1	–	–	–	5	1	2	3	9	10
Generative System	0·03	–	0·04	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–
Premature Birth	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	0·05	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Accident	0·54	0·80	0·29	52	38	14	4	3	3	4	–	12	4	–	4	–	3	8	8	5	2	3
Other Causes	3·79	3·84	3·74	360	180	180	141	6	–	4	–	151	1	2	4	–	3	7	8	10	34	147

Marriages		467	
Births	Males	1,268	Annual Rate per 1000 Aver.
	Females	1,246	

Annual Rate per 1000 Aver. { Persons Married 30·20
Births 27·00

Diarrhœa from Childbirth and Puerperal Fever } 2·24 per 1000 Births.

* See preliminary remarks.

† The death rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·34	†141	–	–	–	–	45·93	4·30	2·73	3·30	5·00	6·97	7·86	10·21	22·54	54·76	147·66
Males	—	15·76	†140	–	–	–	–	48·06	4·03	1·90	3·23	4·50	7·02	8·43	10·38	26·46	60·14	153·98
Females	—	14·94	†141	–	–	–	–	43·81	4·59	3·57	3·38	5·53	6·92	7·27	10·04	18·53	49·56	142·31
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·10 per cent.	19,455	510	460	493	532	496	2491	2393	2195	2002	1601	2482	1998	1694	1322	893	384
Males		9,905	255	216	252	268	247	1238	1216	1104	1115	823	1240	1008	877	669	439	176
Females		9,550	255	244	241	264	249	1253	1177	1091	887	778	1242	990	817	653	454	208
Deaths from All Causes, 1881-90. Persons	17·01	3,310	866	138	65	38	37	1144	103	60	66	80	173	157	173	298	489	567
Males	17·29	1,713	444	77	31	23	20	595	49	21	36	37	87	85	91	177	264	271
Females	16·72	1,597	422	61	34	15	17	549	54	39	30	43	86	72	82	121	225	296

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·17	0·09	26	17	9	5	9	2	3	2	21	5	–	–	–	–	–	–
Scarlet Fever	0·21	0·18	0·24	41	18	23	4	2	5	3	9	23	17	1	–	–	–	–	–
Diphtheria	0·16	0·18	0·14	31	18	13	1	3	4	2	4	14	14	2	–	–	–	–	–
Whooping-cough	0·34	0·23	0·46	67	23	44	41	16	6	2	1	66	1	–	–	–	–	1	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·15	0·17	31	15	16	–	–	1	–	–	1	2	5	1	5	4	3	4
Simple Continued Fever	0·05	0·07	0·02	9	7	2	1	–	–	–	–	1	–	1	–	1	2	1	1
Diarrhœa and Dysentery	0·54	0·56	0·52	105	55	50	72	5	2	–	–	79	–	–	–	–	1	3	1
Cholera	0·01	0 01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·57	0·82	134	56	78	–	–	–	1	–	1	–	–	1	–	5	8	24
Tabes Mesenterica	0·20	0·19	0·20	38	19	19	27	2	1	–	–	30	3	2	1	–	2	–	–
Phthisis	1·24	0·99	1·50	241	98	143	12	2	1	–	–	15	5	7	22	38	75	34	26
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	37	19	18	17	5	3	–	1	26	2	3	1	1	3	1	–
Diseases of Nervous System	2·62	2·69	2·54	509	266	243	156	22	10	5	5	198	14	11	9	7	9	11	25
Diseases of Circulatory „	1·68	1·73	1·63	327	171	156	2	–	1	–	–	3	3	5	7	4	5	21	38
Diseases of Respiratory „	2·88	3·04	2·71	560	301	259	171	42	16	14	11	254	14	3	5	2	21	21	18
Diseases of Digestive „	1·09	1·23	0·95	213	122	91	48	5	3	–	–	56	6	4	2	3	12	14	14
Diseases of Urinary „	0·39	0·56	0·22	76	55	21	–	–	–	–	–	–	1	4	1	2	6	5	5
Diseases of Generative „	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	2	–	1	–
Puerperal Fever	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
Childbirth	0·09	–	0·18	17	–	17	–	–	–	–	–	–	–	–	–	2	2	4	–
Violence	0·51	0·78	0·24	100	77	23	8	4	1	2	3	18	7	6	7	5	9	4	–
Other Causes	3·75	3·77	3·75	732	375	357	301	21	9	6	1	338	9	6	7	7	6	12	10

Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	8	24	35	41	19	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tub. & Scrof. Dis.	14	26	14	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Nervous System	9	11	25	48	91	86	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Circulatory „	7	21	38	44	113	84	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Respiratory „	21	21	18	51	75	96	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Digestive „	3	12	14	14	37	44	21	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Urinary „	1	2	6	5	14	19	19	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Generative „	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	2	2	9	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Causes	7	5	6	12	10	11	7	11	18	7	6	7	7	11	16	7	34	80	217

Marriages - - 1,223

Births - {Males - 3,172 / Females - 2,987} 6,159

Annual Rate per 1000 living {Persons Married 12·57 / Births - - 31·66}

Deaths from Childbirth and Puerperal Fever - - - - 3·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

529.—BRIDLINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	In Standard Population * 14·82	†124					40·57	3·49	2·77	3·29	5·76	5·32	7·88	12·27	20·20	39·90	163·13
	Males	15·52	†140					43·97	2·97	2·28	3·77	5·02	5·24	9·04	12·88	20·00	68·70	162·33
	Females	14·15	†108					35·29	3·98	3·22	2·83	6·40	5·39	6·83	11·78	20·39	51·57	163·73
Mean Population 1881–90.	Persons	Decennial Increase of Population 9·81 per cent.	1,685					2,368	1948	1807	1821	1407	2237	1789	1442	1173	808	339
	Males		813					1018	944	876	903	657	1049	852	683	565	393	146
	Females		872					1350	1004	931	918	750	1188	937	759	608	415	193
Deaths from All Causes 1881–90.	Persons	16·67	2,805					836	68	50	60	81	119	141	177	237	484	553
	Males	17·09	1,423					468	28	20	34	33	55	77	88	113	270	237
	Females	15·81	1,382					367	40	30	26	48	64	64	89	124	214	316

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·03	0·01	0·02	3	1	2
Measles	0·13	0·15	0·09	20	12	8
Scarlet Fever	0·10	0·11	0·08	16	9	7
Diphtheria	0·04	0·05	0·02	6	4	2
Whooping-cough	0·40	0·32	0·48	68	26	42
Typhus	0·01	0·01	0·01	2	1	1
Enteric Fever	0·15	0·14	0·16	25	11	14
Simple Continued Fever	0·03	0·02	0·01	5	2	3
Diarrhœa and Dysentery	0·43	0·22	0·63	80	42	38
Cholera	–	–	–	–	–	–
Cancer	0·59	0·41	0·77	100	33	67
Tabes Mesenterica	0·14	0·19	0·09	23	15	8
Phthisis	1·13	1·04	1·21	190	84	106
Other Tub. & Scrof. Dis.	0·26	0·26	0·30	47	21	26
All Causes	2·81	2·72	2·92	440	220	220
Diseases of Nervous System	1·02	1·06	1·02	173	105	168
Diseases of Circulatory	1·46	2·36	1·02	243	175	68
Diseases of Respiratory	2·45	2·77	2·16	415	224	189
Diseases of Digestive	1·40	1·13	0·87	167	91	76
Diseases of Urinary	0·46	0·33	0·15	49	27	13
Diseases of Generative	0·16	–	0·15	13	–	13
Puerperal Fever	0·07		0·14	12		12
Childbirth	0·04		0·07	6		6
Violence	0·41	0·38	0·28	102	78	23
Other Causes	3·06	4·28	2·30	486	346	140

Persons.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Measles	4	8	–	6	1	19	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	3	5	3	1	11	1	2	–	1	1	–	–	–	–	–
Diphtheria	–	–	2	2	2	6	2	–	–	–	–	–	–	–	–	–
Whooping-cough	40	13	6	2	2	63	5	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	4	5	2	2	6	4	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	49	6	2	3	–	60	1	–	–	1	–	1	–	2	9	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	8	20	21	40	11	–
Tabes Mesenterica	13	2	2	–	2	19	3	–	–	1	–	–	–	–	–	–	–	–
Phthisis	19	2	1	2	1	16	6	11	24	29	42	29	20	12	4	–	–	–
Other Tub. & Scrof. Dis.	9	6	3	2	2	22	11	6	–	4	3	–	1	–	–	–	–	–
All Causes	116	20	9	3	3	151	11	5	2	4	7	14	25	45	59	76	67	1
Diseases of Nervous System	1	–	–	–	–	1	1	5	8	7	7	25	41	60	118	67	1	–
Diseases of Circulatory	36	45	17	9	3	175	9	4	5	8	7	21	23	33	72	55	1	–
Diseases of Respiratory	35	9	4	1	–	47	2	3	4	6	3	13	13	16	32	24	8	1
Diseases of Digestive	–	1	–	–	–	1	1	–	–	1	3	2	2	7	3	1	1	–
Diseases of Urinary	–	–	1	–	–	1	–	1	1	–	1	–	2	3	1	–	–	–
Diseases of Generative	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Violence	13	3	3	–	2	21	3	1	10	8	12	10	10	12	25	89	298	1
Other Causes	212	5	3	2	3	224	7	6	2	3	10	10	10	12	25	89	298	1

Marriages . . 1,000 | Annual Rate per 1000 living { Persons Married 12·46 / Births . . 28·37 } | Deaths from Childbirth and Puerperal Fever . . . 3·74 per 1000 Births.

Births { Males 2821 / Females 2587 } 5,408

* *See* pages 1141–1142.

† The death-rates under one year of age are per 1000 Births.

526.—SCARBOROUGH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·54	†142	–	–	–	–	52·43	4·01	2·33	3·82	5·68	7·12	10·04	15·39	27·02	59·83	154·48
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·72	†156	–	–	–	–	57·63	3·89	2·08	3·45	6·43	7·59	11·01	17·46	29·60	65·98	168·24
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·42	†128	–	–	–	–	47·36	4·13	2·58	4·12	5·18	6·78	9·27	13·78	24·90	55·12	145·45
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·43 per cent.	44,557	1055	999	1007	1048	1018	5127	4940	4798	4664	4050	6433	4952	4003	3046	1897	747
Mean Population, 1881–91. Males	Decennial Increase of Population 6·43 per cent.	20,281	530	486	501	515	498	2530	2495	2358	2116	1617	2729	2189	1753	1375	823	296
Mean Population, 1881–91. Females	Decennial Increase of Population 6·43 per cent.	24,376	525	513	506	533	520	2597	2445	2440	2548	2433	3704	2763	2250	1671	1074	451
Deaths from All Causes, 1881–90. Persons	18·11	8,089	1834	493	176	105	80	2688	198	112	178	230	458	497	616	823	1135	1154
Deaths from All Causes, 1881–90. Males	19·64	3,983	1016	259	95	52	36	1458	97	49	73	104	207	241	306	407	543	498
Deaths from All Causes, 1881–90. Females	16·84	4,106	818	234	81	53	44	1230	101	63	105	126	251	256	310	416	592	656

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·17	0·11	61	35	26	14	24	8	6	3	55	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·17	0·12	65	35	30	3	7	12	9	10	41	16	4	2	1	–	–	–	1	–	–
Diphtheria	0·14	0·13	0·15	62	26	36	3	4	6	8	8	29	26	3	2	1	1	–	–	–	–	–
Whooping-cough	0·32	0·32	0·31	141	65	76	69	38	19	7	4	137	3	–	–	–	–	1	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·13	0·16	66	26	40	–	1	1	–	3	5	5	7	6	8	12	5	10	6	2	–
Simple Continued Fever	0·02	0·01	0·02	7	2	5	1	–	–	–	–	1	1	–	1	–	–	–	–	2	1	1
Diarrhœa and Dysentery	0·60	0·70	0·51	267	142	125	182	25	5	1	–	213	2	–	–	–	2	4	3	6	17	20
Cholera	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Cancer	0·93	0·65	1·17	416	131	285	–	–	1	1	1	3	1	2	1	2	10	34	103	113	103	44
Tabes Mesenterica	0·17	0·20	0·14	74	41	33	32	16	7	–	1	56	6	2	3	4	2	–	–	1	–	–
Phthisis	1·62	1·65	1·60	725	334	391	17	6	3	4	2	32	20	26	77	100	203	138	73	35	13	3
Other Tub. & Scrof. Dis.	0·43	0·47	0·41	194	95	99	57	36	13	8	9	123	23	9	9	8	8	9	3	–	1	1
Diseases of Nervous System	3·16	3·47	2·91	1413	704	709	440	87	23	13	10	573	24	16	12	14	29	57	74	161	246	207
Diseases of Circulatory „	1·87	2·00	1·76	834	406	428	2	–	–	1	–	3	5	7	8	12	33	57	101	171	251	186
Diseases of Respiratory „	2·97	3·37	2·64	1327	684	643	326	135	51	31	16	589	25	10	9	10	28	56	65	127	204	204
Diseases of Digestive „	1·08	1·31	0·89	482	266	216	100	39	8	6	4	157	7	8	9	11	23	31	58	66	69	43
Diseases of Urinary „	0·56	0·71	0·44	250	143	107	4	3	5	2	1	15	2	–	4	13	15	18	23	34	78	48
Diseases of Generative „	0·08	–	0·15	37	–	37	–	1	–	–	–	1	–	–	2	5	3	7	6	7	5	1
Puerperal Fever	0·07	–	0·14	33	–	33	–	–	–	–	–	–	–	–	1	7	13	11	1	–	–	–
Childbirth	0·04	–	0·08	19	–	19	–	–	–	–	–	–	–	–	–	1	9	9	–	–	–	–
Violence	0·52	0·85	0·24	231	172	59	15	5	3	4	5	32	13	9	15	21	28	22	31	25	21	14
OTHER CAUSES	3·09	3·32	2·89	1383	674	709	569	36	11	4	3	623	14	8	17	12	39	38	59	68	124	381

Marriages - - - 3,469

Births - { Males - 6,511 / Females - 6,393 } 12,904

Annual Rate per 1000 living { Persons Married 15·54 / Births - - 28·90

Deaths from Childbirth and Puerperal Fever - - - - - 4·03 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

527.—MALTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Deaths 1881–90 per 1000 { Persons / Males / Females	— / — / —	In Standard Population* 15·06 / 15·13 / 14·99	†116 / †129 / †103	– / – / –	– / – / –	– / – / –	– / – / –	38·62 / 41·20 / 36·11	4·23 / 4·64 / 3·82	2·97 / 2·95 / 2·99	4·52 / 3·73 / 5·46	5·63 / 5·65 / 5·70	7·82 / 5·82 / 9·70	8·44 / 8·73 / 8·15	12·13 / 13·63 / 10·56	23·63 / 24·70 / 20·53	54·48 / 57·76 / 51·24	153·67 / 151·35 / 155·95
Mean Population 1881–90. { Persons / Males / Females	Decennial Decrease of Population 5·94 per cent.	22,347 / 11,254 / 11,093	584 / 288 / 296	523 / 265 / 258	556 / 271 / 285	567 / 285 / 282	569 / 272 / 297	2739 / 1381 / 1448	2634 / 1359 / 1335	2524 / 1286 / 1238	2566 / 1286 / 1080	1885 / 920 / 965	2043 / 1427 / 1516	2298 / 1157 / 1141	1839 / 939 / 900	1511 / 761 / 750	1069 / 546 / 523	449 / 222 / 227
Deaths from All Causes, 1881–90. { Persons / Males / Females	16·79 / 16·32 / 16·45	3,752 / 1,893 / 1,859	781 / 435 / 346	168 / 79 / 89	51 / 20 / 31	51 / 22 / 29	30 / 13 / 17	1081 / 549 / 532	114 / 63 / 51	75 / 38 / 37	107 / 48 / 59	107 / 52 / 55	230 / 93 / 147	194 / 101 / 93	228 / 128 / 95	342 / 188 / 154	566 / 298 / 268	690 / 336 / 354

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·07	0·08	0·06	16	9	7	4	3	4	2	1	14	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·21	0·19	0·23	47	21	26	–	4	5	9	2	20	17	4	1	–	3	1	–	–	1	–
Diphtheria	0·10	0·05	0·07	23	15	8	–	2	1	4	2	9	11	1	–	1	1	–	–	–	–	–
Whooping-cough	0·24	0·17	0·32	54	19	35	30	19	4	1	–	54	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·30	0·32	0·29	68	36	32	–	–	–	–	1	1	5	2	7	5	14	8	9	5	9	3
Simple Continued Fever	0·05	0·12	0·05	18	12	6	–	–	–	–	–	–	4	2	1	–	2	2	–	5	2	1
Diarrhœa and Dysentery	0·44	0·51	0·38	99	57	42	62	13	2	–	1	78	1	1	–	1	–	1	1	3	4	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·35	0·49	0·61	123	55	68	–	–	–	–	–	–	–	–	–	1	6	12	25	35	31	18
Tabes Mesenterica	0·13	0·14	0·11	28	16	12	10	2	2	1	2	17	3	3	–	1	2	1	–	1	–	–
Phthisis	1·64	1·24	1·85	345	140	205	3	5	1	1	2	12	14	24	42	59	97	38	30	17	8	3
Other Tub. & Scrof. Dis.	0·34	0·35	0·34	77	39	38	16	13	1	3	3	36	5	7	7	3	10	3	3	3	1	–
Nervous System	2·85	2·54	3·16	636	286	240	102	21	5	4	3	135	14	7	10	5	13	18	30	66	85	83
Circulatory	1·90	1·80	1·95	425	209	216	–	1	1	2	–	4	3	3	14	3	13	27	41	73	104	81
Respiratory	2·34	2·47	2·21	523	278	245	127	64	16	14	6	227	11	3	4	7	20	25	23	43	85	75
Digestive	0·86	1·07	0·85	214	120	94	40	5	–	2	2	49	6	4	3	5	7	20	22	36	43	20
Urinary	0·60	0·41	0·70	68	46	22	–	–	1	1	1	3	4	4	–	3	6	5	8	15	14	7
Generative	0·05	0·01	0·10	12	1	11	–	–	–	–	–	–	–	–	–	–	1	2	3	–	5	1
Puerperal Fever	0·07	–	0·14	15	–	15	–	–	–	–	–	–	–	–	2	3	5	2	–	–	–	–
Childbirth	0·08	–	0·16	18	–	18	–	–	–	–	–	–	–	–	3	2	10	3	–	–	–	–
Violence	0·40	0·71	0·27	110	80	30	4	6	4	2	3	19	9	5	7	4	2	8	14	17	18	7
Other Causes	4·14	4·10	4·19	918	463	455	333	9	4	5	1	342	6	3	7	5	15	18	14	94	98	386

Marriages	1,033	Annual Rate per 1000 living { Persons Married 11·93 / Births 30·15	Deaths from Childbirth and Puerperal Fever } 4·99 per 1000 Births.
Births { Males 3,376 / Females 3,362 }	6,737		

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

528.—EASINGWOLD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·97	† 98	–	–	–	–	32·79	4·05	2·61	1·88	4·55	5·75	7·21	10·20	22·16	51·51	139·75
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·81	†106	–	–	–	–	34·45	4·21	1·96	1·42	3·23	5·27	6·89	10·41	22·65	57·60	138·71
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·13	† 90	–	–	–	–	31·07	3·90	3·28	2·48	5·99	6·26	7·52	10·00	21·65	45·34	140·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 7·20 per cent.	9,190	219	214	225	231	221	1110	1062	998	1009	769	1147	902	784	668	427	244
Mean Population, 1881–91. Males	Decennial Decrease of Population, 7·20 per cent.	4,712	112	113	114	112	115	566	523	510	565	402	588	450	394	340	250	124
Mean Population, 1881–91. Females	Decennial Decrease of Population, 7·20 per cent.	4,478	107	101	111	119	106	544	539	488	444	367	559	452	390	328	247	120
Deaths from All Causes, 1881–90. Persons	15·70	1,443	257	54	25	19	9	364	43	26	19	35	66	65	80	148	256	341
Deaths from All Causes, 1881–90. Males	15·79	744	140	28	16	7	4	195	22	10	8	13	31	31	41	77	144	172
Deaths from All Causes, 1881–90. Females	15·61	699	117	26	9	12	5	169	21	16	11	22	35	34	39	71	112	169

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·06	0·18	11	3	8	1	2	3	2	1	9	2	–	–	–	–	–
Scarlet Fever	0·16	0·17	0·16	15	8	7	–	3	2	5	–	10	4	–	–	–	1	–
Diphtheria	0·24	0·23	0·25	22	11	11	1	–	4	3	3	11	10	1	–	–	–	–
Whooping-cough	0·21	0·28	0·13	19	13	6	6	8	2	2	1	19	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·11	0·04	7	5	2	–	–	1	–	–	1	–	1	–	–	1	1
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·27	0·32	0·22	25	15	10	13	1	1	–	–	15	–	–	–	–	2	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·47	0·65	51	22	29	–	–	–	–	–	–	–	–	2	5	17	17	10
Tabes Mesenterica	0·19	0·17	0·20	17	8	9	7	3	2	–	–	12	–	3	1	–	1	–	–
Phthisis	1·11	0·98	1·25	102	46	56	–	1	–	–	–	1	1	7	9	17	26	17	12	7	4	1
Other Tub. & Scrof. Dis.	0·17	0·17	0·18	16	8	8	7	–	2	–	–	9	–	4	–	–	2	–	–	1	–	–
Diseases of Nervous System	2·15	2·27	2·03	198	107	91	39	11	1	–	–	51	5	–	2	3	6	5	9	20	46	51
Diseases of Circulatory „	2·01	1·95	2·08	185	92	93	–	–	–	–	–	–	2	3	–	4	2	6	9	34	70	55
Diseases of Respiratory „	2·49	2·42	2·57	229	114	115	44	18	5	5	2	74	6	1	–	1	6	9	16	25	41	50
Diseases of Digestive „	0·85	0·79	0·92	78	37	41	11	2	–	–	–	13	2	1	–	2	3	–	8	14	19	16
Diseases of Urinary „	0·52	0·66	0·38	48	31	17	–	–	–	–	–	–	1	–	–	1	1	7	3	6	18	11
Diseases of Generative „	0·05	–	0·11	5	–	5	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–
Puerperal Fever	0·05	–	0·11	5	–	5	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–
Childbirth	0·08	–	0·16	7	–	7	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–
Violence	0·60	0·81	0·38	55	38	17	3	1	–	1	2	7	5	1	6	2	4	3	5	9	8	5
OTHER CAUSES	3·79	3·93	3·59	347	186	161	125	4	2	1	–	132	5	4	1	3	7	9	9	14	29	134

Marriages - - - 544

Births - { Males - 1,318 / Females - 1,293 } 2,611

Annual Rate per 1000 living { Persons Married 11·84 / Births - - 28·41

Deaths from Childbirth and Puerperal Fever - - - - 4·60 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 14·55	†105	–	–	–	–	36·02	5·26	3·30	4·26	4·94	6·32	7·69	11·46	25·41	55·24	147·46
Males	—	Standard 14·17	†113	–	–	–	–	37·83	6·19	3·63	3·94	4·76	5·61	6·66	11·17	25·06	55·67	145·65
Females	—	Population* 14·90	† 97	–	–	–	–	34·18	4·33	3·55	4·98	5·17	6·96	8·69	11·74	25·78	54·82	152·08
Mean Deaths, 1881-91. Persons	Decennial Decrease of Population 5·14 per cent.	12,518	307	305	352	314	333	1591	1755	1426	1245	992	1550	1340	1060	850	540	295
Males		6,482	163	152	178	157	174	824	776	692	622	489	751	661	537	451	291	151
Females		6,036	144	153	174	157	162	790	703	733	623	503	800	679	523	449	301	144
Deaths from All Causes, 1881-90. Persons	16·84	2,108	383	94	37	36	25	573	81	47	56	49	98	103	126	216	327	335
Males	16·85	1,048	209	46	18	18	12	303	48	21	22	23	41	45	60	108	162	216
Females	16·73	1,060	174	48	19	18	11	270	33	26	34	26	57	59	66	108	165	219

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·11	0·06	11	7	4	–	5	2	1	1	9	–	–	1	–	2	–	–	–	–
Scarlet Fever	0·30	0·36	0·25	38	22	16	2	–	5	4	3	14	14	3	1	2	2	1	1	–	–
Diphtheria	0·25	0·26	0·24	31	16	15	1	1	3	5	6	16	8	3	1	–	–	2	–	1	–
Whooping-cough	0·27	0·26	0·28	34	16	18	17	11	4	–	1	33	1	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·20	0·16	0·24	25	10	15	–	1	–	1	2	4	4	2	3	1	3	1	3	3	1
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·38	0·34	0·41	47	21	26	24	3	–	–	1	28	–	–	–	1	1	2	1	1	4
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·53	1·03	97	33	65	–	–	–	–	–	–	–	1	–	–	1	7	23	23	28
Tabes Mesenterica	0·09	0·05	0·13	11	3	8	4	2	1	1	–	8	1	2	–	–	–	–	–	–	–
Phthisis	1·39	1·28	1·50	174	79	95	2	–	1	–	2	5	5	12	25	30	44	23	15	14	3
Other Tub. & Scrof. Dis.	0·23	0·24	0·22	29	15	14	6	–	4	1	1	12	7	5	1	–	2	1	–	–	1
Diseases of: Nervous System	2·22	2·38	2·07	278	147	131	67	14	2	4	–	87	13	5	2	3	3	7	13	33	33
Circulatory	2·01	1·80	2·23	252	111	141	–	1	1	–	–	2	1	5	5	2	4	10	21	52	81
Respiratory	3·16	3·56	2·76	396	220	175	73	43	12	9	3	139	14	–	5	3	10	16	15	33	69
Digestive	0·89	0·92	0·85	111	57	54	15	6	–	2	–	23	4	2	1	1	6	10	13	15	23
Urinary	0·32	0·29	0·16	28	18	10	–	–	–	1	–	1	1	–	–	–	–	1	2	5	11
Generative	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Fever	0·02	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Other Accids.	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–
Violence	0·53	0·68	0·38	66	42	24	4	1	1	3	3	11	3	3	3	3	5	7	7	9	6
Other Causes	3·72	3·70	3·72	467	230	237	168	7	1	5	–	181	6	4	7	3	9	12	12	21	40

Marriages	755	Annual Rate per 1000 living	Persons Married	19·66	Deaths from Childbirth and Puerperal Fever 2·75 per 1000 Births
Births – Males 1,844			Births	29·09	
Females 1,797	3,641				

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·86	†104	–	–	–	–	32·41	3·76	2·80	3·17	6·36	6·38	7·76	11·04	22·63	56·78	151·36
Annual Death-Rate per 1000. Males	—			In Standard Population*		12·80	†107	–	–	–	–	33·28	3·70	1·97	2·37	4·40	4·79	5·02	12·78	22·68	55·82	152·24
Annual Death-Rate per 1000. Females	—			In Standard Population*		14·86	†101	–	–	–	–	31·55	3·83	3·81	4·15	8·56	8·13	10·68	9·21	22·57	57·87	150·41
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·25 per cent.			11,076			273	257	262	269	244	1305	1249	1287	1230	944	1395	1121	951	791	546	257
Mean Population, 1881–91. Males				5,799			134	133	124	130	131	652	622	709	676	500	731	578	495	410	292	134
Mean Population, 1881–91. Females				5,277			139	124	138	139	113	653	627	578	554	444	664	543	456	381	254	123
Deaths from All Causes, 1881–90. Persons	15·93			1,764			304	65	22	18	14	423	47	36	39	60	89	87	105	179	310	389
Deaths from All Causes, 1881–90. Males	15·16			879			161	34	10	5	7	217	23	14	16	22	35	29	63	93	163	204
Deaths from All Causes, 1881–90. Females	16·77			885			143	31	12	13	7	206	24	22	23	38	54	58	42	86	147	185
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Measles	0·05	0·07	0·02	5	4	1	–	4	1	–	–	5	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·22	0·28	28	13	15	1	4	3	5	4	17	6	3	1	–	1	–	–	–	–	–
Diphtheria	0·09	0·07	0·11	10	4	6	–	1	–	2	1	4	6	–	–	–	–	–	–	–	–	–
Whooping-cough	0·23	0·16	0·30	25	9	16	17	2	2	2	1	24	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Enteric Fever	0·16	0·12	0·21	18	7	11	–	–	–	–	–	–	1	3	2	2	4	2	3	1	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·34	0·28	0·42	38	16	22	18	2	–	–	1	21	1	1	–	1	1	1	–	1	5	6
Cholera	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	0·79	0·60	1·00	88	35	53	–	–	–	–	–	–	–	1	–	–	1	14	14	23	23	12
Tabes Mesenterica	0·12	0·12	0·11	13	7	6	7	1	–	–	–	8	1	1	1	1	–	–	1	–	–	–
Phthisis	1·27	1·05	1·52	141	61	80	1	–	1	–	–	2	3	7	13	25	37	15	12	16	8	3
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	31	17	14	4	2	1	–	–	7	8	5	3	2	5	1	–	–	–	–
Diseases of Nervous System	2·31	2·22	2·41	256	129	127	68	10	4	2	–	84	4	2	–	8	3	4	9	25	58	59
Diseases of Circulatory „	1·96	1·71	2·24	217	99	118	–	1	–	–	–	1	–	3	2	2	2	14	18	39	81	55
Diseases of Respiratory „	2·37	2·60	2·10	262	151	111	58	23	6	3	3	93	7	2	1	3	6	10	13	16	57	54
Diseases of Digestive „	1·08	1·17	0·99	120	68	52	17	5	1	–	–	23	3	5	5	4	4	4	6	24	24	18
Diseases of Urinary „	0·56	0·74	0·36	62	43	19	–	–	–	1	–	1	–	–	–	2	–	4	9	14	15	17
Diseases of Generative „	0·06	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	1
Puerperal Fever	0·10	–	0·21	11	–	11	–	–	–	–	–	–	–	–	–	1	3	4	3	–	–	–
Childbirth	0·08	–	0·17	9	–	9	–	–	–	–	–	–	–	–	–	2	2	5	–	–	–	–
Violence	0·43	0·59	0·27	48	34	14	3	1	2	3	3	12	3	–	3	1	4	1	5	7	5	7
OTHER CAUSES	3·33	3·09	3·57	368	179	189	110	9	1	–	1	121	3	3	5	4	13	8	10	12	32	157

Marriages 611

Births { Males 1,508 / Females 1,421 } 2,929

Annual Rate per 1000 living { Persons Married 11·03 / Births 26·44

Deaths from Childbirth and Puerperal Fever 6·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

531.—PICKERING.

CAUSES OF DEATH.	CRUDE ANNUAL RATE PER 1000.	ALL AGES.			Under 1 Year	1–	2–	3–	4–	Total at 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and under.
Annual Death-Rate per 1000.	Persons -	In Standardized Population.*		16·97	·139	–	–	–	–	41·76	4·11	2·76	4·96	5·81	6·31	8·40	14·41	24·93	64·65	162·63
	Males -			15·96	·149	–	–	–	–	42·60	4·00	2·47	2·56	6·46	4·56	7·17	15·42	24·50	64·50	162·89
	Females -			16·22	·128	–	–	–	–	39·61	4·22	3·09	7·55	5·21	8·02	9·63	13·39	25·63	64·81	162·37
Mean Population, 1881-91.	Persons -	Decennial Decrease of Population 1·91 per cent.		10,576	276	279	297	291	270	1384	1363	1397	984	809	1331	1119	943	709	495	190
	Males -			5,326	148	142	153	138	146	687	675	697	507	387	658	558	468	305	242	97
	Females -			5,250	128	137	144	153	124	697	688	700	477	422	673	561	475	404	253	93
Decennial Average 1881–90.	Persons	17·90		1,894	441	72	29	20	15	578	56	34	49	47	84	94	156	187	820	309
	Males	18·33		976	257	33	17	10	10	327	27	15	13	25	30	40	76	99	160	158
	Females	17·47		917	184	39	12	10	6	251	29	18	36	22	54	54	69	91	151	151

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·15	0·17	0·13	16	9	7
Scarlet Fever	0·25	0·28	0·21	26	15	11
Diphtheria	0·09	0·09	0·08	9	5	4
Whooping-cough	0·35	0·30	0·40	37	16	21
Typhus	0·01	0·02	–	1	1	–
Enteric Fever	0·14	0·08	0·21	15	4	11
Simple Continued Fever	0·05	0·06	0·04	5	3	2
Diarrhœa and Dysentery	0·39	0·38	0·40	41	20	21
Cholera	0·02	0·02	0·02	2	1	1
Cancer	0·64	0·43	0·86	68	23	45
Tuber Manifestation	0·18	0·19	0·17	19	10	9
Phthisis	1·39	1·18	1·60	147	63	84
Other Tub. & Scrof. Dis.	0·37	0·45	0·29	39	24	15
Diseases of Nervous System	3·38	3·79	2·97	358	202	156
Diseases of Circulatory System	1·71	1·61	1·81	181	86	95
Diseases of Respiratory System	2·72	2·91	2·53	288	155	133
Diseases of Digestive System	1·36	1·37	1·35	144	73	71
Diseases of Urinary System	0·43	0·60	0·23	44	32	12
Diseases of Generative System	0·08	–	0·15	8	–	8
Puerperal Fever	0·05	–	0·10	5	–	5
Childbirth	0·11	–	0·23	12	–	12
Violence	0·43	0·60	0·25	45	32	13
Other Causes	3·01	3·80	3·44	333	202	131

PERSONS.

	1–	2–	3–	4–	Total at 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and under.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	4	3	2	1	14	1	–	1	–	–	–	–	–	–
Scarlet Fever	–	1	6	2	3	13	9	3	1	–	–	–	–	–	–
Diphtheria	–	–	–	1	1	3	4	1	–	1	–	–	–	–	–
Whooping-cough	23	6	3	3	1	36	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	–	–	1	1	1	3	3	–	1	1	1	1	1
Simple Continued Fever	–	–	–	1	1	1	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	24	–	–	–	24	1	–	–	–	–	4	1	3	2	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Cancer	–	–	–	–	–	–	–	1	1	–	1	6	16	14	21	10
Tuber Manifestation	14	2	1	–	17	2	1	–	–	–	–	–	–	–	–
Phthisis	3	–	1	1	5	6	4	22	24	33	25	16	8	3	–
Other Tub. & Scrof. Dis.	13	6	3	1	23	6	2	2	2	4	1	–	–	–	–
Diseases of Nervous System	117	13	1	3	2	136	6	6	5	5	12	12	12	6	53
Diseases of Circulatory System	67	22	5	4	2	100	8	1	–	4	9	20	41	40	37
Diseases of Respiratory System	25	10	1	–	1	37	3	1	4	6	7	9	27	24	53
Diseases of Digestive System	1	–	–	–	–	1	–	2	3	2	4	9	14	34	13
Diseases of Urinary System	–	–	–	–	–	–	–	–	1	–	2	2	3	11	16
Diseases of Generative System	–	–	–	–	–	–	–	–	–	–	1	3	1	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–
Violence	–	–	–	–	–	–	–	1	1	2	2	4	3	3	7	6
Other Causes	4	1	1	3	3	152	7	1	3	4	5	7	9	16	13	42	118

Marriages -	–	0·00	Annual Rate per 1000 Living	Persons Married 13·41
Births - Males	1,725	3·425		Births - - 32·98
Females	1,700			

Deaths from Childbirth and Puerperal Fever - - - - - 4·96 per 1000 Births.

* *See* pages XXXVI–XXXVIII.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·77	†114	–	–	–	–	47·59	4·46	3·04	4·21	6·00	8·09	8·08	14·52	26·24	58·97	149·80
Males	—	Standard 17·78	†125	–	–	–	–	51·36	4·28	3·71	4·39	6·78	8·18	7·97	17·72	29·33	65·95	150·00
Females	—	Population* 15·82	†103	–	–	–	–	43·88	4·64	2·39	4·05	5·36	8·00	8·18	11·62	28·49	53·10	149·65
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 7·83 per cent.	25,438	717	627	671	648	676	3339	3183	2894	2471	2016	3326	2711	2163	1719	1126	490
Males		12,173	376	307	326	309	339	1657	1589	1428	1163	915	1552	1318	1027	808	514	202
Females		13,265	341	320	345	339	337	1682	1594	1466	1308	1101	1774	1393	1136	911	612	288
Deaths from All Causes, 1881–90. Persons	18·46	4,695	980	333	147	72	57	1589	142	88	104	121	269	219	314	451	664	734
Males	19·54	2,378	542	167	73	37	32	851	68	53	51	62	127	105	182	237	339	303
Females	17·47	2,317	438	166	74	35	25	738	74	35	53	59	142	114	132	214	325	431

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·28	0·22	63	34	29	13	24	17	3	–	57	5	–	–	1	–	–	–	–	–
Scarlet Fever	0·18	0·20	0·16	45	24	21	2	7	5	6	7	27	9	4	1	–	–	–	–	–	–
Diphtheria	0·12	0·12	0·13	31	14	17	2	2	5	7	2	18	10	3	–	–	3	–	1	–	–
Whooping-cough	0·44	0·37	0·50	111	45	66	53	32	17	3	3	108	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
Enteric Fever	0·15	0·17	0·14	39	21	18	–	–	–	2	–	2	4	3	7	3	11	4	4	1	–
Simple Continued Fever	0·02	0·04	0·01	6	5	1	–	–	–	1	–	1	–	1	–	–	1	–	–	2	1
Diarrhœa and Dysentery	0·45	0·51	0·40	115	62	53	71	15	4	–	–	90	1	–	–	–	1	–	1	4	8
Cholera	0·00	0·01	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·65	0·81	186	79	107	–	–	–	1	–	1	1	1	–	–	4	15	29	41	67
Tabes Mesenterica	0·29	0·29	0·29	73	35	38	28	19	10	2	–	59	5	3	2	–	2	1	1	–	–
Phthisis	1·54	1·52	1·55	391	185	206	1	3	2	1	–	7	5	18	44	55	125	60	40	25	12
Other Tub. & Scrof. Dis.	0·36	0·36	0·35	91	44	47	20	17	7	3	4	51	23	4	3	5	1	1	1	1	1
Diseases of Nervous System	2·49	2·67	2·33	634	325	309	136	42	11	8	9	206	16	8	7	6	12	15	38	85	137
Diseases of Circulatory „	1·40	1·49	1·32	356	181	175	1	–	–	–	1	2	2	4	7	–	20	24	44	69	104
Diseases of Respiratory „	3·59	3·85	3·35	913	468	445	217	126	50	16	17	426	27	6	9	12	25	31	52	82	129
Diseases of Digestive „	1·35	1·34	1·36	344	163	181	86	33	8	3	4	134	6	6	1	10	11	17	32	44	51
Diseases of Urinary „	0·38	0·59	0·18	96	72	24	1	–	–	–	2	3	2	7	3	5	6	5	7	18	23
Diseases of Generative „	0·07	0·02	0·12	18	2	16	–	–	–	–	–	–	–	–	1	1	1	2	9	–	1
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	–	3	7	4	–	–	–
Childbirth	0·07	–	0·14	19	–	19	–	–	–	–	–	–	–	–	1	2	5	11	–	–	–
Violence	0·68	1·14	0·26	173	139	34	14	2	3	6	2	27	13	9	8	11	16	14	21	26	13
Other Causes	3·83	3·90	3·73	973	477	496	335	11	8	9	6	369	10	11	8	8	17	15	34	52	117

Marriages - - - 1,758

Births - Males - 4,325 / Females - 4,258 = 8,583

Annual Rate per 1000 living: Persons Married 13·82; Births - - 33·74

Deaths from Childbirth and Puerperal Fever - - - - - 3·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year o age are per 1000 Births.

533.—GUISBROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons	—		In	16·43		†136	–	–	–	–	49·25	4·81	2·74	4·85	5·74	7·11	9·00	13·15	25·52	55·43	138·42
	Males	—		Standard	17·04		†151	–	–	–	–	52·08	3·92	2·80	5·05	5·02	6·30	8·16	13·33	25·71	51·17	137·88
	Females	—		Pop lation.*	15·85		†119	–	–	–	–	45·49	4·87	2·68	4·65	6·45	7·93	9·96	10·80	25·33	59·34	138·67
Mean Population	Persons	Decennial Decrease of Population 7·28 per cent.		41,556			1289	1169	1243	1240	1270	6211	5781	4995	3917	3378	3008	4700	3049	2006	1175	486
	Males			21,178			643	589	637	613	648	3130	2925	2408	1887	1672	1344	2511	1588	1019	546	188
	Females			20,378			646	580	606	627	622	3081	2856	2497	1956	1706	1664	2189	1461	987	629	218
Deaths from All Causes	Persons	16·27		6,761			2024	563	241	150	86	3064	255	136	130	193	420	423	385	512	618	564
	Males	16·96		3,592			1176	302	129	76	41	1724	115	69	100	84	210	297	225	262	334	263
	Females	15·55		3,169			848	261	112	74	45	1340	139	67	30	110	210	218	160	250	284	301
		Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox		0·01	0·01	0·00	3	2	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
Measles		0·26	0·26	0·26	106	55	51	27	47	15	8	3	100	4	1	–	–	1	–	–	–	–
Scarlet Fever		0·47	0·49	0·45	194	103	91	9	34	37	29	23	132	48	10	1	–	8	–	–	–	–
Diphtheria		0·08	0·09	0·07	33	19	14	2	3	3	2	5	15	14	2	1	–	–	–	1	–	–
Whooping-cough		0·37	0·35	0·42	155	69	86	82	47	12	15	–	156	1	–	–	–	–	–	–	–	–
Typhus		0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–
Enteric Fever		0·26	0·23	0·28	106	48	58	–	–	2	4	3	9	15	13	15	9	17	14	6	6	2	–
Simple Continued Fever		0·03	0·02	0·04	14	5	9	–	–	–	1	2	3	1	2	–	–	2	–	1	2	–	3
Diarrhœa and Dysentery		0·44	0·44	0·44	183	94	89	122	23	8	1	1	155	3	–	2	1	6	2	–	1	5	2
Cholera		0·04	0·05	0·02	15	10	5	4	2	–	1	–	7	2	–	–	–	1	2	1	1	1	–
Cancer		0·41	0·31	0·51	170	66	104	–	–	–	–	–	–	–	–	1	–	6	14	33	74	40	22
Tubercular Diseases		0·45	0·49	0·42	189	103	86	113	31	8	7	2	161	11	3	–	2	7	4	–	1	–	–
Intemperance		1·33	1·18	1·48	551	250	301	7	4	2	1	1	15	39	37	75	98	126	106	50	28	8	1
Other Diseases and Causes Dec.		0·45	0·46	0·44	187	98	89	66	34	12	13	10	135	17	6	4	7	7	2	2	1	1	–
Diseases of Nervous System		2·43	2·57	2·28	1009	544	465	416	61	33	14	5	529	25	17	15	12	28	29	52	97	115	90
Diseases of Circulatory System		1·16	1·14	1·19	483	241	242	3	–	–	–	1	4	5	7	10	14	40	53	67	100	154	65
Diseases of Respiratory System		2·78	3·07	2·48	1156	651	505	351	171	75	40	17	654	58	6	15	13	30	54	85	75	92	104
Diseases of Digestive System		1·21	1·24	1·17	501	262	239	137	71	16	9	4	237	15	13	10	9	23	35	56	31	31	19
Diseases of Urinary System		0·29	0·36	0·21	119	76	43	4	4	1	3	3	15	1	1	2	4	19	17	16	14	27	11
Diseases of Generative System		0·06	0·01	0·10	23	2	21	–	–	–	–	–	–	–	–	–	–	3	8	4	6	–	1
Puerperal Fever		0·09	–	0·18	36	–	36	–	–	–	–	–	–	–	–	2	5	19	10	–	–	–	–
Congenital Debility		0·09	–	0·19	38	–	38	–	–	–	–	–	–	–	–	1	3	17	14	1	–	–	–
Violence		0·65	1·10	0·18	269	232	37	15	5	10	5	4	39	8	10	26	14	41	32	35	35	29	10
Other Causes		2·90	3·10	2·75	1217	659	558	606	26	7	3	2	744	17	17	14	8	32	25	25	40	105	254

Marriages { Persons 2,745 }
Births { Males / Females 14,897 }

Annual Rate per 1000 living { Persons Married 13·21 / Births - - 35·85 }

Deaths from Childbirth and Puerperal Fever - - - } 4·97 per 1000 Births.

* [illegible]

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 22·57	†161	–	–	–	–	68·61	6·01	3·87	5·46	6·87	8·72	13·08	20·41	38·14	78·74	164·18
Males	—	Standard 23·88	†177	–	–	–	–	75·00	6·04	4·19	5·90	6·84	8·52	13·60	23·06	41·02	80·81	175·22
Females	—	Population* 21·33	†146	–	–	–	–	62·28	5·98	3·54	4·97	6·90	8·96	12·41	17·02	34·89	76·74	154·47
Mean Population, 1881–91. Persons	Decennial Increase of Population 34·82 per cent.	105,533	3457	2887	3162	3107	3105	15718	14041	12104	10510	9648	16567	12501	8053	4158	1750	483
Males		55,705	1725	1465	1539	1557	1531	7817	7036	6032	5556	5245	9177	7022	4528	2206	860	226
Females		49,828	1732	1422	1623	1550	1574	7901	7005	6072	4954	4403	7390	5479	3525	1952	890	257
Deaths from All Causes, 1881–90. Persons	20·67	21,813	6734	2284	842	530	394	10784	844	468	574	663	1444	1635	1644	1586	1378	793
Males	21·55	12,005	3761	1201	445	250	206	5863	425	253	328	359	782	955	1044	905	695	396
Females	19·68	9,808	2973	1083	397	280	188	4921	419	215	246	304	662	680	600	681	683	397

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·03	0·05	0·02	36	27	9	3	–	–	–	–	3	2	1	7	7	6	7	2	1	–	–
Measles	0·49	0·49	0·48	516	275	241	100	218	91	48	28	485	30	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·57	0·55	0·59	602	306	296	35	97	90	94	63	379	161	38	6	4	9	5	–	–	–	–
Diphtheria	0·06	0·04	0·08	63	24	39	5	8	7	11	8	39	16	2	3	2	1	–	–	–	–	–
Whooping-cough	0·61	0·52	0·72	648	291	357	277	200	81	45	20	623	25	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	3	–	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Enteric Fever	0·44	0·46	0·41	460	255	205	1	2	4	8	19	34	53	52	79	68	80	48	32	9	5	–
Simple Continued Fever	0·05	0·05	0·05	53	27	26	5	9	4	3	4	25	3	4	2	3	2	5	4	2	2	1
Diarrhœa and Dysentery	0·88	0·90	0·85	927	502	425	607	176	17	8	8	816	10	3	1	2	6	8	14	15	29	23
Cholera	0·02	0·03	0·01	21	14	7	10	3	1	–	–	14	1	–	–	–	–	–	3	2	1	–
Cancer	0·40	0·27	0·55	426	151	275	–	–	1	2	–	3	1	–	1	3	19	80	126	108	62	23
Tabes Mesenterica	0·63	0·64	0·62	667	359	308	353	176	60	19	8	616	26	11	2	2	4	3	3	–	–	–
Phthisis	1·48	1·48	1·47	1557	823	734	15	24	16	10	15	80	50	85	162	193	412	297	181	73	24	–
Other Tub. & Scrof. Dis.	0·43	0·45	0·41	456	253	203	101	116	39	24	23	303	62	31	12	17	15	10	5	1	–	–
Diseases of Nervous System	2·76	2·88	2·62	2910	1605	1305	1311	267	107	66	53	1804	108	41	35	40	49	114	161	227	237	94
Diseases of Circulatory ,,	1·20	1·22	1·17	1265	682	583	6	1	2	–	–	9	24	23	35	27	107	181	236	280	242	101
Diseases of Respiratory ,,	4·75	5·48	3·93	5009	3050	1959	1209	664	241	139	103	2356	133	38	78	112	307	418	490	517	406	154
Diseases of Digestive ,,	1·07	1·09	1·05	1130	606	524	364	115	17	9	6	511	38	18	21	28	73	94	123	124	81	19
Diseases of Urinary ,,	0·35	0·40	0·30	370	223	147	10	9	3	2	7	31	12	10	17	13	38	70	63	55	38	23
Diseases of Generative ,,	0·04	0·00	0·08	44	2	42	2	1	–	–	–	3	2	–	3	3	10	10	8	3	2	–
Puerperal Fever	0·14	–	0·30	149	–	149	–	–	–	–	–	–	–	–	5	39	63	41	1	–	–	–
Childbirth	0·08	–	0·16	80	–	80	–	–	–	–	–	–	–	–	3	13	32	32	–	–	–	–
Violence	0·80	1·19	0·37	849	663	186	77	34	17	21	15	164	39	55	59	52	124	114	114	68	33	27
OTHER CAUSES	3·39	3·36	3·43	3572	1867	1705	2243	164	44	21	14	2486	48	56	43	33	86	98	78	100	216	328

Marriages - - 8,682

Births - Males 21,283 / Females 20,424 — 41,707

Annual Rate per 1000 living — Persons Married 16·45; Births 39·52

Deaths from Childbirth and Puerperal Fever - - - - - 5·49 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

535.—STOKESLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 14·13	† 98	-	-	-	-	34·00	3·35	2·95	4·84	6·22	6·74	7·17	11·09	23·93	50·55	146·36
Annual Death-Rate per 1000. Males	—	Standard 14·13	†115	-	-	-	-	39·20	3·71	2·84	3·54	7·11	6·01	6·62	10·22	20·10	30·59	145·45
Annual Death-Rate per 1000. Females	—	Population* 14·13	† 81	-	-	-	-	28·73	2·95	3·07	6·13	5·48	7·42	7·73	12·00	27·83	62·67	148·20
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·41 per cent.	11,564	293	265	284	282	282	1406	1405	1321	1198	965	1484	1171	974	819	550	271
Mean Population, 1881–91. Males		5,748	152	124	142	144	141	703	728	669	594	436	716	589	499	413	269	132
Mean Population, 1881–91. Females		5,816	141	141	142	138	141	703	677	652	604	529	768	582	475	406	281	139
Deaths from All Causes, 1881–90. Persons	16·25	1,879	324	91	27	20	16	478	47	39	58	60	100	84	108	196	311	396
Deaths from All Causes, 1881–90. Males	16·44	945	194	49	15	8	10	276	27	19	21	31	43	39	51	83	163	192
Deaths from All Causes, 1881–90. Females	16·06	934	130	42	12	12	6	202	20	20	37	29	57	45	57	113	148	204

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·03	0·05	0·02	4	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	0·15	0·17	0·12	17	10	7	3	7	3	2	1	16	1	-	-	-	-	2	1	-	-
Scarlet Fever	0·23	0·30	0·17	27	17	10	1	1	1	7	5	15	9	3	-	-	-	-	-	-	-
Diphtheria	0·03	0·03	0·03	4	2	2	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-
Whooping-cough	0·42	0·35	0·48	48	20	28	28	13	3	-	3	47	1	-	-	-	-	-	-	-	-
Typhus	0·03	0·07	-	4	4	-	-	-	-	1	-	1	-	-	1	1	-	-	1	-	-
Enteric Fever	0·08	0·09	0·07	9	5	4	-	-	-	-	-	-	-	1	4	2	1	-	-	1	-
Simple Continued Fever	0·05	0·07	0·03	6	4	2	-	-	-	-	1	1	-	1	-	-	-	-	-	2	-
Diarrhœa and Dysentery	0·26	0·30	0·22	30	17	13	19	3	-	-	-	22	1	-	-	-	-	2	-	2	3
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·74	0·61	0·86	85	35	50	-	-	-	-	-	-	-	-	-	1	-	5	14	27	20	18
Tabes Mesenterica	0·25	0·49	0·31	29	11	18	7	4	2	-	1	14	4	2	1	1	3	2	2	-	-	-
Phthisis	1·29	0·97	1·60	149	56	93	-	-	-	-	-	-	4	2	23	23	43	18	11	15	4	-
Other Tub. & Scrof. Dis.	0·33	0·40	0·26	38	23	15	6	7	3	3	-	19	5	5	5	1	-	1	1	-	1	-
Diseases of Nervous System	2·20	2·30	2·10	254	132	122	60	10	4	1	1	76	4	2	6	4	10	6	13	32	50	51
Circulatory	1·80	1·43	2·17	208	82	126	-	1	-	-	1	2	3	4	4	4	9	13	21	31	61	56
Respiratory	2·68	3·11	2·25	310	179	131	60	33	4	1	1	99	5	2	2	4	9	11	18	42	55	63
Digestive	1·17	1·15	1·19	135	66	69	29	9	2	1	-	41	4	3	4	2	5	3	7	21	32	13
Urinary	0·42	0·63	0·21	48	36	12	1	-	1	-	-	2	1	-	1	1	1	2	4	6	22	8
Generative	0·03	-	0·07	4	-	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-
Puerperal Fever	0·09	-	0·17	10	-	10	-	-	-	-	-	-	-	-	-	4	3	3	-	-	-	-
Childbirth	0·10	-	0·21	12	-	12	-	-	-	-	-	-	-	-	3	2	4	3	-	-	-	-
Violence	0·54	0·75	0·33	62	43	19	6	2	2	3	-	13	1	2	2	4	5	6	6	5	12	6
Other Causes	3·35	3·47	3·19	386	200	186	104	1	2	1	1	109	3	6	1	5	5	9	7	15	48	178

Marriages	595	Annual Rate per 1000 living	Persons Married	16·29
Births (Males)	1,486		Births	28·48
Births (Females)	1,397		Deaths from Childbirth and Puerperal Fever	6·66 per 1000 Births.
Births	3,283			

* See pages xxiv, xxv.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·32	†104	–	–	–	–	34·08	3·02	2·42	4·61	6·35	8·06	8·19	11·11	24·94	57·22	143·60
Males	—	14·53	†114	–	–	–	–	36·34	2·62	2·73	2·58	5·66	7·91	8·66	9·49	26·99	69·64	149·15
Females	—	14·13	† 95	–	–	–	–	31·87	3·43	2·12	6·81	7·04	8·19	7·75	12·65	22·78	44·53	138·64
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·15 per cent.	11,578	294	259	304	283	298	1438	1359	1320	1192	960	1502	1221	972	810	554	250
Males		5,762	145	122	157	134	152	710	688	659	619	477	733	589	474	415	280	118
Females		5,816	149	137	147	149	146	728	671	661	573	483	769	632	498	395	274	132
Deaths from All Causes, 1881–90. Persons	16·29	1,886	346	72	26	29	17	490	41	32	55	61	121	100	108	202	317	359
Males	16·90	974	187	34	14	13	10	258	18	18	16	27	58	51	45	112	195	176
Females	15·68	912	159	38	12	16	7	232	23	14	39	34	63	49	63	90	122	183

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·12	0·09	12	7	5	–	5	3	3	–	11	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·15	16	7	9	1	2	3	1	1	8	6	2	–	–	–	–	–	–	–
Diphtheria	0·06	0·05	0·07	7	3	4	2	–	–	1	1	4	2	–	–	–	–	–	1	–	–
Whooping-cough	0·25	0·19	0·31	29	11	18	17	5	1	3	1	27	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·26	0·28	0·24	30	16	14	1	1	–	–	1	3	1	3	5	5	4	5	3	1	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·29	0·35	0·22	33	20	13	12	3	–	1	–	16	1	–	–	1	1	–	1	1	4	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·75	0·79	89	43	46	–	–	–	–	–	–	–	–	–	1	3	3	9	28	34	11
Tabes Mesenterica	0·11	0·12	0·10	13	7	6	6	1	1	–	–	8	–	–	2	1	–	1	1	–	–	–
Phthisis	1·38	1·23	1·53	160	71	89	–	3	–	–	1	4	4	5	25	26	46	19	19	7	4	1
Other Tub. & Scrof. Dis.	0·33	0·33	0·33	38	19	19	12	1	3	3	2	21	–	5	3	2	4	2	–	1	–	–
Diseases of Nervous System	2·65	2·97	2·34	307	171	136	71	11	4	6	4	96	3	9	4	5	8	11	13	39	79	40
Diseases of Circulatory „	1·72	1·54	1·89	199	89	110	–	–	–	–	–	–	2	3	1	2	5	15	19	42	59	51
Diseases of Respiratory „	2·57	2·83	2·25	297	166	131	71	24	6	7	3	111	10	1	4	5	6	12	13	24	44	67
Diseases of Digestive „	0·88	0·90	0·86	102	52	50	11	5	3	1	–	20	4	2	2	1	7	8	3	20	17	18
Diseases of Urinary „	0·49	0·69	0·29	57	40	17	–	1	–	–	–	1	1	–	3	1	8	5	3	7	17	11
Diseases of Generative „	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–
Puerperal Fever	0·07	–	0·14	8	–	8	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–	–
Childbirth	0·07	–	0·14	8	–	8	–	–	–	–	–	–	–	–	–	1	5	2	–	–	–	–
Violence	0·42	0·62	0·22	49	36	13	3	–	–	1	1	5	2	2	2	3	7	2	4	7	10	5
OTHER CAUSES	3·66	3·74	3·60	424	215	209	139	10	1	2	2	154	2	–	3	4	11	14	16	24	49	147

Marriages – – 628

Births – Males – 1,646 / Females – 1,677 – 3,323

Annual Rate per 1000 living: Persons Married 10·85; Births – – 28·70

Deaths from Childbirth and Puerperal Fever – – – – 4·81 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

557.—BEDALE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4	Under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons	In Standard Population* 13·61	†103	–	–	–	–	34·36	4·61	1·36	3·68	5·05	6·74	8·16	10·61	24·01	51·48	126·05
	Males		†113	–	–	–	–	37·37	4·94	0·96	2·82	4·11	6·76	7·49	11·86	25·68	48·25	147·06
	Females		† 92	–	–	–	–	30·84	4·26	1·84	4·62	6·05	7·26	8·85	9·34	22·44	54·03	127·48
Mean Population in 1881–90	Persons	8,249	186	190	199	197	206	978	912	919	815	713	1198	797	767	608	439	233
	Males	4,109	84	102	109	106	110	511	466	485	425	349	566	379	246	296	226	102
	Females	4,140	102	88	90	91	96	467	446	434	390	373	592	418	364	312	213	131
Deaths from All Causes in 1881–90	Persons	1,367	220	59	21	12	15	336	42	18	39	36	76	65	75	146	226	317
	Males	689	150	36	12	8	6	192	24	10	12	15	33	28	41	76	109	150
	Females	678	99	23	9	4	9	144	19	8	18	21	43	37	34	70	117	167

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Smallpox	0·04	–	0·07	3	–	3	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Measles	0·15	0·12	0·14	12	6	6	2	2	1	1	2	8	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·12	0·24	16	6	10	1	3	1	–	1	6	6	1	1	1	1	–	–	–	–	–
Diphtheria	0·05	0·05	0·02	4	3	1	–	–	–	–	1	1	3	–	–	–	–	1	–	–	–	–
Whooping-cough	0·41	0·41	0·51	34	13	21	16	11	3	–	2	32	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·10	0·07	7	4	3	–	–	–	–	–	–	1	–	1	2	1	–	–	1	–	–
Simple Continued Fever	0·05	0·07	0·02	4	3	1	–	–	–	–	–	–	3	–	–	–	1	2	–	–	–	–
Diarrhœa and Dysentery	0·32	0·34	0·31	26	13	13	11	2	–	–	1	14	–	–	–	–	–	2	2	1	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·63	0·75	58	27	31	–	–	–	–	–	–	–	–	–	–	3	3	6	16	18	13
Tabes Mesenterica	0·06	0·05	0·10	5	1	4	1	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–
Phthisis	1·37	1·46	1·45	113	53	60	–	1	–	–	–	1	1	2	15	17	31	20	12	8	4	–
Other Tub. & Scrof. Dis.	0·30	0·24	0·39	1	25	15	5	10	4	3	1	23	6	2	4	1	–	3	1	1	–	–
Diseases of Nervous System	1·92	1·80	2·00	158	75	83	29	10	1	2	1	43	4	2	–	2	3	1	3	19	43	31
Circulatory	1·37	1·20	1·50	113	51	62	1	–	–	–	–	1	1	1	–	1	5	3	9	26	46	35
Respiratory	2·53	2·73	2·37	209	111	98	54	11	8	4	2	79	4	1	1	1	9	3	12	22	32	40
Digestive	0·98	1·05	0·92	81	43	38	15	3	–	1	1	20	2	–	–	1	2	3	5	16	19	11
Urinary	0·59	0·71	0·48	49	29	20	1	–	–	–	–	1	1	–	–	–	5	3	3	8	18	10
Generative	0·05	0·02	0·07	4	1	3	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Puerperal Fever	0·10	–	0·19	8	–	8	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–	–
Childbirth	0·04	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Violence	0·51	0·63	0·34	42	26	14	1	–	–	1	–	2	3	1	3	2	5	3	4	6	7	6
Other Causes	4·56	4·78	4·37	377	197	180	91	6	3	–	3	103	2	4	3	4	4	5	12	22	41	177

Marriages		471	Annual Rate per 1000 living	Persons Married	21·42
Births	Males 1,152			Births	20·97
	Females 1,073	2,225			

Deaths from Childbirth and Puerperal Fever 4·94 per 1000 Births.

* No figures available.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·17	† 94	–	–	–	–	26·76	3·44	1·83	4·51	4·41	8·12	7·88	15·63	22·94	49·48	140·39
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·20	†105	–	–	–	–	29·98	2·99	1·59	4·20	4·06	7·16	7·75	15·43	25·25	54·63	136·36
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·15	† 82	–	–	–	–	23·74	3·88	2·12	4·82	4·75	8·97	7·98	15·82	20·80	44·92	144·23
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·27 per cent.	7,980	167	189	188	175	204	923	873	929	799	657	1010	825	646	632	483	203
Mean Population, 1881–91. Males	Decennial Decrease of Population 8·27 per cent.	3,902	76	93	92	87	99	447	435	504	405	320	475	374	311	305	227	99
Mean Population, 1881–91. Females	Decennial Decrease of Population 8·27 per cent.	4,078	91	96	96	88	105	476	438	425	394	337	535	451	335	327	256	104
Deaths from All Causes, 1881–90. Persons	15·99	1,276	183	31	17	9	7	247	30	17	36	29	82	65	101	145	239	285
Deaths from All Causes, 1881–90. Males	16·20	632	103	16	7	5	3	134	13	8	17	13	34	29	48	77	124	135
Deaths from All Causes, 1881–90. Females	15·79	644	80	15	10	4	4	113	17	9	19	16	48	36	53	68	115	150

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·08	0·05	0·10	6	2	4	1	1	1	–	1	4	–	1	–	–	1	–	–	–	–
Scarlet Fever	0·23	0·21	0·24	18	8	10	–	–	5	–	–	5	7	2	2	2	–	–	–	–	–	–
Diphtheria	0 04	–	0·07	3	–	3	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Whooping cough	0·26	0·21	0·32	21	8	13	14	6	1	–	–	21	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·21	0·10	12	8	4	–	–	–	–	1	1	1	2	1	3	1	–	1	2	–	–
Simple Continued Fever	0·03	0·03	0·02	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·35	0·41	0·29	28	16	12	18	1	1	–	–	20	–	–	–	–	–	–	–	3	1	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·49	0·88	55	19	36	–	–	–	–	–	–	–	–	1	–	–	1	10	16	21	6
Tabes Mesenterica	0·13	0·08	0·17	10	3	7	1	–	1	1	–	3	2	1	1	–	2	1	–	–	–	–
Phthisis	1·43	1·33	1·52	114	52	62	1	–	–	–	–	1	2	3	11	16	32	21	14	8	6	–
Other Tub. & Scrof. Dis.	0·21	0·18	0·25	17	7	10	6	1	–	1	–	8	4	1	2	–	1	–	1	–	–	–
Diseases of: Nervous System	2·14	2·08	2·21	171	81	90	28	5	1	–	–	34	3	1	3	1	4	6	13	30	39	37
Diseases of: Circulatory „	1·85	2·00	1·72	148	78	70	–	–	–	–	–	–	–	–	4	1	4	5	14	28	50	42
Diseases of: Respiratory „	2·22	2·56	1·89	177	100	77	28	13	2	3	2	48	2	–	2	3	7	3	14	17	35	46
Diseases of: Digestive „	1·01	1·08	0·96	81	42	39	10	2	1	–	1	14	2	–	3	1	8	4	8	17	15	9
Diseases of: Urinary „	0·35	0·49	0·22	28	19	9	–	–	–	–	–	–	–	2	1	–	1	2	2	3	11	6
Diseases of: Generative „	0·04	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
Puerperal Fever	0·15	–	0·29	12	–	12	–	–	–	–	–	–	–	–	–	2	7	3	–	–	–	–
Childbirth	0·11	–	0·22	9	–	9	–	–	–	–	–	–	–	–	–	–	3	6	–	–	–	–
Violence	0·46	0·62	0·32	37	24	13	3	–	–	1	–	4	1	3	3	–	3	4	3	2	7	7
OTHER CAUSES	4·06	4·17	3·93	324	164	160	73	2	3	3	1	82	4	1	2	–	8	9	17	19	54	128

Marriages - - - 443

Births - Males - 978; Females - 978; 1,956

Annual Rate per 1000 living: Persons Married 11·10; Births - - 24·51

Deaths from Childbirth and Puerperal Fever - - - - - 1·07 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

539.—AYSGARTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000 { Persons / Males / Females	—	In Standard Population* 15·79 / 14·32 / 17·00	·017 / ·014 / ·021	– / – / –	– / – / –	– / – / –	– / – / –	·017 / ·014 / ·021	·006 / ·000 / ·011	·002 / ·000 / ·004	·004 / ·000 / ·007	·001 / ·000 / ·003	·011 / ·007 / ·015	·011 / ·005 / ·017	·011 / ·011 / ·011	·024 / ·023 / ·025	·036 / ·036 / ·036	·148 / ·149 / ·147
Mean Population, 1881–91 { Persons / Males / Females	Decennial Decrease of Population 13·61 per cent.	5,109 / 2,590 / 2,519	192 / 92 / 70	122 / 62 / 60	123 / 70 / 53	117 / 63 / 54	115 / 62 / 53	669 / 349 / 280	567 / 295 / 272	561 / 299 / 262	496 / 261 / 235	459 / 227 / 232	760 / 408 / 352	528 / 266 / 262	454 / 213 / 241	408 / 207 / 201	276 / 141 / 135	110 / 57 / 53
Deaths from All Causes, 1881–90. { Persons / Males / Females	18·01 / 17·20 / 18·74	920 / 448 / 472	169 / 85 / 84	28 / 14 / 14	10 / 5 / 5	11 / 8 / 3	9 / 7 / 2	227 / 119 / 108	23 / 10 / 13	14 / 5 / 9	22 / 10 / 12	28 / 7 / 21	77 / 31 / 46	69 / 28 / 41	50 / 25 / 25	98 / 49 / 49	156 / 79 / 76	103 / 25 / 78

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·12	0·28	10	3	7	–	2	2	1	–	5	1	1	1	–	–	2	–	–	–
Scarlet Fever	0·22	0·12	0·24	11	3	6	1	–	1	2	4	8	3	–	–	–	–	–	–	–	–
Diphtheria	0·08	0·08	0·08	4	2	2	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–
Whooping-cough	0·14	0·08	0·20	7	2	5	7	–	–	–	–	7	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·45	0·50	0·40	23	13	10	–	–	–	1	–	1	5	3	4	–	4	1	3	2	1	–	–
Simple Continued Fever	0·02	0·04	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·25	0·27	0·24	13	7	6	3	–	–	–	–	3	–	–	–	1	1	1	1	1	2	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	0·43	0·31	0·56	22	8	14	–	–	–	–	–	–	1	–	–	–	4	4	7	6	–	–	–
Tabes Mesenterica	0·45	0·42	0·48	23	11	12	13	1	2	1	–	17	1	1	–	2	–	1	1	–	–	–	–
Hydrocephalus	1·41	1·08	1·75	72	28	44	–	1	–	–	–	1	–	–	7	12	24	16	3	7	1	–	–
Other Tub. & Scrof. Dis.	0·25	0·23	0·24	12	6	6	2	2	1	1	–	6	1	2	1	–	1	–	–	1	–	–	–
Nervous System	2·23	2·43	2·02	114	63	51	14	4	–	–	1	19	1	2	1		4	4	6	10	27	28	4
Circulation	1·45	1·43	1·48	73	37	36	1	–	–	–	–	1	–				1	3	2	6	15	21	5
Respiratory	2·78	2·78	2·78	142	72	70	31	10	2	5	1	49	3	2	1	1	7	3	9	16	25	27	8
Digestive	1·25	1·16	1·35	64	30	34	10	4	1	–	–	15	1	–	3	1	4	8	6	11	10	5	3
Urinary	0·63	0·66	0·60	32	17	15	1	–	–	–	–	1	–	1	–	2	6	–	3	3	8	6	3
Generative	0·16	–	0·32	8	–	8	–	–	–	–	–	–	–	–	2	1	2	1	–	1	1	–	–
Puerperal Fever	0·08	–	0·16	4	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Childbirth	0·16	–	0·32	8	–	8	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–	–
Violence	0·49	0·62	0·36	25	16	9	3	1	–	–	1	4	–	–	1	1	3	3	4	4	3	2	1
Other Causes	4·92	4·90	4·93	252	127	125	83	5	1	–	1	88	3	–	–	3	7	7	4	11	41	8	5

Marriages	–	386	Annual Rate per 1000 Living { Persons Married 18·15 / Births – 28·17	Deaths from Childbirth and Puerperal Fever	5·34 per 1000 Births.
Births { Males / Females	744 / 686	1,430			

* See pages xxiv–xxvii.

† The death-rates under one year of age are per 1000 Births.

540.—REETH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·63	†91	–	–	–	–	29·48	4·29	4·00	4·03	6·42	8·02	11·91	20·33	34·83	66·84	171·62
Males	—	17·91	†97	–	–	–	–	32·76	5·11	4·05	1·54	7·65	10·16	10·08	20·56	48·36	77·11	191·30
Females	—	15·42	†86	–	–	–	–	26·48	3·46	3·94	6·78	5·10	6·12	13·96	20·11	23·45	53·09	162·75
Mean Population, 1881–91. Persons	Decennial Decrease of Population 31·80 per cent.	3,967	97	93	103	93	99	485	466	425	372	327	524	470	364	267	193	74
Males		1,956	45	40	52	46	49	232	235	222	195	170	246	248	180	122	83	23
Females		2,011	52	53	51	47	50	253	231	203	177	157	278	222	184	145	110	51
Deaths from All Causes, 1881–90. Persons	18·58	737	102	20	7	11	3	143	20	17	15	21	42	56	74	93	129	127
Males	18·76	367	53	14	2	6	1	76	12	9	3	13	25	25	37	59	64	44
Females	18·40	370	49	6	5	5	2	67	8	8	12	8	17	31	37	34	65	83

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·26	0·20	9	5	4	1	4	1	1	–	7	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·05	0·10	3	1	2	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·05	0·15	4	1	3	–	–	1	–	1	2	1	1	–	–	–	–	–	–	–	–
Whooping-cough	0·05	0·05	0·05	2	1	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·15	0·10	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·10	0·15	0·05	4	3	1	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–
Diarrhœa and Dysentery	0·15	0·20	0·10	6	4	2	3	1	–	1	–	5	–	–	–	–	1	–	1	2	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·68	0·66	0·70	27	13	14	–	–	–	–	–	–	–	–	–	–	1	–	5	9	6	6
Tabes Mesenterica	0·05	0·05	0·05	2	1	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Phthisis	2·55	2·56	2·54	101	50	51	1	–	–	–	1	2	3	5	5	11	19	19	14	16	6	1
Other Tub. & Scrof. Dis.	0·28	0·10	0·45	11	2	9	1	–	–	2	–	3	3	2	2	–	–	–	–	1	–	–
Diseases of Nervous System	1·79	1·33	2·24	71	26	45	12	–	1	–	–	13	2	2	3	–	–	4	5	8	18	16
Diseases of Circulatory „	2·44	2·20	2·69	97	43	54	–	–	–	–	–	–	–	–	–	–	1	9	16	8	33	30
Diseases of Respiratory „	2·65	3·58	1·74	105	70	35	11	7	3	3	–	24	4	2	3	3	2	2	11	16	25	13
Diseases of Digestive „	1·31	1·33	1·29	52	26	26	7	6	–	–	–	13	2	–	1	–	3	3	10	5	10	5
Diseases of Urinary „	0·63	0·66	0·60	25	13	12	–	–	–	–	–	–	–	–	–	1	2	2	2	5	10	3
Diseases of Generative „	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·10	–	0·20	4	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Violence	0·50	0·77	0·25	20	15	5	3	–	1	2	1	7	–	2	–	2	1	5	–	3	–	–
OTHER CAUSES	4·76	4·61	4·90	189	90	99	61	2	–	–	–	63	1	2	1	3	9	10	9	17	21	53

Marriages - - 275

Births - {Males - 547, Females - 573} 1,120

Annual Rate per 1000 living {Persons Married 13·86, Births - - 28·23}

Deaths from Childbirth and Puerperal Fever - - - - - 3·57 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

541.—RICHMOND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 living during Ten Years 1881-90	—	—	—	In Standard Populations*	14·23	14·79	17·39	*195	–	–	–	–	34·92	4·07	2·39	3·89	5·64	5·67	9·26	11·26	24·54	62·85	141·29
								*97	–	–	–	–	37·95	3·05	1·93	3·82	6·48	5·88	9·82	13·51	27·96	61·92	155·63
								*98	–	–	–	–	31·79	5·16	2·89	3·96	4·85	5·50	8·70	11·01	21·30	63·75	127·67
Mean Population during Ten Years 1881-90	Decennial Decrease of Population 6·12 per cent.			12,436			326	308	329	314	301	1578	1524	1505	1364	1117	1171	1350	1075	868	611	310
				6,207			167	156	173	155	150	801	787	778	707	540	817	672	530	422	302	151
				6,229			159	152	156	159	151	777	737	727	657	577	967	678	545	446	309	159
Deaths from Accidents, 1881-90.				2,814			350	106	31	34	30	551	62	36	53	63	98	125	131	213	384	438
				1,790			190	58	16	25	15	304	24	15	27	35	48	66	61	118	187	235
				1,024			160	48	15	9	15	247	38	21	26	28	50	59	70	95	197	203

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·05	—	3	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Measles	0·1	0·12	0·14	17	8	9	5	4	1	1	2	13	3	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·12	0·17	0·08	16	11	5	1	2	2	6	1	12	1	1	1	—	—	—	1	—	—	—
Diphtheria	0·18	0·12	0·25	23	8	15	—	2	1	2	4	9	12	1	1	—	—	—	—	—	—	—
Whooping-cough	0·46	0·22	0·81	59	14	20	17	11	2	2	1	33	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·05	6	4	2	—	—	—	—	—	—	—	—	—	2	—	2	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery	0·12	0·14	0·11	16	9	7	6	2	—	—	—	8	—	—	—	—	1	—	—	—	4	3
Cholera	0·02	0·03	0·02	3	2	1	2	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Cancer	0·71	0·74	0·75	96	48	48	—	—	—	—	—	—	—	—	—	—	1	4	8	21	41	21
Tabes Mesenterica	0·10	0·06	0·14	13	4	9	4	3	—	1	—	9	—	1	1	1	2	—	—	—	—	—
Phthisis	1·02	1·49	1·74	241	67	114	2	2	1	—	1	6	4	11	26	29	41	38	25	13	13	5
Other Tub. & Scrof. Dis.	0·37	0·37	0·37	48	24	24	10	8	5	1	1	25	8	1	5	3	2	3	2	—	—	—
Nervous System	2·44	2·86	2·02	318	186	132	63	9	5	1	5	86	5	3	2	4	10	20	14	26	64	74
Circulatory System	1·50	1·51	1·68	208	98	110	—	—	—	—	—	—	1	5	2	4	1	9	12	40	71	63
Respiratory System	2·49	3·14	2·81	326	206	184	64	33	8	7	9	121	11	1	1	4	5	13	18	36	61	100
Digestive System	1·46	0·98	1·15	188	64	74	22	14	1	—	1	38	3	3	3	4	6	4	13	17	29	19
Urinary System	0·54	0·65	0·44	71	42	24	1	2	—	—	—	3	1	1	3	—	4	7	7	15	15	15
Generative System	0·08	—	0·15	10	—	10	—	—	—	—	—	—	1	—	—	—	1	—	2	1	4	1
Puerperal Fever	0·05	—	0·17	7	—	7	—	—	—	—	—	—	—	—	—	1	4	2	—	—	—	—
Constitutional	0·04	—	0·06	5	—	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Violence	0·75	0·85	0·61	93	55	14	4	4	1	5	—	14	6	2	2	3	4	9	5	11	8	5
Other Causes	3·58	3·64	3·15	443	238	205	140	9	4	5	5	172	4	7	4	10	11	13	14	23	53	123

Marriages		772	Annual Rate per 1000 living	Persons Married	11·84	Deaths from Childbirth and Puerperal Fever 3·27 per 1000 Births
Births	Males 1,949 / Females 1,728	3,677		Births	28·17	

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

542.—DARLINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·24	†128	–	–	–	–	46·49	5·31	3·16	4·48	5·65	7·74	9·75	13·90	28·02	63·89	161·86
Males	—	17·74	†137	–	–	–	–	50·28	4·87	3·53	4·58	5·30	6·85	9·35	15·35	30·42	70·96	165·52
Females	—	16·77	†118	–	–	–	–	42·73	5·75	2·80	4·39	5·97	8·60	10·14	12·50	25·74	57·97	159·18
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·85 per cent.	48,594	1319	1206	1299	1285	1303	6412	6103	5570	5177	4405	6922	5305	4057	2630	1465	548
Males		23,780	651	610	655	621	657	3194	3059	2780	2465	2058	3387	2662	1993	1282	668	232
Females		24,814	668	596	644	664	646	3218	3044	2790	2712	2347	3535	2643	2064	1348	797	316
Deaths from All Causes, 1881-90. Persons	16·75	8,139	2003	542	214	126	96	2981	324	176	232	249	536	517	564	737	936	887
Males	17·28	4,110	1035	287	109	75	50	1606	149	98	113	109	232	249	306	390	474	384
Females	16·24	4,029	918	255	105	51	46	1375	175	78	119	140	304	268	258	347	462	503

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	0·01	6	4	2	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–
Measles	0·22	0·26	0·19	108	61	47	21	46	14	5	6	92	15	–	1	–	–	–	–	–	–
Scarlet Fever	0·19	0·20	0·17	91	48	43	4	11	17	13	12	57	21	10	–	1	2	–	–	–	–
Diphtheria	0·07	0·07	0·06	32	16	16	2	4	1	6	4	17	9	1	1	–	3	–	–	–	–
Whooping-cough	0·30	0·26	0·35	149	61	88	76	46	16	6	2	146	2	1	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·21	0·24	0·19	104	58	46	–	1	1	3	–	5	7	14	17	12	20	10	9	7	2	1
Simple Continued Fever	0·01	0·02	0·01	6	4	2	–	–	1	–	–	1	–	1	1	1	–	1	–	–	–	1
Diarrhœa and Dysentery	0·58	0·60	0·56	282	143	139	187	28	4	–	1	220	4	1	–	1	4	5	2	8	20	17
Cholera	0·01	0·02	0·01	6	4	2	3	–	–	–	–	3	1	1	–	–	–	–	–	–	–	1
Cancer	0·50	0·34	0·65	241	81	160	–	–	1	–	–	1	–	–	2	2	6	21	52	71	57	29
Tabes Mesenterica	0·35	0·33	0·36	168	79	89	80	36	15	3	–	134	19	2	4	4	2	2	–	1	–	–
Phthisis	1·59	1·54	1·64	773	366	407	5	3	6	–	3	17	20	40	35	101	224	126	95	47	17	1
Other Tub. & Scrof. Dis.	0·57	0·60	0·54	276	142	134	62	57	28	13	17	177	44	20	6	5	11	7	2	4	–	–
Diseases of Nervous System	2·52	2·72	2·33	1223	646	577	442	65	25	11	11	554	44	19	24	13	26	52	53	118	174	146
Diseases of Circulatory „	1·68	1·66	1·69	814	395	419	2	–	–	–	2	4	17	11	25	18	33	69	111	149	227	150
Diseases of Respiratory „	2·97	3·19	2·75	1441	759	682	349	158	63	42	21	633	46	12	12	16	61	78	84	151	184	164
Diseases of Digestive „	1·19	1·13	1·24	577	269	308	131	51	5	6	5	198	23	4	11	15	35	36	58	84	78	35
Diseases of Urinary „	0·36	0·43	0·29	176	103	73	4	2	–	1	–	7	3	2	5	10	14	23	26	27	35	24
Diseases of Generative „	0·02	0·00	0·04	11	1	10	–	–	–	–	–	–	–	–	1	–	2	2	–	2	3	1
Puerperal Fever	0·08	–	0·15	38	–	38	–	–	–	–	–	–	–	–	1	10	16	11	–	–	–	–
Childbirth	0·07	–	0·14	34	–	34	–	–	–	–	–	–	–	–	1	4	17	12	–	–	–	–
Violence	0·52	0·80	0·24	251	191	60	13	10	7	9	8	47	29	10	16	8	27	30	27	25	19	13
OTHER CAUSES	2·73	2·85	2·63	1331	679	652	622	24	10	8	4	668	20	27	18	27	32	31	42	42	120	304

Marriages - - 3,553

Births - { Males 7,929 / Females 7,760 } 15,689

Annual Rate per 1000 living { Persons Married 14·62 / Births - - 32·29

Deaths from Childbirth and Puerperal Fever - - - - - } 4·59 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

343.—STOCKTON.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons — Males — Females —	In Standard Population* 21·10 22·37 19·80	†146 †100 †131	–	–	–	–	59·06 64·81 54·65	6·18 6·47 5·89	3·81 4·11 3·51	5·14 5·32 4·96	7·24 7·32 7·14	8·85 8·80 8·91	14·27 14·64 13·81	20·35 22·38 17·98	35·95 30·95 31·72	69·20 74·52 64·10	159·70 171·88 149·39
Mean Popn. 1881–91.	Persons 74,783 Males 38,676 Females 36,107	Decennial Increase of Population 19·05 per cent.	2390 1115 1185	2078 1026 1052	2132 1100 1032	2107 1032 1075	2087 1015 1072	10704 5288 5416	9601 4778 4823	8270 4087 4183	7938 3849 3649	6896 3647 3249	11558 6238 5320	8650 4768 3882	5842 3155 2687	3833 1762 1671	1758 850 897	698 278 330
Deaths from All Causes 1881–90.	Persons 20·11 Males 21·06 Females 19·09	15,041 8,147 6,894	3973 2197 1776	1311 691 620	534 270 264	324 146 175	247 123 124	6386 3427 2959	503 309 284	315 168 147	384 203 181	499 267 232	1023 549 474	1234 698 536	1189 706 483	1234 704 530	1213 638 575	971 478 493

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·04	0·03	25	14	11	6	1	1	–	1	9	2	5	1	1	3	3	1	–	–	–
Measles	0·47	0·48	0·45	351	187	164	76	121	54	37	25	313	32	3	1	1	–	–	–	–	1	–
Scarlet Fever	0·54	0·52	0·56	402	200	202	21	51	64	54	56	246	112	23	11	4	5	–	–	–	–	–
Diphtheria	0·11	0·11	0·11	85	44	41	4	12	14	17	5	52	26	4	1	–	1	1	–	–	–	–
Whooping-cough	0·46	0·40	0·53	343	153	190	147	102	42	18	16	324	17	2	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–
Enteric Fever	0·34	0·34	0·34	253	133	120	–	2	5	15	8	30	34	28	24	36	37	26	21	8	1	1
Simple Continued Fever	0·02	0·03	0·02	16	10	6	1	2	1	1	2	7	1	–	–	–	5	1	–	1	–	1
Diarrhœa and Dysentery	0·73	0·77	0·69	545	297	248	325	112	18	6	5	466	3	–	–	–	4	3	7	24	20	18
Cholera	0·01	0·01	0·01	7	5	2	3	–	–	–	–	3	1	–	–	–	1	1	1	–	1	–
Cancer	0·44	0·34	0·55	329	132	197	–	–	–	–	–	–	1	–	1	1	13	51	82	93	71	26
Tabes Mesenterica	0·40	0·45	0·49	353	175	178	173	95	23	11	5	306	16	9	2	5	3	5	1	5	1	–
Phthisis	1·83	1·79	1·88	1372	692	680	12	19	12	3	5	51	40	62	137	187	351	278	179	93	18	1
Other Tub. & Scrof. Dis.	0·23	0·24	0·21	302	209	183	100	93	36	16	18	263	41	27	8	16	13	13	4	6	1	–
Diseases of Nervous System	3·24	3·39	3·07	2426	1390	1036	770	170	65	39	20	1064	69	27	25	41	115	254	225	238	248	130
Circulatory ,,	1·48	1·44	1·53	1107	556	551	9	2	2	1	1	15	11	20	23	29	71	130	172	247	257	132
Respiratory ,,	3·45	3·92	2·96	2584	1516	1068	590	320	141	67	54	1172	92	18	21	42	137	184	227	286	254	160
Digestive ,,	1·11	1·08	1·14	828	416	412	244	102	15	7	7	375	17	14	13	10	40	69	93	86	86	25
Urinary ,,	0·26	0·32	0·21	198	123	75	4	8	2	2	1	17	12	5	8	7	21	27	29	36	23	17
Generative ,,	0·08	–	0·06	20	–	20	–	–	1	–	–	1	–	–	–	–	2	5	6	3	3	–
Puerperal Fever	0·10	–	0·20	72	–	72	–	–	–	–	–	–	–	–	–	8	17	40	9	–	–	–
Ophthalmia	0·08	–	0·17	60	–	60	–	–	–	–	–	–	–	–	–	2	13	19	26	–	–	–
Ymaemia	0·81	1·08	0·32	608	494	114	27	19	18	16	13	93	33	42	60	59	79	80	69	58	32	12
Other Causes	3·56	3·60	3·45	2659	1400	1259	1463	80	20	11	6	1580	32	26	30	29	71	68	86	96	136	448

Marriages	–	–	5,586	Annual Rate per 1,000 living	Persons Married 14·88 Births – – 30·39
Births	Males 13701 Females 13,614		27,315		

Deaths from Childbirth and Puerperal Fever – – – – – 4·85 per 1000 Births.

* *See* pages xxiv. xxivn.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 19·84			†144	–	–	–	–	59·29	6·23	3·65	4·61	6·24	7·24	11·40	17·03	31·84	67·27	163·94
Males	—			20·59			†155	–	–	–	–	63·36	6·59	3·48	5·20	5·96	7·08	11·17	17·43	34·87	69·17	181·29
Females	—			19·13			†131	–	–	–	–	55·14	5·86	3·83	4·01	6·53	7·40	11·66	16·59	28·69	65·43	150·45
Mean Population, 1881–91. Persons	Decennial Increase of Population 37·08 per cent.			57,626			1872	1589	1715	1657	1638	8571	7453	6275	6013	5355	8858	6492	4309	2635	1274	391
Males				29,620			958	855	868	844	804	4329	3732	3222	3019	2752	4644	3517	2266	1342	626	171
Females				28,006			914	834	847	813	834	4242	3721	3053	2994	2603	4214	2975	2043	1293	648	220
Deaths from All Causes, 1881–90. Persons	18·81			10,838			3155	1091	419	257	160	5082	464	229	277	334	641	740	734	839	857	641
Males	19·41			5,750			1746	576	212	127	82	2743	246	112	157	164	329	393	395	468	433	310
Females	18·17			5,088			1409	515	207	130	78	2339	218	117	120	170	312	347	339	371	424	331
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·10	0·10	0·09	57	31	26	8	2	1	2	1	14	8	1	2	10	10	6	2	1	3	–
Measles	0·29	0·29	0·28	165	86	79	37	60	22	22	7	148	17	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·58	0·60	0·56	334	178	156	19	50	51	48	34	202	96	26	2	4	3	–	–	–	1	–
Diphtheria	0·05	0·04	0·06	27	11	16	2	6	5	2	2	17	7	–	2	–	–	–	–	–	–	1
Whooping-cough	0·47	0·44	0·51	273	129	144	97	94	42	19	9	261	11	1	–	–	–	–	–	–	–	–
Typhus	0·07	0·08	0·05	39	24	15	–	–	–	–	–	–	1	2	2	–	7	9	8	7	3	–
Enteric Fever	0·24	0·23	0·25	138	68	70	3	5	1	3	6	18	18	16	23	23	13	11	7	5	3	1
Simple Continued Fever	0·04	0·03	0·04	21	9	12	–	–	3	3	1	7	6	1	1	–	1	2	1	1	–	1
Diarrhœa and Dysentery	0·76	0·78	0·74	486	230	206	300	74	10	2	5	391	3	2	–	1	3	4	6	9	7	10
Cholera	0·01	0·02	0·01	8	5	3	1	1	–	–	–	2	–	–	–	–	1	1	2	1	1	–
Cancer	0·53	0·37	0·69	303	110	193	–	–	1	–	–	1	1	3	1	2	12	45	8	88	64	18
Tabes Mesenterica	0·35	0·36	0·34	202	107	95	71	59	24	5	4	163	13	5	5	7	3	3	2	1	–	–
Phthisis	1·52	1·49	1·56	877	440	437	12	9	7	6	3	37	27	53	95	121	212	170	100	42	14	6
Other Tub. & Scrof. Dis.	0·53	0·54	0·52	307	160	147	71	60	31	19	8	189	40	19	15	8	12	11	10	2	1	–
Diseases of Nervous System	2·67	2·83	2·50	1536	837	699	579	132	46	30	18	805	64	24	23	20	52	67	73	131	189	88
Diseases of Circulatory „	1·18	1·26	1·10	682	373	309	3	1	–	1	1	6	12	13	15	20	52	101	133	135	132	63
Diseases of Respiratory „	3·43	3·63	3·21	1975	1076	899	560	373	113	60	35	1141	61	18	16	34	61	98	122	167	176	81
Diseases of Digestive „	1·17	1·23	1·10	672	364	308	237	72	7	8	6	330	18	4	9	10	31	52	55	84	59	20
Diseases of Urinary „	0·31	0·32	0·30	180	96	84	10	3	4	6	4	27	11	2	2	5	13	21	26	34	27	12
Diseases of Generative „	0·05	–	0·10	28	–	28	1	–	–	–	–	1	–	–	–	2	6	3	6	7	2	1
Puerperal Fever	0·09	–	0·18	50	–	50	–	–	–	–	–	–	–	–	4	11	28	6	1	–	–	–
Childbirth	0·09	–	0·18	50	–	50	–	–	–	–	–	–	–	–	2	9	26	11	2	–	–	–
Violence	0·65	1·00	0·28	374	295	79	14	14	11	7	10	56	21	16	39	29	56	51	40	27	26	13
Other Causes	3·63	3·77	3·52	2104	1121	983	1130	76	40	14	6	1266	29	23	19	18	39	68	70	97	149	326

Marriages - - - 4,734

Births - { Males - 11,260 } 21,978
{ Females - 10,718 }

Annual Rate per 1000 living { Persons Married 16·43
Births - - 38·14

Deaths from Childbirth and Puerperal Fever - - - - - - 4·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

545.—AUCKLAND.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	In Standard Population* 19·09	†156	-	-	-	-	59·92	5·84	4·30	5·83	6·42	7·44	9·46	13·53	29·91	68·79	156·39
	Males		†171	-	-	-	-	64·55	5·48	4·52	5·61	5·57	6·01	8·41	13·12	31·14	72·42	166·67
	Females		†140	-	-	-	-	54·17	6·19	4·08	6·07	7·36	9·07	10·56	14·00	27·65	64·38	147·55
Mean Population, 1881-90.	Persons	Decennial Increase of Population 6·49 per cent.	82,285	2901	2433	2553	2518	2533	12938	11790	10137	8857	7788	12880	9143	6183	4098	2622	949
	Males		44,619	1441	1216	1269	1242	1265	6421	5898	5063	4080	4077	6889	4885	3403	2161	1645	599
	Females		41,666	1460	1217	1284	1276	1268	6517	5892	5074	4168	3711	5791	4258	2680	1937	977	349
Deaths from All Causes	Persons	18·64	16,081	5034	1457	539	351	254	7675	688	436	516	590	921	805	877	1197	1391	1015
1881-90	Males	18·90	8,387	2847	747	274	188	149	4445	393	220	263	297	506	411	458	653	762	509
	Females	18·47	7,694	2247	690	265	163	135	3530	365	207	253	273	525	454	419	524	629	545

	Persons.	Males.	Females.	Persons	Males.	Females.	PERSONS.												
Small-pox	0·02	0·02	0·02	18	11	7	1	1	1	1		4	-	1	1	3	3	4	1	1	-	-
Measles	0·39	0·40	0·37	336	180	156	77	132	48	34	19	310	21	3	2	-	-	-	-	-	-	-
Scarlet Fever	0·69	0·58	0·82	547	260	287	28	52	68	81	68	297	163	43	3	6	3	1	-	-	1	-
Diphtheria	0·08	0·04	0·08	53	20	33	7	5	4	3	7	26	20	2	3	1	1	1	-	-	-	-
Whooping-cough	0·38	0·33	0·43	328	147	181	173	86	34	19	6	318	10	-	-	-	-	-	-	-	-	-
Typhus	0·03	0·04	0·03	29	16	13	-	-	-	-	-	-	2	4	6	2	3	4	4	2	3	-
Enteric Fever	0·37	0·35	0·38	318	158	160	3	9	6	6	7	31	54	45	46	33	47	29	16	15	3	-
Simple Continued Fever	0·04	0·03	0·05	33	12	21	1	3	2	1	1	8	9	4	8	1	-	-	2	1	-	-
Diarrhœa and Dysentery	0·64	0·63	0·66	535	281	254	307	95	8	4	4	478	4	1	3	3	3	7	5	10	26	13
Cholera	0·01	0·02	0·01	10	7	3	2	2	-		1	5	-	1	-	-	-	1	1	1	1	-
Cancer	0·36	0·25	0·47	310	113	197	-	1	-	-	-	1	-	-	1	3	12	40	86	81	66	20
Tabes Mesenterica	0·27	0·29	0·24	228	131	97	26	12	5	3	2	48	3	2	1	1	1	1	-	-	-	-
Phthisis	1·48	1·29	1·68	1276	574	702	6	4	5	4	1	20	42	94	186	213	313	202	119	58	17	2
Other Tub. & Scrof. Dis.	0·38	0·42	0·35	331	187	144	77	59	36	20	10	202	52	30	13	9	15	5	3	1	1	-
Nervous System	3·86	3·02	3·70	2469	1346	1123	1147	169	75	30	29	1450	93	58	35	18	56	81	100	217	229	123
Circulatory "	1·18	1·10	1·26	1006	491	505	1	4	-	2	2	9	22	25	31	31	85	115	138	231	238	91
Respiratory "	3·43	3·65	3·24	2955	1628	1349	944	448	158	82	66	1698	86	21	30	37	94	96	145	263	307	198
Digestive "	1·20	1·15	1·25	1033	514	522	313	137	28	7	7	490	19	12	14	25	53	69	97	124	103	30
Urinary "	0·34	0·38	0·24	273	171	102	6	13	4	6	2	37	14	6	8	7	27	25	28	40	33	28
Generative "	0·04	0·00	0·07	31	2	29	-	-				-	-	-	1	2	4	5	5	6	7	1
Puerperal Fever	0·13		0·26	108	-	108	-	-				-	-	-	2	22	59	25	-	-	-	-
Childbirth	0·08	-	0·16	67	-	67	-					-	-	-	9	13	21	22	2	-	-	-
Accident	0·62	1·00	0·21	513	445	68	18	19	29	10	10	77	30	43	66	38	57	61	66	42	33	21
OTHER CAUSES	5·45	5·51	5·39	4525	1565	1446	1654	70	42	15	9	1760	30	30	34	32	63	70	57	104	302	488

Marriages	6,741	Annual Rate per 1000 living	Persons Married	15·63
Births Males	32,726		Births	37·93
Births Females		Deaths from Childbirth and Puerperal Fever		5·35 per 1000 Births.

* See pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·15	†115	–	–	–	–	38·68	4·86	2·83	4·19	6·11	6·99	9·52	13·40	27·20	59·96	164·44
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·15	†122	–	–	–	–	42·48	5·48	2·58	3·59	5·16	5·80	9·93	14·95	27·26	63·86	174·85
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·48	†107	–	–	–	–	34·84	4·21	3·11	4·77	6·96	8·13	9·12	11·83	27·14	56·17	155·44
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·90 per cent.	20,870	519	475	506	497	542	2539	2409	2435	2220	1849	2819	2153	1806	1386	894	360
Mean Population, 1881–91. Males	Decennial Increase of Population 0·90 per cent.	10,408	263	243	245	251	274	1276	1222	1279	1087	872	1380	1067	910	708	440	167
Mean Population, 1881–91. Females	Decennial Increase of Population 0·90 per cent.	10,462	256	232	261	246	268	1263	1187	1156	1133	977	1439	1086	896	678	454	193
Deaths from All Causes, 1881–90. Persons	16·88	3,523	684	156	61	50	31	982	117	69	93	113	197	205	242	377	536	592
Deaths from All Causes, 1881–90. Males	17·43	1,814	378	85	34	29	16	542	67	33	39	45	80	106	136	193	281	292
Deaths from All Causes, 1881–90. Females	16·34	1,709	306	71	27	21	15	440	50	36	54	68	117	99	106	184	255	300

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·02	0·01	3	2	1	–	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–
Measles	0·12	0·17	0·07	25	18	7	6	9	2	1	–	18	3	1	1	–	1	–	1	–	–	–
Scarlet Fever	0·27	0·32	0·22	56	33	23	1	7	5	10	7	30	20	2	1	1	2	–	–	–	–	–
Diphtheria	0·07	0·07	0·07	14	7	7	2	2	–	2	1	7	3	1	3	–	–	–	–	–	–	–
Whooping-cough	0·17	0·20	0·14	36	21	15	19	9	2	3	3	36	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·11	0·11	0·11	23	11	12	1	–	–	2	–	3	1	2	1	2	7	4	2	–	1	–
Simple Continued Fever	0·06	0·06	0·06	12	6	6	1	–	1	–	–	2	–	–	–	2	–	–	2	1	4	1
Diarrhœa and Dysentery	0·21	0·21	0·20	43	22	21	24	3	1	1	1	30	3	–	–	–	1	2	–	–	4	3
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Cancer	0·56	0·39	0·73	117	41	76	–	–	–	–	–	–	–	–	1	–	3	8	15	40	30	20
Tabes Mesenterica	0·28	0·23	0·33	58	24	34	26	13	2	2	–	43	3	3	3	2	2	–	2	–	–	–
Phthisis	1·55	1·49	1·61	323	155	168	3	1	2	1	–	7	7	16	39	55	74	57	40	20	8	–
Other Tub. & Scrof. Dis.	0·39	0·40	0·37	81	42	39	25	16	7	2	3	53	10	3	2	2	8	1	1	–	1	–
Diseases of Nervous System	2·38	2·26	2·50	496	235	261	125	25	10	4	–	164	12	5	6	8	8	14	25	71	91	92
Diseases of Circulatory „	2·14	2·27	2·02	447	236	211	2	–	–	1	–	3	3	6	6	2	6	20	34	81	160	126
Diseases of Respiratory „	2·66	3·08	2·25	556	321	235	118	45	16	13	9	201	24	6	5	6	14	22	32	55	90	101
Diseases of Digestive „	1·38	1·43	1·32	287	149	138	48	8	4	2	3	65	12	4	9	11	13	19	26	43	47	38
Diseases of Urinary „	0·46	0·49	0·44	97	51	46	1	2	1	1	–	5	3	2	1	3	6	11	6	20	21	19
Diseases of Generative „	0·05	0·01	0·09	10	1	9	–	–	–	–	–	–	–	–	1	–	4	1	2	–	1	1
Puerperal Fever	0·09	–	0·17	18	–	18	–	–	–	–	–	–	–	–	1	3	8	5	1	–	–	–
Childbirth	0·07	–	0·14	15	–	15	–	–	–	–	–	–	–	–	1	2	8	3	1	–	–	–
Violence	0·50	0·73	0·27	104	76	28	7	2	3	1	3	16	5	5	6	5	11	12	9	9	9	17
Other Causes	3·34	3·47	3·21	699	361	338	275	13	4	4	1	297	8	12	7	8	21	25	41	37	69	174

Marriages 1,410

Births { Males 3,089 / Females 2,871 } 5,960

Annual Rate per 1000 living { Persons Married 13·51 / Birth 28·56

Deaths from Childbirth and Puerperal Fever 5·54 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

547.—WEARDALE.

Cause of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 18·65	·125	–	–	–	–	83·33	4·38	4·38	6·57	9·02	8·17	10·36	17·19	33·37	74·14	175·43
Males	—	19·02	·141	–	–	–	–	47·70	4·97	4·25	5·26	7·72	6·19	9·23	18·56	38·60	81·82	191·14
Females	—	18·26	·109	–	–	–	–	30·49	3·81	4·51	7·98	10·41	10·28	11·64	15·75	28·02	68·55	163·00
Mean Population, 1881–90. Persons	Decennial Decrease of Population 8·26 per cent.	16,814	454	408	437	423	432	2157	2076	1940	1797	1475	2386	1854	1408	989	553	179
Males		8,553	223	207	207	218	208	1063	1027	964	932	764	1228	986	725	509	275	79
Females		8,261	231	199	230	210	224	1094	1049	976	865	711	1158	868	673	480	278	100
Deaths from All Causes, 1881–90. Persons	18·13	3,049	653	146	57	37	26	939	91	85	118	133	195	192	242	330	410	314
Males	18·46	1,579	376	64	33	17	17	507	51	41	49	59	76	91	106	193	225	151
Females	17·79	1,470	277	82	24	20	9	432	40	44	69	74	119	101	136	137	185	163

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·04	0·00	4	3	1	2	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–
Measles	0·15	0·15	0·18	26	11	15	10	2	3	–	4	26	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·16	23	10	13	–	4	5	4	5	18	4	–	–	–	1	–	–	–	–	–
Diphtheria	0·03	0·02	0·05	6	2	4	–	1	1	–	1	3	2	–	–	1	–	–	–	–	–	–
Whooping-cough	0·26	0·21	0·30	43	18	25	22	10	6	1	3	42	–	–	–	–	–	–	1	–	–	–
Typhus	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Enteric Fever	0·26	0·30	0·21	43	26	17	–	–	1	1	1	3	8	6	7	5	7	4	3	–	–	–
Simple Continued Fever	0·08	0·02	0·13	13	2	11	–	–	–	3	–	3	–	1	1	1	1	2	3	1	1	–
Diarrhœa and Dysentery	0·46	0·33	0·54	78	28	45	35	6	–	1	–	42	3	2	2	–	2	4	3	7	5	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·39	0·32	0·46	65	27	38	–	–	–	1	–	2	–	–	–	–	–	6	19	16	14	8
Tabes Mesenterica	0·27	0·28	0·25	45	24	21	13	9	3	2	1	28	6	3	5	2	1	–	–	–	–	–
Phthisis	2·30	2·10	2·51	387	180	207	–	1	1	–	–	2	4	20	45	60	83	56	48	40	19	1
Other Tub. & Scrof. Dis.	0·50	0·63	0·36	84	54	30	16	14	5	4	4	43	13	7	10	3	3	3	–	1	1	–
Nervous System	2·05	2·10	1·99	344	180	164	78	8	7	1	2	96	7	10	5	4	3	14	37	43	79	41
Circulatory	1·65	1·51	1·80	278	129	149	–	–	–	–	–	–	2	5	3	5	15	23	31	63	86	46
Respiratory	3·40	3·91	2·88	572	335	238	118	61	20	10	10	219	15	7	11	12	22	18	39	75	98	56
Digestive	1·30	1·45	1·16	218	122	96	36	10	2	2	5	55	8	5	7	4	6	18	22	38	36	19
Urinary	0·24	0·32	0·17	41	27	14	–	–	–	2	2	4	1	–	1	2	–	4	6	5	9	9
Generative	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	1	–	1	1	3	–	–	1
Puerperal Fever	0·11	–	0·22	18	–	18	–	–	–	–	–	–	–	–	2	5	8	3	–	–	–	–
Childbirth	0·12	–	0·25	21	–	21	–	–	–	–	–	–	–	–	2	2	8	9	–	–	–	–
Accidents	0·58	0·88	0·27	97	75	22	7	4	1	1	3	16	6	2	6	12	18	12	11	5	4	5
Other Causes	3·78	3·80	3·79	658	326	332	316	9	1	4	5	335	11	17	10	5	15	15	18	30	86	134

Marriages		1,167	Annual Rate per 1000 Living	Persons Married	18·17	Deaths from Childbirth and Puerperal Fever 7·40 per 1000 Births.
Births	Males	1,499		Births	20·16	
	Females	1,395				

* See page xxxvi above.

† The Deaths of children under one year of age are per 1000 Births.

548.—LANCHESTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 18·80	†150	–	–	–	–	56·58	5·55	4·22	5·51	5·81	6·81	9·06	14·56	30·35	65·53	155·24
Males	—	Standard 18·81	†164	–	–	–	–	61·42	5·71	4·06	5·25	4·97	4·90	8·01	15·38	31·49	67·18	155·98
Females	—	Population* 18 80	†136	–	–	–	–	51·74	5·39	4·38	5·80	6·90	9·20	10·37	13·56	29·05	63·65	154·50
Mean Population, 1881-91. Persons	Decennial Increase of Population 13·17 per cent.	61,648	1998	1684	1810	1771	1811	9074	8236	7255	6664	5832	8812	6465	4658	2886	1346	420
Males		32,698	1011	852	928	864	899	4534	4062	3718	3597	3282	4901	3583	2556	1540	716	209
Females		28,950	987	852	882	907	912	4540	4174	3537	3067	2550	3911	2882	2102	1346	630	211
Deaths from All Causes, 1881-90. Persons	17·64	10,877	3393	1029	340	209	163	5134	457	306	367	339	600	586	678	876	882	652
Males	17·53	5,732	1884	541	171	107	82	2785	232	151	189	163	240	287	393	485	481	326
Females	17·77	5,145	1509	488	169	102	81	2349	225	155	178	176	360	299	285	391	401	326

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·02	0·01	0·02	10	3	7	–	–	–	–	–	–	–	–	1	2	3	1	3	–	–	–
Measles	0·45	0·44	0·46	275	143	132	43	123	45	20	15	246	27	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·54	0·50	0·59	332	162	170	16	37	46	44	47	190	94	33	9	2	3	–	1	–	–	–
Diphtheria	0·08	0·07	0·09	51	24	27	6	9	7	5	9	36	9	5	1	–	–	–	–	–	–	–
Whooping-cough	0·40	0·38	0·42	246	125	121	136	61	23	13	6	239	7	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	8	5	3	–	–	–	–	–	–	–	1	1	1	2	2	1	–	–	–
Enteric Fever	0·29	0·28	0·29	176	91	85	1	5	2	6	8	22	30	14	25	22	24	14	13	5	5	2
Simple Continued Fever	0·03	0·04	0·02	18	12	6	–	–	–	2	–	2	4	1	2	–	1	–	4	2	1	1
Diarrhœa and Dysentery	0·58	0·58	0·58	358	191	167	211	75	9	1	1	297	3	1	1	4	3	–	6	6	22	15
Cholera	0·01	0·01	0·01	5	3	2	2	–	–	–	1	3	–	–	–	–	–	1	1	–	–	–
Cancer	0·42	0·35	0·51	261	114	147	–	–	–	1	–	1	–	–	–	2	11	37	59	85	52	14
Tabes Mesenterica	0·30	0·30	0·29	182	99	83	93	37	10	7	3	150	8	9	3	3	3	2	2	2	–	–
Phthisis	1·50	1·25	1·78	924	408	516	15	19	10	2	5	51	30	64	123	132	233	134	86	50	20	1
Other Tub. & Scrof. Dis.	0·58	0·55	0·60	355	181	174	95	78	26	16	10	225	63	35	12	11	5	1	1	1	1	–
Diseases of Nervous System	2·01	2·09	1·93	1240	682	558	500	85	29	13	12	639	32	18	29	15	31	48	82	122	144	80
Circulatory „	1·18	1·09	1·29	730	356	374	6	2	1	1	4	14	11	24	30	12	50	71	110	171	168	69
Respiratory „	3·20	3·49	2·87	1973	1142	831	639	305	91	56	25	1116	63	23	27	22	45	91	110	186	178	112
Digestive „	1·33	1·31	1·35	820	429	391	315	106	13	7	8	449	25	12	18	14	26	34	78	78	68	18
Urinary „	0·34	0·39	0·28	210	129	81	5	14	7	4	2	32	8	8	5	9	21	17	20	36	34	20
Generative „	0·04	0·00	0·08	23	1	22	–	1	1	–	–	2	–	–	3	4	4	1	1	5	3	–
Puerperal Fever	0·14	–	0·31	89	–	89	–	–	–	–	–	–	–	–	7	25	35	19	3	–	–	–
Childbirth	0·10	–	0·22	63	–	63	–	–	–	–	–	–	–	–	4	9	27	23	–	–	–	–
Violence	0·61	0·97	0 20	376	317	59	24	14	8	7	1	54	19	32	42	20	32	50	53	34	25	15
OTHER CAUSES	3·48	3·41	3·57	2152	1115	1037	1286	58	12	4	6	1366	24	26	24	29	40	40	44	93	161	305

Marriages	4,120		Persons Married	18·37
Births (Males 11,477; Females 11,121)	22,598	Annual Rate per 1000 living	Births	36·66

Deaths from Childbirth and Puerperal Fever 6·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

349.—DURHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000	Persons	—		In Standard Population*	19·58		4·23	–	–	–	–	69·84	5·75	3·81	6·29	9·21	7·16	9·98	14·89	30·51	69·17	156·98
	Males	—			19·95		4·79	–	–	–	–	77·32	5·99	3·45	5·05	5·88	6·52	7·78	15·48	32·45	77·40	154·30
	Females	—			19·22		3·64	–	–	–	–	62·02	6·01	4·17	4·74	8·76	7·79	11·98	14·42	28·69	62·00	154·30
Mean Population	Persons	Decennial Increase of Population 8·19 per cent.		127,999			2,127	1,857	1,802	1,802	1,886	9,697	8,805	7,822	7,147	6,622	6,310	9,816	7,966	5,635	1,779	1,120
Census, 1881	Males			64,102			1,074	951	940	946	966	4,878	4,422	3,937	3,559	3,297	4,017	4,822	3,940	2,804	884	576
	Females			63,784			1,053	906	862	856	920	4,819	4,446	3,885	3,588	3,325	2,293	4,994	4,026	2,831	895	544
Deaths at all Ages	Persons	17·05		12,233			379	141	137	108	111	876	243	108	87	80	154	723	754	1,193	1,189	967
	Males	17·46		6,026			213	66	72	55	58	464	138	56	46	49	93	367	466	606	644	520
	Females	16·70		6,207			166	75	65	53	53	412	105	52	41	31	61	356	288	587	545	447

	Persons	Males	Females	Persons.	Males.	Females.	PERSONS.												
Small-pox	0·14	0·16	0·12	35	55	20	12	6	2	1	4	25	12	11	9	7	17	6	7	1		
Measles	0·46	0·50	0·43	119	165	175	56	134	26	22	23	271	31	3	–	1	1	–	–		–	–
Scarlet Fever	0·43	0·46	0·42	288	247	241	29	38	51	43	41	166	82	9	2	–	–	1	–	1	–	–
Diphtheria	0·14	0·14	0·03	24	33	11	2	4	2	1	7	16	6	–	1	–	–	–	–	–	1	–
Whooping-Cough	0·57	0·50	0·45	251	102	149	116	69	33	19	7	244	7	–	–	–	–	–	–	–	–	–
Typhus	0·03	0·03	0·03	18	9	9	–	1	–	–	–	1	1	2	1	2	4	5	7	–	–	–
Enteric Fever	0·27	0·25	0·30	184	87	97	–	7	6	5	7	25	28	22	20	20	26	17	11	9	6	–
Simple Continued Fever	0·06	0·06	0·06	40	21	21	–	8	4	2	4	18	6	3	1	3	6	1	1	4	3	–
Diarrhœa and Dysentery	0·66	0·67	0·66	454	229	225	260	84	16	1	–	370	8	3	1	2	6	3	1	6	17	12
Cholera	0·01	0·02	0·01	9	6	3	1	2	–	–	–	3	–	–	–	–	2	1	1	–	2	–
Cancer	0·42	0·23	0·61	292	79	133	–	1	–	–	1	2	1	–	2	2	11	82	55	30	67	11
Tubercular Diseases	0·97	0·71	0·98	550	203	335	257	114	29	10	10	420	18	7	2	1	3	4	3	–	–	–
Phthisis	1·64	1·34	1·77	1,132	408	534	11	10	9	8	4	42	14	68	163	163	246	189	48	30	14	–
Other Tubercular Diseases	0·36	0·41	0·36	248	141	97	71	30	13	9	9	132	30	15	9	6	6	4	2	1	–	–
Nervous System	2·72	2·34	2·19	1,859	1,035	827	785	148	32	20	20	1,033	63	32	24	19	20	59	81	102	104	93
Organs of Circulation	1·31	1·17	1·46	901	502	399	2	–	–	–	–	3	11	16	34	21	34	98	126	181	191	171
Respiratory	4·35	5·00	3·71	2,996	1,721	1,275	707	258	134	78	47	1,284	75	34	27	28	56	78	122	191	261	234
Digestive	1·24	1·03	1·45	853	355	498	224	107	44	14	6	385	30	15	10	15	41	51	80	102	79	93
Urinary	0·8	0·46	1·27	544	159	385	4	10	2	4	3	25	5	3	3	8	17	15	15	23	44	38
Generative	0·05	0·01	0·10	36	2	34		2				2		1	1	1	5	7	11	6	3	
Puerperal Fever	0·19	–	0·39	68	–	68	–	–	–	–	–	–	–	–	2	15	26	14	–	–	–	–
Accidents	0·69	1·06	0·31	473	367	106	18	2	14	12	6	52	14	34	46	48	36	39	25	20	32	17
Violence	0·77	1·36	0·14	330	487	73	18	2	14	12	6	59	14	34	46	48	36	39	25	20	32	17
Causes—Ill-defined	3·92	3·74	3·88	1,363	1,278	1,267	1,308	74	17	3	7	1,309	27	26	34	17	4	15	25	126	296	227

Illegitimate Births . . . . . Annual Rate per 1000 Births † . . . . . Deaths from Convulsions, Bronchitis, and Pneumonia under Five Years . . . . . per cent. of Deaths at all Ages.

* The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·26	†158	–	–	–	–	64·38	7·01	4·38	5·46	6·88	8·01	8·90	13·62	29·62	62·57	173·94
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·35	†175	–	–	–	–	69·61	6·82	4·63	4·84	6·17	6·57	7·97	13·48	31·56	63·35	175·17
Annual Death-Rate per 1000. Females	—	In Standard Population* 20·17	†141	–	–	–	–	59·12	7·21	4·13	6·18	7·66	9·64	9·98	13·78	27·59	61·81	172·93
Mean Population 1881–91. Persons	Decennial Increase of Population 11·50 per cent.	43,462	1540	1313	1358	1349	1340	6900	6059	5158	4470	3764	5918	4537	3260	1992	1074	330
Mean Population 1881–91. Males	Decennial Increase of Population 11·50 per cent.	22,437	772	648	684	671	683	3458	3037	2569	2415	1976	3137	2433	1714	1017	532	149
Mean Population 1881–91. Females	Decennial Increase of Population 11·50 per cent.	21,025	768	665	674	678	657	3442	3022	2589	2055	1788	2781	2104	1546	975	542	181
Deaths from All Causes, 1881–90. Persons	20·14	8,754	2807	939	341	212	143	4442	425	226	244	259	474	404	444	590	672	574
Deaths from All Causes, 1881–90. Males	20·15	4,522	1589	480	177	100	61	2407	207	119	117	122	206	194	231	321	337	261
Deaths from All Causes, 1881–90. Females	20·13	4,232	1218	459	164	112	82	2035	218	107	127	137	268	210	213	269	335	313

	Persons.	Males	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·10	0·12	0·08	42	26	16	7	–	1	3	2	13	4	2	6	3	6	4	3	1	–	–
Measles	0·43	0·39	0·48	188	88	100	38	59	33	28	11	169	16	1	–	–	–	–	2	–	–	–
Scarlet Fever	0·63	0·60	0·67	274	134	140	12	41	40	38	32	163	90	17	2	–	2	–	–	–	–	–
Diphtheria	0·10	0·09	0·12	45	20	25	2	7	5	5	1	20	17	7	1	–	–	–	–	–	–	–
Whooping-cough	0·34	0·32	0·36	148	72	76	71	43	11	11	4	140	8	–	–	–	–	–	–	–	–	–
Typhus	0·06	0·06	0·07	27	13	14	–	–	–	1	1	2	5	4	5	1	5	2	1	2	–	–
Enteric Fever	0·42	0·47	0·37	183	106	77	1	3	8	6	4	22	35	21	26	21	27	13	6	6	6	–
Simple Continued Fever	0·06	0·05	0·08	27	11	16	3	3	5	–	–	11	10	–	3	–	1	2	–	–	–	–
Diarrhœa and Dysentery	0·89	0·92	0·87	388	206	182	221	99	13	2	2	337	7	1	–	2	3	4	4	2	10	18
Cholera	0·04	0·03	0·05	16	6	10	9	1	1	–	–	11	–	–	–	–	2	1	1	–	1	–
Cancer	0·36	0·30	0·42	156	68	88	–	–	–	–	–	–	–	–	1	2	6	23	34	50	26	14
Tabes Mesenterica	0·89	0·99	0·78	385	222	163	163	125	34	9	7	338	18	8	4	7	4	4	–	1	1	–
Phthisis	1·45	1·19	1·73	629	266	363	11	11	5	6	7	40	23	53	83	110	161	77	49	23	8	2
Other Tub. & Scrof. Dis.	0·47	0·49	0·45	203	109	94	49	48	19	13	10	139	25	13	7	2	9	3	4	1	–	–
Diseases of Nervous System	2·70	2·74	2·65	1172	614	558	535	85	30	20	20	690	40	20	19	6	20	27	59	92	131	68
Diseases of Circulatory „	1·10	1·03	1·18	480	232	248	3	–	–	–	–	3	4	14	13	13	35	50	82	118	101	47
Diseases of Respiratory „	3·05	3·27	2·81	1324	733	591	393	222	75	44	25	759	46	8	10	11	47	48	58	123	124	90
Diseases of Digestive „	1·34	1·23	1·46	583	276	307	194	107	25	5	3	334	10	4	6	9	14	29	50	59	53	15
Diseases of Urinary „	0·37	0·37	0·37	162	84	78	2	13	5	6	2	28	13	4	2	5	14	20	16	16	28	16
Diseases of Generative „	0·04	0·00	0·08	18	1	17	–	1	–	–	–	1	–	–	1	1	2	2	4	2	4	1
Puerperal Fever	0·12	–	0·25	52	–	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·11	–	0·23	49	–	49	–	–	–	–	–	–	–	–	3	14	15	16	1	–	–	–
Violence	0·81	1·28	0·30	351	288	63	20	12	7	4	5	48	25	34	34	24	40	40	37	30	24	15
Other Causes	4·26	4·21	4·27	1852	947	905	1073	59	24	11	7	1174	29	15	13	19	35	27	33	64	155	288

Marriages 3,132

Births { Males 9,080 / Females 8,643 } 17,723

Annual Rate per 1000 living { Persons Married 14·41 / Births 40·78

Deaths from Childbirth and Puerperal Fever 5·70 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

551.—HOUGHTON-LE-SPRING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per cent.	Persons	—		In Standard Population*		20·28	†165	–	–	–	–	66·28	5·50	3·95	6·19	6·66	7·01	8·54	15·61	29·52	68·02	160·49
	Males	—				20·23	†177	–	–	–	–	70·36	5·18	4·10	6·61	6·13	5·61	6·87	15·56	29·87	73·81	160·49
	Females	—				20·23	†152	–	–	–	–	62·09	5·82	3·80	5·51	7·25	8·57	10·45	15·69	29·19	62·69	160·48
Mean Population, 1885–91	Persons	Decennial Increase of Population 11·06 per cent.		36,093			1277	1095	1101	1072	1078	5593	4889	4226	3722	3109	3050	3653	2683	1892	978	379
	Males			18,696			646	568	565	532	543	2854	2493	2172	1884	1496	1666	1884	1384	894	462	162
	Females			17,397			631	527	546	539	535	2759	2456	2054	1741	1563	1384	1743	1299	998	476	167
Deaths from All Causes, 1885–90	Persons	20·42		7,368			2430	792	244	140	95	3767	269	167	227	213	354	413	411	537	638	528
	Males	20·46		3,810			1831	426	123	70	44	1994	126	89	131	104	149	184	216	267	341	299
	Females	20·30		3,548			1099	366	118	70	51	1713	143	78	96	109	204	179	195	265	297	268
		Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox		0·01	–	0·02	3	–	3	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Measles		0·49	0·46	0·53	177	85	92	88	62	39	17	8	164	12	1	–	–	–	1	–	–	–
Scarlet Fever		0·55	0·49	0·61	197	91	106	10	32	32	20	27	127	58	9	1	1	1	–	–	–	–
Diphtheria		0·03	0·02	0·04	10	3	7	1	3	–	3	–	7	2	–	–	–	–	–	–	1	–
Whooping-cough		0·37	0·30	0·45	134	55	79	68	43	11	7	3	131	3	–	–	–	–	–	–	–	–
Typhus		0·01	0·01	0·01	3	1	2	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–
Enteric Fever		0·47	0·49	0·44	168	91	77	–	3	4	3	4	14	24	19	28	24	30	14	11	3	1	2
Simple, Continued Fever		0·11	0·10	0·13	41	19	22	7	8	5	2	1	23	5	3	1	2	1	–	–	2	2	–
Diarrhœa and Dysentery		1·37	1·33	1·41	493	247	246	236	117	12	2	3	430	2	2	–	2	6	1	2	13	16	19
Cholera		0·02	0·03	0·02	9	6	3	2	1	–	–	1	4	1	–	–	–	1	–	–	3	1	–
Cancer		0·41	0·30	0·52	146	56	90	–	–	–	1	1	2	1	2	–	1	4	22	34	42	31	7
Tabes Mesenterica		0·55	0·57	0·53	198	106	92	95	63	15	5	1	179	5	4	4	–	4	1	1	–	–	–
Phthisis		1·80	1·91	1·71	542	244	298	24	8	4	4	3	42	19	28	87	89	129	72	46	24	4	2
Other Tub. & Scrof. Dis.		0·40	0·47	0·32	144	88	56	39	36	11	4	7	97	24	11	5	2	2	1	2	–	–	–
Diseases of	Nervous System	2·62	2·60	2·63	948	502	446	373	69	27	21	4	494	33	17	14	5	10	18	63	69	109	77
	Circulatory ,,	1·02	0·93	1·10	366	174	192	–	–	1	–	–	1	7	10	18	10	23	36	53	92	86	30
	Respiratory ,,	3·02	3·83	3·32	1,095	714	381	110	205	52	32	19	718	39	9	16	18	38	36	72	108	138	113
	Digestive ,,	1·20	1·15	1·25	433	214	219	113	55	10	3	2	184	12	5	4	7	10	24	14	70	50	20
	Urinary ,,	0·32	0·26	0·38	116	48	68	3	9	1	2	2	17	4	5	3	2	10	11	14	21	20	9
	Generative ,,	0·06	0·01	0·11	20	1	19	2	1	–	–	–	3	–	1	–	–	5	5	5	3	–	–
Puerperal Fever		0·11	–	0·22	39	–	39	–	–	–	–	–	–	–	–	3	10	17	8	1	–	–	–
Convulsions		0·09	–	0·18	32	–	32	–	–	–	–	–	–	–	–	5	5	8	11	–	–	–	–
Violence		0·74	1·02	0·45	268	228	40	21	7	6	5	4	43	11	25	26	18	32	24	30	23	23	7
Other Causes		4·46	4·39	4·54	1626	817	789	327	70	11	11	7	1026	8	13	12	15	23	26	32	54	156	242

Marriages . . 2·81

Births { Males 7,593 / Females 7,171 } 14·764

Annual Rate per 1000 living { Persons Married 15·71 / Births . . 40·86

Deaths from Childbirth and Puerperal Fever . . . . 4·82 per 1000 Births.

* See page xxiv—xxxvii.

† The death-rates under one year of age are per 1000 Births.

552.—CHESTER-LE-STREET.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 1893	†165	–	–	–	–	64·38	5·27	3·40	6·01	6·97	7·63	9·15	14·75	27·15	65·32	169·16
Annual Death-Rate per 1000. Males	—	Standard 20·06	†178	–	–	–	–	68·14	5·00	3·22	6·22	6·58	5·93	8·37	14·39	28·81	73·29	169·11
Annual Death-Rate per 1000. Females	—	Population* 19·80	†152	–	–	–	–	60·53	5·55	3·59	5·77	7·43	9·59	10·05	15·15	25·37	57·17	169·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·53 per cent.	46,973	1562	1330	1350	1409	1360	7011	6334	5562	4923	4144	6578	4875	3567	2350	1214	415
Mean Population, 1881–91. Males		24,493	799	645	665	727	714	3550	3160	2860	2653	2219	3524	2617	1890	1215	614	191
Mean Population, 1881–91. Females		22,480	763	685	685	682	646	3461	3174	2702	2270	1925	3054	2258	1677	1135	600	224
Deaths from All Causes, 1881–90. Persons	19·65	9,229	2990	863	338	183	140	4514	334	189	296	289	502	446	526	638	793	702
Deaths from All Causes, 1881–90. Males	19·61	4,803	1642	436	179	94	68	2419	158	92	165	146	209	219	272	350	450	323
Deaths from All Causes, 1881–90. Females	19·69	4,426	1348	427	159	89	72	2095	176	97	131	143	293	227	254	288	343	379

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	0·01	7	5	2	2	–	–	–	–	2	–	–	2	–	2	1	–	–	–	–
Measles	0·46	0·48	0·45	218	117	101	44	79	45	25	9	202	15	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·51	0·49	0·54	240	119	121	14	40	41	35	25	155	66	15	4	–	–	–	–	–	–	–
Diphtheria	0·04	0·04	0·04	18	10	8	1	3	1	4	2	11	3	1	–	1	–	–	–	1	–	1
Whooping-cough	0·32	0·27	0·37	149	65	84	70	43	22	2	6	143	6	–	–	–	–	–	–	–	–	–
Typhus	0·03	0·04	0·02	14	9	5	–	–	–	–	–	–	1	–	4	1	4	3	1	–	–	–
Enteric Fever	0·27	0·32	0·21	126	78	48	1	3	2	5	3	14	20	12	22	13	23	8	6	5	3	–
Simple Continued Fever	0·04	0·04	0·03	17	10	7	–	1	–	3	2	6	5	1	1	–	1	1	1	1	–	–
Diarrhœa and Dysentery	0·75	0·71	0·80	353	173	180	207	80	11	4	2	304	4	1	–	2	2	2	3	7	13	15
Cholera	0·02	0·02	0·02	9	5	4	1	1	–	1	–	3	–	–	–	–	1	1	1	1	1	1
Cancer	0·38	0·27	0·49	178	67	111	–	–	1	–	1	2	–	–	–	–	5	24	43	47	39	18
Tabes Mesenterica	0·62	0·56	0·68	289	136	153	146	85	30	4	2	267	8	5	1	–	4	1	3	–	–	–
Phthisis	1·53	1·30	1·77	717	318	399	6	9	3	6	5	29	21	35	106	136	178	100	71	29	12	–
Other Tub. & Scrof. Dis.	0·69	0·69	0·70	326	168	158	86	54	24	17	14	195	49	25	23	8	15	4	4	2	1	–
Diseases of Nervous System	2·40	2·51	2·28	1127	615	512	463	39	25	11	13	551	35	21	15	10	21	37	64	109	160	104
Diseases of Circulatory „	1·25	1·18	1·32	585	289	296	3	1	–	–	2	6	10	7	15	9	34	50	94	122	164	74
Diseases of Respiratory „	3·51	3·77	3·22	1647	923	724	557	236	72	43	27	935	39	14	23	16	50	61	81	137	174	117
Diseases of Digestive „	1·34	1·29	1·39	630	317	313	197	105	17	5	9	333	13	4	14	15	23	28	45	66	54	35
Diseases of Urinary „	0·32	0·31	0·32	148	76	72	2	11	8	5	2	28	5	3	3	3	16	13	13	18	26	20
Diseases of Generative „	0·04	0·01	0·08	20	2	18	1	2	–	–	–	3	–	–	–	–	6	4	5	1	1	–
Puerperal Fever	0·14	–	0·29	65	–	65	–	–	–	–	–	–	–	–	6	17	31	11	–	–	–	–
Childbirth	0·08	–	0·17	38	–	38	–	–	–	–	–	–	–	–	2	8	13	15	–	–	–	–
Violence	0·82	1·35	0·25	387	331	56	16	10	15	6	5	52	11	26	40	30	45	52	51	41	24	15
OTHER CAUSES	4·08	3·94	4·24	1921	970	951	1173	61	21	7	11	1273	23	19	15	20	28	30	39	51	121	302

Marriages - - - 3,269

Births - { Males - 9,249 } 18,112
{ Females - 8,863 }

Annual Rate per 1000 living { Persons Married 13·92
{ Births - - 38·56.

Deaths from Childbirth and Puerperal Fever - - - - - 5·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Deaths under each Sex	Persons	In Sunderland 22·56	1160	–	–	–	–	71·32	8·19	4·40	5·35	6·76	8·19	12·46	18·26	27·27	74·11	173·63
	Males	Sunderland* 24·01	1175	–	–	–	–	77·40	8·59	4·39	5·71	6·46	7·63	12·62	19·31	39·71	76·35	168·79
	Females	Population* 21·35	1147	–	–	–	–	65·41	7·80	4·41	4·99	7·05	8·74	12·30	17·20	35·06	69·96	161·20
Mean Population, 1881–91	Persons	Decennial Increase of Population 14·92 per cent.	4781	4884	4939	4867	4109	24614	19867	16499	13411	2[illegible]	16774	11646	7206	3785	1183
	Males		2258	2355	2407	2764	2075	12844	9996	8208	7078	6504	8553	5827	3450	1671	451
	Females		2523	2529	2532	2403	2034	10767	9871	8291	7789	6907	14[illegible]	8221	3819	2114	732
Deaths from Acute Diseases, 1881–91	Persons	22·24	2028	3749	1443	818	614	15543	1555	726	872	907	1896	2090	2126	2708	2805	2054
	Males	23·40	1158	1536	775	441	313	8223	825	360	434	429	845	1079	1125	1370	1326	874
	Females	21·29	1130	1544	708	407	301	7150	730	366	389	487	999	1011	1001	1338	1479	1180

	Persons	Males	Females	Persons.	Males.	Females.	Persons.												
Scarlet Fever	0·11	0·13	0·10	170	95	75	22	8	8	6	2	46	17	13	14	18	26	20	9	4	1	2
Measles	0·77	0·77	0·78	1123	569	554	192	384	215	122	109	1013	103	5	–	1	–	–	–	–	1	–
Small Pox	0·28	0·30	0·26	389	443	417	48	127	151	130	36	592	251	39	7	2	2	4	–	–	–	–
Diphtheria	0·11	0·10	0·11	157	73	84	18	22	19	19	14	92	43	10	2	–	3	4	1	2	–	–
Whooping-cough	0·47	0·42	0·53	705	309	396	291	237	97	38	19	682	22	–	–	1	–	–	–	–	–	–
Typhus	0·01	0·02	0·00	164	86	78	1	–	1	1	5	8	15	10	26	16	25	39	16	15	3	–
Enteric Fever	0·25	0·27	0·23	338	196	142	3	3	8	12	11	36	40	37	47	42	63	41	14	13	6	–
Simple Continued Fever	0·05	0·05	0·05	73	36	37	2	4	5	4	4	19	17	11	9	4	3	5	2	1	2	–
Diarrhœa and Dysentery	1·07	1·07	1·08	1559	793	766	1006	327	55	17	10	1405	18	5	3	1	9	19	8	16	35	31
Cholera	0·02	0·02	0·02	29	12	17	10	3	1	1	1	15	3	–	–	–	1	2	2	3	3	–
Cancer	0·55	0·34	0·71	785	250	535	1	–	–	–	2	3	–	4	3	5	42	109	195	231	152	42
Tabes Mesenterica	0·30	0·28	0·27	440	241	199	166	127	45	32	13	353	46	10	14	5	9	2	1			
Phthisis	1·84	1·82	1·85	2740	1349	1391	45	53	29	19	17	163	120	152	311	384	623	502	291	145	46	3
Other Forms of Scrof. Dis.	0·64	0·60	0·69	806	441	365	240	183	100	41	49	573	112	47	21	17	16	8	7	4	1	
Diseases of the Nervous System	3·07	2·79	2·87	4578	2435	2143	1627	387	161	105	67	2347	193	70	55	33	92	168	279	476	570	486
Diseases of the Circulatory System	1·51	1·54	1·48	2254	1139	1115	9	5	3	4	1	22	37	43	41	57	172	317	544	487	511	289
Diseases of the Respiratory System	4·32	4·03	4·60	6437	3415	3022	1608	961	383	188	126	3346	182	59	61	73	204	377	492	639	707	424
Diseases of the Digestive System	1·20	1·21	1·19	1786	893	893	491	220	30	9	18	711	55	34	36	37	72	148	188	291	174	60
Diseases of the Urinary System	0·37	0·43	0·31	548	315	233	11	20	13	9	9	62	24	18	18	17	52	67	61	84	101	44
Diseases of the Generative System	0·06	0·01	0·11	87	6	81	1	2	1	2	–	6	–	1	6	4	20	21	15	4	6	4
Puerperal Fever	0·12		0·24	178		178																
Convulsions	0·09		0·14	141		141	–	–	–	–	–	–	–	–	8	18	71	54	2	–	–	–
Violence	0·88	1·29	0·46	1365	955	350	122	42	41	24	21	250	202	96	69	71	126	194	191	102	87	34
Other Causes	8·36	4·64	3·80	5879	3[illegible]	2878	3459	236	77	35	29	3829	65	62	59	58	98	123	127	183	469	825

Marriages	13,888	Annual Rate per 1000 living	Persons Married	18·61
Births Males	29,690		Births	40·04
Females	28,495			
	58,185		Deaths from Childbirth and Puerperal Fever	5·48 per 1000 Births.

* See pages [illegible]

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·76	†146	–	–	–	–	62·87	7·09	3·94	5·52	6·52	7·88	12·15	19·01	36·81	77·07	181·43
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·37	†156	–	–	–	–	66·11	7·28	3·83	5·93	5·66	7·22	12·24	20·56	40·20	81·58	195·27
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·18	†136	–	–	–	–	59·56	6·90	4·04	5·08	7·46	8·62	12·05	17·26	33·40	73·03	172·71
Mean Population, 1881-91. Persons	Decennial Increase of Population 37·00 per cent.	122,354	4087	3501	3710	3601	3524	18423	16961	13874	12217	11000	18558	14207	9634	5335	2434	711
Mean Population, 1881-91. Males	Decennial Increase of Population 37·00 per cent.	62,853	2076	1782	1873	1818	1767	9316	8006	6948	6237	5775	9789	7575	5102	2679	1151	275
Mean Population, 1881-91. Females	Decennial Increase of Population 37·00 per cent.	59,501	2011	1719	1837	1783	1757	9107	7955	6926	5980	5225	8769	6632	4532	2656	1283	436
Deaths from All Causes, 1881-90. Persons	20·27	24,802	6926	2598	998	625	436	11583	1132	546	674	717	1463	1726	1831	1964	1876	1290
Deaths from All Causes, 1881-90. Males	20·59	12,941	3774	1354	510	309	212	6159	583	266	370	327	707	927	1049	1077	939	537
Deaths from All Causes, 1881-90. Females	19·93	11,861	3152	1244	488	316	224	5424	549	280	304	390	756	799	782	887	937	753

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	0·02	26	16	10	4	–	4	1	–	9	3	1	2	3	3	–	4	1	–	–
Measles	0·49	0·51	0·47	596	319	277	137	236	86	57	33	549	46	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·51	0·48	0·55	628	303	325	42	94	98	91	75	400	174	30	11	4	5	4	–	–	–	–
Diphtheria	0·13	0·12	0·14	159	76	83	14	27	23	29	18	111	39	4	2	1	2	–	–	–	–	–
Whooping-cough	0·51	0·41	0·61	621	260	361	221	210	87	46	27	591	29	1	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	24	13	11	–	–	–	1	–	1	1	4	2	1	1	5	6	2	1	–
Enteric Fever	0·18	0·19	0·18	224	119	105	1	2	4	2	6	15	19	27	35	27	52	25	15	4	4	1
Simple Continued Fever	0·02	0·01	0·02	22	9	13	–	1	2	2	–	5	6	–	1	2	3	1	–	3	1	–
Diarrhœa and Dysentery	0·89	0·89	0·88	1086	559	527	673	261	39	8	6	987	10	4	2	3	4	7	3	16	23	27
Cholera	0·02	0·03	0·01	24	17	7	8	2	–	–	–	10	1	–	–	1	2	4	–	1	4	1
Cancer	0·44	0·32	0·57	542	204	338	–	–	1	–	–	1	1	2	–	6	27	89	144	161	90	21
Tabes Mesenterica	0·40	0·39	0·40	484	245	239	146	160	61	30	16	413	32	14	7	3	5	3	4	3	–	–
Phthisis	1·84	1·78	1·91	2252	1118	1134	25	28	19	18	17	107	123	142	254	299	550	399	243	111	22	2
Other Tub. & Scrof. Dis.	0·71	0·73	0·70	871	457	414	248	183	88	47	43	609	124	57	34	11	17	9	10	–	–	–
Diseases of Nervous System	2·59	2·68	2·49	3169	1685	1484	1099	256	113	84	54	1606	169	59	52	29	78	152	216	304	342	162
Diseases of Circulatory	1·49	1·50	1·48	1820	940	880	4	3	1	3	6	17	28	31	33	46	146	252	373	428	342	124
Diseases of Respiratory	4·01	4·28	3·73	4910	2691	2219	1360	785	281	143	81	2650	165	50	54	67	193	293	389	447	404	198
Diseases of Digestive	1·04	0·98	1·09	1267	618	649	330	153	23	11	7	524	34	24	20	35	55	116	137	174	115	33
Diseases of Urinary	0·35	0·39	0·31	432	247	185	3	25	9	14	9	60	23	13	16	15	47	62	70	55	54	17
Diseases of Generative	0·04	0·01	0·07	49	5	44	–	4	–	–	–	4	–	1	2	3	8	12	7	8	3	1
Puerperal Fever	0·09	–	0·17	104	–	104	–	–	–	–	–	–	–	–	8	30	41	25	–	–	–	–
Childbirth	0·07	–	0·15	88	–	88	–	–	–	–	–	–	–	–	10	25	28	24	1	–	–	–
Violence	0·78	1·18	0·36	956	740	216	109	23	13	15	18	178	48	41	80	67	105	146	123	97	50	21
Other Causes	3·63	3·66	3·60	4448	2300	2148	2502	145	46	23	20	2736	57	41	48	39	91	98	86	149	421	682

Marriages - 9,732

Births - Males - 24,200 / Females - 23,243 = 47,443

Annual Rate per 1000 living: Persons Married 15·91; Births - - 38·78

Deaths from Childbirth and Puerperal Fever - - - - - 4·05 per 1000 Births.

* *See* pages xxxvi–xxxviii.

The death-rates under one year of age are per 1000 Births.

555.—GATESHEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons	In 20·70			*159	–	–	–	–	67·88	6·33	4·06	5·84	6·84	8·00	11·03	18·40	33·38	72·18	174·59
	Males	Standard 22·93			*170	–	–	–	–	70·98	6·94	3·93	5·30	6·04	7·43	11·52	19·67	38·35	79·42	178·80
	Females	Population* 25·11			*149	–	–	–	–	64·47	6·43	4·18	6·42	7·66	8·71	10·71	17·40	31·22	67·37	166·80
Mean Popn.	Persons	178,370			5851	2481	2018	1835	1457	13642	13686	13711	11816	10268	17466	14686	9138	7046	3843	858
1881–90	Males	89,032			1032	1297	1148	1145	1046	5667	7001	6814	6100	5013	8068	7005	4427	2710	1312	372
	Females	89,307			1879	1654	1759	1720	1732	8735	7682	6897	5713	5055	9398	7680	4711	3846	1531	486
Deaths from Puerperal Causes	Persons	24,797			7854	2497	1001	569	370	14640	930	556	680	702	1498	1561	1080	1077	2052	1498
	Males	10,767			2963	1320	523	326	189	6321	426	268	323	315	657	879	672	1060	1842	654
	Females	14,030			4270	1177	477	244	181	8319	504	288	357	387	841	745	778	917	1914	844
Proportion of Deaths to Mean Popn.	Persons	24·54 per cent.																		
	Males	12·09																		
	Females	12·45																		

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·06	0·09	0·02	111	56	55	16	5	7	9	3	34	14	11	17	7	8	10	4	4	1	1
Measles	1·85	0·43	0·44	330	273	257	93	220	119	50	19	501	25	1	–	2	1	–	–	–	–	–
Scarlet Fever	1·87	0·46	0·48	556	279	277	84	76	87	82	64	343	162	35	7	3	4	2	–	–	–	–
Diphtheria	0·56	0·25	0·27	100	44	56	12	12	17	7	13	61	27	1	4	–	1	3	1	1	–	1
Whooping-cough	1·48	0·60	0·52	566	242	324	221	172	79	43	26	541	25	–	–	–	–	–	–	–	–	–
Typhus	0·06	0·07	0·05	89	41	48	–	–	–	1	–	1	1	6	8	8	17	16	17	9	3	3
Enteric Fever	0·20	0·20	0·20	360	155	154	3	6	8	8	10	35	47	33	47	41	45	37	12	6	6	–
Simple Continued Fever	0·05	0·03	0·05	78	17	20	2	2	4	2	2	12	14	5	5	1	6	4	6	1	2	–
Diarrhœa and Dysentery	1·06	1·03	0·99	1466	629	574	750	263	43	7	10	1073	8	2	–	2	4	6	10	26	35	29
Cholera	0·01	0·01	0·02	16	7	9	6	2	1	–	–	9	–	2	–	–	–	1	–	1	2	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	0·43	0·27	0·61	583	161	379	–	1	2	–	1	4	–	3	–	2	16	80	131	157	106	34
Erysipelas	0·18	0·15	0·14	238	109	129	206	182	43	21	10	522	28	13	12	4	3	3	3	–	1	–
Syphilis	1·84	1·09	1·07	2505	1159	1146	18	30	15	10	11	84	69	139	286	361	581	422	253	110	33	3
Other Zymotic Diseases	0·67	0·72	0·62	787	402	385	184	158	72	52	32	498	138	60	34	17	18	10	6	5	1	–
Cancer	3·15	0·90	3·99	3789	1978	1799	1813	261	103	84	42	2111	112	59	29	29	73	145	218	338	390	236
Tubercular Disease	1·45	1·48	1·42	1724	889	835	5	1	–	5	3	15	24	34	43	33	130	204	271	371	415	186
Tubercular Meningitis	3·81	4·12	3·49	4510	2406	2104	1148	691	273	144	86	2322	137	39	34	42	141	230	342	475	462	266
Abdominal	1·16	1·08	1·23	1328	647	681	339	154	30	10	3	533	31	17	31	35	57	86	173	168	151	56
Ulceration	0·24	0·36	0·12	309	215	184	9	22	13	18	7	69	23	11	16	23	36	57	34	53	50	27
Other forms	0·04	0·06	0·07	42	4	38	3	1	1	–	–	5	–	1	4	3	3	5	4	6	3	3
Puerperal Fever	0·09	–	0·18	107	–	107		–	–	–	–	–	–	–	7	28	52	19	1	–	–	–
Childbirth	0·08	–	0·16	164	–	164		–	–	–	–	–	–	–	6	17	44	36	1	–	–	–
Violence	0·45	0·37	0·54	574	395	248	190	26	22	26	13	207	52	40	50	40	79	81	86	70	43	26
Other Causes	3·58	3·46	3·70	4557	2167	2390	2288	151	56	20	15	2030	53	45	51	36	74	99	107	176	353	634

Marriages – 5·95

Births – Males 27·46 | Females 26·52

Annual Rate per 1000 Living: Persons Married 19·05 | Births 28·49

Deaths from Childbirth and Puerperal Fever 4·65 per 1000 Births.

* Average of 11 years.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·38	†162	–	–	–	–	68·32	6·77	4·00	5·33	7·03	9·77	14·83	22·34	40·09	79·43	163·68
Annual Death-Rate per 1000. Males	—	In Standard Population* 25·07	†177	–	–	–	–	75·83	6·78	4·20	5·72	7·39	10·13	16·12	24·92	46·02	91·53	169·74
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·79	†147	–	–	–	–	62·90	6·76	3·82	4·96	6·70	9·40	13·48	19·78	34·86	70·33	160·14
Mean Population, 1881–91. Persons	Decennial Increase of Population 30·99 per cent.	173,535	5175	4676	4667	4639	4572	23729	20676	18552	17709	17006	27686	20327	14063	8283	4152	1352
Mean Population, 1881–91. Males	Decennial Increase of Population 30·99 per cent.	85,403	2592	2339	2269	2338	2238	11776	10279	9120	8562	8104	13946	10430	7019	3885	1783	499
Mean Population, 1881–91. Females	Decennial Increase of Population 30·99 per cent.	88,132	2583	2337	2398	2301	2334	11953	10397	9432	9147	8902	13740	9897	7044	4398	2369	853
Deaths from All Causes, 1881–90. Persons	22·01	38,188	10104	3389	1317	788	614	16212	1400	743	944	1195	2705	3015	3142	3321	3298	2213
Deaths from All Causes, 1881–90. Males	23·39	19,973	5585	1747	664	394	304	8694	697	383	490	599	1413	1681	1749	1788	1632	847
Deaths from All Causes, 1881–90. Females	20·67	18,215	4519	1642	653	394	310	7518	703	360	454	596	1292	1334	1393	1533	1666	1366

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·08	0·10	0·07	146	84	62	15	6	1	2	5	29	23	17	17	10	25	6	15	4	–	–
Measles	0·62	0·63	0·61	1071	536	535	228	421	203	96	49	997	64	3	1	1	4	–	1	–	–	–
Scarlet Fever	0·40	0·42	0·38	691	358	333	51	100	96	100	97	444	184	47	1	4	6	4	–	–	1	–
Diphtheria	0·14	0·13	0·15	237	108	129	14	34	36	34	32	150	57	7	8	2	6	3	1	3	–	–
Whooping-cough	0·51	0·46	0·56	886	392	494	367	274	109	64	31	845	41	–	–	–	–	–	–	–	–	–
Typhus	0·06	0·06	0·06	104	55	49	–	–	–	–	–	–	2	4	11	7	22	28	16	9	5	–
Enteric Fever	0·21	0·24	0·18	365	203	162	2	6	6	5	7	26	43	42	50	58	73	38	16	13	4	2
Simple Continued Fever	0·03	0·03	0·03	52	28	24	2	4	2	4	3	15	6	2	8	5	4	1	4	3	3	1
Diarrhœa and Dysentery	0·92	0·97	0·87	1595	828	767	999	280	50	18	8	1355	5	6	4	3	9	19	25	54	72	43
Cholera	0·02	0·03	0·02	39	23	16	14	7	–	–	–	21	1	–	–	2	3	2	2	5	3	–
Cancer	0·59	0·47	0·71	1024	400	624	2	–	–	3	1	6	2	1	5	9	45	152	283	300	175	46
Tabes Mesenterica	0·42	0·46	0·38	732	396	336	315	189	56	21	22	603	40	26	12	12	21	10	4	3	–	1
Phthisis	2·22	2·55	1·90	3855	2182	1673	34	39	20	15	25	133	134	107	371	496	1014	793	488	209	43	7
Other Tub. & Scrof. Dis.	0·56	0·61	0·51	972	519	453	242	181	94	64	56	637	149	66	32	18	33	16	16	3	2	–
Diseases of Nervous System	3·10	3·33	2·88	5384	2843	2541	2007	378	151	92	85	2713	175	73	68	57	176	207	353	585	668	309
Diseases of Circulatory „	1·67	1·70	1·62	2892	1461	1431	7	2	2	3	2	16	35	54	62	78	235	450	534	616	554	258
Diseases of Respiratory „	3·64	3·98	3·29	6308	3395	2913	1538	946	339	159	115	3097	178	50	61	96	272	379	526	663	643	543
Diseases of Digestive „	1·19	1·19	1·18	2062	1018	1044	559	226	34	12	12	843	44	21	33	54	126	207	220	262	195	57
Diseases of Urinary „	0·47	0·55	0·39	812	467	345	16	24	20	13	14	87	38	23	28	35	66	117	120	125	115	58
Diseases of Generative „	0·09	0·01	0·17	162	11	151	4	6	2	–	–	12	1	2	1	11	28	38	41	10	14	4
Puerperal Fever	0·09	–	0·19	165	–	165	–	–	–	–	–	–	–	–	13	56	63	33	–	–	–	–
Childbirth	0·08	–	0·15	135	–	135	–	–	–	–	–	–	–	–	5	28	61	40	1	–	–	–
Violence	0·88	1·27	0·50	1524	1084	440	224	42	33	40	29	368	69	55	76	80	194	210	173	150	101	48
OTHER CAUSES	4·02	4·20	3·87	6975	3582	3393	3464	224	63	43	21	3815	109	77	77	73	219	262	303	304	700	1036

Marriages - - - 18,543

Births - { Males - 31,618 / Females - 30,759 } 62,377

Annual Rate per 1000 living { Persons Married 21·37 / Births - - 35·94

Deaths from Childbirth and Puerperal Fever - - - - - 4·81 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

557.—TYNEMOUTH.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
Annual Death-Rate per 1000.	Persons -	In Sanitary District	*148	-	-	-	-	6·07	3·91	5·64	6·55	7·70	11·33	8·39	7·93	7·53	22·19
	Males -		*142	-	-	-	-	5·84	3·87	5·60	6·16	6·83	11·12	7·46	8·42	7·46	17·14
	Females -		*156	-	-	-	-	6·31	3·94	5·68	6·97	8·80	11·56	9·32	7·64	7·60	25·00
Mean Population, 1881-91.	Persons -	27,252	2875	2479	2332	2179	2141	17540	14859	11007	12628	11079	18198	14005	9301	6749	1477
	Males -	13,188	1467	1261	1194	1099	1046	8804	7444	5461	6505	5726	9671	7169	4644	3442	1066
	Females -	14,064	1409	1218	1138	1080	1095	8736	7415	5546	6123	5353	8527	6417	4657	3309	1797	411
Deaths from All Causes, 1881-90.	Persons	2,148	654	246	156	167	178	1064	435	203	712	726	1413	1539	1141	1041	1067	1856
	Males	1,143	357	114	78	80	77	506	229	104	364	353	654	707	585	486	1143	2407
	Females	1,005	297	132	78	87	101	558	206	99	348	373	759	742	747	555	1225	1090

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
[illegible]	0·02	[illegible]	[illegible]	27	15	12	4	1	-	-	1	6	2	-	3	2	10	3	1	-	-	-
[illegible]	0·38	[illegible]	[illegible]	474	246	228	92	183	79	37	34	426	17	-	1	-	1	-	-	-	-	-
[illegible]	0·44	[illegible]	[illegible]	550	285	265	32	93	91	81	60	361	147	27	8	1	4	1	-	1	-	-
[illegible]	0·10	[illegible]	[illegible]	123	60	63	5	15	17	13	17	79	31	6	4	2	2	2	1	1	-	-
[illegible]	0·48	0·37	0·58	524	252	272	202	177	61	38	26	504	21	-	1	-	-	1	-	-	-	-
Typhus	0·01	[illegible]	[illegible]	13	8	5	-	-	-	-	-	-	1	2	3	2	2	1	1	1	-	-
Enteric Fever	0·25	[illegible]	[illegible]	304	167	137	-	3	2	3	7	15	36	41	45	39	51	34	22	18	2	1
Simple Continued Fever	0·05	[illegible]	[illegible]	64	29	35	-	1	5	4	3	20	10	5	5	4	1	7	3	4	5	-
Diarrhœa and Dysentery	0·71	[illegible]	[illegible]	873	446	427	548	159	29	10	1	739	4	4	1	3	4	7	9	19	43	40
Cholera	0·01	[illegible]	[illegible]	13	8	5	4	-	-	2	-	6	1	-	-	1	-	-	2	2	1	-
Cancer	0·45	[illegible]	[illegible]	559	189	370	1	-	1	1	1	4	4	1	1	-	14	60	125	184	127	40
Tabes Mesenterica	0·59	[illegible]	[illegible]	727	387	340	290	238	57	29	8	622	44	21	15	5	11	3	3	2	1	-
Phthisis	1·97	[illegible]	[illegible]	2434	1169	1265	42	26	18	10	25	121	76	150	302	323	567	426	286	124	58	2
Other Diseases of Lungs	0·46	0·48	0·45	573	300	273	147	103	60	35	30	375	97	38	16	16	11	6	6	6	2	-
[illegible]	2·72	[illegible]	[illegible]	3348	1789	1559	1073	267	107	64	41	1552	121	58	40	26	80	118	228	392	494	259
[illegible]	1·50	[illegible]	[illegible]	1855	967	888	10	1	-	3	1	15	29	28	35	42	107	220	296	434	469	197
[illegible]	3·02	[illegible]	[illegible]	3732	1974	1758	984	512	209	116	76	1897	139	29	47	48	130	187	210	353	413	261
[illegible]	1·18	[illegible]	[illegible]	1455	760	695	393	179	24	15	13	624	37	24	28	30	67	112	133	178	147	75
[illegible]	0·37	[illegible]	[illegible]	452	274	178	9	27	18	13	10	77	18	4	6	22	34	53	50	67	92	29
[illegible]	0·06	0·01	0·11	74	6	68	2	-	1	-	-	3	-	1	4	5	16	10	15	10	9	1
Puerperal Fever	0·10	-	[illegible]	122	-	122	-	-	-	-	-	-	-	1	3	31	56	30	1	-	-	-
Childbirth	0·09	[illegible]	[illegible]	107	-	107	-	-	-	-	-	-	-	-	8	21	30	37	2	-	-	-
Violence	0·76	1·17	[illegible]	935	738	197	65	18	14	19	17	127	46	59	88	69	106	124	108	82	73	34
OTHER CAUSES	3·93	5·39	[illegible]	4877	2395	2482	3040	156	46	18	9	2864	60	52	48	54	91	97	120	164	430	917

Marriages - Persons [illegible] Males 29,870 Females 44,290 — Annual Rate per 1000 [illegible] — Persons Married 14·48 Females - 35·80 — Deaths from Childbirth and Puerperal [illegible] - 0·19 per 1000 Births.

* [illegible]

† The death-rates [illegible] the year 6·85 per 1000 Births.

558.—CASTLE WARD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000, Persons	—	In Standard Population* 17·47	†120	–	–	–	–	40·07	4·83	4·29	6·16	7·47	8·57	12·92	15·19	26·65	62·71	176·00
Annual Death-Rate per 1000, Males	—	In Standard Population* 18·09	†133	–	–	–	–	44·81	4·16	3·80	6·91	7·68	8·36	13·73	16·12	25·61	68·90	185·71
Annual Death-Rate per 1000, Females	—	In Standard Population* 16·88	†106	–	–	–	–	35·42	5·53	4·85	5·32	7·27	8·78	12·10	14·22	27·71	56·99	168·59
Mean Population, 1881–91, Persons	Decennial Increase of Population 23·31 per cent.	22,018	594	570	541	569	581	2855	2630	2585	2372	1982	3116	2445	1830	1212	716	275
Mean Population, 1881–91, Males	Decennial Increase of Population 23·31 per cent.	11,142	295	278	272	276	294	1415	1345	1368	1244	964	1555	1238	937	613	344	119
Mean Population, 1881–91, Females	Decennial Increase of Population 23·31 per cent.	10,876	299	292	269	293	287	1440	1285	1217	1128	1018	1561	1207	893	599	372	156
Deaths from All Causes, 1881–90, Persons	17·23	3,793	801	182	67	51	43	1144	127	111	146	148	267	316	278	323	449	484
Deaths from All Causes, 1881–90, Males	17·66	1,968	455	102	29	26	22	634	56	52	86	74	130	170	151	157	237	221
Deaths from All Causes, 1881–90, Females	16·78	1,825	346	80	38	25	21	510	71	59	60	74	137	146	127	166	212	263

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·04	0·06	0·01	8	7	1	–	–	–	–	–	–	–	1	2	4	–	–	1	–	–
Measles	0·18	0·22	0·14	39	24	15	7	13	6	3	–	29	6	3	–	–	1	–	–	–	–	–
Scarlet Fever	0·18	0·17	0·18	39	19	20	4	3	5	3	6	21	12	4	1	–	–	1	–	–	–	–
Diphtheria	0·04	0·04	0·06	10	4	6	1	1	–	2	–	4	3	–	–	2	–	–	–	–	1	–
Whooping-cough	0·26	0·24	0·29	58	27	31	34	14	4	4	1	57	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–
Enteric Fever	0·34	0·41	0·26	74	46	28	–	1	1	5	1	8	11	8	16	9	10	5	6	1	–	–
Simple Continued Fever	0·04	0·04	0·04	8	4	4	2	–	–	–	1	3	–	1	1	–	1	1	1	–	–	–
Diarrhœa and Dysentery	0·56	0·56	0·56	123	62	61	82	11	5	1	1	100	2	–	1	1	5	–	2	3	1	8
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·46	0·33	0·59	101	37	64	–	–	–	1	–	1	–	–	1	–	6	16	25	15	21	16
Tabes Mesenterica	0·35	0·38	0·32	77	42	35	24	13	8	2	1	48	6	12	4	3	2	2	–	–	–	–
Phthisis	1·76	1·70	1·82	387	189	198	5	–	1	2	–	8	9	19	51	66	99	62	43	16	9	–
Other Tub. & Scrof. Dis.	0·40	0·38	0·42	88	42	46	29	13	2	4	7	55	15	6	5	3	2	2	–	–	–	–
Diseases of Nervous System	2·71	2·86	2·55	596	319	277	102	24	8	4	6	144	13	12	10	10	31	73	56	77	90	80
Diseases of Circulatory ,,	1·86	1·71	2·02	410	190	220	1	–	–	1	–	2	2	7	8	5	17	38	43	83	123	82
Diseases of Respiratory ,,	2·61	2·83	2·38	574	315	259	128	62	17	14	8	229	18	8	10	14	21	31	35	54	66	88
Diseases of Digestive ,,	1·14	1·17	1·12	252	130	122	36	16	4	1	7	64	9	11	8	5	8	25	27	26	43	26
Diseases of Urinary ,,	0·34	0·48	0·19	75	54	21	–	1	2	–	–	3	1	–	2	1	5	5	7	8	21	22
Diseases of Generative ,,	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	–	1	–	1	3	3	1	1
Puerperal Fever	0·12	–	0·24	26	–	26	–	–	–	–	–	–	–	–	–	3	13	10	–	–	–	–
Childbirth	0·11	–	0·22	24	–	24	–	–	–	–	–	–	–	–	1	5	9	8	1	–	–	–
Violence	0·60	0·90	0·29	132	100	32	6	3	1	2	1	13	8	6	13	10	17	17	11	16	15	6
OTHER CAUSES	3·06	3·15	2·97	677	354	323	340	7	3	2	3	355	11	13	12	8	16	17	12	20	58	155

Marriages 842

Births { Males 3,431 / Females 3,269 } 6,700

Annual Rate per 1000 living { Persons Married 7·65 / Births 30·43

Deaths from Childbirth and Puerperal Fever 7·46 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

359.—HEXHAM.

Causes of Death	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	[illegible]	—		In Hexham Registration Sub-District		16·75	†116	–	–	–	–	39·39	4·87	3·53	5·27	6·73	8·45	10·47	15·62	27·57	60·88	165·98
	[illegible]	—				17·01	†135	–	–	–	–	44·05	4·71	2·72	4·63	6·08	7·38	10·75	16·01	27·95	67·24	165·94
	[illegible]	—		In Registration District*		16·50	† 97	–	–	–	–	34·24	5·04	4·37	5·89	7·31	9·43	10·19	15·22	27·20	54·96	165·17
Mean Population, 1881-91.	[illegible]	[illegible]					837	845	787	828	831	4128	3936	3707	3493	3047	4770	3620	2875	2074	1324	535
	[illegible]	[illegible]					443	448	388	405	403	2087	1963	1878	1726	1432	2289	1805	1430	1027	638	245
	[illegible]	[illegible]					434	397	399	423	428	2041	1983	1829	1767	1615	2481	1815	1445	1044	686	290
Deaths from All Causes, 1881-90.	[illegible]	17·12				5,808	1141	964	761	685	659	1650	192	131	184	205	403	379	449	571	806	888
	[illegible]	17·36				2,911	665	486	49	395	31	944	92	51	80	87	169	194	229	287	429	409
	[illegible]	17·00				2,897	476	131	52	29	28	716	100	80	104	118	234	185	220	284	377	479

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
[illegible]	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
[illegible]	0·17	0·20	0·14	57	33	24	11	16	7	7	3	44	11	–	–	–	1	–	–	–	1	–
[illegible] Fever	0·22	0·36	0·08	74	43	31	2	10	10	8	10	40	25	3	–	3	1	2	–	–	–	–
[illegible]	0·12	0·10	0·13	39	17	22	2	2	6	4	2	16	15	5	1	–	2	1	–	–	1	–
Whooping-Cough	0·23	0·25	0·21	76	41	35	34	25	7	3	4	73	3	–	–	–	–	–	–	–	–	–
[illegible]	0·03	0·01	0·01	4	2	2	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–
[illegible] Fever	0·10	0·21	0·16	62	34	28	–	–	3	1	3	7	6	7	11	8	11	4	5	3	–	–
Simple Continued Fever	0·02	0·02	0·01	6	4	2	1	–	–	–	–	1	1	–	–	–	2	1	–	1	–	–
Diarrhœa and Dysentery	0·19	0·44	0·25	132	72	60	82	21	3	1	–	107	1	–	1	–	1	2	1	3	2	14
Cholera	0·01	0·01	0·01	3	1	2	–	1	–	–	–	1	–	–	–	–	–	2	–	–	–	–
Cancer	0·35	0·36	0·33	183	60	123	–	–	–	–	–	–	–	1	2	2	2	15	43	56	39	23
Tabes Mesenterica	0·24	0·40	0·09	115	66	49	58	13	4	2	4	81	12	5	3	5	3	4	–	1	1	–
Phthisis	1·48	1·82	1·14	687	299	388	7	5	3	–	–	15	8	35	89	95	173	113	93	40	18	6
Other Tub. A Sec. Dis.	0·40	0·35	0·43	165	91	74	36	20	8	8	7	79	26	15	11	7	15	4	4	3	1	–
Nervous System	2·27	2·40	2·15	792	386	406	158	33	13	19	9	228	22	12	13	8	20	25	56	79	158	141
Circulatory	2·11	2·11	2·11	706	347	359	2	1	1	1	1	6	4	5	13	11	27	43	74	142	205	173
Respiratory	2·60	2·76	2·45	871	454	417	183	71	19	14	11	297	28	5	12	12	28	43	61	97	101	127
Digestive	1·16	1·11	1·21	388	182	206	68	19	8	1	1	97	10	7	4	11	20	27	42	67	68	35
Urinary	0·41	0·56	0·28	139	92	47	1	1	2	–	2	6	5	2	4	9	13	12	18	14	30	26
Generative	0·07	–	0·13	22	–	22	–	–	–	–	–	–	–	–	–	–	3	7	3	5	4	–
Puerperal Fever	0·12	–	0·23	39	–	39	–	–	–	–	–	–	–	–	–	6	22	11	–	–	–	–
Childbirth	0·07	–	0·13	25	–	25	–	–	–	–	–	–	–	–	–	5	10	8	2	–	–	–
Violence	0·56	0·85	0·28	187	140	47	19	7	4	3	2	35	7	7	10	12	17	23	21	24	18	13
Other Causes	3·26	3·43	3·09	1086	566	520	477	14	3	3	–	497	9	19	10	10	31	32	25	36	98	323

Marriages		1,997	Annual Rate per 1000 living	Persons Married	11·93	Deaths from Childbirth and Puerperal Fever 6·50 per 1000 Births.
Births	Males 1,481	9,839		Births	29·36	
	Females 4,358					

* *See* pages xxxvii-xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·50	†101	–	–	–	–	34·43	4·80	4·39	7·24	8·42	8·64	8·34	14·35	29·10	68·21	160·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·05	†110	–	–	–	–	36·07	6·08	3·73	5·81	6·89	7·48	7·21	13·53	29·32	75·18	163·51
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·93	† 93	–	–	–	–	32·80	3·53	5·09	8·71	9·91	9·78	9·47	15·20	28·85	61·54	157·81
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·97 per cent.	7,824	210	207	187	204	194	1002	958	888	815	677	1077	863	669	457	280	138
Mean Population, 1881-91. Males	Decennial Decrease of Population 1·97 per cent.	3,944	106	98	97	103	95	499	477	456	413	334	535	430	340	249	137	74
Mean Population, 1881-91. Females	Decennial Decrease of Population 1·97 per cent.	3,880	104	109	90	101	99	503	481	432	402	343	542	433	329	208	143	64
Deaths from All Causes, 1881–90. Persons	17·29	1,353	237	66	11	19	12	345	46	39	59	57	93	72	96	133	191	222
Deaths from All Causes, 1881–90. Males	17·42	687	129	30	5	10	6	180	29	17	24	23	40	31	46	73	103	121
Deaths from All Causes, 1881–90. Females	17·16	666	108	36	6	9	6	165	17	22	35	34	53	41	50	60	88	101

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·18	0·21	15	7	8	4	3	–	2	–	9	6	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·20	0·05	10	8	2	–	3	2	–	–	5	2	2	–	–	1	–	–	–
Diphtheria	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Whooping-cough	0·24	0·13	0·36	19	5	14	7	8	–	2	–	17	2	–	–	–	–	–	–	–
Typhus	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·17	0·13	0·21	13	5	8	–	–	–	–	–	–	–	2	4	3	2	–	1	1
Simple Continued Fever	0·04	0·03	0·05	3	1	2	–	–	–	–	–	–	2	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·33	0·38	0·28	26	15	11	17	2	–	–	–	19	–	2	–	–	–	–	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·63	0·54	46	25	21	–	–	–	–	–	–	–	–	–	–	2	3	6	18
Tabes Mesenterica	0·23	0·20	0·26	18	8	10	8	1	–	–	–	9	2	2	–	2	1	–	2	–
Phthisis	2·38	1·88	2·89	186	74	112	–	2	–	–	–	2	3	13	31	29	45	24	18	14
Other Tub. & Scrof. Dis.	0·43	0·51	0·36	34	20	14	8	5	1	1	1	16	9	4	1	2	1	–	1	–
Diseases of Nervous System	2·28	2·36	2·19	178	93	85	32	11	2	3	3	51	1	–	7	–	4	3	8	18
Diseases of Circulatory „	1·94	1·83	2·06	152	72	80	–	–	–	–	–	–	–	2	2	2	1	4	15	33
Diseases of Respiratory „	2·85	3·07	2·63	223	121	102	39	18	6	7	3	73	7	2	2	4	5	12	14	16
Diseases of Digestive „	0·96	1·12	0·80	75	44	31	9	6	–	1	–	16	3	2	3	1	1	6	10	11
Diseases of Urinary „	0·38	0·48	0·28	30	19	11	–	–	–	–	–	–	–	–	1	–	3	4	5	4
Diseases of Generative „	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Fever	0·12	–	0·23	9	–	9	–	–	–	–	–	–	–	–	–	3	4	2	–	–
Childbirth	0·18	–	0·36	14	–	14	–	–	–	–	–	–	–	–	–	3	5	4	2	–
Violence	0·63	0·86	0·39	49	34	15	4	1	–	1	4	10	3	2	4	2	8	5	4	5
OTHER CAUSES	3·19	3·37	2·98	250	134	116	109	6	–	2	1	118	6	5	3	6	10	5	9	12

Marriages	456	Annual Rate per 1000 living	Persons Married	11·66	Deaths from Childbirth and Puerperal Fever 9·82 per 1000 Births.
Births Males	1,177		Births	29·92	
Births Females	1,164				
Births	2,341				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

561.—BELLINGHAM

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population*		13·75	† 89	–	–	–	–	26·50	2·96	3·86	3·05	6·60	9·08	9·89	12·50	26·27	56·33	145·95
Annual Death-Rate per 1000. Males	—	In Standard Population*		13·70	†110	–	–	–	–	30·67	4·40	3·75	1·92	6·47	6·72	8·97	13·77	29·98	47·74	146·51
Annual Death-Rate per 1000. Females	—	In Standard Population*		13·80	† 68	–	–	–	–	22·62	1·30	3·96	4·04	6·72	11·22	10·77	11·23	22·86	53·06	152·17
Mean Population, 1881-91. Persons	Decennial Decrease of Population, 10·89 per cent.	5,775			129	122	130	135	133	649	641	621	557	485	749	637	553	434	302	148
Mean Population, 1881-91. Males	Decennial Decrease of Population, 10·89 per cent.	2,835			62	56	63	65	67	313	334	293	260	232	397	312	276	224	156	79
Mean Population, 1881-91. Females	Decennial Decrease of Population, 10·89 per cent.	2,940			67	66	67	70	66	336	307	328	297	253	352	325	276	210	147	69
Deaths from All Causes, 1881-90. Persons	16·38	946			121	25	12	8	6	172	19	24	17	32	68	63	69	114	152	216
Deaths from All Causes, 1881-90. Males	17·04	483			76	8	7	3	2	96	15	11	5	15	24	28	36	66	74	111
Deaths from All Causes, 1881-90. Females	15·75	463			45	17	5	5	4	76	4	13	12	17	44	35	31	48	78	105
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·04	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·03	0·04	0·03	2	1	1	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·21	0·25	0·17	12	7	5	2	1	2	5	1	2	–	–	1	–	–	–	–	–
Diphtheria	0·17	0·21	0·14	10	6	4	–	2	1	3	3	2	–	–	–	–	1	–	–	–
Whooping-cough	0·17	0·14	0·20	10	4	6	3	4	2	9	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·17	0·11	0·24	10	3	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·13	0·21	0·03	7	6	1	2	–	1	1	4	1	3	1	3	2	–	1	1	–
Diarrhœa and Dysentery	0·14	0·21	0·07	8	6	2	3	–	–	–	3	–	–	–	–	1	–	–	3	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·87	0·78	0·96	50	22	28	–	–	–	–	–	–	–	–	–	1	9	21	9	10
Tabes Mesenterica	0·02	0·04	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	1·71	1·66	1·77	99	47	52	–	–	–	–	–	2	3	6	18	28	15	16	9	2
Other Tub. & Scrof. Dis.	0·38	0·39	0·37	22	11	11	3	2	1	2	1	9	2	4	2	3	1	1	–	–	–
Diseases of Nervous System	2·01	1·80	2·21	116	51	65	8	2	1	–	–	11	3	2	2	2	5	4	3	15	27	42
Diseases of Circulatory System	2·04	2·29	1·80	118	65	53	1	–	–	–	–	1	1	–	–	–	5	6	10	22	38	35
Diseases of Respiratory System	2·06	2·22	1·90	119	63	56	13	4	4	4	–	25	–	–	1	1	6	10	10	15	20	30
Diseases of Digestive System	1·52	1·38	1·67	88	39	49	12	5	–	1	2	20	1	3	1	2	2	7	7	11	23	11
Diseases of Urinary System	0·61	0·89	0·34	35	25	10	–	–	–	–	–	–	1	1	–	–	2	4	3	3	13	8
Diseases of Generative System	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
Puerperal Fever	0·03	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Childbirth	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Violence	0·38	0·49	0·27	22	14	8	1	1	–	–	–	2	1	–	–	–	2	2	–	1	2	6
Other Causes	3·59	3·90	3·29	207	111	96	73	3	1	–	–	76	–	4	4	5	7	9	7	8	14	23

Marriages	–	231	Annual Rate per 1000 living	Persons Married	5·00	Deaths from Childbirth and Puerperal Fever – – –	3·70 per 1000 Births.
Births	Males – 683	1,352		Births – –	29·31		
	Females – 669						

* *See pages* xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

562.—MORPETH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 1881 19·38	†130	–	–	–	–	50·20	5·17	3·94	6·63	7·94	8·76	11·94	15·85	30·53	39·59	180·00
Males	—	Standard 1891 19·33	†142	–	–	–	–	54·01	5·08	3·86	5·76	7·29	7·50	10·38	16·63	30·56	71·72	199·49
Females	—	Population.* 19·43	†117	–	–	–	–	46·34	5·27	4·03	7·65	8·68	10·14	13·63	15·02	30·51	67·58	164·37
Mean Population, 1881-91. Persons	Decennial Increase of Population 17·92 per cent.	39,314	1197	1048	1050	1054	1097	5446	5102	4589	4015	3451	5505	4281	3141	2132	1207	445
Males		20,210	599	512	529	546	556	2742	2560	2306	2172	1838	2881	2226	1630	1070	587	198
Females		19,104	598	536	521	508	541	2704	2542	2283	1843	1613	2624	2055	1511	1062	620	247
Deaths from All Causes, 1881–90. Persons	19·08	7,502	1854	483	194	101	102	2734	264	181	266	274	482	511	498	651	840	801
Males	18·90	3,820	1042	247	91	48	53	1481	130	89	125	134	216	231	271	327	421	395
Females	19·27	3,682	812	236	103	53	49	1253	134	92	141	140	266	280	227	324	419	406

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·07	0·06	0·07	26	13	13	2	1	–	–	–	3	2	2	2	3	4	2	5	1	2	–
Measles	0·40	0·42	0·38	157	84	73	32	44	35	11	18	140	15	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·27	0·24	0·30	105	48	57	6	20	15	12	16	69	27	4	2	1	2	–	–	–	–	–
Diphtheria	0·09	0·08	0·10	35	16	19	–	6	3	2	4	15	12	4	1	1	1	1	–	–	–	–
Whooping-cough	0·28	0·26	0·37	110	40	70	47	36	12	8	5	108	2	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	7	5	2	–	–	–	–	–	–	–	–	4	–	–	1	–	2	–	–
Enteric Fever	0·32	0·26	0·38	126	53	73	1	1	2	3	2	9	18	13	23	23	19	9	5	3	3	1
Simple Continued Fever	0·09	0·11	0·07	36	22	14	2	1	1	4	2	10	10	3	1	1	–	1	2	2	3	3
Diarrhœa and Dysentery	0·58	0·65	0·51	228	131	97	123	49	6	1	–	179	2	–	–	–	1	2	2	3	20	19
Cholera	0·01	0·01	0·02	5	2	3	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1
Cancer	0·46	0·35	0·58	180	70	110	–	–	–	–	–	–	1	–	1	1	7	18	34	55	47	16
Tabes Mesenterica	0·56	0·60	0·52	220	121	99	109	54	17	5	–	185	11	10	4	4	4	2	–	–	–	–
Phthisis	2·41	2·08	2·75	946	420	526	7	7	3	3	5	25	33	60	136	133	211	168	90	66	21	3
Other Tub. & Scrof. Dis.	0·44	0·49	0·39	174	99	75	66	24	15	7	6	118	26	7	6	6	3	5	1	2	–	–
Diseases of Nervous System	2·87	2·97	2·75	1127	601	526	337	51	27	8	13	436	27	18	12	19	33	62	95	132	171	122
Diseases of Circulatory „	1·61	1·59	1·64	635	321	314	6	–	–	–	–	6	9	12	19	10	29	61	78	134	164	113
Diseases of Respiratory „	2·40	2·45	2·34	942	495	447	254	109	32	25	16	436	26	7	5	8	29	39	64	98	139	91
Diseases of Digestive „	1·29	1·35	1·24	509	272	237	142	46	10	3	4	205	11	5	7	10	18	45	43	66	73	26
Diseases of Urinary „	0·31	0·35	0·26	121	71	50	3	6	3	1	2	15	3	2	1	5	7	11	6	18	29	24
Diseases of Generative „	0·06	0·00	0·12	23	1	22	1	–	–	–	–	1	–	–	–	2	3	4	3	4	4	2
Puerperal Fever	0·10	–	0·21	40	–	40	–	–	–	–	–	–	–	–	4	10	12	14	–	–	–	–
Childbirth	0·09	–	0·19	37	–	37	–	–	–	–	–	–	–	–	2	7	24	3	1	–	–	–
Violence	0·65	0·99	0·30	257	200	57	15	9	7	5	4	40	15	15	18	16	38	28	31	26	19	11
OTHER CAUSES	3·70	3·63	3·77	1456	735	721	700	19	6	3	5	733	14	18	18	14	37	34	37	38	144	369

Marriages - - - 2,700

Births - Males - 7,315; Females - 6,934; 14,249

Annual Rate per 1000 living: Persons Married 13·74; Births - - 36·24

Deaths from Childbirth and Puerperal Fever - - - - - 5·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

563.—ALNWICK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·91	†115	–	–	–	–	41·11	4·40	3·06	5·43	7·42	9·88	9·53	14·18	28·04	61·31	159·95
Males	—	17·95	†125	–	–	–	–	44·74	3·82	2·11	5·26	7·06	10·23	10·29	17·21	31·45	71·16	181·17
Females	—	15·93	†105	–	–	–	–	37·44	5·00	4·02	5·61	7·72	9·56	8·81	11·47	24·90	55·07	146·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·75 per cent.	21,607	548	479	562	528	527	2644	2477	2284	2191	1915	3127	2383	1819	1437	928	902
Males		10,510	277	253	267	277	256	1330	1256	1140	1103	892	1505	1157	860	690	423	454
Females		11,097	271	226	295	251	271	1314	1221	1144	1088	1023	1622	1226	959	747	505	448
Deaths from All Causes, 1881 90. Persons	18·23	3,936	746	179	82	48	32	1087	109	70	119	142	309	227	258	493	569	643
Males	19·09	2,006	416	92	49	21	17	595	48	24	58	63	154	119	148	247	304	270
Females	17·39	1,930	330	87	33	27	15	492	61	46	61	79	155	108	110	186	268	364

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·04	0·07	0·02	9	7	2	–	1	–	–	1	2	–	–	1	–	2	–	1	1	–	1
Measles	0·27	0·25	0·30	59	26	33	14	18	12	3	2	49	9	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·24	0·27	0·22	52	28	24	3	5	9	8	3	28	14	6	2	1	1	–	–	–	–	–
Diphtheria	0·04	0·03	0·05	8	3	5	–	2	1	1	–	4	2	–	1	–	–	1	–	–	–	–
Whooping-cough	0·29	0·27	0·31	62	28	34	27	21	4	6	1	58	3	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·17	0·14	33	18	15	–	–	–	1	–	1	6	4	3	6	2	4	2	–	–	–
Simple Continued Fever	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·44	0·43	0·46	95	44	51	47	9	1	–	1	58	1	–	–	2	2	3	–	3	7	20
Cholera	0·01	0·03	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Cancer	0·64	0·33	0·76	139	55	84	–	–	–	–	–	–	1	–	–	1	1	10	23	42	37	24
Tabes Mesenterica	0·20	0·23	0·18	44	24	20	18	8	2	2	–	30	1	4	3	2	2	–	1	1	–	–
Phthisis	2·41	2·45	2·37	520	255	265	5	3	3	3	3	17	16	22	61	77	157	74	46	37	12	1
Other Tub. & Scrof. Dis.	0·21	0·19	0·23	45	20	25	11	8	4	1	1	25	9	4	4	1	–	–	–	1	1	–
Diseases of Nervous System	2·95	3·03	2·87	637	318	319	151	29	14	4	7	205	18	4	6	5	10	19	37	77	131	116
Circulatory „	1·97	2·03	1·94	426	213	213	2	2	–	–	–	4	2	4	3	8	11	26	42	85	137	105
Respiratory „	2·45	2·74	2·18	530	288	242	117	47	19	15	6	204	11	6	4	8	20	13	30	49	85	100
Digestive „	1·16	1·23	1·10	250	128	122	30	15	4	1	1	71	4	7	5	5	17	12	14	47	43	25
Urinary „	0·36	0·32	0·21	75	33	23	1	1	–	–	–	2	2	1	2	4	8	8	11	9	18	13
Generative „	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	1	–	1	1	2	1	5	–
Puerperal Fever	0·09	–	0·17	19	–	19	–	–	–	–	–	–	–	–	–	5	9	5	–	–	–	–
Childbirth	0·07	–	0·14	16	–	16	–	–	–	–	–	–	–	–	2	2	9	2	–	–	–	–
Violence	0·63	1·08	0·21	136	113	23	5	1	1	1	2	10	4	4	6	7	19	23	26	20	13	5
Other Causes	3·53	3·54	3·44	760	375	385	294	9	8	8	4	318	4	3	9	7	27	37	23	31	70	203

Marriages	1,301	Annual Rate per 1000 living	Persons Married	12·05	Deaths from Childbirth and Puerperal Fever 5·40 per 1000 Births.
Births Males	3,333		Births	30·02	
Females	3,134				
	6,467				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·88	†77	–	–	–	–	25·28	2·90	3·37	4·63	5·07	5·67	9·16	13·32	22·31	50·61	144·83
Males	—	13·60	†82	–	–	–	–	28·16	2·67	2·31	3·60	5·68	7·74	10·98	13·21	21·08	56·25	173·68
Females	–	12·21	†71	–	–	–	–	22·44	3·14	4·47	5·57	4·58	4·02	7·62	13·41	23·41	45·93	130·77
Mean Population, 1881–91. Persons	Decennial Decrease of Population 10·35 per cent.	5,440	132	121	124	114	130	621	587	594	583	513	759	557	473	390	247	116
Males		2,557	70	61	53	58	67	309	300	303	278	229	336	255	212	185	112	38
Females		2,883	62	60	71	56	63	312	287	291	305	284	423	302	261	205	135	78
Deaths from All Causes, 1881–90. Persons	14·41	784	111	23	7	9	7	157	17	20	27	26	43	51	63	87	125	168
Males	14·67	375	60	15	3	5	4	87	8	7	10	13	26	28	28	39	63	66
Females	14·19	409	51	8	4	4	3	70	9	13	17	13	17	23	35	48	62	102

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·08	0·03	3	2	1	–	1	–	–	–	1	1	1	–	–	–	–	–	–
Scarlet Fever	0·17	0·12	0·21	9	3	6	–	1	1	2	–	4	2	1	–	–	1	–	1	–
Diphtheria	0·11	0·16	0·07	6	4	2	–	–	–	1	1	2	–	1	–	1	1	1	–	–
Whooping-cough	0·07	0·08	0·07	4	2	2	4	–	–	–	–	4	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·04	0·07	3	1	2	–	–	–	1	–	1	–	1	–	–	–	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·27	0·17	12	7	5	7	–	–	–	–	7	–	–	–	–	–	–	1	1	3
Cholera	0·06	0·12	–	3	3	–	–	–	–	2	–	2	–	–	–	–	–	1	–	–	–
Cancer	0·55	0·43	0·66	30	11	19	–	–	–	–	–	–	–	–	–	–	1	2	6	8	7	6
Tabes Mesenterica	0·15	0·12	0·17	8	3	5	1	–	2	–	–	3	1	–	–	–	3	1	–	–	–	–
Phthisis	1·51	1·33	1·66	82	34	48	–	–	–	–	–	–	2	7	13	10	18	14	10	6	2	–
Other Tub. & Scrof. Dis.	0·37	0·35	0·38	20	9	11	4	2	2	–	3	11	4	4	1	–	–	–	–	–	–	–
Diseases of Nervous System	2·08	2·15	2·01	113	55	58	8	3	1	1	–	13	1	2	1	3	2	1	8	15	34	33
Diseases of Circulatory „	2·43	2·31	2·53	132	59	73	1	–	–	–	–	1	1	1	3	4	2	7	15	23	42	33
Diseases of Respiratory „	2·04	2·31	1·80	111	59	52	20	9	1	2	3	35	–	1	5	4	2	1	8	13	20	22
Diseases of Digestive „	1·10	1·02	1·18	60	26	34	12	2	–	–	–	14	2	1	2	1	2	2	8	11	8	9
Diseases of Urinary „	0·37	0·35	0·38	20	9	11	–	–	–	–	–	–	–	–	–	–	–	4	2	4	3	7
Diseases of Generative „	0·06	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1
Puerperal Fever	0·11	–	0·21	6	–	6	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·62	1·13	0·17	34	29	5	2	2	–	–	–	4	2	–	1	2	9	6	3	3	–	4
Other Causes	2·27	2·30	2·32	125	59	66	52	3	–	–	–	55	1	–	1	–	1	5	2	2	8	50

Marriages	330		Annual Rate per 1000 living	Persons Married	12·13
Births — Males	731			Births	26·62
Births — Females	717	1,448			

Deaths from Childbirth and Puerperal Fever — 4·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

565.—BERWICK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death-Rate per 1000	Persons —	In 1881 17·02	†102	-	-	-	-	30·34	5·71	3·21	4·49	6·46	8·52	11·29	13·51	28·37	65·60	109·64
	Males —	Standard 1891 17·81	†109	-	-	-	-	42·45	5·97	2·89	4·82	7·46	9·45	11·99	14·98	30·92	75·96	140·18
	Females —	Population* 19·27	† 95	-	-	-	-	38·26	5·44	3·54	4·67	5·50	7·71	10·69	12·27	26·34	57·75	105·24
Mean Population 1881-91.	Persons -	Decennial Decrease of Population 9,777 6·19 per cent.	505	447	532	472	503	2479	2483	2241	2092	1735	2757	2241	1799	1371	907	392
	Males -		247	224	267	246	261	1235	1189	1140	1065	854	1291	1054	821	608	391	189
	Females -		258	243	265	226	242	1244	1294	1101	1027	891	1466	1207	978	763	516	233
Deaths from All Causes 1881-90.	Persons -	18·55	609	189	82	60	50	1000	136	72	94	112	235	253	245	389	595	654
	Males -	19·02	326	104	36	32	26	524	71	33	46	63	122	124	135	188	297	269
	Females -	18·11	283	85	46	28	24	476	65	39	48	49	113	129	120	201	298	385

	Persons.	Males.	Females.	Persons	Males.	Females.
Small-pox	0·01	0·01	0·01	2	1	1
Measles	0·26	0·28	0·25	60	32	28
Scarlet Fever	0·25	0·24	0·26	51	23	28
Diphtheria	0·21	0·20	0·22	43	20	23
Whooping-cough	0·32	0·27	0·37	65	26	39
Typhus	0·00	-	0·01	1	-	1
Enteric Fever	0·31	0·32	0·30	63	31	32
Simple Continued Fever	0·05	0·07	0·06	13	7	6
Diarrhœa and Dysentery	0·48	0·50	0·45	97	49	48
Cholera	0·00	0·01	-	1	1	-
Cancer	0·81	0·64	0·97	166	63	103
Tabes Mesenterica	0·13	0·16	0·11	28	16	12
Phthisis	1·67	1·76	1·57	340	174	166
Other Tub. & Scrof. Dis.	0·44	0·56	0·35	89	52	37
Diseases of Nervous System	2·61	2·50	2·67	535	250	285
Circulatory ,,	2·44	2·48	2·40	497	243	254
Respiratory ,,	2·45	2·59	2·32	499	253	246
Digestive ,,	1·47	1·47	1·47	300	144	156
Urinary ,,	0·35	0·41	0·30	72	40	32
Generative ,,	0·11	0·02	0·19	22	2	20
Puerperal Fever	0·11		0·21	22		22
Casualties	0·05		0·09	10	-	10
Violence	0·74	1·29	0·23	151	126	25
Other Causes	3·20	3·26	3·14	652	318	334

	Persons.	Males.	Females.	Persons	Males.	Females.
Small-pox	-	-	-	-	-	-
Measles	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-
Typhus	-	-	-	-	-	-
Enteric Fever	-	-	-	-	-	-
Simple Continued Fever	-	-	-	-	-	-
Diarrhœa and Dysentery	1	1	1	1	2	-
Cholera	-	-	-	-	-	-
Cancer	-	-	-	-	-	-
Tabes Mesenterica	4	7	2	3	1	1
Phthisis	1			1	1	2
Other Tub. & Scrof. Dis.	17	14	9	5	3	2
Diseases of Nervous System	59	15	6	8	4	-
Circulatory ,,	1				-	1
Respiratory ,,	135	55	19	8	3	3
Digestive ,,	55	24	2	1	3	3
Urinary ,,		1	1	1	2	5
Generative ,,	-				-	-
Puerperal Fever	-		-	-	-	-
Casualties	-				-	-
Violence	-	-	-	-	-	-
Other Causes	11	2	3	2	6	24
	251	10	4	3	3	271

Persons.

-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	3	1	-	-	-	-	6	12	12	7	10	11	1	1	3	-	-
-	-	-	-	-	-	-	-	-	2	3	1		1	3	1	2		1
1	1	1	1	2	-	-	-	6	4	1	-	-	2	1	1	4	11	13
-	-	-	-	-	-	-	-	-	-	-	-		-	-	-			1
-	-	-	-	-	-	-	-	-	-	-	1	-	3	11	31	48	51	21
4	7	2	3	1	1	2	-	-	-	-	-		-	-	-			
1			1	1	2	-	-	17	8	1	2							
17	14	9	5	3	3	8	2	3	8	10	45	49	89	62	36	22	15	1
59	15	6	8	4	47	22	10	3	2	3	1	1						
-				-	92	6	7	6	7	10	26	41	78	135	125			
1					1	3	5	-	7	20	38	38	109	104	121			
135	55	19	8	3	200	9	4	7	5	15	25	32	39	88	75			
55	24	2	1	3	85	4	6	6	6	11	23	21	42	47	49			
	1	1	1	2	5	2	-	3	1	7	6	5	14	12	13			
-				-	-	-	-	-	1	4	3	4	1	5	4			
-		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
-				-	-	-	-	-	2	16	4	-	-	-	-			
11	2	3	2	6	24	8	1	5	14	27	26	13	18	7	8			
251	10	4	3	3	271	19	7	7	5	10	18	18	17	60	220			

Marriages - - - 1,286

Births - { Males - 2,990 } 5,965
{ Females - 2,975 }

Annual Rate per 1000 living { Persons Married 12·61
Births - - 29·25

Deaths from Childbirth and Puerperal Fever - - - - 5·27 per 1000 Births.

* See Errata at end.

† The death-rates under one year of age are per 1000 Births.

566.—GLENDALE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·33 13·03 13·62	†88	–	–	–	–	27·30	3·52	2·55	5·08	4·67	7·30	7·62	10·72	23·76	59·06	150·76
Males	—		†97	–	–	–	–	29·35	3·52	1·72	3·93	3·64	8·37	8·11	8·78	23·60	63·13	141·86
Females	—		†78	–	–	–	–	25·25	3·52	3·35	6·16	5·49	6·47	7·19	12·38	23·91	55·56	157·66
Mean Population, 1881-91. Persons	Decennial Decrease of Population 7·11 per cent.	10,544	233	220	233	251	239	1176	1193	1177	1103	986	1452	1142	942	707	469	197
Males		4,975	124	107	111	123	121	586	596	580	535	440	633	530	433	339	217	86
Females		5,569	109	113	122	128	118	590	597	597	568	546	819	612	509	368	252	111
Deaths from All Causes, 1881–90. Persons	14·52	1,531	233	46	14	11	17	321	42	30	56	46	106	87	101	168	277	297
Males	14·33	713	132	19	7	7	7	172	21	10	21	16	53	43	38	80	137	122
Females	14·69	818	101	27	7	4	10	149	21	20	35	30	53	44	63	88	140	175

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	–	0·02	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·07	0·10	0·04	7	5	2	2	2	–	–	–	4	1	2	–	–	–	–	–	–
Scarlet Fever	0·19	0·18	0·20	20	9	11	1	1	–	2	4	8	8	2	2	–	–	–	–	–
Diphtheria	0·09	0·12	0·05	9	6	3	–	–	–	–	2	2	3	3	1	–	–	–	–	–
Whooping-cough	0·25	0·26	0·23	26	13	13	17	2	1	1	1	22	4	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·10	0·22	17	5	12	–	–	–	–	–	–	1	2	4	4	–	5	–	1
Simple Continued Fever	0·06	0·06	0·05	6	3	3	–	–	–	–	–	–	1	–	2	–	–	–	1	1
Diarrhœa and Dysentery	0·28	0·38	0·18	29	19	10	11	3	–	1	–	15	–	–	–	–	1	1	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·80	0·60	0·97	84	30	54	–	–	–	–	–	–	–	1	1	–	2	3	12	22
Tabes Mesenterica	0·03	–	0·05	3	–	3	–	–	–	1	–	1	1	–	1	–	–	–	–	–
Phthisis	1·23	1·19	1·28	130	59	71	–	1	–	–	–	1	–	4	17	17	41	30	12	4
Other Tub. & Scrof. Dis.	0·28	0·18	0·38	30	9	21	5	6	–	1	1	13	5	1	4	2	4	–	–	–
Diseases of Nervous System	1·55	1·47	1·62	163	73	90	20	5	3	–	1	29	1	4	4	3	4	2	8	24
Diseases of Circulatory „	2·30	2·31	2·30	243	115	128	–	–	–	–	–	–	–	3	1	3	7	8	16	55
Diseases of Respiratory „	2·07	2·23	1·92	218	111	107	35	17	5	3	4	64	9	2	6	–	11	8	13	22
Diseases of Digestive „	1·10	1·07	1·13	116	53	63	21	2	1	–	3	27	1	1	4	6	6	9	12	12
Diseases of Urinary „	0·46	0·70	0·23	48	35	13	2	–	–	–	–	2	2	–	–	4	2	6	2	7
Diseases of Generative „	0·09	–	0·18	10	–	10	–	–	–	–	–	–	–	–	–	–	2	–	4	–
Puerperal Fever	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Childbirth	0·07	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	1	5	–	1	–
Violence	0·41	0·56	0·27	43	28	15	–	2	–	1	–	3	1	1	2	1	6	4	6	7
OTHER CAUSES	2·99	2·82	3·19	318	140	178	118	5	4	1	1	129	4	4	7	5	13	10	12	13

Marriages - - - 569

Births - Males - 1,355 / Females - 1,291 — 2,646

Annual Rate per 1000 living: Persons Married 10·79; Births - - 25·09

Deaths from Childbirth and Puerperal Fever - - - - - 3·78 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

567.—ROTHBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000 { Persons	—	In 15·08	† 91					31·28	2·65	4·05	4·93	7·14	9·29	10·46	11·94	27·98	56·65	158·39
{ Males	—	Standard 15·35	†103					39·71	4·25	2·88	6·47	5·94	6·55	11·17	12·32	28·38	52·86	174·19
{ Females	—	Population* 14·82	† 79	–				26·16	0·92	5·07	3·87	8·23	11·96	9·76	10·29	27·59	60·27	146·75
Mean Population { Persons	Decennial Decrease of Population 9·55 per cent.	6,396	126	127	157	143	150	703	680	667	670	602	904	687	587	461	285	139
estimated { Males		3,104	64	58	75	70	79	346	353	342	308	286	443	340	276	229	140	62
1885–90. { Females		3,292	72	69	82	73	71	367	327	325	362	316	461	338	311	233	146	77
Death-rates from { Persons	16·85	1,078	148	32	20	15	8	223	18	27	34	43	84	73	66	129	162	291
All Causes. { Males	17·87	556	86	20	9	6	6	127	15	9	19	17	29	39	34	65	74	108
1881–90. { Females	16·46	542	62	12	11	9	2	96	3	18	14	26	55	33	32	64	88	113

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	–	0·03	1	–	1	–					1	–	–	–	–	–	–	–
Measles	0·16	0·32	0·00	10	7	3	3	3	2	1	1	10	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·32	0·27	19	10	9	1	3	2	2	2	10	4	2	1	–	2	–	–	–	–
Diphtheria	0·13	0·16	0·09	8	5	3	–	1	–	2	–	3	1	1	1	–	–	–	1	1	–
Whooping-cough	0·20	0·19	0·21	13	6	7	8	4	1	–	–	13	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·13	0·18	10	4	6	1	–	–	–	–	1	2	–	1	2	–	3	1	–	–
Simple continued Fever	0·09	0·03	0·15	6	1	5	–	2	–	–	1	3	–	2	–	–	1	–	–	–	–
Influenza and Dysentery	0·31	0·29	0·33	20	9	11	10	1	1	1	–	13	–			–	–	1	1	2	3
Cholera	0·03	–	0·03	1	–	1	1				–	1					–			–	–
Cancer	0·48	0·77	0·24	35	24	31										–	1	5	6	9	15
Tabes Mesenterica	0·05	0·03	0·06	3	1	2								1	1	1	–				
Phthisis	2·30	3·73	2·37	141	63	78	1					1	1	11	16	25	42	25	10	9	2	1
Other Tub. & Scrof. Dis.	0·38	0·42	0·33	24	13	11	2	2	3	4	1	12	2		1	4	3	2	–	–	
Nervous System	2·30	3·29	2·31	147	71	76	19	3	4			26	2	2	2	1	9	3	8	31	25	38
Circulatory	2·17	3·48	2·31	139	63	76							1	1	1	2	3	3	10	32	64	43
Respiratory	2·02	3·16	1·88	129	67	62	29	7	4	4	3	47	3	1	3	1	–	7	4	10	26	27
Digestive	1·09	1·51	1·28	80	47	42	12	3	2	1		18	1	1	2	2	3	8	8	20	16	10
Urinary	0·34	0·45	0·24	22	14	8	–	–	–	–	–	–	–	–	–	–	5	1	3	2	6	5
Generative	0·03	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Puerperal Fever	0·09	–	0·18	6	–	6	–							–	–	–	4	2	–	–	–	–
Childbirth	0·05	–	0·09	3	–	3										1	2	–	–	–	–	–
Violence	0·45	0·64	0·27	29	20	9	1	2				3		1	2	2	1	4	6	4	3	6
Other Causes	3·14	3·39	2·79	202	111	91	60	1	1			62	1	4	2	1	9	9	8	11	22	73

Marriages	205	Annual Rate per 1000 living { Persons Married	9·54	Deaths from Childbirth and Puerperal Fever	5·85 per 1000 Births.
Births { Males 837		Births	25·38		
{ Females 788	1,625				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

568.—ALSTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·80 18·90 16·76	† 92	–	–	–	–	32·41	3·30	4·01	4·37	8·28	9·87	11·55	21·45	34·11	79·52	172·88
Males	—		†110	–	–	–	–	38·12	1·67	2·59	4·46	6·79	9·30	10·76	26·53	43·38	87·14	205·56
Females	—		† 71	–	–	–	–	26·42	5·12	5·53	4·29	9·66	10·41	12·29	16·59	26·51	73·96	158·54
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 26·77 per cent.	4,003	95	73	83	88	96	435	455	449	412	338	527	459	401	302	166	59
Males		1,960	55	33	39	46	50	223	240	232	202	162	258	223	196	136	70	18
Females		2,043	40	40	44	42	46	212	215	217	210	176	269	236	205	166	96	41
Deaths from All Causes, 1881–90. Persons	18·69	748	88	22	14	9	8	141	15	18	18	28	52	53	86	103	132	102
Males	18·98	372	57	13	8	4	3	85	4	6	9	11	24	24	52	59	61	37
Females	18·40	376	31	9	6	5	5	56	11	12	9	17	28	29	34	44	71	65

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·07	0·05	0·10	3	1	2	–	1	–	2	3	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·36	0·24	12	7	5	1	1	2	2	8	4	–	–	–	–	–	–
Diphtheria	0·02	–	0·05	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Whooping-cough	0·27	0·31	0·24	11	6	5	5	4	2	–	11	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	–	0·05	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Simple Continued Fever	0·05	0·05	0·05	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–
Diarrhœa and Dysentery	0·10	0·20	–	4	4	–	1	1	–	–	2	–	–	–	–	1	1	–
Cholera	0·02	0·05	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·65	0·46	0·83	26	9	17	–	–	–	–	–	–	–	–	–	1	1	9	6	8	1
Tabes Mesenterica	0·22	0·26	0·20	9	5	4	–	–	–	–	–	3	–	–	2	1	2	1	–	–	–
Phthisis	1·75	1·79	1·71	70	35	35	–	–	–	–	–	–	2	4	10	16	16	16	5	1	–
Other Tub. & Scrof. Dis.	0·77	0·71	0·83	31	14	17	3	3	2	1	2	11	4	5	2	3	–	4	2	–	–
Diseases of Nervous System	2·50	2·04	2·94	100	40	60	9	3	–	1	–	13	2	1	3	3	5	6	14	21	23	9
Diseases of Circulatory „	2·22	1·94	2·50	89	38	51	2	–	–	–	–	2	–	2	1	–	3	4	10	19	33	15
Diseases of Respiratory „	2·80	3·98	1·66	112	78	34	10	3	4	3	–	20	2	1	3	1	2	8	13	23	23	15
Diseases of Digestive „	1·25	1·07	1·42	50	21	29	4	2	2	–	–	8	–	2	1	–	7	3	5	8	9	7
Diseases of Urinary „	0·32	0·31	0·34	13	6	7	–	1	–	–	1	2	–	1	–	1	2	–	1	4	1	1
Diseases of Generative „	0·05	0·05	0·05	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Puerperal Fever	0·05	–	0·10	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Childbirth	0·05	–	0·10	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Violence	0·55	0·87	0·24	22	17	5	1	1	–	–	1	3	–	1	2	3	5	1	2	3	2	–
OTHER CAUSES	4·66	4·48	4·75	185	88	97	51	2	2	2	–	57	–	3	2	4	6	7	12	11	30	53

Marriages - - 226

Births - { Males - 518 / Females - 437 } 955

Annual Rate per 1000 living { Persons Married 11·29 / Births - - 23·86

Deaths from Childbirth and Puerperal Fever - - - - - 4·19 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

569.—PENRITH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45	55	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·63	†100	–	–	–	–	34·42	3·15	2·09	3·18	4·91	6·45	8·45	13·33	27·84	58·69	159·35
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·44	†112	–	–	–	–	38·62	3·46	1·96	3·06	4·95	6·49	9·61	15·27	35·46	58·46	174·93
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·86	† 87	–	–	–	–	29·30	2·82	2·34	3·34	4·87	6·41	7·54	11·88	20·45	57·21	148·57
Mean Population 1881-91. Persons	Decennial Decrease of Population 2·46 per cent.	22,959	570	512	567	542	544	2765	2698	2502	2384	1977	3101	2426	1986	1595	1065	960
Mean Population 1881-91. Males	Decennial Decrease of Population 2·46 per cent.	11,347	312	245	276	294	261	1388	1387	1265	1241	929	1448	1186	989	786	534	215
Mean Population 1881-91. Females	Decennial Decrease of Population 2·46 per cent.	11,562	258	267	291	248	283	1317	1311	1237	1143	1048	1653	1240	1027	809	532	245
Deaths from All Causes 1881-90. Persons	16·39	3,755	640	153	57	48	33	931	85	50	83	97	200	205	270	476	625	733
Deaths from All Causes 1881-90. Males	17·51	1,987	374	94	29	22	17	536	48	21	38	46	94	114	148	263	310	369
Deaths from All Causes 1881-90. Females	15·29	1,768	266	59	28	26	16	395	37	29	45	51	106	91	122	213	315	364

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	0·09	–	0·01	1	–	1
Measles	0·20	0·28	0·12	46	32	14
Scarlet Fever	0·09	0·11	0·08	21	12	9
Diphtheria	0·15	0·14	0·16	34	16	18
Whooping-cough	0·26	0·18	0·34	59	20	39
Typhus	0·00	0·01	–	1	1	–
Enteric Fever	0·09	0·09	0·09	20	10	10
Simple Continued Fever	0·01	0·01	0·02	3	1	2
Diarrhœa and Dysentery	0·21	0·22	0·20	48	25	23
Cholera	0·00	0·01	–	1	1	–
Cancer	0·67	0·56	0·78	154	64	90
Tabes Mesenterica	0·08	0·07	0·09	18	8	10
Phthisis	1·45	1·55	1·34	331	176	155
Other Tub. & Scrof. Dis.	0·38	0·45	0·32	88	51	37
Diseases of Nervous System	2·44	2·56	2·34	559	290	269
Diseases of Circulatory System	2·08	2·02	2·14	476	229	247
Diseases of Respiratory System	2·33	2·46	2·20	535	308	231
Diseases of Digestive System	1·14	1·25	1·02	260	142	118
Diseases of Urinary System	0·38	0·50	0·26	87	57	30
Diseases of Generative System	0·07	0·02	0·13	17	2	15
Puerperal Fever	0·04	–	0·08	9	–	9
Childbirth	0·07	–	0·13	15	–	15
Violence	0·53	0·83	0·24	122	94	28
Other Causes	3·72	3·49	3·41	852	454	398

	Persons.	Under 1 Year.	1–	2–	3–	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45	55	65–	75 and upwds.
Diseases of Nervous System	559	112	18	6	5	6	147	14	5	4	7	17	23	32	81	109	117
Diseases of Circulatory System	476	2	–	2	–	2	6	3	5	3	5	12	24	48	144	136	116
Diseases of Respiratory System	535	110	43	16	7	5	181	12	4	3	5	17	20	32	73	92	92
Diseases of Digestive System	260	26	10	–	2	2	40	4	3	7	4	12	22	28	58	59	28
Diseases of Urinary System	87	1	–	–	3	–	4	3	–	–	–	12	25	6	23	19	13
Diseases of Generative System	17	1	–	–	–	–	1	–	–	–	1	–	–	5	7	1	2
Puerperal Fever	9	–	–	–	–	–	–	–	–	–	1	2	1	4	1	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	1	3	8	3	–	–	–
Violence	122	6	5	3	4	2	20	5	5	9	3	8	10	19	18	12	13
Other Causes	852	281	10		1		292	8	8	11	10	19	16	22	44	105	322

Marriages - - 1,393

Births - Males 3,331 / Females 3,067 — 6,398

Annual Rate per 1000 living: Persons Married 12·16; Births - - 27·93

Deaths from Childbirth and Puerperal Fever - - - - 3·75 per 1000 Births.

* See pages xxxvi xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·16	† 94	–	–	–	–	34·09	3·83	3·13	5·71	7·14	7·09	10·12	14·14	22·71	55·95	168·10
Males	—					15·42	†103	–	–	–	–	37·52	3·54	2·68	5·41	6·29	6·32	9·82	16·47	23·39	58·26	180·18
Females	—					14·92	† 83	–	–	–	–	30·31	4·13	3·61	6·02	7·96	7·81	10·43	11·96	22·07	53·59	157·02
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·68 per cent.			10,160			240	208	237	223	230	1138	1150	1086	1051	910	1397	1126	891	700	479	232
Males				5,107			128	114	118	122	115	597	593	560	536	445	680	570	431	342	242	111
Females				5,053			112	94	119	101	115	541	557	526	515	465	717	556	460	358	237	121
Deaths from All Causes, 1881–90. Persons	17·19			1,747			253	66	24	20	20	388	44	34	60	65	99	114	126	159	268	390
Males	17·78			908			153	37	14	12	8	224	21	15	29	28	43	56	71	80	141	200
Females	16·60			839			105	29	10	8	12	164	23	19	31	37	56	58	55	79	127	190
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·17	0·22	0·12	17	11	6	6	3	4	–	2	15	1	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·26	0·31	0·20	26	16	10	–	6	4	2	5	17	7	2	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·02	0·16	9	1	8	1	–	–	1	2	4	3	1	1	–	–	–	–	–	–	–
Whooping-cough	0·24	0·29	0·18	24	15	9	12	7	1	–	2	22	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·06	4	1	3	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
Simple Continued Fever	0·03	0·02	0·04	3	1	2	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·34	0·43	0·26	35	22	13	19	3	–	2	–	24	1	–	–	–	1	–	2	–	5	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·80	0·84	0·75	81	43	38	–	1	–	–	–	1	–	–	–	–	2	5	15	24	22	12
Tabes Mesenterica	0·15	0·22	0·08	15	11	4	5	3	2	1	–	11	–	1	1	–	2	–	–	–	–	–
Phthisis	2·06	1·96	2·16	209	100	109	1	2	–	–	–	3	1	8	28	45	50	34	21	15	4	–
Other Tub. & Scrof. Dis.	0·25	0·22	0·28	25	11	14	5	2	1	4	3	15	4	4	2	–	–	–	–	–	–	–
Diseases of Nervous System	2·09	2·13	2·04	212	109	103	40	7	2	2	1	52	6	3	2	2	2	8	13	24	39	61
Circulatory „	2·94	2·84	3·05	299	145	154	1	–	–	–	–	1	1	1	6	3	8	19	25	43	90	102
Respiratory „	2·61	2·66	2·55	265	136	129	60	20	6	5	2	93	10	2	2	2	6	10	15	16	43	66
Digestive „	0·94	1·10	0·79	96	56	40	11	3	1	1	2	18	2	3	4	3	1	4	10	17	20	14
Urinary „	0·45	0·57	0·34	46	29	17	–	–	1	1	–	2	–	–	1	1	2	5	3	5	12	15
Generative „	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–
Puerperal Fever	0·08	–	0·16	8	–	8	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–
Childbirth	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–
Violence	0·51	0·74	0·28	52	38	14	3	1	2	–	–	6	2	1	2	1	4	8	12	6	3	7
OTHER CAUSES	3·01	3·17	2·86	308	162	146	94	7	–	1	1	103	3	8	9	6	9	14	8	9	29	110

Marriages 591

Births { Males 1,483 / Females 1,268 } 2,751

Annual Rate per 1000 living { Persons Married 11·63 / Births 27·08

Deaths from Childbirth and Puerperal Fever 5·45 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

571.—LONGTOWN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55	65	75 and upwards.
Average Death-Rate per 1000. Persons	—	In Standard Population.*		15·30	†104	–	–	–	–	36·74	5·05	2·25	5·45	8·59	7·52	8·82	12·58	22·01	50·75	155·06
Males	—			15·57	†121	–	–	–	–	42·36	4·17	1·76	4·74	10·16	6·09	9·74	12·35	22·99	60·38	146·67
Females	—			15·03	†186	–	–	–	–	31·07	6·00	2·74	6·32	7·08	8·93	7·91	12·80	20·99	52·66	163·64
Mean Population. Persons	Decennial Decrease of Population 6·87 per cent.	7,446			170	155	181	171	183	860	832	799	770	640	997	782	652	536	400	178
Males		3,782			89	75	88	89	91	432	432	398	422	315	493	390	324	274	212	90
Females		3,664			81	80	93	82	92	428	400	401	348	325	504	392	328	262	188	88
Deaths from All Causes. Persons	17·73	1,320			216	43	26	32	9	316	42	18	42	55	75	69	82	118	227	276
Males	18·27	691			132	25	12	11	3	183	18	7	20	32	30	38	40	63	128	132
Females	17·17	629			84	18	14	11	6	133	24	11	22	23	45	31	42	55	99	144

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.													
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·08	0·30	14	3	11	2	5	2	1	1	11	–	–	1	1	–	1	–	–	–	–
Scarlet Fever	0·20	0·13	0·27	15	5	10	1	–	3	2	1	7	7	–	–	–	1	–	–	–	–	–
Diphtheria	0·04	–	0·08	3	–	3	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–
Whooping-cough	0·26	0·24	0·27	19	9	10	13	3	–	2	–	18	–	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·16	0·08	9	6	3	–	–	1	–	–	1	–	1	1	2	1	1	–	1	1	–
Simple Continued Fever	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·23	0·16	0·30	17	6	11	9	1	1	–	–	11	–	–	–	–	–	–	–	–	3	3
Cholera	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·62	0·42	0·82	46	16	30	–	–	–	–	–	–	–	1	–	–	2	3	9	7	15	9
Tabes Mesenterica	0·17	0·19	0·16	13	7	6	5	2	4	1	–	12	–	–	–	1	–	–	–	–	–	–
Phthisis	2·11	1·80	2·43	157	68	89	1	–	1	–	1	3	3	5	24	31	38	21	15	10	7	–
Other Tub. & Scrof. Dis.	0·32	0·32	0·33	24	12	12	3	5	–	–	3	10	7	1	2	2	2	–	–	–	–	–
Diseases of: Nervous System	2·15	2·27	1·99	160	86	74	32	1	1	4	–	38	5	2	1	2	5	4	4	16	48	33
Circulatory	2·44	2·62	2·27	182	99	83	1	–	–	–	–	1	2	–	1	5	9	17	31	57	59	9
Respiratory	3·18	3·68	2·69	237	139	98	42	17	8	9	1	77	5	2	2	4	6	6	13	20	40	41
Digestive	1·26	1·40	1·12	94	53	41	22	4	3	–	1	30	4	–	1	2	4	4	7	14	16	11
Urinary	0·51	0·77	0·25	38	29	9	–	–	–	–	1	1	2	–	1	2	2	3	3	1	10	14
Generative	0·08	0·03	0·14	6	1	5	1	–	–	–	–	1	–	–	–	–	1	–	2	1	–	1
Puerperal Fever	0·08	–	0·16	6	–	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Childbirth	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Violence	0·62	0·98	0·25	46	37	9	1	–	2	2	–	5	4	1	2	4	3	5	4	6	7	5
Other Causes	3·12	2·99	3·21	231	114	117	83	5	–	1	–	89	2	3	5	2	–	11	9	11	22	77

Marriages . . . 461

Births . { Males . 1,091 } 2,072
{ Females . 981 }

Annual Rate per 1000 living { Persons Married 12·38 / Births . . 27·83

Deaths from Childbirth and Puerperal Fever . . . } 3·38 per 1000 Births.

* See page xxxvi-xxxvii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 1881 19·68	†133	–	–	–	–	51·84	5·26	3·16	4·70	6·86	9·60	13·17	18·44	34·53	68·73	162·79
Males	—	Standard 1890 20·67	†148	–	–	–	–	56·72	5·35	3·06	4·52	6·80	10·19	14·38	20·14	37·71	74·42	162·94
Females	—	Population* 1885 18·75	†118	–	–	–	–	46·92	5·17	3·26	4·87	6·91	9·10	12·08	16·96	31·99	64·34	162·67
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·61 per cent.	53,973	1411	1314	1420	1288	1313	6746	6193	5723	5507	4900	8051	6189	4598	3301	1983	782
Males		25,727	722	666	692	662	645	3387	3101	2839	2652	2265	3730	2935	2145	1469	864	340
Females		28,246	689	648	728	626	668	3359	3092	2884	2855	2635	4321	3254	2453	1832	1119	442
Deaths from All Causes, 1881–90. Persons	20·03	10,811	2249	633	289	177	149	3497	326	181	259	336	773	815	848	1140	1363	1273
Males	21·12	5,433	1276	308	166	89	82	1921	166	87	120	154	380	422	432	554	643	554
Females	19·04	5,378	973	325	123	88	67	1576	160	94	139	182	393	393	416	586	720	719

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–
Measles	0·30	0·35	0·25	162	90	72	32	64	24	12	10	142	19	1	–	–	–	–	–	–	–
Scarlet Fever	0·40	0·40	0·41	218	102	116	13	26	40	25	35	139	62	10	3	1	1	1	–	1	–
Diphtheria	0·08	0·11	0·05	41	28	13	1	6	6	10	11	34	6	–	–	–	1	–	–	–	–
Whooping-cough	0·46	0·49	0·42	247	127	120	121	72	28	16	4	241	6	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	5	3	2	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–
Enteric Fever	0·17	0·17	0·17	91	43	48	–	1	4	2	2	9	9	11	14	12	9	11	6	7	2
Simple Continued Fever	0·01	0·01	0·00	4	3	1	1	1	–	–	–	2	1	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·47	0·54	0·40	253	139	114	173	32	5	3	–	213	3	–	–	–	1	2	3	9	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·86	0·66	1·03	462	171	291	1	–	–	–	–	1	1	1	3	6	19	53	91	123	116
Tabes Mesenterica	0·29	0·32	0·27	159	82	77	96	26	7	3	1	133	8	5	3	1	2	1	3	–	3
Phthisis	2·18	2·34	2·03	1175	602	573	12	9	10	4	6	41	18	36	101	153	322	258	123	83	31
Other Tub. & Scrof. Dis.	0·56	0·65	0·48	301	166	135	70	52	34	15	19	190	48	21	15	5	11	6	2	2	1
Diseases of Nervous System	2·71	2·92	2·53	1465	751	714	329	64	22	13	9	437	29	17	15	20	60	91	126	206	254
Diseases of Circulatory „	2·48	2·42	2·52	1336	623	713	2	1	–	1	1	5	12	17	27	26	59	112	168	236	365
Diseases of Respiratory „	3·23	3·39	3·08	1742	871	871	434	204	77	51	25	791	40	7	15	12	58	60	119	187	239
Diseases of Digestive „	0·89	0·87	0·91	483	225	258	118	27	5	4	4	158	14	9	10	14	37	50	61	52	42
Diseases of Urinary „	0·49	0·63	0·35	262	163	99	1	3	7	5	4	20	7	6	9	7	26	36	35	42	44
Diseases of Generative „	0·06	0 01	0·11	33	2	31	–	–	–	–	–	–	–	–	–	2	8	5	9	4	3
Puerperal Fever	0·08	–	0·16	44	–	44	–	–	–	–	–	–	–	–	–	11	24	8	1	–	–
Childbirth	0·08	–	0·16	44	–	44	–	–	–	–	–	–	–	–	3	10	13	16	2	–	–
Violence	0·78	1·19	0·40	419	305	114	27	14	13	7	10	71	19	15	17	14	60	47	57	48	41
OTHER CAUSES	3·43	3·63	3·30	1861	934	927	818	31	7	6	8	870	24	25	24	39	59	57	51	89	209

Marriages 4,050

Births { Males 8,641 / Females 8,220 } 16,861

Annual Rate per 1000 living { Persons Married 15·01 / Births 31·24

Deaths from Childbirth and Puerperal Fever } 5·22 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

573.—WIGTON.

Causes of Death.	Crude Death Rate for 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000: Males	—	In Standard Population* 14·95	·114	·	·	·	·	37·88	5·52	4·37	3·88	5·71	6·21	8·06	15·20	27·26	56·78	148·54
Annual Death-Rate per 1000: Females	—	In Standard Population* 14·47	·125	·	·	·	·	42·10	3·92	3·46	3·20	4·12	5·05	7·77	13·78	29·40	59·72	149·57
			·102	·	·	·	·	33·38	3·71	3·37	4·60	5·33	6·75	8·37	16·74	25·58	53·89	147·69
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·75 per cent.	24,626	615	574	591	587	578	2946	2757	2612	2472	1907	1671	2567	2007	1585	1113	515
Mean Population, 1881–91. Males	Decennial Increase of Population 2·75 per cent.	11,589	310	300	287	297	293	1487	1355	1226	1219	947	1768	1263	997	738	524	234
Mean Population, 1881–91. Females	Decennial Increase of Population 2·75 per cent.	12,107	306	274	304	290	285	1459	1402	1316	1153	1050	1646	1304	1064	847	589	281
Deaths from All Causes, 1881–90. Persons	16·38	4,012	783	168	75	57	33	1116	97	88	92	114	197	207	274	432	692	765
Deaths from All Causes, 1881–90. Males	17·34	2,083	442	85	43	34	22	626	45	41	39	58	86	98	158	217	314	350
Deaths from All Causes, 1881–90. Females	16·35	1,980	341	83	32	23	11	490	52	47	53	56	111	109	114	215	378	415

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·02	0·02	4	2	2	–	1	–	–		1	–	–	–	–	3	–	–	–	–	–
Measles	0·17	0·20	0·15	41	23	18	9	18	4	5	2	38	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·13	0·18	0·08	31	21	10	–	5	4	9	5	23	5	2	–	–	1	–	–	–	–	–
Diphtheria	0·06	0·05	0·07	15	6	9	–	–	4	6	3	13	2	–	–	–	–	–	–	–	–	–
Whooping-cough	0·24	0·22	0·26	57	26	31	33	18	2	2	1	56	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2		2	–	–	–	–			–	1	–	–	–	1	–	–	–	–
Enteric Fever	0·13	0·17	0·08	30	20	10	–	–	–	2		2	2	7	2	2	9	1	4	–	1	–
Simple Continued Fever	0·01	–	0·02	2	–	2	1	–	–	–		1	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·29	0·31	0·26	68	36	32	31	8	1	1		41	–	–	–	1	1	1	1	1	9	13
Cholera	0·00	–	0·01	1	–	1	1	–	–	–		1	–	–	–	–	–	–	–	–	–	–
Cancer	0·76	0·66	0·86	181	75	106	–	–	–	–			1	1	–	–	3	8	31	38	53	26
Tabes Mesenterica	0·12	0·14	0·10	28	16	12	9	4	5	1		19	6	1	–	1	–	–	–	–	–	–
Phthisis	1·56	1·33	1·78	370	154	216	5	2	5	–	1	13	10	30	39	58	81	51	43	30	15	–
Other Tub. & Scrof. Dis.	0·49	0·49	0·50	117	57	60	47	16	8	4	5	80	12	7	5	3	4	1	3	1	–	1
Nervous System	2·30	2·37	2·23	545	275	270	129	23	3	7	1	163	15	8	8	8	6	21	33	70	146	106
Circulatory	1·32	1·96	1·89	456	227	229	5	–	–	1	–	6	1	6	6	3	10	23	41	78	151	126
Respiratory	2·77	3·11	2·44	656	360	296	155	59	34	15	12	275	18	3	6	3	10	17	27	85	99	113
Digestive	0·80	0·92	0·68	189	107	82	30	4	1	3	2	39	4	3	10	1	9	15	17	26	40	25
Urinary	0·45	0·57	0·34	107	66	41	2	–	–	–	–	2	3	1	2	1	5	11	15	19	34	15
Generative	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	–	–	1	4	1	4	2	–
Puerperal Fever	0·08	–	0·17	20	–	20	–	–	–	–			–	–	1	3	9	7	–	–	–	–
Childbirth	0·08	–	0·15	18	–	18	–	–	–	–			–	–	2	2	9	5	–	–	–	–
Accidents	0·63	1·07	0·27	157	124	33	4	3	2	–	1	10	6	7	6	9	11	18	27	28	18	17
OTHER CAUSES	3·83	3·78	3·85	905	437	468	322	7	2	2		333	9	11	5	14	24	23	28	31	106	331

Marriages		1,498	Annual Rate per 1000 living	Persons Married	12·64
Births	Males	3,557		Births	29·07
	Females	3,332			
		6,889		Deaths from Childbirth and Puerperal Fever	5·53 per 1000 Births.

* See pages [illegible].

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 18·55			†135	–	–	–	–	54·14	4·78	3·11	4·25	5·32	7·10	9·62	16·84	31·28	70·52	155·51
Males	—			19·54			†148	–	–	–	–	58·42	5·13	3·04	4·31	5·48	7·22	10·37	19·51	32·50	77·29	159·09
Females	—			17·62			†121	–	–	–	–	49·76	4·42	3·17	4·19	5·16	6·98	8·83	14·19	30·15	65·01	152·93
Mean Population, 1881–91. Persons	Decennial Increase of Population 26·21 per cent.			64,232			2030	1829	1818	1819	1774	9270	8307	7305	6191	5728	9292	7057	4952	3424	1971	735
Males				32,445			1023	954	937	893	883	4690	4169	3651	3159	2994	4849	3626	2471	1643	885	308
Females				31,787			1007	875	881	926	891	4580	4138	3654	3032	2734	4443	3431	2481	1781	1086	427
Deaths from All Causes, 1881–90. Persons	18·66			11,988			3192	988	409	263	167	5019	397	227	283	305	660	679	834	1071	1390	1143
Males	19·36			6,281			1816	521	205	128	70	2740	214	111	136	164	350	376	482	534	684	490
Females	17·95			5,707			1376	467	204	135	97	2279	183	116	127	141	310	303	352	537	706	653
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·66	0·72	0·59	421	233	188	86	182	62	34	20	384	34	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·15	0·15	96	49	47	6	11	16	14	9	56	29	5	1	2	2	–	–	–	–	–
Diphtheria	0·12	0·12	0·13	80	38	42	3	8	11	12	13	47	20	3	3	–	2	1	1	2	1	–
Whooping-cough	0·40	0·52	0·48	258	105	153	128	72	23	20	8	251	6	–	–	–	–	–	–	–	–	1
Typhus	0·04	0·04	0·03	24	13	11	–	–	–	–	1	1	4	1	2	1	5	3	4	1	1	1
Enteric Fever	0·19	0·21	0·16	120	68	52	1	5	6	2	6	20	18	12	11	13	19	15	6	3	3	–
Simple Continued Fever	0·01	0·02	0·01	8	6	2	–	–	1	–	–	1	–	–	1	1	1	–	1	–	2	1
Diarrhœa and Dysentery	0·61	0·62	0·60	392	201	191	262	52	10	3	2	329	3	1	1	1	4	5	2	10	22	14
Cholera	0·02	0·03	0·02	14	9	5	3	1	–	–	–	4	4	–	–	–	–	–	1	1	3	1
Cancer	0·52	0·41	0·64	335	133	202	–	1	–	–	–	1	–	–	1	–	12	34	57	93	101	36
Tabes Mesenterica	0·17	0·18	0·15	107	60	47	34	19	16	8	3	80	10	4	4	1	2	2	1	2	1	–
Phthisis	1·16	1·10	1·22	745	357	388	12	13	5	6	2	38	22	34	70	109	185	132	88	46	17	4
Other Tub. & Scrof. Dis.	0·45	0·47	0·42	286	154	132	92	44	17	19	19	191	42	18	11	5	9	2	6	1	–	1
Diseases of Nervous System	2·47	2·53	2·40	1584	821	763	487	96	41	30	16	670	48	21	19	17	42	52	99	173	264	179
Diseases of Circulatory „	1·65	1·56	1·75	1062	505	557	1	1	–	1	2	5	7	18	18	12	40	77	134	228	327	196
Diseases of Respiratory „	3·83	4·29	3·36	2458	1391	1067	649	340	137	83	45	1254	70	22	17	27	101	107	194	235	254	177
Diseases of Digestive „	1·01	0·94	1·07	646	306	340	182	34	14	6	4	240	21	15	18	15	30	36	60	89	80	42
Diseases of Urinary „	0·40	0·46	0·34	259	150	109	4	11	6	5	4	30	11	8	6	13	22	22	31	42	54	20
Diseases of Generative „	0·06	0·01	0·11	36	2	34	1	–	1	–	–	2	–	–	1	1	3	5	3	11	7	3
Puerperal Fever	0·10	–	0·20	64	–	64	–	–	–	–	–	–	–	–	3	12	33	16	–	–	–	–
Childbirth	0·07	–	0·14	44	–	44	–	–	–	–	–	–	–	–	5	6	17	16	–	–	–	–
Violence	0·85	1·35	0·34	546	439	107	28	9	13	12	5	67	21	27	42	44	79	88	62	44	39	33
OTHER CAUSES	3·72	3·83	3·64	2402	1240	1162	1213	89	30	8	8	1348	27	35	29	25	52	65	84	90	213	434

Marriages - - - 4,625

Births - { Males - 12,299 / Females - 11,417 } 23,716

Annual Rate per 1000 living { Persons Married 14·40 / Births - - 36·92

Deaths from Childbirth and Puerperal Fever - - - - 4·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

575.—WHITEHAVEN.

Causes of Death.	Crude Death-Rate last 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·71 20·94 18·56	†122	–	–	–	–	52·98	5·24	3·29	1·84	5·49	7·65	11·13	19·06	38·99	75·85	161·69
Males	—		†138	–	–	–	–	58·11	5·19	3·31	1·57	5·49	7·53	11·10	20·58	42·11	87·78	188·44
Females	—		†107	–	–	–	–	47·97	5·29	3·26	2·14	5·49	7·78	11·16	17·55	35·14	69·81	145·59
Mean Population 1881-90. Persons	Decennial Decrease of Population 2·23 per cent.	58,028	1890	1627	1670	1722	1620	8465	7788	6806	5948	5208	4807	6215	4695	2993	1555	559
Males		29,550	874	817	833	847	817	4187	3882	3470	3086	2658	4256	3228	1423	1489	672	199
Females		29,478	953	810	837	875	803	4278	3886	3436	2862	2550	3681	3417	2642	1545	881	340
Deaths at all Ages. Persons	18·71	11,060	2834	1066	398	245	174	4685	498	227	288	286	628	714	880	1115	1178	871
Males	19·61	5,746	1501	535	198	126	73	2433	262	115	141	146	322	366	478	603	563	376
Females	18·02	5,314	1332	531	200	119	101	2252	236	112	147	140	306	348	441	512	615	495

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·00		0·00	1		1
Measles	0·61	0·69	0·53	377	203	174
Scarlet Fever	0·25	0·27	0·24	135	80	75
Diphtheria	0·04	0·06	0·04	30	17	13
Whooping-cough	0·54	0·47	0·55	300	139	161
Typhus	0·02	0·02	0·03	14	6	8
Enteric Fever	0·05	0·05	0·05	53	26	27
Simple Continued Fever	0·02	0·01	0·02	9	4	5
Diarrhœa and Dysentery	0·30	0·28	0·30	285	141	144
Cholera	0·01	0·02	0·01	7	5	2
[illegible]	0·33	0·33	0·33	253	98	155
Tabes Mesenterica	0·24	0·25	0·23	140	73	67
[illegible]	1·65	1·61	1·67	976	489	487
Cancer Tum. & Scrof. Dis.	0·43	0·47	0·39	251	138	113
Nervous System	2·28	2·20	2·37	1396	673	663
[illegible]	1·43	1·48	1·39	841	436	405
[illegible]	3·60	4·17	3·02	2513	1399	1114
Respiratory ,,	1·17	1·17	1·17	683	341	342
Digestive ,,	0·49	0·53	0·45	287	147	140
Urinary ,,	0·04	0·01	0·07	23	3	20
Puerperal Fever	0·07	–	0·15	43	–	43
[illegible]	0·09		0·18	53	–	53
[illegible]	0·34	1·44	0·44	551	193	198
Other Causes	4·65	3·66	3·61	2134	1080	1054

	Persons.	Males.	Females.	Persons.	Males.	Females.
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	349	26	1	–	–	–
[illegible]	109	42	3	1	–	–
[illegible]	22	3	1	–	–	–
[illegible]	290	10		–	–	–
[illegible]				3	1	3
[illegible]	4	7	4	10	6	8
[illegible]	2	1		1	–	1
[illegible]	221	6	1	2	1	3
[illegible]	1			–	1	1
[illegible]	–	–	3	1	3	7
[illegible]	105	10	8	3	4	2
[illegible]	40	44	33	106	147	243
[illegible]	167	31	20	9	6	9
[illegible]	550	74	32	12	7	10
[illegible]	8	8	16	12	13	16
[illegible]	1092	55	19	28	17	35
[illegible]	206	20	14	16	6	5
[illegible]	21	10	4	5	4	20
[illegible]	3	–	1	–	3	4
[illegible]	–			–	11	20
[illegible]	–			3	6	14
[illegible]	97	34	28	26	37	33
[illegible]	198	40	30	40	13	37

	Persons.	Males.	Females.	Persons.	Males.	Females.
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	1	–	–	–	–	–
[illegible]	3	1	3	3	2	1
[illegible]	10	6	8	7	1	5
[illegible]	1	–	1	2	1	1
[illegible]	2	1	3	2	5	7
[illegible]	1		1	1	1	1
[illegible]	3	1	3	3	1	1
[illegible]	4	2	3	3	1	1
[illegible]	106	147	243	158	124	54
[illegible]	9	6	9	7	1	1
[illegible]	12	7	10	5	4	4
[illegible]	12	13	16	31	132	203
[illegible]	28	17	35	111	163	247
[illegible]	16	6	5	44	80	83
[illegible]	5	4	20	27	32	47
[illegible]	4	3	4	4	3	3
[illegible]	–	–	–	–	–	–
[illegible]	–	–	–	–	–	–
[illegible]	3	6	14	25	1	–
[illegible]	26	37	33	75	75	56
[illegible]	40	13	37	60	74	116

Marriages	–	1427	
Births	Males 1,277 / Females 1,207	21·66	Annual Rate per 1000 living: Persons Married 14·08; Births – 36·85

Deaths from Childbirth and Puerperal Fever – 4·44 per 1000 Births.

* See pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·25	†107	–	–	–	–	40·26	3·81	2·42	4·18	5·70	6·12	10·15	13·63	28·45	55·04	131·88
Males	—	Standard 15·71	†114	–	–	–	–	43·95	2·82	2·39	3·70	5·24	5·03	9·48	14·74	34·20	62·09	134·62
Females	—	Population.* 14·82	† 99	–	–	–	–	36·51	4·88	2·45	4·75	6·23	7·31	10·89	12·40	22·58	48·15	129·27
Mean Population, 1881–91. Persons	Decennial Increase of Population 21·69 per cent.	13,551	419	396	387	384	381	1967	1783	1612	1339	1157	1929	1468	1020	689	427	160
Males		7,006	219	194	193	198	188	992	923	795	729	611	1013	770	536	348	211	78
Females		6,545	200	202	194	186	193	975	860	817	610	546	916	698	484	341	216	82
Deaths from All Causes, 1881–90. Persons	15·27	2,069	522	156	63	28	23	792	68	39	56	66	118	149	139	196	235	211
Males	15·67	1,098	291	88	30	16	11	436	26	19	27	32	51	73	79	119	131	105
Females	14·84	971	231	68	33	12	12	356	42	20	29	34	67	76	60	77	104	106

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	0·02	2	1	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Measles	0·45	0·57	0·32	61	40	21	12	30	12	–	3	57	1	–	–	–	1	1	–	1	–	–
Scarlet Fever	0·10	0·10	0·11	14	7	7	–	4	2	1	2	9	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·04	0·06	0·03	6	4	2	–	–	2	1	1	4	1	–	1	–	–	–	–	–	–	–
Whooping-cough	0·35	0·27	0·43	47	19	28	22	14	5	3	2	46	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	2	1	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Enteric Fever	0·15	0·14	0·17	21	10	11	–	–	1	–	1	2	5	–	–	4	3	4	2	1	–	–
Simple Continued Fever	0·07	0·09	0·06	10	6	4	–	–	–	1	–	1	1	–	3	1	2	–	1	–	–	1
Diarrhœa and Dysentery	0·57	0 66	0·47	77	46	31	50	12	2	1	1	66	1	–	–	1	1	1	–	2	4	1
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·41	0·27	0·55	55	19	36	–	–	–	–	–	–	–	–	–	–	2	8	13	15	13	4
Tabes Mesenterica	0·19	0·14	0·24	26	10	16	11	5	1	1	–	18	2	1	2	1	1	1	–	–	–	–
Phthisis	1·22	0·97	1·48	165	68	97	3	2	–	–	–	5	7	10	15	26	44	32	10	11	5	–
Other Tub. & Scrof. Dis.	0·26	0·29	0·23	35	20	15	9	3	1	3	2	18	2	3	3	3	3	1	1	1	–	–
Diseases of Nervous System	1·82	1·84	1·79	246	129	117	69	14	9	4	2	98	11	7	4	1	4	19	20	19	42	21
Diseases of Circulatory „	1·11	1·10	1·12	150	77	73	–	–	–	–	–	–	4	1	2	1	6	12	20	41	37	26
Diseases of Respiratory „	3·50	3·88	3·09	474	272	202	122	52	25	10	5	214	13	2	9	6	9	25	33	54	66	43
Diseases of Digestive „	0·78	0·81	0·75	106	57	49	26	4	–	–	1	31	4	3	2	5	5	9	6	16	14	11
Diseases of Urinary „	0·31	0·39	0·23	42	27	15	–	–	1	1	–	2	1	3	–	1	3	3	5	8	10	6
Diseases of Generative „	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–
Puerperal Fever	0·10	–	0·20	13	–	13	–	–	–	–	–	–	–	–	2	4	5	2	–	–	–	–
Childbirth	0·09	–	0·18	12	–	12	–	–	–	–	–	–	–	–	–	–	5	7	–	–	–	–
Violence	0·64	0·96	0·31	87	67	20	9	3	–	–	1	13	3	4	8	7	11	11	10	7	8	5
OTHER CAUSES	3·04	3·10	2·96	412	217	195	187	13	2	2	2	203	5	5	5	4	12	10	18	19	35	93

Marriages 915

Births { Males 2,554 / Females 2,337 } 4,891

Annual Rate per 1000 living { Persons Married 13·50 / Births 36·09

Deaths from Childbirth and Puerperal Fever 5·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

577.—EAST WARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons	In Standard Population*			†107	–	–	–	–	35·02	3·06	2·62	3·42	6·91	5·95	8·24	11·76	24·46	52·32	151·97
	Males				†127	–	–	–	–	40·67	3·20	1·83	2·79	5·02	4·88	8·19	11·93	22·42	57·89	155·79
	Females				† 88				–	30·11	4·75	3·40	4·08	7·74	6·91	8·28	11·60	25·31	46·41	148·39
Mean Population, 1887–91.	Persons	Decennial Decrease of Population 5·43 per cent.		14,121	362	350	346	341	339	1738	1666	1527	1344	1114	1900	1554	1275	1023	676	304
	Males			6,974	183	158	166	158	165	829	845	793	682	597	902	781	637	508	342	149
	Females			7,147	179	192	180	183	176	910	821	734	662	607	998	773	638	485	344	155
Deaths from All Causes, 1887–90.	Persons	16·35		2,294	496	167	33	21	22	649	66	40	46	77	113	128	150	240	353	462
	Males	16·85		1,175	251	57	13	12	12	345	27	14	19	30	44	64	76	126	198	282
	Females	15·66		1,119	185	50	20	9	10	274	39	26	27	47	69	64	74	114	155	230

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·13	0·14	0·11	18	10	8	4	2	3	2	3	14	3	–	–	1	–	–	–	–
Scarlet Fever	0·15	0·11	0·18	21	8	13	2	6	2	3	1	14	4	1	–	1	1	–	–	–
Diphtheria	0·04	0·01	0·06	5	1	4	–	–	–	1	1	2	1	1	–	1	–	–	–	–
Whooping-cough	0·18	0·19	0·17	25	13	12	7	15	1	–	2	25			–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·07	0·06	9	5	4	–	–	–	–	–	–	–	–	–	3	1	2	–	1
Simple Continued Fever	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·14	0·13	0·15	20	9	11	7	3	–	–	1	11	1	–	–	–	–	1	1	3
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Cancer	0·59	0·46	0·73	84	33	52	–	–	–	–	–	–	–	–	1	–	3	18	34	28
Tabes Mesenterica	0·11	0·11	0·11	16	8	8	3	4	–	1	–	8	1	1	4	–	–	2	–	–
Phthisis	1·24	1·18	1·30	175	82	93	–	–	–	–	3	3	3	10	20	36	25	17	23	7
Other Tub. & Scrof. Dis.	0·39	0·12	0·36	55	29	26	6	8	3	1	1	19	10	5	1	4	6	5	5	–
Diseases of Nervous System	2·23	2·31	2·14	314	161	153	95	18	9	3	3	128	13	5	5	3	9	11	16	20
" Circulatory	1·76	1·72	1·79	248	120	128	–	–	–	–	–	–	1	2	4	5	8	12	31	51
" Respiratory	2·37	2·45	2·27	334	173	161	96	45	5	6	1	151	10	4	1	6	6	13	14	31
" Digestive	1·05	1·26	0·88	148	85	63	23	5	3	–	3	34	5	3	4	4	12	16	10	26
" Urinary	0·47	0·63	0·31	66	44	22	2	–	–	–	–	2	1	–	1	–	7	6	6	14
" Generative	0·06	–	0·11	8	–	8	–	–	–	–	–			–		–	–	2	3	1
Puerperal Fever	0·11		0·21	15	–	15	–	–	–	–	–					3	7	5	–	–
Erysipelas	0·04		0·07	5	–	5	–	–	–	–	–					1	2	2	–	–
Violence	0·62	0·99	0·27	88	69	19	4	3	4	3	3	16	6	3	2	5	5	8	13	10
Other Causes	4·48	4·99	4·34	634	324	310	186	5	3	1	1	198	7	3	3	4	8	17	16	22

Marriages	–	876	Annual Rate per 1000 living	Persons Married	12·41	Deaths from Childbirth and Puerperal Fever – – – – – 1·93 per 1000 Births.
Births	Males – 2,069	4,068		Births – –	28·81	
	Females – 2,000					

* *See* [illegible]

† The death-rates under one year of age are per 1000 Births

578.—WEST WARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·46	†79	–	–	–	–	26·42	3·26	1·65	4·05	6·20	5·13	6·52	11·93	21·58	54·45	150·00
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·00	†88	–	–	–	–	28·75	2·89	1·30	3·79	5·19	5·94	7·33	12·74	26·46	61·41	146·67
Annual Death-Rate per 1000. Females	—	In Standard Population* 11·95	†69	–	–	–	–	23·87	3·68	2·03	4·32	7·23	4·36	5·70	11·14	16·72	47·98	153·41
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·27 per cent.	7,967	192	181	197	172	189	931	920	907	766	693	1033	844	729	584	382	178
Mean Population, 1881-91. Males	Decennial Decrease of Population 6·27 per cent.	4,032	100	87	102	96	102	487	485	463	396	347	505	423	361	291	184	90
Mean Population, 1881-91. Females	Decennial Decrease of Population 6·27 per cent.	3,935	92	94	95	76	87	444	435	444	370	346	528	421	368	293	198	88
Deaths from All Causes, 1881-90. Persons	14·57	1,161	170	33	14	20	9	246	30	15	31	43	53	55	87	126	208	267
Deaths from All Causes, 1881-90. Males	15·43	622	101	16	8	10	5	140	14	6	15	18	30	31	46	77	113	132
Deaths from All Causes, 1881-90. Females	13·70	539	69	17	6	10	4	106	16	9	16	25	23	24	41	49	95	135

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·07	0·10	7	3	4	2	2	1	–	–	5	2	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·10	0·13	10	5	5	–	–	–	4	–	4	1	2	1	1	1	–	–	–
Diphtheria	0·09	0·12	0·08	7	4	3	–	–	2	1	2	5	2	–	–	–	–	–	–	–
Whooping-cough	0·18	0·15	0·20	14	6	8	8	4	–	1	–	13	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·12	0·10	8	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2	–
Diarrhœa and Dysentery	0·20	0·30	0·10	16	12	4	5	–	–	1	–	6	1	–	–	–	–	–	–	1
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·72	0·60	0·84	57	24	33	–	–	–	–	–	–	–	–	–	–	–	2	3	4
Tabes Mesenterica	0·09	0·07	0·10	7	3	4	5	–	1	–	–	6	–	–	1	–	–	–	1	–
Phthisis	1·48	1·49	1·47	118	60	58	1	–	1	–	–	2	3	2	13	21	25	19	18	10
Other Tub. & Scrof. Dis.	0·40	0·40	0·41	32	16	16	4	6	1	2	2	15	8	1	–	1	4	2	1	–
Diseases of Nervous System	1·63	1·84	1·42	130	74	56	21	5	2	2	2	32	1	2	2	3	2	5	10	14
Diseases of Circulatory „	2·65	2·83	2·47	211	114	97	1	–	–	–	–	1	–	1	1	4	2	5	17	39
Diseases of Respiratory „	2·17	2·21	2·13	173	89	84	42	14	4	6	–	66	5	2	5	3	2	5	10	14
Diseases of Digestive „	0·84	1·04	0·64	67	42	25	7	–	1	2	2	12	2	–	2	1	1	5	7	11
Diseases of Urinary „	0·21	0·30	0·13	17	12	5	1	–	–	–	–	1	–	–	–	1	1	–	4	3
Diseases of Generative „	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Puerperal Fever	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	4	–	–	–	–
Childbirth	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·45	0·67	0·23	36	27	9	1	1	1	–	–	3	1	1	2	–	3	1	–	–
Other Causes	3·00	3·10	2·90	240	126	114	72	1	–	1	1	75	2	3	3	4	1	6	7	7

Diseases of Nervous System	1·63	1·84	1·42	130	74	56	21	5	2	2	2	32	1	2	2	3	2	5	10	14	36	23
Diseases of Circulatory „	2·65	2·83	2·47	211	114	97	1	–	–	–	–	1	–	1	1	4	2	5	17	39	69	72
Diseases of Respiratory „	2·17	2·21	2·13	173	89	84	42	14	4	6	–	66	5	2	5	3	2	5	10	14	24	37
Diseases of Digestive „	0·84	1·04	0·64	67	42	25	7	–	1	2	2	12	2	–	2	1	1	5	7	11	18	8
Diseases of Urinary „	0·21	0·30	0·13	17	12	5	1	–	–	–	–	1	–	–	–	–	1	–	4	3	2	6
Diseases of Generative „	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Puerperal Fever	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–
Childbirth	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·45	0·67	0·23	36	27	9	1	1	1	–	–	3	1	1	2	–	3	1	–	–	–	–
Other Causes	3·00	3·10	2·90	240	126	114	72	1	–	1	1	75	2	3	3	4	1	6	7	7	28	104

Marriages - - - 483

Births - Males - 1,154; Females - 998; 2,152

Annual Rate per 1000 living: Persons Married 12·12; Births - - 27·01

Deaths from Childbirth and Puerperal Fever - - - - 3·72 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

579.—KENDAL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons	–		In Sanitated Population*	14·52		†101	–	–	–		5·57	3·64	2·18	4·17	4·78	6·35	8·82	12·91	25·76	57·47	158·97
	Males	–			15·49		†117	–	–	–		6·54	7·51	2·14	3·60	4·80	6·37	9·73	14·03	28·18	68·11	181·36
	Females	–			13·69		* 85	–	–	–		4·61	3·76	2·22	4·71	4·73	6·34	7·94	11·85	23·45	50·13	139·75
Mean Population (estimated).	Persons	Decennial Increase 7·71 per cent.			14,177		1198	1057	1079	1060	1085	5379	1141	1002	4481	3758	6076	4764	3691	2836	1717	731
	Males				7,079		640	519	528	535	551	2773	2545	2285	2166	1771	2875	2336	1753	1327	826	340
	Females				7,098		558	537	551	525	534	2606	2577	2517	2315	1987	3201	2431	1848	1509	891	393
Births and Deaths. Births.	Persons	12·46			6,753		1264	338	147	95	66	1910	187	107	187	179	386	420	465	695	1321	7116
Average.	Males	13·21			3,424		743	170	77	44	31	1065	100	51	78	88	183	227	246	374	848	347
Deaths.	Females	11·46			3,329		521	168	70	51	35	845	87	56	109	91	203	193	219	321	503	529

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–
Measles	0·14	0·13	0·15	62	28	34	19	25	6	2	3	55	5	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·09	0·10	0·09	40	20	20	1	4	2	10	4	21	16	–	–	2	–	–	–	1	–	–
Diphtheria	0·11	0·09	0·14	49	19	30	3	2	5	6	6	22	14	4	1	2	–	1	3	1	1	1
Whooping-cough	0·20	0·19	0·22	87	39	48	45	22	11	3	2	83	3	–	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·17	0·21	82	36	46	1	–	–	3	2	6	7	4	18	7	16	8	10	2	3	–
Simple Continued Fever	0·02	0·04	0·01	10	8	2	–	1	–	1	1	3	1	1	–	–	–	–	1	1	2	1
Diarrhœa and Dysentery	0·26	0·31	0·21	113	66	47	60	12	5	–	–	77	2	–	2	–	4	3	1	4	6	14
Cholera	0·02	0·02	0·01	8	5	3	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	–
Cancer	0·64	0·55	0·72	275	115	160	–	1				1	–	–	1	1	9	19	47	79	81	35
Tabes Mesenterica	0·14	0·16	0·12	62	34	28	20	16	3	3		42	7	4	1	3	3	1	1	–	–	–
Phthisis	1·44	1·39	1·49	623	291	332	10	8	1	6	1	26	11	25	59	88	165	109	67	44	24	5
Other Tub. & Scrof. Dis.	0·39	0·41	0·37	169	86	83	46	35	18	9	5	113	21	8	13	4	6	2	–	1	1	–
Nervous System	2·35	2·49	2·18	1007	523	484	267	49	23	9	5	352	20	19	15	6	17	34	73	113	211	175
Circulatory	1·69	1·61	1·78	715	338	377	1	1	2	–	1	5	4	7	8	9	20	41	77	147	233	175
Respiratory	2·62	3·04	2·27	1131	638	493	263	112	44	25	24	468	27	4	12	10	33	42	69	111	120	94
Digestive	1·06	1·12	0·99	456	236	220	67	14	6	1	3	91	11	7	9	11	26	30	30	52	136	44
Urinary	0·40	0·58	0·28	172	121	51	5	1	1	2	1	10	2	4	5	3	13	21	14	26	47	29
Generative	0·04	0·00	0·07	16	1	15		–	1	–	–	1	–	–	1	1	2	2	3	4	2	–
Puerperal Fever	0·09	–	0·18	41	–	41		–		–	–	–	–	–	3	8	13	13				
Childbirth	0·04	–	0·08	18	–	18		–		–	–	–	–	–	–	–	1	17	1			
Violence	0·65	1·01	0·31	279	211	68	11	5	3	12	3	45	17	8	14	14	20	13	15	26	30	14
Other Causes	2·91	3·09	2·74	1257	648	609	444	27	12	3	2	488	19	12	22	10	20	35	29	56	149	105

Births - { Males - 6,339 / Females - 6,122 } 12,461

Annual Rate per 1000 living { Persons Married 12·96 / Births - - 28·86 }

Deaths from Childbirth and Puerperal Fever - - - - } 4·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The deaths-rates under one year of age are per 1000 Births.

580.—CHEPSTOW.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	15·63 16·75 14·56		†106	–	–	–	–	39·13	5·03	2·60	4·74	6·19	8·23	9·04	12·29	25·46	57·69	153·13
Males	—						†120	–	–	–	–	44·14	4·79	2·49	3·95	6·65	9·71	9·70	13·59	27·57	67·30	153·14
Females	—						† 92	–	–	–	–	34·12	5·26	2·71	5·30	5·74	6·80	8·40	10·98	23·21	49·03	153·13
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·08 per cent.			19,082			511	459	485	519	472	2446	2328	2194	1752	1469	2515	2079	1693	1355	884	367
Males				9,551			268	230	241	246	236	1221	1149	1125	912	737	1236	1031	846	700	419	175
Females				9,531			248	229	244	273	236	1225	1179	1069	840	732	1279	1048	847	655	465	192
Deaths from All Causes, 1881–90. Persons	17·42			3,325			633	172	67	52	33	957	117	57	83	91	207	188	208	345	510	562
Males	18·69			1,785			362	94	43	23	17	539	55	28	36	49	120	100	115	193	282	268
Females	16·16			1,540			271	78	24	29	16	418	62	29	47	42	87	88	93	152	228	294
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·14	0·15	0·14	27	14	13	2	–	1	1	1	5	2	1	2	1	7	4	4	1	–	–
Measles	0·40	0·41	0·39	76	39	37	11	20	8	13	3	55	16	3	–	–	1	–	1	–	–	–
Scarlet Fever	0·15	0·16	0·14	28	15	13	5	4	4	4	2	19	8	–	1	–	–	–	–	–	–	–
Diphtheria	0·18	0·19	0·17	34	18	16	2	1	8	3	3	17	8	6	3	–	–	–	–	–	–	–
Whooping-cough	0·29	0·32	0·26	55	30	25	32	13	7	2	–	54	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·12	0·17	27	11	16	–	2	–	–	2	4	2	4	4	3	5	1	2	–	1	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·14	0·17	0·12	27	16	11	12	–	–	–	–	12	2	–	–	–	–	–	1	2	1	9
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·62	0·42	0·83	119	40	79	–	–	–	–	–	–	–	–	–	–	3	9	20	41	31	15
Tabes Mesenterica	0·19	0·21	0·17	36	20	16	20	8	2	1	2	33	1	2	–	–	–	–	–	–	–	–
Phthisis	1·47	1·50	1·44	280	143	137	6	5	1	4	2	18	5	5	28	33	76	46	30	23	13	3
Other Tub. & Scrof. Dis.	0·39	0·43	0·35	74	41	33	17	17	3	1	4	42	14	7	4	2	1	1	1	1	–	1
Diseases of Nervous System	2·60	2·92	2·29	497	279	218	159	21	5	1	2	188	8	4	7	10	14	21	18	49	92	86
Circulatory „	2·16	2·34	1·98	412	223	189	1	1	1	–	–	3	6	5	4	4	10	28	35	84	129	104
Respiratory „	2·54	2·88	2·20	485	275	210	113	44	17	12	6	192	22	2	7	9	19	18	24	37	72	83
Digestive „	1·07	1·06	1·09	205	101	104	34	15	3	2	1	55	6	1	4	3	10	11	8	39	46	22
Urinary „	0·79	0·97	0·60	150	93	57	–	–	–	1	–	1	1	1	3	5	12	14	20	29	44	20
Generative „	0·07	0·02	0·12	13	2	11	–	–	–	–	–	–	–	–	–	1	3	–	5	3	–	1
Puerperal Fever	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	3	3	4	–	–	–	–
Childbirth	0·04	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–	–
Violence	0·84	1·30	0·39	161	124	37	7	7	4	4	4	26	10	7	12	11	24	15	24	11	13	8
OTHER CAUSES	3·13	3·11	3·12	599	300	299	212	14	3	3	1	233	5	9	4	4	16	13	15	24	67	209

Marriages 1,036

Births Males 3,025 / Females 2,933 — 5,963

Annual Rate per 1000 living: Persons Married 10·86; Births 31·25

Deaths from Childbirth and Puerperal Fever — 2·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

581.—MONMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate { Persons	—	In Standard	14·30		†107	–	–	–	–	35·01	3·81	2·49	3·94	4·86	6·83	7·62	12·67	26·43	38·57	142·74
Annual Death-Rate { Males	—	In Standard	14·66		†113	–	–	–	–	38·08	3·48	2·18	3·32	4·53	6·26	7·01	14·06	29·87	61·39	145·82
Annual Death-Rate { Females	—	In Standard	14·34		†100	–	–	–	–	33·88	4·15	2·81	4·70	5·23	7·37	7·63	11·36	23·10	35·88	148·87
Mean Population { Persons	Decrease 1881–90		29,310		795	701	746	781	723	3746	3759	3456	2820	2174	3559	3046	2613	2126	1412	656
Mean Population { Males	10·74 per cent.		14,788		382	340	381	405	366	1883	1895	1785	1506	1104	1741	1512	1266	1048	689	289
Mean Population { Females			14,522		383	362	365	376	357	1863	1857	1671	1254	1070	1818	1534	1347	1078	723	367
Deaths from Accidents { Persons	16·66		4,883		804	233	88	60	65	1438	143	86	111	106	243	262	331	562	827	804
Deaths from Accidents { Males	15·89		2,408		487	138	40	27	30	717	66	39	52	50	109	115	178	313	423	486
Deaths from Accidents { Females	16·42		2,385		407	100	48	33	35	621	77	47	59	56	134	147	153	249	404	468

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·25	0·26	75	37	38	14	27	12	5	6	64	8	3	–	–	–	–	–	–
Scarlet Fever	0·15	0·21	0·09	44	31	13	3	8	5	5	8	29	11	3	1	–	–	–	–	–
Diphtheria	0·16	0·16	0·17	47	23	24	1	3	6	4	5	19	14	5	1	2	1	2	–	1
Whooping-cough	0·26	0·22	0·30	75	32	43	37	22	8	4	1	72	2	–	–	–	1	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·06	0·08	0·04	18	12	6	–	–	–	1	–	1	–	1	4	5	4	1	–	1
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	2	–	1	–	–	1	–	–
Dysentery and Diarrhœa	0·29	0·29	0·30	86	43	43	32	7	1	1	1	42	5	3	–	–	1	–	6	2	13	15
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·63	0·92	226	93	133	1	–	–	–	–	1	1	–	1	–	4	14	37	64	68	36
Tubercular Diseases	0·11	0·15	0·10	33	19	14	20	2	3	2	–	27	2	–	1	–	–	2	–	1	–	–
Tabes	1·19	1·14	1·24	349	169	180	12	11	1	–	1	25	5	14	36	44	82	57	28	48	15	1
Other Tub. Affects of Dis.	0·30	0·26	0·35	89	38	51	22	19	5	2	9	48	14	7	6	4	3	3	4	–	–	–
Nervous System	2·06	2·10	2·03	606	310	295	168	18	8	3	6	203	15	9	13	8	13	14	41	71	113	107
Circulatory "	1·85	1·73	1·96	541	256	285	5	–	–	–	1	6	5	3	7	7	25	26	47	94	199	115
Respiratory "	3·85	4·37	3·33	1130	646	484	207	76	26	17	14	340	35	7	7	3	25	25	64	126	229	299
Digestive "	1·22	0·98	1·27	329	145	184	61	15	4	2	3	85	7	5	8	4	13	17	35	54	59	42
Urinary "	0·72	0·59	0·85	152	87	65	3	2	1	1	–	7	3	3	5	4	7	15	17	26	33	30
Generative "	0·05	0·01	0·09	15	2	13	1	–	–	–	–	1	–	–	–	–	2	3	5	3	1	–
Puerperal Fever	0·08	–	0·16	23	–	23	–	–	–	–	–	–	–	–	–	–	5	9	9	–	–	–
Accidents	0·06	–	0·13	19	–	19	–	–	–	–	–	–	–	–	–	–	2	12	4	1	–	–
Violence	0·15	0·89	0·27	171	132	39	8	7	2	6	6	29	3	6	12	6	15	18	24	18	28	–
Other Causes	2·82	2·83	2·95	851	420	431	259	25	5	7	2	339	6	10	9	11	27	27	26	52	78	226

Marriages	–	1,848	Annual Rate per 1000 living { Persons Married	12·61	Deaths from Childbirth and Puerperal Fever	5·00 per 1000 Births.
Births { Males	4,286	8,302	Births	28·63		
Births { Females	4,016					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·59	†139	–	–	–	–	54·78	4·35	3·17	4·96	6·61	9·13	13·15	21·02	38·51	79·61	157·03
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·05	†157	–	–	–	–	62·53	4·72	3·29	4·36	5·96	9·36	13·80	24·00	45·33	85·36	150·26
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·20	†119	–	–	–	–	47·23	3·99	3·06	5·63	7·28	8·89	12·46	17·98	32·09	73·93	163·59
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·58 per cent.	24,818	636	559	589	621	594	2999	2850	2741	2420	2149	3536	2889	2264	1610	976	384
Mean Population, 1881-91. Males	Decennial Increase of Population 10·58 per cent.	12,545	308	277	295	306	295	1481	1398	1369	1283	1091	1837	1485	1146	781	485	189
Mean Population, 1881-91. Females	Decennial Increase of Population 10·58 per cent.	12,273	328	282	294	315	299	1518	1452	1372	1137	1058	1699	1404	1118	829	491	195
Deaths from All Causes, 1881-90. Persons	21·34	5,295	1048	338	134	75	48	1643	124	87	120	142	323	380	476	620	777	603
Deaths from All Causes, 1881-90. Males	22·81	2,862	614	171	78	38	25	926	66	45	56	65	172	205	275	354	414	284
Deaths from All Causes, 1881-90. Females	19·82	2,433	434	167	56	37	23	717	58	42	64	77	151	175	201	266	363	319

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·44	0·49	0·40	110	61	49	15	43	28	10	3	99	9	1	–	–	1	–	–	–	–
Scarlet Fever	0·24	0·25	0·22	59	32	27	3	11	12	6	6	38	14	5	–	–	1	–	1	–	–	–
Diphtheria	0·08	0·07	0·08	19	9	10	–	3	2	4	2	11	4	3	–	1	–	–	–	–	–	–
Whooping-cough	0·44	0·33	0·55	110	42	68	63	32	9	4	1	109	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Enteric Fever	0·09	0·10	0·08	23	13	10	–	–	1	–	–	1	3	5	5	3	4	2	–	–	–	–
Simple Continued Fever	0·07	0·06	0·08	18	8	10	1	1	–	–	–	2	3	1	1	2	2	–	1	1	1	4
Diarrhœa and Dysentery	0·30	0·33	0·27	75	42	33	24	12	1	2	–	39	–	–	–	–	1	1	4	6	11	13
Cholera	0·00	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	0·40	0·74	141	50	91	–	–	–	–	–	–	–	–	1	1	4	18	26	36	40	15
Tabes Mesenterica	0·21	0·23	0·18	51	29	22	23	15	–	2	–	40	3	3	–	2	1	1	1	–	–	–
Phthisis	1·66	1·49	1·83	411	187	224	5	11	4	2	2	24	10	13	32	54	120	71	59	16	11	1
Other Tub. & Scrof. Dis.	0·50	0·57	0·43	125	72	53	45	25	7	4	4	85	15	8	6	1	4	1	2	2	1	–
Diseases of Nervous System	3·63	3·97	3·28	901	498	403	209	35	12	9	8	273	20	9	11	19	53	82	105	111	131	87
Diseases of Circulatory „	2·20	2·12	2·27	545	266	279	–	1	1	–	–	2	4	8	11	7	25	45	67	123	165	88
Diseases of Respiratory „	4·39	5·23	3·54	1090	656	434	214	108	36	21	19	398	15	3	18	13	33	54	94	153	184	130
Diseases of Digestive „	1·15	1·17	1·12	285	147	138	57	10	5	–	–	72	4	4	8	3	13	19	39	45	53	25
Diseases of Urinary „	0·49	0·65	0·33	121	81	40	4	3	1	2	–	10	3	2	2	3	9	17	17	25	18	15
Diseases of Generative „	0·02	–	0·04	5	–	5	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	3	5	5	–	–	–	–
Childbirth	0·08	–	0·16	20	–	20	–	–	–	–	–	–	–	–	1	4	11	4	–	–	–	–
Violence	0·75	1·13	0·36	186	142	44	9	1	5	3	2	20	8	12	17	13	20	21	21	26	18	10
Other Causes	3·96	4·21	3·72	982	526	456	375	27	10	6	1	419	8	9	10	12	16	36	38	76	143	215

Marriages - - - 1,592

Births - {Males - 3,916 / Females - 3,647} 7,563

Annual Rate per 1000 living {Persons Married 12·83 / Births - - 30·47

Deaths from Childbirth and Puerperal Fever - - - - - } 4·50 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

583.—BEDWELLTY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Deaths to 1000 Living	Persons	In Standard Population* 24·90	†156	–	–	–	–	76·91	10·74	4·78	6·12	7·03	8·86	13·62	22·35	45·09	84·71	141·15
	Males		†180	–	–	–	–	87·47	10·71	4·79	6·15	7·12	7·92	13·58	36·71	51·63	94·10	157·44
	Females	In Standard Population* 23·08	†130	–	–	–	–	69·57	10·77	4·78	6·08	6·91	10·42	13·74	17·15	37·67	74·98	127·09
Mean Population 1881–90.	Persons	Decrease or Increase of Population in ten years per cent. 66·53	1882	1582	1629	1642	1648	8983	7543	6564	6023	5859	8901	6477	4737	3169	1530	469
	Males		922	787	794	824	800	4127	3772	3320	3820	3498	5057	3678	2527	1685	780	218
	Females		960	795	835	818	848	4856	3771	3244	2803	2361	3824	2897	2210	1484	750	251
Deaths from Various Causes.	Persons	24·04	3691	1316	643	466	331	6847	810	314	405	419	789	882	1054	1429	1206	692
	Males	24·79	2054	675	335	235	187	3486	404	161	235	249	402	484	675	870	734	343
	Females	23·16	1637	641	308	231	144	2861	406	153	170	170	387	398	379	559	502	349

	Persons	Males	Females	Persons	Males	Females	Persons.											
Small-pox	0·01	0·02	0·01	9	7	2	2	–	–	1	1	4	1	–	1	1	–	–	–	–
Measles	0·91	0·82	1·01	548	267	281	103	203	80	64	23	492	50	2	2	–	2	–	–	–	–
Scarlet Fever	1·36	1·33	1·40	821	430	391	58	89	128	103	101	479	274	51	11	5	1	–	–	–	–
Diphtheria	0·41	0·34	0·49	246	110	136	10	20	27	43	38	138	87	11	3	1	5	1	1	–	–
Whooping-cough	0·72	0·60	0·86	437	196	241	174	134	63	34	12	417	19	–	1	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	9	5	4	–	–	1	–	–	1	3	1	2	1	1	–	–	–	–
Enteric Fever	0·37	0·41	0·32	221	123	98	2	1	3	5	8	19	32	22	37	36	45	17	6	5	2	–
Simple Continued Fever	0·03	0·04	0·03	24	18	6	2	1	4	3	–	10	5	–	–	2	1	2	1	–	–	–
Diarrhœa and Dysentery	0·47	0·46	0·49	285	149	136	114	63	8	5	2	192	4	2	–	2	5	5	9	18	39	19
Cholera	0·01	0·01	0·01	7	3	4	–	–	–	–	1	1	–	–	–	–	–	–	2	1	–	1
Cancer	0·46	0·36	0·58	278	116	162	–	–	–	–	–	–	–	1	2	3	5	28	71	91	87	20
Tabes Mesenterica	0·29	0·27	0·30	176	88	85	54	46	29	4	5	140	11	7	6	3	2	2	2	–	–	–
Premature	1·35	1·21	1·47	816	393	423	21	20	12	8	4	65	25	29	100	103	206	146	72	55	12	3
Other Tub. & Scrof. Dis.	0·46	0·47	0·46	279	152	127	84	51	29	14	14	192	34	20	10	6	9	5	3	–	–	–
Diseases of: Nervous System	3·01	3·10	2·91	1817	1006	811	860	109	44	29	24	1076	77	31	27	21	29	49	83	167	182	65
Circulatory "	1·35	1·33	1·38	816	430	386	2	1	2	–	1	6	6	20	24	23	53	87	143	215	170	63
Respiratory "	6·17	7·04	5·16	3721	2280	1441	846	404	152	112	67	1581	102	26	39	54	136	244	350	539	467	183
Digestive "	1·12	1·05	1·20	676	340	336	171	51	6	8	8	244	20	6	8	13	36	65	108	102	59	15
Urinary "	0·45	0·46	0·44	274	150	124	7	7	7	9	1	31	6	6	12	10	34	32	43	47	30	13
Generative "	0·04		0·09	26	–	26	–	–	–	–	–	–	–	–	1	1	8	6	7	3	–	–
Puerperal Fever	0·14	–	0·29	82	–	82	–	–	–	–	–	–	–	–	–	5	18	37	21	1	–	–
Childbirth	0·10		0·23	63		63	–	–	–	–	–	–	–	–	–	7	11	21	24	–	–	–
Violence	1·14	1·86	0·41	696	610	86	18	18	16	11	6	69	35	54	75	68	88	87	90	75	41	14
Other Causes	3·46	3·60	3·32	2186	1165	1021	1163	87	29	13	5	1296	49	23	33	35	67	60	61	111	221	266

Marriages		4·86	Annual Rate per 1000 living	Persons Married	16·19
Births	Males 11,388 / Females 10,878	22·26		Births	36·93

Deaths from Childbirth and Puerperal Fever 6·51 per 1000 Births.

* See pages xxxvi–xxxvii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·19	†133	–	–	–	–	51·08	4·49	3·90	5·54	6·16	7·92	10·12	15·79	31·53	66·00	143·10
Males	—	19·18	†147	–	–	–	–	55·62	4·34	4·96	5·62	6·48	7·89	10·20	17·77	34·31	69·36	148·73
Females	—	17·25	†119	–	–	–	–	46·67	4·63	2·81	5·44	5·78	7·95	10·04	13·73	28·63	62·71	137 60
Mean Population, 1881 91. Persons	Decennial Increase of Population 12·54 per cent.	37,555	1099	1029	1035	1086	1016	5215	4024	4309	3882	3329	5165	3883	3039	2131	1200	478
Males		19,407	528	498	529	519	497	2571	2463	2177	2154	1790	2749	2030	1553	1090	594	236
Females		18,148	571	531	506	517	519	2644	2461	2132	1728	1539	2416	1853	1486	1041	606	242
Deaths from All Causes, 1881-90. Persons	18·38	6,903	1702	496	240	123	103	2664	221	168	215	205	409	393	480	672	792	684
Males	19·16	3,719	944	280	119	57	50	1430	107	108	121	116	217	207	276	374	412	351
Females	17·54	3,184	758	236	121	66	53	1234	114	60	94	89	192	186	204	298	380	333

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·39	0·42	0·36	147	82	65	30	53	28	12	6	129	17	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·29	0·26	0·32	109	51	58	6	13	19	20	15	73	28	6	–	–	–	2	–	–	–	–
Diphtheria	0·09	0·08	0·10	35	16	19	1	1	7	5	5	19	6	3	4	1	1	–	1	–	–	–
Whooping-cough	0·41	0·35	0·48	155	67	88	76	37	17	10	8	148	7	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·17	0·15	60	33	27	–	2	3	3	1	9	5	5	10	10	11	4	3	1	1	1
Simple Continued Fever	0·01	0·02	0·01	5	4	1	–	–	1	–	–	1	2	1	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·27	0·30	0·24	101	58	43	56	15	4	1	1	77	1	1	1	–	2	3	2	2	6	6
Cholera	0·01	0·01	–	2	2	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–
Cancer	0·33	0·29	0·37	123	56	67	–	–	–	–	–	–	1	2	1	1	7	16	26	32	22	15
Tabes Mesenterica	0·15	0·17	0·12	55	33	22	30	12	4	–	2	48	3	2	–	1	1	–	–	–	–	–
Phthisis	1·27	1·09	1·47	477	211	266	9	6	3	4	4	26	14	25	60	62	132	89	42	21	6	–
Other Tub. & Scrof. Dis.	0·44	0·46	0·43	167	89	78	44	27	17	4	11	103	25	8	5	4	12	2	7	1	–	–
Diseases of Nervous System	2·59	2·64	2·52	971	513	458	404	56	13	11	12	496	23	22	13	13	16	44	71	96	113	64
Diseases of Circulatory „	1·59	1 49	1·69	597	290	307	–	1	1	–	1	3	6	12	17	15	35	53	90	158	155	53
Diseases of Respiratory „	3·91	4·19	3·62	1470	813	657	379	194	84	42	20	719	33	4	13	16	35	51	97	176	210	116
Diseases of Digestive „	1·02	1·04	1·00	383	202	181	110	36	12	2	8	168	10	9	8	4	20	26	41	45	35	17
Diseases of Urinary „	0·56	0·43	0·28	134	83	51	3	–	3	2	3	11	7	3	4	3	11	11	15	24	28	17
Diseases of Generative „	0·03	0·01	0·05	10	1	9	1	1	–	–	–	2	–	–	–	1	1	3	1	2	–	–
Puerperal Fever	0·08	–	0·17	31	–	31	–	–	–	–	–	–	–	–	–	3	8	14	6	–	–	–
Childbirth	0·09	–	0·18	32	–	32	–	–	–	–	–	–	–	–	–	3	15	14	–	–	–	–
Violence	1·17	2·00	0·28	439	389	50	9	6	10	5	4	34	23	50	60	49	72	40	44	40	18	9
Other Causes	3·72	3·74	3·70	1400	726	674	544	36	14	2	1	597	10	15	15	14	24	29	39	73	198	386

Marriages - - - 3,265

Births { Males - 6,428 / Females - 6,390 } 12,818

Annual Rate per 1000 living { Persons Married 17·39 / Births - - 34·13

Deaths from Childbirth and Puerperal Fever - - - - 4·91 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

585.—NEWPORT.

Causes of Death.	Crude Death-Rate per 1,000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Deaths and Rates per 1,000 living	—	In Standard Population* 19 61 / 19 37 / 17 80	·141 / ·154 / ·127	– / – / –	– / – / –	– / – / –	– / – / –	56·34 / 60·97 / 51·66	4·48 / 4·32 / 4·65	2·66 / 3·29 / 2·05	4·27 / 3·89 / 4·66	5·83 / 5·28 / 6·41	7·76 / 7·09 / 8·36	12·37 / 13·34 / 11·30	17·04 / 18·21 / 15·83	21·16 / 23·70 / 18·62	61·90 / 65·42 / 58·43	131·85 / 146·09 / 124·80
Mean Population, 1881–90	Persons / Males / Females	Decennial Increase of Population 37·22 per cent.	2524 / 1253 / 1271	2268 / 1135 / 1133	2346 / 1186 / 1160	2326 / 1180 / 1146	2306 / 1113 / 1093	11670 / 5867 / 5803	10413 / 5256 / 5157	9189 / 4498 / 4691	8461 / 4317 / 4144	7987 / 4056 / 3931	7880 / 4013 / 3867	9194 / 4814 / 4380	6466 / 3295 / 3171	4788 / 2688 / 2099	2339 / 1425 / 1214	901 / 515 / 386
Deaths under One Year, All Causes, 1881–90	Persons / Males / Females	18·20 / 18·69 / 17·72	459 / 264 / 195	139 / 67 / 72	47 / 23 / 24	28 / 10 / 18	22 / 15 / 7	695 / 379 / 316	46 / 22 / 24	24 / 13 / 11	36 / 16 / 20	40 / 21 / 19	32 / 14 / 18	113 / 64 / 49	110 / 60 / 50	139 / 68 / 71	144 / 68 / 76	118 / 58 / 60
	Persons / Males / Females	15,280 / 8,054 / 7,226	459 / 264 / 195	139 / 67 / 72	47 / 23 / 24	28 / 10 / 18	22 / 15 / 7	695 / 379 / 316	46 / 22 / 24	24 / 13 / 11	36 / 16 / 20	40 / 21 / 19	32 / 14 / 18	113 / 64 / 49	110 / 60 / 50	139 / 68 / 71	144 / 68 / 76	118 / 58 / 60

	Persons.	Males.	Females.	Persons.	Males.	Females.
Smallpox	0·01	0·02	0·01	12	9	3
Measles	0·44	0·47	0·41	369	198	171
Scarlet Fever	0·30	0·33	0·28	249	142	107
Diphtheria	0·10	0·08	0·12	86	36	50
Whooping-cough	0·50	0·44	0·55	415	188	227
Typhus	0·00	0·00	0·00	4	2	2
Enteric Fever	0·20	0·22	0·22	183	94	89
Simple Continued Fever	0·02	0·03	0·01	17	11	6
Puerperal Diseases	0·08	0·00	0·16	483	254	229
Cholera	0·02	0·02	0·03	20	9	11
Cancer	0·41	0·26	0·56	340	111	229
Tabes Mesenterica	0·25	0·26	0·23	207	112	95
Diarrhœa	1·64	1·37	1·93	1,361	583	778
Other Epidemic & Septic Dis.	0·36	0·39	0·34	304	165	139
Nervous System	2·27	2·44	2·11	1903	1034	869
Circulation	1·21	1·22	1·19	1009	519	490
Respiration	3·85	4·14	3·54	3218	1758	1460
Digestion	1·23	1·26	1·19	1025	534	491
Urinary	0·37	0·41	0·36	310	173	137
Generative	0·04	0·00	0·08	37	2	35
Parturition, Fœtus	0·11	–	0·22	92		92
Decrepitude	0·08	0·17		70		70
Violence	0·81	1·37	0·30	703	570	124
Other Causes	3·54	3·46	3·46	2,963	1441	1522

Persons.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
1	–	1	1	2	3	1	–	1	1	2	3	2	1	1	–	–
57	158	55	38	30	333	29	1	2	2	1	1	–	–	–	–	–
28	55	42	39	23	187	50	8	1	1	3	–	–	–	–	–	–
6	10	7	11	19	53	22	3	3	2	2	–	–	–	1	–	–
183	131	47	29	16	397	16	1	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
2	7	3	7	3	23	24	16	21	29	32	20	12	4	2	–	–
1	–	2	–	3	6	2	2	–	–	3	2	–	–	–	–	1
328	37	10	1	4	400	1	–	1	3	4	4	11	14	25	26	1
13	1	1		–	15	1	–	–	–	–	–	–	1	2	1	
2	–	–	–	–	2	3	2	2	3	16	61	74	84	70	24	
117	45	13	4	4	183	3	9	5	2	2	1	–	2	–	–	–
16	17	10	2	2	47	26	37	135	132	350	249	136	76	21	2	
101	56	27	14	6	204	41	18	12	6	8	10	3	2	1	–	
890	92	45	18	19	1014	50	25	25	30	47	80	115	181	227	119	
3	3	–	1	2	9	9	20	27	28	71	134	168	236	204	86	
885	476	146	98	63	1666	82	15	20	30	105	175	235	319	361	210	
319	107	20	12	6	464	17	6	20	24	56	77	99	135	95	32	
6	5	4		3	18	2	4	4	17	29	45	48	53	67	23	
–	–	–	–	–	–	1	–	1	2	3	9	4	5	5	2	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
97	17	22	13	17	97	54	44	41	59	108	119	78	49	53	21	
1,392	64	20	13	4	1456	33	31	34	22	69	99	118	140	314	647	

Marriages		7,422	
Births	Males / Females	15,619 / 14,754	30,373

Annual Rate per 1000 living { Persons Married 18·15 / Births - - 36·44 }

Deaths from Childbirth and Puerperal Fever - - - 5·35 per 1000 Births.

* See page xxxv. [illegible]

† The death-rates under one year of age are per 1000 Births.

586.—CARDIFF.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 20·18	†148	–	–	–	–	59·84	5·35	3·14	5·15	6·65	8·65	12·56	19·15	34·88	64·95	145·80
Males	—	Standard 21·49	†162	–	–	–	–	64·00	5·56	3·15	6·12	7·08	8·46	13·48	21·67	37·84	71·78	157·14
Females	—	Population* 18·95	†133	–	–	–	–	55·66	5·14	3·13	4·18	6·21	8·87	11·48	16·35	31·91	58·65	136·61
Mean Population, 1881–91. Persons	Decennial Increase of Population 63·71 per cent.	139,980	4086	3825	3830	3823	3648	19212	16472	14540	13860	14360	23920	16628	10823	6238	2879	1048
Males		71,735	2040	1894	1928	1918	1856	9636	8267	7264	6940	7269	12688	8986	5705	3129	1382	469
Females		68,245	2046	1931	1902	1905	1792	9576	8205	7276	6920	7091	11232	7642	5118	3109	1497	579
Deaths from All Causes, 1881–90. Persons	18·80	26,310	7522	2139	865	557	414	11497	882	457	714	955	2070	2088	2073	2176	1870	1528
Males	19·84	14,230	4216	1065	418	278	190	6167	460	229	425	515	1074	1211	1236	1184	992	737
Females	17·70	12,080	3306	1074	447	279	224	5330	422	228	289	440	996	877	837	992	878	791

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·03	0·03	0·02	39	25	14	3	–	–	3	2	8	1	1	5	7	13	4	–	–	–	–
Measles	0·54	0·53	0·56	760	379	381	151	306	127	63	45	692	58	7	1	2	–	–	–	–	–	–
Scarlet Fever	0·31	0·27	0·36	436	193	243	24	75	80	73	68	318	89	18	5	2	1	2	–	1	–	–
Diphtheria	0·18	0·15	0·21	251	109	142	8	29	25	41	36	139	78	15	2	4	8	3	2	–	–	–
Whooping-cough	0·50	0·44	0·57	706	318	388	331	212	80	45	19	687	19	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0 01	24	16	8	–	–	1	–	–	1	1	3	4	4	3	5	2	–	1	–
Enteric Fever	0·24	0·28	0·19	331	200	131	3	4	5	9	4	25	35	32	56	60	64	31	17	8	2	1
Simple Continued Fever	0·04	0·04	0·03	51	28	23	1	3	2	6	2	14	4	3	4	4	8	5	4	3	2	–
Diarrhœa and Dysentery	0·86	0·88	0·83	1198	629	569	908	117	28	6	3	1062	8	1	1	1	8	11	12	32	26	36
Cholera	0·02	0·03	0·01	23	18	5	6	2	–	–	1	9	–	1	–	–	1	3	8	1	–	–
Cancer	0·45	0·32	0·59	633	230	403	–	–	2	–	–	2	1	2	2	1	29	106	161	186	105	38
Tabes Mesenterica	0·17	0·19	0·15	243	138	105	111	52	19	11	4	197	11	12	5	5	5	5	2	–	1	–
Phthisis	1·87	1·97	1·76	2614	1416	1198	47	39	13	12	6	117	52	60	239	364	756	527	295	152	44	8
Other Tub. & Scrof. Dis.	0·45	0·48	0·42	635	346	289	173	108	61	43	42	427	80	41	31	15	22	12	4	3	–	–
Diseases of Nervous System	2·51	2·63	2·38	3508	1884	1624	1603	250	85	58	32	2028	104	44	40	46	110	139	234	306	300	157
Circulatory „	1·41	1·45	1·37	1975	1039	936	13	1	1	2	2	19	31	50	44	59	190	289	337	411	358	187
Respiratory „	3·70	3·99	3·40	5185	2863	2322	1507	686	230	131	95	2649	132	39	56	83	207	304	412	507	470	326
Digestive „	0·90	0·96	0·85	1266	689	577	358	60	15	14	9	456	29	23	25	41	79	109	155	179	120	50
Urinary „	0·43	0·55	0·31	606	393	213	7	6	4	2	3	22	14	6	17	26	82	103	117	110	77	32
Generative „	0·05	0·01	0·09	67	8	59	2	–	1	–	1	4	1	1	2	3	19	12	12	9	2	2
Puerperal Fever	0·07	–	0·14	97	–	97	–	–	–	–	–	–	–	–	–	–	3	17	54	23	–	–	–
Childbirth	0·10	–	0·20	136	–	136	–	–	–	–	–	–	–	–	–	–	9	20	61	44	2	–	–
Violence	0·99	1·56	0·40	1388	1118	270	87	51	34	29	27	228	80	52	124	123	212	224	172	95	50	28
Other Causes	2·96	3·06	2·85	4138	2191	1947	2179	140	52	9	13	2393	54	46	39	68	138	127	125	173	312	663

Marriages 13,159

Births { Males 26,064 / Females 24,864 } 50,928

Annual Rate per 1000 living { Persons Married 18·80 / Births 36·38

Deaths from Childbirth and Puerperal Fever 4·58 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

587.—PONTYPRIDD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000.	Persons			In Sanitary Districts		21·77	·171	–	–	–	–	79·78	6·98	4·14	6·26	6·85	8·05	11·79	16·89	34·52	65·47	144·47
	Males			In Rural Districts		22·83	·190	–	–	–	–	78·01	7·19	4·14	6·43	6·46	7·97	13·67	18·61	38·13	70·08	137·19
	Females			Population*		20·79	·152	–	–	–	–	63·31	6·84	5·80	6·01	7·48	9·06	12·26	15·07	31·54	63·31	157·45
Mean Population, 1881-91.	Persons			136,566			3462	3370	3335	3329	3218	17074	14088	12677	12772	12571	10430	11405	8936	4805	2360	761
	Males			68,902			1790	1702	1658	1674	1593	8617	7118	6265	7006	6484	4880	5764	4344	2625	1112	397
	Females			67,664			1972	1668	1677	1655	1655	8827	6970	6412	5766	6087	5550	5641	4592	2180	1248	364
Births.	Persons			29,387			7921	2353	883	649	453	12257	1425	385	708	910	1043	1340	1442	1060	1295	1037
	Males			15,287			4479	1253	457	356	226	6771	748	208	402	509	562	758	808	1001	745	498
	Females			14,100			3442	1100	426	293	215	5479	677	177	306	401	481	582	634	659	550	544
	Persons	Males	Females	Persons	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Measles	0·61	0·56	0·67	728	370	358	160	292	110	63	43	668	55	2	1	1	–	1	–	–	–	–
Scarlet Fever	0·78	0·81	0·75	1026	539	487	63	159	154	150	123	649	293	15	16	11	7	4	1	–	–	–
Diphtheria	0·07	0·05	0·09	87	36	51	4	10	9	11	8	42	30	7	1	–		5	2	–	–	–
Whooping-cough	0·45	0·38	0·55	542	249	293	264	159	49	35	17	524	18		–	–				–	–	–
Typhus	0·01	0·01	0·01	12	9	3	–	–	–	1	–	1	2	2	1	3	1	–	1	1	–	–
Enteric Fever	0·45	0·53	0·35	541	351	190	3	9	9	11	16	48	73	66	74	82	103	40	51	14	8	2
Other Continued Fevers	0·02	0·03	0·00	28	17	11	–	1	4	2	2	9	6	1	2	1	1	3	3	2	–	1
Erysipelas and Phlebitis	0·59	0·56	0·63	714	374	340	454	109	24	8	3	578	8	1	1	2	8	16	12	26	41	24
Cholera	0·01	0·01	0·03	13	9	4	1	1	–	2	–	4	–		1	1	1	3	1	1	1	
Cancer	0·33	0·20	0·46	381	136	245	–	1	–	–	–	1	–			3	1	18	59	96	122	61	20
Tubercular Phthisis	0·22	0·23	0·21	271	150	111	116	64	27	8	3	218	15	10	6	6	1	1	–	–	–	–
Tubercular Diseases	1·36	1·13	1·64	1580	751	679	19	18	4	6	5	52	46	79	226	255	451	290	156	82	20	3
Other Local A Scrof. Dis.	0·34	0·34	0·36	404	225	179	92	64	30	23	20	228	62	42	22	14	18	9	5	2	2	
Diseases of Nervous System	3·49	3·54	3·43	4189	2347	1842	2700	274	80	59	32	3145	103	45	37	37	37	77	175	260	195	109
Diseases of Circulatory System	1·60	0·97	1·24	1804	647	657	6	3	–	–	1	10	20	20	40	45	158	178	254	384	255	164
Diseases of Respiratory System	4·49	4·70	4·28	5395	3119	2276	1042	853	280	195	111	3140	158	31	57	83	170	345	446	566	451	203
Diseases of Digestive System	1·13	1·13	1·13	1358	749	609	503	186	45	14	12	730	31	25	49	29	70	87	119	139	73	33
Diseases of Genito-Urinary System	0·38	0·42	0·34	461	276	185	14	5	4	1	8	32	18	9	18	15	37	33	46	88	90	24
Childbirth, Puerperal Fever	0·04	0·00	0·08	47	2	45	–	–	–	–	–	–	–		3	7	8	14	8	4	2	1
Premature Births	0·17		0·18	205	–	205	–	–	–	–	–	–	–		15	58	79	23	3		–	–
Diseases of Skin	0·14	–	0·29	163	–	163	–	–	–	–	–	–	–		6	32	69	37	12		–	–
Old Age	1·30	2·21	0·38	1567	1400	167	57	38	18	35	18	166	52	66	173	187	308	413	161	114	60	12
Other Causes	2·68	2·40	2·79	3239	1730	1499	1793	107	24	17	11	1952	35	47	46	40	78	89	80	130	277	454

Marriages . . . . Males 23,651 / Females 22,557 — Rate 8·08

Annual Rate per 1000 living { Persons Married 17·30 / Births . . 38·44

Deaths from Childbirth and Puerperal Fever . . . . 7·97 per 1000 Births

* No parish wholly rural.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 23·46 Standard 24·64 Population* 22·34	†164	–	–	–	–	70·19	8·23	4·79	6·55	7·39	8·80	12·73	20·59	41·02	81·47	150·92
Males	—		†175	–	–	–	–	74·87	8·52	5·28	6·42	6·98	7·84	12·25	22·87	46 41	91·58	167·49
Females	—		†153	–	–	–	–	65·52	7·94	4·30	6·70	7·92	9·98	13·31	18·15	35·57	72·51	140·11
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·54 per cent.	109,323	3298	2782	2909	2855	2824	14668	13296	12021	11717	10866	16520	11905	8806	5790	2807	927
Males		57,373	1665	1416	1421	1416	1404	7322	6656	6065	6435	6106	9148	6488	4557	2911	1319	366
Females		51,950	1633	1366	1488	1439	1420	7346	6640	5956	5282	4760	7372	5417	4249	2879	1488	561
Deaths from All Causes, 1881–90. Persons	22·30	24,378	6125	2065	978	672	455	10295	1094	576	767	803	1453	1516	1813	2375	2287	1399
Males	22·54	12,934	3355	1072	482	350	223	5482	567	320	413	426	717	795	1042	1351	1208	613
Females	22·03	11,444	2770	993	496	322	232	4813	527	256	354	377	736	721	771	1024	1079	786

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·00	0 01	0·00	5	3	2	–	1	–	–	–	1	–	–	–	2	2	–	–	–	–	–
Measles	0·60	0·63	0·58	659	359	300	148	228	100	73	44	593	55	2	3	1	3	1	1	–	–	–
Scarlet Fever	1·20	1·15	1·26	1316	659	657	74	196	221	223	145	859	342	85	17	4	8	1	–	–	–	–
Diphtheria	0·11	0·10	0·12	117	55	62	2	14	15	13	16	60	37	4	2	3	6	1	3	–	1	–
Whooping-cough	0·54	0·49	0·59	586	282	304	272	167	72	33	18	562	22	1	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	12	6	6	–	–	–	–	–	–	1	2	1	1	1	2	2	2	–	–
Enteric Fever	0·23	0·20	0·25	249	117	132	5	4	8	10	7	34	45	34	37	29	30	13	17	9	–	1
Simple Continued Fever	0·02	0·01	0·03	17	4	13	1	3	1	–	1	6	4	1	–	–	1	1	1	–	3	–
Diarrhœa and Dysentery	0·48	0·46	0·50	524	262	262	278	83	14	6	3	384	4	2	–	2	10	12	10	15	46	39
Cholera	0·01	0·01	0·01	9	6	3	3	1	–	–	–	4	–	–	–	1	–	1	2	1	–	–
Cancer	0·47	0·36	0·58	509	209	300	1	1	–	–	–	2	2	3	4	7	19	57	132	158	93	32
Tabes Mesenterica	0·18	0·21	0·16	202	118	84	72	48	18	6	6	150	12	13	6	2	8	7	2	2	–	–
Phthisis	2·05	1·82	2·31	2244	1046	1198	68	58	33	18	15	192	85	92	256	288	516	356	250	160	44	5
Other Tub. & Scrof. Dis.	0·50	0·54	0·46	549	310	239	112	80	37	29	24	282	96	57	45	18	24	14	8	4	1	–
Diseases of Nervous System	3·33	3·30	3·36	3638	1892	1746	1904	204	94	44	33	2279	73	50	30	39	63	114	163	304	356	167
Diseases of Circulatory „	1·76	1·62	1·90	1919	932	987	5	5	1	–	4	15	17	31	48	41	107	203	322	461	495	179
Diseases of Respiratory „	4·84	5·42	4·19	5286	3110	2176	1266	691	272	154	86	2469	150	39	53	91	168	259	444	693	639	281
Diseases of Digestive „	1·15	1·10	1·20	1254	629	625	347	140	26	21	8	542	29	21	20	28	67	104	126	164	110	43
Diseases of Urinary „	0·42	0·48	0·36	463	277	186	6	12	12	6	9	45	16	11	14	18	44	47	72	88	79	29
Diseases of Generative „	0·05	0·00	0·09	51	2	49	–	–	–	–	–	–	–	–	5	5	8	11	10	5	5	2
Puerperal Fever	0·14	–	0·29	153	–	153	–	–	–	–	–	–	–	–	8	40	78	26	1	–	–	–
Childbirth	0·11	–	0·22	115	–	115	–	–	–	–	–	–	–	–	4	25	47	39	–	–	–	–
Violence	1·16	1·86	0·39	1266	1066	200	36	34	33	24	21	148	57	91	154	112	164	150	147	140	75	28
Other Causes	2·94	2·76	3·17	3235	1590	1645	1525	95	21	12	15	1668	47	37	59	46	79	97	100	169	340	593

Marriages - - 9,349

Births - { Males - 19,147 / Females - 18,155 } 37,302

Annual Rate per 1000 living { Persons Married 17·10 / Births - - 34·12

Deaths from Childbirth and Puerperal Fever - - - - - } 7·18 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

589.—BRIDGEND.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000.	—	In Standard Population.* 19·70	†147	–	–	–	–	55·69	6·15	3·25	5·58	6·94	9·11	14·18	18·27	31·85	64·49	137·07
	—	20·08	†160	–	–	–	–	61·31	6·41	3·36	5·74	6·64	8·97	15·08	20·65	34·20	68·38	151·90
	—	18·48	†132	–	–	–	–	49·95	5·88	3·14	5·40	7·33	9·28	13·09	15·71	29·31	60·72	124·64
Mean Population, 1881-91.	Decennial Increase of Population 25·48 per cent.	44,770	1243	1128	1218	1134	1149	5872	5389	4832	4540	4477	6686	5051	3023	2215	1493	634
		23,456	623	553	625	571	571	2943	2728	2440	2457	2404	3057	2759	1879	1504	949	289
		21,314	620	575	593	563	578	2929	2671	2392	2092	1856	3039	2292	1744	1241	723	345
Deaths from All Causes, 1881-90.	19·82	8873	2113	586	247	183	136	3265	332	157	254	309	610	716	662	801	917	869
	20·03	4877	1176	301	141	99	72	1789	175	82	141	151	328	416	388	446	478	439
	19·93	4054	937	285	106	84	64	1476	157	75	113	158	282	300	274	355	439	430

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·36	0·38	0·35	163	88	75	33	62	24	16	9	145	15	2	–	1	–	–	–	–
Scarlet Fever	0·58	0·40	0·77	322	158	164	29	36	56	50	45	213	78	22	5	–	3	–	–	–	–
Diphtheria	0·08	0·06	0·10	35	13	22	3	3	2	4	1	13	11	4	–	2	2	1	1	–	–
Whooping-cough	0·50	0·24	0·51	176	67	109	89	53	13	14	8	173	3	–	–	–	–	–	–	–	1
Typhus	0·02	0·04	0·02	9	5	4	–	–	–	–	–	–	1	3	2	–	2	–	1	–	–
Enteric Fever	0·37	0·13	0·41	190	102	88	3	1	3	4	6	17	24	22	35	15	35	27	7	4	3	1
Simple Continued Fever	0·05	0·04	0·07	26	11	15	1	2	1	4	3	11	7	–	–	–	2	1	1	3	1	–
Diarrhœa and Dysentery	0·25	0·36	0·25	113	60	53	51	18	1	2	1	73	–	–	–	–	2	3	5	11	9	10
Cholera	0·02	0·02	0·03	11	5	6	2	2	–	1	–	5	–	–	1	–	–	–	–	3	1	1
Cancer	0·42	0·55	0·50	188	82	106	–	–	–	–	–	–	–	–	1	–	1	18	29	72	51	16
Tabes Mesenterica	0·13	0·10	0·18	76	37	39	40	17	–	2	1	60	5	–	1	1	5	1	–	1	2	–
Phthisis	1·93	1·30	1·96	781	393	418	4	7	3	4	2	20	22	22	80	110	191	157	109	58	19	2
Other Tub. & Scrof. Dis.	0·60	0·54	0·45	222	126	96	69	32	17	12	5	135	22	13	12	11	16	5	4	2	2	–
Diseases of Nervous System	3·59	4·14	3·31	1677	971	706	675	76	26	16	9	802	31	16	19	24	37	176	149	142	141	56
Circulatory	1·73	1·37	1·70	683	321	362	5	–	1	–	–	6	5	9	13	21	38	66	85	135	179	129
Respiratory	3·74	4·60	3·52	1697	968	749	417	201	74	39	27	758	57	10	14	25	49	72	149	173	246	178
Digestive	0·85	0·90	0·85	396	214	181	71	27	5	2	3	108	9	8	5	11	24	30	49	66	58	33
Urinary	0·40	0·57	0·27	187	130	57	3	1	3	1	3	13	7	4	7	8	8	12	29	33	32	23
Generative	0·04	0·00	0·07	17	3	14	1	–	–	–	–	1	1	1	1	1	2	4	4	–	2	–
Puerperal Fever	0·10	–	0·22	46	–	46	–	–	–	–	–	–	–	–	2	6	26	12	–	–	–	–
Childbirth	0·08	–	0·16	35	–	35	–	–	–	–	–	–	–	–	1	6	17	11	–	–	–	–
Violence	1·04	1·72	0·30	467	404	63	16	13	11	10	10	60	14	12	41	37	78	83	66	40	24	13
Other Causes	3·04	3·11	2·93	1356	731	625	605	35	7	2	3	652	20	9	14	11	26	37	32	57	124	377

Marriages	–	3,167	Annual Rate per 1000 living { Persons Married	14·15
Births { Males	765	14,422	Births	32·21
Females	677		Deaths from Childbirth and Puerperal Fever	5·62 per 1000 Births.

* *See page preceding.*

† The death-rates under one year of age are per 1000 Births.

‡ An enlargement of the mean population was rendered necessary by changes of boundary, see page 737.

590.—NEATH.‡

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	Persons		—	In Standard Population*		19·16	†133	–	–	–	–	53·08	6·39	4·04	5·45	6·82	7·81	10·79	16·11	33·25	68·73	148·92
	Males		—			20·14	†143	–	–	–	–	57·58	5·84	3·65	5·23	6·37	7·01	10·35	18·09	37·65	77·44	180·10
	Females		—			18·24	†122	–	–	–	–	48·65	6·94	4·45	5·69	7·29	8·69	11·27	14·09	28·96	61·40	129·52
Mean Population, 1881–91.	Persons		Decennial Increase of Population 13·36 per cent.		54,792		1622	1468	1542	1514	1505	7651	7107	6332	5872	5059	7748	5920	4289	2800	1503	511
	Males				27,752		804	733	767	746	745	3795	3547	3206	3059	2589	4054	3071	2167	1381	687	196
	Females				27,040		818	735	775	768	760	3856	3560	3126	2813	2470	3694	2849	2122	1419	816	315
Deaths from All Causes, 1881–90.	Persons		18·43		10,096		2546	775	348	236	156	4061	454	256	320	345	605	639	691	931	1033	761
	Males		18·86		5,233		1383	404	191	122	85	2185	207	117	160	165	284	318	392	520	532	353
	Females		17·98		4,863		1163	371	157	114	71	1876	247	139	160	180	321	321	299	411	501	408
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·52	0·58	0·45	285	162	123	46	113	49	32	17	257	27	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·69	0·65	0·73	379	181	198	24	56	77	57	44	258	101	15	1	2	2	–	–	–	–	–
Diphtheria	0·05	0·04	0·05	26	12	14	1	1	2	2	4	10	9	5	1	–	–	–	1	–	–	–
Whooping-cough	0·47	0·38	0·57	260	106	154	110	78	28	22	10	248	12	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	9	6	3	–	–	–	–	1	1	–	1	1	3	1	2	–	–	–	–
Enteric Fever	0·32	0·28	0·35	173	79	94	–	4	2	4	1	11	29	25	30	23	25	14	6	8	1	1
Simple Continued Fever	0·02	0·02	0·03	13	6	7	–	–	–	3	1	4	4	2	–	1	1	1	–	–	–	–
Diarrhœa and Dysentery	0·32	0·27	0·36	173	76	97	104	24	1	2	2	133	1	–	–	1	1	3	–	7	18	9
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·51	0·34	0·68	278	93	185	–	–	1	–	–	1	1	–	–	–	14	39	74	79	55	15
Tabes Mesenterica	0·11	0·10	0·11	58	28	30	16	16	7	3	1	43	3	2	3	3	1	2	–	1	–	–
Phthisis	2·06	1·92	2·22	1131	532	599	48	64	15	3	9	139	47	67	126	150	209	177	100	76	36	4
Other Tub. & Scrof. Dis.	0·46	0·49	0·42	251	137	114	40	30	15	9	18	112	57	23	13	13	12	12	4	5	–	–
Diseases of Nervous System	2·53	2·71	2·34	1384	751	633	691	74	21	19	5	810	45	16	19	10	27	38	71	118	138	92
Diseases of Circulatory „	1·47	1·29	1·65	805	359	446	6	2	1	–	1	10	13	24	22	21	56	71	113	193	213	69
Diseases of Respiratory „	3·24	3·62	2·84	1774	1006	768	479	203	80	53	23	838	42	13	21	30	53	81	120	203	254	119
Diseases of Digestive „	0·84	0·83	0·84	458	231	227	121	37	8	4	4	174	7	15	15	8	26	40	39	65	48	21
Diseases of Urinary „	0·41	0·54	0·29	227	149	78	3	3	3	3	1	13	9	7	4	11	13	24	40	51	43	12
Diseases of Generative „	0·03	0·01	0·05	17	3	14	–	–	–	–	–	–	–	–	–	4	2	3	5	1	2	–
Puerperal Fever	0·08	–	0·16	43	–	43	–	–	–	–	–	–	–	–	4	11	18	10	–	–	–	–
Childbirth	0·08	–	0·17	46	–	46	–	–	–	–	–	–	–	1	–	2	24	18	1	–	–	–
Violence	0·98	1·60	0·34	537	444	93	23	18	22	11	8	82	31	27	49	34	83	74	68	49	30	10
OTHER CAUSES	3·22	3·17	3·32	1767	870	897	834	52	16	9	6	917	16	12	11	18	36	30	49	74	195	409

Marriages - - - 3,938

Births - { Males - 9,700 } 19,205
{ Females - 9,505 }

Annual Rate per 1000 living { Persons Married 14·37
Births - - 35·05

Deaths from Childbirth and Puerperal Fever - - - - - } 4·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 738.

591.—PONTARDAWE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Mean Population { Persons / Males / Females	—	In Standard 17·18 / Population* 16·53	†121	–	–	–		42·17	5·25	4·82	7·29	8·29	7·53	11·69	13·71	26·83	48·39	145·30
			†134	–	–	–		45·22	6·15	5·25	6·79	7·03	6·54	9·36	15·99	32·42	72·64	153·78
			†108	–	–	–		39·12	4·37	4·39	7·64	9·48	8·60	12·61	11·56	21·61	55·74	139·29
Marriages { Persons / Males / Females	Proportion per cent. of Persons 7·31 per cent.	20,012 10,307 10,405	639	560	601	602	588	3,090	2817	2550	2278	1936	2811	2056	1568	1077	662	287
			342	267	294	286	308	1497	1308	1276	1188	983	1467	1095	780	546	279	119
			297	293	307	316	280	1593	1449	1284	1090	953	1384	1051	788	531	323	168
Deaths { Persons / Males / Females	17·29 17·98 16·74	3,402 1,849 1,743	860	173	100	70	66	1265	148	122	136	158	215	228	215	289	381	417
			480	85	50	36	36	677	86	67	85	89	94	98	124	177	261	183
			380	88	50	44	25	588	62	55	86	89	119	130	91	112	120	234

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·20	0·13	35	21	14	8	13	6	2	2	31	4	–	–	–	–	–	–
Scarlet Fever	0·33	0·29	0·38	69	31	38	5	10	13	12	3	45	22	1	1	–	–	–	–
Diphtheria	0·03	–	0·06	6		6	–	1	–	2		3	3	–	–	–	–	–	–
Whooping-cough	0·33	0·20	0·47	70	31	39	32	18	9	5	2	66	4	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·24	0·29	0·19	51	31	20	–	–	–	3	–	2	2	7	13	8	5	8	4	1	1	–	–
Simple Continued Fever	0·06	0·05	0·06	11	5	6	–	1	3	–	1	5	1	1	2	–	2	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·33	0·21	56	24	32	35	1	–	3		39	–	–	–	–	–	1	3	3	3	5	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·44	0·47	0·40	92	50	42	–	–	–	–	–	–	–	1	–	1	4	5	22	31	23	5	–
Tubercular Meningitis	0·12	0·15	0·10	26	16	10	6	2	–	–	1	12	2	3	4	3	2	–	–	–	–	–	–
Phthisis	2·57	2·22	2·93	539	234	305	2	4	6	3	2	27	15	36	76	80	109	71	56	41	16	3	–
Other Tubercular Diseases	0·50	0·63	0·37	105	66	39	16	9	13	8	8	54	16	14	5	5	3	4	2	1	1	–	–
Nervous System	2·33	2·40	2·25	488	253	235	253	23	12	5	5	298	14	13	9	8	11	16	13	31	53	23	–
Organs of Circulation	1·35	1·34	1·35	282	141	141	–	–	–	–	–	–	10	10	5	7	9	27	34	41	93	45	–
Respiratory Organs	2·63	3·02	2·23	550	318	232	113	52	29	15	21	230	31	–	9	5	12	27	36	76	79	45	–
Digestive Organs	0·95	0·99	0·91	199	104	95	47	15	2	3	2	69	4	5	13	5	15	10	15	23	30	10	–
Urinary Organs	0·29	0·33	0·25	61	35	26	1	–	–	–		1	3	1	2	4	5	10	3	7	13	13	–
Generative Organs	0·05	0·01	0·09	10	1	9	–	–	–	–		–	–	–	–	–	2	5	3	–	–	–	–
Puerperal Fever	0·05	–	0·11	11	–	11	–	–	–	–		–	–	–	1	1	4	5	–	–	–	–	–
Childbirth	0·11	–	0·22	23	–	23	–	–	–	–		–	–	–	–	6	6	11	–	–	–	–	–
Violence	0·79	1·15	0·40	165	138	27	3	5	5	3	4	20	11	22	18	9	13	18	13	19	11	11	–
Decline, Causes ill-defined	3·60	3·80	3·41	754	368	386	330	19	2	2	1	363	6	8	8	7	11	10	11	15	57	267	–

Marriages . . 1,393

Births { Males 3,850 / Females 3,261 } 7,111

Annual Rate per 1000 living { Persons Married 13·29 / Births - - 35·96

Deaths from Childbirth and Puerperal Fever - - - - } 4·78 per 1000 Births.

* See page xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 20·28	†141	–	–	–	–	61·63	6·13	3·40	4·93	6·84	7·96	12·27	17·02	33·82	66·77	145·54
Males	—	21·64	†136	–	–	–	–	67·03	5·96	3·55	4·85	7·13	7·91	13·31	19·32	39·44	71·17	158·28
Females	—	18·99	†126	–	–	–	–	56·21	6·31	3·26	5·00	6·55	8·01	11·21	14·78	28·73	63·36	137·80
Mean Population, 1881–91. Persons	Decennial Increase of Population, 20·34 per cent.	104,664	3221	2819	2984	2819	2831	14674	13290	11994	11086	10049	15794	11529	8120	4906	2359	863
Males		52,127	1586	1404	1490	1430	1431	7341	6649	6005	5583	4951	8053	5853	4006	2330	1030	326
Females		52,537	1635	1415	1494	1389	1400	7333	6641	5989	5503	5098	7741	5676	4114	2576	1329	537
Deaths from All Causes, 1881–90. Persons	19·15	20,043	5418	1802	865	573	385	9043	815	408	546	687	1257	1415	1382	1659	1575	1256
Males	20·17	10,512	3075	938	423	286	199	4921	396	213	271	353	637	779	774	919	733	516
Females	18·14	9,531	2343	864	442	287	186	4122	419	195	275	334	620	636	603	740	842	740

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·00	6	5	1	2	–	–	–	–	2	–	–	1	1	1	1	–	–	–	–
Measles	0·64	0·63	0·66	675	327	348	129	207	126	90	54	606	65	1	1	2	–	–	–	–	–	–
Scarlet Fever	0·69	0·67	0·72	726	350	376	50	115	144	128	84	521	166	20	8	4	5	2	–	–	–	–
Diphtheria	0·05	0·06	0·04	52	31	21	2	4	7	8	7	28	16	4	2	1	–	–	1	–	–	–
Whooping-cough	0·49	0·47	0·50	509	246	263	238	139	61	41	16	495	14	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·01	5	2	3	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–
Enteric Fever	0·34	0·38	0·30	353	196	157	1	1	5	5	15	27	40	47	62	62	66	30	15	3	1	–
Simple Continued Fever	0·02	0·02	0·02	21	11	10	–	1	2	1	5	9	2	4	3	–	–	2	–	1	–	–
Diarrhœa and Dysentery	0·35	0·38	0 33	369	198	171	232	62	6	4	2	306	6	–	–	2	8	6	3	9	17	12
Cholera	0·01	0·01	0·01	10	4	6	1	1	–	1	–	3	1	–	–	–	–	1	–	3	1	1
Cancer	0·45	0·40	0·50	475	211	264	1	–	–	–	–	1	1	–	1	5	24	62	107	141	107	26
Tabes Mesenterica	0·23	0·25	0·21	237	128	109	104	56	25	8	6	199	13	7	9	2	2	2	1	–	2	–
Phthisis	1·86	1·82	1·89	1943	948	995	28	24	15	8	12	87	50	85	188	285	491	386	231	106	29	5
Other Tub. & Scrof. Dis.	0·44	0·46	0·42	463	242	221	122	86	45	22	23	298	64	45	17	14	10	7	5	3	–	–
Diseases of Nervous System	2·97	3·17	2·76	3105	1653	1452	1600	176	65	47	24	1912	73	29	34	29	38	123	169	264	278	156
Diseases of Circulatory „	1·08	1·10	1·07	1135	571	564	3	3	–	1	1	8	18	32	37	38	102	180	188	238	205	89
Diseases of Respiratory „	4·24	4·73	3·75	4438	2467	1971	1193	647	250	162	97	2349	137	27	34	57	150	200	308	480	475	221
Diseases of Digestive „	0·96	1·01	0·91	1006	528	478	232	105	35	12	10	394	20	17	24	29	53	105	123	128	77	36
Diseases of Urinary „	0·35	0·42	0·28	367	218	149	3	8	7	5	3	26	14	8	9	16	30	65	62	67	47	23
Diseases of Generative „	0·05	0·01	0·09	52	5	47	2	1	1	–	–	4	–	–	1	5	7	8	14	8	3	2
Puerperal Fever	0·11	–	0·21	112	–	112	–	–	–	–	–	–	–	–	4	32	54	21	1	–	–	–
Childbirth	0·09	–	0·19	98	–	98	–	–	–	–	–	–	–	–	2	12	42	41	1	–	–	–
Violence	0·71	1·14	0·28	742	595	147	20	25	28	16	18	107	61	46	61	63	100	102	74	73	38	17
Other Causes	3·01	3·03	2·99	3144	1576	1568	1455	141	43	14	8	1661	54	36	47	27	71	72	79	134	295	668

Marriages - - 9,267

Births - { Males - 19,681 / Females - 18,614 } 38,295

Annual Rate per 1000 living { Persons Married 17·71 / Births - - 36·59

Deaths from Childbirth and Puerperal Fever - - - - 5·48 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

393.—GOWER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·86	†113	—	—	—	—	39·47	4·14	2·87	4·32	6·94	8·72	10·02	10·67	24·82	52·38	109·39
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·82	†122	—	—	—	—	39·69	2·87	2·59	4·82	8·77	10·65	12·01	11·51	23·96	59·20	158·05
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·86	†103	—	—	—	—	39·29	5·43	3·13	3·85	5·45	7·09	8·28	9·88	25·62	46·34	102·82
Mean Population, 1881–90. Persons	Decennial Increase of Population, 0·06 per cent.	11,104	288	291	275	283	289	1426	1378	1255	1110	894	1433	1208	975	701	462	302
Mean Population, 1881–90. Males	Decennial Increase of Population, 0·06 per cent.	5,318	136	136	141	145	150	708	696	617	539	399	657	566	469	338	216	113
Mean Population, 1881–90. Females	Decennial Increase of Population, 0·06 per cent.	5,786	152	155	134	138	139	718	682	638	571	495	776	642	506	363	246	149
Deaths from All Causes, 1881–90. Persons	16·46	1,828	339	76	42	28	15	520	57	36	46	62	125	121	104	174	242	390
Deaths from All Causes, 1881–90. Males	17·58	935	202	38	20	16	5	281	20	16	26	35	70	68	54	81	128	151
Deaths from All Causes, 1881–90. Females	15·43	893	157	38	22	12	10	239	37	20	23	27	55	53	50	93	114	183

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·33	0·30	0·36	37	16	21	5	9	7	5	2	28	8	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·04	0·09	7	2	5			2	2		4	2	1	–	–	–	–	–	–	–	–
Diphtheria	0·07	0·07	0·05	8	5	3	1				1	2	2	–	–	1	–	–	1	2	–	–
Whooping-cough	0·39	0·30	0·38	43	21	22	25	7	4	4	2	42	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–						–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·29	0·30	0·26	32	16	16	–			1	1	2	4	4	1	6	6	4	2	2	1	–
Simple Continued Fever	0·02	0·04	–	2	2							–	–					1	–	1	–	–
Diarrhœa and Dysentery	0·14	0·19	0·10	16	10	6	12	3	–	–	–	15	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–				–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·70	0·62	0·78	78	33	45	–			–	–	–	–	–	–	1	–	7	13	19	26	13
Tabes Mesenterica	0·19	0·13	0·24	21	7	14	11	4	2	–	1	18	1	1	–	–	1	–	–	–	–	–
Phthisis	1·68	1·69	1·68	187	90	97	3	1	2	–	–	8	3	2	20	23	35	26	18	16	5	1
Other Lab. & Scrof. Dis.	0·34	0·36	0·33	38	19	19	12	5	2	3	1	23	8	4	2	–	–	–	1	–	–	–
Diseases of Nervous System	2·50	2·65	2·37	278	141	137	115	10	11	1	3	140	5	2	3	–	4	6	15	21	41	43
Diseases of Circulatory	1·61	1·69	1·54	179	90	89				1	–	1	–	2	2	4	7	7	14	33	63	46
Diseases of Respiratory	2·27	2·61	1·95	252	139	113	58	23	7	7	2	92	11	5	4	4	8	11	9	31	33	44
Diseases of Digestive	0·94	1·11	0·78	104	59	45	23	2		–	–	25	4	3	3	2	2	9	8	13	23	13
Diseases of Urinary	0·45	0·66	0·26	50	35	15	1			1	–	2	–	1	1	4	1	6	3	5	17	10
Diseases of Generative	0·05	–	0·09	5	–	5	–			–	–	–	–	–	1	–	–	1	1	2	–	–
Puerperal Fever	0·14	–	0·26	15	–	15	–			–	–	–	–	–	1	2	11	1	–	–	–	–
Childbirth	0·06	–	0·12	7	–	7	–			–	–	–	–	–	1	2	2	2	–	–	–	–
Violence	0·94	1·50	0·41	104	80	24	4	3	4	2	–	13	3	6	5	8	21	20	11	11	2	3
Other Causes	3·29	3·21	3·36	365	170	195	92	9	1	1	2	105	5	4	5	5	7	10	8	18	31	167

Marriages	537	Annual Rate per 1000 living	Persons Married 9·67
Births Males	1,600		Births 28·71
Births Females	1,528		
Births	3,128		

Deaths from Childbirth and Puerperal Fever 6·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 17·23	†127	–	–	–	–	47·01	4·95	3·83	5·73	7·45	7·64	9·94	13·93	26·68	64·46	133·57
Males	—	Standard 18·02	†142	–	–	–	–	52·73	4·64	3·59	6·18	6·88	7·41	9·14	15·01	28·79	72·27	139·01
Females	—	Population* 16·48	†110	–	–	–	–	41·42	5·27	4·07	5·25	8·02	7·87	10·72	12·93	24·78	58·11	130·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·41 per cent.	48,499	1502	1338	1361	1386	1352	6939	6418	5795	5253	4494	6782	4951	3683	2335	1286	563
Males		23,973	732	658	681	680	678	3429	3231	2899	2684	2238	3362	2450	1772	1108	577	223
Females		24,526	779	680	680	706	674	3510	3187	2896	2569	2256	3420	2501	1911	1227	709	340
Deaths from All Causes, 1881–90. Persons	16·84	8,165	2143	565	224	192	138	3262	318	222	301	335	518	492	513	623	329	752
Males	17·38	4,167	1230	300	123	97	53	1808	150	104	166	154	249	224	266	319	417	310
Females	16·30	3,998	913	265	101	95	80	1454	168	118	135	181	269	268	247	304	412	442

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·37	0·23	146	89	57	47	50	14	18	8	137	8	–	–	–	1	–	–	–	–
Scarlet Fever	0·33	0·33	0·33	160	78	82	14	21	26	25	28	114	36	8	2	–	–	–	–	–	–	–
Diphtheria	0·06	0·06	0·05	28	15	13	2	1	4	5	2	14	11	1	1	–	–	–	–	–	1	–
Whooping-cough	0·54	0·55	0·53	264	133	131	128	70	32	16	12	258	6	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·34	0·35	0·33	165	85	80	–	1	4	5	2	12	22	31	29	17	30	9	8	4	3	–
Simple Continued Fever	0·01	0·01	0·01	5	2	3	1	2	–	–	–	3	1	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·24	0·25	0·24	118	59	59	70	15	3	–	1	89	1	1	–	1	2	4	1	2	10	7
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·44	0·33	0·55	215	79	136	–	–	–	–	–	–	–	–	3	1	2	19	50	61	55	24
Tabes Mesenterica	0·16	0·19	0·13	77	45	32	32	14	4	3	2	55	8	2	3	1	3	1	1	1	1	1
Phthisis	2·04	1·93	2·14	988	463	525	8	11	6	5	9	39	31	50	138	156	239	145	89	71	26	4
Other Tub. & Scrof. Dis.	0·44	0·43	0·44	212	104	108	24	23	14	19	13	93	38	31	21	10	5	6	7	1	–	–
Diseases of Nervous System	2·74	2·98	2·51	1330	715	615	746	62	23	18	13	862	26	12	11	13	19	30	55	81	133	88
Diseases of Circulatory „	1·07	1·06	1·07	518	255	263	9	1	1	–	1	12	10	17	15	16	35	56	76	102	134	45
Diseases of Respiratory „	3·16	3·52	2·81	1534	844	690	380	220	69	57	31	757	67	11	19	26	45	49	81	142	224	113
Diseases of Digestive „	0·83	0·79	0·88	404	189	215	110	42	4	2	4	162	11	12	6	10	13	31	38	54	49	18
Diseases of Urinary „	0·46	0·54	0·39	225	130	95	1	4	1	2	4	12	5	5	10	15	17	23	41	34	41	22
Diseases of Generative „	0·02	0·00	0·03	8	1	7	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	–
Puerperal Fever	0·12	–	0·23	56	–	56	–	–	–	–	–	–	–	–	1	16	25	12	2	–	–	–
Childbirth	0·11	–	0·21	51	–	51	–	–	–	–	–	–	–	–	3	9	15	22	2	–	–	–
Violence	0·55	0·88	0·23	266	210	56	6	7	14	7	4	38	19	22	27	30	28	41	19	14	17	11
OTHER CAUSES	2·88	2·81	2·96	1393	670	723	565	21	5	10	4	605	18	19	12	14	38	42	40	55	132	418

Marriages - - - 3,317

Births - { Males - 8,639 / Females - 8,274 } 16,913

Annual Rate per 1000 living { Persons Married 13·68 / Birth - - 34·87

Deaths from Childbirth and Puerperal Fever - - - - - 6·33 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

595.—LLANDOVERY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate { Persons / Males / Females } in 1881–90.	— — —	In Standard Population.* 16·11 / 17·05 / 15·22	†126 / †140 / †111	– – –	– – –	– – –	– – –	41·48 / 46·15 / 35·88	4·40 / 3·95 / 4·86	4·40 / 4·44 / 4·35	6·75 / 6·05 / 7·42	8·15 / 9·47 / 7·17	8·12 / 8·37 / 7·93	11·04 / 10·93 / 11·13	11·40 / 13·52 / 9·45	20·76 / 23·24 / 18·49	55·17 / 59·69 / 50·26	142·23 / 157·94 / 135·12
Mean Population in 1881–90. { Persons / Males / Females }	Decennial Decrease of Population 8·95 per cent.	12,104 / 5,783 / 6,311	274 / 136 / 138	263 / 133 / 130	250 / 125 / 125	275 / 141 / 134	280 / 141 / 139	1392 / 676 / 686	1408 / 708 / 700	1386 / 720 / 666	1319 / 645 / 674	1068 / 454 / 614	1552 / 669 / 883	1214 / 549 / 665	1044 / 503 / 541	891 / 426 / 465	709 / 367 / 342	341 / 156 / 185
Deaths from All Causes. { Persons / Males / Females } in 1885–90.	18·44 / 19·40 / 17·58	2,240 / 1,102 / 1,127	422 / 241 / 181	58 / 34 / 24	41 / 19 / 22	27 / 9 / 18	22 / 5 / 13	565 / 312 / 253	62 / 28 / 34	61 / 33 / 29	89 / 39 / 50	87 / 43 / 44	126 / 56 / 70	134 / 60 / 74	119 / 68 / 51	185 / 99 / 86	336 / 177 / 159	185 / 208 / 277

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·07	0·03	0·05	8	5	3	–	3	–	3	–	6	2	–	–	–	–	–	–
Scarlet Fever	0·13	0·14	0·12	16	8	8	2	2	2	2	–	8	7	1	–	–	–	–	–
Diphtheria	0·06	0·03	0·08	7	2	5	–	–	–	–	1	1	4	1	1	–	–	–	–
Whooping-cough	0·21	0·17	0·25	26	10	16	14	4	3	3	1	25	–	1	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·25	0·31	0·20	31	18	13	–	–	1	–	–	1	2	3	3	1	3	3	1
Simple Continued Fever	0·03	0·07	0·02	5	4	1	–	–	–	–	–	–	1	1	2	1	–	–	–
Diarrhœa and Dysentery	0·15	0·15	0·15	19	9	10	6	3	1	1	–	11	–	1	–	–	–	1	3
Cholera	0·02	0·03	0·02	3	2	1	–	–	–	–	–	–	–	–	–	1	–	1	–
Cancer	0·65	0·78	0·53	79	45	34	–	–	–	–	–	–	–	–	–	–	1	–	–
Tabes Mesenterica	0·07	0·03	0·11	9	2	7	1	–	–	–	–	1	–	2	1	1	3	6	25
Phthisis	2·40	2·46	2·39	291	142	149	1	–	–	–	–	1	3	13	32	40	66	41	36
Other Tub. & Scrof. Dis.	0·32	0·29	0·34	39	17	22	–	–	–	4	1	5	4	10	5	7	2	1	2
Diseases of Nervous System	3·99	4·76	3·35	487	272	215	268	14	12	3	3	300	17	10	10	4	6	9	8
" Circulatory "	1·57	1·92	1·29	192	88	104	–	–	–	–	–	–	3	1	9	5	7	14	18
" Respiratory "	2·72	2·92	2·54	332	169	163	44	24	15	4	11	98	11	4	7	7	8	16	16
" Digestive "	1·06	1·11	1·01	129	64	65	11	4	2	–	–	17	3	4	2	4	8	12	13
" Urinary "	1·02	0·76	1·28	68	44	19	–	–	–	–	1	1	–	–	–	1	4	7	5
" Generative "	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	7
Puerperal Fever	0·11	–	0·20	13	–	13	–	–	–	–	–	–	–	–	–	1	4	8	–
Childbirth	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	1	–	3	5	–
Violence	0·41	0·53	0·29	50	31	19	–	–	–	–	–	–	1	1	2	2	4	3	2
Other Causes	3·69	3·37	3·99	439	189	250	75	2	4	1	2	84	4	5	9	9	10	13	19

Marriages	813	Annual Rate per 1000 living	Persons Married	15·35	Deaths from Childbirth and Puerperal Fever 6·55 per 1000 Births.
Births { Males / Females }	1,729 / 1,629 = 3,358		Births	27·54	

* See Tables xxxiv.–xxxvii.

† The death-rates under one year of age are per 1000 Births.

596.—LLANDILOFAWR.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·14	†116	–	–	–	–	38·11	4·94	4·38	6·73	6·84	7·77	8·67	12·27	24·26	47·78	128·51
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·37	†124	–	–	–	–	40·06	4·77	3·61	6·76	7·55	7·02	6·83	13·54	26·64	54·43	139·79
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·92	†107	–	–	–	–	36·08	5·11	5·18	6·71	6·27	8·39	10·37	11·16	22·21	42·37	120·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·96 per cent.	19,641	506	476	498	508	510	2498	2471	2284	2079	1637	2548	1983	1606	1216	856	463
Mean Population, 1881–91. Males	Decennial Increase of Population 8·96 per cent.	9,462	249	247	253	250	274	1273	1257	1165	1050	728	1154	951	746	563	384	191
Mean Population, 1881–91. Females	Decennial Increase of Population 8·96 per cent.	10,179	257	229	245	258	236	1225	1214	1119	1029	909	1394	1032	860	653	472	272
Deaths from All Causes, 1881–90. Persons	16·76	3,292	658	134	61	49	50	952	122	109	140	112	198	172	197	295	409	595
Deaths from All Causes, 1881–90. Males	17·03	1,611	362	61	35	28	24	510	60	42	71	55	81	65	101	150	209	267
Deaths from All Causes, 1881–90. Females	16·51	1,681	296	73	26	21	26	442	62	58	69	57	117	107	96	145	200	328

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·06	0·18	24	6	18	5	9	–	2	2	18	5	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·23	0·24	46	22	24	10	5	4	4	8	31	11	4	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·08	0·10	18	8	10	–	2	2	2	4	10	6	–	–	2	–	–	–	–	–	–
Whooping-cough	0·23	0·23	0·23	45	22	23	26	11	4	2	2	45	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·14	0·22	35	13	22	–	–	–	1	–	1	7	1	5	1	6	1	7	3	3	–
Simple Continued Fever	0·04	0·03	0·04	7	3	4	–	–	2	–	–	2	–	1	1	–	–	–	–	–	3	–
Diarrhœa and Dysentery	0·22	0·18	0·27	44	17	27	17	3	1	1	–	22	1	–	1	–	–	1	2	3	4	10
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Cancer	0·53	0·47	0·59	104	44	60	–	–	–	–	–	–	–	–	–	–	5	7	21	19	30	22
Tabes Mesenterica	0·06	0·10	0·03	12	9	3	6	1	–	1	–	8	2	1	–	1	–	–	–	–	–	–
Phthisis	2·74	2·45	3·02	539	232	307	11	7	1	2	3	24	16	43	74	62	103	62	58	50	39	8
Other Tub. & Scrof. Dis.	0·42	0·45	0·38	82	43	39	6	8	4	1	4	23	19	15	7	2	4	4	3	1	4	–
Diseases of Nervous System	3·09	3·26	2·93	606	308	298	324	15	13	12	11	375	14	11	6	9	13	11	16	36	54	61
Diseases of Circulatory „	1·28	1·29	1·28	252	122	130	–	–	–	–	–	–	5	7	12	6	14	21	26	43	62	56
Diseases of Respiratory „	2·50	3·01	2·02	491	285	206	96	57	22	15	8	198	18	3	5	6	10	16	18	57	84	76
Diseases of Digestive „	0·79	0·73	0·85	156	69	87	20	3	2	2	–	27	5	4	6	5	5	12	10	26	33	23
Diseases of Urinary „	0·35	0·49	0·23	69	46	23	–	–	–	1	–	1	3	–	–	2	4	5	6	9	16	23
Diseases of Generative „	0·05	0·01	0·09	10	1	9	1	–	–	–	–	1	–	–	1	–	2	2	2	1	–	1
Puerperal Fever	0·08	–	0·16	16	–	16	–	–	–	–	–	–	–	–	1	3	8	4	–	–	–	–
Childbirth	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	1	–	5	5	–	–	–	–
Violence	0·55	0·80	0·31	108	76	32	3	5	2	3	4	17	3	7	10	7	11	9	11	12	7	14
OTHER CAUSES	3·14	3·01	3·22	615	284	331	133	8	4	–	4	149	7	3	8	6	8	12	17	34	70	301

Marriages - 1,198

Births - Males 2,927; Females 2,764; 5,691

Annual Rate per 1000 living: Persons Married 12·20; Births - - 28·98

Deaths from Childbirth and Puerperal Fever - - - - - 4·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

597.—CARMARTHEN.

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000	Persons —	In Standard Population* 17·63	*108	-	-	-	-	39·07	5·83	4·65	6·02	8·78	10·63	11·30	16·13	30·09	57·61	147·89
	Males —	19·00	†122	-	-	-	-	45·15	5·30	4·68	6·26	11·87	12·04	12·54	18·59	34·04	64·76	160·00
	Females —	16·33	† 93	-	-	-	-	34·05	6·28	4·62	5·81	6·32	9·56	11·30	14·17	26·93	53·07	140·08
Mean Population 1881–90.	Persons 34,626		806	781	839	828	826	4070	3997	3827	3602	3024	4572	3522	2669	2443	1741	854
	Males Decennial Increase of Population 1·488		403	387	427	403	424	2044	2024	1923	1710	1295	1877	1503	1148	1084	703	335
	Females 2·67 per cent.	18,618	403	394	412	445	402	2026	1973	1904	1892	1734	2615	1967	1351	1459	978	519
Deaths from All Causes 1881–90.	Persons 19·79	6,848	1058	247	117	96	72	1590	293	178	217	266	488	449	479	795	989	1262
	Males 21·13	3,578	596	128	68	58	37	882	109	90	107	146	248	195	245	869	461	536
	Females 18·64	3,470	462	119	49	43	35	708	184	88	110	120	250	224	234	566	519	727

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·17	0·12	50	27	23	9	19	8	6	–	42	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·28	0·23	86	44	42	5	12	8	11	14	50	5	2	–	–	1	–	–	–	–	–
Diphtheria	0·09	0·08	0·10	32	13	19	1	–	2	4	8	15	20	6	–	–	1	–	–	–	–	–
Whooping-cough	0·18	0·18	0·19	64	29	35	31	18	7	4	3	63	14	2	–	–	1	–	–	–	–	–
													1	–	–	–					
Typhus	0·00	0·01		1	1																
Enteric Fever	0·10	0·11	0·09	36	18	18	–	–	–	–	2	2	2	6	5	7	6	2	1	2	3	–
Simple Continued Fever	0·02	0·02	0·02	7	3	4	–	1	–			1	2	3	–	1		–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·21	0·25	79	33	46	30	7	1	1		39	1	1	–	–		–	3	5	9	22
Cholera	0·01	–	0·02	4	–	4	–	–			–	–	–	–	1	–	1	2	–	–	–	–
Cancer	0·64	0·56	0·72	225	89	134	–	–	–	–		–	–	–	1	–	2	18	35	67	65	38
Tabes Mesenterica	0·26	0·19	0·34	84	30	54	8	–	2	–		10	12	9	9	1	5	1	3	1	3	
Phthisis	2·56	2·91	2·23	896	466	430	15	6	3	2	1	27	19	49	102	145	240	138	103	78	50	6
Other Tub. & Scrof. Dis.	0·44	0·49	0·40	152	78	74	17	8	7	5	7	44	25	24	13	12	15	3	8	5	2	1
Diseases of: Nervous System	3·26	3·83	2·78	1129	612	517	421	45	24	17	5	512	30	13	18	16	44	64	73	110	132	117
Circulatory	1·69	1·46	1·71	592	234	358	4	–	1	2	1	8	10	15	7	18	26	35	63	129	145	99
Respiratory	3·51	3·91	3·22	1230	630	600	200	93	38	31	22	384	62	14	18	19	33	47	61	130	233	237
Digestive	1·08	1·18	1·00	374	188	186	56	10	9	2	2	79	9	8	13	10	17	31	41	59	56	51
Urinary	0·85	1·09	0·61	288	175	113	1	2			1	4	11	3	2	3	18	22	19	56	78	73
Generative	0·03	0·01	0·05	12	1	11	1	–				1	–	–	–	1	1	3	3	1	–	3
Puerperal Fever	0·08	–	0·14	26		26	–	–				–	–	–	–	6	14	3	–	–	–	–
Childbirth	0·09	–	0·17	32		32	–	–				–	–	–	–	5	18	8	1	–	–	–
Violence	0·42	0·76	0·25	146	102	47	6	4	5	7	1	23	6	12	13	6	27	15	22	16	18	11
Other Causes	3·76	3·45	3·79	1299	485	797	225	22	2	4	5	286	5	12	15	15	26	22	44	76	186	609

Marriages		2,854			
Births	Males 4388		Annual Rate per 1000 living	Persons Married	15·71
	Females 4248	8636		Births	28·50

Deaths from Childbirth and Puerperal Fever 5·90 per 1000 Births.

* See page xxiv. xxv.

† The death-rates under one year of age are per 1000 Births.

598.—NARBERTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·61	† 95	–	–	–	–	34·08	5·21	4·67	7·29	8·49	9·11	9·36	12·44	24·22	51·34	148·08
Males	—	16·46	†104	–	–	–	–	36·51	5·32	4·08	7·50	8·85	10·64	9·06	14·86	27·55	58·22	155·28
Females	—	14·82	† 87	–	–	–	–	31·63	5·10	5·29	7·09	8·25	7·94	9·59	10·59	21·54	46·31	143·24
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·91 per cent.	18,865	451	418	477	465	510	2321	2284	2186	1879	1460	2315	1892	1616	1408	1009	495
Males		8,775	235	214	244	229	242	1164	1166	1128	920	599	1006	839	700	628	426	199
Females		10,090	216	204	233	236	268	1157	1118	1058	959	861	1309	1053	916	780	583	296
Deaths from All Causes, 1881–90. Persons	18·31	3,454	514	132	64	40	41	791	119	102	137	124	211	177	201	341	518	733
Males	19·05	1,672	287	73	36	14	15	425	62	46	69	53	107	76	104	173	248	309
Females	17·66	1,782	227	59	28	26	26	366	57	56	68	71	104	101	97	168	270	424

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·13	0·14	0·13	25	12	13	6	2	5	4	2	19	4	–	1	–	1	–	–	–	–	–
Scarlet Fever	0·27	0·19	0·33	50	17	33	6	4	7	9	8	34	10	4	1	–	1	–	–	–	–	–
Diphtheria	0·21	0·18	0·23	39	16	23	2	3	4	2	7	18	14	5	1	–	1	–	–	–	–	–
Whooping-cough	0·25	0·27	0·24	48	24	24	22	16	3	4	2	47	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·18	0·23	39	16	23	–	–	–	–	–	–	7	9	5	5	6	2	3	1	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·08	0·09	0·08	16	8	8	10	1	–	–	–	11	–	–	–	–	1	–	–	1	1	2
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·48	0·32	0·61	90	28	62	–	–	–	–	–	–	–	–	2	2	–	7	17	29	21	12
Tabes Mesenterica	0·12	0·13	0·12	23	11	12	7	5	–	–	1	13	2	3	4	–	–	1	–	–	–	–
Phthisis	2·90	2·72	3·06	548	239	309	6	2	6	1	1	16	17	37	72	65	107	80	56	49	47	2
Other Tub. & Scrof. Dis.	0·27	0·34	0·20	50	30	20	2	4	4	1	2	13	12	4	6	5	6	2	–	2	–	–
Diseases of Nervous System	2·36	2·54	2·21	446	223	223	148	23	7	5	5	188	11	11	8	8	11	14	16	40	72	67
Diseases of Circulatory „	1·16	1·31	1·03	219	115	104	–	–	–	–	–	–	–	3	8	6	9	12	27	52	73	29
Diseases of Respiratory „	2·60	3·23	2·04	490	284	206	79	34	15	9	8	145	23	7	5	4	19	12	22	64	116	73
Diseases of Digestive „	0·81	0·89	0·73	152	78	74	8	12	3	–	1	24	2	6	2	4	8	10	18	26	31	21
Diseases of Urinary „	0·36	0·56	0·19	68	49	19	–	–	–	–	–	–	1	–	2	3	5	9	4	12	17	15
Diseases of Generative „	0·06	0·01	0·11	12	1	11	–	–	–	–	–	–	–	–	1	–	1	2	3	4	1	–
Puerperal Fever	0·07	–	0·13	13	–	13	–	–	–	–	–	–	–	–	–	5	5	3	–	–	–	–
Childbirth	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	–	4	4	6	–	–	–	–
Violence	0·47	0·76	0·22	59	67	22	3	2	4	3	2	14	7	3	4	3	11	9	8	12	11	7
OTHER CAUSES	5·40	5·17	5·62	1020	452	568	215	24	6	1	2	248	8	10	15	9	15	8	27	48	127	505

Marriages - - - 1,149

Births - { Males - 2,772 / Females - 2,613 } 5,385

Annual Rate per 1000 living { Persons Married 12·18 / Births - - 28·54

Deaths from Childbirth and Puerperal Fever - - - - - 5·01 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Deaths per 1000.	Persons	In Standard Population*	*119	–	–	–	–	41·57	5·03	3·29	5·44	7·02	7·66	9·57	13·69	15·77	20·45	140·50
	Males	17·71	*135	–	–	–	–	45·86	5·54	2·91	6·00	7·83	8·53	9·02	15·45	17·25	28·60	144·83
	Females	15·59	*103	–	–	–	–	39·17	4·52	3·68	4·84	6·21	6·91	10·06	12·08	24·17	35·32	138·11
Mean Popn. 1881–91.	Persons	Decennial Increase of Population 5·08 per cent.	30,815					797	752	775	809	762	3886	3697	3439	3102	2792	4125	3280	2674	1956	1244	560
	Males		14,957					408	380	393	394	391	1866	1860	1753	1551	1392	1910	1541	1267	924	561	247
	Females		15,858					389	372	382	415	371	1920	1837	1686	1551	1400	2215	1739	1407	1032	683	313
Deaths from All Causes 1881–90.	Persons	17·65	5,440					1171	342	111	61	44	1732	186	113	172	196	816	314	366	504	752	789
	Males	18·93	2,501					684	193	55	30	18	980	103	51	93	109	163	139	196	272	368	336
	Females	16·70	2,649					487	149	56	34	26	752	83	62	78	87	153	175	170	232	384	453

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·29	0·25	0·33	90	53	37	21	35	10	1	2	69	16	1	2	1	–	–	–	–	1	–
Scarlet Fever	0·12	0·14	0·09	36	21	15	1	2	5	2	4	14	16	5	–	–	–	–	–	1	–	–
Diphtheria	0·12	0·10	0·14	36	15	21	–	–	4	7	2	13	16	6	–	1	–	–	–	–	–	–
Whooping-cough	0·30	0·27	0·32	92	41	51	46	30	6	4	2	88	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	0·01	5	4	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·12	0·14	0·09	36	21	15	–	–	–	2	–	2	4	6	6	5	2	6	4	1	–	–
Simple Continued Fever	0·03	0·01	0·04	8	2	6	–	–	–	–	–	–	3	2	1	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·25	0·21	0·18	61	32	29	33	7	1	–	–	41	1	–	1	1	1	–	1	2	6	7
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Cancer	0·59	0·54	0·64	182	81	101	–	–	–	–	–	–	–	–	1	3	20	40	34	65	19	–
Tabes Mesenterica	0·34	0·39	0·29	105	58	46	61	21	4	1	1	88	5	2	2	1	2	1	1	1	–	–
Phthisis	1·96	1·94	1·93	596	290	306	8	8	4	2	–	22	3	20	73	105	146	90	67	36	13	3
Other Tub. & Scrof. Dis.	0·57	0·64	0·50	175	96	79	36	29	16	4	7	92	20	18	15	6	7	5	2	7	2	1
Nervous System	2·63	3·02	2·27	810	451	359	327	56	13	12	1	409	18	14	4	8	20	23	36	73	110	93
Circulatory	2·17	2·07	2·25	669	309	360	4	–	1	–	–	5	3	2	2	11	28	49	66	115	211	178
Respiratory	2·83	3·00	2·66	873	449	424	212	114	30	23	16	397	38	7	10	13	12	30	52	91	125	85
Digestive	0·76	0·84	0·74	243	126	117	39	10	1	1	–	51	16	4	4	2	11	20	24	50	39	20
Urinary	0·49	0·60	0·43	152	89	63	1	2	2	–	2	7	2	3	5	5	15	9	19	26	40	22
Generative	0·05	–	0·09	14	–	14	–	–	–	–	–	–	–	–	1	–	–	3	7	3	–	–
Puerperal Fever	0·06	–	0·09	15	–	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·07	–	0·13	21	–	21	–	–	–	–	–	–	–	–	1	4	6	4	–	–	–	–
Violence	0·76	0·90	0·64	172	134	38	2	4	7	2	4	19	5	10	2	5	9	5	–	–	–	–
Other Causes	3·37	3·46	3·33	1048	518	530	380	24	7	3	1	415	11	6	17	14	24	22	20	23	12	3

Marriages	2,240	Annual Rate per 1000 living	Persons Married	14·60	Deaths from Childbirth and Puerperal Fever	3·67 per 1000 Births.
Births – Males	5,079		Births	31·80		
Births – Females	4,721					
Births	9,800					

* See pages xxxvi, xxxvii.

† The death-rates under one year of age are per 1000 Births.

600.—HAVERFORDWEST.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·18	†123	–	–	–	–	42·55	4·54	3·63	4·95	7·26	8·78	8·88	12·29	24·33	55·07	151·34
Annual Death-Rate per 1000. Males	—	Standard 16·82	†138	–	–	–	–	47·52	4·71	2·55	4·76	8·10	9·27	8·71	12·38	25·11	58·18	162·82
Annual Death-Rate per 1000. Females	—	Population* 15·58	†107	–	–	–	–	37·78	4·37	4·72	5·14	6·56	8·37	9·02	12·22	23·66	52·49	142·61
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·73 per cent.	33,160	833	780	831	819	822	4085	3833	3746	3353	2795	4203	3300	2912	2384	1727	822
Mean Population, 1881–91. Males		15,694	404	381	415	381	418	1999	1932	1880	1661	1271	1909	1481	1325	1099	782	355
Mean Population, 1881–91. Females		17,466	429	399	416	438	404	2086	1901	1866	1692	1524	2294	1819	1587	1285	945	467
Deaths from All Causes, 1881–90. Persons	18·73	6,212	1208	271	119	81	59	1733	174	136	166	203	369	293	358	580	951	1244
Deaths from All Causes, 1881–90. Males	19·43	3,050	694	128	62	36	30	950	91	48	79	103	177	129	164	276	455	578
Deaths from All Causes, 1881–90. Females	18·10	3,162	514	143	57	45	29	788	83	88	87	100	192	164	194	304	496	666

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·16	0·16	53	25	28	11	16	6	2	6	41	10	–	–	–	2	–	–	–	–	–
Scarlet Fever	0·27	0·25	0·28	88	39	49	8	10	12	11	10	51	22	11	1	1	1	1	–	–	–	–
Diphtheria	0·08	0·10	0·06	26	15	11	2	3	–	4	1	10	8	4	2	1	–	1	–	–	–	–
Whooping-cough	0·30	0·30	0·30	100	47	53	52	19	15	7	2	95	3	1	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·19	0·16	0·21	62	25	37	2	1	1	1	1	6	4	4	9	15	10	4	6	1	2	1
Simple Continued Fever	0·05	0·04	0·06	18	7	11	1	2	1	–	–	4	3	1	2	2	2	1	–	–	1	2
Diarrhœa and Dysentery	0·25	0·27	0·23	82	42	40	50	5	1	2	1	59	–	–	1	–	–	–	1	2	9	10
Cholera	0·01	0·01	–	2	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Cancer	0·61	0·51	0·70	202	80	122	–	–	1	–	–	1	1	2	–	1	5	13	36	56	59	28
Tabes Mesenterica	0·16	0·15	0·18	54	23	31	17	13	2	–	3	35	6	3	4	1	2	2	1	–	–	–
Phthisis	2·14	2·08	2·20	711	327	384	11	7	4	5	1	28	18	44	75	105	177	94	61	67	39	3
Other Tub. & Scrof. Dis.	0·25	0·29	0·22	84	45	39	12	12	2	1	4	31	17	9	2	6	6	8	3	2	–	–
Diseases of Nervous System	2·94	3·41	2·51	974	535	439	428	57	15	10	5	515	18	22	5	9	17	21	40	75	140	112
Diseases of Circulatory „	1·59	1·49	1·68	528	234	294	–	–	–	–	–	–	1	7	14	3	21	42	51	100	182	107
Diseases of Respiratory „	2·61	2·82	2·41	864	443	421	141	66	33	18	13	271	27	4	9	6	23	22	45	109	180	168
Diseases of Digestive „	0·76	0·78	0·74	253	123	130	28	12	3	1	2	46	9	12	9	3	15	14	33	42	50	20
Diseases of Urinary „	0·56	0·78	0·37	187	122	65	–	–	–	2	1	3	2	5	4	8	13	13	24	32	57	26
Diseases of Generative „	0·04	0·01	0·07	14	1	13	–	–	–	–	–	–	–	–	1	2	2	–	5	2	1	1
Puerperal Fever	0·07	–	0·14	24	–	24	–	–	–	–	–	–	–	–	1	6	13	3	1	–	–	–
Childbirth	0·11	–	0·21	36	–	36	–	–	–	–	–	–	–	–	1	6	19	9	1	–	–	–
Violence	0·53	0·87	0·23	177	137	40	6	3	7	9	3	28	15	3	9	12	19	20	17	22	18	14
OTHER CAUSES	5·04	4·94	5·13	1670	776	894	439	45	16	8	5	513	9	4	16	15	21	25	33	70	212	752

Marriages - - 2,180

Births - {Males - 5,026 / Females - 4,809} 9,835

Annual Rate per 1000 living {Persons Married 13·15 / Births - - 29·66}

Deaths from Childbirth and Puerperal Fever - - - - - 6·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

601.—CARDIGAN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000. Persons	—	In 15·71	† 94	–	–	–	–	34·04	5·74	4·26	5·22	7·15	9·64	11·01	14·13	22·78	53·58	148·28
Annual Death-Rate per 1000. Males	—	Standard 17·02	†104	–	–	–	–	36·39	6·00	3·97	6·17	8·70	11·68	14·62	18·18	24·43	58·97	152·71
Annual Death-Rate per 1000. Females	—	Population* 14·47	† 83	–	–	–	–	29·62	5·47	4·55	4·21	6·21	8·79	9·18	11·57	21·76	50·41	145·69
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·67 per cent.	16,948	356	349	410	403	383	1901	1900	1856	1591	1217	2136	1790	1021	1305	1020	551
Mean Population, 1881–91. Males		7,980	166	176	212	208	197	959	959	892	749	460	794	691	627	540	405	253
Mean Population, 1881–91. Females		8,968	190	173	198	195	186	942	959	964	842	757	1342	1129	934	805	615	548
Deaths from All Causes, 1881–90. Persons	19·42	3,293	410	91	46	48	33	628	109	79	83	87	206	197	229	311	546	817
Deaths from All Causes, 1881–90. Males	20·63	1,658	234	58	19	23	15	349	57	37	45	40	88	90	114	142	236	319
Deaths from All Causes, 1881–90. Females	18·52	1,735	176	33	27	25	18	279	52	42	38	47	118	107	115	169	310	507

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·06	0·13	17	4	13	3	3	4	3	–	11	5	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·31	0·40	0·25	53	23	24	4	9	5	9	4	31	19	2	–	–	–	1	–	–	–	–
Diphtheria	0·12	0·15	0·10	21	11	10	2	1	3	4	1	11	3	3	–	–	–	–	2	1	1	–
Whooping-cough	0·31	0·28	0·34	53	20	33	26	15	3	4	2	50	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·06	0·06	10	4	6	–	–	–	–	–	–	–	–	–	3	2	1	4	–	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·19	0·28	0·12	32	20	12	19	1	–	1	–	21	–	–	–	–	–	1	–	1	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·53	0·88	123	38	85	–	–	–	–	–	–	–	–	1	–	2	3	33	28	40	26
Tabes Mesenterica	0·14	0·19	0·10	24	14	10	5	2	–	–	1	8	1	3	5	–	2	4	–	1	–	–
Phthisis	2·69	3·20	2·31	456	232	224	3	1	3	2	1	10	13	31	48	48	114	66	43	39	35	9
Other Tub. & Scrof. Dis.	0·37	0·43	0·32	62	31	31	5	6	1	2	4	18	16	11	4	2	8	1	2	–	–	1
Nervous System	2·38	2·54	2·26	403	184	219	129	15	6	5	2	157	11	4	3	4	6	12	31	33	87	65
Circulatory ,,	1·50	1·57	1·45	254	114	140	–	–	–	1	1	2	2	1	3	4	10	12	23	56	84	57
Respiratory ,,	2·99	3·68	2·48	507	267	240	57	23	11	12	12	115	18	4	6	5	15	29	43	57	109	106
Digestive ,,	1·02	1·06	0·99	174	77	97	16	6	1	1	2	26	3	2	3	5	7	8	26	28	40	25
Urinary ,,	0·49	0·68	0·35	83	49	34	–	1	–	–	–	1		3	2	4	4	8	8	15	18	20
Generative ,,	0·06	0·03	0·11	13	2	11	2	–	–	–	–	2		–	–		1	4	3	1	1	1
Puerperal Fever	0·09	–	0·15	15	–	15	–	–	–	–	–	–		–	–	1	3	5	–	–	–	–
Childbirth	0·14	–	0·25	24	–	24	–	–	–	–	–	–		–	–	3	8	13	–	–	–	–
Violence	0·42	0·59	0·30	72	43	29	4	1	3	2	–	10	5	3	2	4	5	11	9	6	6	11
Other Causes	5·28	4·90	5·56	895	378	517	135	8	6	3	3	155	10	11	6	4	12	16	23	45	123	490

Marriages	–	188	Annual Rate per 1000 living	Persons Married	11·66
Births	Males 2,345	4,466		Births	29·76
	Females 2,121		Deaths from Childbirth and Puerperal Fever		8·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

602.—NEWCASTLE-IN-EMLYN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·76	† 96	–	–	–	–	31·71	6·01	3·64	7·11	9·43	8·30	9·69	11·31	22·79	47·30	133·11
Males	—	Standard 15·96	†114	–	–	–	–	36·13	6·84	3·17	7·91	10·58	9·50	8·72	11·44	28·05	56·00	138·70
Females	—	Population* 13·63	† 76	–	–	–	–	27·22	5·16	4·13	6·35	8·59	7·45	10·38	11·22	18·95	41·05	129·49
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·49 per cent.	19,061	427	414	455	452	453	2201	2197	2115	1912	1506	2457	1888	1706	1417	1076	586
Males		8,642	218	218	228	221	225	1110	1111	1073	936	633	1021	780	699	599	450	230
Females		10,419	209	196	227	231	228	1091	1086	1042	976	873	1436	1108	1007	818	626	356
Deaths from All Causes, 1881–90. Persons	17·72	3,377	493	95	42	47	21	698	132	77	136	142	204	183	193	323	509	780
Males	18·93	1,636	301	51	16	25	8	401	76	34	74	67	97	68	80	168	252	319
Females	16·71	1,741	192	44	26	22	13	297	56	43	62	75	107	115	113	155	257	461

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·16	0·06	20	14	6	9	5	–	–	2	16	1	1	1	–	–	–
Scarlet Fever	0·29	0·36	0·24	56	31	25	4	12	4	13	5	38	15	2	–	–	1	–
Diphtheria	0·06	0·07	0·05	11	6	5	–	–	–	–	1	1	7	2	–	–	–	1
Whooping-cough	0·19	0·27	0·13	37	23	14	19	8	6	1	1	35	2	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·17	0·16	0·17	32	14	18	–	1	–	1	1	3	2	2	11	–	4	4
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·25	0·28	51	22	29	16	3	2	–	–	21	–	1	–	1	2	1
Cholera	0·02	0·01	0·03	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·59	0·79	133	51	82	–	–	–	–	–	–	–	–	–	–	1	4
Tabes Mesenterica	0·06	0·06	0·07	12	5	7	2	–	1	–	–	3	2	2	3	1	–	1
Phthisis	2·92	3·08	2·79	557	266	291	11		3	–	–	22	17	19	70	82	123	69
Other Tub. & Scrof. Dis.	0·51	0·54	0·48	97	47	50	5		1	3	3	21	19	17	10	16	6	3
Diseases of Nervous System	2·39	2·71	2·12	455	234	221	150	13	5	9	1	178	11	12	9	8	16	13
Diseases of Circulatory „	1·18	1·15	1·21	225	99	126	1	–	–	–	1	2	1	2	4	4	8	19
Diseases of Respiratory „	2·64	2·90	2·42	503	251	252	47	21	12	14	2	96	34	5	7	6	3	12
Diseases of Digestive „	1·05	1·05	1·06	201	91	110	17	3	1	1	–	22	5	2	3	2	6	14
Diseases of Urinary „	0·63	0·87	0·44	121	75	46	–	1	2	1	3	7	5	2	2	4	6	–
Diseases of Generative „	0·05	0·03	0·07	10	3	7	–	–	–	–	–	–	–	–	1	–	2	2
Puerperal Fever	0·09	–	0·17	18	–	18	–	–	–	–	–	–	–	–	–	3	4	10
Childbirth	0·09	–	0·16	17	–	17	–	–	–	–	–	–	–	–	–	2	7	7
Violence	0·53	0·75	0·35	101	65	36	7	3	4	2	1	17	7	6	4	3	6	11
OTHER CAUSES	3·76	3·90	3·62	714	336	378	205	8	1	2	–	216	4	2	10	9	10	12

Marriages		1,022	Annual Rate per 1000 living	Persons Married	10·72	Deaths from Childbirth and Puerperal Fever 6·79 per 1000 Births.
Births	Males 2,633	5,154		Births	27·04	
	Females 2,521					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

603.—LAMPETER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-rate per 1000 { Persons / Males / Females	— / — / —	In Standard Population* 14·92 / 15·29 / 12·89	†115 / †121 / †108	- / - / -	- / - / -	- / - / -	- / - / -	35·47 / 39·05 / 31·97	4·49 / 4·53 / 4·45	3·71 / 4·76 / 2·73	4·57 / 5·73 / 3·54	7·22 / 8·38 / 6·32	7·46 / 9·37 / 5·69	10·39 / 11·01 / 9·93	9·76 / 9·63 / 9·86	18·66 / 18·98 / 18·39	45·87 / 51·63 / 41·64	122·22 / 133·61 / 113·75
Mean Popn. 1881–90. { Persons / Males / Females	Decennial Decrease of Population 4·00 per cent.	9,885 / 4,531 / 5,354	239 / 103 / 116	220 / 110 / 110	230 / 109 / 121	238 / 120 / 118	249 / 129 / 120	1156 / 571 / 585	1114 / 552 / 562	1132 / 546 / 586	963 / 474 / 489	789 / 346 / 443	1273 / 555 / 718	1030 / 436 / 594	913 / 406 / 507	729 / 362 / 367	508 / 215 / 293	279 / 119 / 160
Deaths from All Causes, 1881–90. { Persons / Males / Females	16·23 / 17·68 / 15·00	1,604 / 801 / 803	309 / 166 / 143	46 / 29 / 17	26 / 14 / 12	13 / 11 / 2	16 / 3 / 13	410 / 223 / 187	50 / 25 / 25	42 / 26 / 16	44 / 26 / 18	57 / 29 / 28	95 / 52 / 43	107 / 48 / 59	89 / 39 / 50	136 / 63 / 73	233 / 111 / 122	341 / 159 / 182

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.					Persons.								
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·13	0·18	0·09	13	8	5	4	1	2	2	-	9	3	-	1	-	-	-	-	-
Scarlet Fever	0·11	0·13	0·09	11	6	5	-	-	2	3	-	5	3	3	-	-	-	-	-	-
Diphtheria	0·14	0·13	0·15	14	6	8	-	2	-	-	1	3	3	6	2	-	-	-	-	-
Whooping-cough	0·23	0·26	0·19	23	13	10	14	4	1	-	2	21	1	-	-	-	-	-	-	-
Typhus	0·01	-	0·02	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever	0·02	-	0·04	2	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Simple Continued Fever	0·03	0·04	0·02	3	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Diarrhœa and Dysentery	0·09	0·11	0·07	9	5	4	3	1	-	-	-	4	-	-	-	-	1	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·83	0·40	0·64	32	18	34	-	-	-	-	-	-	-	1	-	-	1	5	5	9
Tabes Mesenterica	0·13	0·18	0·09	13	8	5	4	2	2	-	1	9	2	-	-	1	-	1	-	-
Phthisis	1·96	2·30	1·68	194	104	90	1	1	2	2	1	7	3	7	22	28	40	30	15	23
Other Tub. & Scrof. Dis.	0·27	0·33	0·22	27	15	12	3	1	-	1	-	5	5	4	5	2	2	1	-	3
Diseases of: Nervous System	2·85	2·98	2·75	282	135	147	109	8	4	3	5	128	7	9	3	4	7	8	10	16
" Circulatory	1·10	1·21	1·01	109	55	54	-	-	-	-	-	-	3	3	-	3	6	8	9	13
" Respiratory	5·19	3·58	2·86	315	162	153	40	17	5	3	5	70	13	3	5	5	10	16	13	28
" Digestive	0·90	0·97	0·84	89	44	45	4	-	-	-	-	4	1	3	-	3	4	7	12	19
" Urinary	0·43	0·57	0·32	43	26	17	-	-	-	-	-	-	-	1	-	2	3	3	7	5
" Generative	0·06	0·04	0·11	6	2	6	-	-	-	-	-	-	-	-	-	-	1	1	3	1
Puerperal Fever	0·17	-	0·32	17	-	17	-	-	-	-	-	-	-	-	-	3	4	10	-	-
Childbirth	0·05	-	0·09	5	-	5	-	-	-	-	-	-	-	-	-	-	1	4	-	-
Violence	0·56	0·79	0·35	55	36	19	-	5	5	-	-	10	3	1	3	3	1	7	5	10
Other Causes	3·26	3·48	3·03	320	157	163	127	4	3	-	1	135	6	3	2	2	5	2	11	9

Marriages	617	Annual Rate per 1000 living	Persons Married	12·48	Deaths from Childbirth and Puerperal Fever	3·17 per 1000 Births.
Births { Males / Females	1,373 / 1,321 = 2,694		Births	27·25		

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

604.—ABERAYRON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·24	†89	–	–	–	–	27·90	4·76	3·37	5·23	9·04	10·55	10·11	11·43	20·95	47·58	128·19
Males	—	15·12	†96	–	–	–	–	29·09	4·71	3·40	5·94	10·85	12·19	11·19	15·15	23·97	48·84	135·50
Females	—	13·42	†82	–	–	–	–	26·69	4·81	3·34	4·69	8·02	9·70	9·50	9·29	19·06	46·73	123·17
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·56 per cent.	12,069	297	251	283	284	297	1412	1366	1395	1110	819	1412	1217	1172	1007	744	415
Males		5,076	149	128	146	141	151	715	680	706	471	295	484	438	429	388	301	169
Females		6,993	148	123	137	143	146	697	686	689	639	524	928	779	743	619	443	246
Deaths from All Causes, 1881–90. Persons	17·74	2,141	279	44	29	27	15	394	65	47	58	74	149	123	134	211	354	532
Males	19·03	966	154	21	13	13	7	208	32	24	28	32	59	49	65	93	147	229
Females	16·80	1,175	125	23	16	14	8	186	33	23	30	42	90	74	69	118	207	303

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·22	0·04	14	11	3	4	1	1	2	–	8	5	1	–	–	–	–	–	–
Scarlet Fever	0·12	0·14	0·11	15	7	8	3	2	1	3	1	10	3	–	1	–	1	–	–	–	–	–
Diphtheria	0·14	0·18	0·11	17	9	8	1	–	–	4	–	5	7	3	–	1	–	–	–	–	1	–
Whooping-cough	0·27	0·30	0·24	32	15	17	13	10	5	1	1	30	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·09	0·08	0·10	11	4	7	–	–	–	1	–	1	1	–	2	3	2	2	–	–	–	–
Simple Continued Fever	0·05	0·06	0·04	6	3	3	–	–	–	–	–	–	2	–	1	–	–	–	1	1	1	–
Diarrhœa and Dysentery	0·22	0·20	0·24	27	10	17	11	1	–	–	–	12	–	–	–	–	1	2	2	1	–	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·73	0·76	90	37	53	–	–	–	–	–	–	–	–	–	1	–	1	16	30	30	12
Tabes Mesenterica	0·04	0·02	0·06	5	1	4	–	–	–	–	1	1	–	1	2	–	1	–	–	–	–	–
Phthisis	2·67	3·03	2·40	322	154	168	9	6	3	1	2	21	5	18	29	45	79	42	28	30	17	8
Other Tub. & Scrof. Dis.	0·33	0·39	0·29	40	20	20	1	1	5	2	1	10	8	6	7	3	3	1	–	2	–	–
Diseases of Nervous System	2·54	2·72	2·40	306	138	168	78	8	3	3	2	94	5	4	2	4	10	9	12	22	58	86
Diseases of Circulatory „	1·83	1·75	1·89	221	89	132	–	–	1	–	1	2	3	2	1	3	4	15	18	42	71	60
Diseases of Respiratory „	2·62	2·96	2·37	316	150	166	46	11	4	4	4	69	9	3	1	1	8	11	19	31	74	90
Diseases of Digestive „	0·87	1·02	0·76	105	52	53	3	1	1	3	1	9	3	1	2	1	8	4	14	18	27	18
Diseases of Urinary „	0·55	0·77	0·39	66	39	27	1	–	1	–	–	2	1	–	1	3	4	5	4	14	13	19
Diseases of Generative „	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	1	–	2	2	2	1	1	–
Puerperal Fever	0·16	–	0·27	19	–	19	–	–	–	–	–	–	–	–	–	5	9	5	–	–	–	–
Childbirth	0·06	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Violence	0·37	0·69	0·14	45	35	10	3	–	1	2	–	6	3	6	4	–	3	6	4	5	5	3
OTHER CAUSES	3·86	3·77	3·95	467	192	275	106	3	3	1	1	114	8	2	4	3	11	15	14	14	55	227

Marriages - - - 586

Births - { Males - 1,612 / Females - 1,518 } 3,130

Annual Rate per 1000 living { Persons Married 9·71 / Births - - 25·93

Deaths from Childbirth and Puerperal Fever - - - - - 8·31 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

605.—ABERYSTWITH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-rate per 1000. Persons	—	In 16·60 Standard 17·68 Population* 15·61	† 97	–	–	–	–	35·19	5·30	3·93	4·70	8·39	9·05	9·91	15·78	29·71	63·65	151·62
Males	—		†104	–	–	–	–	32·69	4·98	3·54	4·23	11·29	10·22	9·43	15·12	36·73	74·46	159·57
Females	—		† 90	–	–	–	–	35·71	5·62	4·32	5·13	6·37	8·02	10·26	16·36	24·22	56·66	146·73
Mean Population 1885–91. Persons	Decennial Decrease of Population 17·59 per cent.	23,554	510	484	503	536	509	2482	2602	2723	2573	2002	2894	2472	2295	1767	1073	494
Males		10,972	243	225	250	255	267	1240	1304	1356	1229	854	1203	1029	954	776	460	188
Females		12,782	267	249	253	278	242	1249	1298	1367	1344	1178	1691	1443	1292	991	623	306
Deaths from All Causes. Persons	18·14	1,429	530	155	89	54	48	876	138	107	121	168	262	245	362	535	683	749
Males	19·37	2,037	288	75	49	21	22	455	65	48	52	93	126	97	189	285	390	300
Females	17·29	2,199	242	80	40	33	26	421	73	59	69	75	139	148	173	249	353	449

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·12	0·15	0·10	29	16	13	6	5	6	1	4	25	4	–	–	–	–	–	–
Scarlet Fever	0·36	0·38	0·34	85	40	45	6	11	12	8	10	47	24	8	1	–	3	–	–
Diphtheria	0·08	0·08	0·08	18	8	10	1	–	1	–	1	3	6	3	3	2	1	–	1
Whooping-cough	0·13	0·13	0·13	31	14	17	17	6	5	2	–	30	1	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
Enteric Fever	0·11	0·12	0·10	26	13	13	–	–	–	–	–	–	2	–	3	3	5	3	5
Simple Continued Fever	0·02	0·02	0·02	5	2	3	–	–	–	1	–	1	–	2	–	–	–	2	–
Diarrhœa and Dysentery	0·18	0·20	0·16	41	21	20	14	2	–	–	–	16	–	–	1	3	1	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	0·46	0·65	132	49	83	–	–	–	–	–	–	–	–	3	3	11	24	38
Tabes Mesenterica	0·12	0·12	0·11	27	13	14	4	2	3	1	–	10	6	3	2	2	1	–	2
Phthisis	2·39	3·32	2·55	677	351	326	4	5	3	3	–	15	14	30	45	86	135	107	117
Other Tub. & Scrof. Dis.	0·23	0·26	0·20	53	28	25	3	6	4	3	3	23	5	2	7	6	5	3	3
Diseases of Nervous System	2·91	3·11	2·74	670	329	330	203	35	16	9	5	271	18	20	7	10	14	20	32
Circulatory „	1·54	1·40	1·49	359	169	190	1	–	–	–	2	3	1	6	13	11	15	16	51
Respiratory „	3·28	3·04	2·75	787	416	371	83	50	28	22	19	202	29	11	11	13	26	16	46
Digestive „	1·09	1·40	1·09	255	116	139	23	11	4	1	1	39	6	6	3	6	11	21	29
Urinary „	0·38	0·49	0·38	88	32	36	–	1	–	–	–	1	2	2	3	3	6	5	10
Generative „	0·06	0·02	0·09	14	2	12	–	–	–	–	–	–	–	–	1	–	2	–	2
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	–	1	7	6	–
Convulsions	0·09	–	0·17	22	–	22	–	–	–	–	–	–	–	–	1	2	9	10	–
Violence	0·40	0·61	0·25	94	65	29	2	2	1	1	–	6	10	5	9	7	7	8	10
OTHER CAUSES	3·50	3·15	3·79	819	332	487	156	16	6	2	4	184	10	9	5	12	10	19	33

Marriages	1,458	Annual Rate per 1000 living	Persons Married	12·49	Deaths from Childbirth and Puerperal Fever	6·68 per 1000 Births.
Births Males	2,705		Births	23·41		
Females	2,566	5,467				

* *See* pages xxxvi xxxvii.

† The death-rates under one year of age are per 1000 Births.

606.—TREGARON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·26	† 88	–	–	–	–	28·27	3·60	3·44	5·49	8·39	10·23	8·24	14·73	23·74	45·10	138·33
Males	—	Standard 15·54	† 98	–	–	–	–	32·55	3·97	2·03	6·94	11·47	12·20	6·70	17·81	26·73	44·98	162·39
Females	—	Population* 13·06	† 78	–	–	–	–	23·94	3·21	4·86	4·19	6·25	8·91	9·35	12·50	21·66	15·20	121·76
Mean Population, 1881-91. Persons	Decennial Decrease of Population 16·15 per cent.	9,442	203	200	228	232	230	1093	1139	1077	948	679	1144	959	869	737	510	287
Males		4,273	101	99	111	120	119	550	579	542	447	279	459	403	365	303	229	117
Females		5,169	102	101	117	112	111	543	560	535	501	400	685	556	504	434	281	170
Deaths from All Causes, 1881-90. Persons	17·18	1,622	215	47	22	16	9	309	41	37	52	57	117	79	128	175	230	397
Males	18·68	798	125	29	11	10	4	179	23	11	31	32	56	27	65	81	103	190
Females	15·94	824	90	18	11	6	5	130	18	26	21	25	61	52	63	94	127	207

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·05	0·08	6	2	4	1	1	1	–	–	3	1	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·07	0·12	9	3	6	–	2	–	–	1	3	5	–	1	–	–	–	–	–	–	–
Diphtheria	0·18	0·28	0·10	17	12	5	–	–	–	1	1	2	6	4	3	–	2	–	–	–	–	–
Whooping-cough	0·15	0·09	0·19	14	4	10	9	–	1	1	1	12	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·14	0·14	13	6	7	–	–	1	–	–	1	–	1	2	–	4	2	1	2	–	–
Simple Continued Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·21	0·26	0·17	20	11	9	7	–	–	–	–	7	–	–	–	–	–	–	1	–	3	9
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	0·56	0·54	0·58	53	23	30	–	–	–	–	–	–	–	–	–	1	1	1	11	18	11	10
Tabes Mesenterica	0·11	0·09	0·12	10	4	6	2	–	–	–	–	2	1	3	2	–	2	–	–	–	–	–
Phthisis	2·80	3·02	2·61	264	129	135	–	2	–	1	2	5	3	10	23	35	62	30	44	31	17	4
Other Tub. & Scrof. Dis.	0·38	0·42	0·35	36	18	18	1	2	1	3	–	7	11	4	2	3	3	1	2	1	2	–
Diseases of Nervous System	1·78	2·11	1·51	168	90	78	26	2	3	2	1	34	2	3	4	2	4	9	15	22	27	46
Diseases of Circulatory „	1·09	0·98	1·18	103	42	61	–	–	–	–	–	–	–	1	1	3	5	6	7	25	27	28
Diseases of Respiratory „	2·39	2·57	2·24	226	110	116	25	14	8	4	1	52	4	2	3	1	4	6	11	27	58	58
Diseases of Digestive „	1·02	1·19	0·87	96	51	45	5	5	2	–	–	12	1	–	2	4	1	4	17	21	18	16
Diseases of Urinary „	0·48	0·73	0·27	45	31	14	–	–	–	–	–	–	–	–	–	2	4	2	4	5	15	13
Diseases of Generative „	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Puerperal Fever	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	1	3	4	–	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Violence	0·47	0·68	0·29	44	29	15	–	4	2	3	–	9	–	2	3	1	9	4	2	4	5	5
Other Causes	5·06	5·46	4·73	478	233	245	139	15	3	1	2	160	5	5	5	4	8	8	11	19	45	208

Marriages - - - 493

Births - Males - 1,275; Females - 1,157; 2,432

Annual Rate per 1000 living: Persons Married 10·44; Births - - 25·76

Deaths from Childbirth and Puerperal Fever - - - - - 5·76 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

607.—BUILTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000 living	Persons —	In Standard Population* 15·46	†106	–	–	–	–	36·56	4·88	4·89	4·34	6·49	7·78	11·36	12·60	22·32	51·76	152·75
	Males —	16·08	†116	–	–	–	–	40·76	4·60	4·70	3·80	4·93	8·98	11·78	13·20	21·74	63·39	142·86
	Females —	14·87	† 95	–	–	–	–	32·32	5·17	5·06	4·77	8·76	6·71	11·28	13·03	22·93	40·32	162·64
Mean Population 1881–90.	Persons	Decennial Decrease 4·26 per cent.	3,808					196	194	197	199	207	906	942	921	859	658	1067	815	690	542	569	162
	Males		1,893					95	89	108	101	105	408	478	447	440	304	501	413	312	276	183	91
	Females		1,952					101	105	89	98	102	495	464	474	419	354	566	389	348	266	186	91
Deaths from All Causes	Persons	17·38	1,362					249	54	33	12	15	963	46	45	36	46	83	94	89	121	191	278
	Males	18·47	700					140	33	17	7	6	203	22	21	16	15	45	49	52	60	116	130
	Females	16·32	663					109	21	16	5	9	159	24	24	20	31	38	45	37	61	75	148

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·05	–	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Measles	0·12	0·13	0·12	10	5	5	1	3	1	1	1	7	1	1	–	1	–	–	–	–
Scarlet Fever	0·29	0·28	0·30	23	11	12	1	4	6	2	1	14	6	2	–	–	1	–	–	–
Diphtheria	0·15	0·08	0·07	12	9	3	–	–	2	–	2	4	4	1	1	–	–	2	–	–
Whooping-cough	0·41	0·41	0·42	33	16	17	15	10	2	2	2	31	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·13	0·10	9	5	4	–	–	–	–	–	–	1	–	1	–	2	1	2	1	1	–
Simple Continued Fever	0·01	0·05	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·16	0·18	0·15	13	7	6	7	1	–	1	–	9	–	–	–	–	–	–	–	4	–	–
Cholera	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·91	0·91	0·91	73	36	37	–	–	–	1	–	1	–	–	1	1	5	10	19	26	10	–
Tabes Mesenterica	0·14	0·29	0·07	11	8	3	2	3	1	–	1	7	–	3	–	–	1	–	–	–	–	–
Phthisis	2·10	1·75	2·44	168	69	99	–	1	–	–	–	1	2	10	16	24	37	27	21	14	10	6
Other Tub. & Scrof. Dis.	0·26	0·25	0·27	21	10	11	3	1	–	–	–	4	4	4	3	2	1	1	–	–	–	–
Diseases of Nervous System	2·16	2·64	1·70	173	104	69	52	6	3	2	2	65	9	8	6	1	–	3	14	13	27	27
Circulatory "	1·30	1·37	1·23	104	54	50	–	–	–	–	–	–	1	5	5	–	5	12	7	20	26	23
Respiratory "	2·65	2·69	2·61	212	106	106	36	15	10	–	4	63	6	3	1	3	7	3	7	19	36	60
Digestive "	0·96	1·11	0·81	77	44	33	10	6	–	1	–	17	3	1	–	3	5	4	7	9	10	14
Urinary "	0·42	0·63	0·32	34	25	9	–	–	–	–	–	–	1	1	–	2	2	1	6	5	5	8
Generative "	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Puerperal Fever	0·06	–	0·12	5	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–
Childbirth	0·11	–	0·22	9	–	9	–	–	–	–	–	–	–	–	–	–	3	6	–	–	–	–
Violence	0·45	0·66	0·25	36	26	10	–	1	1	–	–	2	1	4	1	2	5	4	4	–	4	5
Other Causes	4·53	4·79	4·21	361	190	171	102	5	7	2	2	118	5	2	3	3	10	6	10	20	40	125

Marriages	–	453	Annual Rate per 1000 living	Persons Married	10·81
Births	Males 1,204 / Females 1,149	2,353		Births	29·38

Deaths from Childbirth and Puerperal Fever 5·95 per 1000 Births.

* *See pages xxxvi–xxxviii.*

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·18	†117	–	–	–	–	42·32	4·69	3·69	5·09	5·97	8·67	9·59	12·76	23·78	55·47	155·37
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·59	†126	–	–	–	–	45·68	4·69	3·88	4·92	5·72	8·66	9·61	13·29	24·34	59·51	160·61
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·80	†106	–	–	–	–	38·95	4·69	3·50	5·29	6·22	8·68	9·57	12·29	23·25	51·75	150·79
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·30 per cent.	16,551	381	334	361	375	347	1798	1813	1841	1846	1524	2225	1731	1465	1186	768	354
Mean Population, 1881–91. Males	Decennial Decrease of Population 7·30 per cent.	8,229	187	180	186	187	162	902	938	927	976	752	1085	853	692	571	368	165
Mean Population, 1881–91. Females	Decennial Decrease of Population 7·30 per cent.	8,322	194	154	175	188	185	896	875	914	870	772	1140	878	773	615	400	189
Deaths from All Causes, 1881–90. Persons	17·54	2,903	504	123	55	42	37	761	85	68	94	91	193	166	187	282	426	550
Deaths from All Causes, 1881–90. Males	17·91	1,474	281	67	19	23	22	412	44	36	48	43	94	82	92	139	219	265
Deaths from All Causes, 1881–90. Females	17·17	1,429	223	56	36	19	15	349	41	32	46	48	99	84	95	143	207	285

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·17	0·29	38	14	24	4	7	7	4	5	27	8	2	1	–	–	–	–
Scarlet Fever	0·32	0·28	0·36	53	23	30	4	5	6	11	6	32	12	5	2	1	–	–	1
Diphtheria	0·15	0·15	0·16	25	12	13	1	2	2	3	2	10	10	2	2	–	–	–	1
Whooping-cough	0·27	0·26	0·28	44	21	23	21	12	3	6	2	44	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·09	0·11	16	7	9	–	–	–	–	–	–	1	5	2	1	2	2	2
Simple Continued Fever	0·03	0·04	0·02	5	3	2	–	–	–	–	–	–	–	1	1	–	1	–	1
Diarrhœa and Dysentery	0·10	0·13	0·06	16	11	5	7	4	–	–	1	12	–	–	–	–	–	1	–
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·93	0·81	1·05	154	67	87	–	–	–	–	–	–	–	1	1	–	3	9	20
Tabes Mesenterica	0·07	0·06	0·07	11	5	6	4	2	–	–	–	6	2	2	–	–	–	–	1
Phthisis	1·95	2·22	1·68	323	183	140	6	8	2	–	2	18	3	11	46	50	79	48	30
Other Tub. & Scrof. Dis.	0·34	0·49	0·20	57	40	17	13	4	4	–	3	24	9	5	2	6	4	2	4
Diseases of Nervous System	2·33	2·36	2·31	386	194	192	130	12	9	3	4	158	11	8	7	1	10	9	18
Diseases of Circulatory „	1·92	1·74	2·10	318	143	175	–	–	–	–	1	1	1	1	4	5	16	22	36
Diseases of Respiratory „	3·01	3·22	2·81	499	265	234	105	46	18	6	6	181	8	4	4	5	23	23	20
Diseases of Digestive „	1·01	1·20	0·83	168	99	69	26	14	–	2	–	42	3	4	3	1	11	13	23
Diseases of Urinary „	0·45	0·57	0·34	75	47	28	–	1	–	2	–	3	4	–	1	1	4	3	5
Diseases of Generative „	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Fever	0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	2	3	6	4	–
Childbirth	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	1	1	6	3	–
Violence	0·59	0·91	0·28	98	75	23	5	–	1	3	3	12	4	4	5	5	14	13	11
Other Causes	3·56	3·21	3·89	589	265	324	178	6	3	2	2	191	9	12	10	11	14	13	15

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Diseases of Circulatory „	1·92	1·74	2·10	318	143	175	–	–	–	–	1	1	1	1	4	5	16	22	36
Diseases of Respiratory „	3·01	3·22	2·81	499	265	234	105	46	18	6	6	181	8	4	4	5	23	23	20
Diseases of Digestive „	1·01	1·20	0·83	168	99	69	26	14	–	2	–	42	3	4	3	1	11	13	23
Diseases of Urinary „	0·45	0·57	0·34	75	47	28	–	1	–	2	–	3	4	–	1	1	4	3	5
Diseases of Generative „	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Fever	0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	2	3	6	4	–
Childbirth	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	1	1	6	3	–
Violence	0·59	0·91	0·28	98	75	23	5	–	1	3	3	12	4	4	5	5	14	13	11
Other Causes	3·56	3·21	3·89	589	265	324	178	6	3	2	2	191	9	12	10	11	14	13	15

Marriages	1,030	Annual Rate per 1000 living	Persons Married	12·45	Deaths from Childbirth and Puerperal Fever 6·02 per 1000 Births.
Births Males	2,224		Births	26·10	
Births Females	2,096				
Births	4,320				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

609.—CRICKHOWELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Average Death-Rate per 1000	Persons	In Standard Population* 20·77	†146	-	-	-		62·24	7·35	4·01	4·70	6·95	8·13	11·32	18·04	37·74	67·95	141·08
	Males	21·16	†134	-		-		65·91	7·60	4·48	3·85	6·18	6·77	9·70	18·79	40·94	78·21	145·33
	Females	20·40	†158					58·56	7·02	3·55	5·63	7·80	9·56	13·07	17·27	34·60	58·63	137·20
Mean Population (estimated) 1881–90.	Persons	Decennial Increase or Depopulation 5·0 per cent.	19,057															
	Males		9,695	572	450	508	526	502	2558	2334	2088	1803	1569	2375	2059	1024	1203	752	314
	Females		9,362	283	224	247	278	247	1279	1197	1026	987	825	1330	1073	825	596	358	150
				289	226	261	248	255	1279	1137	1070	816	744	1245	987	799	607	394	164
Deaths from Causes, Average 1881–90.	Persons	22·03	4,198	954	206	153	106	86	1502	176	84	89	109	209	233	293	454	511	443
	Males	22·41	2,173	515	137	76	55	40	843	92	46	38	51	90	104	155	244	280	218
	Females	21·64	2,025	439	139	77	51	46	749	84	38	51	58	119	129	138	210	231	225

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01		0·01	1		1	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	0·07	0·09	0·04	127	67	60	20	51	18	9	12	110	14	3	-	-	-	-	-
Scarlet Fever	0·08	1·03	0·03	186	99	87	8	32	31	36	24	131	53	8	1	2	-	1	-	-	-
Diphtheria	0·02	0·24	0·20	60	23	37	2	4	10	8	11	35	16	6	2	-	1	-	-	-	-
Whooping-cough	0·49	0·38	0·60	93	37	56	55	19	6	3	2	85	7	1	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·43	0·45	0·39	81	44	37	1	1	3	2	4	11	7	14	7	6	18	6	5	6	1
Simple Continued Fever	0·03	0·03	0·02	5	3	2	-	1	-	-	-	1	1	-	1	-	1	-	-	1	-
Diarrhœa and Dysentery	0·42	0·44	0·39	79	42	37	34	11	1	-	-	46	1	-	1	-	1	1	3	6	10	10
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·49	0·43	0·56	93	41	53	-	-	-	-	-	-	-	-	-	-	1	11	19	24	23	16
Tabes Mesenterica	0·10	0·09	0·11	19	9	10	3	3	2	3	-	11	4	2	-	-	-	1	-	-	-	-
Ill-defined	1·33	1·23	1·44	254	119	135	3	4	2	1		10	5	12	23	35	64	45	35	18	7	-
Other Tub. & Scrof. Dis.	0·42	0·40	0·44	80	39	41	24	12	3	5		44	10	5	8	1	6	2	3	2	-	-
Nervous System	3·17	3·51	3·03	604	319	285	265	31	15	12	8	331	11	5	5	9	7	19	36	69	63	42
Circulatory	1·75	1·71	1·80	334	165	169	-	-	-	-	-	-	1	5	7	6	14	24	33	71	102	71
Respiratory	4·74	5·06	4·40	902	517	385	171	97	44	21	20	353	21	1	10	19	36	45	64	137	136	86
Digestive	1·26	1·31	1·21	240	126	114	67	12	6		1	86	4	6	6	5	12	15	31	37	27	11
Urinary	0·59	0·59	0·60	113	57	56	2	4	-	2	1	9	4	2	3	5	6	8	17	21	24	14
Generative	0·05		0·10	9		9	-	-	-	-	-	-	-	-	-	1	2	2	2	-	3	-	-
Puerperal Fever	0·12	-	0·24	23		23	-	-	-	-	-	-	-	-	-	1	5	10	7	-	-	-	-
Confinements	0·14		0·29	27		27	-	-	-	-	-	-	-	-	-	3	1	11	12	-	-	-	-
Violence	0·67	1·07	0·27	128	103	25	7	5	3	1	1	19	9	10	5	5	9	18	15	22	11	5
OTHER CAUSES	3·85	3·64	4·08	734	351	383	289	19	7	3	2	320	8	4	6	8	10	18	29	39	105	187

Marriages - 1,486

Births { Males 3,265 / Females 3,153 } 6,508

Annual Rate per 1000 living { Persons Married 17·71 / Births - - 34·19

Deaths from Childbirth and Puerperal Fever } 7·68 per 1000 Births.

* See pages xxxvi xxxvii.

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·78	†136	–	–	–	–	42·58	4·13	1·65	3·81	6·33	7·70	8·13	13·34	24·93	61·19	151·01
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·54	†144	–	–	–	–	45·73	4·36	0·92	4·40	7·71	8·03	7·33	14·25	26·10	68·13	169·44
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·05	†127	–	–	–	–	39·47	3·92	2·39	3·24	5·19	7·40	8·94	12·39	23·78	55·09	136·69
Mean Population, 1881-91. Persons	Decennial Decrease of Population, 6·09 per cent.	9,911	257	214	233	245	251	1200	1138	1089	971	774	1272	1058	892	734	536	247
Mean Population, 1881-91. Males	Decennial Decrease of Population, 6·09 per cent.	4,842	123	103	123	119	129	597	551	546	477	350	610	532	456	364	251	108
Mean Population, 1881-91. Females	Decennial Decrease of Population, 6·09 per cent.	5,069	134	111	110	126	122	603	587	543	494	424	662	526	436	370	285	139
Deaths from All Causes, 1881-90. Persons	18·66	1,849	386	77	25	11	12	511	47	18	37	49	98	86	119	183	328	373
Deaths from All Causes, 1881-90. Males	19·66	952	209	43	10	5	6	273	24	5	21	27	49	39	65	95	171	183
Deaths from All Causes, 1881-90. Females	17·70	897	177	34	15	6	6	238	23	13	16	22	49	47	54	88	157	190

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·19	0·20	19	9	10	4	5	3	–	–	12	6	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·29	0·22	25	14	11	2	5	2	4	3	16	5	1	–	1	1	1	–	–	–	–
Diphtheria	0·12	0·08	0·16	12	4	8	–	1	–	–	2	3	5	1	1	1	–	–	1	–	–	–
Whooping-cough	0·30	0·29	0·32	30	14	16	19	7	1	1	1	29	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·07	0·10	0·04	7	5	2	–	–	–	–	–	–	2	1	2	1	–	1	–	–	–	–
Simple Continued Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·21	0·35	0·08	21	17	4	11	–	–	–	–	11	–	–	–	–	1	–	–	1	1	–
Cholera	0·04	0·02	0·06	4	1	3	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–
Cancer	0·85	0·72	0·97	84	35	49	–	–	–	–	–	–	–	–	–	–	5	15	23	31	10	–
Tabes Mesenterica	0·13	0·14	0·12	13	7	6	5	4	1	–	–	10	1	1	1	–	–	–	–	–	–	–
Phthisis	1·47	1·78	1·18	146	86	60	3	1	–	–	–	4	3	3	10	26	43	25	21	7	4	–
Other Tub. & Scrof. Dis.	0·20	0·17	0·24	20	8	12	4	4	1	1	–	10	4	–	–	3	2	–	–	–	1	–
Diseases of Nervous System	2·43	2·10	2·27	241	126	115	73	10	5	–	1	89	3	1	3	3	2	4	13	29	47	47
Diseases of Circulatory	2·48	2·23	2·72	246	108	138	2	–	–	–	–	2	1	3	2	3	7	14	20	51	81	62
Diseases of Respiratory	2·84	3·10	2·58	281	150	131	75	25	4	2	2	108	6	–	3	3	9	4	12	39	49	48
Diseases of Digestive	0·96	0·93	0·99	95	45	50	16	2	–	–	–	18	5	3	3	1	7	3	11	7	19	18
Diseases of Urinary	0·51	0·78	0·26	51	38	13	–	–	–	–	–	–	–	–	–	1	3	8	10	6	12	11
Diseases of Generative	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Puerperal Fever	0·09	–	0·18	9	–	9	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–
Childbirth	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–
Violence	0·46	0·70	0·24	46	34	12	1	1	4	2	1	9	3	2	6	2	4	4	7	3	5	1
OTHER CAUSES	4·95	5·19	4·65	488	251	237	171	12	4	1	2	190	2	2	5	2	9	10	7	15	74	172

Marriages – – – 651

Births – { Males – 1,448 / Females – 1,399 } 2,847

Annual Rate per 1000 living { Persons Married 13·14 / Births – – 28·73

Deaths from Childbirth and Puerperal Fever – – – – – } 5·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

611.—KNIGHTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons –	In Standard Population.* 14·59	†115	–	–	–	–	39·08	3·87	2·55	6·36	6·62	6·99	7·28	12·31	19·01	51·19	161·11
	Males –	14·81	†126	–	–	–	–	42·32	3·71	2·60	5·50	6·52	5·60	6·48	13·08	19·81	55·68	154·10
	Females –	14·37	†105	–	–	–	–	35·40	4·02	2·49	7·30	6·74	8·43	8·12	11·49	19·38	46·69	167·69
Mean Population, 1881–91.	Persons –	Decennial Decrease of Population 8·60 per cent. 11,240	278	256	275	281	284	1374	1345	1295	1116	951	1444	1140	967	811	545	252
	Males –	5,715	133	122	142	140	145	682	673	653	582	491	733	586	497	424	273	122
	Females –	5,525	145	134	133	141	139	692	672	642	534	460	712	554	470	387	272	130
Deaths from All Causes, 1881–91.	Persons –	16·93 1,903	381	91	24	17	24	537	52	33	71	63	101	83	119	159	279	406
	Males –	16·90 1,935	207	49	12	8	16	292	25	17	32	32	41	36	65	84	152	188
	Females –	16·96 1,937	174	42	12	9	8	245	27	16	39	31	60	45	54	75	127	218

Causes of Death.	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox –	–	–	–	–	–	–
Measles –	0·16	0·16	0·16	13	9	9
Scarlet Fever –	0·10	0·09	0·11	11	5	6
Diphtheria –	0·13	0·12	0·14	15	7	8
Whooping-cough –	0·42	0·31	0·53	47	18	29
Typhus –	0·01	–	0·02	1	–	1
Enteric Fever –	0·13	0·07	0·16	15	4	9
Simple Continued Fever –	–	–	–	–	–	–
Diarrhœa and Dysentery –	0·16	0·16	0·16	18	9	9
Cholera –	0·01	0·02	–	1	1	–
Cancer –	0·65	0·56	0·74	73	33	41
Tabes Mesenterica –	0·14	0·16	0·13	16	9	7
Fever –	1·65	1·61	1·70	186	92	94
Other Tub. & Scrof. Dis. –	0·36	0·46	0·27	41	26	15
Diseases of Nervous System –	2·19	2·33	2·05	246	133	113
" Circulatory " –	1·78	1·43	2·14	200	82	118
" Respiratory " –	3·54	2·89	2·19	286	165	121
" Digestive " –	1·11	1·05	1·18	125	60	65
" Urinary " –	0·36	0·47	0·24	40	27	13
" Generative " –	0·06	–	0·13	7	–	7
Puerperal Fever –	0·07	–	0·14	8	–	8
Childbirth –	0·12	–	0·25	14	–	14
Violence –	0·60	0·84	0·36	68	48	20
Other Causes –	4·19	4·17	4·16	469	239	230

Causes of Death.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Persons.																
Small-pox –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles –	5	6	–	1	–	12	4	1	–	–	–	–	–	–	–	–
Scarlet Fever –	–	–	1	2	3	6	1	2	1	–	1	–	–	–	–	–
Diphtheria –	1	3	–	2	2	8	4	1	–	–	–	1	1	–	–	–
Whooping-cough –	28	10	3	2	–	43	4	–	–	–	–	–	–	–	–	–
Typhus –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever –	–	–	–	1	1	2	2	–	–	–	5	1	1	1	1	–
Simple Continued Fever –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery –	9	–	–	1	–	10	–	–	1	1	–	–	–	–	2	4
Cholera –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer –	–	–	–	–	–	–	–	–	–	–	1	2	16	21	20	13
Tabes Mesenterica –	3	4	1	1	1	10	4	2	–	–	–	–	–	–	–	–
Fever –	1	1	–	–	–	2	3	11	35	37	32	29	21	9	4	–
Other Tub. & Scrof. Dis. –	10	5	4	–	3	22	2	3	4	–	4	3	1	1	1	–
Diseases of Nervous System –	69	12	2	–	2	85	4	2	4	4	2	5	13	20	36	77
" Circulatory " –	1	1	–	–	–	2	1	3	4	3	11	6	19	35	65	51
" Respiratory " –	65	31	5	1	6	108	5	3	5	4	11	8	12	27	49	54
" Digestive " –	20	9	3	1	2	35	4	1	2	4	5	5	12	16	23	18
" Urinary " –	–	–	–	–	–	–	–	–	1	1	3	–	5	5	12	10
" Generative " –	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	1
Puerperal Fever –	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–
Childbirth –	–	–	–	–	–	–	–	–	–	2	2	10	–	–	–	–
Violence –	6	1	3	3	3	16	7	1	4	1	7	3	5	4	6	14
Other Causes –	163	8	2	2	1	176	7	3	6	4	11	7	13	17	57	169

Marriages – –	750	Annual Rate per 1000 living	Persons Married	13·61	Deaths from Childbirth and Puerperal Fever – – – – 6·66 per 1000 Births.
Births – Males –	1,649		Births – –	29·93	
Females –	1,553	3,202			

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

612.—RHAYADER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·91 14·74 15·06	†111	–	–	–	–	37·01	3·32	2·96	5·26	7·43	8·47	8·19	12·95	22·30	52·62	143·83
Males	—		†127	–	–	–	–	43·37	2·09	1·68	4·06	3·73	8·19	6·25	9·79	27·10	59·15	150·63
Females	—		† 96	–	–	–	–	30·86	4·57	4·15	6·36	10·77	8·74	10·11	16·30	17·65	46·67	137·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·84 per cent.	6,581	162	142	165	164	164	797	754	744	666	565	850	708	556	435	344	162
Males		3,230	77	70	84	84	77	392	382	358	320	268	415	352	286	214	164	79
Females		3,351	85	72	81	80	87	405	372	386	346	297	435	356	270	221	180	83
Deaths from All Causes, 1881–90. Persons	17·20	1,132	195	46	28	10	16	295	25	22	35	42	72	58	72	97	181	233
Males	17·49	565	111	22	17	7	13	170	8	6	13	10	34	22	28	58	97	119
Females	16·92	567	84	24	11	3	3	125	17	16	22	32	38	36	44	39	84	114

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·12	0·15	9	4	5	5	1	–	–	1	7	1	1	–	–	–	–
Scarlet Fever	0·36	0·40	0·33	24	13	11	2	3	3	2	4	14	2	2	1	1	1	–	3	–	–	–
Diphtheria	0·12	0·09	0·15	8	3	5	–	–	2	1	2	5	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·24	0·28	0·21	16	9	7	8	4	3	1	–	16	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·09	6	3	3	–	–	–	–	1	1	1	–	–	–	–	1	1	–	–	–
Simple Continued Fever	0·03	0·03	0·03	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	
Diarrhœa and Dysentery	0·17	0·15	0·18	11	5	6	3	–	–	–	–	3	1	–	1	–	–	1	–	–	1	
Cholera	0·06	0·09	0·03	4	3	1	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	
Cancer	0·76	0·81	0·72	50	26	24	–	–	–	1	–	1	–	–	–	–	–	5	4	11	20	9
Tabes Mesenterica	0·14	0·03	0·24	9	1	8	1	–	–	1	–	2	1	–	1	2	1	2	–	–	–	–
Phthisis	2·16	2·20	2·12	142	71	71	–	–	–	–	1	1	1	4	19	18	34	15	23	17	8	2
Other Tub. & Scrof. Dis.	0·56	0·46	0·66	37	15	22	4	3	2	1	3	13	6	4	1	4	3	4	1	1	–	–
Diseases of Nervous System	2·34	2·26	2·42	154	73	81	40	10	5	5	1	57	–	3	4	2	4	5	11	15	21	32
Diseases of Circulatory ,,	1·53	1·67	1·40	101	54	47	1	–	–	–	–	1	–	–	2	–	5	3	4	13	35	38
Diseases of Respiratory ,,	3·39	3·53	3·25	223	114	109	52	15	8	–	2	77	6	2	3	5	8	4	9	10	40	59
Diseases of Digestive ,,	0·84	0·84	0·84	55	27	28	4	1	–	1	1	7	–	1	–	2	1	4	8	9	14	9
Diseases of Urinary ,,	0·53	0·65	0·42	35	21	14	–	–	1	–	–	1	1	2	1	–	3	2	1	4	10	10
Diseases of Generative ,,	0·08	–	0·15	5	–	5	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–
Puerperal Fever	0·08	–	0·15	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Childbirth	0·06	–	0·12	4	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Violence	0·26	0·31	0·21	17	10	7	–	1	1	–	–	2	–	–	2	–	–	–	2	3	7	1
OTHER CAUSES	3·26	3·48	3·05	215	112	103	74	8	3	1	–	86	2	3	–	3	5	7	5	12	23	69

Marriages - - - 391

Births - {Males - 877 / Females - 875} 1,752

Annual Rate per 1000 living {Persons Married 11·88 / Births - - 26·62

Deaths from Childbirth and Puerperal Fever - - - - - 5·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

613.—MACHYNLLETH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Annual Death-Rate per 1000 { Persons / Males / Females	— / — / —	In Standard 16·23 / Standard 16·72 / Population* 15·86	†104 / †123 / † 85	– / – / –	– / – / –	– / – / –	– / – / –	37·54 / 41·85 / 33·18	5·39 / 6·47 / 4·33	4·19 / 2·71 / 5·66	6·27 / 6·04 / 6·50	9·03 / 9·43 / 8·71	9·19 / 8·36 / 9·89	10·09 / 7·71 / 12·39	15·52 / 15·55 / 14·71	26·08 / 31 19 / 21·33	52·87 / 54·58 / 51·49	146·20 / 147·33 / 146·01
Mean Population, 1881–90 { Persons / Males / Females	Decennial Decrease of Population 13·79 per cent.	11,078 / 5,535 / 6,077	251 / 129 / 122	247 / 130 / 117	265 / 132 / 133	265 / 137 / 128	264 / 122 / 142	1292 / 650 / 642	1338 / 649 / 689	1335 / 664 / 671	1196 / 596 / 600	963 / 495 / 468	1401 / 682 / 719	1189 / 571 / 618	1080 / 508 / 572	905 / 445 / 460	699 / 323 / 376	294 / 141 / 153
Deaths from All causes 1881–90 { Persons / Males / Females	18·36 / 19·07 / 18·06	2,106 / 1,057 / 1,049	286 / 178 / 118	74 / 33 / 41	56 / 34 / 22	33 / 16 / 17	26 / 11 / 15	485 / 272 / 213	71 / 18 / 29	56 / 36 / 20	75 / 41 / 34	87 / 57 / 30	137 / 44 / 93	129 / 79 / 50	146 / 146 / 0	236 / 140 / 96	322 / 149 / 173	431 / 193 / 238

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small pox	–	–	–	–	–	–
Measles	0·15	0·16	0·15	18	9	9
Scarlet Fever	0·41	0·43	0·44	51	24	27
Diphtheria	0·08	0·07	0·08	9	4	5
Whooping-cough	0·31	0·36	0·26	36	20	16
Typhus	–	–	–	–	–	–
Enteric Fever	0·05	0·02	0·08	6	1	5
Simple Continued Fever	0·01		0·02	1		1
Diarrhœa and Dysentery	0·21	0·14	0·26	24	8	16
Cholera	–	–	–	–	–	–
Cancer	0·87	0·77	0·95	101	43	58
Tabes Mesenterica	0·10	0·13	0·07	12	8	4
Fever	2·68	2·52	2·83	313	141	172
Other Tub. & Scrof. Dis.	0·31	0·34	0·28	36	19	17
Brain & Nervous System	3·21	3·29	3·13	374	184	190
Heart & Circulatory ,,	1·89	2·02	1·78	221	113	108
Respiratory ,,	3·03	3·49	2·60	353	195	158
Digestive ,,	0·93	0·93	0·92	109	53	56
Urinary ,,	0·56	0·86	0·46	65	37	28
Generative ,,	0·06	–	0·15	9		9
Puerperal Fever	0·09	–	0·16	10		10
Childbirth	0·09		0·18	11		11
Violence	0·52	0·68	0·38	61	38	23
Other Causes	2·96	3·05	2·90	347	171	176

Persons.	1–	2–	3–	4–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	2	5	1	7	11	3	3	–	–	–	–	–	–	–
2	5	7	6	8	28	17	2	1	1	1	1	–	–	–
–	2	–	1	–	3	2	1	–	–	–	–	–	–	–
16	7	6	1	1	31	4	1	–	–	–	–	1	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	1	–	–	1	2	–	2	–	–	–
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
11	3	–	–	1	15		1	–	–	1	–	1	1	5
–	–	–	–	–	–			–	–	–	–	–	–	–
–	–	–	–	–	–	1	–	–	–	–	9	14	35	27	15
4	4	–	1	–	9	1	–	1	–	1	1	–	–	–	–
2	1	–	–	2	5	7	17	36	47	69	48	29	37	13	5
9	3	3	3	1	19	4	4	3	3	1	2	2			1
96	7	11	5	5	126	14	9	10	8	14	7	10	20	60	87
–	–	1	–	–	1	1	4	3	3	3	11	25	35	55	75
33	26	16	10	7	91	6	2	4	7	9	19	23	39	70	84
8	2	–	4		14	5	4	2	3	5	4	10	13	28	14
–	–	1	1		2			–	1	5	6	6	12	15	17
–	–	–	–		–	–	–	–	1	1	2	4	–	1	1
–	–	–	–		–	–	–	–	1	2	–	1	–	–	–
–	–	–	–		–	–	–	–	3	3	3	–	–	–	–
7	5	4	3		19	1	2	6	3	7	11	15	22	37	148
109	11	5	1	1	125	1	2	6	3	7	11	15	22	37	148

Marriages . . 694

Births { Males . 1,449 / Females . 1,387 } 2,836

Annual Rate per 1000 living { Persons Married 11·89 / Births . . 24·30

Deaths from Childbirth and Puerperal Fever . . 7·40 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

614.—NEWTOWN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·50	†105	–	–	–	–	36·14	4·70	3·30	5·22	7·62	8·49	9·32	13·47	24·61	57·14	146·62
Males	—	16·32	†122	–	–	–	–	42·47	5·06	3·28	5·02	8·63	7·64	9·35	14·93	25·10	62·84	143·58
Females	—	14·73	† 86	–	–	–	–	29·87	4·34	3·33	5·40	6·70	9·29	9·29	12·04	24·14	51·93	149·31
Mean Population, 1881–91. Persons	Decennial Decrease of Population 14·61 per cent.	23,580	587	545	639	592	587	2950	2896	2815	2511	1942	2897	2371	2027	1532	1092	547
Males		11,570	297	264	328	282	296	1467	1423	1434	1234	927	1401	1155	1005	745	522	257
Females		12,010	290	281	311	310	291	1483	1473	1381	1277	1015	1496	1216	1022	787	570	290
Deaths from All Causes, 1881–90. Persons	17·46	4,117	694	175	85	59	53	1066	136	93	131	148	246	221	273	377	624	802
Males	18·44	2,133	419	99	49	27	29	623	72	47	62	80	107	108	150	187	328	369
Females	16·52	1,984	275	76	36	32	24	443	64	46	69	68	139	113	123	190	296	433

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Measles	0·11	0·15	0·08	27	17	10	6	6	3	2	2	19	3	1	2	–	1	1	–	–	–
Scarlet Fever	0·37	0·47	0·27	87	54	33	4	10	14	16	14	58	16	4	1	1	3	2	2	–	–
Diphtheria	0·11	0·13	0·10	27	15	12	–	2	2	2	4	10	10	4	1	1	1	–	–	–	–
Whooping-cough	0·29	0·29	0·30	69	33	36	38	15	6	4	4	67	2	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·12	0·14	0·10	28	16	12	–	–	–	–	1	1	1	2	7	5	2	5	3	2	–
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·34	0·35	0·32	80	41	39	42	7	–	–	–	49	–	–	1	–	1	1	2	4	7	15
Cholera	0·01	0·02	–	2	2	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·54	0·87	166	62	104	1	–	–	–	–	1	1	–	–	1	4	14	25	39	50	31
Tabes Mesenterica	0·09	0·09	0·09	21	10	11	4	4	1	2	–	11	3	–	4	1	–	1	1	–	–	–
Phthisis	2·04	2·13	1·97	482	246	236	3	4	4	2	2	15	10	19	58	73	109	73	52	48	24	1
Other Tub. & Scrof. Dis.	0·22	0·33	0·12	53	38	15	10	5	5	1	4	25	5	6	6	3	4	1	–	2	1	–
Diseases of Nervous System	2·65	2·77	2·55	626	320	306	186	26	14	7	7	240	24	15	8	11	19	18	20	52	105	114
Diseases of Circulatory „	2·02	2·04	2·01	477	236	241	2	2	1	–	–	5	7	11	11	4	10	21	50	85	140	133
Diseases of Respiratory „	2·94	3·17	2·71	693	367	326	128	57	18	10	9	222	22	6	8	14	25	16	40	52	132	153
Diseases of Digestive „	1·04	1·16	0·92	245	134	111	29	9	4	–	1	43	7	5	6	8	11	15	28	37	49	36
Diseases of Urinary „	0·48	0·63	0·33	113	73	40	–	1	1	2	1	5	3	3	3	5	10	8	14	16	19	27
Diseases of Generative „	0·04	–	0·07	9	–	9	–	–	–	–	–	–	–	–	–	–	2	–	3	1	2	1
Puerperal Fever	0·06	–	0·11	13	–	13	–	–	–	–	–	–	–	–	1	4	7	1	–	–	–	–
Childbirth	0·08	–	0·17	20	–	20	–	–	–	–	–	–	–	–	–	1	7	11	1	–	–	–
Violence	0·51	0·75	0·28	121	87	34	4	1	10	4	3	22	10	4	3	4	11	14	10	9	17	17
OTHER CAUSES	3·23	3·26	3·12	753	380	373	237	25	2	5	2	271	12	13	11	11	19	19	20	29	77	271

Marriages - - - 1,389

Births - { Males - 3,427 / Females - 3,180 } 6,607

Annual Rate per 1000 living { Persons Married 11·78 / Births - - 28·02

Deaths from Childbirth and Puerperal Fever - - - - - 4·99 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

615.—FORDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65	75 and upwards
Annual Death-Rate per 1000	Persons	–		In Standard Population*	14·83		†104	–	–	–	–	31·09	3·84	2·81	4·55	7·18	8·01	8·45	11·96	25·50	61·40	158·55
	Males	–			15·47		†115	–	–	–	–	37·30	3·57	2·71	3·79	5·84	7·97	8·49	13·20	25·77	67·87	185·72
	Females	–			14·20		† 93	–	–	–	–	26·86	4·11	2·91	5·43	8·54	8·05	8·41	8·80	24·04	55·61	139·24
Mean Population	Persons	Decennial Decrease of Population 10·74 per cent.			17,297		412	390	411	418	396	2027	2085	1958	1691	1364	2434	1845	1591	1315	886	480
	Males				8,793		214	197	202	205	198	1016	1063	996	924	695	1096	950	818	683	440	172
	Females				8,504		198	193	209	213	198	1011	1022	962	767	679	1068	946	773	632	446	228
Deaths at all Ages, 1881–90	Persons	17·30			2,992		500	80	45	32	24	681	80	55	77	98	171	156	176	309	544	685
	Males	17·36			1,579		278	44	22	21	14	379	38	27	35	46	85	79	108	176	296	316
	Females	16·62			1,413		222	36	23	11	10	302	42	28	42	52	86	77	68	133	248	319

	Persons.	Males.	Females.	Persons.	Males.	Females.	Person.															
Small-pox	0·02	0·03	0·01	4	3	1	1	1	–	–	–	2	–	–	–	1	–	–	1	–	–	–
Measles	0·15	0·17	0·13	26	15	11	9	2	4	3	–	18	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·17	0·15	28	15	13	1	4	7	3	6	21	5	–	–	1	–	–	–	–	–	–
Diphtheria	0·16	0·18	0·18	28	13	15	1	3	2	6	3	15	7	1	2	1	1	1	–	–	–	–
Whooping-cough	0·19	0·14	0·24	32	12	20	17	7	–	4	1	29	3	–	–	–	–	–	–	–	1	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·09	0·07	0·12	16	6	10	–	1	–	–	–	1	2	2	4	2	2	–	1	1	2	–
Simple Continued Fever	0·02	0·02	0·02	4	2	2	19	2	–	1	–	22	–	–	–	1	1	–	1	1	2	–
Diarrhœa and Dysentery	0·24	0·22	0·27	42	19	23	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	13
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·46	0·99	126	42	84	–	–	–	–	–	–	–	–	1	–	2	6	14	32	56	14
Tabes Mesenterica	0·11	0·11	0·09	18	10	8	6	3	3	2	–	14	1	1	–	2	–	–	–	–	–	–
Diseases of Uterus	1·42	1·23	1·62	245	107	138	3	1	1	–	–	4	3	–	–	–	–	–	–	–	–	–
Other Tub. & Scrof. Dis.	0·41	0·41	0·41	71	36	35	19	9	3	2	2	35	7	8	2	6	7	2	1	3	1	3
Nervous System	2·36	2·58	2·14	409	227	182	114	10	5	4	1	134	3	10	10	4	9	12	13	31	96	85
Circulation	2·15	2·31	2·00	372	194	178	1	–	–	–	1	2	3	3	7	5	10	17	26	73	119	101
Respiration	3·10	3·56	2·65	536	313	223	94	35	10	3	3	145	15	3	5	6	18	10	26	61	122	127
Digestion	1·05	1·16	0·94	182	102	80	48	3	3	2	2	58	3	5	5	5	7	10	15	22	36	51
Urinary	0·60	0·61	0·58	103	71	32	–	–	–	1	2	3	6	1	2	3	5	10	9	13	25	32
Generative	0·02	0·01	0·04	4	1	3	1	–	1	–	–	1	–	–	–	1	2	–	–	–	–	–
Puerperal Fever	0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	2	2	7	4	–	–	–	–
Childbirth	0·10	–	0·21	18	–	18	–	–	–	–	–	–	–	–	2	2	6	3	–	–	–	–
Violence	0·73	1·01	0·42	125	89	36	5	7	6	–	1	19	10	5	6	5	9	11	15	19	11	15
Other Causes	3·46	3·42	3·34	585	301	284	167	2	1	1	2	173	5	5	6	7	24	15	22	29	63	299

Marriages	–	1,077	Annual Rate per 1000 living	Persons Married	12·45
Births	Males 2,419			Births	27·71
	Females 2,383	4,798			

Deaths from Childbirth and Puerperal Fever – – – – 6·89 per 1000 Births

* *See* pages xxxvi, xxxviii.

† The death-rates under one year of age are per 1000 Births.

616.—LLANFYLLIN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·58	†109	–	–	–	–	40·48	5·28	3·53	5·13	8·47	10·00	10·47	13·04	23·41	58·33	151·59
Males	—	17·53	†121	–	–	–	–	46·66	6·63	3·83	4·12	7·85	9·07	10·11	15·21	25·71	64·02	158·85
Females	—	15·69	† 97	–	–	–	–	34·74	3·92	3·24	6·18	9·10	10·88	10·84	10·86	21·00	52·84	145·65
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·47 per cent.	19,198	448	416	437	489	448	2238	2310	2209	1949	1416	2321	1948	1794	1508	1003	502
Males		9,549	200	204	209	243	222	1078	1162	1098	995	713	1135	979	901	770	492	226
Females		9,649	248	212	228	246	226	1160	1148	1111	954	703	1186	969	893	738	511	276
Deaths from All Causes, 1881–90. Persons	19·25	3,695	613	130	74	56	33	906	122	78	109	120	232	204	234	353	585	761
Males	20·21	1,930	343	65	44	33	18	503	77	42	41	56	103	99	137	198	315	359
Females	18·29	1,765	270	65	30	23	15	403	45	36	59	64	129	105	97	155	270	402

	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS											
Small-pox	0·03	0·05	0·01	6	5	1	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–
Measles	0·11	0·12	0·10	21	11	10	3	5	3	5	–	16	3	2	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·28	0·27	53	27	26	2	2	4	6	5	19	20	7	4	3	–	–	–	–	–
Diphtheria	0·13	0·12	0·13	24	11	13	–	3	2	2	3	10	10	–	1	3	–	–	–	–	–
Whooping-cough	0·37	0·32	0·41	71	31	40	33	19	7	5	1	65	6	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·07	0·09	16	7	9	–	–	–	–	–	–	2	5	2	1	1	2	2	–	1
Simple Continued Fever	0·04	0·06	0·02	8	6	2	–	–	–	–	1	1	1	–	–	–	2	1	1	2	–
Diarrhœa and Dysentery	0·23	0·25	0·22	45	24	21	20	1	–	–	1	22	1	–	–	–	–	1	3	2	6
Cholera	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1
Cancer	0·81	0·81	0·82	156	77	79	–	–	1	–	–	1	–	–	–	2	4	13	24	44	48
Tabes Mesenterica	0·13	0·15	0·10	24	14	10	6	3	3	1	1	14	2	3	1	–	1	–	1	2	–
Phthisis	1·82	1·53	2·10	349	146	203	3	1	3	1	1	9	6	17	49	56	96	45	34	22	11
Other Tub. & Scrof. Dis.	0·32	0·41	0·24	62	39	23	4	8	6	4	6	28	15	10	2	2	2	3	–	–	–
Diseases of Nervous System	2·68	3·08	2·29	515	294	221	174	22	12	5	1	214	11	10	8	8	9	15	21	35	90
Diseases of Circulatory „	1·91	1·70	2·12	367	162	205	3	–	–	–	1	4	3	2	5	6	21	17	35	63	119
Diseases of Respiratory „	3·46	3·97	2·95	664	379	285	91	41	19	14	8	173	25	6	2	6	22	16	46	80	130
Diseases of Digestive „	1·30	1·42	1·18	250	136	114	36	6	4	1	2	49	3	6	6	7	14	21	26	42	47
Diseases of Urinary „	0·50	0·67	0·33	96	64	32	5	–	–	–	–	5	2	1	3	1	6	10	6	16	21
Diseases of Generative „	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	–	–	3	3	2	–	3
Puerperal Fever	0·10	–	0·20	19	–	19	–	–	–	–	–	–	–	–	–	3	9	7	–	–	–
Childbirth	0·08	–	0·17	16	–	16	–	–	–	–	–	–	–	–	1	4	7	4	–	–	–
Violence	0·65	1·06	0·24	124	101	23	4	3	6	5	–	18	4	3	7	3	12	20	18	13	11
OTHER CAUSES	4·14	4·11	4·18	794	393	401	229	16	4	7	2	258	6	6	9	14	23	25	15	30	96

Marriages - - - 1,117

Births { Males - 2,845 / Females - 2,775 } 5,620

Annual Rate per 1000 living { Persons Married 11·64 / Births - - 29·27

Deaths from Childbirth and Puerperal Fever - - - - - 6·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

617.—HOLYWELL.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Average Annual Deaths { Persons / Males / Females	— / — / —	In Statistical Population* 17·34 / 17·65 / 16·98	5·09 / 5·24 / 4·94	–	–	–	–	41·27 / 43·68 / 38·78	5·46 / 7·42 / 5·50	3·14 / 2·95 / 3·31	3·02 / 4·04 / 2·25	6·52 / 5·78 / 7·28	7·89 / 6·78 / 9·00	10·23 / 12·02 / 10·45	14·25 / 15·72 / 12·83	31·55 / 45·42 / 28·02	70·58 / 89·31 / 61·15	161·76 / 171·48 / 156·14
Mean Population { Persons / Males / Females (1881-90)	Decrease of Population 7·01 per cent.	44,750 / 23,295 / 21,455	1144 / 580 / 564	1039 / 522 / 508	1097 / 567 / 530	1124 / 566 / 558	1103 / 561 / 542	5408 / 2786 / 2712	5510 / 2803 / 2847	5158 / 2540 / 2618	4246 / 2053 / 2193	3437 / 1852 / 1585	5789 / 3013 / 2747	3995 / 2004 / 2421	4937 / 2674 / 2974	3417 / 1861 / 1556	1778 / 787 / 991	714 / 263 / 451
Deaths from All Causes { Persons / Males / Females	18·28 / 18·07 / 18·50	8,07 / 4,020 / 4,035	1389 / 789 / 598	441 / 234 / 207	197 / 98 / 104	122 / 62 / 70	117 / 54 / 61	2269 / 1218 / 1051	391 / 146 / 245	162 / 75 / 87	213 / 95 / 118	294 / 187 / 117	457 / 194 / 263	594 / 251 / 343	584 / 318 / 266	652 / 516 / 136	1254 / 648 / 606	1155 / 451 / 704

	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.												
Small-pox	0·02	0·09	–	1	1	–													
Measles	0·46	0·40	0·51	107	66	50	29	20	17	14	9	109	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·38	0·40	0·37	86	90	78	6	18	26	17	24	91	14	2	–	–	–	–	–	–	–
Diphtheria	0·13	0·17	0·10	59	26	33	2	3	4	1	–	10	14	4	1	–	–	–	–	–	–
Whooping-cough	0·30	0·34	0·26	157	70	87	52	40	30	13	7	142	26	3	–	2	–	1	–	–	–
Typhus	0·02	0·03	0·01	10	3	7							8		–		–		1	1	–
Enteric Fever	0·11	0·16	0·05	23	16	7									–		–		–	–	–
Simple (Continued) Fever	0·08	0·01	0·16	23	1	22	1	1	4	2	2	10	6	12	2	2	3	1	2	–	–
Diarrhœa and Dysentery	0·16	0·12	0·20	7	3	4	1					1		2	–	1	–	16	2	4	2
Cholera	0·09	0·01	0·18	69	26	43	30	7	2	–	2	41	1	–	1	–	1	1	–	1	–
				2	2	–								1	–	–	–	–	1	1	–
Cancer	0·63	0·50	0·76	279	112	167															
Phthisis (Pulmonary Consumption)	0·91	0·93	0·89	211	46	48	31	20	8	1	4	64	7	1	4	1	3	23	65	89	89	16
Bronchitis	1·78	1·71	1·84	785	382	403	6	5	5	1	3	20	17	30	92	113	193	145	84	57	33	2
Other Lung & Scroof Dis	0·29	0·29	0·31	132	64	68	17	26	11	5	5	64	22	12	3	5	7	3	2	3	–	
Disease of Nervous System	3·26	3·17	3·36	1462	706	756	561	75	18	21	9	684	35	18	17	10	22	44	78	154	217	161
Circulatory	1·73	1·42	1·66	774	317	357	1	–	–	2		3	7	2	10	2	27	55	91	167	186	110
Respiratory	3·46	3·51	3·37	1550	872	628	266	119	43	29	35	459	51	17	15	18	36	80	163	231	335	188
Digestive	1·46	1·61	1·31	654	231	233	57	36	6	2	3	104	10	12	3	7	29	34	47	93	86	37
Urinary	0·48	0·52	0·45	240	115	95	1	4	3	1	1	10	4	5	–	4	21	26	24	43	49	25
Generative	0·03	0·01	0·05	12	2	10	–	–	–	–			–		6		1	2	3	4	1	1
Puerperal Fever	0·08		0·17	37	–	37	–	–	–	–	–											
Childbirth	0·07	–	0·14	31	–	31	–	–	–	–	–		–	–	1	7	20	2	–	–	–	–
Accidents	0·61	0·82	0·39	267	206	83	10	8	8	7	2	35	19	18	27	19	28	39	28	16	20	39
Other Causes	3·29	2·91	3·70	1455	648	807	351	30	12	4	4	410	12	11	8	18	25	31	58	85	239	583

Marriages - - 2,850

Births { Males - 6,287 / Females - 6,280 } 12,567

Annual Rate per 1000 living { Persons Married 19·64 / Births - 28·08

Deaths from Childbirth and Puerperal Fever } 5·27 per 1000 Births.

* No census [illegible]

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·27	†136	–	–	–	–	50·58	5·55	3·82	5·09	6·96	7·89	11·29	17·08	33·08	74·67	168·71
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·91	†149	–	–	–	–	54·58	5·97	3·82	4·87	6·07	6·56	11·44	18·76	35·76	84·09	177·90
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·67	†122	–	–	–	–	46·49	5·14	3·82	5·38	8·06	9·38	11·13	15·35	30·41	66·36	161·97
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·95 per cent.	58,477	1654	1531	1586	1575	1549	7895	7328	6807	5854	4943	8209	6394	5104	3467	1824	652
Mean Population, 1881–91. Males	Decennial Increase of Population 11·95 per cent.	30,213	823	765	793	792	814	3987	3652	3432	3328	2734	4330	3295	2590	1734	855	276
Mean Population, 1881–91. Females	Decennial Increase of Population 11·95 per cent.	28,264	831	766	793	783	735	3908	3676	3375	2526	2209	3879	3099	2514	1733	969	376
Deaths from All Causes, 1881–90. Persons	19·07	11,153	2567	747	325	199	155	3993	407	260	298	344	648	722	872	1147	1362	1100
Deaths from All Causes, 1881–90. Males	19·30	5,830	1464	387	148	103	74	2176	218	131	162	166	284	377	486	620	719	491
Deaths from All Causes, 1881–90. Females	18·83	5,323	1103	360	177	96	81	1817	189	129	136	178	364	345	386	527	643	609

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	–	3	3	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
Measles	0·31	0·30	0·33	184	90	94	31	78	32	21	8	170	11	2	–	–	1	–	–	–	–
Scarlet Fever	0·35	0·34	0·36	206	103	103	15	30	34	23	23	125	55	18	4	2	1	1	–	–	–
Diphtheria	0·15	0·14	0·16	87	43	44	4	9	9	10	13	45	33	2	3	1	1	–	–	1	1
Whooping-cough	0·35	0·28	0·43	205	84	121	88	59	35	9	7	198	7	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	8	5	3	–	–	–	–	–	–	–	–	1	–	1	2	2	1	1
Enteric Fever	0·11	0·13	0·09	65	40	25	–	–	–	3	1	4	7	8	9	13	13	9	–	2	–
Simple Continued Fever	0·03	0·02	0·04	17	6	11	–	–	1	–	2	3	–	4	3	2	1	2	–	1	–
Diarrhœa and Dysentery	0·37	0·31	0·42	215	95	120	100	31	1	1	1	134	2	1	–	–	7	7	6	13	24
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·54	0·37	0·72	314	111	203	–	–	–	–	–	–	–	2	–	1	5	31	89	86	69
Tabes Mesenterica	0·16	0·16	0·16	95	49	46	45	15	9	2	–	71	6	4	7	1	3	3	–	–	–
Phthisis	1·46	1·41	1·51	852	426	426	5	3	2	2	2	14	21	35	97	122	223	168	110	46	16
Other Tub. & Scrof. Dis.	0·24	0·28	0·19	141	86	55	22	22	9	10	7	70	29	14	3	6	10	5	1	3	–
Diseases of Nervous System	3·11	3·18	3·05	1820	959	861	793	102	41	21	18	975	56	47	22	20	48	59	101	167	205
Diseases of Circulatory „	1·24	1·13	1·37	728	342	386	2	–	–	–	2	4	8	15	8	17	28	74	123	183	181
Diseases of Respiratory „	4·06	4·44	3·66	2376	1342	1034	531	264	99	61	48	1003	84	26	30	38	71	118	160	318	345
Diseases of Digestive „	1·18	1·16	1·21	693	351	342	124	58	17	8	8	215	18	20	13	21	40	54	85	114	88
Diseases of Urinary „	0·46	0·55	0·37	270	165	105	6	2	8	2	3	21	7	4	7	7	22	33	39	46	60
Diseases of Generative „	0·05	0·01	0·08	27	3	24	–	–	1	–	–	1	–	–	2	1	4	4	9	2	4
Puerperal Fever	0·14	–	0·29	83	–	83	–	–	–	–	–	–	–	–	1	17	46	19	–	–	–
Childbirth	0·13	–	0·28	79	–	79	–	–	–	–	–	–	–	–	3	15	28	31	2	–	–
Violence	0·88	1·42	0·31	517	428	89	7	15	12	15	7	56	39	28	59	37	58	56	68	50	40
Other Causes	3·73	3·64	3·79	2167	1098	1069	794	59	15	11	5	884	23	30	26	22	37	46	76	114	327

Marriages - - - 4,415

Births - { Males - 9,813 / Females - 9,057 } 18,870

Annual Rate per 1000 living { Persons Married 15·10 / Births - - 32·27

Deaths from Childbirth and Puerperal Fever - - - - - 8·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

619.—RUTHIN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000.	—	In Standard Population* 15·96	·117	–	–	–	–	36·68	5·21	2·50	4·96	6·96	7·72	8·30	11·13	26·58	57·34	140·38
	—	15·78	·126	–	–	–	–	39·29	4·56	1·69	4·03	6·90	7·54	8·30	12·13	27·16	57·43	167·67
	—	14·95	·107	–	–	–	–	33·94	5·82	3·32	6·03	7·02	7·89	8·02	10·17	25·80	57·26	126·87
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·98 per cent.	13,556	308	271	288	305	303	1475	1479	1523	1391	1092	1703	1419	1284	1110	775	564
Males		6,811	166	139	145	144	162	756	723	770	744	565	852	687	695	556	350	168
Females		6,745	142	132	143	161	141	719	756	753	647	527	851	732	589	554	365	201
Deaths from All Causes, 1881-90. Persons	15·70	2,411	369	59	40	20	23	541	77	38	69	76	103	117	143	295	410	511
Males	17·94	1,222	202	31	22	11	11	297	33	13	30	39	45	50	77	151	201	257
Females	13·58	1,189	177	28	18	9	12	244	44	25	39	37	58	58	67	144	209	254

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.													
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·12	0·13	17	8	9	2	4	3	1	1	11	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·07	0·13	14	5	9	–	2	1	1	3	7	6	–	1	–	–	–	–	–	–	–
Diphtheria	0·27	0·31	0·22	36	21	15	1	–	4	4	3	12	15	4	2	2	–	1	–	–	–	–
Whooping-cough	0·15	0·16	0·13	20	11	9	11	3	4	–	1	19	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·06	9	5	4	1	–	–	–	–	1	2	–	1	3	1	–	–	1	–	–
Simple Continued Fever	0·06	0·04	0·07	8	3	5	–	–	1	1	–	2	–	–	–	–	2	1	1	1	–	–
Diarrhœa and Dysentery	0·15	0·16	0·15	21	11	10	7	–	1	–	–	8	1	–	–	–	1	–	–	3	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·86	0·87	0·86	117	59	58	–	–	–	–	–	–	–	–	1	3	3	7	13	22	40	18
Tabes Mesenterica	0·10	0·04	0·15	13	3	10	4	1	2	–	3	9	3	1	–	–	–	–	–	–	–	–
Phthisis	1·94	2·05	1·85	263	138	125	3	2	2	2	1	10	4	11	38	43	59	35	26	25	9	3
Other Tub. & Scrof. Dis.	0·14	0·15	0·13	19	11	8	1	3	1	–	1	6	1	4	2	2	3	–	–	–	1	–
Nervous System	3·78	3·77	3·78	513	257	256	236	15	6	3	4	264	13	3	4	5	4	17	17	33	73	36
Circulatory	1·76	1·72	1·80	239	117	122	1	1	–	–	–	2	1	1	2	–	9	11	30	52	77	54
Respiratory	2·41	2·56	2·26	327	174	153	39	21	8	4	4	76	13	2	4	4	14	20	16	30	64	56
Digestive	1·14	1·17	1·11	155	80	75	16	1	–	–	–	17	4	2	5	5	6	8	17	27	38	33
Urinary	0·38	0·54	0·22	52	37	15	–	1	–	–	–	1	1	1	–	2	3	1	9	7	12	15
Generative	0·04	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	–
Puerperal Fever	0·04	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	–	5	1	–	–	–	–
Childbirth	0·10	–	0·21	14	–	14	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–
Violence	0·15	0·26	0·21	20	45	14	1	1	3	2	3	10	3	4	1	3	7	3	4	10	6	6
Other Causes	5·71	3·49	3·94	503	237	266	76	4	4	2	–	86	3	2	3	3	6	4	9	25	84	273

Marriages		689
Births	Males	1,703
	Females	1,647
		3,410

Annual Rate per 1000 living { Persons Married 10·15 / Births – – 25·12

Deaths from Childbirth and Puerperal Fever – – – – – 5·87 per 1000 Births.

* See pages xxxvi-xxxvii.

The death-rates under one year of age are per 1000 Births.

620.—ST. ASAPH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 18·51	†115	–	–	–	–	39·73	5·05	3·89	5·74	8·16	10·46	13·34	20·11	32·75	67·11	161·62
Males	—	Standard 19·70	†128	–	–	–	–	44·22	5·47	4·06	5·97	8·28	10·98	14·71	22·44	34·78	74·15	171·53
Females	—	Population* 17·40	†101	–	–	–	–	35·27	4·60	3·72	5·53	8·06	10·02	12·16	18·15	30·92	61·38	153·95
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·71 per cent.	29,206	648	587	633	612	646	3126	3161	3266	2894	2354	3912	3320	2820	2284	1441	628
Males		13,736	328	294	295	321	320	1558	1573	1652	1340	1002	1776	1543	1288	1084	646	274
Females		15,470	320	293	338	291	326	1568	1588	1614	1554	1352	2136	1777	1532	1200	795	354
Deaths from All Causes, 1881-90. Persons	20·66	6,035	846	192	88	63	53	1242	159	127	166	192	409	443	567	748	967	1015
Males	22·15	3,042	483	97	47	37	25	689	86	67	80	88	195	227	289	377	479	470
Females	19·35	2,993	363	95	41	26	28	553	73	60	86	109	214	216	278	371	488	545

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·17	0·08	37	24	13	8	12	4	4	4	32	5	–	–	–	–	–	–
Scarlet Fever	0·17	0·21	0·14	51	29	22	–	8	11	5	7	31	12	3	1	3	–	1	–	–	–
Diphtheria	0·17	0·17	0·16	49	24	25	2	2	2	5	5	16	18	7	3	1	1	2	–	1	–
Whooping-cough	0·25	0·29	0·21	72	40	32	35	14	9	5	4	67	5	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·14	0·17	0·12	41	23	18	–	1	1	–	–	2	5	3	4	7	9	4	3	3	1
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	3
Diarrhœa and Dysentery	0·24	0·25	0·23	70	35	35	33	7	–	–	–	40	3	–	1	1	1	3	1	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·94	0·79	1·08	275	108	167	–	–	–	–	–	–	–	–	1	–	5	13	55	86	75
Tabes Mesenterica	0·14	0·17	0·11	40	23	17	13	3	3	1	2	22	5	5	1	–	2	–	1	1	–
Phthisis	2·09	2·18	2·00	609	299	310	2	2	–	1	1	6	8	19	54	91	141	99	95	61	31
Other Tub. & Scrof. Dis.	0·31	0·36	0·27	92	50	42	12	10	3	1	3	29	14	12	8	2	12	3	4	4	4
Diseases of Nervous System	4·09	4·55	3·68	1195	625	570	317	44	12	15	6	394	25	18	18	16	48	74	98	143	184
Diseases of Circulatory	2·32	2·24	2·39	677	308	369	1	–	2	–	–	3	5	10	10	15	35	54	81	132	194
Diseases of Respiratory	3·39	3·85	2·99	991	529	462	120	61	28	10	9	228	23	13	12	13	48	60	75	117	193
Diseases of Digestive	1·44	1·43	1·45	420	196	224	42	7	4	3	4	60	10	7	9	9	35	33	55	79	81
Diseases of Urinary	0·68	0·89	0·49	198	122	76	1	1	–	1	2	5	3	6	4	4	14	19	27	31	46
Diseases of Generative	0·05	0·01	0·08	14	1	13	1	–	–	–	–	1	–	–	1	–	1	4	3	1	3
Puerperal Fever	0·04	–	0·07	11	–	11	–	–	–	–	–	–	–	–	–	1	8	2	–	–	–
Childbirth	0·07	–	0·14	21	–	21	–	–	–	–	–	–	–	–	–	2	3	14	1	–	–
Violence	0·55	0·79	0·33	160	109	51	7	3	4	5	3	22	7	9	16	9	16	18	14	23	11
Other Causes	3·44	3·61	3·32	1007	494	513	252	17	5	6	3	283	11	15	21	18	30	41	53	63	134

Marriages	1,726	Annual Rate per 1000 living Persons Married	11·82
Births Males	3,780	Births	25·24
Births Females	3,591		
Births	7,371		
Deaths from Childbirth and Puerperal Fever	4·34 per 1000 Births.		

* *See* pages xxxvi–xxxviii

† The death-rates under one year of age are per 1000 Births.

621.—LLANRWST.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	Persons	—	†113	–	–	–	–	38·11	3·71	3·57	5·92	7·89	8·33	9·61	14·00	25·51	51·48	145·83
	Males	—	†127	–	–	–	–	40·56	3·57	3·03	5·23	7·26	7·18	9·54	14·38	29·22	59·33	149·41
	Females	—	† 99	–	–	–	–	35·62	3·86	4·12	6·59	8·51	9·46	9·67	13·68	21·89	44·61	141·75
Mean Population, 1881–90.	Persons	In Standard Population * 15·42	319	300	307	323	307	1556	1509	1456	1352	1141	1872	1509	1221	937	643	394
	Males	Decennial Decrease of Population 7·78 per cent.	188	148	155	163	160	784	757	727	669	565	962	744	667	462	300	170
	Females	6,853	161	152	152	160	147	772	752	729	683	576	910	765	614	475	343	194
Deaths from All causes, 1881–90.	Persons	18·01	405	90	39	27	34	595	56	52	80	90	156	145	171	239	331	529
	Males	18·44	225	42	14	19	18	318	37	22	35	41	69	71	87	135	178	254
	Females	17·58	178	48	25	8	16	276	19	30	45	49	87	74	84	104	153	275

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·03	0·03	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·13	0·19	23	9	13	4	7	3	3	1	18	2	3	–	–	–	4	–	–	–
Scarlet Fever	0·08	0·01	0·15	11	1	10	–	3	1	1	1	4	4	1	–	–	1	1	–	–	–
Diphtheria	0·16	0·22	0·10	23	15	7	–	3	1	3	5	12	9	1	–	–	–	–	–	–	–
Whooping-cough	0·29	0·27	0·32	40	18	22	13	15	7	2	1	38	2	–	–	–	–	–	–	–	–
Typhus	0·04	0·04	0·03	5	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2
Enteric Fever	0·10	0·09	0·12	14	6	8	–	–	–	–	–	–	–	–	3	1	4	3	2	–	1
Simple continued Fever	0·01	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Diarrhœa and Dysentery	0·26	0·24	0·28	35	16	19	11	–	3	–	3	15	–	–	1	–	1	–	1	1	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·70	0·76	99	47	52	1	–	–	–	–	1	–	–	–	–	3	5	16	21	34	19
Tabes Mesenterica	0·15	0·16	0·15	21	11	10	11	3	1	–	–	15	2	1	1	–	2	–	–	–	–	–
Phthisis	2·22	1·73	2·70	301	116	185	–	2	–	1	–	3	4	20	28	52	71	46	31	26	16	5
Other Tuberculous Dis.	0·38	0·46	0·31	52	31	21	9	6	4	3	2	24	3	6	8	2	4	2	1	1	–	2
Diseases of Nervous System	3·52	3·40	3·63	477	228	249	202	19	3	2	4	230	10	7	13	7	3	6	13	42	56	91
Diseases of Circulatory	1·74	1·76	1·72	236	118	118	–	–	–	–	–	1	1	2	3	6	7	15	27	56	53	66
Diseases of Respiratory	3·15	3·85	2·47	427	258	169	69	22	15	7	3	121	3	2	3	3	14	16	34	39	87	100
Diseases of Digestive	0·82	0·89	0·74	111	60	51	13	–	–	–	–	13	4	1	8	1	6	8	13	14	18	26
Diseases of Urinary	0·58	0·81	0·35	78	54	24	1	–	–	1	1	3	2	2	2	–	8	15	7	8	15	16
Diseases of Generative	0·04	0·01	0·07	6	1	5	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	1
Puerperal Fever	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	–	4	6	1	–	–	–	–
Childbirth	0·15	–	0·31	21	–	21	–	–	–	–	–	–	–	–	4	2	7	1	–	–	–	–
Violence	0·53	0·89	0·18	72	60	12	–	–	1	1	4	6	3	–	6	8	3	13	11	8	7	
Other Causes	2·79	2·72	2·81	375	181	194	70	11	1	3	5	90	3	7	3	2	8	15	14	16	36	181

Marriages		823	Annual Rate per 1000 living	Persons Married	12·14
Births	Males	1,772		Births	26·27
	Females	1,790			
		3,562		Deaths from Childbirth and Puerperal Fever	8·98 per 1000 Births.

* *See pages* xxxvi–xxxvii.

† The death-rates under one year of age are per 1000 Births.

622.—CORWEN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·33	†109	–	–	–	–	37·49	4·10	2·74	5·71	5·72	9·05	9·81	11·99	24·67	55·72	141·33
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·36	†123	–	–	–	–	41·66	3·35	1·93	5·19	5·60	7·08	8·87	14·44	25·62	55·33	155·87
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·31	† 94	–	–	–	–	33·40	4·83	3·56	6·29	5·86	11·01	10·76	9·60	23·71	56·09	129·11
Mean Population, 1881-91. Persons	Decennial Decrease of Population, 3·42 per cent.	16,546	385	365	399	418	380	1947	1978	1861	1575	1345	2122	1774	1526	1204	822	392
Mean Population, 1881-91. Males	Decennial Decrease of Population, 3·42 per cent.	8,300	184	173	205	211	192	965	984	934	828	697	1059	891	755	605	403	179
Mean Population, 1881-91. Females	Decennial Decrease of Population, 3·42 per cent.	8,246	201	192	194	207	188	982	994	927	747	648	1063	883	771	599	419	213
Deaths from All Causes, 1881-90. Persons	17·45	2,887	485	120	57	41	27	730	81	51	90	77	192	174	183	297	458	554
Deaths from All Causes, 1881-90. Males	17·53	1,455	281	65	28	15	13	402	33	18	43	39	75	79	109	155	223	279
Deaths from All Causes, 1881-90. Females	17·37	1,432	204	55	29	26	14	328	48	33	47	38	117	95	74	142	235	275

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·21	0·24	0·18	35	20	15	12	10	4	2	2	30	2	–	3	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·28	0·23	42	23	19	1	3	5	8	7	24	13	4	–	–	1	–	–	–	–	–
Diphtheria	0·09	0·08	0·10	15	7	8	–	1	1	2	3	7	4	1	2	–	1	–	–	–	–	–
Whooping-cough	0·32	0·30	0·34	53	25	28	22	17	4	5	1	49	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Enteric Fever	0·09	0·08	0·10	15	7	8	–	–	–	–	–	–	1	5	2	4	1	1	1	–	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·22	0·19	34	18	16	14	1	–	1	–	16	–	1	–	–	1	3	–	2	6	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·78	0·69	122	65	57	–	1	–	–	–	1	–	–	–	–	5	7	18	37	44	10
Tabes Mesenterica	0·15	0·16	0·15	25	13	12	7	6	3	1	–	17	2	–	1	–	2	3	–	–	–	–
Phthisis	1·86	1·88	1·83	307	156	151	1	3	–	–	1	5	6	8	39	42	88	55	29	24	9	2
Other Tub. & Scrof. Dis.	0·24	0·19	0·28	39	16	23	4	6	4	2	–	16	7	6	2	4	2	1	–	–	1	–
Diseases of Nervous System	3·28	3·22	3·35	543	267	276	235	25	10	8	2	280	12	4	5	3	8	16	23	42	64	86
Diseases of Circulatory „	1·58	1·42	1·75	262	118	144	1	–	–	–	–	1	1	1	5	–	10	17	22	54	78	73
Diseases of Respiratory „	3·07	3·23	2·91	508	268	240	76	32	20	7	8	143	16	7	9	–	16	15	33	47	105	117
Diseases of Digestive „	1·15	1·33	0·98	191	110	81	14	2	3	2	3	24	4	4	5	4	11	16	25	36	42	20
Diseases of Urinary „	0·37	0·47	0·27	61	39	22	1	–	–	–	–	1	–	2	2	–	5	7	9	11	12	12
Diseases of Generative „	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–
Puerperal Fever	0·13	–	0·27	22	–	22	–	–	–	–	–	–	–	–	1	4	11	6	–	–	–	–
Childbirth	0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	–	1	8	5	1	–	–	–
Violence	0·46	0·66	0·25	76	55	21	3	4	2	1	–	10	5	3	6	3	8	7	7	12	8	7
OTHER CAUSES	3·10	2·96	3·24	512	245	267	94	9	1	2	–	106	4	5	7	11	11	15	13	31	87	222

Marriages 907

Births { Males 2,277 / Females 2,173 } 4,450

Annual Rate per 1000 living { Persons Married 10·96 / Births 26·89

Deaths from Childbirth and Puerperal Fever 8·31 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The deaths under one year of age are per 1000 Births.

623.—BALA.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 { Persons	—	In Standard Population*		15·32	†133			–	–	42·17	3·44	3·67	4·87	5·88	7·22	10·90	10·12	21·74	52·40	147·40
Males	—			16·24	†148	–	–		–	49·23	4·91	3·06	3·85	5·50	6·47	9·79	12·58	32·36	51·81	168·39
Females	—			14·45	†117			–		35·48	1·99	4·24	6·12	6·32	8·03	10·23	7·81	21·08	53·06	131·82
Mean Popn. during 1881-91. { Persons	Decennial Decrease of Population 9·27 per cent.		6,428		143	115	134	133	139	664	697	681	616	578	859	730	638	950	343	192
Males			3,272		68	55	68	66	66	323	346	327	338	309	448	378	318	397	160	82
Females			3,156		75	60	66	67	73	341	351	354	278	269	411	352	320	223	147	110
Deaths from Age Causes. { Persons	17·73		1,140		218	35	10	7	10	280	24	25	30	34	62	73	65	109	164	285
Males	18·31		599		125	19	4	2	9	159	17	10	13	17	25	37	40	53	86	148
Females	17·14		541		93	16	6	5	1	121	7	15	17	17	37	36	25	47	78	145

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–		–	–	–	–	–	–	–	–		–	–		–	–	–	–	
Measles	0·12	0·15	0·10	8	5	3	2	2	–	1	–	5	2	–	–	–	1	–	–	–	–	
Scarlet Fever	0·08	0·12	0·03	5	4	1	–	1	–	–	1	2	1	1	–	–	–	–	–	1	–	
Diphtheria	0·02	0·03		1	1	–	–	–	–	–	–	–			–	–	–	1	–	–	–	
Whooping-cough	0·25	0·24	0·25	16	8	8	7	6	2	–	–	15	1		–	–	–	1	–	–	–	
Typhus	–	–		–	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	
Enteric Fever	0·09	0·06	0·10	6	3	3	–	–	–	–	–	–	1		–	–		–	–	–	–	
Simple Continued Fever	0·02	–	0·03	1	–	1	–	–	–	–	–	–			–	–	2	1	1	1	–	
Diarrhœa and Dysentery	0·23	0·15	0·32	15	5	10	6	–	–	2	–	8			–	–	1	–	–	–	–	
Cholera	–	–		–	–	–	–	–	–	–	–	–	–		–	–		1	–	3	3	
Cancer	1·07	0·79	1·36	69	26	43	–	–	–	–	–	–			–	1	1	4	6	16	26	15
Tabes Mesenterica	0·08	0·12	0·03	5	4	1	2	–	–	–	1	3		1	–	–		–	–	–	–	
Phthisis	1·88	1·80	1·96	121	59	62	–	1	1	–	2	4		6	16	14	30	22	13	9	6	1
Other Tub. & Scrof. Dis.	0·26	0·34	0·19	17	11	6	6	2	1	1	1	11	3	1	–	–		1	–	1	–	
Nervous System	3·00	3·15	2·85	193	103	90	66	9	3	–	2	80	7	7	3	6	3	8	6	12	33	29
Circulatory	1·60	1·62	1·58	103	53	50	1	–	–	–	–	1			1	1	5	5	5	17	30	33
Respiratory	3·22	3·88	2·53	207	127	80	51	10	–	3	2	66	2	2	1	2	3	10	11	23	30	78
Digestive	1·12	1·28	0·95	72	46	26	7	2	–	–		9	1	3	1	3	7	8	8	6	9	17
Urinary	0·72	0·86	0·57	46	28	18	–	–	–	–	–	–	1	1	1	–	2	4	2	6	13	16
Generative	0·03	0·03	0·03	2	1	1	–	–	–	–	–	–	–	–	–	–		–	1	1	–	
Puerperal Fever	0·12	–	0·25	8	–	8	–	–	–	–	–	–	–	–	1	–	5	2	–	–	–	
Convulsions	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–		–	1	–	–	
Violence	0·34	0·52	0·16	22	17	5	–	–	2	–	–	2	1	1	2	2	2	4		2	1	5
Other Causes	3·46	3·14	3·79	222	102	120	90	2	1	1	1	95	4	2	4	5	3	2	8	8	13	51

Marriages		377	Annual Rate per 1000 living { Persons Married	11·73	Deaths from Childbirth and Puerperal Fever	5·30 per 1000 Births.
Births { Males	843 {	1,637	Births	25·47		
Females	794 {					

* See pages xxvi, xxvii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·08	†109	–	–	–	–	36·57	6·31	3·33	5·31	8·06	9·20	9·89	13·22	23·49	56·85	160·16
Males	—	Standard 17·23	†115	–	–	–	–	39·93	5·96	3·21	5·15	9·50	9·72	10·10	14·81	25·55	68·44	184·77
Females	—	Population* 15·00	†102	–	–	–	–	33·10	6·66	3·45	5·46	6·87	8·76	9·71	11·75	21·80	47·79	142·72
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·27 per cent.	14,836	336	327	353	363	349	1728	1712	1681	1413	1142	1989	1698	1414	1009	686	364
Males		7,048	166	174	181	183	175	879	856	811	680	516	916	802	682	454	301	151
Females		7,788	170	153	172	180	174	849	856	870	733	626	1073	896	732	555	385	213
Deaths from All Causes, 1881–90. Persons	18·27	2,711	426	78	50	43	35	632	108	56	75	92	183	168	187	237	390	583
Males	19·64	1,384	236	41	31	27	16	351	51	26	35	49	89	81	101	116	206	279
Females	17·04	1,327	190	37	19	16	19	281	57	30	40	43	94	87	86	121	184	304

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·20	0·18	0·21	29	13	16	8	10	2	2	3	25	2	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·28	0·34	0·22	41	24	17	2	1	8	7	6	24	10	3	2	1	–	–	1	–	–	–
Diphtheria	0·13	0·13	0·13	19	9	10	1	–	–	4	3	8	10	1	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·24	0·28	39	17	22	20	6	4	4	3	37	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·13	18	8	10	–	–	–	–	–	–	3	1	1	2	2	3	1	2	2	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·16	0·16	0·17	24	11	13	8	1	–	1	–	10	1	–	–	–	1	1	–	1	2	8
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·94	0·87	1·00	139	61	78	–	–	–	–	–	–	–	–	–	–	3	14	23	34	44	21
Tabes Mesenterica	0·24	0·18	0·28	35	13	22	15	2	–	2	–	19	3	2	2	3	1	3	1	1	–	–
Phthisis	2·01	2·06	1·97	298	145	153	2	–	1	1	2	6	13	10	37	29	74	55	34	26	11	3
Other Tub. & Scrof. Dis.	0·44	0·48	0·40	65	34	31	8	6	4	2	2	22	17	9	2	5	4	2	2	–	1	1
Diseases of Nervous System	2·70	2·95	2·48	401	208	193	95	11	6	2	1	115	6	5	3	6	14	11	20	31	76	111
Circulatory „	2·01	1·90	2·11	298	134	164	2	–	–	–	–	2	–	3	1	3	6	11	16	47	78	131
Respiratory „	3·48	3·96	3·04	516	279	237	120	28	21	10	11	190	16	3	5	10	19	21	32	35	87	98
Digestive „	1·23	1·38	1·10	183	97	86	33	5	3	3	–	44	5	4	5	6	14	11	17	22	26	29
Urinary „	0·56	0·81	0·33	83	57	26	–	1	–	1	1	3	1	–	2	5	8	4	9	11	20	20
Generative „	0·05	0·01	0·09	8	1	7	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–	2
Puerperal Fever	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	1	2	3	3	–	–	–	–
Childbirth	0·13	–	0·26	20	–	20	–	–	–	–	–	–	–	–	1	4	7	8	–	–	–	–
Violence	0·68	1·09	0·31	101	77	24	3	–	–	3	1	7	8	4	6	10	12	8	13	11	9	13
Other Causes	2·57	2·77	2·41	383	194	189	109	7	1	1	2	120	11	7	6	6	11	11	16	16	34	145

Marriages 807

Births { Males 2,058 / Females 1,866 } 3,924

Annual Rate per 1000 living { Persons Married 10·88 / Births 26·45

Deaths from Childbirth and Puerperal Fever 7·39 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

625.—FESTINIOG.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 { Persons / Males / Females	– / – / –	In Standard Population* { 17·79 / 18·75 / 16·89			†130 / †142 / †119	– / – / –	– / – / –	– / – / –	– / – / –	47·10 / 53·15 / 44·11	5·98 / 6·13 / 5·83	3·29 / 2·46 / 4·14	7·50 / 6·20 / 8·92	8·18 / 7·30 / 9·16	8·90 / 7·84 / 9·99	11·19 / 11·44 / 10·94	14·21 / 15·84 / 12·54	27·44 / 31·75 / 23·52	55·73 / 69·37 / 44·73	143·76 / 148·74 / 140·15
Mean Popn. 1881–91. { Persons / Males / Females	Decennial Decrease of Population 5·64 per cent.	28,493 / 14,456 / 14,037			732 / 375 / 357	759 / 373 / 386	747 / 377 / 370	789 / 374 / 415	735 / 373 / 362	3762 / 1872 / 1890	3559 / 1828 / 1731	3314 / 1670 / 1644	2641 / 1386 / 1255	2385 / 1260 / 1125	4002 / 2079 / 2013	3377 / 1713 / 1664	2456 / 1244 / 1212	1640 / 781 / 859	994 / 444 / 550	473 / 199 / 274
Deaths from Phthisis 1881–91. { Persons / Males / Females	18·34 / 18·83 / 17·78	5,222 / 2,724 / 2,498			1181 / 694 / 487	303 / 160 / 143	130 / 61 / 69	95 / 46 / 49	63 / 34 / 29	1772 / 995 / 777	213 / 112 / 101	109 / 41 / 68	198 / 86 / 112	195 / 92 / 103	364 / 163 / 201	378 / 196 / 182	349 / 197 / 152	450 / 248 / 202	554 / 308 / 246	680 / 296 / 384
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·30	0·30	86	43	43	18	23	11	8	4	69	12	2	–	–	2	1	–	–	–	–
Scarlet Fever	0·45	0·35	0·54	129	51	49	7	17	12	13	14	63	24	8	2	1	1	1	–	–	–	–
Diphtheria	0·20	0·20	0·19	56	29	27	6	6	6	6	6	30	18	1	2	1	–	1	1	–	2	–
Whooping-cough	0·45	0·50	0·39	128	72	56	71	29	15	3	3	121	7	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·12	0·13	36	18	18	–	–	–	1	–	1	1	4	4	6	2	11	2	5	2	–
Simple Continued Fever	0·04	0·01	0·04	7	2	5	2	–	2	–	–	4	–	–	1	1		–	1	–	–	–
Epidemic Diarrhœa & Dysentery	0·20	0·19	0·22	58	27	31	31	2	4	–	–	37	–	–			2	1	–	2	6	10
Cholera	0·03	0·02	0·05	10	3	7	1	–	–	–	–	1	1	–			2	1	1		4	–
Cancer	0·77	0·62	0·91	220	90	130	–	–	1	–	–	1	–	–	1		4	22	33	63	62	34
Tabes Mesenterica	0·46	0·32	0·40	133	46	87	28	27	4	3	2	64	12	2	7	6	5	4	2	1	–	–
Diseases of { Nervous System	3·41	3·68	3·20	988	533	455	503	45	20	17	1	586	19	16	14	7	15	22	30	58	97	129
Circulatory	1·34	1·38	1·29	384	200	184	2	1	–	–	–	3	5	2	9	10	16	35	43	63	96	112
Respiratory	3·25	3·66	2·83	933	530	403	185	86	27	22	13	333	29	3	10	17	27	44	61	93	117	108
Digestive	0·62	0·90	0·36	268	131	137	72	12	6	3	4	97	7	3	3	6	13	22	26	32	41	23
Urinary	0·49	0·72	0·25	173	104	69	1	1	1	2	3	8	2	3	4	7	9	17	19	36	44	34
Generative	0·04	0·01	0·07	11	1	10	–	–	–	–		–	–	–		1	2	3	1	2	1	1
Puerperal Fever	0·10	–	0·21	30	–	30	–	–	–	–			–	–		7	12	10	1		–	–
Childbirth	0·13	–	0·26	37	–	37	–	–	–	–			–	–	1	5	13	16	–		–	–
Violence	1·26	1·22	1·27	354	176	39	4	4	5	7	4	24	9	3	14	10	33	33	33	23	18	16
Other Causes	1·98	1·91	1·98	553	276	277	227	15	5	2	1	250	12	12	24	18	2	26	25	21	20	113

Marriages . . 1,643

Births { Males 4,681 / Females 4,420 } 9,081

Annual Rate per 1000 living { Persons Married 11·45 / Births . . 31·65

Deaths from Childbirth and Puerperal Fever . . . } 7·36 per 1000 Births.

* See pages [illegible].

† The death-rates under one year of age are per 1000 Births.

626.—PWLLHELI.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·01	†102	–	–	–	–	35·26	5·47	3·83	5·03	8·00	8·85	8·85	13·27	21·36	47·90	143·16
Males	—	Standard 15·40	†114	–	–	–	–	37·71	4·84	2·94	5·10	8·65	8·97	9·29	14·60	22·97	50·26	153·72
Females	—	Population* 14·63	† 90	–	–	–	–	32·74	6·13	4·78	4·96	7·42	8·75	8·49	12·15	19·98	45·96	134·37
Mean Population, 1881-91. Persons	Decennial Decrease of Population 2·78 per cent.	22,592	529	498	544	520	518	2609	2521	2431	2069	1801	2938	2474	2073	1737	1288	651
Males		10,821	266	260	271	274	255	1326	1282	1259	1040	844	1326	1119	945	801	583	296
Females		11,771	263	238	273	246	263	1283	1239	1172	1029	957	1612	1355	1128	936	705	355
Deaths from All Causes, 1881-90. Persons	18·03	4,073	607	138	62	62	51	920	138	93	104	144	260	219	275	371	617	932
Males	18·65	2,018	348	68	30	29	25	500	62	37	53	73	119	104	138	184	293	455
Females	17·46	2,055	259	70	32	33	26	420	76	56	51	71	141	115	137	187	324	477

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·20	0·18	0·23	46	19	27	13	12	5	5	1	36	4	4	–	–	2	–	–	–	–	–
Scarlet Fever	0·17	0·18	0·16	39	20	19	2	3	6	9	2	22	12	3	2	–	–	–	–	–	–	–
Diphtheria	0·40	0·39	0·41	90	42	48	1	2	6	12	13	34	43	7	2	–	4	–	–	–	–	–
Whooping cough	0·23	0·28	0·20	53	30	23	28	6	6	3	4	47	3	1	–	2	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Enteric Fever	0·10	0·10	0·10	23	11	12	–	–	–	–	–	–	–	3	3	2	8	2	1	1	2	1
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·16	0·14	0·18	36	15	21	11	1	–	–	1	13	–	–	1	–	–	1	2	2	5	12
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·83	0·67	0·98	187	72	115	–	–	–	–	–	–	–	–	1	1	6	13	26	41	66	33
Tabes Mesenterica	0·21	0·26	0·17	48	28	20	15	11	–	1	2	29	–	4	4	1	2	2	3	2	1	–
Phthisis	2·06	1·90	2·22	466	205	261	7	3	1	1	3	15	10	26	51	60	142	68	46	34	9	5
Other Tub. & Scrof. Dis.	0·29	0·21	0·36	65	23	42	5	5	–	3	1	14	14	11	5	7	3	4	4	1	1	1
Diseases of Nervous System	3·23	3·37	3·10	730	365	365	291	19	15	7	3	335	8	6	2	10	7	11	29	56	108	158
Diseases of Circulatory „	1·46	1·57	1·36	330	170	160	2	–	–	–	–	2	1	2	6	4	7	21	31	52	97	107
Diseases of Respiratory „	2·96	3·16	2·78	669	342	327	72	43	15	16	12	158	24	7	5	10	15	32	44	65	142	167
Diseases of Digestive	1·37	1·53	1·23	310	165	145	26	14	2	–	2	44	8	4	3	7	9	17	36	52	73	57
Diseases of Urinary „	0·93	1·09	0·77	209	118	91	–	–	1	1	2	4	–	3	–	6	9	8	25	32	51	71
Diseases of Generative „	0·05	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	1	4	2	1	2	1	–
Puerperal Fever	0·09	–	0·17	20	–	20	–	–	–	–	–	–	–	–	1	6	6	7	–	–	–	–
Childbirth	0·07	–	0·14	16	–	16	–	–	–	–	–	–	–	–	–	4	6	6	–	–	–	–
Violence	0·55	0·88	0·25	125	95	30	10	9	4	2	1	26	4	3	8	11	21	13	12	11	7	9
OTHER CAUSES	2·66	2·70	2·55	595	294	301	124	10	1	2	4	141	7	9	10	11	7	12	13	20	54	311

Marriages - - - 1,230

Births - {Males - 3,055 / Females - 2,888} 5,943

Annual Rate per 1000 living {Persons Married 10·89 / Births - - 26·31

Deaths from Childbirth and Puerperal Fever - - - - } 6·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

627.—CARNARVON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
Average Death-Rate { Persons / Males / Females	— / — / —	In Standard Population* 18·99 / 19·88 / 18·16	1496 / 1539 / 1439	—	—	—	—	18·31 / 22·85 / 14·72	6·26 / 7·20 / 5·66	4·09 / 3·59 / 4·76	7·80 / 7·46 / 8·17	9·04 / 9·68 / 8·38	10·30 / 9·77 / 10·80	11·36 / 11·23 / 11·49	14·81 / 16·11 / 13·62	28·53 / 33·57 / 23·95	64·66 / 70·78 / 59·56	159·49 / 175·79 / 147·59
Mean Population, 1881–90 { Persons / Males / Females	Decennial Increase of Population, 7·47 per cent.	47,364 / 26,207 / 21,157	1670 / 765 / 527	952 / 471 / 481	1011 / 525 / 516	1023 / 533 / 520	1010 / 489 / 544	5736 / 2884 / 2852	1885 / 1007 / 878	1730 / 1009 / 721	4113 / 2443 / 1970	3452 / 1746 / 1706	6037 / 2927 / 3110	5033 / 2423 / 2610	3809 / 1819 / 1990	2685 / 1278 / 1407	1658 / 753 / 905	766 / 321 / 445
Deaths from All Causes { Persons / Males / Females	19·87 / 20·84 / 18·92	941 / 546 / 395	1618 / 908 / 710	443 / 215 / 228	284 / 146 / 138	134 / 64 / 70	107 / 51 / 56	2481 / 1384 / 1097	566 / 149 / 417	196 / 85 / 111	321 / 160 / 161	312 / 169 / 143	622 / 286 / 336	572 / 272 / 300	564 / 293 / 271	766 / 429 / 337	1072 / 533 / 539	1293 / 643 / 650

	Persons	Males	Females	Persons	Males	Females	Under 1	1–	2–	3–	4–	Total under 5	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards
												PERSONS.										
Small-pox	0·01		0·03	2	–	2										1	1		–			
Measles	0·43	0·45	0·38	130	70	60	29	30	16	10	6	100	24	4	1	–	1		–			
Scarlet Fever	0·29	0·38	0·20	122	59	63	17	21	16	18	15	87	19	7	1	3	2		1			
Diphtheria	0·15	0·14	0·16	63	29	34	2	5	6	4	7	24	25	9	1	2	1		–			
Whooping-cough	0·37	0·40	0·35	158	84	74	70	49	15	10	3	147	5			–			–			
Typhus	0·01	0·01	0·00	4	3	1		–					–			1	1		1	–	1	
Enteric Fever	0·24	0·26	0·21	100	54	46		1		1	3	5	4	8	22	14	18	10	12	2	3	2
Simple Continued Fever	0·02	0·02	0·01	10	5	5	1	1	2			4	2			–	1	1	1	–	1	
Diarrhœa and Dysentery	0·24	0·26	0·22	103	55	48	44	13	2	1	–	60	–			–	–	1	1	3	3	33
Cholera	0·01	0·01	0·00	4	3	1	1	–	–			1	–			–	1		1	1	–	
Cancer	0·69	0·49	0·89	277	102	175			–	1	–	1	–	–	1	2	6	19	53	77	80	39
Tabes Mesenterica	0·15	0·18	0·14	67	38	29	18	9	4		4	35	13	7	6	1	3	–	1	–	1	
Fevers	2·36	2·89	3·04	1255	605	650	17	13	4	4	4	42	33	60	108	168	300	210	135	91	45	3
Other Tub. & Scrof. Dis.	0·33	0·30	0·32	131	63	68	15	12	11	11	4	53	25	13	11	12	7	3	3	3	1	
Nervous System	3·76	3·80	3·72	1594	797	797	397	73	23	25	11	734	44	27	33	12	27	44	68	119	230	256
Circulatory	1·66	1·47	1·19	562	307	255	2	–	2			4	12	3	25	13	27	42	63	101	161	113
Respiratory	3·63	3·93	3·15	1500	824	676	302	146	50	22	21	541	51	9	7	12	47	59	71	150	259	283
Digestive	1·21	1·14	1·28	514	239	275	88	24	7	3	3	125	14	12	11	14	28	38	52	73	104	44
Urinary	0·64	0·74	0·55	269	155	114	3	4	–	1	1	12	7	4	3	8	24	27	29	46	64	45
Generative	0·07	–	0·14	31	–	31	1	1	–			2	1	–	1	1	1	10	3	10	3	
Puerperal Fever	0·16	–	0·37	68	–	68	–	–	–				–	–	2	12	35	18	1	–	–	
Childbirth	0·09	–	0·23	40	–	40	–	–	–				–	–	1	7	20	21	–	–	–	
Violence	0·64	1·07	0·21	278	224	54	7	2	11	6	7	33	13	7	6	15	51	36	40	29	24	20
Other Causes	2·45	2·82	2·36	1126	587	539	101	32	9	8	5	156	14	26	15	14	20	33	30	61	90	367

Marriages 2,867

Births { Males 1,396 / Females 1,526 } 12,026

Annual Rate per 1000 living { Persons Married 13·54 / Births - - 28·39

Deaths from Childbirth and Puerperal Fever - - - - } 9·73 per 1000 Births.

* See page xxxv, xxxvi.

† The death rates under one year of age are per 1000 Births.

628.—BANGOR.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 1881-90 18·46	†121	–	–	–	–	47·32	6·15	3·78	6·34	7·77	9·83	11·60	15·43	29·30	61·50	155·90
Annual Death-Rate per 1000. Males	—	Standard Population* 1891 19·06	†131	–	–	–	–	50·68	5·75	3·36	5·22	8·59	9·98	12·22	16·81	31·96	67·43	159·66
Annual Death-Rate per 1000. Females	—	1891 17·91	†111	–	–	–	–	43·89	6·54	4·23	7·47	7·07	9·70	11·04	14·21	26·94	56·39	152·95
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·30 per cent.	38,272	880	808	868	851	826	4233	4133	4235	3720	3190	5319	4345	3662	2829	1792	814
Mean Population, 1881-91. Males		18,527	428	410	450	408	441	2137	2052	2201	1859	1478	2506	2062	1713	1333	829	357
Mean Population, 1881-91. Females		19,745	452	398	418	443	385	2096	2081	2034	1861	1712	2813	2283	1949	1496	963	457
Deaths from All Causes, 1881-90. Persons	20·10	7,693	1245	366	163	124	105	2003	254	160	236	248	523	504	565	829	1102	1269
Deaths from All Causes, 1881-90. Males	20·75	3,844	683	195	93	65	47	1083	113	74	97	127	250	252	288	426	559	570
Deaths from All Causes, 1881-90. Females	19·49	3,849	562	171	70	59	58	920	136	86	139	121	273	252	277	403	543	699

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS. Under 1	1—	2—	3—	4—	Total under 5	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·26	0·22	93	49	44	17	33	15	9	7	81	10	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·33	0·37	0·29	126	68	58	5	14	27	11	21	78	38	4	4	1	1	–	–	–	–	–
Diphtheria	0·13	0·13	0·13	50	24	26	2	2	7	11	6	28	16	2	1	2	–	–	1	–	–	–
Whooping-cough	0·36	0·35	0·36	136	64	72	59	42	13	11	7	132	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·37	0·44	0·31	143	82	61	–	–	2	1	–	3	6	10	23	20	35	21	12	9	3	1
Simple Continued Fever	0·03	0·03	0·02	10	6	4	–	1	–	1	–	2	–	3	1	–	1	1	–	2	–	–
Diarrhœa and Dysentery	0·26	0·26	0·27	101	48	53	38	4	2	3	–	47	–	2	1	–	1	3	4	10	12	21
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Cancer	0·74	0·60	0·87	283	112	171	1	–	–	–	–	1	1	–	–	–	8	31	54	87	75	26
Tabes Mesenterica	0·20	0·21	0·19	76	38	38	28	11	3	3	3	48	14	3	2	4	4	1	–	–	–	–
Phthisis	2·52	2·64	2·41	966	490	476	7	7	6	–	2	22	16	31	123	126	251	184	113	78	18	4
Other Tub. & Scrof. Dis.	0·47	0·46	0·47	178	86	92	30	33	11	12	15	101	29	22	4	3	5	6	4	3	1	–
Diseases of Nervous System	3·85	4·04	3·68	1475	749	726	517	76	25	17	9	644	34	21	11	14	24	33	57	143	244	250
Diseases of Circulatory „	1·41	1·36	1·46	540	252	288	3	–	–	–	–	3	2	10	10	13	29	52	72	121	142	86
Diseases of Respiratory „	3·68	3·96	3·43	1410	733	677	184	91	36	27	21	359	45	7	14	22	42	40	82	172	295	332
Diseases of Digestive „	1·36	1·38	1·34	521	256	265	69	31	5	4	7	116	10	9	9	8	27	42	75	76	82	67
Diseases of Urinary „	0·64	0·80	0·49	245	148	97	3	3	2	1	1	10	6	5	7	4	19	13	33	42	65	41
Diseases of Generative „	0·05	0·01	0·09	18	1	17	–	–	–	–	–	–	–	–	–	1	3	2	4	3	3	2
Puerperal Fever	0·05	–	0·11	21	–	21	–	–	–	–	–	–	–	–	1	6	6	6	2	–	–	–
Childbirth	0·10	–	0·20	39	–	39	–	–	–	–	–	–	–	–	2	3	16	18	–	–	–	–
Violence	0·46	0·77	0·18	177	142	35	5	2	1	6	1	15	8	10	7	13	21	18	22	20	27	16
OTHER CAUSES	2·84	2·67	2·95	1082	495	587	277	16	8	7	5	313	15	19	16	8	30	33	29	63	133	423

Marriages - - - 2,576

Births - { Males - 5,216 / Females - 5,065 } 10,281

Annual Rate per 1000 living { Persons Married 13·46 / Births - - 26·86

Deaths from Childbirth and Puerperal Fever - - - - - 5·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

629.—CONWAY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15	20—	25	35—	45—	55—	65	75 and upwds.
Annual Death-Rate per 1000	Persons	In Standard Population* 14·78	†104					34·72	4·88	2·89	3·80	5·87	6·15	9·54	14·05	29·77	58·59	141·10
	Males	15·65	†117					38·90	5·19	2·44	3·75	5·79	6·63	12·23	13·90	27·68	63·75	152·80
	Females	13·96	† 92					31·45	4·57	3·36	3·83	5·93	5·76	7·40	14·17	30·99	56·22	131·96
Mean Population, 1881-91.	Persons	21,405	581	474	480	497	443	2476	2232	2281	2160	2027	3818	2413	1965	1457	816	365
	Males	9,942	292	258	242	250	229	1250	1117	1149	986	846	1479	1006	879	672	324	161
	Females	11,463	250	233	248	247	224	1202	1115	1132	1174	1181	1864	1362	1087	785	492	204
Deaths from All Causes, 1881-90.	Persons	7,703	572	121	62	39	30	834	109	63	82	119	204	259	276	390	678	515
	Males	3,661	328	55	33	18	21	456	58	24	37	49	98	130	122	186	251	346
	Females	4,042	244	65	29	21	9	378	51	38	45	70	106	129	154	204	427	269
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·12	0·11	0·12	25	11	14	7	5	2	3	2	19	5	-	-	1	-	-
Scarlet Fever	0·13	0·13	0·08	32	13	9	3	1	2	2	2	10	11	1	-	-	-	-
Diphtheria	0·27	0·29	0·25	58	29	29	1	3	5	6	13	28	23	5	-	1	1	-
Whooping-cough	0·19	0·19	0·21	43	19	24	29	8	1	2	1	41	2	-	-	-	-	-
Typhus	0·02	0·04	-	4	4	-	-	-	-	-	-	-	-	1	-	-	-	-
Enteric Fever	0·14	0·17	0·11	30	17	13	-	-	-	-	-	-	1	-	-	1	1	-
Simple Continued Fever	0·06	0·08	0·04	13	8	5	1	-	-	-	-	1	1	1	5	4	2	-
Diarrhœa and Dysentery	0·29	0·23	0·34	62	23	39	30	3	2	-	-	35	-	-	1	-	1	-
Cholera	0·02	0·04	0·01	5	4	1	2	1	-	-	-	3	-	-	-	1	5	2
Cancer	0·67	0·53	0·79	144	53	91	-	-	-	1	-	1	-	-	-	-	2	-
Tabes Mesenterica	0·27	0·37	0·17	57	37	20	29	5	5	1	3	43	5	-	3	2	2	14
Phthisis	1·69	1·68	1·72	363	165	198	3	4	2	-	1	10	8	16	35	47	52	74
Other Tub. & Scrof. Dis.	0·29	0·28	0·30	62	28	34	15	7	3	3	5	35	11	3	5	-	3	2
Diseases of Nervous System	3·00	3·27	2·78	643	325	320	249	20	12	-	2	257	9	9	4	11	17	21
" Circulatory	1·53	1·58	1·48	328	157	171	1	-	-	-	-	1	2	-	4	5	14	9
" Respiratory	2·41	2·64	2·20	516	262	254	77	42	15	12	9	155	19	5	3	8	14	21
" Digestive	1·09	1·36	0·86	234	135	99	21	11	2	2	1	37	4	4	3	11	10	23
" Urinary	0·45	0·55	0·36	96	55	41	-	2	2	-	-	4	-	2	3	3	7	12
" Generative	0·04	-	0·08	9	-	9	-	-	-	-	-	-	-	-	-	1	1	3
Puerperal Fever	0·05	-	0·09	10	-	10	-	-	-	-	-	-	-	-	-	3	2	2
Childbirth	0·07	-	0·13	15	-	15	-	-	-	-	-	-	-	-	-	3	3	3
Violence	0·54	0·88	0·25	116	87	29	3	3	4	3	1	14	1	6	11	12	22	13
Other Causes	2·07	2·31	1·88	446	229	217	131	6	3			140	7	6	4	6	11	17

Marriages	-	1,394	Annual Rate per 1000 living	Persons Married	12·99
Births	Males 2,814	5,480		Births - -	25·53
	Females 2,666				

Deaths from Childbirth and Puerperal Fever - - - - - 1·86 per 1000 Births.

* See paper headed "Explanation."

† The death-rates under one year of age are per 1000 Births.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 16·33	†121	–	–	–	–	40·66	4·07	4·57	5·85	8·13	8·69	10·32	13·46	24·27	55·06	147·12
Males	—	Standard 17·08	†135	–	–	–	–	46·20	3·85	3·43	5·99	8·69	8·49	11·05	13·00	27·77	59·31	151·61
Females	—	Population* 15·63	†105	–	–	–	–	35·14	4·28	5·72	5·71	7·65	8·85	9·73	13·85	21·36	51·45	143·49
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·30 per cent.	14,897	312	289	312	336	335	1584	1648	1575	1420	1083	1887	1589	1441	1294	890	486
Males		6,982	162	139	152	170	167	790	831	788	684	495	813	715	654	587	408	217
Females		7,915	150	150	160	166	168	794	817	787	736	588	1074	874	787	707	482	269
Deaths from All Causes, 1881–90. Persons	20·10	2,995	458	84	44	32	26	644	67	72	83	88	164	164	194	314	490	715
Males	21·13	1,475	269	45	21	17	13	365	32	27	41	43	69	79	85	163	242	329
Females	19·20	1,520	189	39	23	15	13	279	35	45	42	45	95	85	109	151	248	386

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·03	–	2	2	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·11	0·17	0·06	17	12	5	2	6	4	–	–	12	2	1	–	2	–	–	–	–	–	–
Scarlet Fever	0·12	0·11	0·13	18	8	10	1	1	–	1	2	5	6	4	2	1	–	–	–	–	–	–
Diphtheria	0·15	0·16	0·15	23	11	12	–	1	1	2	1	5	7	10	–	1	–	–	–	–	–	–
Whooping-cough	0·31	0·36	0·27	46	25	21	22	11	6	2	3	44	2	–	–	–	–	–	–	–	–	–
Typhus	0·03	0·01	0·05	5	1	4	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–
Enteric Fever	0·10	0·13	0·08	15	9	6	–	–	–	–	–	–	1	–	4	3	4	–	1	–	1	1
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·21	0·24	0·19	32	17	15	10	–	–	–	–	10	–	–	–	–	2	1	4	2	5	8
Cholera	0·02	0·04	–	3	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
Cancer	0·84	0·82	0·86	125	57	68	–	–	–	–	–	–	–	–	–	–	2	13	15	39	35	21
Tabes Mesenterica	0·12	0·13	0·11	18	9	9	2	2	–	–	2	6	2	1	5	1	2	–	–	1	–	–
Phthisis	2·32	2·48	2·19	346	173	173	–	–	–	1	–	1	2	16	41	50	83	66	38	30	17	2
Other Tub. & Scrof. Dis.	0·42	0·42	0·43	63	29	34	7	7	2	3	4	23	9	8	5	2	8	3	2	2	1	–
Diseases of Nervous System	3·93	4·27	3·63	585	298	287	208	24	10	5	5	252	11	11	4	6	12	14	20	49	105	101
Circulatory „	1·32	1·20	1·35	197	90	107	–	–	–	1	–	1	–	4	2	1	8	7	24	41	67	42
Respiratory „	3·16	3·54	2·83	471	247	224	53	19	17	12	5	106	11	4	3	3	12	19	30	65	125	93
Digestive „	1·26	1·35	1·18	187	94	93	24	3	–	1	1	29	2	2	2	3	5	11	22	39	49	23
Urinary „	0·48	0·64	0·33	71	45	26	–	–	1	1	–	2	2	1	2	2	4	3	3	14	18	20
Generative „	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1
Puerperal Fever	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	1	–	5	2	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–
Violence	0·34	0·50	0·20	51	35	16	2	2	3	1	1	9	2	2	1	2	5	8	10	7	3	2
OTHER CAUSES	4·72	4·43	4·93	701	309	392	127	8	–	2	2	139	8	8	9	8	9	12	21	23	63	401

Marriages - - - 1,975‡

Births - { Males - 1,993 / Females - 1,803 } 3,796

Annual Rate per 1000 living { Persons Married 11·39‡ / Births - - 25·48 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ These figures relate to the two Registration Districts of Anglesey and Holyhead, as the Marriages in these two Districts were not separately returned until the 1st January 1885.

631.—HOLYHEAD.

Causes of Death.	Cause Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death-Rate per 1000 living	Persons	In Standard Population* 16·37 16·94 15·84	†113	–	–	–	–	39·84	6·07	3·43	4·97	8·33	9·34	10·30	14·67	25·09	52·78	144·57
	Males		†121	–	–	–	–	42·49	6·76	3·00	4·83	8·62	9·89	8·35	16·92	27·34	59·06	149·39
	Females		†105	–	–	–	–	37·15	5·40	3·86	5·12	8·04	8·83	12·16	12·59	22·67	47·35	140·22
Mean Population	Persons	Decrease of Population 19,783	449	441	478	462	459	2289	2174	2129	1871	1585	2740	2184	1806	1489	989	516
	Males	9,775	223	224	259	246	212	1165	1113	1067	973	777	1325	1068	869	708	461	245
	Females	10,008	227	217	219	234	247	1144	1056	1062	898	808	1415	1118	937	772	528	271
Deaths from Accidents	Persons	3,734	600	152	72	53	43	920	132	73	93	132	250	225	265	370	322	746
	Males	1,916	332	84	29	23	27	495	76	32	47	67	131	89	147	205	272	362
	Females	1,818	268	68	43	30	16	425	57	41	46	65	125	136	118	175	250	384

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·20	0·16	36	20	16	12	7	–	–	5	1	26	7	1	–	1	–	1	–	–	–	–
Scarlet Fever	0·08	0·06	0·09	15	6	9	–	2	2	2	3	9	5	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·22	0·26	0·19	44	25	19	–	5	6	7	2	20	20	1	3	–	–	1	–	–	–	–	–
Whooping-cough	0·36	0·46	0·26	71	35	36	27	23	6	6	3	65	4	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·14	0·10	23	13	10	–	–	–	2	–	2	–	–	2	2	6	2	3	4	1	1	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·26	0·21	46	25	21	12	1	1	–	1	15	–	–	–	–	–	1	2	1	2	1	–
Cholera	0·02	0·02	0·01	3	2	1	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–
Cancer	0·81	0·75	0·90	161	71	90	–	–	–	–	–	–	–	–	1	–	1	4	16	20	48	49	22
Tabes Mesenterica	0·29	0·35	0·24	58	34	24	16	11	2	2	1	32	5	7	1	1	5	2	3	1	1	–	–
Tubercle	2·14	2·17	2·11	443	213	231	3	1	4	1	1	10	13	15	35	66	135	67	43	39	15	5	–
Other Tub. & Scrof. Dis.	0·55	0·61	0·48	109	53	56	26	16	8	6	6	59	26	12	6	1	2	1	1	1	–	–	–
Nervous System	3·70	3·80	3·61	738	371	361	221	31	13	5	6	276	9	6	5	10	13	18	52	68	115	168	
Circulatory ,,	1·54	1·68	1·41	305	154	151	1	1	–	–	–	2	2	4	5	7	18	18	28	47	65	109	
Respiratory ,,	4·26	3·96	4·56	643	327	316	105	45	16	10	6	180	16	4	8	5	11	29	39	69	114	168	
Digestive ,,	1·17	1·27	1·07	231	124	107	25	6	2	2	–	35	6	2	6	6	13	12	23	38	57	33	
Urinary ,,	0·82	1·06	0·59	162	103	59	3	1	1	–	2	7	1	2	–	4	10	14	14	20	43	47	
Generative ,,	0·07	0·03	0·10	13	3	10	–	–	–	1	–	1	–	–	1	–	–	4	3	–	3	1	
Parturition (Fem.)	0·15	–	0·15	15	–	15	–	–	–	–	–	–	–	–	–	2	9	4	–	–	–	–	
Childbirth, &c.	0·15	–	0·15	15	–	15	–	–	–	–	–	–	–	–	–	2	8	3	2	–	–	–	
Violence	0·30	0·35	0·27	117	91	26	17	7	5	3	5	37	7	5	3	16	13	10	14	16	6	5	
Other Causes	2·49	2·49	2·49	496	245	241	143	4	6	3	5	163	11	7	12	4	12	22	15	20	45	175	

Persons.

Marriages	1,075‡	Annual Rate per 1000 living	Persons Married	11·75‡	Deaths from Childbirth and Puerperal Fever 5·63 per 1000 Births.
Births	Males 2,575‡ / Females 2,478‡ 5,053		Births	26·60	

* See Census Table A.

† The deaths under one year of age are per 1000 Births.

‡ These figures relate to the two Registration Districts of **Anglesey** and **Holyhead**, as the Marriages in these two Districts were not separately returned until the 1st January 1885.

Changes in the Constitution of Registration Counties and Registration Districts and Sub-districts during the 10 Years 1881–90.

N.B.—The Populations quoted in this Table are the Numbers enumerated at the Census of 1881.

No. of District.	Name of District.	Date of Change.	Nature of Change.
1*a*	Paddington* - -	14 June 1883	Part of the parish of St. Mary Paddington (population 160) was transferred from *St. Mary Paddington* sub-district to the parish of Willesden, Hendon, *Willesden* (127 : 3). [*See* Local Government Board Order, No. 14,714, "confirming agreement as to boundaries under the Willesden "Local Board Act, 1876."]
"	" † - -	1 Jan. 1885	The parish of Paddington, consisting of *St. Mary Paddington* and *St. John Paddington* sub-districts (aggregate population 107,058), was separated from Kensington and created a separate Registration District named Paddington (1*a*).
1*b*	Kensington† - -	"	The parish of Paddington, consisting of *St. Mary Paddington* and *St. John Paddington* sub-districts (aggregate population 107,058), was separated from Kensington and created a separate Registration District named Paddington (1*a*).
3	Chelsea - - -	1 Oct. 1890	*Chelsea North-west* and *Chelsea North-east* sub-districts were re-divided as *Chelsea Kensal Town* sub-district (population 15,049) and *Chelsea North* sub-district (population 42,683).
4	St. George Hanover Square.	1 Jan. 1887	*Hanover Square* and *May Fair* sub-districts were united under the name of *May Fair* sub-district (population 30,353).
5	Westminster - -	1 Apr. 1884	*Golden Square* and *Berwick Street* sub-districts were united under the name of *St. James Westminster* sub-district (population 29,941).
9	Islington - - -	1 Jan. 1884	This Registration District was re-divided into four sub-districts, namely, *Upper Holloway* sub-district (population 67,946), *Islington South-west* sub-district (population 100,976), *Islington South-east* sub-district (population 61,895), and *Highbury* sub-district (population 52,048).
14	London City - -	1 Jan. 1882	*Castle Baynard* and *Allhallows Barking* sub-districts were united under the name of *Allhallows Barking* sub-district (population 13,666).
15	Shoreditch - -	1 Apr. 1890	*Holywell* and *St. Leonards* sub-districts were united under the name of *Shoreditch South* sub-district (population 22,343).
16	Bethnal Green -	1 Oct. 1889	This Registration District was re-divided into three sub-districts, namely, *Bethnal Green North* sub-district (population 51,157), *Bethnal Green South* sub-district (population 34,399), and *Bethnal Green East* sub-district (population 41,405).
17	Whitechapel - -	1 Jan. 1884	*Whitechapel North* and *Whitechapel Church* sub-districts were united under the name of *Whitechapel Church* sub-district (population 17,490).
18	St. George in the East.	1 Apr. 1884	*St. Mary* and *St. Paul* sub-districts were united under the name of *St. George North* sub-district (population 38,747).
23	St. Olave South-wark.	1 Feb. 1883	*St. Olave Southwark* and *St. John Horsleydown* sub-districts were united under the name of *St. Olave Southwark* sub-district (population 11,956).
25	Wandsworth - -	1 July 1883	*Battersea* sub-district was divided into *Battersea East* sub-district (population 54,675) and *Battersea West* sub-district (population 52,587).
28	Lewisham - -	10 June 1881	*Lewisham Village* sub-district was re-named *Lewisham*.
"	" * - -	1 Apr. 1887	The parish of Mottingham (population 779) was transferred from *Eltham* sub-district to Bromley, *Chislehurst* (41 : 2).
32	Guildford - -	1 July 1881	The parish of Merrow (population 595) was transferred rom *Albury* sub-district to *Guildford* sub-district.

* This change affects the boundaries of the Registration Division as well as of the Registration County and of the Registration District.

† This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
36	Reigate - - -	1 Apr. 1883	The parish of Mersham (population 982) was transferred from *Horsley* sub-district to *Reigate* sub-district.
41	Bromley* - - -	1 Apr. 1887	The parish of Mottingham (population 779) was transferred to *Chislehurst* sub-district from Lewisham *Eltham* (28 : 1).
44	North Aylesford - Strood - -	26 Dec. 1884	The name of this Registration District was changed from North Aylesford to Strood.
50	Maidstone - -	1 Oct. 1880	*Marden* sub-district was dissolved and *Yalding* and *Loose* sub-districts were constituted, the parishes of Yalding, Nettlestead, Marden, and Staplehurst (aggregate population 7055) were constituted *Yalding* sub-district, and the parishes of West Farleigh, Teston, West Barming, Barming, East Farleigh, Hunton, Linton, Loose, Boxley, Monchelsea, Otham, and Bearstead (aggregate population 8397) were constituted *Loose* sub district.
53	Tenterden - -	1 July 1884	*Tenterden* and *Rolvenden* sub-districts were united under the name of *Tenterden* sub-district (population 10,461).
55	East Ashford -	1 Aug. 1883	*Aldington* and *Brabourne* sub-districts were united under the name of *Brabourne* sub-district (population 7627).
69	Battle - - -	21 Feb. 1888	The parish of Westfield (population 1051) was transferred from *Bexhill* sub-district to *Ewhurst* sub-district.
"	" - - - -	1 July 1888	*Ewhurst* sub-district was dissolved, and the Battle Registration District was re-divided as follows:—The parishes of Hollington, Battle, Crowhurst, Sedlescombe, Westfield, Whatlington, Mountfield, Ewhurst, Salehurst, Robertsbridge, Northiam, Beckley, Peasmarsh, Rye, and Iden, were constituted *Bexhill* sub-district, and the parishes of Mountfield, Whatlington, Ewhurst, Sedlescombe, Westfield, and Battle (aggregate population 7113) were constituted *Battle* sub-district.
75	Cuckfield - -	1 Jan. 1883	The parishes of Bolney and Cowfold (aggregate population 1842) were transferred from *Cuckfield* sub-district to *Hurstpierpoint* sub-district.
82	East Preston -	1 Oct. 1883	Parts of the parishes of Angmering and Lyminster (aggregate population 544) were transferred from *Littlehampton* sub-district to *Arundel* sub-district.
91	Isle of Wight -	1 Jan. 1890	*Ryde* sub-district was divided, the parishes of Binstead, Ryde and St. Helens (aggregate population 17,973) were constituted *Ryde* sub-district; and the parishes of Brading, Yaverland, Shanklin and part of Newchurch (aggregate population 7,336) were constituted *Brading* sub-district.
100	Stockbridge* - -	1 Jan. 1884	The parish of West Dean (population 227) was transferred from *Broughton* sub-district to Alderbury *Alderbury* (24 : 1).
101	Winchester - -	1 Nov. 1884	The parish of Chilcombe (population 300) was transferred from *Twyford* sub-district to *Winchester* sub-district.
115	Abingdon - -	1 Jan. 1883	*Cumnor* and *Pyfield* sub-districts were united under the name of *Cumnor* sub-district (population 4,000).
117	Wallingford -	1 Mar. 1887	The parish of Dorchester (population 818) was transferred from *Chalgrove* sub-district to *Wallingford* sub-district.
119	Reading - - -	1 Feb. 1885	*St. Lawrence* and *St. Giles* sub-districts were united under the name of *St. Giles* sub-district (population 10,600).
127	Hendon* - - -	14 June 1885	Part of the parish of St. Mary Paddington (population 1,000) was transferred to *Willesden* sub-district from Hendon (Hendon : 3 Middlesex Local Government Board Order, No. 14,714, "confirming the Scheme for the Constitution under the Willesden Local Boards Act, 1876."]

* The boundaries of the Registration Divisions as well as of the Registration County and of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
143	Aylesbury - -	1 Oct. 1885	*Aylesbury* sub-district was dissolved, and the parishes composing it were distributed as follows:—The parish of Aylesbury (population 7878) was transferred to *Aston Clinton* sub-district, and the parishes of Aston Sandford, Dinton, Stone, and Hartwell (aggregate population 2291) were transferred to *Haddenham* sub-district. The parish of Wingrave-with-Rowsham (population 908) was transferred from *Aston Clinton* sub-district to *Waddesdon* sub-district. The name of *Aston Clinton* sub-district was altered to *Aylesbury*.
146	Buckingham - -	1 Apr. 1886	*Leckhampstead* sub-district was dissolved, and the parishes composing it, together with the parish of Buckingham (aggregate population 7216), were constituted *Buckingham* sub-district; the remaining parishes (aggregate population 5202) were constituted *Tingewick* sub-district.
147	Henley - - -	1 Apr. 1886	This Registration District was re-divided as follows:—The parishes of Remenham, Medmenham, Hambleden, Fawley, Henley-on-Thames, Rotherfield Greys, Rotherfield Peppard, Shiplake, Harpsden, and Checkendon (aggregate population 10,066) were constituted *Henley* sub-district; the parishes of Eye and Dunsden and Caversham (aggregate population 4446) were constituted *Caversham* sub-district; and the parishes of Ipsden, Nuffield, and Nettlebed, together with the parishes composing the former *Watlington* sub-district (aggregate population 5480) were constituted *Watlington* sub-district.
148	Thame - - -	1 Apr. 1888	*Brill* sub-district was dissolved and Thame Registration District was re-divided. The parishes composing the former *Lewknor* sub-district, together with the parishes of Tetsworth, Aston Rowant, Crowell, Sydenham, Emmington, Albury, Tiddington, and Waterstock (aggregate population 5481), were constituted *Lewknor* sub-district; and the remaining parishes (aggregate population 8381) were constituted *Thame* sub-district.
156	Brackley - - -	1 April 1884	*Brackley* and *Sulgrave* sub-districts were united under the name of *Brackley* sub-district (population 12,308).
162	Brixworth - -	1 July 1882	*Spratton* and *Brixworth* sub-districts were united under the name of *Brixworth* sub-district (population 8847).
,,	,, - -	1 July 1883	*Moulton* and *Brixworth* sub-districts were united under the name of *Brixworth* sub-district (population 13,336).
181	Newmarket - -	1 Feb. 1886	*Bottisham* and *Newmarket* sub-districts were united under the name of *Newmarket* sub-district (population 10,061).
,,	,, - -	1 Oct. 1890	The parish of Newmarket All Saints (population 1364) was transferred from *Cheveley* sub-district to *Newmarket* sub-district: and *Gazeley* and *Cheveley* sub-districts were united under the name of *Cheveley* sub-district (population 8442).
186	West Ham - -	1 Jan. 1890	The parishes of East Ham and Little Ilford (aggregate population 10,706) were separated from *West Ham* sub-trict and were constituted *East Ham* sub-district.
191	Billericay - -	1 April 1883	*Great Burstead* sub-district was dissolved, and the parishes composing it were distributed as follows:—The parishes of Hutton, Mountnessing, Little Burstead, and Dunton (aggregate population 1664) were transferred to *Brentwood* sub-district; and the parishes of Great Burstead, Laindon, Lee Chapel, Ramsden-Crays, and Ramsden-Bellhouse (aggregate population 3047) were transferred to *Wickford* sub-district.
194	Maldon - - -	1 Aug. 1890	*St. Peter Maldon* sub-district was dissolved, and the parishes composing it were distributed as follows:—The parishes of St. Peter Maldon, St. Mary Maldon, Langford, and Ulting (aggregate population 4713) were transferred to *All Saints Maldon* sub-district (re-named *Maldon*); and the parishes of Wickham Bishops, Great Braxted, Little Braxted, Great Totham, Little Totham, and Heybridge (aggregate population 3774) were transferred to *Tollesbury* sub-district.
197	Lexden - - -	1 July 1887	The parish of Layer-de-la-Haye (population 687) was transferred from *Stanway* sub-district to *Peldon* sub district.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881-90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
209	Hartismere - -	1 Oct. 1881	*Eye* sub-district was dissolved, and the parishes comprising it were distributed as follows:—The parishes of [illegible] Ash, Thorndon, Occold, Redlingfield, Eye, and [illegible] (aggregate population [illegible]) were transferred to the *Hartismere* sub-district; and the parishes of Thornham Parva, Thornham Magna, Yaxley, Thrandeston, Stuston, Brome, and Oakley (aggregate population 1799) were transferred to *Botesdale* sub-district.
213	Ipswich - - -	1 Jan. 1890	*St. Margaret* sub-district was dissolved, and the parishes comprising it were distributed as follows:—The [illegible] of St. Margaret, Ipswich, St. Nicholas, and Wherstead [illegible] were transferred to *Ipswich Western*; the parishes of St. Helen, and St. Mary-at-the-Quay were transferred to *St. Clement* sub-district [illegible] *Ipswich Eastern*).
214	Woodbridge - -	1 April 1882	The parishes of Bromeswell, Melton, and Ufford (aggregate population 2164) were transferred from *Carlford* sub-district to *Woodbridge and Wilford* sub-district.
215	Plomesgate - -	1 July 1882	*Earl Soham* and *Framlingham* sub-districts were united under the name of *Framlingham* sub-district (population 5820).
"	" - -	1 April 1887	*Aldeburgh* and *Saxmundham* sub-districts were united under the name of *Aldeburgh* sub-district (population 7323).
221	Smallburgh* - -	1 June 1884	The parish of North Walsham (population 3234) was transferred from Erpingham, *Repps* (222 : 1).
222	Erpingham* - -	"	The parish of North Walsham (population 3234) was transferred from *North Walsham* sub-district (re-named *Repps*) to Smallburgh, *North Walsham* (221 : 4).
[illegible]	Docking - -	1 Aug. 1887	*Docking* sub-district was dissolved, and Docking Registration District was re-distributed: the parishes of Wormegay, Stow Bardolph, North Runcton, Runcton Holme, Thorpe, Burnham Sutton and [illegible] Burnham Norton, Burnham Overy, Burnham Burnham Deepdale, Burnham Westgate, Burnham Ulph, Burnham Thorpe, Burnham Market, Burnham Ulph, Burnham Westgate [illegible] aggregate population [illegible] were constituted *Docking* sub-district; and the parishes of Trunch, Knapton, Paston, Great Barton, Great Barningham, Little Barningham, Edingthorpe, Witton, Ridlington, Bacton, Gimingham, Trimingham, Mundesley, Antingham, Thwaite, Hanworth, Roughton, Felbrigg, Metton, Aylmerton, Runton, Sheringham, Beeston Regis, Cromer, Overstrand, Northrepps, Southrepps, Tunstead, Sidestrand,

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
247	Devizes - -	1 Jan. 1882	*Bromham* sub-district was dissolved and the Devizes Registration District was re-divided as follows:—The parishes of Alton Barnes, Stanton St. Bernard, All Cannings, Allington, Etchilhampton, Fullaway, Bishops Cannings, Stert, St. James, Devizes St. John the Baptist, Devizes St. Mary the Virgin, Poulshot, Rowde, Bromham, and Chittoe (aggregate population 13,256) were constituted *Devizes* sub-district; and the parishes of Beechingstoke, Marden, Chirton, Patney, Potterne, Marston, and Worton, together with the parishes composing the former *Lavington* sub-district (aggregate population 7274) were constituted *Lavington* sub-district.
249	Bradford on-Avon*	1 Jan. 1883	The parish of Freshford (population 615) was transferred from *Bradford South-eastern* sub-district to Bath, *Twerton* (317 : 1).
250	Westbury - -	1 Aug. 1882	*Edington* sub-district was dissolved and the parishes composing it were distributed as follows:—The parishes of Steeple Ashton, Great Hinton, Keevil, and Bulkington (aggregate population 1414) were transferred to *Bradley* sub-district; and the parishes of East Coulston, Edington, and part of Westbury (aggregate population 1686) were transferred to *Westbury* sub-district.
254	Alderbury† -	1 Jan. 1884	The parish of West Dean (population 227) was transferred to *Alderbury* sub-district from Stockbridge, *Broughton* (100 : 1).
,,	,, -	1 July 1888	*Britford* sub-district was dissolved and Alderbury Registration District was re-divided as follows:—The parishes of Winterslow, Alderbury, Farley and Pitton, Clarendon Park, West Grimstead, East Grimstead, West Dean, Laverstock, Milford, Old Sarum, Stratford under the Castle, and Fisherton Anger (aggregate population 10,628) were constituted *Alderbury* sub-district; the parishes composing the former *Downton* sub-district, together with the parishes of Whiteparish, Earldoms, and Landford (aggregate population 6113), were constituted *Downton* sub-district; and the parishes composing the former *Salisbury* sub-district, together with the parishes of The Close of the Canons of the Cathedral Church of Salisbury, West Harnham, and Britford (aggregate population 10,780), were constituted *Salisbury* sub-district.
261	Wimborne - -	1 Aug. 1888	*Witchampton* and *Wimborne* sub-districts were united under the name of *Wimborne* sub-district (population 10,284).
284	South Molton -	1 Jan. 1886	The parish of Exmoor (population 313) was separated from *South Molton* sub-district, and was constituted *Exmoor* sub-district; *Chulmleigh* sub-district was dissolved and the parishes composing it were distributed as follows:—The parishes of East Worlington, Cheldon, and Meshaw (aggregate population 645) were transferred to *Witheridge* sub-district; and the parishes of Chulmleigh, Burrington, Warkleigh, Satterleigh, Kings Nympton, Romansleigh, and George Nympton (aggregate population 3450) were transferred to *South Molton* sub-district.
285	Barnstaple - -	1 Jan. 1887	The parish of Sherwill (population 408) was transferred from *Combmartin* sub-district to *Braunton* sub-district.
,,	,, - -	1 July 1888	*Braunton* sub-district was dissolved and the parishes composing it, together with *Barnstaple*, *Combmartin*, and *Ilfracombe* sub-districts, were re-divided as follows:—The parish of Barnstaple (population 10,617) was constituted *Barnstaple* sub-district; the parishes composing the former *Combmartin* sub-district, together with the parishes of East Down and Berrynabor (aggregate population 3872) were constituted *Combmartin* sub-district; the parishes composing the dissolved *Braunton* sub-district, together with the parishes of Bittadon, Ilfracombe, West Down, and Goodleigh (aggregate population 14,191) were constituted *Ilfracombe* sub-district; and the parishes of Swimbridge and Landkey (aggregate population 1815) were transferred to *Bishops Tawton* sub-district.

* This change affects the boundaries of the Registration County as well as of the Registration District.
† This change affects the boundaries of the Registration Division as well as of the Registration County and of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881-90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
303	Williton	1 May 1889	The parish of West Quantoxhead (population 278) was transferred from *Stoumber* sub-district to *Williton* sub-district.
306	Taunton	1 Apr. 1887	The parish of Curland (population 153) was transferred from *North Curry* sub-district to *Pitminster* sub-district.
311	Wincanton	1 July 1883	The parishes of Kington Magna and Buckhorn Weston (aggregate population 982) were transferred from *Wincanton* sub-district to *Milborne Port* sub-district.
315	Axbridge	16 Jan. 1888	*Banwell* sub-district was re-named *Weston-super-Mare*.
317	Bath *	1 Jan. 1883	The parish of Freshford (population 615) was transferred to *Twerton* sub-district from Bradford-on-Avon, *Bradford South-eastern* (249 : 1).
	..	1 July 1884	*Walcot* and *Lansdown* sub-districts were united under the name of *Walcot* sub-district (population 34,370).
321	Barton Regis	1 Oct. 1884	The parish of Filton (population 296) was transferred from *Stapleton* sub-district to *Ashley* sub-district.
331	Cirencester †	1 July 1882	The parish of Marston Maisey (population 185) was transferred from *Fairford* sub-district to Cricklade, *Cricklade* (242 : 2).
333	Stow-on-the-Wold	1 June 1885	The parish of Bledington (population 367) was transferred from *Bourton-on-the-Water* sub-district to *Stow-on-the-Wold* sub-district.
336	Tewkesbury	1 Oct. 1888	*Tewkesbury* and *Overbury* sub-districts were united under the name of *Tewkesbury* sub-district (population 12,892).
337	Ledbury	1 Apr. 1887	The parishes of Castle Frome and Canon Frome (aggregate population 265) were transferred from *Ledbury* sub-district to *Yarkhill* sub-district.
351	Atcham	1 July 1887	*Condover* and *Atcham* sub-districts were united under the name of *Condover* sub-district (population 7416).
356	Market Drayton	1 Apr. 1887	*Market Drayton* and *Hodnet* sub-districts were united under the name of *Market Drayton* sub-district (population 10,824).
367	Burton-upon-Trent ‡	29 Sept. 1890	Parts of the parish of Foston and Scropton in *Tutbury* sub-district were transferred respectively to the parish of Hatton (population 87) in *Burton* sub-district and to the parish of Yeaveley (population 71) in *Ilam* district and to the parish of *Rugeley* (population 1) in *Rugeley* sub-district by Order of the County Council of Derby and Stafford confirmed by Local Government Board Order, No. 26017.
369	Lichfield	1 Aug. 1890	*Yoxall* and *Rugeley* sub-districts were united under the name of *Rugeley* sub-district (population 14,805).
..	.. ‡	29 Sept. 1890	Part of the parish of Foston and Scropton (population 1) was transferred to the parish of Yeaveley in *Ilam* sub-district and to the parish of *Rugeley* in *Rugeley* sub-district by Order of the County Council of Derby and Stafford confirmed by Local Government Board Order, No. 26017.
376	Cannock	1 Jan. 1887	*Penkridge* and *Brewood* sub-districts were united under the name of *Brewood* sub-district (population 10,017).
377	Tenbury	1 May 1889	*Tenbury* and *Bockleton* sub-districts were united under the name of *Tenbury* sub-district (population 7588).

* The name of the Registration County was changed from Somerset to Somerset, Bath Registration District.

† The name of the Registration District was changed from Cirencester to Cirencester, Cricklade Registration District.

‡ The name of the Registration District was changed from Burton-upon-Trent to Burton-upon-Trent, Tutbury Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
378	Martley* - - -	1 Oct. 1885	The parish of South Hallow (population 500) was transferred from *Holt* sub-district to Worcester, *South Worcester* (379 : 3). [*See* Worcester Extension Act, 1885.]
379	Worcester* - -	,,	The parish of South Hallow (population 500) was transferred to *South Worcester* sub-district from Martley, *Holt* (378 : 1). The parish of South Claines (population 8582) was transferred to *North Worcester* sub-district from Droitwich, *Claines* (383 : 1). [*See* Worcester Extension Act, 1885.]
,,	,, - - -	1 Jan. 1886	*West Worcester* and *South Worcester* sub-districts were united under the name of *Worcester South-west* sub-district (population 22,933.)
382	Pershore - -	1 June 1885	*Pershore* and *Upton Snodsbury* sub-districts were united under the name of *Pershore* sub-district (population 9730).
383	Droitwich* - -	1 Oct. 1885	The parish of South Claines (population 8582) was transferred from *Claines* sub-district to Worcester, *North Worcester* (379 : 2). [*See* Worcester Extension Act, 1885.]
387	Aston - - -	1 Apr. 1889	*Erdington* sub-district was divided into *Erdington* sub-district (population 15,802) and *Aston Manor* sub-district (population 53,842).
396	Stratford-on-Avon	1 Mar. 1883	*Kineton* and *Wellesbourne* sub-districts were united under the name of *Wellesbourne* sub-district (population 6118).
,,	,, - - -	1 June 1883	The parish of Alveston (population 963) was transferred from *Old Stratford* sub-district to *Wellesbourne* sub-district.
,,	,, - - -	1 Dec. 1890	*Stratford-on-Avon* sub-district was dissolved, and the parishes composing it were distributed as follows; the parish of Suitterfield (population 817) was transferred to *Wootten Wawen* sub-district; and the remaining parishes (aggregate population 5521) were transferred to *Old Stratford* sub-district, which was re-named *Stratford-on-Avon*.
398	Shipston-on-Stour	1 Aug. 1887	*Moreton* sub-district was dissolved, and the Shipston-on-Stour Registration District was re-divided as follows: the parishes of Quintin, Admington, Mickleton, Clopton, Hidcote Bartrim, Ebrington, Chipping Campden, Blockley, Bourton-on-the-Hill, and Stretton-on-the-Foss (population 6796) were constituted *Blockley* sub-district; the parishes of Batsford, Moreton-in-the-Marsh, Lower Lemington, Todenham, Great Wolford, Little Wolford, Tidmington, Shipston-on-Stour, Burmington, Cherrington, Wichford, Stourton, Sutton-under-Brailes, and Barcheston (aggregate population 1424) were constituted *Shipston-on-Stour* sub-district; and the parishes of Ilmington, Brailes, and Honington, together with the parishes composing the former *Halford* sub-district (aggregate population 5547) were constituted *Halford* sub-district.
418	Sleaford - -	1 Nov. 1883	*Heckington* sub-district was dissolved, and *Sleaford* sub-district was re-divided; the parishes of Bloxholm, Ashby-de-la-Launde, Digby, Dorrington, Ruskington, Anwick, Haverholme Priory, Leasingham, Roxholme, Holdingham, and South Kyme (aggregate population 3680) were transferred to *Billinghay* sub district; the parishes of New Sleaford, Old Sleaford, Quarrington, Silk Willoughby, Swarby, Aunsby, Dembleby, Culverthorpe, Kelby, Ewerby, Evendon, Kirkby-la-Thorpe, Asgarby, Howell, Heckington, Great Hale, Little Hale, and Burton Pedwardine (aggregate population 9726) were constituted *Sleaford* sub-district; and the parishes of Temple Bruer and Braunce-well (aggregate population 374) were transferred to *Leadenham* sub-district.
419	Grantham - - -	1 April 1882	This Registration District was re-divided into two sub-districts as follows: The parishes composing the former sub-districts of *Colsterworth* (except part of the parish of Somerby) and *Denton*, and the parish of Barrowby (aggregate population 12,202) were constituted *Grantham South* sub-district; and the parishes composing the former *Grantham* sub-district (except the parish of Barrowby) and part of the parish of Somerby (aggregate population 21,477) were constituted *Grantham North* sub-district.

* This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10 Years 1881-90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
451	NOTTINGHAM -	1 July 1882	*Castle* and *Park* sub-districts were united under the name of *Park* sub-district (population 10,251). *Radford* and *Hyson Green* sub-districts were united under the name of *Radford* sub-district (population 20,954).
"	" - -	1 Jan. 1885	*St. Mary* and *Exchange* sub-districts were united under the name of *Exchange* sub-district (population 24,822).
"	" - -	1 April 1885	*Snenton* and *Exchange* sub-districts were united under the name of *Exchange* sub-district (population 40,295).
"	" - -	1 Feb. 1887	*Sherwood* and *Radford* sub-districts were united under the name of *Radford* sub-district (population 39,574).
"	" - -	1 April 1889	*Park* and *Lenton* sub-districts were united under the name of *Lenton* sub-district (population 25,483).
"	" - -	1 April 1890	*St. Ann* and *Byron* sub-districts were united under the name of *Nottingham North-east* sub-district (population 53,911); *Lenton* sub-district was re-named *Nottingham South-west*, *Radford* sub-district was re-named *Nottingham North-west*, and *Exchange* sub-district was re-named *Nottingham South-east*.
454	BINGHAM - -	1 Nov. 1883	*Bingham* and *Radcliffe-upon-Trent* sub-districts were united under the name of *Bingham* sub-district (population 14,211).
455	SHARDLOW* - -	4 July 1890	Part of the parish of [illegible] (added to the parish of St. Werburgh) and part of New Normanton [illegible] were transferred to DERBY, *Derby* 436 [illegible]. *See* Derby Corporation Act, 1890.
456	DERBY* - -	4 July 1890	Part of the parish of [illegible] (added to the parish of St. Werburgh) and part of New Normanton [illegible] were transferred to *Derby* sub-district from Shardlow, Sawley, [illegible] and the parish of Ravensdale [illegible] was also transferred to *Derby* sub-district from DERBY, *Duffield* (37 1). *See* Derby Corporation Act, 1890.
457	BELPER* - - -	4 July 1890	The parish of Rowditch (population 540) was transferred from *Duffield* sub-district to DERBY, *Derby* (436:1). [*See* Derby Corporation Act, 1890.]
459	CHESTERFIELD -	1 Feb. 1884	The parishes of North Wingfield and Tupton (aggregate population 3555) were transferred from *Chesterfield* sub-district to *Ashover* sub-district.
462	NANTWICH - -	14 July 1881	*Wheelock* sub-district was re-named *Crewe*.
465	WEST DERBY - -	1 May 1885	*Everton* sub-district was divided into *North Everton* sub-district (population 65,044) and *North Everton* sub-district (population 44,765).
467	BOLTON - - - -	1 Feb. 1884	*West Houghton* and *Horwich* sub-districts were united under the name of *Horwich* sub-district (population 13,200).
"	" - - - -	1 Feb. 1886	*Bolton Eastern* and *Bolton Western* sub-districts were united under the name of *Great Bolton* sub-district (population 45,694).
468	MANCHESTER - -	1 Dec. 1881	*Deansgate* and *Market Street* sub-districts were united under the name of *Central* sub-district (population 41,683).
469	ASHTON-UNDER-LYNE	1 Jan. 1883	*Audenshaw* and *Stalyb[illegible]* sub-districts were united under the name of *Denton* sub-district (population 38,[illegible]).
		"	"Walkden," part of the parish of Ashton-under-Lyne [illegible] was transferred from [illegible] to *Leigh* sub-district. [illegible] was transferred to *Bradford* sub-district.

* This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
474	Blackburn	1 Oct. 1885	*Blackburn* sub-district was divided into *Blackburn Northern* sub district (population 50,853) and *Blackburn Southern* sub-district (population 41,105).
477	Fylde	1 Jan. 1890	*Poulton-le-Fylde* sub-district was dissolved, and the parishes composing it were distributed as follows: The parishes of Bispham with Norbreck, Layton with Warbreck, Hardhorn with Newton and part of Marton (aggregate population 15,799) were constituted *Blackpool* sub-district: and the parishes of Carleton, Poulton-le-Fylde, Thornton, and Singleton, together with the parishes of Little Eccleston and Elswick, which were transferred from *Kirkham* sub-district (aggregate population 9987), were constituted *Fleetwood* sub-district.
496	Halifax	1 Apr. 1889	Part of the parish of Skircoat (population 2538) was transferred from *Halifax* sub-district to *Sowerby* sub-district.
497*a*	Bradford	1 Aug. 1882	The parish of Manningham (population 37,304) was transferred from *Horton* sub-district to *Bradford West End* sub-district.
518	Howden	„	*Newport* sub-district re-named *Wallingfen*.
548	Lanchester	1 Apr. 1888	*Lanchester* sub-district was divided as follows: The parishes of Medomsley, Benfieldside, Healeyfield, Conside-cum-Knitsley, Iveston, Ebchester, and Muggleswick (aggregate population 23,491) were constituted *Consett* sub-district: and the parishes of Greencroft, Lanchester, Langley, Esh, Satley, Cornsay, and Hedleyhope (aggregate population 16,194) were constituted *Lanchester* sub-district.
553	Sunderland	1 Feb. 1887	*East Sunderland* and *West Sunderland* sub-districts were united under the name of *Sunderland* sub-district (population 15,824).
557	Tynemouth	1 Oct. 1888	The parishes of Cramlington, East Hartford, and West Hartford (aggregate population 5939) were transferred from *Blyth* sub-district to *Earsdon* sub-district.
565	Berwick	1 Nov. 1881	*Islandshire* and *Norhamshire* sub-districts were united under the name of *Norham and Islandshire* sub-district (population 6449).
574	Cockermouth	1 Apr. 1887	The parishes of Embleton and Wythop (aggregate population 480) were transferred from *Keswick* sub-district to *Cockermouth* sub-district.
586	Cardiff	1 Jan. 1883	The parish of Llanilterne (population 118) was transferred from *St. Nicholas* sub-district to *Whitchurch* sub-district.
587	Pontypridd	1 Oct. 1890	*Pontypridd* sub-district was divided, the parishes of Llanfabon and Eglwysilan (aggregate population 11,958) were constituted *Eglwysilan* sub-district; and the parish of Llanwonno (population 18,652) was constituted *Llanwonno* sub-district.
589	Bridgend	1 Nov. 1882	The parishes of Llanharan, Llanilid, and Peterstone (aggregate population 880) were transferred from *Maesteg* sub-district to *Cowbridge* sub-district; and the parishes of Coychurch Higher, Coychurch Lower, and Pencoed (aggregate population 1365) were transferred from the same sub-district to *Bridgend* sub-district.
„	„ *	1 Apr. 1888	The parish of Llangynwyd Higher (population 2084) was transferred to *Maesteg* sub-district from Neath, *Margam* (590 : 1).
„	„	1 May 1888	*Maesteg* sub-district was divided, the parishes of Llangynwyd Higher, Llangynwyd Middle, Llangynwyd Lower, and Cwmdu (aggregate population 9422) were constituted *Maesteg* sub-district; and the parishes of Bettws, Llangeinor, Llandyfodwg, St. Bride's Minor, and Ynysawdre (aggregate population 8622) were constituted *Ogmore* sub-district.

* This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10 Years 1881-90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
590	Neath* - - -	1 Apr. 1886	The parish of Llangynwyd Higher (population 2084) was transferred from *Margam* sub-district to Bridgend, *Maesteg* (589 : 1).
613	Machynlleth - -	22 Apr. 1886	*Pennal* sub-district was re-named *Towyn*.
628	Bangor - - -	1 Aug. 1886	The parish of Llandegai (population 3587) was transferred from *Bangor* sub-district to *Llanllechid* sub-district : and the parishes of Aber and Llanfair-fechan (aggregate population 2483) were transferrpd from *Llanllechid* sub-district to *Bangor* sub-district.
629	Conway - - -	1 Oct. 1889	*Conway* and *Llechwedd Isaf* sub-districts were united under the name of *Conway* sub-district (population 6901).
630	Anglesey* - -	1 Jan. 1885	The union of Holyhead, consisting of *Bryngwran*, *Llanddeusaint*, and *Holyhead* sub-districts (aggregate population 19,940) was separated from Anglesey and created a separate Registration District named Holyhead (631).
"	" * - -	30 Apr. 1885	The parishes of Bodewryd and Rhosbeirio (aggregate population 68) were transferred to *Llandyfrydog* sub-district from Holyhead, *Llanddeusaint* (631 : 2).
631	Holyhead* - -	1 Jan. 1885	For the constitution of this new Registration District, *see* Anglesey (630).
"	" * - -	30 Apr. 1885	The parishes of Bodewryd and Rhosbeirio (aggregate population 68) were transferred from *Llanddeusaint* sub-district to Anglesey, *Llandyfrydog* (630 : 3).

* This change affects the boundaries of the Registration District.

INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each Registration District in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 631.

In addition to other uses, this Index will enable the reader to refer to Tables, showing *for each District*—

(1.) The comparative Density of Population, and the Annual Mortality during the Five Decennia beginning with 1841, 1851, 1861, 1871, and 1881, Table 1, pp. lxii–lxxxi.

(2.) The mortality from All Causes and from certain Zymotic and other causes among children under Five Years of Age. Table 2, pp. lxxxii–xcvi.

(3.) The mean Population living at Sixteen Age-periods, and the Deaths at each of those Age-periods from Twenty-four Causes or Groups of Causes, pp. 96–728.

A

Aberayron, 604.
Abergavenny, 582.
Aberystwith, 605.
Abingdon, 115.
Alcester, 397.
Alderbury (Salisbury), 254.
Alnwick, 563.
Alresford, 105.
Alston, 568.
Alton, 106.
Altrincham, 445.
Alverstoke, 89.
Amersham, 140.
Amesbury, 253.
Ampthill, 173.
Andover, 110.
Anglesey, 630.
Ashbourne, 438.
Ashby-de-la-Zouch, 406.
Ashton-under-Lyne, 468.
Aston, 387.
Atcham (Shrewsbury), 351.
Atherstone, 389.
Auckland, 545.
Axbridge, 315.
Axminster, 269.
Aylesbury, 143.
Aylsham, 223.
Aysgarth, 539.

B

Bakewell, 440.
Bala, 623.
Banbury, 155.
Bangor, 628.
Barnet, 128.
Barnsley, 506.
Barnstaple, 285.
Barrow-in-Furness, 482.
Barrow-upon-Soar, 408.
Barton Regis, 321.
Barton-upon-Irwell, 463.
Basford, 430.
Basingstoke, 108.
Bath, 317.
Battle, 69.
Beaminster, 267.
Bedale, 537.
Bedford, 171.
Bedminster, 319.
Bedwelty, 583.
Belford, 564.
Bellingham, 561.
Belper, 437.
Berkhampstead, 139.
Berwick, 565.
Bethnal Green, 16.
Beverley, 519.
Bicester, 151.
Bideford, 287.
Biggleswade, 172.
Billericay, 191.
Billesdon, 402.
Bingham, 434.
Birkenhead, 452.
Birmingham, 386.
Bishop Stortford, 131.
Blaby, 403.
Blackburn, 474.
Blandford, 260.
Blean, 58.
Blofield, 228.
Blything, 216.
Bodmin, 294.
Bolton, 461.
Bootle, 576.
Bosmere, 211.
Boston, 417.
Bourn, 414.
Brackley, 156.
Bradfield, 118.
Bradford-on-Avon, 249.
Bradford (Yorkshire), 497.
Braintree, 199.
Bramley, 500.
Brampton, 570.
Brecknock, 608.
Brentford, 126.
Bridge, 56.
Bridgend, 589.
Bridgnorth, 348.
Bridgwater, 307.
Bridlington, 525.
Bridport, 268.
Brighton, 77.
Bristol, 320.
Brixworth, 162.
Bromley, 41.
Bromsgrove, 384.
Bromyard, 341.
Buckingham, 146.
Builth, 607.
Burnley, 472.
Burton-upon-Trent, 367.
Bury, 462.
Bury St. Edmunds, 206.

C

Caistor, 424.
Calne, 245.
Camberwell, 26.
Cambridge, 179.
Camelford, 290.
Cannock, 370.
Canterbury, 57.
Cardiff, 586.
Cardigan, 601.
Carlisle, 572.
Carmarthen, 597.
Carnarvon, 627.
Castle Ward, 558.
Catherington, 103.
Caxton, 177.
Chapel-en-le-Frith, 441.
Chard, 309.
Cheadle, 365.
Chelmsford, 192.
Chelsea, 3.
Cheltenham, 335.
Chepstow, 580.
Chertsey, 31.
Chester, 450.
Chesterfield, 439.
Chester-le-Street, 552.
Chesterton, 178.
Chichester, 84.

Chippenham, 244.
Chipping Norton, 154.
Chipping Sodbury, 322.
Chorley, 475.
Chorlton, 464.
Christchurch, 93.
Church Stretton, 346.
Cirencester, 331.
Cleobury Mortimer, 347.
Clitheroe, 473.
Clun, 345.
Clutton, 316.
Cockermouth, 574.
Colchester, 196.
Congleton, 448.
Conway, 629.
Cookham, 121.
Corwen, 622.
Cosford, 204.
Coventry, 392.
Cranbrook, 52.
Crediton, 282.
Crickhowell, 609.
Cricklade, 242.
Croydon, 38.
Cuckfield, 75.

D

Darlington, 542.
Dartford, 42.
Daventry, 161.
Depwade, 230.
Derby, 436.
Devizes, 247.
Dewsbury, 502.
Docking, 235.
Dolgelly, 624.
Doncaster, 511.
Dorchester, 265.
Dorking, 35.
Dover, 64.
Downham, 238.
Driffield, 524.
Droitwich, 383.
Droxford, 102.
Dudley, 374.
Dulverton, 304.
Dunmow, 200.
Durham, 549.
Dursley, 324.

E

Easington, 550.
Eastingwold, 528.
East Ashford, 55.
Eastbourne, 70.
East Grinstead, 74.
Easthampstead, 122.
East Preston (Worthing), 82.
East Retford, 427.
Eastry, 63.
East Stonehouse, 278.
East Ward, 577.
Eccleshall Barlow, 508.
Edmonton, 129.
Egham, 65.
Ellesmere, 353.
Ely, 182.
Epping, 187.
Epsom, 30.
Erpingham, 222.
Eton, 141.
Evesham, 381.
Exeter, 272.

F

Falmouth, 298.
Fareham, 90.
Faringdon, 114.
Farnham, 33.
Faversham, 59.
Festiniog, 625.
Flegg, 229.
Foleshill, 391.
Forden (Montgomery), 615.
Fordingbridge, 95.
Forehoe, 226.
Freebridge Lynn, 236.
Frome, 312.
Fulham, 2.
Fylde, 477.

G

Gainsborough, 426.
Garstang, 478.
Gateshead, 555.
Glanford Bragg, 425.
Glendale, 586.
Gloucester, 327.
Godstone, 37.
Goole, 513.
Gower, 593.
Grantham, 419.
Gravesend, 43.
Great Ouseburn, 488.
Greenwich, 27.
Guildford, 32.
Guilsborough, 231.
Gunsbrough, 533.

H

Hackney, 10.
Hailsham, 71.
Halifax, 496.
Halstead, 198.
Hartlepool, 560.
Hambledon, 34.
Hampstead, 7.
Hartlepool, 544.
Hartlepool, 559.
Hartley Wintney, 107.
Haslingden, 471.
Hastings, 68.
Hatfield, 135.
Havant, 87.
Haverfordwest, 600.
Hay, 610.
Hayfield, 442.
Headington, 149.
Helmsley, 530.
Heiston, 299.
Hemel Hempstead, 138.
Hemsworth, 505.
Hendon, 127.
Henley, 147.
Henstead, 227.
Hereford, 339.
Hertford, 134.
Hexham, 559.
Highworth, 241.
Hinckley, 404.
Hitchin, 133.
Holbeach, 416.
Holbeck, 499.
Holborn, 13.
Hollingbourn, 51.
Holsworthy, 288.
Holyhead, 631.
Holywell, 617.
Honiton, 270.
Hoo, 45.
Hornastle, 421.
Horsham, 79.
Houghton-le-Spring, 551.
Howden, 518.
Hoxne, 240.
Huddersfield, 495.
Hull, 521.
Hungerford, 113.
Hunslet, 498.
Huntingdon, 168.

I

Ipswich, 213.
Isle of Wight, 91.
Islington, 9.

K

Keighley, 492.
Kendal, 579.
Kensington, 16.
Kettering, 164.
Keynsham, 318.
Kidderminster, 376.
Kingsbridge, 275.
Kingsclere, 111.
Kings Lynn, 247.
Kings Norton, 385.
Kingston, 39.
Kington, 343.
Knaresborough, 459.
Knighton, 611.

L

Lambeth, 24.
Lampeter, 603.
Lancaster, 479.
Lanchester, 548.
Langport, 308.
Launceston, 291.
Ledbury, 337.
Leeds, 501.
Leek, 364.
Leicester, 409.
Leigh, 460.
Leighton Buzzard, 175.
Leominster, 342.
Lewes, 76.
Lewisham, 28.
Lexden, 197.
Leyburn, 538.
Lichfield, 369.
Lincoln, 420.
Linton, 180.
Liskeard, 293.
Liverpool, 453.
Llandilofawr, 596.
Llandovery, 595.
Llanelly, 594.
Llanfylliu, 616.
Llanrwst, 621.
Loddon, 229.
London City, 14.
Longtown, 571.
Loughborough, 407.
Louth, 423.
Ludlow, 344.
Lunesdale, 480.
Luton, 176.
Lutterworth, 400.
Lymington, 92.

M

Macclesfield, 444.
Machynlleth, 613.
Madeley, 350.
Maidstone, 50.
Maldon, 194.
Malling, 47.
Malmsbury, 243.
Malton, 527.
Manchester, 466.
Mansfield, 429.
Market Bosworth, 405.
Market Drayton, 356.
Market Harborough, 401.
Marlborough, 246.
Martley, 378.
Marylebone, 6.
Medway, 46.
Melksham, 248.
Melton Mowbray, 410.
Mere, 257.
Meriden, 388.
Merthyr Tydfil, 588.
Middlesbrough, 534.
Midhurst, 85.
Mildenhall, 207.
Mile End Old Town, 20.
Milton, 60.
Mitford, 233.
Monmouth, 581.
Morpeth, 562.
Mutford, 218.

N

Nantwich, 449.
Narberth, 598.
Neath, 590.
Newark, 433.
Newbury, 112.
Newcastle-in-Emlyn, 602.
Newcastle-under-Lyme, 361.
Newcastle-upon-Tyne, 556.
Newent, 326.
New Forest, 96.
Newmarket, 181.
Newport (Monmouth), 585.
Newport (Salop), 358.
Newport Pagnell, 145.
Newton Abbot, 273.
Newtown, 614.
Northallerton, 536.
Northampton, 160.
Northleach, 332.
Northwich, 447.
North Witchford, 183.
Norwich, 225.
Nottingham, 431.
Nuneaton, 390.

O

Oakham, 411.
Okehampton, 281.
Oldham, 469.
Ongar, 188.
Ormskirk, 457.
Orsett, 190.
Oswestry, 352.
Oundle, 166.
Oxford, 150.

P

Paddington, 1*a*.
Pancras, 8.
Pateley Bridge, 486.
Patrington, 522.
Pembroke, 599.
Penrith, 569.
Penzance, 301.
Pershore, 382.
Peterborough, 167.
Petersfield, 104.
Petworth, 80.
Pewsey, 252.
Pickering, 531.
Plomesgate, 215.
Plymouth, 277.
Plympton St. Mary, 276.
Pocklington, 517.
Pontardawe, 591.
Pontefract, 504.
Pontypool, 584.
Pontypridd, 587.
Poole, 262.
Poplar, 21.
Portsea Island, 88.
Potterspury, 158.
Prescot, 456.
Preston, 476.
Prestwich, 467.
Pwllheli, 626.

R

Reading, 119.
Redruth, 300.
Reeth, 540.
Reigate, 36.
Rhayader, 612.
Richmond (Surrey), 40.
Richmond (Yorkshire), 541.
Ringwood, 94.
Ripon, 487.
Risbridge, 202.
Rochdale, 470.
Rochford, 193.
Romford, 189.
Romney Marsh, 66.
Romsey, 99.
Ross, 338.
Rothbury, 567.
Rotherham, 510.
Royston, 132.
Rugby, 393.
Runcorn, 446.
Ruthin, 619.
Rye, 67.

S

Saddleworth, 494.
Saffron Walden, 201.
St. Albans, 136.
St. Asaph, 620.
St. Austell, 296.
St. Columb, 295.
St. Faith's, 224.
St. George Hanover Sq., 4.
St. George-in-the-East, 18.
St. Germans, 292.
St. Giles, 11.
St. Ives, 169.
St. Neots, 170.
St. Olave, Southwark, 23.
St. Saviour, Southwark, 22.
St. Thomas, 271.
Salford, 465.
Samford, 212.
Scarborough, 526.
Scilly Islands, 302.
Sculcoates, 520.
Sedbergh, 483.

Selby, 514.
Settle, 484.
Sevenoaks, 48.
Shaftesbury, 258.
Sharpness, 435.
Sheffield, 509.
Shappey, 61.
Shepton Mallet, 313.
Sherborne, 266.
Shifnal, 349.
Shipston-on-Stour, 398.
Shoreditch, 15.
Skipton, 485.
Skirlaugh, 523.
Sleaford, 418.
Smallburgh, 221.
Solihull, 364.
Southam, 393.
Southampton, 97.
South Molton, 284.
South Shields, 554.
South Stoneham, 98.
Southwell, 432.
Spalding, 415.
Spilsby, 422
Stafford, 359.
Stalbridge, 124.
Stamford, 413.
Stepney, 19.
Steyning, 78.
Stockbridge, 100.
Stockport, 443.
Stockton, 543.
Stoke Damerel, 279.
Stokesley, 535.
Stoke upon-Trent, 363.
Stone, 360.
Stourbridge, 375.
Stow, 208.
Stow-on-the-Wold, 333.
Strand, 12.
Stratford-on-Avon, 396
Stratton, 289.
Strood, 44.
Stroud, 329
Sturminster, 259.
Sudbury, 203
Sunderland, 553.
Swaffham, 239.
Swansea, 592.

T

Tadcaster, 515.
Tamworth, 368.
Taunton, 306
Tavistock, 280.
Teesdale, 546.
Tenbury, 377.
Tenbring, 195
Tenterden, 58
Tetbury, 330
Tewkesbury, 336.
Thakeham, 81.
Thame, 148.
Thanet, 62.
Thetford, 240.
Thingoe, 205.
Thirsk, 529.
Thornbury, 323.
Thorne, 512.
Thrapston, 165.
Tenhurst, 72.
Tisbury, 256.
Tiverton, 284.
Todmorden, 493.
Torrington, 286.
Totnes, 274.
Towcester, 157.
Toxteth Park, 454.
Tregaron, 606.
Truro, 297.
Tunbridge, 49.
Tynemouth, 557.

U

Uckfield, 73
Ulverston, 481.
Uppingham, 412.
Upton-on Severn, 380.
Uttoxeter, 366.
Uxbridge, 125.

W

Wakefield, 503
Wallingford, 117
Walsall, 372.
Walsingham, 234.
Wandsworth, 25.
Wangford, 217.
Wantage, 116.
Ware, 130.
Wareham, 263.
Warminster, 251.
Warrington, 459.
Warwick, 395.
Watford, 137.
Wayland, 232.
Weardale, 547.
Wellingborough, 163.
Wellington (Salop), 357
Wellington (Somerset), 305
Wells, 314.
Wem, 354
Weobly, 340.
West Ashford, 54.
Westbourne, 86
West Bromwich, 373
Westbury, 250.
Westbury-on-Severn, 325
West Derby, 445.
West Ham, 186.
Westhampnett, 83
Westminster, 5
West Ward, 578
Wetherby, 490.
Weymouth, 264
Wharfedale, 491.
Wheatenhurst, 328.
Whitby, 532.
Whitechurch (Hants), 109
Whitechurch (Salop), 355
Whitechapel, 17.
Whitehaven, 575
Whittlesey, 184.
Wigan, 458.
Wigton, 573.
Williton, 303.
Wilton, 255.
Wimborne, 261.
Wincanton, 311
Winchcomb, 334.
Winchester, 101.
Windsor, 123.
Winslow, 144
Wirral, 451.
Wisbech, 185
Witney, 153.
Woburn, 174.
Wokingham, 120.
Wolstanton, 362.
Wolverhampton, 371
Woodbridge, 214.
Woodstock, 152
Woolwich, 29.
Worcester, 379
Worksop, 428
Wortley, 507.
Wrexham, 618
Wycombe, 142

Y

Yarmouth, 219
Yeovil, 310.
York, 516.

LIST OF URBAN SANITARY DISTRICTS

With Populations exceeding 15,000, whose Names differ from those of the Registration Districts in which they are situated.

Name of Urban Sanitary District.	Number of District.
Aberdare	588
Abersychan	584
Accrington	471
Acton	126
Aldershot	33
Alfreton	437
Aston Manor	387
Atherton	460
Bacup	470
	471
Batley	502
Beckenham	41
Bedlingtonshire	562
Bilston	371
Blackpool	477
Bootle	455
Bournemouth	93
Burslem	362
Chadderton	469
Chatham	46
Chiswick	126
Colne and Marsden	472
Coseley	374
Crewe	449
Darwen	474
Devonport	279
Dukinfield	468
Ealing	126
East Ham	186
Ebbw Vale	583
	609
Eccles	463
Enfield	129
Farnworth	461
Felling	555
Fenton	363
Finchley	128
Folkestone	65
Gillingham	46
Glossop	442
Gorton	464
Gosport and Alverstoke	89
	90
Grimsby	424
Handsworth	373
Hanley	363
Hebburn	554
Heston and Isleworth	126
Heywood	462
	470
Hindley	458
Hornsey	129
Hove	78
Hyde	443
	468
Ilkeston	430
Ince-in-Makerfield	458
Jarrow	554
Leyton	186
Longton	360
	363
	365

Name of Urban Sanitary District.	Number of District.
Lowestoft	218
Margate	62
Middleton	462
	467
	469
	499
Morley	502
	503
Moss Side	464
Mountain Ash	587
	588
Nelson	472
Oldbury	373
Pemberton	458
Portsmouth	88
Radcliffe	462
Ramsbottom	462
	471
Ramsgate	62
Rawtenstall	471
Rochester	44
	46
	47
Rowley Regis	374
Royal Leamington Spa	395
Saint George	321
Saint Helens	456
Salisbury	254
Shipley	497b
Shirley and Freemantle	98
Shrewsbury	351
Smethwick	385
South Hornsey	129
Southport	457
Stalybridge	468
Stretford	463
Swindon New Town	241
Swinton and Pendlebury	463
	465
Thornaby-on-Tees	534
Tipton	374
Torquay	273
Tottenham	129
Tredegar	583
	609
Tunbridge Wells	49
	72
Tunstall	362
Twickenham	126
Wallasey	452
Walthamstow	186
Walton-on-the-Hill	455
Waterloo-with-Seaforth	455
Wednesbury	373
Wenlock	350
Weston-super-Mare	315
Widnes	456
Willenhall	371
Willesden	127
Wimbledon	39
Withington	464
Wood Green	129
Workington	574
Worthing	82
Ystradyfodwg	587

ALPHABETICAL INDEX

TO

PART I.

OF THE

SUPPLEMENT TO THE REGISTRAR GENERAL'S FIFTY-FIFTH ANNUAL REPORT.

N.B.—The lettered Tables (A. to Z.) in the following Index are interpolated in the Report on pages iii–lx, and the numbered Tables (1 to 6) on pages lxi–cxvii.

PAGES

Act; Local Government (Boundaries), 1887. Effect of, in Simplifying Boundaries v

Age Incidence of Mortality from various Causes. (*See* under the several headings.)

Ages; Expectation of Life at different. (Tables C. to G.) . . . x
See also Death-rates.

Age and Sex Constitution of Population; in three Decennia. (Table B.) viii
Effect of changing, upon Death-rates in different periods . . viii
Method of Correcting Death-rates for xxxvii
Another method of Correcting Death-rates for (footnote) . . xxxvi
Effect of Correction for, on Death-rates in Counties (*also* Table N.) xxxix
On Cancer Mortality (*also* Tables W. and X.) . . . lxi
On Phthisis Mortality. (Table Z.) lix

Aggregation of Population in relation to Death-rates xlvi
(*See also* Tables Q. and R.)

Alcoholism; Relation of, to Liver Diseases xxxv

Ascites and Liver Diseases; Mortality from, in three Decennia; Males and Females. (Table L.) xxxv

Births of Males and Females in England, in Counties, and in Districts . 3

Birth-rates; In England and in Counties, 1881–90. (Table 6.) . xv
in Districts, 1881–90 97
Effect of changes in, upon the death-rate viii

Brain Fever; Change in Classification of, in 1881 (*see also* Table H.) . xx

Bright's Disease; *see* Nephritis.

Bronchitis; Changes in Mortality at all Ages from xxxiii
Changes in Age Incidence of Mortality from xxxiv
Mortality from, at each year of age under Five (footnote) . . xxxiv
Mortality from, at all Ages, and at eleven Groups of ages, in England, in three Decennia; Persons, Males, and Females. (Table 2.) cxii

PAGES

CANCER; Change of Classification affecting mortality from. (Table H.) . xxi
Increase of Mortality at all Ages from. (Table I.) xxiii
Increase of Mortality from, steadily progressive xxviii
Increase of mortality ascribed to, partly due to a system of inquiry, and partly to improved diagnosis xxix
Increase of Mortality from, greater among Males than among Females xxix
Local Incidence of Mortality from lii
Result of Correction for Age and Sex Constitution of Population upon Mortality from liii
Apparently high Mortality from, around Huntingdonshire and Cambridgeshire . . . . . liii, lv
Crude Death-rates at all Ages from, in Counties, in three Decennia; Persons, Males, and Females. (Table V.) . . . liv
Corrected Death-rates from, at Ages over 35 years, in Counties, 1881–90. (Table W.) lv
Change in the Comparative Mortality from, due to Correction for Age and Sex lv
Crude and Corrected Mortality from, at Ages over 35 years, in Counties, 1881–90; Persons, Males, and Females. (Table X.) lvi
No connection between general prevalence and sex incidence of - lvii
Mortality from, in Counties, 1881–90; Persons, Males, and Females. (Table 4) c
Mortality from, at all Ages and at eleven Groups of Ages in three Decennia; Persons, Males, and Females. (Table 5.) . . cxi
Mortality from, in England and in Counties, 1881–90; Persons. (Table 6) cxv
Mortality and Ages at Death, in England, in Counties, and in Districts 3

CAUSES OF DEATH; Increase or decrease of Mortality from certain (Table I.) xxiii
Mortality from several, among children under 5 years of age, in England, in Counties, and in Districts. (Table 2.) . . lxxxii
Mortality from several, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from several, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cviii
Mortality from several, in England and in Counties, in 1881–90; Persons. (Table 6.) cxv
Mortality and Ages at Death from several, in England, in Counties, and in Districts, 1881–90 3

CHANGES in the Constitution of Registration Counties, Districts, and Sub-districts during 1881–90 729

CHANGES in the Death-rates; *see* DEATH-RATES.

CHILDBIRTH AND PUERPERAL FEVER; Decrease of Mortality from. (Table I.) xxiii
Mortality from, per 1000 births, in three Decennia . . . xxviii
Deaths classed under, as the result of special inquiries . . . xxiii, xxviii
Mention of, often omitted from medical certificates . . . xxviii
Local incidence of Mortality from lii
Deaths from, per 1000 Births, in Counties, 1881–90. (Table U.) . lii
Mortality from, in Counties, 1881–90. (Table 4.) . . . c
Mortality from, at all Ages and at Groups of Ages, in three Decennia. (Table 5.) cx

CHILDBIRTH AND PUERPERAL FEVER—*continued.* PAGES

Mortality from, in Counties, 1881–90. (Table 6.) . . . cxv

Mortality, and Ages at Death, in England, in Counties and in Districts, 1881–90 3

CHILDREN UNDER FIVE YEARS OF AGE; Age incidence of Mortality from Measles among xxiv

Age incidence of Mortality from Scarlet Fever among . . xxv

Age incidence of Mortality from Diphtheria among . . . xxv

Age incidence of Mortality from Whooping-cough among . . xxvi

Age incidence of Mortality from "Fever" among . . . xxvi

Age incidence of Mortality from Diarrhœa among . . . xxvii

Age incidence of Mortality from Croup among xxxii

Age incidence of Mortality from Bronchitis among . . . xxxiii

Age incidence of Mortality from Pneumonia among . . . xxxiii

Age incidence of Mortality from Laryngitis among . . . xxxiii

Mortality among, from all Causes and from Several Causes in England, in Counties, and in Districts. (Table 2.) . . lxxxii

CHOLERA; Deaths from, included with Diarrhœal diseases (*also* Table 5, p. cx) xxviii

Annual Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

CIRCULATORY SYSTEM, DISEASES OF:—

Changes of classification affecting Mortality from (Table H.) . xxi

Increase of Mortality at all Ages from (Table I.) . . . xxiii

Change in Age Incidence of Mortality from xxxii

Probable cause of increase of Mortality from xxxii

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxii

Mortality from, in England and in Counties, 1881-90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

CIRRHOSIS OF LIVER; Increase of Mortality at all Ages from . . . xxxv

CLASSIFICATION of Diseases, Changes in xx

CONSTITUTIONAL DISEASES; Mortality from, in three Decennia, imperfectly comparable xxvii

Changes of Classification affecting (*also* Table H.) . . . xxviii

CORRECTION OF DEATH-RATES for Age and Sex Constitution of Population xxxvi, xxxvii

for error of using arithmetical means of Census Populations . xlii

(*also* Table P.) xliv

COUNTIES; Crude and Corrected Death-rates, and Comparative Mortality, 1881–90. (Table N.) xxxix

Crude Death-rates from Enteric Fever, 1871–80 and 1881–90. (Table T.) li

Deaths from Puerperal Fever and Childbirth per 1000 births, 1881–90. (Table U.) lii

Crude Death-rates at all Ages from Cancer, in three Decennia; Persons, Males, and Females. (Table V.) liv

COUNTIES—*continued.* PAGES

Corrected Death-rates over 35 years of age from Cancer, 1881–90; Persons. (Table W.) lv

Crude and Corrected Death-rates over 35 years of age from Cancer, 1881–90; Persons, Males, and Females. (Table X.) . . lvi

Crude Death-rates at all Ages from Phthisis, in three Decennia; Persons, Males, Females. (Table Y.) lviii

Corrected Death-rates at all Ages from Phthisis, 1881–90; Persons, Males, Females. (Table Z.) lix

Density of Population and Annual Mortality, in five Decennia. (Table 1.) lxii

Mortality from several Causes among Children under Five years of age, 1881–90. (Table 2.) lxxxii

Mortality at all Ages and at twelve Groups of Ages, 1881–90; Persons, Males, and Females. (Table 3.) xcvii

Mortality at all Ages from several Causes, 1881–90; Persons, Males, and Females. (Table 4.) c

Mean Population, Increase of Population, and Marriage-, Birth-, and Death-rates, 1881–90; Persons. (Table 6.) cxv

Marriages, Births, and Mean Populations, Death-rates, and Causes of Death at different Ages, 1881–90; Males and Females . . 6

CROUP; Change of Classification respecting Deaths from. (Table H.) . xxi

Age Incidence of Mortality from, at each year of Age under Five, in three Decennia (footnote) xxxii

High Mortality from, in Childhood xxxiii

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiii

DEATHS, Faulty Certification of Causes of xxii

Classification of Causes of, revised in 1881 xx

List of Changes in Classification of. (Table H.) . . . xxi

in Sanitary Areas of London before and after distribution of deaths in Public Institutions. (Table O.) xli

in earlier Decennia corrected, as far as practicable, for changes of Classification xx

from all Causes and from Several Causes, at Groups of Ages, in England, in Counties, and in Districts; 1881–90 . . . 3

DEATH-RATES; General decline in vi

Decline in, among Infants under one year of Age . . . vi

among Persons, Males, and Females, at successive Ages in five Decennia. (Table A.) vii

affected by changing Birth-rates viii

Balance of Gain and Loss in the, from certain Causes. (Table I.) xxiii

from Measles at each Year of Age under Five, in three Decennia (footnote) xxiv

from Scarlet Fever, at each Year of Age under Five, in three Decennia (footnote). xxv

from Diphtheria, at each Year of Age under Five, in three Decennia (footnote.) xxv

from Whooping-cough, at each Year of Age under Five, in three Decennia (footnote) xxvi

from "Fever," at each Year of Age under Five, in three Decennia (footnote) xxvi

from Diarrhœal Diseases, at each Year of Age under Five, in three Decennia (footnote.) xxvii

DEATH-RATES—*continued*. PAGES

from Croup, at each Year of Age under Five, in three Decennia (footnote) xxxii

from Bronchitis, at each Year of Age under Five, in three Decennia (footnote.) xxxiii

from Pneumonia, at each Year of Age under Five, in three Decennia (footnote) xxxiii

from Laryngitis, at each Year of Age under Five, in three Decennia (footnote) xxxiii

from Phthisis, 1851–1890; Persons, Males, and Females. (Table K.) xxx

from Diphtheria and Croup, as a measure of increase of Diphtheria xxxiv

from certain Liver Diseases, in three Decennia; Males and Females. (Table L.) xxxiv

from Nephritis and Bright's Disease, at successive Ages, in three Decennia; Persons, Males, and Females. (Table M.) . . xxxv

Local Variations in the; 1881–90. (*See also* Separate Diseases). xxxvi

in Urban and Rural England; Comparison of xxxvi

in Urban and Rural England; Method of correcting for Age and Sex Constitution of Population (footnote) xxxvi

Crude, Definition of xxxvi

Standard, Definition of xxxvi

Crude, in different Districts not comparable xxxvi

Method of reducing, to a uniform basis xxxviii

in Standard Population (Corrected Death-rates), Definition of . xxxviii

Crude and Corrected, Comparison of, in several Districts . . xxxviii

Crude and Corrected, and Comparative Mortality in Counties, 1881–90. (Table N.) xxxix

of Industrial Counties increased, and those of Rural Counties decreased, by correction for Age and Sex constitution . . xxxix

Error in, due to Deaths in Public Institutions xl

Some effects of migration on xlii

Error in, due to estimates of Population; and Method of Correction xlii

Table of Factors for Correction, Table P. . . . xliv

in Relation to Density of Population (*also* Tables Q. and R.) . xlvi

Crude, in England, in Large Towns, and in Rural England, from all Causes, and from the principal Zymotic Diseases. (Table S.) xlvii

Crude, generally overstate Mortality of healthy, and understate that of unhealthy districts xlvii

Corrected, value of, incidentally confirmed by Tables Q. and R. . xlviii

Crude, from Enteric Fever, in England and in Counties, in two Decennia. (Table T.) li

Crude, from Cancer, in England and in Counties, in three Decennia; Persons, Males, and Females. (Table V.) liv

Corrected, at Ages over 35 Years, from Cancer, in England and in Counties, 1881-90; Persons. (Table W.) lv

Crude and Corrected, at Ages over 35, from Cancer, in England and in Counties, 1881–90; Persons, Males, and Females. (Table X.) lvi

Crude, at all Ages, from Phthisis, in England and in Counties, in three Decennia; Persons, Males, and Females. (Table Y.) . lvii

Corrected, at all Ages, from Phthisis, in England and in Counties, 1881–90; Persons, Males, and Females. (Table Z.) . . lix

and Density of Population, in Divisions, in Counties, and in Districts in five Decennia. (Table 1.) lxii

among Children under Five, from all Causes and from Several Causes, in Counties and in Districts, 1851–90. (Table 2.) . lxxxi.

DEATH-RATES—*continued.* PAGES

at all Ages, and at twelve Groups of Ages, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 3.) xcvii

from Several Causes in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

from Several Causes, at successive Age Groups, in England, in three Decennia; Persons, Males, and Females. (Table 5.) . cviii

from Several Causes, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

from Several Causes, and at successive Age Groups, in England, in Counties, and in Districts 3

DENSITY OF POPULATION; in relation to Death-rates (*also* Tables Q. and R.) xlvi

in Divisions, in Counties, and in Districts, in five Decennia. (Table 1.) lxii

DIABETES MELLITUS; Increase of Mortality at all Ages from. (Table I.) xxiii

seldom fatal under 25 years of age xxxi

Mortality from, higher among Males than among Females . . xxxi

Mortality from, at all Ages and at eleven Groups of Ages, in three Decennia; Persons, Males, and Females. (Table 5.) . . cxi

DIARRHŒAL DISEASES; Decrease of Mortality at all Ages from. (Table I.) xxiii

most fatal at extremes of Life xxvii

Mortality from, at each Year of Age under Five (footnote) . . xxvii

Decrease of Mortality from, due in part to improved diagnosis . xxviii

more fatal to Males than to Females xxviii

List of terms included under head of xxviii

Mortality from, affected by Meteorological and Sanitary conditions xxviii

Mortality from, in Urban and in Rural England. (Table S.) . xlviii

Local incidence of Mortality from l

Mortality from, among Children under Five Years of Age, in England, in Counties, and in Districts, 1881–90. (Table 2.) . lxxxii

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cx

Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881-90 3

DIFFERENCES OF AGE AND SEX CONSTITUTION OF POPULATION; (*see* AGE AND SEX).

DIGESTIVE SYSTEM, DISEASES OF; Changes of Classification affecting Mortality from. (Table H.) xxi

Decrease of Mortality at all Ages from. (Table I.) . . . xxiii

Changes of Classification affecting xxxiv

Effect of improved certification on Mortality from . . . xxxiv

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiv

Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

Pages

Diphtheria; Increase of Mortality at all Ages from. (Table I.) . . xxiii
Age Incidence of Mortality from xxv
Increase of Mortality from, among children xxv
Mortality from, at each Year of Age under Five (footnote.) . . xxv
Confusion in Certification of Deaths from xxvi
and Croup, aggregate Mortality from, as a measure of actual increase of Diphtheria xxxiv
Mortality from, in Urban and in Rural England, 1881–90. (Table S.) xlviii
Local Incidence of Mortality from xlix
Mortality from, among Children under Five, in Divisions, in Counties, and in Districts, 1881–90. (Table 2.) . . . lxxxii
Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cix
Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

Distribution of Institution Deaths xl
Effects of, on Mortality of London Sanitary Areas. (Table O.) xli, lx

Districts, Registration; Comparison of Crude and Corrected Death-rates in certain, 1881–90 xxxviii
of London, which constitute the London Sanitary Areas . . xl
with highest Mortality from Typhus xlix
Group of, with high Mortality from Cancer liii
Density of Population and Death-rates in, in five Decennia. (Table 1.) lxiv
Mortality from Several Causes in, among children under Five Years of Age. (Table 2.) lxxxiv
Mortality, and Ages at Death in, from Several Causes. . . 96
Alphabetical List of 739

Divisions, Registration; Density of Population and Death-rates in, in five Decennia. (Table 1.) lxii

Dropsy; Inquiries addressed to Medical Practitioners concerning Deaths ascribed to xxxi

Effect of Difference in Age and Sex Constitution of Population upon death-rates of England in several years . . viii
upon death-rates in Groups of Districts. (Tables Q. and R.) . xlvii
upon Cancer Mortality in Counties. (Table X.) lvi
upon Phthisis Mortality. (Tables Y. and Z.) . . . . lviii, lix

England and Wales; Density of Population and Annual Mortality, in five Decennia. (Table 1.) lxii
Mortality from all Causes and from Several Causes, among Children under Five. (Table 2.) lxxxii
Death-rates at all Ages and at twelve Groups of Ages, 1881–90; Persons, Males, and Females. (Table 3.) xcvii
Death-rates from all Causes and from Several Causes, 1881–90; Persons, Males, and Females. (Table 4.) c
Death-rates from all Causes and from Several Causes in Groups of Ages in three Decennia; Persons, Males, and Females. (Table 5.) cviii

ENGLAND AND WALES—*continued.* PAGES

Mean Population, Increase of Population, and Marriage-, Birth-, and Death-rates, 1881–90; Persons. (Table 6.) . . . cxv

Mean Population, Death-rates, and Causes of Death, in successive Age Periods, 1881–90; Persons, Males, and Females . . 3

ENTERIC FEVER; Change of Classification affecting Mortality from. (Table H.) xxi

Decrease of Mortality at all Ages from. (Table I.) . . . xxiii

Mortality from, in England, in Four Quinquennia, 1871–90; Persons, Males, and Females. (Table J.) xxvii

Age and Sex Incidence of Mortality from xxvii

Local Incidence of Mortality from l

Mortality from, in Counties, in two Decennia. (Table T.) . li

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England in two Decennia; Persons, Males, and Females, (Table 5.) cx

Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

EXPECTATION OF LIFE at different Ages. (Tables C. to G.) . . . x

"FEVER"; Changes of Classification affecting mortality from. (Table H.) xxi

Decrease of Mortality at all Ages from. (Table I.) . . . xxiii, xxvi

Mortality from, at each year of age under Five (footnote) . . xxvi

Decrease of Mortality from, greatest among Children and Elderly Persons xxvi

Mortality from, in Urban and in Rural England. (Table S.) . xlviii, xlix

Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 2.) lxxxii

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cix

(*See also* BRAIN FEVER, ENTERIC FEVER, REMITTENT FEVER, SIMPLE CONTINUED FEVER, and TYPHUS).

FIBROID TUMOUR, Change in Classification of, in 1881 (*also* Table H.) . xx

GENERATIVE SYSTEM, DISEASES OF; Changes of Classification affecting. (Table H.) xxi

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts 3

HÆMORRHAGE, Change in Classification of, in 1881. (Table H.) . . xxi, xxii

HYDROCEPHALUS, CHRONIC; Change in Classification of, in 1881. (Table H.) xxi, xxii

INDEX of Registration Districts 739

of certain Urban Sanitary Districts 743

PAGE

INFANT MORTALITY; Decline of, in 1881–90 vi
in Urban and in Rural England, 1881–90. (Table S.) . . xlviii
in England and in Counties, 1881–90; Persons, Males, and Females. (Table 3.) xcvii
in England, in Counties, and in Districts, 1881–90 . . . 3

INQUIRY; Letters of, addressed to Medical Practitioners xxv

INSTITUTIONS, PUBLIC; Distribution of Deaths occurring in . . . xl
Effect of, on Deaths in London Sanitary Areas. (Table O.) . xlv
Mortality, 1881–90, in certain. (Table 1., footnote.) . . . lxv

LARYNGISMUS STRIDULUS; Change in Classification of, in 1881 (*also* Table H.) . . . . . xxvi, xxxii

LARYNGITIS; High Mortality from, in Childhood xxxiii
Mortality from, at each Year of Age under Five, in three Decennia (footnote.) xxxiii
Mortality from, in England, at all Ages, and at eleven Groups of Ages, in three Decennia; Persons, Males, and Females. (Table 5.) cxiii

LIFE TABLE, NEW ENGLISH; Compared with earlier Tables . . . ix, xx
Males. (Table C.) x
Females. (Table D.) xii
Persons. (Table E.) xiv

LIFE TABLES; Comparison of three English; Males. (Table F.) . . xvi
Females. (Table G.) . . xviii

LIVER DISEASES, and their Relation to Intemperance xxxiv
Mortality from, in three Decennia; Males and Females. (Table L.) xxxiv
Decrease of Mortality at all Ages from xxxiv
(*See also* ASCITES and CIRRHOSIS OF LIVER.)

LOCAL GOVERNMENT (BOUNDARIES) ACT, 1887; Effect of, in simplifying Boundaries v

LOCAL INCIDENCE of Mortality from several Causes xxxvi
(*See also* under separate headings.)

LONDON; Effect of Distribution of Institution Deaths in (*also* Table O.) . xl

MALIGNANT DISEASES; *see* CANCER.

MARRIAGES in England, in Counties, and in Districts 3

MARRIAGE RATES in England and in Counties, 1881–90. (Table 6.) . cxv
in England, 1881–90 3
in Districts, 1881–90 97

MEASLES; Change of Classification affecting Mortality from (*also* Table H.) xv, xxi
Increase of Mortality at all Ages from. (Table I.) . . xxiii, xxxv
Mortality from, at each year of Age, under Five (footnote.) . xxiv
Mortality from, in Urban and in Rural England. (Table S.) . xlviii
Local Incidence of Mortality from xxviii
Mortality from, among Children under Five, in England, in Counties and in Districts, 1881–90. (Table 2.) lxxxi
Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

MEASLES—*continued.* PAGES

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cviii

Mortality from, at all Ages, in England and in Counties, 1881–90. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts 3

MIGRATION OF POPULATION; Some effects of, on death-rates xlii

MORTALITY; *see* DEATH-RATES and INFANT MORTALITY.

NEPHRITIS AND BRIGHT'S DISEASE; Mortality from, at all Ages, and at eleven Groups of Ages, in three Decennia; Persons, Males, and Females. (Table M.) xxxv

Rapid Increase of Mortality from xxxv

Increase of Mortality from, greater among Females than among Males xxxv

NERVOUS SYSTEM, DISEASES OF; Changes of Classification affecting Mortality from. (Table H.) xxi

Decrease of Mortality at all Ages, from. (Table I.) . . . xxiii

Changes in Age Incidence of Mortality from xxxi

Probable Cause of Decreased Mortality from xxxii

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxii

Mortality from, at all Ages, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts 3

PERITONITIS; Inquiries addressed to Medical Practitioners concerning Deaths ascribed to xxii

PHTHISIS; Decrease of Mortality at all Ages from. (Table I.) . . xxiii

Decrease of Mortality from, greater among Females than among Males xxix

Mortality from, in England, in each Year, 1851–90; Persons, Males, and Females. (Table K.) xxx

Change in Sex Incidence of Mortality from xxxi

Local Incidence of Mortality from lvii

Crude Mortality from, in England and in Counties, in three Decennia; Persons, Males, and Females. (Table Y.) . . lviii

Corrected Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table Z.) lix

Mortality from, in London, affected by Deaths in Public Institutions: Nature of correction to be applied in future . . . lx

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxi

Mortality from, at all Ages, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

PAGE

PLEURISY; Mortality from, inconsiderable except at later Ages . . xxx

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) xxv

PNEUMONIA; Change in Age Incidence of Mortality from . . . xxvii

Mortality from, at each Year of Age under 5 (footnote) . . xxvii

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) xxv

POPULATION; of England and Wales, in three Decennia, Age and Sex constitution of. (Table B.) vii

Standard Million, 1881–90 (footnote) xxxvi

Decennial Increase or Decrease of, in England and in Counties, 1881–90 (Table 6.) xv

Mean, 1881–90, in England, in Counties, and in Districts, at groups of ages; Persons, Males, and Females 1

Decennial Increase or Decrease of, in Districts 97

PRELIMINARY REMARKS 1

PRELIMINARY TABLES; List of, with explanatory note . . . . ix.

PUERPERAL FEVER; *see* CHILDBIRTH.

REGISTRATION DISTRICTS; *see* DISTRICTS, REGISTRATION.

REGISTRATION DIVISIONS; *see* DIVISIONS, REGISTRATION.

REMITTENT FEVER; Change in Classification of Deaths of Children from. (*See also* Table H.) xx

RESPIRATORY SYSTEM, DISEASES OF; Decrease of Mortality at all Ages, from. (Table I.) xxiii

Effect of Influenza upon Mortality from xxxii

Changes in Classification respecting (*also* Table H.) . . . xxi, xxxii

Age and Sex Incidence of Mortality from xxxvi

Mortality from, among Children under Five Years of Age, in England, in Counties, and in Districts, 1881–90. (Table 2.) . xxxvi

Mortality from, at all Ages, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) xiv

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) xxv

Mortality from, at all Ages, in England and in Counties, 1881–90. Persons. (Table 6.) xxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 1

ROTHELN; Changes of Classification of Deaths from, in 1881 (*also* Table H.) xx

RURAL ENGLAND; Crude and Corrected Death-rates in, 1881–90 . . xxxvi

Birth-rate, and Crude Death-rates from all Causes and from certain Zymotic Diseases (Table S.) xlviii

SANITARY AREAS OF LONDON, and equivalent Registration Districts . . xl

Mortality in, from all Causes, and from certain Zymotic Diseases, before and after distribution of Institution Deaths, 1885–90. (Table O.) xli

PAGES

SCARLET FEVER; Decline of Mortality at all Ages from. (Table I.) . xxiii
Decline of Mortality from, uncertain whether due to diminished prevalence or to milder type xxv
Sex Incidence of Mortality from xxv
Comparatively low Mortality from, in first Year of Life . . xxv
Mortality from, at each Year of Age under Five, in three Decennia (footnote) xxv
Mortality from, in Urban and in Rural England. (Table S.) . xlviii
Local Incidence of Mortality from xlix
Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 2.) . . . lxxxii
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cviii
Mortality at all Ages from, in England and in Counties, 1881–90. Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts 3

SCROFULA; *see* TUBERCULAR DISEASES.

SEXES; *see* AGE AND SEX, and DEATH-RATES.

SIMPLE CONTINUED FEVER; Change of Classification affecting Mortality from. (Table H.) xxi
Decrease of Mortality at all Ages from. (Table I.) xxiii
Confusion of, with Enteric Fever and Typhus xxvii
Local Incidence of Mortality from l
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in two Decennia; Persons, Males, and Females. (Table 5.) cx
Mortality from, at all Ages, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

SMALL-POX; Change of Classification affecting Mortality from. (Table H.) xxi
Decrease of Mortality at all Ages from. (Table I.) . . . xxiii
Decrease of Mortality from, common to all Ages and to both Sexes xxiv
Effects of Vaccination upon Mortality from xxiv
Mortality from, in Urban and in Rural England, 1881–90. (Table S.) xlviii
Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 2.) lxxxii
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females (Table 4.) c
Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cviii
Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

STANDARD MILLION POPULATION; *see* POPULATION.
Death-rates in, *see* DEATH-RATES.

PAGES

SUICIDE; Increase in Mortality by xxxvi

Mortality by, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) xxix

TABES MESENTERICA; Mainly fatal among Young Children . . . xxix

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality at all Ages from, in England and in Counties, 1881–90. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

TOWNS, PRINCIPAL; Mortality in, 1881–90. (Table 8.) xlviii

(*See also* URBAN SANITARY DISTRICTS).

TUBERCULAR DISEASES; Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 2.) . lxxvii

Changes in Classification affecting Mortality from. (Table H.) . xvi

Excluding Phthisis; Decrease of Mortality at all Ages from. (Table I.) xxiii

Age Incidence of Mortality from different forms of . . xx, x

Mortality from, higher among Males than among Females . xxxi

Mortality at all Ages from, in England, and in Counties, 1881–90; Persons, Males, and Females (Table 4.) . c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) xxi

Excluding Phthisis and Tabes Mesenterica; Mortality at all Ages from, in England, and in Counties 1881–90. (Table 6.) . cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90. 4

TYPHOID FEVER. (*See* ENTERIC FEVER.)

TYPHOID PNEUMONIA; Letters of Inquiry to Medical Practitioners respecting deaths ascribed to xxiii

TYPHUS; Change in Classification affecting Mortality from. (Table H.) . xxi

Decrease of Mortality at all Ages from. (Table I.) . . . xx, xi

Apparently becoming extinct in England xxvi

Local Incidence of Mortality from xlix

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in two Decennia; Persons, Males, and Females. (Table 5.) cx

Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

URBAN ENGLAND; Crude and Corrected Death-rates in, 1881–90 . . xxxvi

Birth-rates, and Crude Death-rates from all Causes, and from certain Zymotic Diseases in. (Table 8.) xlviii

URBAN SANITARY DISTRICTS; List of certain 743

PAGES

URINARY SYSTEM, DISEASES OF; Change in Classification, affecting Mortality from. (Table H.) . . . . . xxi, xxxv
Increase of Mortality at all Ages from. (Table I.) . . . xxiii, xxxv
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiv
Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

VACCINATION; Condition as to, of Small-pox victims xxiv

VIOLENCE; Decrease of Mortality at all Ages from. (Table I.) . . xxiii
Deaths from, more frequent among Males than among Females . xxxvi
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiv
Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

WHOOPING-COUGH; Decrease of Mortality at all Ages from. (Table I.) . xxiii
Age Incidence of Mortality from xxvi
Mortality from, at each year of age under Five (footnote) . . xxvi
Mortality from, in Urban and in Rural England, 1881–90. (Table S.) xlviii
Local Incidence of Mortality from xlix
Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90 (Table 2.) lxxxii
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cix
Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

ZYMOTIC DISEASES; General Decline of Mortality from xxiv
(*See also* Separate Heading for each of the Principal Zymotic Diseases.)

BIBL.
LONDIN.
UNIV.

UL 11 APR 1963